
Features

- 1. Surface Mounted Devices with a small dimension of 3.6 x 1.6 x 0.5 mm³ meet future miniaturization trend.
- 2. Embedded and LTCC (Low Temperature Co-fired Ceramic) technology is able to future integrate with system design as well as beautifying the housing of final product.
- 3. High Stability in Temperature / Humidity Change


Applications


- 1. Bluetooth
- 2. Wireless LAN
- 3. ISM band 2.4GHz wireless applications

Dimensions (Unit: mm)



Number	Terminal Name
1	INPUT
2	NC







Symbols	L	W	T	A
Dimensions	3.2+/-0.2	1.6+/-0.2	0.5+/-0.1	0.4+/-0.1

www.surbaner.com.cn

SBR Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SBR Communication Technology.

Evaluation Board and Matching Circuits






www.surbaner.com.cn

SBR Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SBR Communication Technology.

Electrical Characteristics

No.	Item Specifications		
1	Central Frequency	2545MHz	
2	Band Width	100 MHz typ.	
3	Peak Gain	5.54 dBi	
4	Return Loss	≤2.0	
5	Polarization Linear		
6	Azimuth Beam width	Omni-directional	
7	Impedance	50 Ω	

Characteristic curve




www.surbaner.com.cn


SBR Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SBR Communication Technology.

Radiation Pattern

coordinates:



3D Radiation Pattern



Frequency (MHz)	2400	2450	2500
Avg. Gain (dBi)	-1.91	-1.30	-1.48
Peck Gain (dBi)	1.76	5.54	2.53
Efficiency (%)	72.1	78.2	71.8

www.surbaner.com.cn

SBR Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SBR Communication Technology.

. Page 4

Dependability Test

Temperature range $25\pm5^{\circ}\text{C}$ Relative Humidity range $55\sim75\%\text{RH}$ Operating Temperature range $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$ Storage Temperature range $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$

Vibration Resist

The device should fulfill the electrical specification after applied to the vibration of 10 to 55Hz with amplitude of 1.5mm for 2 hours each in X, Y and Z directions.

Drop Shock

The device should have no mechanical damage after dropping onto the hard wooden board from the height of 100cm for 3 times each facet of the 3 dimensions of the device.


Solder Heat Proof

The device should be satisfied after preheating at $120^{\circ}\text{C} \sim 150^{\circ}\text{C}$ for 120 seconds and dipping in soldering Sn at $255^{\circ}\text{C} + 10^{\circ}\text{C}$ for 5 ± 0.5 seconds, or electric iron $300^{\circ}\text{C} - 10^{\circ}\text{C}$ for 3 ± 0.5 seconds, without damnify.

Adhesive Strength of Termination

The device have no remarkable damage or removal of the termination after horizontal force of $5N(\le 0603)$; 10N(>0603)with 10 ± 1 seconds.

Bending Resist Test



Weld the product to the center part of the PCB with the thickness 1.6 ± 0.2 mm or 0.8 ± 0.1 mm as the illustration shows, and keep exerting force arrow-ward on it at speed of :1mm/S , and hold for 5 ± 1 S at the position of 1.5mm bending distance , so far , any peeling off of the product metal coating should not be detected .

www.surbaner.com.cn

SBR Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SBR Communication Technology.

Moisture Proof

The device should fulfill the electrical specification after exposed to the temperature 60 ± 2 °C and the relative humidity 90~95% RH for 96 hours and 1~2 hours recovery time under normal condition.

High Temperature Endurance

The device should fulfill the electrical specification after exposed to temperature 85 ± 5 °C for 96 ± 2 hours and 1~2 hours recovery time under normal temperature.


Low Temperature Endurance

The device should fulfill the electrical specification after exposed to the temperature $-40^{\circ}\text{C} \pm 5^{\circ}\text{C}$ for 96 ± 2 hours and to 2 hours recovery time under normal temperature.

Temperature Cycle Test

The device should fulfill the electrical specification after exposed to the low temperature -40°C and high temperature +85°C for 30 ± 2 min each by 5 cycles and 1 to 2 hours recovery time under normal temperature.

Reflow Soldering Standard Condition




www.surbaner.com.cn

SBR Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SBR Communication Technology.

Packaging and Dimensions (3216)


Plastic Tape



Remarks for Package

Reserve a length of 150~200mm for the trailer of the carrier and 250~300 mm for the leader of the carrier and further 250mm of cover tape at the leading part of the carrier.

Reel(3000 pcs/Reel)



Storage Period

Product should be used within six months of receipt.

MSL 1 / Storage Temperature Range: <30 degree C, Humidity: <85%RH

www.surbaner.com.cn

SBR Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SBR Communication Technology.