

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Maximum conducted output power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>high Limit (dBm)</i>	<i>Verdict</i>
Band7	5	20775	1	#0	QPSK	22.06	1.36	23.42	33.01	PASS
Band7	5	20775	1	#Mid	QPSK	21.94	1.36	23.30	33.01	PASS
Band7	5	20775	1	#Max	QPSK	22.01	1.36	23.37	33.01	PASS
Band7	5	20775	12	#0	QPSK	20.8	1.36	22.16	33.01	PASS
Band7	5	20775	12	#Mid	QPSK	20.68	1.36	22.04	33.01	PASS
Band7	5	20775	12	#Max	QPSK	20.66	1.36	22.02	33.01	PASS
Band7	5	20775	25	#0	QPSK	20.73	1.36	22.09	33.01	PASS
Band7	5	20775	1	#0	QAM16	22.33	1.36	23.69	33.01	PASS
Band7	5	20775	1	#Mid	QAM16	22.37	1.36	23.73	33.01	PASS
Band7	5	20775	1	#Max	QAM16	22.28	1.36	23.64	33.01	PASS
Band7	5	20775	12	#0	QAM16	20.38	1.36	21.74	33.01	PASS
Band7	5	20775	12	#Mid	QAM16	20.27	1.36	21.63	33.01	PASS
Band7	5	20775	12	#Max	QAM16	20.3	1.36	21.66	33.01	PASS
Band7	5	20775	25	#0	QAM16	20.5	1.36	21.86	33.01	PASS
Band7	5	21100	1	#0	QPSK	22.27	1.36	23.63	33.01	PASS
Band7	5	21100	1	#Mid	QPSK	22.24	1.36	23.60	33.01	PASS
Band7	5	21100	1	#Max	QPSK	22.16	1.36	23.52	33.01	PASS
Band7	5	21100	12	#0	QPSK	20.79	1.36	22.15	33.01	PASS
Band7	5	21100	12	#Mid	QPSK	20.73	1.36	22.09	33.01	PASS
Band7	5	21100	12	#Max	QPSK	20.68	1.36	22.04	33.01	PASS
Band7	5	21100	25	#0	QPSK	20.68	1.36	22.04	33.01	PASS
Band7	5	21100	1	#0	QAM16	21.92	1.36	23.28	33.01	PASS
Band7	5	21100	1	#Mid	QAM16	21.93	1.36	23.29	33.01	PASS
Band7	5	21100	1	#Max	QAM16	21.89	1.36	23.25	33.01	PASS
Band7	5	21100	12	#0	QAM16	20.29	1.36	21.65	33.01	PASS
Band7	5	21100	12	#Mid	QAM16	20.22	1.36	21.58	33.01	PASS
Band7	5	21100	12	#Max	QAM16	20.24	1.36	21.60	33.01	PASS
Band7	5	21100	25	#0	QAM16	20.57	1.36	21.93	33.01	PASS
Band7	5	21425	1	#0	QPSK	22.49	1.36	23.85	33.01	PASS
Band7	5	21425	1	#Mid	QPSK	22.5	1.36	23.86	33.01	PASS
Band7	5	21425	1	#Max	QPSK	22.27	1.36	23.63	33.01	PASS
Band7	5	21425	12	#0	QPSK	20.86	1.36	22.22	33.01	PASS
Band7	5	21425	12	#Mid	QPSK	20.84	1.36	22.20	33.01	PASS
Band7	5	21425	12	#Max	QPSK	20.83	1.36	22.19	33.01	PASS
Band7	5	21425	25	#0	QPSK	20.85	1.36	22.21	33.01	PASS
Band7	5	21425	1	#0	QAM16	22.04	1.36	23.40	33.01	PASS
Band7	5	21425	1	#Mid	QAM16	21.98	1.36	23.34	33.01	PASS

Band7	5	21425	1	#Max	QAM16	22.09	1.36	23.45	33.01	PASS
Band7	5	21425	12	#0	QAM16	20.37	1.36	21.73	33.01	PASS
Band7	5	21425	12	#Mid	QAM16	20.29	1.36	21.65	33.01	PASS
Band7	5	21425	12	#Max	QAM16	20.29	1.36	21.65	33.01	PASS
Band7	5	21425	25	#0	QAM16	20.56	1.36	21.92	33.01	PASS
Band7	10	20800	1	#0	QPSK	22.2	1.36	23.56	33.01	PASS
Band7	10	20800	1	#Mid	QPSK	22.17	1.36	23.53	33.01	PASS
Band7	10	20800	1	#Max	QPSK	22.16	1.36	23.52	33.01	PASS
Band7	10	20800	25	#0	QPSK	20.69	1.36	22.05	33.01	PASS
Band7	10	20800	25	#Mid	QPSK	20.67	1.36	22.03	33.01	PASS
Band7	10	20800	25	#Max	QPSK	20.74	1.36	22.10	33.01	PASS
Band7	10	20800	50	#0	QPSK	20.71	1.36	22.07	33.01	PASS
Band7	10	20800	1	#0	QAM16	22.59	1.36	23.95	33.01	PASS
Band7	10	20800	1	#Mid	QAM16	22.68	1.36	24.04	33.01	PASS
Band7	10	20800	1	#Max	QAM16	22.82	1.36	24.18	33.01	PASS
Band7	10	20800	25	#0	QAM16	20.22	1.36	21.58	33.01	PASS
Band7	10	20800	25	#Mid	QAM16	20.19	1.36	21.55	33.01	PASS
Band7	10	20800	25	#Max	QAM16	20.16	1.36	21.52	33.01	PASS
Band7	10	20800	50	#0	QAM16	20.28	1.36	21.64	33.01	PASS
Band7	10	21100	1	#0	QPSK	22.27	1.36	23.63	33.01	PASS
Band7	10	21100	1	#Mid	QPSK	22.21	1.36	23.57	33.01	PASS
Band7	10	21100	1	#Max	QPSK	22.21	1.36	23.57	33.01	PASS
Band7	10	21100	25	#0	QPSK	20.78	1.36	22.14	33.01	PASS
Band7	10	21100	25	#Mid	QPSK	20.84	1.36	22.20	33.01	PASS
Band7	10	21100	25	#Max	QPSK	20.71	1.36	22.07	33.01	PASS
Band7	10	21100	50	#0	QPSK	20.85	1.36	22.21	33.01	PASS
Band7	10	21100	1	#0	QAM16	22.65	1.36	24.01	33.01	PASS
Band7	10	21100	1	#Mid	QAM16	22.58	1.36	23.94	33.01	PASS
Band7	10	21100	1	#Max	QAM16	22.58	1.36	23.94	33.01	PASS
Band7	10	21100	25	#0	QAM16	20.46	1.36	21.82	33.01	PASS
Band7	10	21100	25	#Mid	QAM16	20.41	1.36	21.77	33.01	PASS
Band7	10	21100	25	#Max	QAM16	20.47	1.36	21.83	33.01	PASS
Band7	10	21100	50	#0	QAM16	20.44	1.36	21.80	33.01	PASS
Band7	10	21400	1	#0	QPSK	22.37	1.36	23.73	33.01	PASS
Band7	10	21400	1	#Mid	QPSK	22.43	1.36	23.79	33.01	PASS
Band7	10	21400	1	#Max	QPSK	22.47	1.36	23.83	33.01	PASS
Band7	10	21400	25	#0	QPSK	20.9	1.36	22.26	33.01	PASS
Band7	10	21400	25	#Mid	QPSK	20.88	1.36	22.24	33.01	PASS
Band7	10	21400	25	#Max	QPSK	20.94	1.36	22.30	33.01	PASS
Band7	10	21400	50	#0	QPSK	20.84	1.36	22.20	33.01	PASS
Band7	10	21400	1	#0	QAM16	22.38	1.36	23.74	33.01	PASS
Band7	10	21400	1	#Mid	QAM16	22.29	1.36	23.65	33.01	PASS
Band7	10	21400	1	#Max	QAM16	22.2	1.36	23.56	33.01	PASS
Band7	10	21400	25	#0	QAM16	20.6	1.36	21.96	33.01	PASS

Band7	10	21400	25	#Mid	QAM16	20.6	1.36	21.96	33.01	PASS
Band7	10	21400	25	#Max	QAM16	20.54	1.36	21.90	33.01	PASS
Band7	10	21400	50	#0	QAM16	20.47	1.36	21.83	33.01	PASS
Band7	15	20825	1	#0	QPSK	22.14	1.36	23.50	33.01	PASS
Band7	15	20825	1	#Mid	QPSK	22.05	1.36	23.41	33.01	PASS
Band7	15	20825	1	#Max	QPSK	22.03	1.36	23.39	33.01	PASS
Band7	15	20825	36	#0	QPSK	20.71	1.36	22.07	33.01	PASS
Band7	15	20825	36	#Mid	QPSK	20.75	1.36	22.11	33.01	PASS
Band7	15	20825	36	#Max	QPSK	20.69	1.36	22.05	33.01	PASS
Band7	15	20825	75	#0	QPSK	20.74	1.36	22.10	33.01	PASS
Band7	15	20825	1	#0	QAM16	22.73	1.36	24.09	33.01	PASS
Band7	15	20825	1	#Mid	QAM16	22.56	1.36	23.92	33.01	PASS
Band7	15	20825	1	#Max	QAM16	22.71	1.36	24.07	33.01	PASS
Band7	15	20825	36	#0	QAM16	20.44	1.36	21.80	33.01	PASS
Band7	15	20825	36	#Mid	QAM16	20.36	1.36	21.72	33.01	PASS
Band7	15	20825	36	#Max	QAM16	20.45	1.36	21.81	33.01	PASS
Band7	15	20825	75	#0	QAM16	20.3	1.36	21.66	33.01	PASS
Band7	15	21100	1	#0	QPSK	22.25	1.36	23.61	33.01	PASS
Band7	15	21100	1	#Mid	QPSK	22.16	1.36	23.52	33.01	PASS
Band7	15	21100	1	#Max	QPSK	22.12	1.36	23.48	33.01	PASS
Band7	15	21100	36	#0	QPSK	20.69	1.36	22.05	33.01	PASS
Band7	15	21100	36	#Mid	QPSK	20.75	1.36	22.11	33.01	PASS
Band7	15	21100	36	#Max	QPSK	20.73	1.36	22.09	33.01	PASS
Band7	15	21100	75	#0	QPSK	20.77	1.36	22.13	33.01	PASS
Band7	15	21100	1	#0	QAM16	22.6	1.36	23.96	33.01	PASS
Band7	15	21100	1	#Mid	QAM16	22.56	1.36	23.92	33.01	PASS
Band7	15	21100	1	#Max	QAM16	22.58	1.36	23.94	33.01	PASS
Band7	15	21100	36	#0	QAM16	20.51	1.36	21.87	33.01	PASS
Band7	15	21100	36	#Mid	QAM16	20.5	1.36	21.86	33.01	PASS
Band7	15	21100	36	#Max	QAM16	20.48	1.36	21.84	33.01	PASS
Band7	15	21100	75	#0	QAM16	20.51	1.36	21.87	33.01	PASS
Band7	15	21375	1	#0	QPSK	22.23	1.36	23.59	33.01	PASS
Band7	15	21375	1	#Mid	QPSK	22.24	1.36	23.60	33.01	PASS
Band7	15	21375	1	#Max	QPSK	22.27	1.36	23.63	33.01	PASS
Band7	15	21375	36	#0	QPSK	20.87	1.36	22.23	33.01	PASS
Band7	15	21375	36	#Mid	QPSK	20.89	1.36	22.25	33.01	PASS
Band7	15	21375	36	#Max	QPSK	20.82	1.36	22.18	33.01	PASS
Band7	15	21375	75	#0	QPSK	20.78	1.36	22.14	33.01	PASS
Band7	15	21375	1	#0	QAM16	22.57	1.36	23.93	33.01	PASS
Band7	15	21375	1	#Mid	QAM16	22.79	1.36	24.15	33.01	PASS
Band7	15	21375	1	#Max	QAM16	22.51	1.36	23.87	33.01	PASS
Band7	15	21375	36	#0	QAM16	20.36	1.36	21.72	33.01	PASS
Band7	15	21375	36	#Mid	QAM16	20.43	1.36	21.79	33.01	PASS
Band7	15	21375	36	#Max	QAM16	20.45	1.36	21.81	33.01	PASS

Band7	15	21375	75	#0	QAM16	20.6	1.36	21.96	33.01	PASS
Band7	20	20850	1	#0	QPSK	22.33	1.36	23.69	33.01	PASS
Band7	20	20850	1	#Mid	QPSK	22.17	1.36	23.53	33.01	PASS
Band7	20	20850	1	#Max	QPSK	22.15	1.36	23.51	33.01	PASS
Band7	20	20850	50	#0	QPSK	20.65	1.36	22.01	33.01	PASS
Band7	20	20850	50	#Mid	QPSK	20.57	1.36	21.93	33.01	PASS
Band7	20	20850	50	#Max	QPSK	20.65	1.36	22.01	33.01	PASS
Band7	20	20850	100	#0	QPSK	20.75	1.36	22.11	33.01	PASS
Band7	20	20850	1	#0	QAM16	22.1	1.36	23.46	33.01	PASS
Band7	20	20850	1	#Mid	QAM16	21.96	1.36	23.32	33.01	PASS
Band7	20	20850	1	#Max	QAM16	21.99	1.36	23.35	33.01	PASS
Band7	20	20850	50	#0	QAM16	20.37	1.36	21.73	33.01	PASS
Band7	20	20850	50	#Mid	QAM16	20.41	1.36	21.77	33.01	PASS
Band7	20	20850	50	#Max	QAM16	20.44	1.36	21.80	33.01	PASS
Band7	20	20850	100	#0	QAM16	20.36	1.36	21.72	33.01	PASS
Band7	20	21100	1	#0	QPSK	22.71	1.36	24.07	33.01	PASS
Band7	20	21100	1	#Mid	QPSK	22.69	1.36	24.05	33.01	PASS
Band7	20	21100	1	#Max	QPSK	22.7	1.36	24.06	33.01	PASS
Band7	20	21100	50	#0	QPSK	20.73	1.36	22.09	33.01	PASS
Band7	20	21100	50	#Mid	QPSK	20.78	1.36	22.14	33.01	PASS
Band7	20	21100	50	#Max	QPSK	20.77	1.36	22.13	33.01	PASS
Band7	20	21100	100	#0	QPSK	20.81	1.36	22.17	33.01	PASS
Band7	20	21100	1	#0	QAM16	21.95	1.36	23.31	33.01	PASS
Band7	20	21100	1	#Mid	QAM16	21.91	1.36	23.27	33.01	PASS
Band7	20	21100	1	#Max	QAM16	21.86	1.36	23.22	33.01	PASS
Band7	20	21100	50	#0	QAM16	20.42	1.36	21.78	33.01	PASS
Band7	20	21100	50	#Mid	QAM16	20.42	1.36	21.78	33.01	PASS
Band7	20	21100	50	#Max	QAM16	20.44	1.36	21.80	33.01	PASS
Band7	20	21100	100	#0	QAM16	20.41	1.36	21.77	33.01	PASS
Band7	20	21350	1	#0	QPSK	22.36	1.36	23.72	33.01	PASS
Band7	20	21350	1	#Mid	QPSK	22.42	1.36	23.78	33.01	PASS
Band7	20	21350	1	#Max	QPSK	22.44	1.36	23.80	33.01	PASS
Band7	20	21350	50	#0	QPSK	20.78	1.36	22.14	33.01	PASS
Band7	20	21350	50	#Mid	QPSK	20.82	1.36	22.18	33.01	PASS
Band7	20	21350	50	#Max	QPSK	20.81	1.36	22.17	33.01	PASS
Band7	20	21350	100	#0	QPSK	20.87	1.36	22.23	33.01	PASS
Band7	20	21350	1	#0	QAM16	22.3	1.36	23.66	33.01	PASS
Band7	20	21350	1	#Mid	QAM16	22.34	1.36	23.70	33.01	PASS
Band7	20	21350	1	#Max	QAM16	22.31	1.36	23.67	33.01	PASS
Band7	20	21350	50	#0	QAM16	20.43	1.36	21.79	33.01	PASS
Band7	20	21350	50	#Mid	QAM16	20.53	1.36	21.89	33.01	PASS
Band7	20	21350	50	#Max	QAM16	20.48	1.36	21.84	33.01	PASS
Band7	20	21350	100	#0	QAM16	20.45	1.36	21.81	33.01	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	-20.88	-0.008	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	-17.18	-0.007	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-22.64	-0.009	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	-27.43	-0.011	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	-21.55	-0.008	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	-18.61	-0.007	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	4.64	13	PASS
Band7	5	21100	1	#0	QAM16	5.48	13	PASS
Band7	10	21100	1	#0	QPSK	4.67	13	PASS
Band7	10	21100	1	#0	QAM16	5.18	13	PASS
Band7	15	21100	1	#0	QPSK	4.67	13	PASS
Band7	15	21100	1	#0	QAM16	5.16	13	PASS
Band7	20	21100	1	#0	QPSK	4.42	13	PASS
Band7	20	21100	1	#0	QAM16	5.03	13	PASS



Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0

**Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0**

**Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0****Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0**


**Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0****Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band7	5	20775	25	#0	QPSK	4.519	4.946	PASS
Band7	5	20775	25	#0	QAM16	4.503	4.989	PASS
Band7	5	21100	25	#0	QPSK	4.519	4.943	PASS
Band7	5	21100	25	#0	QAM16	4.526	4.963	PASS
Band7	5	21425	25	#0	QPSK	4.512	4.926	PASS
Band7	5	21425	25	#0	QAM16	4.537	4.975	PASS
Band7	10	20800	50	#0	QPSK	8.971	9.854	PASS
Band7	10	20800	50	#0	QAM16	8.971	9.788	PASS
Band7	10	21100	50	#0	QPSK	8.960	9.770	PASS
Band7	10	21100	50	#0	QAM16	8.983	9.842	PASS
Band7	10	21400	50	#0	QPSK	8.991	9.841	PASS
Band7	10	21400	50	#0	QAM16	8.984	9.888	PASS
Band7	15	20825	75	#0	QPSK	13.476	14.936	PASS
Band7	15	20825	75	#0	QAM16	13.489	14.663	PASS
Band7	15	21100	75	#0	QPSK	13.465	14.652	PASS
Band7	15	21100	75	#0	QAM16	13.444	14.988	PASS
Band7	15	21375	75	#0	QPSK	13.458	14.759	PASS
Band7	15	21375	75	#0	QAM16	13.492	14.952	PASS
Band7	20	20850	100	#0	QPSK	17.973	19.639	PASS
Band7	20	20850	100	#0	QAM16	18.060	19.436	PASS
Band7	20	21100	100	#0	QPSK	17.982	19.517	PASS
Band7	20	21100	100	#0	QAM16	18.000	19.562	PASS
Band7	20	21350	100	#0	QPSK	17.995	19.611	PASS
Band7	20	21350	100	#0	QAM16	17.983	19.505	PASS


Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0





Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0


**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0**




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0





5 Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2498.99	-12.78	-10	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-12.25	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.01	-13.76	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.00	-14.02	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.99	-34.99	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.93	-34.59	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.51	-36.94	-25	PASS
Band7	10	21400	50	#0	QAM16	2571.05	-21.00	-10	PASS
Band7	15	20825	75	#0	QPSK	2484.97	-38.15	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.88	-37.33	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.12	-37.37	-25	PASS
Band7	15	21375	75	#0	QAM16	2571.09	-21.92	-10	PASS
Band7	20	20850	100	#0	QPSK	2479.80	-41.54	-25	PASS
Band7	20	20850	100	#0	QAM16	2495.62	-29.10	-13	PASS
Band7	20	21350	100	#0	QPSK	2575.87	-27.27	-13	PASS
Band7	20	21350	100	#0	QAM16	2575.03	-24.69	-13	PASS

Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0



**Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0**




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0



**Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0**




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0


**Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0****Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0**




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0



Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	3828.03	-37.57	-25	PASS
Band7	5	20775	25	#0	QAM16	5154.85	-37.56	-25	PASS
Band7	5	21425	25	#0	QPSK	2593.00	-34.22	-25	PASS
Band7	5	21425	25	#0	QAM16	3830.95	-37.84	-25	PASS
Band7	10	20800	50	#0	QPSK	3702.70	-38.23	-25	PASS
Band7	10	20800	50	#0	QAM16	3816.55	-37.70	-25	PASS
Band7	10	21400	50	#0	QPSK	5130.55	-35.87	-25	PASS
Band7	10	21400	50	#0	QAM16	3718.45	-37.19	-25	PASS
Band7	15	20825	75	#0	QPSK	5145.40	-37.98	-25	PASS
Band7	15	20825	75	#0	QAM16	3816.33	-37.52	-25	PASS
Band7	15	21375	75	#0	QPSK	3866.73	-37.11	-25	PASS
Band7	15	21375	75	#0	QAM16	3825.78	-37.43	-25	PASS
Band7	20	20850	100	#0	QPSK	3806.65	-36.55	-25	PASS
Band7	20	20850	100	#0	QAM16	3826.45	-37.85	-25	PASS
Band7	20	21350	100	#0	QPSK	3825.55	-37.77	-25	PASS
Band7	20	21350	100	#0	QAM16	3985.98	-37.26	-25	PASS


Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0



Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0

