

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.06	21.16	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.07	21.17	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.05	21.15	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	21.47	20.57	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	21.73	20.83	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	21.72	20.82	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.61	20.71	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.07	21.17	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.14	21.24	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.16	21.26	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	21.80	20.90	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	21.67	20.77	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	21.78	20.88	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.72	20.82	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.11	21.21	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.10	21.20	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.09	21.19	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	21.66	20.76	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	21.65	20.75	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	21.61	20.71	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.62	20.72	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.76	20.86	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	21.79	20.89	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	21.83	20.93	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	20.82	19.92	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	20.74	19.84	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	20.80	19.90	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.76	19.86	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.60	20.70	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.54	20.64	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.55	20.65	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	20.76	19.86	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	20.68	19.78	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	20.82	19.92	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.63	19.73	33	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	21.77	20.87	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.83	20.93	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	21.71	20.81	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.01	20.11	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	20.85	19.95	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	20.93	20.03	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.97	20.07	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.18	21.28	33	PASS
Band2	3MHz	QPSK	18615	1RB#7	22.18	21.28	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.15	21.25	33	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.66	20.76	33	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.55	20.65	33	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.68	20.78	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.75	20.85	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.16	21.26	33	PASS
Band2	3MHz	QPSK	18900	1RB#7	22.22	21.32	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.21	21.31	33	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.79	20.89	33	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.67	20.77	33	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.73	20.83	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.79	20.89	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	22.14	21.24	33	PASS
Band2	3MHz	QPSK	19185	1RB#7	22.07	21.17	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.09	21.19	33	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.74	20.84	33	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.74	20.84	33	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.67	20.77	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.71	20.81	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	21.46	20.56	33	PASS
Band2	3MHz	16QAM	18615	1RB#7	21.51	20.61	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.55	20.65	33	PASS
Band2	3MHz	16QAM	18615	8RB#0	20.91	20.01	33	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.91	20.01	33	PASS
Band2	3MHz	16QAM	18615	8RB#7	20.92	20.02	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	20.58	19.68	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.58	20.68	33	PASS
Band2	3MHz	16QAM	18900	1RB#7	21.61	20.71	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.55	20.65	33	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.99	20.09	33	PASS
Band2	3MHz	16QAM	18900	8RB#4	20.93	20.03	33	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.91	20.01	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	20.85	19.95	33	PASS

Band2	3MHz	16QAM	19185	1RB#0	21.69	20.79	33	PASS
Band2	3MHz	16QAM	19185	1RB#7	21.71	20.81	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.65	20.75	33	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.98	20.08	33	PASS
Band2	3MHz	16QAM	19185	8RB#4	20.97	20.07	33	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.94	20.04	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.98	20.08	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.22	21.32	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.20	21.30	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.19	21.29	33	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.75	20.85	33	PASS
Band2	5MHz	QPSK	18625	12RB#6	21.75	20.85	33	PASS
Band2	5MHz	QPSK	18625	12RB#11	21.76	20.86	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.66	20.76	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.42	21.52	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	22.36	21.46	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.29	21.39	33	PASS
Band2	5MHz	QPSK	18900	12RB#0	21.77	20.87	33	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.64	20.74	33	PASS
Band2	5MHz	QPSK	18900	12RB#11	21.61	20.71	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	21.72	20.82	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.28	21.38	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.27	21.37	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	22.33	21.43	33	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.81	20.91	33	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.73	20.83	33	PASS
Band2	5MHz	QPSK	19175	12RB#11	21.82	20.92	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.77	20.87	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.45	20.55	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	21.47	20.57	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.49	20.59	33	PASS
Band2	5MHz	16QAM	18625	12RB#0	20.83	19.93	33	PASS
Band2	5MHz	16QAM	18625	12RB#6	20.83	19.93	33	PASS
Band2	5MHz	16QAM	18625	12RB#11	20.80	19.90	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	20.69	19.79	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	21.40	20.50	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	21.43	20.53	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	21.23	20.33	33	PASS
Band2	5MHz	16QAM	18900	12RB#0	20.75	19.85	33	PASS
Band2	5MHz	16QAM	18900	12RB#6	20.70	19.80	33	PASS
Band2	5MHz	16QAM	18900	12RB#11	20.72	19.82	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	20.82	19.92	33	PASS

Band2	5MHz	16QAM	19175	1RB#0	21.49	20.59	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.58	20.68	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.56	20.66	33	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.84	19.94	33	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.85	19.95	33	PASS
Band2	5MHz	16QAM	19175	12RB#11	20.85	19.95	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.93	20.03	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.10	21.20	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.10	21.20	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.18	21.28	33	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.73	20.83	33	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.58	20.68	33	PASS
Band2	10MHz	QPSK	18650	25RB#24	21.70	20.80	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	21.64	20.74	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.28	21.38	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.28	21.38	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.28	21.38	33	PASS
Band2	10MHz	QPSK	18900	25RB#0	21.59	20.69	33	PASS
Band2	10MHz	QPSK	18900	25RB#12	21.61	20.71	33	PASS
Band2	10MHz	QPSK	18900	25RB#24	21.62	20.72	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.60	20.70	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.11	21.21	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.20	21.30	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.23	21.33	33	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.61	20.71	33	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.63	20.73	33	PASS
Band2	10MHz	QPSK	19150	25RB#24	21.68	20.78	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.61	20.71	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.41	20.51	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.43	20.53	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	20.33	19.43	33	PASS
Band2	10MHz	16QAM	18650	25RB#0	20.84	19.94	33	PASS
Band2	10MHz	16QAM	18650	25RB#12	20.82	19.92	33	PASS
Band2	10MHz	16QAM	18650	25RB#24	20.81	19.91	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	20.68	19.78	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	21.36	20.46	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	21.47	20.57	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.34	20.44	33	PASS
Band2	10MHz	16QAM	18900	25RB#0	20.83	19.93	33	PASS
Band2	10MHz	16QAM	18900	25RB#12	20.84	19.94	33	PASS
Band2	10MHz	16QAM	18900	25RB#24	20.89	19.99	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	20.89	19.99	33	PASS

Band2	10MHz	16QAM	19150	1RB#0	21.28	20.38	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.23	20.33	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.31	20.41	33	PASS
Band2	10MHz	16QAM	19150	25RB#0	20.69	19.79	33	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.70	19.80	33	PASS
Band2	10MHz	16QAM	19150	25RB#24	20.81	19.91	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.77	19.87	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	21.99	21.09	33	PASS
Band2	15MHz	QPSK	18675	1RB#37	21.06	20.16	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	21.95	21.05	33	PASS
Band2	15MHz	QPSK	18675	36RB#0	21.58	20.68	33	PASS
Band2	15MHz	QPSK	18675	36RB#16	21.65	20.75	33	PASS
Band2	15MHz	QPSK	18675	36RB#35	21.64	20.74	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.56	20.66	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.11	21.21	33	PASS
Band2	15MHz	QPSK	18900	1RB#37	22.06	21.16	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.09	21.19	33	PASS
Band2	15MHz	QPSK	18900	36RB#0	21.72	20.82	33	PASS
Band2	15MHz	QPSK	18900	36RB#16	21.73	20.83	33	PASS
Band2	15MHz	QPSK	18900	36RB#35	21.62	20.72	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.60	20.70	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.16	21.26	33	PASS
Band2	15MHz	QPSK	19125	1RB#37	22.18	21.28	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.17	21.27	33	PASS
Band2	15MHz	QPSK	19125	36RB#0	21.62	20.72	33	PASS
Band2	15MHz	QPSK	19125	36RB#16	21.62	20.72	33	PASS
Band2	15MHz	QPSK	19125	36RB#35	21.63	20.73	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.62	20.72	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.57	20.67	33	PASS
Band2	15MHz	16QAM	18675	1RB#37	21.59	20.69	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	21.61	20.71	33	PASS
Band2	15MHz	16QAM	18675	36RB#0	20.82	19.92	33	PASS
Band2	15MHz	16QAM	18675	36RB#16	20.81	19.91	33	PASS
Band2	15MHz	16QAM	18675	36RB#35	20.80	19.90	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	20.72	19.82	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	21.49	20.59	33	PASS
Band2	15MHz	16QAM	18900	1RB#37	21.53	20.63	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	21.58	20.68	33	PASS
Band2	15MHz	16QAM	18900	36RB#0	20.82	19.92	33	PASS
Band2	15MHz	16QAM	18900	36RB#16	20.76	19.86	33	PASS
Band2	15MHz	16QAM	18900	36RB#35	20.76	19.86	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	20.82	19.92	33	PASS

Band2	15MHz	16QAM	19125	1RB#0	21.42	20.52	33	PASS
Band2	15MHz	16QAM	19125	1RB#37	21.39	20.49	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.48	20.58	33	PASS
Band2	15MHz	16QAM	19125	36RB#0	20.71	19.81	33	PASS
Band2	15MHz	16QAM	19125	36RB#16	20.71	19.81	33	PASS
Band2	15MHz	16QAM	19125	36RB#35	20.72	19.82	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.71	19.81	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.05	21.15	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	22.11	21.21	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.15	21.25	33	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.66	20.76	33	PASS
Band2	20MHz	QPSK	18700	50RB#24	21.73	20.83	33	PASS
Band2	20MHz	QPSK	18700	50RB#49	21.72	20.82	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.77	20.87	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.19	21.29	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	22.34	21.44	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.55	21.65	33	PASS
Band2	20MHz	QPSK	18900	50RB#0	21.85	20.95	33	PASS
Band2	20MHz	QPSK	18900	50RB#24	21.77	20.87	33	PASS
Band2	20MHz	QPSK	18900	50RB#49	21.83	20.93	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	21.79	20.89	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	22.11	21.21	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.16	21.26	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.19	21.29	33	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.77	20.87	33	PASS
Band2	20MHz	QPSK	19100	50RB#24	21.75	20.85	33	PASS
Band2	20MHz	QPSK	19100	50RB#49	21.71	20.81	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.80	20.90	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.49	20.59	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.50	20.60	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	21.53	20.63	33	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.70	19.80	33	PASS
Band2	20MHz	16QAM	18700	50RB#24	20.76	19.86	33	PASS
Band2	20MHz	16QAM	18700	50RB#49	20.76	19.86	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	20.79	19.89	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	21.39	20.49	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	21.31	20.41	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	21.42	20.52	33	PASS
Band2	20MHz	16QAM	18900	50RB#0	20.94	20.04	33	PASS
Band2	20MHz	16QAM	18900	50RB#24	20.93	20.03	33	PASS
Band2	20MHz	16QAM	18900	50RB#49	20.94	20.04	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	20.84	19.94	33	PASS

Band2	20MHz	16QAM	19100	1RB#0	21.36	20.46	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.33	20.43	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.47	20.57	33	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.87	19.97	33	PASS
Band2	20MHz	16QAM	19100	50RB#24	20.88	19.98	33	PASS
Band2	20MHz	16QAM	19100	50RB#49	20.87	19.97	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.69	19.79	33	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	21.99	19.59	30	PASS
Band4	1.4MHz	QPSK	19957	1RB#2	22.09	19.69	30	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	21.08	18.68	30	PASS
Band4	1.4MHz	QPSK	19957	3RB#0	21.72	19.32	30	PASS
Band4	1.4MHz	QPSK	19957	3RB#1	21.70	19.30	30	PASS
Band4	1.4MHz	QPSK	19957	3RB#2	21.77	19.37	30	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	21.54	19.14	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	22.00	19.60	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#2	22.08	19.68	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	21.10	18.70	30	PASS
Band4	1.4MHz	QPSK	20175	3RB#0	21.74	19.34	30	PASS
Band4	1.4MHz	QPSK	20175	3RB#1	21.70	19.30	30	PASS
Band4	1.4MHz	QPSK	20175	3RB#2	21.66	19.26	30	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	21.74	19.34	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	22.04	19.64	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#2	22.08	19.68	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	21.04	18.64	30	PASS
Band4	1.4MHz	QPSK	20393	3RB#0	21.62	19.22	30	PASS
Band4	1.4MHz	QPSK	20393	3RB#1	21.64	19.24	30	PASS
Band4	1.4MHz	QPSK	20393	3RB#2	21.72	19.32	30	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	21.60	19.20	30	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	21.66	19.26	30	PASS
Band4	1.4MHz	16QAM	19957	1RB#2	21.71	19.31	30	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	21.73	19.33	30	PASS
Band4	1.4MHz	16QAM	19957	3RB#0	20.68	18.28	30	PASS
Band4	1.4MHz	16QAM	19957	3RB#1	20.54	18.14	30	PASS
Band4	1.4MHz	16QAM	19957	3RB#2	20.66	18.26	30	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	20.79	18.39	30	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	21.40	19.00	30	PASS
Band4	1.4MHz	16QAM	20175	1RB#2	21.43	19.03	30	PASS
Band4	1.4MHz	16QAM	20175	1RB#5	21.34	18.94	30	PASS
Band4	1.4MHz	16QAM	20175	3RB#0	20.71	18.31	30	PASS
Band4	1.4MHz	16QAM	20175	3RB#1	20.73	18.33	30	PASS
Band4	1.4MHz	16QAM	20175	3RB#2	20.75	18.35	30	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	20.73	18.33	30	PASS

Band4	1.4MHz	16QAM	20393	1RB#0	21.49	19.09	30	PASS
Band4	1.4MHz	16QAM	20393	1RB#2	21.51	19.11	30	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	21.56	19.16	30	PASS
Band4	1.4MHz	16QAM	20393	3RB#0	20.52	18.12	30	PASS
Band4	1.4MHz	16QAM	20393	3RB#1	20.47	18.07	30	PASS
Band4	1.4MHz	16QAM	20393	3RB#2	20.45	18.05	30	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	20.63	18.23	30	PASS
Band4	3MHz	QPSK	19965	1RB#0	22.09	19.69	30	PASS
Band4	3MHz	QPSK	19965	1RB#7	22.23	19.83	30	PASS
Band4	3MHz	QPSK	19965	1RB#14	22.13	19.73	30	PASS
Band4	3MHz	QPSK	19965	8RB#0	21.67	19.27	30	PASS
Band4	3MHz	QPSK	19965	8RB#4	21.65	19.25	30	PASS
Band4	3MHz	QPSK	19965	8RB#7	21.65	19.25	30	PASS
Band4	3MHz	QPSK	19965	15RB#0	21.61	19.21	30	PASS
Band4	3MHz	QPSK	20175	1RB#0	22.17	19.77	30	PASS
Band4	3MHz	QPSK	20175	1RB#7	22.15	19.75	30	PASS
Band4	3MHz	QPSK	20175	1RB#14	22.11	19.71	30	PASS
Band4	3MHz	QPSK	20175	8RB#0	21.58	19.18	30	PASS
Band4	3MHz	QPSK	20175	8RB#4	21.63	19.23	30	PASS
Band4	3MHz	QPSK	20175	8RB#7	21.71	19.31	30	PASS
Band4	3MHz	QPSK	20175	15RB#0	21.54	19.14	30	PASS
Band4	3MHz	QPSK	20385	1RB#0	22.09	19.69	30	PASS
Band4	3MHz	QPSK	20385	1RB#7	22.08	19.68	30	PASS
Band4	3MHz	QPSK	20385	1RB#14	22.08	19.68	30	PASS
Band4	3MHz	QPSK	20385	8RB#0	21.69	19.29	30	PASS
Band4	3MHz	QPSK	20385	8RB#4	21.58	19.18	30	PASS
Band4	3MHz	QPSK	20385	8RB#7	21.67	19.27	30	PASS
Band4	3MHz	QPSK	20385	15RB#0	21.57	19.17	30	PASS
Band4	3MHz	16QAM	19965	1RB#0	21.58	19.18	30	PASS
Band4	3MHz	16QAM	19965	1RB#7	21.53	19.13	30	PASS
Band4	3MHz	16QAM	19965	1RB#14	21.43	19.03	30	PASS
Band4	3MHz	16QAM	19965	8RB#0	20.54	18.14	30	PASS
Band4	3MHz	16QAM	19965	8RB#4	20.47	18.07	30	PASS
Band4	3MHz	16QAM	19965	8RB#7	20.74	18.34	30	PASS
Band4	3MHz	16QAM	19965	15RB#0	20.60	18.20	30	PASS
Band4	3MHz	16QAM	20175	1RB#0	21.46	19.06	30	PASS
Band4	3MHz	16QAM	20175	1RB#7	21.55	19.15	30	PASS
Band4	3MHz	16QAM	20175	1RB#14	21.59	19.19	30	PASS
Band4	3MHz	16QAM	20175	8RB#0	20.68	18.28	30	PASS
Band4	3MHz	16QAM	20175	8RB#4	20.71	18.31	30	PASS
Band4	3MHz	16QAM	20175	8RB#7	20.44	18.04	30	PASS
Band4	3MHz	16QAM	20175	15RB#0	20.55	18.15	30	PASS

Band4	3MHz	16QAM	20385	1RB#0	21.55	19.15	30	PASS
Band4	3MHz	16QAM	20385	1RB#7	21.56	19.16	30	PASS
Band4	3MHz	16QAM	20385	1RB#14	21.48	19.08	30	PASS
Band4	3MHz	16QAM	20385	8RB#0	20.64	18.24	30	PASS
Band4	3MHz	16QAM	20385	8RB#4	20.61	18.21	30	PASS
Band4	3MHz	16QAM	20385	8RB#7	20.79	18.39	30	PASS
Band4	3MHz	16QAM	20385	15RB#0	20.67	18.27	30	PASS
Band4	5MHz	QPSK	19975	1RB#0	22.30	19.90	30	PASS
Band4	5MHz	QPSK	19975	1RB#12	22.16	19.76	30	PASS
Band4	5MHz	QPSK	19975	1RB#24	22.15	19.75	30	PASS
Band4	5MHz	QPSK	19975	12RB#0	21.73	19.33	30	PASS
Band4	5MHz	QPSK	19975	12RB#6	21.71	19.31	30	PASS
Band4	5MHz	QPSK	19975	12RB#11	21.65	19.25	30	PASS
Band4	5MHz	QPSK	19975	25RB#0	21.62	19.22	30	PASS
Band4	5MHz	QPSK	20175	1RB#0	22.24	19.84	30	PASS
Band4	5MHz	QPSK	20175	1RB#12	22.14	19.74	30	PASS
Band4	5MHz	QPSK	20175	1RB#24	22.24	19.84	30	PASS
Band4	5MHz	QPSK	20175	12RB#0	21.53	19.13	30	PASS
Band4	5MHz	QPSK	20175	12RB#6	21.56	19.16	30	PASS
Band4	5MHz	QPSK	20175	12RB#11	21.64	19.24	30	PASS
Band4	5MHz	QPSK	20175	25RB#0	21.56	19.16	30	PASS
Band4	5MHz	QPSK	20375	1RB#0	22.35	19.95	30	PASS
Band4	5MHz	QPSK	20375	1RB#12	22.41	20.01	30	PASS
Band4	5MHz	QPSK	20375	1RB#24	22.40	20.00	30	PASS
Band4	5MHz	QPSK	20375	12RB#0	21.57	19.17	30	PASS
Band4	5MHz	QPSK	20375	12RB#6	21.68	19.28	30	PASS
Band4	5MHz	QPSK	20375	12RB#11	21.62	19.22	30	PASS
Band4	5MHz	QPSK	20375	25RB#0	21.60	19.20	30	PASS
Band4	5MHz	16QAM	19975	1RB#0	21.51	19.11	30	PASS
Band4	5MHz	16QAM	19975	1RB#12	21.46	19.06	30	PASS
Band4	5MHz	16QAM	19975	1RB#24	21.48	19.08	30	PASS
Band4	5MHz	16QAM	19975	12RB#0	20.74	18.34	30	PASS
Band4	5MHz	16QAM	19975	12RB#6	20.78	18.38	30	PASS
Band4	5MHz	16QAM	19975	12RB#11	20.74	18.34	30	PASS
Band4	5MHz	16QAM	19975	25RB#0	20.61	18.21	30	PASS
Band4	5MHz	16QAM	20175	1RB#0	21.48	19.08	30	PASS
Band4	5MHz	16QAM	20175	1RB#12	21.51	19.11	30	PASS
Band4	5MHz	16QAM	20175	1RB#24	21.59	19.19	30	PASS
Band4	5MHz	16QAM	20175	12RB#0	20.66	18.26	30	PASS
Band4	5MHz	16QAM	20175	12RB#6	20.67	18.27	30	PASS
Band4	5MHz	16QAM	20175	12RB#11	20.68	18.28	30	PASS
Band4	5MHz	16QAM	20175	25RB#0	20.60	18.20	30	PASS

Band4	5MHz	16QAM	20375	1RB#0	21.33	18.93	30	PASS
Band4	5MHz	16QAM	20375	1RB#12	21.45	19.05	30	PASS
Band4	5MHz	16QAM	20375	1RB#24	21.50	19.10	30	PASS
Band4	5MHz	16QAM	20375	12RB#0	20.58	18.18	30	PASS
Band4	5MHz	16QAM	20375	12RB#6	20.60	18.20	30	PASS
Band4	5MHz	16QAM	20375	12RB#11	20.58	18.18	30	PASS
Band4	5MHz	16QAM	20375	25RB#0	20.51	18.11	30	PASS
Band4	10MHz	QPSK	20000	1RB#0	22.22	19.82	30	PASS
Band4	10MHz	QPSK	20000	1RB#24	22.13	19.73	30	PASS
Band4	10MHz	QPSK	20000	1RB#49	22.09	19.69	30	PASS
Band4	10MHz	QPSK	20000	25RB#0	21.53	19.13	30	PASS
Band4	10MHz	QPSK	20000	25RB#12	21.63	19.23	30	PASS
Band4	10MHz	QPSK	20000	25RB#24	21.63	19.23	30	PASS
Band4	10MHz	QPSK	20000	50RB#0	21.65	19.25	30	PASS
Band4	10MHz	QPSK	20175	1RB#0	22.25	19.85	30	PASS
Band4	10MHz	QPSK	20175	1RB#24	22.20	19.80	30	PASS
Band4	10MHz	QPSK	20175	1RB#49	22.27	19.87	30	PASS
Band4	10MHz	QPSK	20175	25RB#0	21.65	19.25	30	PASS
Band4	10MHz	QPSK	20175	25RB#12	21.57	19.17	30	PASS
Band4	10MHz	QPSK	20175	25RB#24	21.58	19.18	30	PASS
Band4	10MHz	QPSK	20175	50RB#0	21.72	19.32	30	PASS
Band4	10MHz	QPSK	20350	1RB#0	22.04	19.64	30	PASS
Band4	10MHz	QPSK	20350	1RB#24	22.05	19.65	30	PASS
Band4	10MHz	QPSK	20350	1RB#49	22.20	19.80	30	PASS
Band4	10MHz	QPSK	20350	25RB#0	21.51	19.11	30	PASS
Band4	10MHz	QPSK	20350	25RB#12	21.49	19.09	30	PASS
Band4	10MHz	QPSK	20350	25RB#24	21.49	19.09	30	PASS
Band4	10MHz	QPSK	20350	50RB#0	21.67	19.27	30	PASS
Band4	10MHz	16QAM	20000	1RB#0	21.49	19.09	30	PASS
Band4	10MHz	16QAM	20000	1RB#24	21.45	19.05	30	PASS
Band4	10MHz	16QAM	20000	1RB#49	21.44	19.04	30	PASS
Band4	10MHz	16QAM	20000	25RB#0	20.71	18.31	30	PASS
Band4	10MHz	16QAM	20000	25RB#12	20.70	18.30	30	PASS
Band4	10MHz	16QAM	20000	25RB#24	20.69	18.29	30	PASS
Band4	10MHz	16QAM	20000	50RB#0	20.54	18.14	30	PASS
Band4	10MHz	16QAM	20175	1RB#0	21.49	19.09	30	PASS
Band4	10MHz	16QAM	20175	1RB#24	21.43	19.03	30	PASS
Band4	10MHz	16QAM	20175	1RB#49	21.56	19.16	30	PASS
Band4	10MHz	16QAM	20175	25RB#0	20.79	18.39	30	PASS
Band4	10MHz	16QAM	20175	25RB#12	20.81	18.41	30	PASS
Band4	10MHz	16QAM	20175	25RB#24	20.82	18.42	30	PASS
Band4	10MHz	16QAM	20175	50RB#0	20.80	18.40	30	PASS

Band4	10MHz	16QAM	20350	1RB#0	21.34	18.94	30	PASS
Band4	10MHz	16QAM	20350	1RB#24	21.42	19.02	30	PASS
Band4	10MHz	16QAM	20350	1RB#49	21.49	19.09	30	PASS
Band4	10MHz	16QAM	20350	25RB#0	20.66	18.26	30	PASS
Band4	10MHz	16QAM	20350	25RB#12	20.61	18.21	30	PASS
Band4	10MHz	16QAM	20350	25RB#24	20.60	18.20	30	PASS
Band4	10MHz	16QAM	20350	50RB#0	20.62	18.22	30	PASS
Band4	15MHz	QPSK	20025	1RB#0	22.17	19.77	30	PASS
Band4	15MHz	QPSK	20025	1RB#37	22.04	19.64	30	PASS
Band4	15MHz	QPSK	20025	1RB#74	22.14	19.74	30	PASS
Band4	15MHz	QPSK	20025	36RB#0	21.52	19.12	30	PASS
Band4	15MHz	QPSK	20025	36RB#16	21.51	19.11	30	PASS
Band4	15MHz	QPSK	20025	36RB#35	21.50	19.10	30	PASS
Band4	15MHz	QPSK	20025	75RB#0	21.45	19.05	30	PASS
Band4	15MHz	QPSK	20175	1RB#0	22.26	19.86	30	PASS
Band4	15MHz	QPSK	20175	1RB#37	22.20	19.80	30	PASS
Band4	15MHz	QPSK	20175	1RB#74	22.28	19.88	30	PASS
Band4	15MHz	QPSK	20175	36RB#0	21.63	19.23	30	PASS
Band4	15MHz	QPSK	20175	36RB#16	21.65	19.25	30	PASS
Band4	15MHz	QPSK	20175	36RB#35	21.67	19.27	30	PASS
Band4	15MHz	QPSK	20175	75RB#0	21.62	19.22	30	PASS
Band4	15MHz	QPSK	20325	1RB#0	22.04	19.64	30	PASS
Band4	15MHz	QPSK	20325	1RB#37	22.11	19.71	30	PASS
Band4	15MHz	QPSK	20325	1RB#74	22.19	19.79	30	PASS
Band4	15MHz	QPSK	20325	36RB#0	21.64	19.24	30	PASS
Band4	15MHz	QPSK	20325	36RB#16	21.47	19.07	30	PASS
Band4	15MHz	QPSK	20325	36RB#35	21.47	19.07	30	PASS
Band4	15MHz	QPSK	20325	75RB#0	21.55	19.15	30	PASS
Band4	15MHz	16QAM	20025	1RB#0	21.53	19.13	30	PASS
Band4	15MHz	16QAM	20025	1RB#37	21.45	19.05	30	PASS
Band4	15MHz	16QAM	20025	1RB#74	21.47	19.07	30	PASS
Band4	15MHz	16QAM	20025	36RB#0	20.68	18.28	30	PASS
Band4	15MHz	16QAM	20025	36RB#16	20.67	18.27	30	PASS
Band4	15MHz	16QAM	20025	36RB#35	20.70	18.30	30	PASS
Band4	15MHz	16QAM	20025	75RB#0	20.68	18.28	30	PASS
Band4	15MHz	16QAM	20175	1RB#0	21.38	18.98	30	PASS
Band4	15MHz	16QAM	20175	1RB#37	21.39	18.99	30	PASS
Band4	15MHz	16QAM	20175	1RB#74	21.43	19.03	30	PASS
Band4	15MHz	16QAM	20175	36RB#0	20.65	18.25	30	PASS
Band4	15MHz	16QAM	20175	36RB#16	20.67	18.27	30	PASS
Band4	15MHz	16QAM	20175	36RB#35	20.57	18.17	30	PASS
Band4	15MHz	16QAM	20175	75RB#0	20.59	18.19	30	PASS

Band4	15MHz	16QAM	20325	1RB#0	21.52	19.12	30	PASS
Band4	15MHz	16QAM	20325	1RB#37	21.45	19.05	30	PASS
Band4	15MHz	16QAM	20325	1RB#74	21.53	19.13	30	PASS
Band4	15MHz	16QAM	20325	36RB#0	20.71	18.31	30	PASS
Band4	15MHz	16QAM	20325	36RB#16	20.69	18.29	30	PASS
Band4	15MHz	16QAM	20325	36RB#35	20.70	18.30	30	PASS
Band4	15MHz	16QAM	20325	75RB#0	20.72	18.32	30	PASS
Band4	20MHz	QPSK	20050	1RB#0	22.30	19.90	30	PASS
Band4	20MHz	QPSK	20050	1RB#49	22.25	19.85	30	PASS
Band4	20MHz	QPSK	20050	1RB#99	22.33	19.93	30	PASS
Band4	20MHz	QPSK	20050	50RB#0	21.55	19.15	30	PASS
Band4	20MHz	QPSK	20050	50RB#24	21.48	19.08	30	PASS
Band4	20MHz	QPSK	20050	50RB#49	21.52	19.12	30	PASS
Band4	20MHz	QPSK	20050	100RB#0	21.49	19.09	30	PASS
Band4	20MHz	QPSK	20175	1RB#0	22.05	19.65	30	PASS
Band4	20MHz	QPSK	20175	1RB#49	22.10	19.70	30	PASS
Band4	20MHz	QPSK	20175	1RB#99	22.16	19.76	30	PASS
Band4	20MHz	QPSK	20175	50RB#0	21.59	19.19	30	PASS
Band4	20MHz	QPSK	20175	50RB#24	21.66	19.26	30	PASS
Band4	20MHz	QPSK	20175	50RB#49	21.67	19.27	30	PASS
Band4	20MHz	QPSK	20175	100RB#0	21.52	19.12	30	PASS
Band4	20MHz	QPSK	20300	1RB#0	22.29	19.89	30	PASS
Band4	20MHz	QPSK	20300	1RB#49	22.27	19.87	30	PASS
Band4	20MHz	QPSK	20300	1RB#99	22.35	19.95	30	PASS
Band4	20MHz	QPSK	20300	50RB#0	21.69	19.29	30	PASS
Band4	20MHz	QPSK	20300	50RB#24	21.51	19.11	30	PASS
Band4	20MHz	QPSK	20300	50RB#49	21.60	19.20	30	PASS
Band4	20MHz	QPSK	20300	100RB#0	21.58	19.18	30	PASS
Band4	20MHz	16QAM	20050	1RB#0	21.75	19.35	30	PASS
Band4	20MHz	16QAM	20050	1RB#49	21.70	19.30	30	PASS
Band4	20MHz	16QAM	20050	1RB#99	21.66	19.26	30	PASS
Band4	20MHz	16QAM	20050	50RB#0	20.60	18.20	30	PASS
Band4	20MHz	16QAM	20050	50RB#24	20.56	18.16	30	PASS
Band4	20MHz	16QAM	20050	50RB#49	20.60	18.20	30	PASS
Band4	20MHz	16QAM	20050	100RB#0	20.68	18.28	30	PASS
Band4	20MHz	16QAM	20175	1RB#0	21.60	19.20	30	PASS
Band4	20MHz	16QAM	20175	1RB#49	21.56	19.16	30	PASS
Band4	20MHz	16QAM	20175	1RB#99	21.71	19.31	30	PASS
Band4	20MHz	16QAM	20175	50RB#0	20.76	18.36	30	PASS
Band4	20MHz	16QAM	20175	50RB#24	20.78	18.38	30	PASS
Band4	20MHz	16QAM	20175	50RB#49	20.78	18.38	30	PASS
Band4	20MHz	16QAM	20175	100RB#0	20.61	18.21	30	PASS

Band4	20MHz	16QAM	20300	1RB#0	21.51	19.11	30	PASS
Band4	20MHz	16QAM	20300	1RB#49	21.45	19.05	30	PASS
Band4	20MHz	16QAM	20300	1RB#99	21.57	19.17	30	PASS
Band4	20MHz	16QAM	20300	50RB#0	20.77	18.37	30	PASS
Band4	20MHz	16QAM	20300	50RB#24	20.76	18.36	30	PASS
Band4	20MHz	16QAM	20300	50RB#49	20.76	18.36	30	PASS
Band4	20MHz	16QAM	20300	100RB#0	20.67	18.27	30	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	22.71	17.66	38.5	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	22.64	17.59	38.5	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	22.70	17.65	38.5	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	22.14	17.09	38.5	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	22.17	17.12	38.5	PASS
Band5	1.4MHz	QPSK	20407	3RB#2	22.18	17.13	38.5	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.12	17.07	38.5	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.04	17.99	38.5	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	22.99	17.94	38.5	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	22.97	17.92	38.5	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	22.26	17.21	38.5	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	22.31	17.26	38.5	PASS
Band5	1.4MHz	QPSK	20525	3RB#2	22.32	17.27	38.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.28	17.23	38.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	22.67	17.62	38.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	22.64	17.59	38.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	22.67	17.62	38.5	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	22.21	17.16	38.5	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	22.17	17.12	38.5	PASS
Band5	1.4MHz	QPSK	20643	3RB#2	22.25	17.20	38.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.15	17.10	38.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.25	17.20	38.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.19	17.14	38.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.31	17.26	38.5	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	21.47	16.42	38.5	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	21.51	16.46	38.5	PASS
Band5	1.4MHz	16QAM	20407	3RB#2	21.60	16.55	38.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.54	16.49	38.5	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.40	17.35	38.5	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.48	17.43	38.5	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.35	17.30	38.5	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	21.56	16.51	38.5	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	21.64	16.59	38.5	PASS
Band5	1.4MHz	16QAM	20525	3RB#2	21.63	16.58	38.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.56	16.51	38.5	PASS

Band5	1.4MHz	16QAM	20643	1RB#0	22.25	17.20	38.5	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.38	17.33	38.5	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.31	17.26	38.5	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	21.60	16.55	38.5	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	21.62	16.57	38.5	PASS
Band5	1.4MHz	16QAM	20643	3RB#2	21.51	16.46	38.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.58	16.53	38.5	PASS
Band5	3MHz	QPSK	20415	1RB#0	22.89	17.84	38.5	PASS
Band5	3MHz	QPSK	20415	1RB#7	22.81	17.76	38.5	PASS
Band5	3MHz	QPSK	20415	1RB#14	22.94	17.89	38.5	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.28	17.23	38.5	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.27	17.22	38.5	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.33	17.28	38.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.18	17.13	38.5	PASS
Band5	3MHz	QPSK	20525	1RB#0	22.75	17.70	38.5	PASS
Band5	3MHz	QPSK	20525	1RB#7	22.69	17.64	38.5	PASS
Band5	3MHz	QPSK	20525	1RB#14	22.82	17.77	38.5	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.40	17.35	38.5	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.28	17.23	38.5	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.32	17.27	38.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.24	17.19	38.5	PASS
Band5	3MHz	QPSK	20635	1RB#0	22.71	17.66	38.5	PASS
Band5	3MHz	QPSK	20635	1RB#7	22.65	17.60	38.5	PASS
Band5	3MHz	QPSK	20635	1RB#14	22.59	17.54	38.5	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.26	17.21	38.5	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.28	17.23	38.5	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.29	17.24	38.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.24	17.19	38.5	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.34	17.29	38.5	PASS
Band5	3MHz	16QAM	20415	1RB#7	22.37	17.32	38.5	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.38	17.33	38.5	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.51	16.46	38.5	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.48	16.43	38.5	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.55	16.50	38.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.53	16.48	38.5	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.43	17.38	38.5	PASS
Band5	3MHz	16QAM	20525	1RB#7	22.41	17.36	38.5	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.45	17.40	38.5	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.52	16.47	38.5	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.53	16.48	38.5	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.61	16.56	38.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.60	16.55	38.5	PASS

Band5	3MHz	16QAM	20635	1RB#0	22.25	17.20	38.5	PASS
Band5	3MHz	16QAM	20635	1RB#7	22.19	17.14	38.5	PASS
Band5	3MHz	16QAM	20635	1RB#14	22.17	17.12	38.5	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.46	16.41	38.5	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.44	16.39	38.5	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.38	16.33	38.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.14	16.09	38.5	PASS
Band5	5MHz	QPSK	20425	1RB#0	22.75	17.70	38.5	PASS
Band5	5MHz	QPSK	20425	1RB#12	22.82	17.77	38.5	PASS
Band5	5MHz	QPSK	20425	1RB#24	22.80	17.75	38.5	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.20	17.15	38.5	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.21	17.16	38.5	PASS
Band5	5MHz	QPSK	20425	12RB#11	22.21	17.16	38.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.23	17.18	38.5	PASS
Band5	5MHz	QPSK	20525	1RB#0	22.95	17.90	38.5	PASS
Band5	5MHz	QPSK	20525	1RB#12	22.98	17.93	38.5	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.01	17.96	38.5	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.35	17.30	38.5	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.37	17.32	38.5	PASS
Band5	5MHz	QPSK	20525	12RB#11	22.38	17.33	38.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.30	17.25	38.5	PASS
Band5	5MHz	QPSK	20625	1RB#0	22.96	17.91	38.5	PASS
Band5	5MHz	QPSK	20625	1RB#12	22.89	17.84	38.5	PASS
Band5	5MHz	QPSK	20625	1RB#24	22.90	17.85	38.5	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.26	17.21	38.5	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.27	17.22	38.5	PASS
Band5	5MHz	QPSK	20625	12RB#11	22.27	17.22	38.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.25	17.20	38.5	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.38	17.33	38.5	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.36	17.31	38.5	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.43	17.38	38.5	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.58	16.53	38.5	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.59	16.54	38.5	PASS
Band5	5MHz	16QAM	20425	12RB#11	21.47	16.42	38.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.46	16.41	38.5	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.34	17.29	38.5	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.28	17.23	38.5	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.32	17.27	38.5	PASS
Band5	5MHz	16QAM	20525	12RB#0	21.47	16.42	38.5	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.38	16.33	38.5	PASS
Band5	5MHz	16QAM	20525	12RB#11	21.48	16.43	38.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.54	16.49	38.5	PASS

Band5	5MHz	16QAM	20625	1RB#0	22.21	17.16	38.5	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.15	17.10	38.5	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.26	17.21	38.5	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.41	16.36	38.5	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.33	16.28	38.5	PASS
Band5	5MHz	16QAM	20625	12RB#11	21.36	16.31	38.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.37	16.32	38.5	PASS
Band5	10MHz	QPSK	20450	1RB#0	22.68	17.63	38.5	PASS
Band5	10MHz	QPSK	20450	1RB#24	22.83	17.78	38.5	PASS
Band5	10MHz	QPSK	20450	1RB#49	22.85	17.80	38.5	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.28	17.23	38.5	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.34	17.29	38.5	PASS
Band5	10MHz	QPSK	20450	25RB#24	22.28	17.23	38.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.31	17.26	38.5	PASS
Band5	10MHz	QPSK	20525	1RB#0	22.96	17.91	38.5	PASS
Band5	10MHz	QPSK	20525	1RB#24	22.91	17.86	38.5	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.02	17.97	38.5	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.48	17.43	38.5	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.31	17.26	38.5	PASS
Band5	10MHz	QPSK	20525	25RB#24	22.34	17.29	38.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.43	17.38	38.5	PASS
Band5	10MHz	QPSK	20600	1RB#0	22.75	17.70	38.5	PASS
Band5	10MHz	QPSK	20600	1RB#24	22.70	17.65	38.5	PASS
Band5	10MHz	QPSK	20600	1RB#49	22.69	17.64	38.5	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.34	17.29	38.5	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.25	17.20	38.5	PASS
Band5	10MHz	QPSK	20600	25RB#24	22.33	17.28	38.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.19	17.14	38.5	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.36	17.31	38.5	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.48	17.43	38.5	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.45	17.40	38.5	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.49	16.44	38.5	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.44	16.39	38.5	PASS
Band5	10MHz	16QAM	20450	25RB#24	21.46	16.41	38.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.42	16.37	38.5	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.25	17.20	38.5	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.30	17.25	38.5	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.29	17.24	38.5	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.58	16.53	38.5	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.52	16.47	38.5	PASS
Band5	10MHz	16QAM	20525	25RB#24	21.59	16.54	38.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.55	16.50	38.5	PASS

Band5	10MHz	16QAM	20600	1RB#0	22.46	17.41	38.5	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.50	17.45	38.5	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.40	17.35	38.5	PASS
Band5	10MHz	16QAM	20600	25RB#0	21.31	16.26	38.5	PASS
Band5	10MHz	16QAM	20600	25RB#12	21.33	16.28	38.5	PASS
Band5	10MHz	16QAM	20600	25RB#24	21.44	16.39	38.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.41	16.36	38.5	PASS
Band7	5MHz	QPSK	20775	1RB#0	21.96	21.86	38.5	PASS
Band7	5MHz	QPSK	20775	1RB#12	22.03	21.93	38.5	PASS
Band7	5MHz	QPSK	20775	1RB#24	21.97	21.87	38.5	PASS
Band7	5MHz	QPSK	20775	12RB#0	21.33	21.23	38.5	PASS
Band7	5MHz	QPSK	20775	12RB#6	21.32	21.22	38.5	PASS
Band7	5MHz	QPSK	20775	12RB#11	21.39	21.29	38.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	21.26	21.16	38.5	PASS
Band7	5MHz	QPSK	21100	1RB#0	21.74	21.64	38.5	PASS
Band7	5MHz	QPSK	21100	1RB#12	21.83	21.73	38.5	PASS
Band7	5MHz	QPSK	21100	1RB#24	21.84	21.74	38.5	PASS
Band7	5MHz	QPSK	21100	12RB#0	21.35	21.25	38.5	PASS
Band7	5MHz	QPSK	21100	12RB#6	21.37	21.27	38.5	PASS
Band7	5MHz	QPSK	21100	12RB#11	21.38	21.28	38.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.23	21.13	38.5	PASS
Band7	5MHz	QPSK	21425	1RB#0	21.88	21.78	38.5	PASS
Band7	5MHz	QPSK	21425	1RB#12	21.89	21.79	38.5	PASS
Band7	5MHz	QPSK	21425	1RB#24	21.87	21.77	38.5	PASS
Band7	5MHz	QPSK	21425	12RB#0	21.14	21.04	38.5	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.29	21.19	38.5	PASS
Band7	5MHz	QPSK	21425	12RB#11	21.14	21.04	38.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	21.18	21.08	38.5	PASS
Band7	5MHz	16QAM	20775	1RB#0	21.39	21.29	38.5	PASS
Band7	5MHz	16QAM	20775	1RB#12	21.45	21.35	38.5	PASS
Band7	5MHz	16QAM	20775	1RB#24	21.31	21.21	38.5	PASS
Band7	5MHz	16QAM	20775	12RB#0	20.34	20.24	38.5	PASS
Band7	5MHz	16QAM	20775	12RB#6	20.36	20.26	38.5	PASS
Band7	5MHz	16QAM	20775	12RB#11	20.31	20.21	38.5	PASS
Band7	5MHz	16QAM	20775	25RB#0	20.57	20.47	38.5	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.44	21.34	38.5	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.41	21.31	38.5	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.49	21.39	38.5	PASS
Band7	5MHz	16QAM	21100	12RB#0	20.39	20.29	38.5	PASS
Band7	5MHz	16QAM	21100	12RB#6	20.40	20.30	38.5	PASS
Band7	5MHz	16QAM	21100	12RB#11	20.42	20.32	38.5	PASS
Band7	5MHz	16QAM	21100	25RB#0	20.30	20.20	38.5	PASS

Band7	5MHz	16QAM	21425	1RB#0	21.24	21.14	38.5	PASS
Band7	5MHz	16QAM	21425	1RB#12	21.40	21.30	38.5	PASS
Band7	5MHz	16QAM	21425	1RB#24	20.32	20.22	38.5	PASS
Band7	5MHz	16QAM	21425	12RB#0	20.33	20.23	38.5	PASS
Band7	5MHz	16QAM	21425	12RB#6	20.41	20.31	38.5	PASS
Band7	5MHz	16QAM	21425	12RB#11	20.33	20.23	38.5	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.37	20.27	38.5	PASS
Band7	10MHz	QPSK	20800	1RB#0	21.72	21.62	38.5	PASS
Band7	10MHz	QPSK	20800	1RB#24	21.77	21.67	38.5	PASS
Band7	10MHz	QPSK	20800	1RB#49	21.81	21.71	38.5	PASS
Band7	10MHz	QPSK	20800	25RB#0	21.28	21.18	38.5	PASS
Band7	10MHz	QPSK	20800	25RB#12	21.37	21.27	38.5	PASS
Band7	10MHz	QPSK	20800	25RB#24	21.37	21.27	38.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	21.28	21.18	38.5	PASS
Band7	10MHz	QPSK	21100	1RB#0	21.70	21.60	38.5	PASS
Band7	10MHz	QPSK	21100	1RB#24	21.70	21.60	38.5	PASS
Band7	10MHz	QPSK	21100	1RB#49	21.70	21.60	38.5	PASS
Band7	10MHz	QPSK	21100	25RB#0	21.28	21.18	38.5	PASS
Band7	10MHz	QPSK	21100	25RB#12	21.35	21.25	38.5	PASS
Band7	10MHz	QPSK	21100	25RB#24	21.25	21.15	38.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	21.23	21.13	38.5	PASS
Band7	10MHz	QPSK	21400	1RB#0	21.57	21.47	38.5	PASS
Band7	10MHz	QPSK	21400	1RB#24	21.58	21.48	38.5	PASS
Band7	10MHz	QPSK	21400	1RB#49	21.66	21.56	38.5	PASS
Band7	10MHz	QPSK	21400	25RB#0	21.11	21.01	38.5	PASS
Band7	10MHz	QPSK	21400	25RB#12	21.19	21.09	38.5	PASS
Band7	10MHz	QPSK	21400	25RB#24	21.20	21.10	38.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	21.20	21.10	38.5	PASS
Band7	10MHz	16QAM	20800	1RB#0	21.32	21.22	38.5	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.30	21.20	38.5	PASS
Band7	10MHz	16QAM	20800	1RB#49	21.41	21.31	38.5	PASS
Band7	10MHz	16QAM	20800	25RB#0	20.50	20.40	38.5	PASS
Band7	10MHz	16QAM	20800	25RB#12	20.49	20.39	38.5	PASS
Band7	10MHz	16QAM	20800	25RB#24	20.49	20.39	38.5	PASS
Band7	10MHz	16QAM	20800	50RB#0	20.37	20.27	38.5	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.58	21.48	38.5	PASS
Band7	10MHz	16QAM	21100	1RB#24	21.43	21.33	38.5	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.44	21.34	38.5	PASS
Band7	10MHz	16QAM	21100	25RB#0	20.46	20.36	38.5	PASS
Band7	10MHz	16QAM	21100	25RB#12	20.47	20.37	38.5	PASS
Band7	10MHz	16QAM	21100	25RB#24	20.48	20.38	38.5	PASS
Band7	10MHz	16QAM	21100	50RB#0	20.43	20.33	38.5	PASS

Band7	10MHz	16QAM	21400	1RB#0	21.37	21.27	38.5	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.34	21.24	38.5	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.35	21.25	38.5	PASS
Band7	10MHz	16QAM	21400	25RB#0	20.28	20.18	38.5	PASS
Band7	10MHz	16QAM	21400	25RB#12	20.29	20.19	38.5	PASS
Band7	10MHz	16QAM	21400	25RB#24	20.30	20.20	38.5	PASS
Band7	10MHz	16QAM	21400	50RB#0	20.38	20.28	38.5	PASS
Band7	15MHz	QPSK	20825	1RB#0	21.78	21.68	38.5	PASS
Band7	15MHz	QPSK	20825	1RB#37	21.77	21.67	38.5	PASS
Band7	15MHz	QPSK	20825	1RB#74	21.91	21.81	38.5	PASS
Band7	15MHz	QPSK	20825	36RB#0	21.25	21.15	38.5	PASS
Band7	15MHz	QPSK	20825	36RB#16	21.29	21.19	38.5	PASS
Band7	15MHz	QPSK	20825	36RB#35	21.28	21.18	38.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	21.27	21.17	38.5	PASS
Band7	15MHz	QPSK	21100	1RB#0	21.78	21.68	38.5	PASS
Band7	15MHz	QPSK	21100	1RB#37	21.79	21.69	38.5	PASS
Band7	15MHz	QPSK	21100	1RB#74	21.71	21.61	38.5	PASS
Band7	15MHz	QPSK	21100	36RB#0	21.39	21.29	38.5	PASS
Band7	15MHz	QPSK	21100	36RB#16	21.36	21.26	38.5	PASS
Band7	15MHz	QPSK	21100	36RB#35	21.37	21.27	38.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	21.36	21.26	38.5	PASS
Band7	15MHz	QPSK	21375	1RB#0	21.70	21.60	38.5	PASS
Band7	15MHz	QPSK	21375	1RB#37	21.62	21.52	38.5	PASS
Band7	15MHz	QPSK	21375	1RB#74	21.64	21.54	38.5	PASS
Band7	15MHz	QPSK	21375	36RB#0	21.34	21.24	38.5	PASS
Band7	15MHz	QPSK	21375	36RB#16	21.29	21.19	38.5	PASS
Band7	15MHz	QPSK	21375	36RB#35	21.26	21.16	38.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	21.18	21.08	38.5	PASS
Band7	15MHz	16QAM	20825	1RB#0	21.37	21.27	38.5	PASS
Band7	15MHz	16QAM	20825	1RB#37	21.38	21.28	38.5	PASS
Band7	15MHz	16QAM	20825	1RB#74	21.42	21.32	38.5	PASS
Band7	15MHz	16QAM	20825	36RB#0	20.48	20.38	38.5	PASS
Band7	15MHz	16QAM	20825	36RB#16	20.47	20.37	38.5	PASS
Band7	15MHz	16QAM	20825	36RB#35	20.46	20.36	38.5	PASS
Band7	15MHz	16QAM	20825	75RB#0	20.43	20.33	38.5	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.39	21.29	38.5	PASS
Band7	15MHz	16QAM	21100	1RB#37	21.45	21.35	38.5	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.36	21.26	38.5	PASS
Band7	15MHz	16QAM	21100	36RB#0	20.41	20.31	38.5	PASS
Band7	15MHz	16QAM	21100	36RB#16	20.47	20.37	38.5	PASS
Band7	15MHz	16QAM	21100	36RB#35	20.38	20.28	38.5	PASS
Band7	15MHz	16QAM	21100	75RB#0	20.40	20.30	38.5	PASS

Band7	15MHz	16QAM	21375	1RB#0	21.52	21.42	38.5	PASS
Band7	15MHz	16QAM	21375	1RB#37	21.40	21.30	38.5	PASS
Band7	15MHz	16QAM	21375	1RB#74	21.43	21.33	38.5	PASS
Band7	15MHz	16QAM	21375	36RB#0	20.48	20.38	38.5	PASS
Band7	15MHz	16QAM	21375	36RB#16	20.50	20.40	38.5	PASS
Band7	15MHz	16QAM	21375	36RB#35	20.53	20.43	38.5	PASS
Band7	15MHz	16QAM	21375	75RB#0	20.41	20.31	38.5	PASS
Band7	20MHz	QPSK	20850	1RB#0	21.89	21.79	38.5	PASS
Band7	20MHz	QPSK	20850	1RB#49	21.96	21.86	38.5	PASS
Band7	20MHz	QPSK	20850	1RB#99	22.06	21.96	38.5	PASS
Band7	20MHz	QPSK	20850	50RB#0	21.14	21.04	38.5	PASS
Band7	20MHz	QPSK	20850	50RB#24	21.21	21.11	38.5	PASS
Band7	20MHz	QPSK	20850	50RB#49	21.28	21.18	38.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	21.21	21.11	38.5	PASS
Band7	20MHz	QPSK	21100	1RB#0	21.94	21.84	38.5	PASS
Band7	20MHz	QPSK	21100	1RB#49	21.72	21.62	38.5	PASS
Band7	20MHz	QPSK	21100	1RB#99	21.76	21.66	38.5	PASS
Band7	20MHz	QPSK	21100	50RB#0	21.29	21.19	38.5	PASS
Band7	20MHz	QPSK	21100	50RB#24	21.47	21.37	38.5	PASS
Band7	20MHz	QPSK	21100	50RB#49	21.12	21.02	38.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	21.26	21.16	38.5	PASS
Band7	20MHz	QPSK	21350	1RB#0	21.88	21.78	38.5	PASS
Band7	20MHz	QPSK	21350	1RB#49	21.83	21.73	38.5	PASS
Band7	20MHz	QPSK	21350	1RB#99	21.85	21.75	38.5	PASS
Band7	20MHz	QPSK	21350	50RB#0	21.19	21.09	38.5	PASS
Band7	20MHz	QPSK	21350	50RB#24	21.27	21.17	38.5	PASS
Band7	20MHz	QPSK	21350	50RB#49	21.12	21.02	38.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	21.22	21.12	38.5	PASS
Band7	20MHz	16QAM	20850	1RB#0	21.29	21.19	38.5	PASS
Band7	20MHz	16QAM	20850	1RB#49	21.35	21.25	38.5	PASS
Band7	20MHz	16QAM	20850	1RB#99	21.39	21.29	38.5	PASS
Band7	20MHz	16QAM	20850	50RB#0	20.41	20.31	38.5	PASS
Band7	20MHz	16QAM	20850	50RB#24	20.40	20.30	38.5	PASS
Band7	20MHz	16QAM	20850	50RB#49	20.30	20.20	38.5	PASS
Band7	20MHz	16QAM	20850	100RB#0	20.43	20.33	38.5	PASS
Band7	20MHz	16QAM	21100	1RB#0	21.48	21.38	38.5	PASS
Band7	20MHz	16QAM	21100	1RB#49	21.39	21.29	38.5	PASS
Band7	20MHz	16QAM	21100	1RB#99	21.41	21.31	38.5	PASS
Band7	20MHz	16QAM	21100	50RB#0	20.60	20.50	38.5	PASS
Band7	20MHz	16QAM	21100	50RB#24	20.61	20.51	38.5	PASS
Band7	20MHz	16QAM	21100	50RB#49	20.62	20.52	38.5	PASS
Band7	20MHz	16QAM	21100	100RB#0	20.38	20.28	38.5	PASS

Band7	20MHz	16QAM	21350	1RB#0	21.34	21.24	38.5	PASS
Band7	20MHz	16QAM	21350	1RB#49	21.31	21.21	38.5	PASS
Band7	20MHz	16QAM	21350	1RB#99	21.24	21.14	38.5	PASS
Band7	20MHz	16QAM	21350	50RB#0	20.46	20.36	38.5	PASS
Band7	20MHz	16QAM	21350	50RB#24	20.52	20.42	38.5	PASS
Band7	20MHz	16QAM	21350	50RB#49	20.52	20.42	38.5	PASS
Band7	20MHz	16QAM	21350	100RB#0	20.33	20.23	38.5	PASS
Band38	5MHz	QPSK	37775	1RB#0	21.73	21.63	33	PASS
Band38	5MHz	QPSK	37775	1RB#12	21.83	21.73	33	PASS
Band38	5MHz	QPSK	37775	1RB#24	21.78	21.68	33	PASS
Band38	5MHz	QPSK	37775	12RB#0	21.24	21.14	33	PASS
Band38	5MHz	QPSK	37775	12RB#6	21.26	21.16	33	PASS
Band38	5MHz	QPSK	37775	12RB#11	21.26	21.16	33	PASS
Band38	5MHz	QPSK	37775	25RB#0	21.27	21.17	33	PASS
Band38	5MHz	QPSK	38000	1RB#0	21.89	21.79	33	PASS
Band38	5MHz	QPSK	38000	1RB#12	21.84	21.74	33	PASS
Band38	5MHz	QPSK	38000	1RB#24	21.92	21.82	33	PASS
Band38	5MHz	QPSK	38000	12RB#0	21.27	21.17	33	PASS
Band38	5MHz	QPSK	38000	12RB#6	21.28	21.18	33	PASS
Band38	5MHz	QPSK	38000	12RB#11	21.29	21.19	33	PASS
Band38	5MHz	QPSK	38000	25RB#0	21.28	21.18	33	PASS
Band38	5MHz	QPSK	38225	1RB#0	21.70	21.60	33	PASS
Band38	5MHz	QPSK	38225	1RB#12	21.80	21.70	33	PASS
Band38	5MHz	QPSK	38225	1RB#24	21.72	21.62	33	PASS
Band38	5MHz	QPSK	38225	12RB#0	21.36	21.26	33	PASS
Band38	5MHz	QPSK	38225	12RB#6	21.21	21.11	33	PASS
Band38	5MHz	QPSK	38225	12RB#11	21.21	21.11	33	PASS
Band38	5MHz	QPSK	38225	25RB#0	21.20	21.10	33	PASS
Band38	5MHz	16QAM	37775	1RB#0	21.25	21.15	33	PASS
Band38	5MHz	16QAM	37775	1RB#12	21.30	21.20	33	PASS
Band38	5MHz	16QAM	37775	1RB#24	21.17	21.07	33	PASS
Band38	5MHz	16QAM	37775	12RB#0	20.34	20.24	33	PASS
Band38	5MHz	16QAM	37775	12RB#6	20.44	20.34	33	PASS
Band38	5MHz	16QAM	37775	12RB#11	20.35	20.25	33	PASS
Band38	5MHz	16QAM	37775	25RB#0	20.40	20.30	33	PASS
Band38	5MHz	16QAM	38000	1RB#0	21.29	21.19	33	PASS
Band38	5MHz	16QAM	38000	1RB#12	21.18	21.08	33	PASS
Band38	5MHz	16QAM	38000	1RB#24	21.20	21.10	33	PASS
Band38	5MHz	16QAM	38000	12RB#0	20.37	20.27	33	PASS
Band38	5MHz	16QAM	38000	12RB#6	20.43	20.33	33	PASS
Band38	5MHz	16QAM	38000	12RB#11	20.35	20.25	33	PASS
Band38	5MHz	16QAM	38000	25RB#0	20.40	20.30	33	PASS

Band38	5MHz	16QAM	38225	1RB#0	21.17	21.07	33	PASS
Band38	5MHz	16QAM	38225	1RB#12	21.23	21.13	33	PASS
Band38	5MHz	16QAM	38225	1RB#24	21.29	21.19	33	PASS
Band38	5MHz	16QAM	38225	12RB#0	20.44	20.34	33	PASS
Band38	5MHz	16QAM	38225	12RB#6	20.46	20.36	33	PASS
Band38	5MHz	16QAM	38225	12RB#11	20.42	20.32	33	PASS
Band38	5MHz	16QAM	38225	25RB#0	20.30	20.20	33	PASS
Band38	10MHz	QPSK	37800	1RB#0	21.77	21.67	33	PASS
Band38	10MHz	QPSK	37800	1RB#24	21.84	21.74	33	PASS
Band38	10MHz	QPSK	37800	1RB#49	21.82	21.72	33	PASS
Band38	10MHz	QPSK	37800	25RB#0	21.22	21.12	33	PASS
Band38	10MHz	QPSK	37800	25RB#12	21.23	21.13	33	PASS
Band38	10MHz	QPSK	37800	25RB#24	21.22	21.12	33	PASS
Band38	10MHz	QPSK	37800	50RB#0	21.28	21.18	33	PASS
Band38	10MHz	QPSK	38000	1RB#0	21.79	21.69	33	PASS
Band38	10MHz	QPSK	38000	1RB#24	21.80	21.70	33	PASS
Band38	10MHz	QPSK	38000	1RB#49	21.84	21.74	33	PASS
Band38	10MHz	QPSK	38000	25RB#0	21.25	21.15	33	PASS
Band38	10MHz	QPSK	38000	25RB#12	21.25	21.15	33	PASS
Band38	10MHz	QPSK	38000	25RB#24	21.25	21.15	33	PASS
Band38	10MHz	QPSK	38000	50RB#0	21.24	21.14	33	PASS
Band38	10MHz	QPSK	38200	1RB#0	21.78	21.68	33	PASS
Band38	10MHz	QPSK	38200	1RB#24	21.85	21.75	33	PASS
Band38	10MHz	QPSK	38200	1RB#49	21.79	21.69	33	PASS
Band38	10MHz	QPSK	38200	25RB#0	21.36	21.26	33	PASS
Band38	10MHz	QPSK	38200	25RB#12	21.37	21.27	33	PASS
Band38	10MHz	QPSK	38200	25RB#24	21.37	21.27	33	PASS
Band38	10MHz	QPSK	38200	50RB#0	21.29	21.19	33	PASS
Band38	10MHz	16QAM	37800	1RB#0	21.18	21.08	33	PASS
Band38	10MHz	16QAM	37800	1RB#24	21.15	21.05	33	PASS
Band38	10MHz	16QAM	37800	1RB#49	21.25	21.15	33	PASS
Band38	10MHz	16QAM	37800	25RB#0	20.43	20.33	33	PASS
Band38	10MHz	16QAM	37800	25RB#12	20.40	20.30	33	PASS
Band38	10MHz	16QAM	37800	25RB#24	20.44	20.34	33	PASS
Band38	10MHz	16QAM	37800	50RB#0	20.34	20.24	33	PASS
Band38	10MHz	16QAM	38000	1RB#0	21.17	21.07	33	PASS
Band38	10MHz	16QAM	38000	1RB#24	21.25	21.15	33	PASS
Band38	10MHz	16QAM	38000	1RB#49	21.22	21.12	33	PASS
Band38	10MHz	16QAM	38000	25RB#0	20.26	20.16	33	PASS
Band38	10MHz	16QAM	38000	25RB#12	20.43	20.33	33	PASS
Band38	10MHz	16QAM	38000	25RB#24	20.36	20.26	33	PASS
Band38	10MHz	16QAM	38000	50RB#0	20.38	20.28	33	PASS

Band38	10MHz	16QAM	38200	1RB#0	21.23	21.13	33	PASS
Band38	10MHz	16QAM	38200	1RB#24	21.31	21.21	33	PASS
Band38	10MHz	16QAM	38200	1RB#49	21.14	21.04	33	PASS
Band38	10MHz	16QAM	38200	25RB#0	20.56	20.46	33	PASS
Band38	10MHz	16QAM	38200	25RB#12	20.45	20.35	33	PASS
Band38	10MHz	16QAM	38200	25RB#24	20.52	20.42	33	PASS
Band38	10MHz	16QAM	38200	50RB#0	20.41	20.31	33	PASS
Band38	15MHz	QPSK	37825	1RB#0	21.49	21.39	33	PASS
Band38	15MHz	QPSK	37825	1RB#37	21.57	21.47	33	PASS
Band38	15MHz	QPSK	37825	1RB#74	21.58	21.48	33	PASS
Band38	15MHz	QPSK	37825	36RB#0	21.10	21.00	33	PASS
Band38	15MHz	QPSK	37825	36RB#16	21.15	21.05	33	PASS
Band38	15MHz	QPSK	37825	36RB#35	21.09	20.99	33	PASS
Band38	15MHz	QPSK	37825	75RB#0	21.04	20.94	33	PASS
Band38	15MHz	QPSK	38000	1RB#0	21.82	21.72	33	PASS
Band38	15MHz	QPSK	38000	1RB#37	21.72	21.62	33	PASS
Band38	15MHz	QPSK	38000	1RB#74	21.67	21.57	33	PASS
Band38	15MHz	QPSK	38000	36RB#0	21.13	21.03	33	PASS
Band38	15MHz	QPSK	38000	36RB#16	21.17	21.07	33	PASS
Band38	15MHz	QPSK	38000	36RB#35	21.12	21.02	33	PASS
Band38	15MHz	QPSK	38000	75RB#0	21.09	20.99	33	PASS
Band38	15MHz	QPSK	38175	1RB#0	21.66	21.56	33	PASS
Band38	15MHz	QPSK	38175	1RB#37	21.57	21.47	33	PASS
Band38	15MHz	QPSK	38175	1RB#74	21.61	21.51	33	PASS
Band38	15MHz	QPSK	38175	36RB#0	21.13	21.03	33	PASS
Band38	15MHz	QPSK	38175	36RB#16	21.14	21.04	33	PASS
Band38	15MHz	QPSK	38175	36RB#35	21.15	21.05	33	PASS
Band38	15MHz	QPSK	38175	75RB#0	21.10	21.00	33	PASS
Band38	15MHz	16QAM	37825	1RB#0	21.16	21.06	33	PASS
Band38	15MHz	16QAM	37825	1RB#37	21.23	21.13	33	PASS
Band38	15MHz	16QAM	37825	1RB#74	21.08	20.98	33	PASS
Band38	15MHz	16QAM	37825	36RB#0	20.30	20.20	33	PASS
Band38	15MHz	16QAM	37825	36RB#16	20.29	20.19	33	PASS
Band38	15MHz	16QAM	37825	36RB#35	20.33	20.23	33	PASS
Band38	15MHz	16QAM	37825	75RB#0	20.29	20.19	33	PASS
Band38	15MHz	16QAM	38000	1RB#0	21.17	21.07	33	PASS
Band38	15MHz	16QAM	38000	1RB#37	21.06	20.96	33	PASS
Band38	15MHz	16QAM	38000	1RB#74	21.09	20.99	33	PASS
Band38	15MHz	16QAM	38000	36RB#0	20.25	20.15	33	PASS
Band38	15MHz	16QAM	38000	36RB#16	20.34	20.24	33	PASS
Band38	15MHz	16QAM	38000	36RB#35	20.26	20.16	33	PASS
Band38	15MHz	16QAM	38000	75RB#0	20.31	20.21	33	PASS

Band38	15MHz	16QAM	38175	1RB#0	21.22	21.12	33	PASS
Band38	15MHz	16QAM	38175	1RB#37	21.11	21.01	33	PASS
Band38	15MHz	16QAM	38175	1RB#74	21.07	20.97	33	PASS
Band38	15MHz	16QAM	38175	36RB#0	20.36	20.26	33	PASS
Band38	15MHz	16QAM	38175	36RB#16	20.44	20.34	33	PASS
Band38	15MHz	16QAM	38175	36RB#35	20.41	20.31	33	PASS
Band38	15MHz	16QAM	38175	75RB#0	20.33	20.23	33	PASS
Band38	20MHz	QPSK	37850	1RB#0	21.93	21.83	33	PASS
Band38	20MHz	QPSK	37850	1RB#49	21.98	21.88	33	PASS
Band38	20MHz	QPSK	37850	1RB#99	22.11	22.01	33	PASS
Band38	20MHz	QPSK	37850	50RB#0	21.26	21.16	33	PASS
Band38	20MHz	QPSK	37850	50RB#24	21.28	21.18	33	PASS
Band38	20MHz	QPSK	37850	50RB#49	21.20	21.10	33	PASS
Band38	20MHz	QPSK	37850	100RB#0	21.19	21.09	33	PASS
Band38	20MHz	QPSK	38000	1RB#0	21.84	21.74	33	PASS
Band38	20MHz	QPSK	38000	1RB#49	21.79	21.69	33	PASS
Band38	20MHz	QPSK	38000	1RB#99	21.87	21.77	33	PASS
Band38	20MHz	QPSK	38000	50RB#0	21.20	21.10	33	PASS
Band38	20MHz	QPSK	38000	50RB#24	21.25	21.15	33	PASS
Band38	20MHz	QPSK	38000	50RB#49	21.16	21.06	33	PASS
Band38	20MHz	QPSK	38000	100RB#0	21.13	21.03	33	PASS
Band38	20MHz	QPSK	38150	1RB#0	21.88	21.78	33	PASS
Band38	20MHz	QPSK	38150	1RB#49	21.95	21.85	33	PASS
Band38	20MHz	QPSK	38150	1RB#99	21.79	21.69	33	PASS
Band38	20MHz	QPSK	38150	50RB#0	21.22	21.12	33	PASS
Band38	20MHz	QPSK	38150	50RB#24	21.31	21.21	33	PASS
Band38	20MHz	QPSK	38150	50RB#49	21.23	21.13	33	PASS
Band38	20MHz	QPSK	38150	100RB#0	21.11	21.01	33	PASS
Band38	20MHz	16QAM	37850	1RB#0	21.47	21.37	33	PASS
Band38	20MHz	16QAM	37850	1RB#49	21.57	21.47	33	PASS
Band38	20MHz	16QAM	37850	1RB#99	21.58	21.48	33	PASS
Band38	20MHz	16QAM	37850	50RB#0	20.29	20.19	33	PASS
Band38	20MHz	16QAM	37850	50RB#24	20.31	20.21	33	PASS
Band38	20MHz	16QAM	37850	50RB#49	20.28	20.18	33	PASS
Band38	20MHz	16QAM	37850	100RB#0	20.35	20.25	33	PASS
Band38	20MHz	16QAM	38000	1RB#0	21.38	21.28	33	PASS
Band38	20MHz	16QAM	38000	1RB#49	21.35	21.25	33	PASS
Band38	20MHz	16QAM	38000	1RB#99	21.42	21.32	33	PASS
Band38	20MHz	16QAM	38000	50RB#0	20.38	20.28	33	PASS
Band38	20MHz	16QAM	38000	50RB#24	20.41	20.31	33	PASS
Band38	20MHz	16QAM	38000	50RB#49	20.37	20.27	33	PASS
Band38	20MHz	16QAM	38000	100RB#0	20.33	20.23	33	PASS

Band38	20MHz	16QAM	38150	1RB#0	21.41	21.31	33	PASS
Band38	20MHz	16QAM	38150	1RB#49	21.30	21.20	33	PASS
Band38	20MHz	16QAM	38150	1RB#99	21.35	21.25	33	PASS
Band38	20MHz	16QAM	38150	50RB#0	20.47	20.37	33	PASS
Band38	20MHz	16QAM	38150	50RB#24	20.48	20.38	33	PASS
Band38	20MHz	16QAM	38150	50RB#49	20.48	20.38	33	PASS
Band38	20MHz	16QAM	38150	100RB#0	20.36	20.26	33	PASS
Band41	5MHz	QPSK	40065	1RB#0	21.85	21.75	33	PASS
Band41	5MHz	QPSK	40065	1RB#12	21.84	21.74	33	PASS
Band41	5MHz	QPSK	40065	1RB#24	21.80	21.70	33	PASS
Band41	5MHz	QPSK	40065	12RB#0	21.30	21.20	33	PASS
Band41	5MHz	QPSK	40065	12RB#6	21.32	21.22	33	PASS
Band41	5MHz	QPSK	40065	12RB#11	21.26	21.16	33	PASS
Band41	5MHz	QPSK	40065	25RB#0	21.23	21.13	33	PASS
Band41	5MHz	QPSK	40640	1RB#0	21.75	21.65	33	PASS
Band41	5MHz	QPSK	40640	1RB#12	21.71	21.61	33	PASS
Band41	5MHz	QPSK	40640	1RB#24	21.68	21.58	33	PASS
Band41	5MHz	QPSK	40640	12RB#0	21.17	21.07	33	PASS
Band41	5MHz	QPSK	40640	12RB#6	21.23	21.13	33	PASS
Band41	5MHz	QPSK	40640	12RB#11	21.18	21.08	33	PASS
Band41	5MHz	QPSK	40640	25RB#0	21.15	21.05	33	PASS
Band41	5MHz	QPSK	41215	1RB#0	21.56	21.46	33	PASS
Band41	5MHz	QPSK	41215	1RB#12	21.57	21.47	33	PASS
Band41	5MHz	QPSK	41215	1RB#24	21.59	21.49	33	PASS
Band41	5MHz	QPSK	41215	12RB#0	21.02	20.92	33	PASS
Band41	5MHz	QPSK	41215	12RB#6	21.05	20.95	33	PASS
Band41	5MHz	QPSK	41215	12RB#11	21.03	20.93	33	PASS
Band41	5MHz	QPSK	41215	25RB#0	21.04	20.94	33	PASS
Band41	5MHz	16QAM	40065	1RB#0	21.11	21.01	33	PASS
Band41	5MHz	16QAM	40065	1RB#12	21.15	21.05	33	PASS
Band41	5MHz	16QAM	40065	1RB#24	21.12	21.02	33	PASS
Band41	5MHz	16QAM	40065	12RB#0	20.56	20.46	33	PASS
Band41	5MHz	16QAM	40065	12RB#6	20.48	20.38	33	PASS
Band41	5MHz	16QAM	40065	12RB#11	20.48	20.38	33	PASS
Band41	5MHz	16QAM	40065	25RB#0	20.53	20.43	33	PASS
Band41	5MHz	16QAM	40640	1RB#0	20.93	20.83	33	PASS
Band41	5MHz	16QAM	40640	1RB#12	20.88	20.78	33	PASS
Band41	5MHz	16QAM	40640	1RB#24	20.89	20.79	33	PASS
Band41	5MHz	16QAM	40640	12RB#0	20.33	20.23	33	PASS
Band41	5MHz	16QAM	40640	12RB#6	20.40	20.30	33	PASS
Band41	5MHz	16QAM	40640	12RB#11	20.31	20.21	33	PASS
Band41	5MHz	16QAM	40640	25RB#0	20.34	20.24	33	PASS

Band41	5MHz	16QAM	41215	1RB#0	20.64	20.54	33	PASS
Band41	5MHz	16QAM	41215	1RB#12	20.60	20.50	33	PASS
Band41	5MHz	16QAM	41215	1RB#24	20.59	20.49	33	PASS
Band41	5MHz	16QAM	41215	12RB#0	20.25	20.15	33	PASS
Band41	5MHz	16QAM	41215	12RB#6	20.14	20.04	33	PASS
Band41	5MHz	16QAM	41215	12RB#11	20.21	20.11	33	PASS
Band41	5MHz	16QAM	41215	25RB#0	20.11	20.01	33	PASS
Band41	10MHz	QPSK	40090	1RB#0	21.80	21.70	33	PASS
Band41	10MHz	QPSK	40090	1RB#24	21.71	21.61	33	PASS
Band41	10MHz	QPSK	40090	1RB#49	21.82	21.72	33	PASS
Band41	10MHz	QPSK	40090	25RB#0	21.32	21.22	33	PASS
Band41	10MHz	QPSK	40090	25RB#12	21.33	21.23	33	PASS
Band41	10MHz	QPSK	40090	25RB#24	21.34	21.24	33	PASS
Band41	10MHz	QPSK	40090	50RB#0	21.35	21.25	33	PASS
Band41	10MHz	QPSK	40640	1RB#0	21.53	21.43	33	PASS
Band41	10MHz	QPSK	40640	1RB#24	21.59	21.49	33	PASS
Band41	10MHz	QPSK	40640	1RB#49	21.75	21.65	33	PASS
Band41	10MHz	QPSK	40640	25RB#0	21.10	21.00	33	PASS
Band41	10MHz	QPSK	40640	25RB#12	21.26	21.16	33	PASS
Band41	10MHz	QPSK	40640	25RB#24	21.26	21.16	33	PASS
Band41	10MHz	QPSK	40640	50RB#0	21.21	21.11	33	PASS
Band41	10MHz	QPSK	41190	1RB#0	21.56	21.46	33	PASS
Band41	10MHz	QPSK	41190	1RB#24	21.44	21.34	33	PASS
Band41	10MHz	QPSK	41190	1RB#49	21.54	21.44	33	PASS
Band41	10MHz	QPSK	41190	25RB#0	21.07	20.97	33	PASS
Band41	10MHz	QPSK	41190	25RB#12	21.13	21.03	33	PASS
Band41	10MHz	QPSK	41190	25RB#24	21.10	21.00	33	PASS
Band41	10MHz	QPSK	41190	50RB#0	21.09	20.99	33	PASS
Band41	10MHz	16QAM	40090	1RB#0	20.91	20.81	33	PASS
Band41	10MHz	16QAM	40090	1RB#24	20.76	20.66	33	PASS
Band41	10MHz	16QAM	40090	1RB#49	20.77	20.67	33	PASS
Band41	10MHz	16QAM	40090	25RB#0	20.57	20.47	33	PASS
Band41	10MHz	16QAM	40090	25RB#12	20.58	20.48	33	PASS
Band41	10MHz	16QAM	40090	25RB#24	20.54	20.44	33	PASS
Band41	10MHz	16QAM	40090	50RB#0	20.40	20.30	33	PASS
Band41	10MHz	16QAM	40640	1RB#0	20.60	20.50	33	PASS
Band41	10MHz	16QAM	40640	1RB#24	20.60	20.50	33	PASS
Band41	10MHz	16QAM	40640	1RB#49	20.69	20.59	33	PASS
Band41	10MHz	16QAM	40640	25RB#0	20.28	20.18	33	PASS
Band41	10MHz	16QAM	40640	25RB#12	20.27	20.17	33	PASS
Band41	10MHz	16QAM	40640	25RB#24	20.38	20.28	33	PASS
Band41	10MHz	16QAM	40640	50RB#0	20.41	20.31	33	PASS

Band41	10MHz	16QAM	41190	1RB#0	20.74	20.64	33	PASS
Band41	10MHz	16QAM	41190	1RB#24	20.61	20.51	33	PASS
Band41	10MHz	16QAM	41190	1RB#49	20.57	20.47	33	PASS
Band41	10MHz	16QAM	41190	25RB#0	20.30	20.20	33	PASS
Band41	10MHz	16QAM	41190	25RB#12	20.26	20.16	33	PASS
Band41	10MHz	16QAM	41190	25RB#24	20.22	20.12	33	PASS
Band41	10MHz	16QAM	41190	50RB#0	20.14	20.04	33	PASS
Band41	15MHz	QPSK	40115	1RB#0	21.65	21.55	33	PASS
Band41	15MHz	QPSK	40115	1RB#37	21.50	21.40	33	PASS
Band41	15MHz	QPSK	40115	1RB#74	21.54	21.44	33	PASS
Band41	15MHz	QPSK	40115	36RB#0	21.26	21.16	33	PASS
Band41	15MHz	QPSK	40115	36RB#16	21.22	21.12	33	PASS
Band41	15MHz	QPSK	40115	36RB#35	21.19	21.09	33	PASS
Band41	15MHz	QPSK	40115	75RB#0	21.27	21.17	33	PASS
Band41	15MHz	QPSK	40640	1RB#0	21.67	21.57	33	PASS
Band41	15MHz	QPSK	40640	1RB#37	21.58	21.48	33	PASS
Band41	15MHz	QPSK	40640	1RB#74	21.55	21.45	33	PASS
Band41	15MHz	QPSK	40640	36RB#0	21.16	21.06	33	PASS
Band41	15MHz	QPSK	40640	36RB#16	21.09	20.99	33	PASS
Band41	15MHz	QPSK	40640	36RB#35	21.14	21.04	33	PASS
Band41	15MHz	QPSK	40640	75RB#0	21.13	21.03	33	PASS
Band41	15MHz	QPSK	41165	1RB#0	21.53	21.43	33	PASS
Band41	15MHz	QPSK	41165	1RB#37	21.40	21.30	33	PASS
Band41	15MHz	QPSK	41165	1RB#74	21.42	21.32	33	PASS
Band41	15MHz	QPSK	41165	36RB#0	21.01	20.91	33	PASS
Band41	15MHz	QPSK	41165	36RB#16	21.03	20.93	33	PASS
Band41	15MHz	QPSK	41165	36RB#35	21.15	21.05	33	PASS
Band41	15MHz	QPSK	41165	75RB#0	21.13	21.03	33	PASS
Band41	15MHz	16QAM	40115	1RB#0	20.96	20.86	33	PASS
Band41	15MHz	16QAM	40115	1RB#37	20.97	20.87	33	PASS
Band41	15MHz	16QAM	40115	1RB#74	20.92	20.82	33	PASS
Band41	15MHz	16QAM	40115	36RB#0	20.41	20.31	33	PASS
Band41	15MHz	16QAM	40115	36RB#16	20.42	20.32	33	PASS
Band41	15MHz	16QAM	40115	36RB#35	20.41	20.31	33	PASS
Band41	15MHz	16QAM	40115	75RB#0	20.37	20.27	33	PASS
Band41	15MHz	16QAM	40640	1RB#0	20.78	20.68	33	PASS
Band41	15MHz	16QAM	40640	1RB#37	20.84	20.74	33	PASS
Band41	15MHz	16QAM	40640	1RB#74	20.81	20.71	33	PASS
Band41	15MHz	16QAM	40640	36RB#0	20.28	20.18	33	PASS
Band41	15MHz	16QAM	40640	36RB#16	20.37	20.27	33	PASS
Band41	15MHz	16QAM	40640	36RB#35	20.26	20.16	33	PASS
Band41	15MHz	16QAM	40640	75RB#0	20.35	20.25	33	PASS

Band41	15MHz	16QAM	41165	1RB#0	20.95	20.85	33	PASS
Band41	15MHz	16QAM	41165	1RB#37	20.97	20.87	33	PASS
Band41	15MHz	16QAM	41165	1RB#74	20.91	20.81	33	PASS
Band41	15MHz	16QAM	41165	36RB#0	20.19	20.09	33	PASS
Band41	15MHz	16QAM	41165	36RB#16	20.22	20.12	33	PASS
Band41	15MHz	16QAM	41165	36RB#35	20.16	20.06	33	PASS
Band41	15MHz	16QAM	41165	75RB#0	20.16	20.06	33	PASS
Band41	20MHz	QPSK	40140	1RB#0	22.00	21.90	33	PASS
Band41	20MHz	QPSK	40140	1RB#49	21.98	21.88	33	PASS
Band41	20MHz	QPSK	40140	1RB#99	21.95	21.85	33	PASS
Band41	20MHz	QPSK	40140	50RB#0	21.22	21.12	33	PASS
Band41	20MHz	QPSK	40140	50RB#24	21.23	21.13	33	PASS
Band41	20MHz	QPSK	40140	50RB#49	21.23	21.13	33	PASS
Band41	20MHz	QPSK	40140	100RB#0	21.30	21.20	33	PASS
Band41	20MHz	QPSK	40640	1RB#0	21.59	21.49	33	PASS
Band41	20MHz	QPSK	40640	1RB#49	21.57	21.47	33	PASS
Band41	20MHz	QPSK	40640	1RB#99	21.70	21.60	33	PASS
Band41	20MHz	QPSK	40640	50RB#0	21.14	21.04	33	PASS
Band41	20MHz	QPSK	40640	50RB#24	21.16	21.06	33	PASS
Band41	20MHz	QPSK	40640	50RB#49	21.17	21.07	33	PASS
Band41	20MHz	QPSK	40640	100RB#0	21.14	21.04	33	PASS
Band41	20MHz	QPSK	41140	1RB#0	21.97	21.87	33	PASS
Band41	20MHz	QPSK	41140	1RB#49	21.94	21.84	33	PASS
Band41	20MHz	QPSK	41140	1RB#99	21.88	21.78	33	PASS
Band41	20MHz	QPSK	41140	50RB#0	21.24	21.14	33	PASS
Band41	20MHz	QPSK	41140	50RB#24	21.32	21.22	33	PASS
Band41	20MHz	QPSK	41140	50RB#49	21.21	21.11	33	PASS
Band41	20MHz	QPSK	41140	100RB#0	21.18	21.08	33	PASS
Band41	20MHz	16QAM	40140	1RB#0	20.99	20.89	33	PASS
Band41	20MHz	16QAM	40140	1RB#49	20.90	20.80	33	PASS
Band41	20MHz	16QAM	40140	1RB#99	20.82	20.72	33	PASS
Band41	20MHz	16QAM	40140	50RB#0	20.51	20.41	33	PASS
Band41	20MHz	16QAM	40140	50RB#24	20.39	20.29	33	PASS
Band41	20MHz	16QAM	40140	50RB#49	20.54	20.44	33	PASS
Band41	20MHz	16QAM	40140	100RB#0	20.42	20.32	33	PASS
Band41	20MHz	16QAM	40640	1RB#0	20.75	20.65	33	PASS
Band41	20MHz	16QAM	40640	1RB#49	20.66	20.56	33	PASS
Band41	20MHz	16QAM	40640	1RB#99	20.71	20.61	33	PASS
Band41	20MHz	16QAM	40640	50RB#0	20.14	20.04	33	PASS
Band41	20MHz	16QAM	40640	50RB#24	20.20	20.10	33	PASS
Band41	20MHz	16QAM	40640	50RB#49	20.21	20.11	33	PASS
Band41	20MHz	16QAM	40640	100RB#0	20.35	20.25	33	PASS

Band41	20MHz	16QAM	41140	1RB#0	20.81	20.71	33	PASS
Band41	20MHz	16QAM	41140	1RB#49	20.72	20.62	33	PASS
Band41	20MHz	16QAM	41140	1RB#99	20.86	20.76	33	PASS
Band41	20MHz	16QAM	41140	50RB#0	20.24	20.14	33	PASS
Band41	20MHz	16QAM	41140	50RB#24	20.35	20.25	33	PASS
Band41	20MHz	16QAM	41140	50RB#49	20.24	20.14	33	PASS
Band41	20MHz	16QAM	41140	100RB#0	20.25	20.15	33	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 4 & 7 & 38 & 41)

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 5)

Appendix B: Peak-to-Average Ratio(CCDF)


Test Result (Worst case)

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	5.35	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.02	13	PASS
Band4	20MHz	QPSK	20175	100RB#0	5.77	13	PASS
Band4	20MHz	16QAM	20175	100RB#0	6.53	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.55	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.24	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.65	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	6.30	13	PASS
Band38	20MHz	QPSK	38000	100RB#0	5.68	13	PASS
Band38	20MHz	16QAM	38000	100RB#0	6.39	13	PASS
Band41	20MHz	QPSK	40640	100RB#0	5.65	13	PASS
Band41	20MHz	16QAM	40640	100RB#0	6.40	13	PASS


Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs


Band2-20MHz-QPSK-18900-100RB#0



Band2-20MHz-16QAM-18900-100RB#0




Band4-20MHz-QPSK-20175-100RB#0



Band4-20MHz-16QAM-20175-100RB#0






Band5-10MHz-QPSK-20525-50RB#0



Band5-10MHz-16QAM-20525-50RB#0





Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0919	1.245	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0912	1.242	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.0975	1.243	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.0998	1.249	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1031	1.249	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.1000	1.249	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7117	3.016	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7113	3.020	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7004	3.034	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.7019	3.017	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6991	3.027	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7073	3.044	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5070	4.980	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5076	4.980	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.4986	4.947	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5018	4.976	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5091	4.976	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5154	4.988	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9933	9.903	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.9960	9.889	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.9896	9.922	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9904	9.911	PASS
Band2	10MHz	16QAM	18900	50RB#0	9.0011	9.929	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9885	9.920	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.503	14.91	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.528	14.94	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.465	14.97	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.493	14.89	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.537	14.92	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.472	14.94	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.956	19.70	PASS
Band2	20MHz	QPSK	18900	100RB#0	18.043	19.80	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.965	19.80	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.983	19.70	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.074	19.64	PASS

Band2	20MHz	16QAM	19100	100RB#0	17.930	19.75	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	1.0898	1.243	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	1.0951	1.241	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	1.0968	1.249	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	1.1021	1.256	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	1.1030	1.257	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	1.0990	1.248	PASS
Band4	3MHz	QPSK	19965	15RB#0	2.7129	3.016	PASS
Band4	3MHz	QPSK	20175	15RB#0	2.7140	3.018	PASS
Band4	3MHz	QPSK	20385	15RB#0	2.7040	3.023	PASS
Band4	3MHz	16QAM	19965	15RB#0	2.7000	3.025	PASS
Band4	3MHz	16QAM	20175	15RB#0	2.6999	2.996	PASS
Band4	3MHz	16QAM	20385	15RB#0	2.7062	3.044	PASS
Band4	5MHz	QPSK	19975	25RB#0	4.5076	4.975	PASS
Band4	5MHz	QPSK	20175	25RB#0	4.5048	4.972	PASS
Band4	5MHz	QPSK	20375	25RB#0	4.5012	4.989	PASS
Band4	5MHz	16QAM	19975	25RB#0	4.5011	4.956	PASS
Band4	5MHz	16QAM	20175	25RB#0	4.5026	4.952	PASS
Band4	5MHz	16QAM	20375	25RB#0	4.5108	4.976	PASS
Band4	10MHz	QPSK	20000	50RB#0	8.9845	9.879	PASS
Band4	10MHz	QPSK	20175	50RB#0	8.9927	9.906	PASS
Band4	10MHz	QPSK	20350	50RB#0	8.9988	9.913	PASS
Band4	10MHz	16QAM	20000	50RB#0	8.9799	9.907	PASS
Band4	10MHz	16QAM	20175	50RB#0	8.9973	9.876	PASS
Band4	10MHz	16QAM	20350	50RB#0	8.9942	9.932	PASS
Band4	15MHz	QPSK	20025	75RB#0	13.487	14.92	PASS
Band4	15MHz	QPSK	20175	75RB#0	13.498	14.97	PASS
Band4	15MHz	QPSK	20325	75RB#0	13.501	15.04	PASS
Band4	15MHz	16QAM	20025	75RB#0	13.451	14.90	PASS
Band4	15MHz	16QAM	20175	75RB#0	13.506	14.91	PASS
Band4	15MHz	16QAM	20325	75RB#0	13.505	14.90	PASS
Band4	20MHz	QPSK	20050	100RB#0	17.953	19.56	PASS
Band4	20MHz	QPSK	20175	100RB#0	18.001	19.74	PASS
Band4	20MHz	QPSK	20300	100RB#0	18.044	19.79	PASS
Band4	20MHz	16QAM	20050	100RB#0	17.981	19.69	PASS
Band4	20MHz	16QAM	20175	100RB#0	18.033	19.77	PASS
Band4	20MHz	16QAM	20300	100RB#0	18.026	19.77	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1.0939	1.246	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0937	1.243	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.0932	1.240	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.1037	1.252	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.1016	1.251	PASS


Band5	1.4MHz	16QAM	20643	6RB#0	1.0976	1.249	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.7102	3.058	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.7071	3.030	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.6991	3.013	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.7018	3.017	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.6971	3.015	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.7060	3.026	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5079	4.981	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5047	4.980	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.5026	4.971	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.4943	4.964	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.5007	4.950	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.5074	4.980	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.9943	9.930	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.9704	9.889	PASS
Band5	10MHz	QPSK	20600	50RB#0	9.0026	9.924	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.9860	9.941	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.9740	9.908	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.9868	9.943	PASS
Band7	5MHz	QPSK	20775	25RB#0	4.5072	4.976	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.5008	4.964	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5123	4.996	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5034	4.961	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5163	4.998	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5263	5.019	PASS
Band7	10MHz	QPSK	20800	50RB#0	8.9905	9.878	PASS
Band7	10MHz	QPSK	21100	50RB#0	9.0131	9.932	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9891	9.903	PASS
Band7	10MHz	16QAM	20800	50RB#0	8.9757	9.926	PASS
Band7	10MHz	16QAM	21100	50RB#0	9.0043	9.938	PASS
Band7	10MHz	16QAM	21400	50RB#0	9.0125	9.918	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.498	14.96	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.504	15.02	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.465	14.94	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.483	14.97	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.490	15.01	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.510	14.98	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.989	19.72	PASS
Band7	20MHz	QPSK	21100	100RB#0	18.026	19.81	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.999	19.65	PASS
Band7	20MHz	16QAM	20850	100RB#0	17.998	19.68	PASS
Band7	20MHz	16QAM	21100	100RB#0	18.016	19.78	PASS

Band7	20MHz	16QAM	21350	100RB#0	17.982	19.75	PASS
Band38	5MHz	QPSK	37775	25RB#0	4.5048	4.963	PASS
Band38	5MHz	QPSK	38000	25RB#0	4.5046	4.968	PASS
Band38	5MHz	QPSK	38225	25RB#0	4.4944	5.064	PASS
Band38	5MHz	16QAM	37775	25RB#0	4.5119	5.119	PASS
Band38	5MHz	16QAM	38000	25RB#0	4.5091	5.105	PASS
Band38	5MHz	16QAM	38225	25RB#0	4.4950	5.038	PASS
Band38	10MHz	QPSK	37800	50RB#0	8.9880	9.911	PASS
Band38	10MHz	QPSK	38000	50RB#0	8.9930	9.878	PASS
Band38	10MHz	QPSK	38200	50RB#0	8.9927	9.911	PASS
Band38	10MHz	16QAM	37800	50RB#0	8.9821	9.927	PASS
Band38	10MHz	16QAM	38000	50RB#0	8.9811	9.911	PASS
Band38	10MHz	16QAM	38200	50RB#0	9.0074	10.17	PASS
Band38	15MHz	QPSK	37825	75RB#0	13.508	14.95	PASS
Band38	15MHz	QPSK	38000	75RB#0	13.496	15.41	PASS
Band38	15MHz	QPSK	38175	75RB#0	13.462	15.40	PASS
Band38	15MHz	16QAM	37825	75RB#0	13.501	15.29	PASS
Band38	15MHz	16QAM	38000	75RB#0	13.495	15.20	PASS
Band38	15MHz	16QAM	38175	75RB#0	13.555	15.62	PASS
Band38	20MHz	QPSK	37850	100RB#0	17.956	19.84	PASS
Band38	20MHz	QPSK	38000	100RB#0	17.988	19.75	PASS
Band38	20MHz	QPSK	38150	100RB#0	17.968	20.06	PASS
Band38	20MHz	16QAM	37850	100RB#0	17.972	19.81	PASS
Band38	20MHz	16QAM	38000	100RB#0	17.987	19.59	PASS
Band38	20MHz	16QAM	38150	100RB#0	17.941	20.44	PASS
Band41	5MHz	QPSK	40065	25RB#0	4.5045	4.962	PASS
Band41	5MHz	QPSK	40640	25RB#0	4.5004	4.971	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.5035	4.935	PASS
Band41	5MHz	16QAM	40065	25RB#0	4.5040	5.103	PASS
Band41	5MHz	16QAM	40640	25RB#0	4.5131	5.111	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.5126	5.104	PASS
Band41	10MHz	QPSK	40090	50RB#0	8.9811	9.908	PASS
Band41	10MHz	QPSK	40640	50RB#0	8.9902	9.874	PASS
Band41	10MHz	QPSK	41190	50RB#0	9.0045	9.881	PASS
Band41	10MHz	16QAM	40090	50RB#0	8.9966	9.891	PASS
Band41	10MHz	16QAM	40640	50RB#0	8.9876	9.932	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.9867	9.888	PASS
Band41	15MHz	QPSK	40115	75RB#0	13.478	15.05	PASS
Band41	15MHz	QPSK	40640	75RB#0	13.483	15.08	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.500	14.91	PASS
Band41	15MHz	16QAM	40115	75RB#0	13.484	15.16	PASS
Band41	15MHz	16QAM	40640	75RB#0	13.494	15.16	PASS


Band41	15MHz	16QAM	41165	75RB#0	13.489	15.16	PASS
Band41	20MHz	QPSK	40140	100RB#0	17.976	19.61	PASS
Band41	20MHz	QPSK	40640	100RB#0	17.975	19.66	PASS
Band41	20MHz	QPSK	41140	100RB#0	17.999	19.67	PASS
Band41	20MHz	16QAM	40140	100RB#0	17.962	19.66	PASS
Band41	20MHz	16QAM	40640	100RB#0	17.974	19.85	PASS
Band41	20MHz	16QAM	41140	100RB#0	17.955	19.71	PASS

Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-18900-6RB#0




Band2-1.4MHz-QPSK-19193-6RB#0



Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-18900-50RB#0




Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-50RB#0



Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-75RB#0




Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-75RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-100RB#0




Band2-20MHz-QPSK-19100-100RB#0




Band2-20MHz-16QAM-18700-100RB#0




Band2-20MHz-16QAM-18900-100RB#0




Band2-20MHz-16QAM-19100-100RB#0




Band4-1.4MHz-QPSK-19957-6RB#0




Band4-1.4MHz-QPSK-20175-6RB#0



Band4-1.4MHz-QPSK-20393-6RB#0



Band4-1.4MHz-16QAM-19957-6RB#0



Band4-1.4MHz-16QAM-20175-6RB#0




Band4-1.4MHz-16QAM-20393-6RB#0




Band4-3MHz-QPSK-19965-15RB#0




Band4-3MHz-QPSK-20175-15RB#0




Band4-3MHz-QPSK-20385-15RB#0




Band4-3MHz-16QAM-19965-15RB#0




Band4-3MHz-16QAM-20175-15RB#0




Band4-3MHz-16QAM-20385-15RB#0




Band4-5MHz-QPSK-19975-25RB#0




Band4-5MHz-QPSK-20175-25RB#0




Band4-5MHz-QPSK-20375-25RB#0




Band4-5MHz-16QAM-19975-25RB#0




Band4-5MHz-16QAM-20175-25RB#0




Band4-5MHz-16QAM-20375-25RB#0




Band4-10MHz-QPSK-20000-50RB#0




Band4-10MHz-QPSK-20175-50RB#0




Band4-10MHz-QPSK-20350-50RB#0




Band4-10MHz-16QAM-20000-50RB#0



Band4-10MHz-16QAM-20175-50RB#0




Band4-10MHz-16QAM-20350-50RB#0




Band4-15MHz-QPSK-20025-75RB#0




Band4-15MHz-QPSK-20175-75RB#0




Band4-15MHz-QPSK-20325-75RB#0




Band4-15MHz-16QAM-20025-75RB#0




Band4-15MHz-16QAM-20175-75RB#0




Band4-15MHz-16QAM-20325-75RB#0



Band4-20MHz-QPSK-20050-100RB#0




Band4-20MHz-QPSK-20175-100RB#0




Band4-20MHz-QPSK-20300-100RB#0



Band4-20MHz-16QAM-20050-100RB#0



Band4-20MHz-16QAM-20175-100RB#0



Band4-20MHz-16QAM-20300-100RB#0

