

**HAC T-Coil Signal Test Report** 

Test report no.: Salo\_HAC\_0633\_03 Date of report: 2006-Aug-14

Template version: 1.0 Number of pages: 21

Testing laboratory: TCC Salo Client: Nokia Corporation

P.O. Box 86

Joensuunkatu 7H / Kiila 1B

FIN-24101 SALO. FINLAND

Lise Meitner Strasse 10
89081 ULM
GERMANY

Tel. +358 (0) 7180 08000 Tel. +49 731 1754 0
Fax. +358 (0) 7180 45220 Fax. +49 731 1754 6800

Responsible test Ari Orte Product contact Jukka Pekkala

engineer: person:

Measurements made by: Ari Orte

**Tested devices:** RM-126 (Hearing aid mode activated), HW: 0572

FCC ID: PPIRM-126H IC: 661U-RM126

Supplement reports: Salo HAC 0633 02.pdf related HAC RF report

Testing has been

carried out in accordance with:

ANSI C63.19-2006
American National Standard for Methods of Measurement of Compatibility between Wireless

Communications Devices and Hearing Aids

communications bevices and ficaling Alas

**Documentation:** The documentation of the testing performed on the tested devices is archived for 15 years

at TCC Nokia.

Test results: The tested device complies with the requirements in respect of all parameters subject to the

**test.** The test results and statements relate only to the items tested. The test report shall not

be reproduced except in full, without written approval of the laboratory.

Date and signatures: 2006-08-14

For the contents:

**Ari Orte** Test System Manager



# **CONTENTS**

1. SUMMARY OF HAC T-COIL SIGNAL TEST REPORT	3
1.1 TEST DETAILS  1.2 SUMMARY OF T-COIL TEST RESULTS	
2. TEST CONDITIONS	5
2.1 TEMPERATURE AND HUMIDITY	5
3. DESCRIPTION OF THE TEST EQUIPMENT	6
3.1 MEASUREMENT SYSTEM AND COMPONENTS	
4. DESCRIPTION OF THE TEST PROCEDURE	9
4.1 TEST ARCH AND DEVICE HOLDER 4.2 TEST POSITIONS	9 10 10
5. MEASUREMENT UNCERTAINTY	12
6. RESULTS	12
APPENDIX A: MEASUREMENT SCANS	14
APPENDIX R. MEASUREMENT UNCERTAINTY	21



# 1. SUMMARY OF HAC T-COIL SIGNAL TEST REPORT

# 1.1 Test Details

Period of test	2006-Jun-09 – 2006-Jun-12
SN, HW, SW and DUT numbers	004400/90/164403/7; HWID: 0572; SW: 4.06; DUT#: 11307
of tested device	
Batteries used in testing	BL-4C, DUT#'s: 11061, 11060
State of sample	Prototype unit
Notes	AWF = -5 for GSM

# 1.2 Summary of T-Coil Test Results

# 1.2.1 T-Coil Coupling Field Intensity

# 1.2.1.1 Axial Field Intensity

Mode	Minimum limit	Result	Verdict
	[dB (A/m)]	[dB (A/m)]	
GSM 850	-13	6.8	Pass
GSM 1900	-13	7.4	Pass

# 1.2.1.2 Radial Field Intensity

Mode	Minimum limit [dB (A/m)]	Minimum Result [dB (A/m)]	Verdict
GSM 850	-18	6.1	Pass
GSM 1900	-18	6.6	Pass

# 1.2.2 Frequency Response at Axial Measurement Point

Mode	Verdict
GSM 850	Pass
GSM 1900	Pass

# 1.2.3 Signal Quality

Mode	Minimum limit [dB]		it	Minimum result [dB]	Category	
	T1	T2	T3	T4		
GSM 850	-15	-5	5	15	26.9	T4
GSM 1900	-15	-5	5	15	26.8	T4

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation



Mode	RF emissions category at T-coil axial measurement point (E- and H-fields)*	HAC category of the tested device (RF emissions and T-coil requirements combined)
GSM 850	M3	M3/T3
GSM 1900	M3	M3/T3

<sup>\*</sup>See separate report 'Salo\_HAC\_0633\_02.pdf'

# 1.3 Description of the Device Under Test (DUT)

Modes and Bands of Operation	GSM 850	GSM 1900
Modulation Mode	GMSK	GMSK
Duty Cycle	1/8	1/8
Transmitter Frequency Range (MHz)	824849	18501910

Outside of USA, tested device is also capable of operating in GSM900 and GSM1800 band, which are not part of this test.

# 1.3.1 Picture of Device







## 2. TEST CONDITIONS

# 2.1 Temperature and Humidity

Ambient temperature (°C):	21.5 to 23.5
Ambient humidity (RH %):	35 to 45

## 2.2 WD Control

The transmitter of the device was put into operation by using a call tester. Communications between the device and the call tester were established by air link. EFR speech codec was used during testing.

The device output power was set to maximum power level for all tests; a fully charged battery was used for every test sequence.

In all operating bands the measurements were performed on middle channel.

## 2.3 WD Parameters

HAC mode was switched on from the WD user interface, volume setting was 1/10 and microphone was muted.




# 3. DESCRIPTION OF THE TEST EQUIPMENT

# 3.1 Measurement system and components

The measurements were performed using an automated near-field scanning system, DASY 4 software version 4.7, manufactured by Schmid & Partner Engineering AG (SPEAG) in Switzerland.

Components and signal paths of used measurement system are pictured below:





The following table lists calibration dates of measurement equipment:

Test Equipment	Serial Number	Calibration interval	Calibration expiry
DAE V3	388	12 months	01/07
AMMI Audio Magnetic Measurement Instrument	1002	12 months	02/07
AM1DV2 Audio Magnetic Probe	1001	12 months	02/07
AMCC Helmholtz Audio Magnetic Calibration Coil	1004	12 months	02/07
R&S CMU200 Radio Communication Test Set	101111	12 months	07/06

Additional test equipment used in testing and validation:

Test Equipment	Model	Serial Number	Calibration interval	Calibration expiry
Oscilloscope	TDS 3052	T011185	12 months	07/06

## 3.1.1 Audio Magnetic Probe AM1DV2

**Construction** Fully RF shielded metal construction (RF sensitivity < -100dB)

**Calibration** Calibrated using Helmholtz coil

 Frequency
 0.1 – 20 kHz

 Sensitivity
 < -50 dB A/m</td>

**Dimensions** Overall length: 290 mm; Tip diameter: 6 mm

## 3.1.2 Audio Magnetic Measurement Instrument AMMI

Sampling Rate 48 kHz / 24 bit

**Dynamic Range** 85 dB

**Test Signal Generation** User selectable and predefined (via PC)

**Calibration** Auto-calibration / full system calibration using AMCC with monitor

output

# 3.1.3 Audio Magnetic Calibration Coil AMCC

**Dimensions** 370 x 370 x 196 mm (ANSI-PC63.19 compliant)

HAC T-Coil Report
Salo HAC 0633 03

Type:RM-126

**Applicant: Nokia Corporation** 



## 3.1.4 WD positioner

The WD positioner and Test Arch are manufactured by Speag (<a href="http://www.dasy4.com/hac">http://www.dasy4.com/hac</a>). Test arch is used for all tests i.e. for both validation testing and device testing. The positioner and test arch conforms to the requirements of ANSI C63.19.

The SPEAG device holder (see Section 4.1) was used to position the test device in all tests.

# 3.2 Verification of the System

Audio Magnetic Probe AM1D is calibrated in AMCC Helmholtz Audio Magnetic Calibration Coil before each measurement procedure using calibration and reference signals.



## 4. DESCRIPTION OF THE TEST PROCEDURE

## 4.1 Test Arch and Device Holder

The test device was placed in the Device Holder (illustrated below) that is supplied by SPEAG. Using this positioner the tested device is positioner under Test Arch.



Device holder and Test Arch supplied by SPEAG

## 4.2 Test Positions

The device was positioned such that Device Reference level was touching the bottom of the Test Arch. The speaker output is aligned with the intersection of the Test Arch's middle bar and dielectric wire. The WD is positioned always this way to ensure repeatability of the measurements. Coordinate system depicted below is used to define exact locations of measurement points relative to the center of the speaker output.






Photo of the device positioned under Test Arch and coordinate system

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation Type:RM-126



#### 4.3 T-coil Scan Procedures

Manufacturer can either define measurement locations for WD categorization or optimum locations can be found using following procedure; First, coarse scans in all measurement orientations, centered at the earpiece, are made to find approximate locations of optimum signal. More accurate fine scans are made in these locations to find final measurement points.

## 4.4 Measurement procedure and used test signals

During measurements signal is fed to WD via communication tester. Proper gain setting is used in software to ensure correct signal level fed to communication tester speech input. Measurement software compares fed signal and signal from measurement probe and applies proper filtering and integration procedures.

Broadband voice-like signals are used during scans and frequency response measurement to ensure proper operation of WD vocoder and audio enhancement algorithms.

Both signal (ABM1) and undesired audio noise (ABM2) are measured consequently to enable determination of signal+noise to noise ratio (SNR).

In final measurement sine signal is used to determine signal strength @ 1 kHz.

## 4.5 T-coil Requirements and Category Limits

## **RF Emissions**

Wireless device has to fulfill RF emission requirements at the axial measurement location.

## **Axial Field Intensity**

The axial component of the magnetic field shall be ≥-13dB(A/m) at 1 kHz, in 1/3 octave band filter.

## **Radial Field Intensity**


The radial components of the magnetic field shall be ≥-18dB(A/m) at 1 kHz, in 1/3 octave band filter.

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation



# **Frequency Response**

Frequency response of the axial component must follow the frequency curve depicted below:



Frequency response window applicable for devices with axial field strength > -10dB(A/m)

# **Signal Quality**

The worst result of three T-coil signal measurements is used to define WD Hearing Aid T-category according to the category limits:

Category	AWF [dB]	Limits for Signal Quality [dB]
T1	0	-20
11	-5	-15
T2	0	-10
12	-5	-5
T3	0	0
13	<b>-</b> 5	5
T4	0	10
14	-5	15



## 5. MEASUREMENT UNCERTAINTY

Measurement uncertainty budget presented in Appendix B.

# 6. RESULTS

Measurement position coordinates are defined as deviation from earpiece center in millimeters. Coordinate system is defined in chapter 4.2


Axial measurement location was defined by the manufacturer of the device.

	Radial 1 (longitudinal)		Radial 2 (transversal)		Axial (Perpendicular)	
Mode	850	1900	850	1900	850	1900
Measurement position (x,y) [mm]	(-4,14)	(-4,16)	(-2,12)	(-2,12)	(0,0)	(0,0)
Signal strength [dB A/m]	6.1	6.6	11.1	10.9	6.8	7.4
Ambient backround noise ABM [dB A/m]	-53.5	-52.7	-53.0	-53.2	-54.1	-53.3
ABM2 [dB A/m]	-20.8	-20.2	-15.7	-16.0	-20.0	-19.8
Signal quality [dB]	26.9	26.8	26.9	26.9	26.9	27.1


Plots of the signal strength Measurement scans are presented in Appendix A.



# Frequency responses:



Frequency response in GSM850 mode



Frequency response in GSM1900 mode

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation



**APPENDIX A: MEASUREMENT SCANS** 



Date/Time: 09.06.2006 12:29:23

Test Laboratory: TCC Nokia, Salo Laboratory Type: RM-126; Serial: 004400/90/164403/7

Communication System: GSM850 Frequency: 836.6 MHz; Duty Cycle: 1:7 Medium: Air; Medium Notes: Not Specified

Medium parameters used:  $\sigma = 0$  mho/m,  $\varepsilon_r = 1$ ;  $\rho = 1$  kg/m<sup>3</sup>

Phantom section: AMB with Coil Section

#### **DASY4 Configuration:**

- Probe: AM1DV2 1001; Probe Notes:
- -; Calibrated: 22.02.2006
- Sensor-Surface: 0mm (Fix Surface)
- Electronics: DAE3 Sn388; Calibrated: 19.01.2006
- Phantom: HAC Test Arch with Coil; Type: SD HAC P01 BA; Serial: 1004
- Measurement SW: DASY4, V4.7 Build 21; Postprocessing SW: SEMCAD, V1.8 Build 170  $\,$

## Coarse scan/z (axial) scan 50 x 50 (grid 10) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -0.487814 dB A/m

BWC Factor = 10.8 dB Location: -5, 5, 363.7 mm

### Fine scan/z (axial) scan 10 x 10 (grid 2) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

### **Cursor:**

ABM1 comp = -0.507277 dB A/m

BWC Factor = 10.8 dB Location: -5, 5, 363.7 mm

## Point scan/z (axial) scan at point with noise/ABM Signal(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

## **Cursor:**

ABM1 comp = 6.82492 dB A/m BWC Factor = -0.207 dB Location: 0. 0. 363.7 mm

#### Point scan/z (axial) scan at point with noise/ABM SNR(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

# Cursor:

ABM1/ABM2 = 26.8517 dB BWC Factor = -0.207 dB Location: 0, 0, 363.7 mm



0 dB = 1.00A/m

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation Type:RM-126



Date/Time: 12.06.2006 10:44:45

Test Laboratory: TCC Nokia, Salo Laboratory
Type: RM-126; Serial: 004400/90/164403/7

Communication System: GSM1900 Frequency: 1880 MHz; Duty Cycle: 1:8.3 Medium: Air; Medium Notes: Not Specified

Medium parameters used:  $\sigma = 0$  mho/m,  $\varepsilon_r = 1$ ;  $\rho = 1$  kg/m<sup>3</sup>

Phantom section: AMB with Coil Section

#### **DASY4 Configuration:**

- Probe: AM1DV2 1001; Probe Notes:
- -; Calibrated: 22.02.2006
- Sensor-Surface: 0mm (Fix Surface)
- Electronics: DAE3 Sn388; Calibrated: 19.01.2006
- Phantom: HAC Test Arch with Coil; Type: SD HAC P01 BA; Serial: 1004
- Measurement SW: DASY4, V4.7 Build 21; Postprocessing SW: SEMCAD, V1.8 Build 170  $\,$

## Coarse scan/z (axial) scan 50 x 50 (grid 10) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -1.55306 dB A/m

BWC Factor = 10.8 dB Location: -5, 5, 363.7 mm

### Fine scan/z (axial) scan 10 x 10 (grid 2) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

### **Cursor:**

ABM1 comp = -2.18462 dB A/m

BWC Factor = 10.8 dB Location: -5, 5, 363.7 mm

## Point scan/z (axial) scan at point with noise/ABM Signal(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

## **Cursor:**

ABM1 comp = 7.35543 dB A/m BWC Factor = -0.206004 dB Location: 0. 0. 363.7 mm

#### Point scan/z (axial) scan at point with noise/ABM SNR(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

# Cursor:

ABM1/ABM2 = 27.1287 dB BWC Factor = -0.206004 dB Location: 0, 0, 363.7 mm



0 dB = 1.00A/m

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation Type:RM-126



Date/Time: 09.06.2006 12:34:05

Test Laboratory: TCC Nokia, Salo Laboratory Type: RM-126; Serial: 004400/90/164403/7

Communication System: GSM850 Frequency: 836.6 MHz; Duty Cycle: 1:7 Medium: Air; Medium Notes: Not Specified

Medium parameters used:  $\sigma = 0$  mho/m,  $\varepsilon_r = 1$ ;  $\rho = 1$  kg/m<sup>3</sup>

Phantom section: AMB with Coil Section

#### **DASY4 Configuration:**

- Probe: AM1DV2 1001; Probe Notes:
- -; Calibrated: 22.02.2006
- Sensor-Surface: 0mm (Fix Surface)
- Electronics: DAE3 Sn388; Calibrated: 19.01.2006
- Phantom: HAC Test Arch with Coil; Type: SD HAC P01 BA; Serial: 1004
- Measurement SW: DASY4, V4.7 Build 21; Postprocessing SW: SEMCAD, V1.8 Build 170

## Coarse scan/x (longitudinal) scan 50 x 50 (grid 10) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -6.26161 dB A/m

BWC Factor = 10.8 dB Location: -5, 15, 363.7 mm

## Fine scan/x (longitudinal) scan 10 x 10 (grid 2) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -6.38422 dB A/m

BWC Factor = 10.8 dB Location: -4, 14, 363.7 mm

## Point scan/x (longitudinal) scan at point with noise/ABM Signal(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

## **Cursor:**


ABM1 comp = 6.10132 dB A/m BWC Factor = -0.207 dB Location: -4. 14. 363.7 mm

### Point scan/x (longitudinal) scan at point with noise/ABM SNR(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

# Cursor:

ABM1/ABM2 = 26.8637 dB BWC Factor = -0.207 dB Location: -4, 14, 363.7 mm



 $0\ dB=1.00A/m$ 

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation Type:RM-126



Date/Time: 12.06.2006 10:52:02

Test Laboratory: TCC Nokia, Salo Laboratory Type: RM-126; Serial: 004400/90/164403/7

Communication System: GSM1900 Frequency: 1880 MHz; Duty Cycle: 1:8.3 Medium: Air; Medium Notes: Not Specified

Medium parameters used:  $\sigma = 0$  mho/m,  $\varepsilon_r = 1$ ;  $\rho = 1$  kg/m<sup>3</sup>

Phantom section: AMB with Coil Section

#### **DASY4 Configuration:**

- Probe: AM1DV2 1001; Probe Notes:
- -; Calibrated: 22.02.2006
- Sensor-Surface: 0mm (Fix Surface)
- Electronics: DAE3 Sn388; Calibrated: 19.01.2006
- Phantom: HAC Test Arch with Coil; Type: SD HAC P01 BA; Serial: 1004
- Measurement SW: DASY4, V4.7 Build 21; Postprocessing SW: SEMCAD, V1.8 Build 170

## Coarse scan/x (longitudinal) scan 50 x 50 (grid 10) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -7.1972 dB A/m BWC Factor = 10.8 dB Location: -5, 15, 363.7 mm

### Fine scan/x (longitudinal) scan 10 x 10 (grid 2) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -7.18521 dB A/m

BWC Factor = 10.8 dB Location: -4, 16, 363.7 mm

## Point scan/x (longitudinal) scan at point with noise/ABM Signal(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

## **Cursor:**


ABM1 comp = 6.62734 dB A/m BWC Factor = -0.206004 dB Location: -4. 16. 363.7 mm

#### Point scan/x (longitudinal) scan at point with noise/ABM SNR(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1/ABM2 = 26.845 dB BWC Factor = -0.206004 dB Location: -4, 16, 363.7 mm



0 dB = 1.00A/m

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation Type:RM-126



Date/Time: 09.06.2006 12:38:29

Test Laboratory: TCC Nokia, Salo Laboratory Type: RM-126; Serial: 004400/90/164403/7

Communication System: GSM850 Frequency: 836.6 MHz; Duty Cycle: 1:7 Medium: Air; Medium Notes: Not Specified

Medium parameters used:  $\sigma = 0$  mho/m,  $\varepsilon_r = 1$ ;  $\rho = 1$  kg/m<sup>3</sup>

Phantom section: AMB with Coil Section

#### **DASY4 Configuration:**

- Probe: AM1DV2 1001; Probe Notes:
- -; Calibrated: 22.02.2006
- Sensor-Surface: 0mm (Fix Surface)
- Electronics: DAE3 Sn388; Calibrated: 19.01.2006
- Phantom: HAC Test Arch with Coil; Type: SD HAC P01 BA; Serial: 1004
- Measurement SW: DASY4, V4.7 Build 21; Postprocessing SW: SEMCAD, V1.8 Build 170

## Coarse scan/y (transversal) scan 50 x 50 (grid 10) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -3.48816 dB A/m

BWC Factor = 10.8 dB Location: -5, 15, 363.7 mm

### Fine scan/y (transversal) scan 10 x 10 (grid 2) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -1.45223 dB A/m

BWC Factor = 10.8 dB Location: -2, 12, 363.7 mm

## Point scan/y (transversal) scan at point with noise/ABM Signal(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

## **Cursor:**


ABM1 comp = 11.1303 dB A/m BWC Factor = -0.207 dB Location: -2. 12. 363.7 mm

#### Point scan/y (transversal) scan at point with noise/ABM SNR(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1/ABM2 = 26.856 dB BWC Factor = -0.207 dB Location: -2, 12, 363.7 mm



 $0\ dB=1.00A/m$ 

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation Type:RM-126



Date/Time: 12.06.2006 10:57:19

Test Laboratory: TCC Nokia, Salo Laboratory Type: RM-126; Serial: 004400/90/164403/7 Communication System: GSM1900

Frequency: 1880 MHz; Duty Cycle: 1:8.3 Medium: Air; Medium Notes: Not Specified

Medium parameters used:  $\sigma = 0$  mho/m,  $\varepsilon_r = 1$ ;  $\rho = 1$  kg/m<sup>3</sup>

Phantom section: AMB with Coil Section

#### **DASY4 Configuration:**

- Probe: AM1DV2 1001; Probe Notes:
- -; Calibrated: 22.02.2006
- Sensor-Surface: 0mm (Fix Surface)
- Electronics: DAE3 Sn388; Calibrated: 19.01.2006
- Phantom: HAC Test Arch with Coil; Type: SD HAC P01 BA; Serial: 1004
- Measurement SW: DASY4, V4.7 Build 21; Postprocessing SW: SEMCAD, V1.8 Build 170

# Coarse scan/y (transversal) scan 50 x 50 (grid 10) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -4.89286 dB A/m

BWC Factor = 10.8 dB Location: -5, 15, 363.7 mm

## Fine scan/y (transversal) scan 10 x 10 (grid 2) with noise/ABM Signal(x,y,z) (6x6x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1 comp = -3.04052 dB A/m

BWC Factor = 10.8 dB Location: -2, 12, 363.7 mm

## Point scan/y (transversal) scan at point with noise/ABM Signal(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

## **Cursor:**

ABM1 comp = 10.9213 dB A/m BWC Factor = -0.206004 dB Location: -2. 12. 363.7 mm

#### Point scan/y (transversal) scan at point with noise/ABM SNR(x,y,z) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

#### **Cursor:**

ABM1/ABM2 = 26.8841 dB BWC Factor = -0.206004 dB Location: -2, 12, 363.7 mm



0 dB = 1.00A/m

HAC T-Coil Report Salo\_HAC\_0633\_03 Applicant: Nokia Corporation Type:RM-126



# **APPENDIX B: MEASUREMENT UNCERTAINTY**

Measurement uncertainty budget is currently under evaluation.