



LTE Band 71_10MHz							
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)			26dB Bandwidth (MHz)		
		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
133172	668	8.9825	8.9767	8.9888	9.870	9.863	9.853
133297	680.5	8.9959	8.9916	8.9916	9.830	9.821	9.802
133422	693	8.9668	8.9570	8.9550	9.778	9.742	9.795



LTE Band 71_15MHz							
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)			26dB Bandwidth (MHz)		
		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
133197	670.5	13.444	13.461	13.462	14.55	14.61	14.58
133297	680.5	13.468	13.470	13.506	14.62	14.51	14.68
133397	690.5	13.368	13.375	13.403	14.52	14.58	14.53




LTE Band 71_20MHz							
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)			26dB Bandwidth (MHz)		
		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
133222	673	17.906	17.854	17.853	19.44	19.35	19.39
133322	683	17.972	17.949	17.940	19.34	19.44	19.38
133372	688	17.835	17.867	17.862	19.30	19.39	19.38




APPENDIX C - CONDUCTED SPURIOUS EMISSIONS


WCDMA Band IV_WCDMA_CH1413 Spectrum Plot




LTE Band 4_1.4MHz_CH20175 Spectrum Plot



Date: 2.DEC.2021 11:10:54




Date: 2.DEC.2021 11:11:50




Date: 2.DEC.2021 11:08:19


LTE Band 4_5MHz_CH20175 Spectrum Plot



Date: 2.DEC.2021 11:10:34




Date: 2.DEC.2021 11:12:24




Date: 2.DEC.2021 11:07:36


LTE Band 4_20MHz_CH20175 Spectrum Plot



Date: 2.DEC.2021 11:10:03




Date: 2.DEC.2021 11:12:42




Date: 2.DEC.2021 11:08:55


LTE Band 7_5MHz_CH21100 Spectrum Plot



Date: 27.NOV.2021 13:05:15




Date: 27.NOV.2021 13:08:24




Date: 27.NOV.2021 12:47:13


LTE Band 7_20MHz_CH21100 Spectrum Plot



Date: 27.NOV.2021 13:04:03




Date: 27.NOV.2021 13:07:51




Date: 27.NOV.2021 12:49:17


LTE Band 12_1.4MHz_CH23095 Spectrum Plot



Date: 27.NOV.2021 13:15:16




Date: 27.NOV.2021 13:12:27




Date: 27.NOV.2021 13:17:15


LTE Band 12_5MHz_CH23095 Spectrum Plot



Date: 27.NOV.2021 13:15:15




Date: 27.NOV.2021 13:13:00




Date: 27.NOV.2021 13:17:47


LTE Band 12_10MHz_CH23095 Spectrum Plot



Date: 27.NOV.2021 13:14:39




Date: 27.NOV.2021 13:13:43




Date: 27.NOV.2021 13:18:09


LTE Band 13_5MHz_CH23230 Spectrum Plot



Date: 27.NOV.2021 13:129:18




Date: 27.NOV.2021 13:130:00




Date: 27.NOV.2021 13:122:19


LTE Band 13_10MHz_CH23230 Spectrum Plot



Date: 27.NOV.2021 13:128:56




Date: 27.NOV.2021 13:130:24




Date: 27.NOV.2021 13:123:32

The figure consists of three side-by-side plots showing the frequency spectrum of a signal. Each plot has a logarithmic frequency axis (Hz) and a linear amplitude axis (dB). The left plot shows a spectrum from 10 dBm to -80 dBm, with a peak at approximately 14.1 MHz. The middle plot shows a spectrum from 10 dBm to -80 dBm, with a peak at approximately 2.985 MHz. The right plot shows a spectrum from 10 dBm to -80 dBm, with a peak at approximately 2.557 GHz. Each plot includes a title bar with parameters like 'Ref', 'Offset', 'Start', 'Stop', 'Bandwidth', and 'Resolution'.


LTE Band 71_5MHz_CH133297 Spectrum Plot



Date: 27-Nov-2021 15:14:37




Date: 27-Nov-2021 15:17:26




Date: 27-Nov-2021 15:18:13


LTE Band 71_20MHz_CH133322 Spectrum Plot



Date: 27-Nov-2021 15:15:49



Date: 27-Nov-2021 15:16:45




Date: 27-Nov-2021 15:17:28

APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode : TX Mode


Ant 0°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1 *	0.0123	49.23	16.71	65.94	125.81	-59.87			AVG
2	0.0266	43.25	14.14	57.39	119.11	-61.72			AVG
3	0.0407	37.12	13.81	50.93	115.41	-64.48			AVG

Test Mode : TX Mode


Ant 0°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1	0.3914	29.15	13.46	42.61	95.75	-53.14			AVG
2 *	2.0305	20.16	12.08	32.24	69.54	-37.30			QP
3	3.1947	14.26	11.72	25.98	69.54	-43.56			QP

Test Mode : TX Mode


Ant 90°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1 *	0.0132	49.26	16.43	65.69	125.19	-59.50			AVG
2	0.0250	43.22	14.17	57.39	119.65	-62.26			AVG
3	0.0330	40.16	13.99	54.15	117.23	-63.08			AVG

Test Mode : TX Mode

Ant 90°




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1	0.2621	38.16	13.59	51.75	99.24	-47.49			AVG
2 *	2.1798	20.14	12.02	32.16	69.54	-37.38			QP
3	4.1798	16.54	11.72	28.26	69.54	-41.28			QP

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	60.0700	-59.26	-2.60	-61.86	-13.00	-48.86	peak	
2	131.8500	-63.75	-3.36	-67.11	-13.00	-54.11	peak	
3 *	480.0800	-62.82	2.40	-60.42	-13.00	-47.42	peak	
4	519.8500	-63.94	3.03	-60.91	-13.00	-47.91	peak	
5	599.8750	-70.30	5.23	-65.07	-13.00	-52.07	peak	
6	759.9250	-68.22	7.56	-60.66	-13.00	-47.66	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	60.0700	-64.16	-2.60	-66.76	-13.00	-53.76	peak	
2	119.7250	-55.66	-4.42	-60.08	-13.00	-47.08	peak	
3	240.0050	-59.14	-3.75	-62.89	-13.00	-49.89	peak	
4	320.0300	-63.00	-1.14	-64.14	-13.00	-51.14	peak	
5	480.0800	-64.09	2.40	-61.69	-13.00	-48.69	peak	
6 *	800.1800	-65.76	7.87	-57.89	-13.00	-44.89	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	56.1900	-54.15	-11.82	-65.97	-13.00	-52.97	peak	
2	131.8500	-57.81	-12.95	-70.76	-13.00	-57.76	peak	
3	199.7500	-56.44	-14.89	-71.33	-13.00	-58.33	peak	
4	279.7750	-59.72	-11.83	-71.55	-13.00	-58.55	peak	
5	519.8500	-54.27	-6.56	-60.83	-13.00	-47.83	peak	
6 *	880.2050	-59.64	-0.98	-60.62	-13.00	-47.62	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	56.1900	-61.44	-11.82	-73.26	-13.00	-60.26	peak	
2	155.6150	-53.25	-11.67	-64.92	-13.00	-51.92	peak	
3	199.7500	-49.56	-14.89	-64.45	-13.00	-51.45	peak	
4	279.7750	-50.26	-11.83	-62.09	-13.00	-49.09	peak	
5	439.8250	-54.71	-7.92	-62.63	-13.00	-49.63	peak	
6 *	759.9250	-54.16	-2.03	-56.19	-13.00	-43.19	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	55.7050	-54.31	-11.77	-66.08	-13.00	-53.08	peak	
2	131.8500	-56.64	-12.95	-69.59	-13.00	-56.59	peak	
3	320.0300	-60.45	-10.73	-71.18	-13.00	-58.18	peak	
4	519.8500	-53.60	-6.56	-60.16	-13.00	-47.16	peak	
5	720.1550	-60.78	-2.57	-63.35	-13.00	-50.35	peak	
6	800.1800	-60.29	-1.72	-62.01	-13.00	-49.01	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	55.7050	-62.78	-11.77	-74.55	-13.00	-61.55	peak	
2	131.8500	-52.35	-12.95	-65.30	-13.00	-52.30	peak	
3	200.2350	-48.97	-14.91	-63.88	-13.00	-50.88	peak	
4	279.7750	-50.01	-11.83	-61.84	-13.00	-48.84	peak	
5	400.0550	-53.41	-9.12	-62.53	-13.00	-49.53	peak	
6	759.9250	-53.46	-2.03	-55.49	-13.00	-42.49	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	56.1900	-53.71	-11.82	-65.53	-13.00	-52.53	peak	
2	131.8500	-56.02	-12.95	-68.97	-13.00	-55.97	peak	
3	279.7750	-59.25	-11.83	-71.08	-13.00	-58.08	peak	
4	480.0800	-56.62	-7.19	-63.81	-13.00	-50.81	peak	
5	519.8500	-52.68	-6.56	-59.24	-13.00	-46.24	peak	
6	880.2050	-60.19	-0.98	-61.17	-13.00	-48.17	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	131.8500	-51.34	-12.95	-64.29	-13.00	-51.29	peak	
2	199.7500	-49.28	-14.89	-64.17	-13.00	-51.17	peak	
3	279.7750	-49.95	-11.83	-61.78	-13.00	-48.78	peak	
4	400.0550	-53.04	-9.12	-62.16	-13.00	-49.16	peak	
5	599.8750	-58.41	-4.36	-62.77	-13.00	-49.77	peak	
6	759.9250	-53.31	-2.03	-55.34	-13.00	-42.34	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	56.1900	-54.10	-11.82	-65.92	-25.00	-40.92	peak	
2	131.8500	-55.57	-12.95	-68.52	-25.00	-43.52	peak	
3	320.0300	-60.92	-10.73	-71.65	-25.00	-46.65	peak	
4	480.0800	-56.66	-7.19	-63.85	-25.00	-38.85	peak	
5 *	519.8500	-54.10	-6.56	-60.66	-25.00	-35.66	peak	
6	759.9250	-59.45	-2.03	-61.48	-25.00	-36.48	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	43.5800	-63.35	-11.82	-75.17	-25.00	-50.17	peak	
2	131.8500	-51.52	-12.95	-64.47	-25.00	-39.47	peak	
3	200.2350	-49.04	-14.91	-63.95	-25.00	-38.95	peak	
4	279.7750	-50.72	-11.83	-62.55	-25.00	-37.55	peak	
5	400.0550	-53.04	-9.12	-62.16	-25.00	-37.16	peak	
6 *	759.9250	-54.20	-2.03	-56.23	-25.00	-31.23	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	55.2200	-53.65	-11.72	-65.37	-25.00	-40.37	peak	
2	131.8500	-56.05	-12.95	-69.00	-25.00	-44.00	peak	
3	279.7750	-60.12	-11.83	-71.95	-25.00	-46.95	peak	
4	480.0800	-55.64	-7.19	-62.83	-25.00	-37.83	peak	
5	519.8500	-53.43	-6.56	-59.99	-25.00	-34.99	peak	
6 *	839.9500	-58.35	-1.11	-59.46	-25.00	-34.46	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	55.2200	-62.85	-11.72	-74.57	-25.00	-49.57	peak	
2	155.6150	-51.87	-11.67	-63.54	-25.00	-38.54	peak	
3	200.2350	-48.15	-14.91	-63.06	-25.00	-38.06	peak	
4	279.7750	-50.75	-11.83	-62.58	-25.00	-37.58	peak	
5	400.0550	-54.33	-9.12	-63.45	-25.00	-38.45	peak	
6 *	759.9250	-53.35	-2.03	-55.38	-25.00	-30.38	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	55.7050	-67.49	-2.18	-69.67	-13.00	-56.67	peak	
2	131.8500	-65.34	-3.36	-68.70	-13.00	-55.70	peak	
3	279.7750	-69.34	-2.24	-71.58	-13.00	-58.58	peak	
4	480.0800	-64.63	2.40	-62.23	-13.00	-49.23	peak	
5 *	519.8500	-62.97	3.03	-59.94	-13.00	-46.94	peak	
6	839.9500	-68.65	8.48	-60.17	-13.00	-47.17	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	131.8500	-60.90	-3.36	-64.26	-13.00	-51.26	peak	
2	200.2350	-58.47	-5.32	-63.79	-13.00	-50.79	peak	
3	279.7750	-60.17	-2.24	-62.41	-13.00	-49.41	peak	
4	439.8250	-65.68	1.67	-64.01	-13.00	-51.01	peak	
5 *	759.9250	-62.70	7.56	-55.14	-13.00	-42.14	peak	
6	880.2050	-67.44	8.61	-58.83	-13.00	-45.83	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	55.2200	-68.64	-2.13	-70.77	-13.00	-57.77	peak	
2	131.8500	-62.91	-3.36	-66.27	-13.00	-53.27	peak	
3	199.7500	-65.94	-5.30	-71.24	-13.00	-58.24	peak	
4	480.0800	-64.60	2.40	-62.20	-13.00	-49.20	peak	
5 *	519.8500	-62.76	3.03	-59.73	-13.00	-46.73	peak	
6	800.1800	-69.82	7.87	-61.95	-13.00	-48.95	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	131.8500	-60.03	-3.36	-63.39	-13.00	-50.39	peak	
2	199.7500	-58.81	-5.30	-64.11	-13.00	-51.11	peak	
3	280.2600	-60.03	-2.22	-62.25	-13.00	-49.25	peak	
4	439.8250	-64.86	1.67	-63.19	-13.00	-50.19	peak	
5	720.1550	-64.81	7.02	-57.79	-13.00	-44.79	peak	
6 *	759.9250	-63.30	7.56	-55.74	-13.00	-42.74	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	56.1900	-67.99	-2.23	-70.22	-13.00	-57.22	peak	
2	131.8500	-64.49	-3.36	-67.85	-13.00	-54.85	peak	
3	311.3000	-70.77	-1.40	-72.17	-13.00	-59.17	peak	
4	480.0800	-64.77	2.40	-62.37	-13.00	-49.37	peak	
5 *	519.8500	-61.59	3.03	-58.56	-13.00	-45.56	peak	
6	759.9250	-69.64	7.56	-62.08	-13.00	-49.08	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	155.6150	-63.78	-2.08	-65.86	-13.00	-52.86	peak	
2	200.2350	-58.90	-5.32	-64.22	-13.00	-51.22	peak	
3	279.7750	-59.97	-2.24	-62.21	-13.00	-49.21	peak	
4	400.0550	-63.09	0.47	-62.62	-13.00	-49.62	peak	
5	480.0800	-65.47	2.40	-63.07	-13.00	-50.07	peak	
6 *	759.9250	-63.60	7.56	-56.04	-13.00	-43.04	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	55.7050	-68.74	-2.18	-70.92	-13.00	-57.92	peak	
2	131.8500	-63.69	-3.36	-67.05	-13.00	-54.05	peak	
3	200.2350	-65.36	-5.32	-70.68	-13.00	-57.68	peak	
4	320.0300	-71.44	-1.14	-72.58	-13.00	-59.58	peak	
5	480.0800	-64.67	2.40	-62.27	-13.00	-49.27	peak	
6 *	519.8500	-62.05	3.03	-59.02	-13.00	-46.02	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	131.8500	-60.86	-3.36	-64.22	-13.00	-51.22	peak	
2	200.2350	-58.75	-5.32	-64.07	-13.00	-51.07	peak	
3	279.7750	-59.98	-2.24	-62.22	-13.00	-49.22	peak	
4	400.0550	-63.60	0.47	-63.13	-13.00	-50.13	peak	
5	599.8750	-68.89	5.23	-63.66	-13.00	-50.66	peak	
6 *	759.9250	-63.50	7.56	-55.94	-13.00	-42.94	peak	

Test Mode : LTE Band 13_TX CH23230_10MHz


Test Mode : LTE Band 13_TX CH23230_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	55.2200	-68.44	-2.13	-70.57	-13.00	-57.57	peak	
2	131.8500	-63.93	-3.36	-67.29	-13.00	-54.29	peak	
3	279.7750	-68.91	-2.24	-71.15	-13.00	-58.15	peak	
4	480.0800	-65.07	2.40	-62.67	-13.00	-49.67	peak	
5 *	519.8500	-62.84	3.03	-59.81	-13.00	-46.81	peak	
6	839.9500	-70.15	8.48	-61.67	-13.00	-48.67	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	131.8500	-62.23	-3.36	-65.59	-13.00	-52.59	peak	
2	200.2350	-58.88	-5.32	-64.20	-13.00	-51.20	peak	
3	279.7750	-59.42	-2.24	-61.66	-13.00	-48.66	peak	
4	439.8250	-64.92	1.67	-63.25	-13.00	-50.25	peak	
5	599.8750	-68.78	5.23	-63.55	-13.00	-50.55	peak	
6 *	759.9250	-62.91	7.56	-55.35	-13.00	-42.35	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Test Mode : LTE Band 17_TX CH23790_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	54.7350	-68.68	-2.10	-70.78	-13.00	-57.78	peak	
2	131.8500	-64.84	-3.36	-68.20	-13.00	-55.20	peak	
3	320.0300	-70.27	-1.14	-71.41	-13.00	-58.41	peak	
4	480.0800	-65.40	2.40	-63.00	-13.00	-50.00	peak	
5 *	519.8500	-62.58	3.03	-59.55	-13.00	-46.55	peak	
6	800.1800	-68.84	7.87	-60.97	-13.00	-47.97	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	131.8500	-62.22	-3.36	-65.58	-13.00	-52.58	peak	
2	199.7500	-58.52	-5.30	-63.82	-13.00	-50.82	peak	
3	280.2600	-60.27	-2.22	-62.49	-13.00	-49.49	peak	
4	400.0550	-62.12	0.47	-61.65	-13.00	-48.65	peak	
5	599.8750	-67.54	5.23	-62.31	-13.00	-49.31	peak	
6 *	759.9250	-62.78	7.56	-55.22	-13.00	-42.22	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	54.7350	-68.23	-2.10	-70.33	-13.00	-57.33	peak	
2	131.8500	-63.69	-3.36	-67.05	-13.00	-54.05	peak	
3	335.0650	-70.32	-0.80	-71.12	-13.00	-58.12	peak	
4	480.0800	-64.14	2.40	-61.74	-13.00	-48.74	peak	
5 *	519.8500	-62.27	3.03	-59.24	-13.00	-46.24	peak	
6	879.7200	-68.65	8.61	-60.04	-13.00	-47.04	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	131.8500	-63.39	-3.36	-66.75	-13.00	-53.75	peak	
2	200.2350	-58.51	-5.32	-63.83	-13.00	-50.83	peak	
3	279.7750	-59.57	-2.24	-61.81	-13.00	-48.81	peak	
4	439.8250	-64.95	1.67	-63.28	-13.00	-50.28	peak	
5	599.8750	-69.45	5.23	-64.22	-13.00	-51.22	peak	
6 *	759.9250	-63.47	7.56	-55.91	-13.00	-42.91	peak	

Test Mode : LTE Band 41_TX CH40640_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	56.1900	-67.72	-2.23	-69.95	-25.00	-44.95	peak	
2	126.0300	-63.48	-3.87	-67.35	-25.00	-42.35	peak	
3	480.0800	-65.35	2.40	-62.95	-25.00	-37.95	peak	
4 *	519.8500	-63.41	3.03	-60.38	-25.00	-35.38	peak	
5	759.9250	-70.31	7.56	-62.75	-25.00	-37.75	peak	
6	980.1150	-72.11	9.66	-62.45	-25.00	-37.45	peak	

Test Mode : LTE Band 41_TX CH40640_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	50.8550	-72.21	-1.96	-74.17	-25.00	-49.17	peak	
2	149.7950	-63.10	-2.12	-65.22	-25.00	-40.22	peak	
3	279.7750	-59.61	-2.24	-61.85	-25.00	-36.85	peak	
4	439.8250	-64.37	1.67	-62.70	-25.00	-37.70	peak	
5 *	759.9250	-63.33	7.56	-55.77	-25.00	-30.77	peak	
6	880.2050	-67.19	8.61	-58.58	-25.00	-33.58	peak	

Test Mode : LTE Band 41_TX CH40640_20M


Vertical



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	55.2200	-68.46	-2.13	-70.59	-25.00	-45.59	peak	
2	131.8500	-63.42	-3.36	-66.78	-25.00	-41.78	peak	
3	279.7750	-69.30	-2.24	-71.54	-25.00	-46.54	peak	
4	480.0800	-64.61	2.40	-62.21	-25.00	-37.21	peak	
5 *	519.8500	-62.96	3.03	-59.93	-25.00	-34.93	peak	
6	800.1800	-69.35	7.87	-61.48	-25.00	-36.48	peak	

Test Mode : LTE Band 41_TX CH40640_20MHz


Horizontal



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	51.3400	-72.97	-1.98	-74.95	-25.00	-49.95	peak	
2	143.9750	-62.00	-2.39	-64.39	-25.00	-39.39	peak	
3	280.2600	-59.89	-2.22	-62.11	-25.00	-37.11	peak	
4	439.8250	-64.87	1.67	-63.20	-25.00	-38.20	peak	
5	599.8750	-68.69	5.23	-63.46	-25.00	-38.46	peak	
6 *	759.9250	-63.36	7.56	-55.80	-25.00	-30.80	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Vertical



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	55.2200	-54.00	-11.72	-65.72	-13.00	-52.72	peak	
2	131.8500	-55.97	-12.95	-68.92	-13.00	-55.92	peak	
3	279.7750	-60.28	-11.83	-72.11	-13.00	-59.11	peak	
4	480.0800	-56.32	-7.19	-63.51	-13.00	-50.51	peak	
5	519.8500	-54.11	-6.56	-60.67	-13.00	-47.67	peak	
6 *	839.9500	-59.44	-1.11	-60.55	-13.00	-47.55	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz

Horizontal




No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	131.8500	-51.02	-12.95	-63.97	-13.00	-50.97	peak	
2	161.9200	-51.18	-11.72	-62.90	-13.00	-49.90	peak	
3	279.7750	-50.10	-11.83	-61.93	-13.00	-48.93	peak	
4	400.0550	-52.58	-9.12	-61.70	-13.00	-48.70	peak	
5	599.8750	-59.23	-4.36	-63.59	-13.00	-50.59	peak	
6 *	759.9250	-54.05	-2.03	-56.08	-13.00	-43.08	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Test Mode : LTE Band 66_TX CH132322_5MHz

Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
1		55.7050	-53.06	-11.77	-64.83	-13.00	-51.83	peak	
2		126.0300	-54.10	-13.46	-67.56	-13.00	-54.56	peak	
3		320.0300	-60.16	-10.73	-70.89	-13.00	-57.89	peak	
4	*	519.8500	-51.95	-6.56	-58.51	-13.00	-45.51	peak	
5		679.9000	-59.10	-3.28	-62.38	-13.00	-49.38	peak	
6		980.1150	-61.04	0.07	-60.97	-13.00	-47.97	peak	

Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
1		131.8500	-47.79	-12.95	-60.74	-13.00	-47.74	peak	
2		200.2350	-47.87	-14.91	-62.78	-13.00	-49.78	peak	
3		279.7750	-50.64	-11.83	-62.47	-13.00	-49.47	peak	
4		400.0550	-53.52	-9.12	-62.64	-13.00	-49.64	peak	
5		599.8750	-58.34	-4.36	-62.70	-13.00	-49.70	peak	
6	*	759.9250	-53.06	-2.03	-55.09	-13.00	-42.09	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Test Mode : LTE Band 66_TX CH132322_20MHz

Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
1		55.2200	-53.41	-11.72	-65.13	-13.00	-52.13	peak	
2		131.8500	-52.99	-12.95	-65.94	-13.00	-52.94	peak	
3		480.0800	-55.18	-7.19	-62.37	-13.00	-49.37	peak	
4	*	519.8500	-53.37	-6.56	-59.93	-13.00	-46.93	peak	
5		720.1550	-61.08	-2.57	-63.65	-13.00	-50.65	peak	
6		839.9500	-59.86	-1.11	-60.97	-13.00	-47.97	peak	


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
1		56.1900	-61.88	-11.82	-73.70	-13.00	-60.70	peak	
2		155.6150	-53.61	-11.67	-65.28	-13.00	-52.28	peak	
3		200.2350	-49.63	-14.91	-64.54	-13.00	-51.54	peak	
4		279.7750	-50.33	-11.83	-62.16	-13.00	-49.16	peak	
5		400.0550	-54.14	-9.12	-63.26	-13.00	-50.26	peak	
6	*	759.9250	-52.68	-2.03	-54.71	-13.00	-41.71	peak	

Test Mode : LTE Band 71_TX CH133297_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	55.705	-68.44	-2.18	-70.62	-13.00	-57.62	peak	
2	125.545	-63.74	-3.92	-67.66	-13.00	-54.66	peak	
3	200.235	-65.13	-5.32	-70.45	-13.00	-57.45	peak	
4	480.080	-65.54	2.40	-63.14	-13.00	-50.14	peak	
5 *	519.850	-62.81	3.03	-59.78	-13.00	-46.78	peak	
6	839.950	-70.64	8.48	-62.16	-13.00	-49.16	peak	

Test Mode : LTE Band 71_TX CH133297_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	131.850	-61.33	-3.36	-64.69	-13.00	-51.69	peak	
2	199.750	-58.05	-5.30	-63.35	-13.00	-50.35	peak	
3	279.775	-59.75	-2.24	-61.99	-13.00	-48.99	peak	
4	400.055	-63.31	0.47	-62.84	-13.00	-49.84	peak	
5	480.080	-66.34	2.40	-63.94	-13.00	-50.94	peak	
6 *	759.925	-63.18	7.56	-55.62	-13.00	-42.62	peak	

Test Mode : LTE Band 71_TX CH133322_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	55.220	-68.67	-2.13	-70.80	-13.00	-57.80	peak	
2	131.850	-63.90	-3.36	-67.26	-13.00	-54.26	peak	
3	200.235	-66.12	-5.32	-71.44	-13.00	-58.44	peak	
4	480.080	-65.81	2.40	-63.41	-13.00	-50.41	peak	
5 *	519.850	-61.69	3.03	-58.66	-13.00	-45.66	peak	
6	839.950	-70.51	8.48	-62.03	-13.00	-49.03	peak	

Test Mode : LTE Band 71_TX CH133322_20MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	131.850	-62.87	-3.36	-66.23	-13.00	-53.23	peak	
2	200.235	-58.55	-5.32	-63.87	-13.00	-50.87	peak	
3	279.775	-59.85	-2.24	-62.09	-13.00	-49.09	peak	
4	439.825	-64.92	1.67	-63.25	-13.00	-50.25	peak	
5	599.875	-68.93	5.23	-63.70	-13.00	-50.70	peak	
6 *	759.925	-62.31	7.56	-54.75	-13.00	-41.75	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3460.750	-61.20	9.64	-51.56	-13.00	-38.56	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3460.750	-57.10	9.64	-47.46	-13.00	-34.46	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3754.000	-45.74	-0.93	-46.67	-13.00	-33.67	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3754.000	-42.14	-0.93	-43.07	-13.00	-30.07	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3754.000	-43.25	-0.93	-44.18	-13.00	-31.18	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3754.000	-41.30	-0.93	-42.23	-13.00	-29.23	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3754.000	-44.64	-0.93	-45.57	-13.00	-32.57	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3754.000	-44.39	-0.93	-45.32	-13.00	-32.32	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5067.250	-40.58	2.63	-37.95	-25.00	-12.95	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5067.250	-45.34	2.63	-42.71	-25.00	-17.71	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5054.500	-39.27	2.63	-36.64	-25.00	-11.64	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5054.500	-44.80	2.63	-42.17	-25.00	-17.17	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Test Mode : LTE Band 12_TX CH23095_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1416.500	-56.91	4.96	-51.95	-13.00	-38.95	peak	
2	2122.000	-59.08	6.48	-52.60	-13.00	-39.60	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	1416.500	-48.44	4.96	-43.48	-13.00	-30.48	peak	
2 *	2122.000	-46.34	6.48	-39.86	-13.00	-26.86	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Test Mode : LTE Band 12_TX CH23095_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	1408.000	-56.40	4.95	-51.45	-13.00	-38.45	peak	
2 *	2113.500	-55.16	6.47	-48.69	-13.00	-35.69	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	1408.000	-49.42	4.95	-44.47	-13.00	-31.47	peak	
2 *	2113.500	-42.68	6.47	-36.21	-13.00	-23.21	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1416.500	-60.03	4.96	-55.07	-13.00	-42.07	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1416.500	-53.89	4.96	-48.93	-13.00	-35.93	peak	
2	2130.500	-55.88	6.51	-49.37	-13.00	-36.37	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	4935.500	-67.13	14.14	-52.99	-13.00	-39.99	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1561.000	-60.29	5.16	-55.13	-13.00	-42.13	peak	

Test Mode : LTE Band 13_TX CH23230_10MHz


Test Mode : LTE Band 13_TX CH23230_10MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4196.000	-66.33	12.26	-54.07	-13.00	-41.07	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1561.000	-63.32	5.16	-58.16	-13.00	-45.16	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Test Mode : LTE Band 17_TX CH23790_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1416.500	-57.60	4.96	-52.64	-13.00	-39.64	peak	
2		2122.000	-60.30	6.48	-53.82	-13.00	-40.82	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		1416.500	-48.34	4.96	-43.38	-13.00	-30.38	peak	
2	*	2122.000	-47.63	6.48	-41.15	-13.00	-28.15	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Test Mode : LTE Band 17_TX CH23790_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	1408.000	-57.73	4.95	-52.78	-13.00	-39.78	peak	
2 *	2113.500	-58.08	6.47	-51.61	-13.00	-38.61	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	1408.000	-49.02	4.95	-44.07	-13.00	-31.07	peak	
2 *	2113.500	-47.27	6.47	-40.80	-13.00	-27.80	peak	

Test Mode : LTE Band 41_TX CH40640_5MHz


Test Mode : LTE Band 41_TX CH40640_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5182.000	-48.07	14.45	-33.62	-25.00	-8.62	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5182.000	-57.51	14.45	-43.06	-25.00	-18.06	peak	

Test Mode : LTE Band 41_TX CH40640_20MHz


Test Mode : LTE Band 41_TX CH40640_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5169.250	-55.07	14.44	-40.63	-25.00	-15.63	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5169.250	-59.25	14.44	-44.81	-25.00	-19.81	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Test Mode : LTE Band 66_TX CH132322_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3486.250	-46.11	-2.06	-48.17	-13.00	-35.17	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3486.250	-41.64	-2.06	-43.70	-13.00	-30.70	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Test Mode : LTE Band 66_TX CH132322_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3486.250	-46.52	-2.06	-48.58	-13.00	-35.58	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3486.250	-41.62	-2.06	-43.68	-13.00	-30.68	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Test Mode : LTE Band 66_TX CH132322_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3473.500	-46.12	-2.07	-48.19	-13.00	-35.19	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3473.500	-42.13	-2.07	-44.20	-13.00	-31.20	peak	

Test Mode : LTE Band 71_TX CH133297_5MHz


Test Mode : LTE Band 71_TX CH133297_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1357.000	-61.40	4.92	-56.48	-13.00	-43.48	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1357.000	-52.73	4.92	-47.81	-13.00	-34.81	peak	
2		1748.000	-61.64	5.58	-56.06	-13.00	-43.06	peak	

Test Mode : LTE Band 71_TX CH133322_20M


Test Mode : LTE Band 71_TX CH133322_20M

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1340.000	-59.38	4.90	-54.48	-13.00	-41.48	peak	

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1340.000	-48.30	4.90	-43.40	-13.00	-30.40	peak	

APPENDIX G - BAND EDGE

