

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	24.08	-0.60	23.48	<=33.01	Pass
			2	24.11	-0.60	23.51	<=33.01	Pass
			5	24.13	-0.60	23.53	<=33.01	Pass
		3	0	23.96	-0.60	23.36	<=33.01	Pass
			2	24.06	-0.60	23.46	<=33.01	Pass
			3	23.96	-0.60	23.36	<=33.01	Pass
		6	0	23.00	-0.60	22.40	<=33.01	Pass
	1880	1	0	23.68	-0.60	23.08	<=33.01	Pass
			2	23.64	-0.60	23.04	<=33.01	Pass
			5	23.73	-0.60	23.13	<=33.01	Pass
		3	0	23.82	-0.60	23.22	<=33.01	Pass
			2	23.80	-0.60	23.20	<=33.01	Pass
			3	23.79	-0.60	23.19	<=33.01	Pass
		6	0	22.69	-0.60	22.09	<=33.01	Pass
	1909.3	1	0	23.53	-0.60	22.93	<=33.01	Pass
			2	23.74	-0.60	23.14	<=33.01	Pass
			5	23.79	-0.60	23.19	<=33.01	Pass
		3	0	23.63	-0.60	23.03	<=33.01	Pass
			2	23.68	-0.60	23.08	<=33.01	Pass
			3	23.73	-0.60	23.13	<=33.01	Pass
16QAM	1850.7	1	0	22.71	-0.60	22.11	<=33.01	Pass
			2	22.71	-0.60	22.11	<=33.01	Pass
			5	22.76	-0.60	22.16	<=33.01	Pass
		3	0	23.21	-0.60	22.61	<=33.01	Pass
			2	23.23	-0.60	22.63	<=33.01	Pass
			3	23.27	-0.60	22.67	<=33.01	Pass
		6	0	22.22	-0.60	21.62	<=33.01	Pass
	1880	1	0	21.91	-0.60	21.31	<=33.01	Pass
			2	21.94	-0.60	21.34	<=33.01	Pass
			5	21.97	-0.60	21.37	<=33.01	Pass
		3	0	22.59	-0.60	21.99	<=33.01	Pass
			2	22.59	-0.60	21.99	<=33.01	Pass
			3	22.62	-0.60	22.02	<=33.01	Pass
		6	0	21.73	-0.60	21.13	<=33.01	Pass
	1909.3	1	0	22.42	-0.60	21.82	<=33.01	Pass
			2	22.41	-0.60	21.81	<=33.01	Pass
			5	22.42	-0.60	21.82	<=33.01	Pass
		3	0	22.96	-0.60	22.36	<=33.01	Pass
			2	22.86	-0.60	22.26	<=33.01	Pass
			3	22.94	-0.60	22.34	<=33.01	Pass
		6	0	21.95	-0.60	21.35	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.87	-0.60	23.27	<=33.01	Pass
			7	23.91	-0.60	23.31	<=33.01	Pass
			14	23.84	-0.60	23.24	<=33.01	Pass
		8	0	23.05	-0.60	22.45	<=33.01	Pass
			4	22.92	-0.60	22.32	<=33.01	Pass
			7	22.83	-0.60	22.23	<=33.01	Pass
		15	0	22.99	-0.60	22.39	<=33.01	Pass
	1880	1	0	23.75	-0.60	23.15	<=33.01	Pass
			7	23.74	-0.60	23.14	<=33.01	Pass
			14	23.67	-0.60	23.07	<=33.01	Pass
		8	0	22.74	-0.60	22.14	<=33.01	Pass
			4	22.76	-0.60	22.16	<=33.01	Pass
			7	22.80	-0.60	22.20	<=33.01	Pass
		15	0	22.84	-0.60	22.24	<=33.01	Pass
	1908.5	1	0	23.59	-0.60	22.99	<=33.01	Pass
			7	23.66	-0.60	23.06	<=33.01	Pass
			14	23.62	-0.60	23.02	<=33.01	Pass
		8	0	22.67	-0.60	22.07	<=33.01	Pass
			4	22.75	-0.60	22.15	<=33.01	Pass
			7	22.63	-0.60	22.03	<=33.01	Pass
		15	0	22.73	-0.60	22.13	<=33.01	Pass
16QAM	1851.5	1	0	22.75	-0.60	22.15	<=33.01	Pass
			7	22.72	-0.60	22.12	<=33.01	Pass
			14	22.63	-0.60	22.03	<=33.01	Pass
		8	0	22.30	-0.60	21.70	<=33.01	Pass
			4	22.33	-0.60	21.73	<=33.01	Pass
			7	22.25	-0.60	21.65	<=33.01	Pass
		15	0	22.07	-0.60	21.47	<=33.01	Pass
	1880	1	0	21.94	-0.60	21.34	<=33.01	Pass
			7	21.93	-0.60	21.33	<=33.01	Pass
			14	21.93	-0.60	21.33	<=33.01	Pass
		8	0	22.07	-0.60	21.47	<=33.01	Pass
			4	22.06	-0.60	21.46	<=33.01	Pass
			7	22.09	-0.60	21.49	<=33.01	Pass
		15	0	21.90	-0.60	21.30	<=33.01	Pass
	1908.5	1	0	22.97	-0.60	22.37	<=33.01	Pass
			7	23.09	-0.60	22.49	<=33.01	Pass
			14	23.02	-0.60	22.42	<=33.01	Pass
		8	0	21.83	-0.60	21.23	<=33.01	Pass
			4	21.88	-0.60	21.28	<=33.01	Pass
			7	21.88	-0.60	21.28	<=33.01	Pass
		15	0	21.78	-0.60	21.18	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.81	-0.60	23.21	<=33.01	Pass
			13	23.80	-0.60	23.20	<=33.01	Pass
			24	23.81	-0.60	23.21	<=33.01	Pass
		12	0	22.95	-0.60	22.35	<=33.01	Pass
			6	22.92	-0.60	22.32	<=33.01	Pass
			13	22.97	-0.60	22.37	<=33.01	Pass

16QAM	1880	25	0	23.01	-0.60	22.41	<=33.01	Pass
			0	23.83	-0.60	23.23	<=33.01	Pass
			13	23.79	-0.60	23.19	<=33.01	Pass
			24	23.85	-0.60	23.25	<=33.01	Pass
		12	0	22.82	-0.60	22.22	<=33.01	Pass
			6	22.86	-0.60	22.26	<=33.01	Pass
			13	22.84	-0.60	22.24	<=33.01	Pass
		25	0	22.82	-0.60	22.22	<=33.01	Pass
	1907.5	1	0	23.76	-0.60	23.16	<=33.01	Pass
			13	23.64	-0.60	23.04	<=33.01	Pass
			24	23.66	-0.60	23.06	<=33.01	Pass
		12	0	22.72	-0.60	22.12	<=33.01	Pass
			6	22.76	-0.60	22.16	<=33.01	Pass
			13	22.67	-0.60	22.07	<=33.01	Pass
		25	0	22.67	-0.60	22.07	<=33.01	Pass
	1852.5	1	0	22.61	-0.60	22.01	<=33.01	Pass
			13	22.54	-0.60	21.94	<=33.01	Pass
			24	22.53	-0.60	21.93	<=33.01	Pass
		12	0	22.07	-0.60	21.47	<=33.01	Pass
			6	22.01	-0.60	21.41	<=33.01	Pass
			13	21.96	-0.60	21.36	<=33.01	Pass
		25	0	22.14	-0.60	21.54	<=33.01	Pass
	1880	1	0	22.51	-0.60	21.91	<=33.01	Pass
			13	22.55	-0.60	21.95	<=33.01	Pass
			24	22.49	-0.60	21.89	<=33.01	Pass
		12	0	21.94	-0.60	21.34	<=33.01	Pass
			6	21.99	-0.60	21.39	<=33.01	Pass
			13	21.97	-0.60	21.37	<=33.01	Pass
		25	0	21.92	-0.60	21.32	<=33.01	Pass
	1907.5	1	0	21.42	-0.60	20.82	<=33.01	Pass
			13	21.36	-0.60	20.76	<=33.01	Pass
			24	21.39	-0.60	20.79	<=33.01	Pass
		12	0	21.81	-0.60	21.21	<=33.01	Pass
			6	21.73	-0.60	21.13	<=33.01	Pass
			13	21.76	-0.60	21.16	<=33.01	Pass
		25	0	21.83	-0.60	21.23	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.92	-0.60	23.32	<=33.01	Pass
			25	23.87	-0.60	23.27	<=33.01	Pass
			49	23.81	-0.60	23.21	<=33.01	Pass
		25	0	22.83	-0.60	22.23	<=33.01	Pass
			13	22.95	-0.60	22.35	<=33.01	Pass
			25	22.95	-0.60	22.35	<=33.01	Pass
		50	0	22.90	-0.60	22.30	<=33.01	Pass
	1880	1	0	23.88	-0.60	23.28	<=33.01	Pass
			25	23.92	-0.60	23.32	<=33.01	Pass
			49	23.98	-0.60	23.38	<=33.01	Pass
		25	0	22.91	-0.60	22.31	<=33.01	Pass
			13	22.80	-0.60	22.20	<=33.01	Pass
			25	22.83	-0.60	22.23	<=33.01	Pass
		50	0	22.81	-0.60	22.21	<=33.01	Pass

	1905	1	0	23.59	-0.60	22.99	<=33.01	Pass		
			25	23.60	-0.60	23.00	<=33.01	Pass		
			49	23.59	-0.60	22.99	<=33.01	Pass		
		25	0	22.67	-0.60	22.07	<=33.01	Pass		
			13	22.72	-0.60	22.12	<=33.01	Pass		
			25	22.67	-0.60	22.07	<=33.01	Pass		
		50	0	22.78	-0.60	22.18	<=33.01	Pass		
		16QAM	1855	1	0	22.33	-0.60	21.73	<=33.01	Pass
					25	22.14	-0.60	21.54	<=33.01	Pass
49	22.15				-0.60	21.55	<=33.01	Pass		
25	0			22.22	-0.60	21.62	<=33.01	Pass		
	13			22.16	-0.60	21.56	<=33.01	Pass		
	25			22.07	-0.60	21.47	<=33.01	Pass		
50	0			22.02	-0.60	21.42	<=33.01	Pass		
1880	1			0	22.54	-0.60	21.94	<=33.01	Pass	
				25	22.57	-0.60	21.97	<=33.01	Pass	
			49	23.07	-0.60	22.47	<=33.01	Pass		
	25		0	21.97	-0.60	21.37	<=33.01	Pass		
			13	21.99	-0.60	21.39	<=33.01	Pass		
			25	21.95	-0.60	21.35	<=33.01	Pass		
	50		0	21.95	-0.60	21.35	<=33.01	Pass		
	1905		1	0	22.51	-0.60	21.91	<=33.01	Pass	
				25	22.46	-0.60	21.86	<=33.01	Pass	
49				22.49	-0.60	21.89	<=33.01	Pass		
25			0	21.78	-0.60	21.18	<=33.01	Pass		
			13	21.83	-0.60	21.23	<=33.01	Pass		
		25	21.82	-0.60	21.22	<=33.01	Pass			
50		0	21.90	-0.60	21.30	<=33.01	Pass			
Note1: EIRP=Conducted Power+Antenna Gain										

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.79	-0.60	23.19	<=33.01	Pass
			38	23.67	-0.60	23.07	<=33.01	Pass
			74	23.73	-0.60	23.13	<=33.01	Pass
		36	0	22.86	-0.60	22.26	<=33.01	Pass
			18	22.95	-0.60	22.35	<=33.01	Pass
			39	22.91	-0.60	22.31	<=33.01	Pass
		75	0	22.84	-0.60	22.24	<=33.01	Pass
	1880	1	0	23.82	-0.60	23.22	<=33.01	Pass
			38	23.90	-0.60	23.30	<=33.01	Pass
			74	23.90	-0.60	23.30	<=33.01	Pass
		36	0	22.89	-0.60	22.29	<=33.01	Pass
			18	22.79	-0.60	22.19	<=33.01	Pass
			39	22.77	-0.60	22.17	<=33.01	Pass
		75	0	22.86	-0.60	22.26	<=33.01	Pass
	1902.5	1	0	23.61	-0.60	23.01	<=33.01	Pass
			38	23.59	-0.60	22.99	<=33.01	Pass
			74	23.66	-0.60	23.06	<=33.01	Pass
		36	0	22.82	-0.60	22.22	<=33.01	Pass
			18	22.73	-0.60	22.13	<=33.01	Pass
			39	22.68	-0.60	22.08	<=33.01	Pass
		75	0	22.65	-0.60	22.05	<=33.01	Pass
16QAM	1857.5	1	0	22.70	-0.60	22.10	<=33.01	Pass

	1880	36	38	22.58	-0.60	21.98	<=33.01	Pass
			74	22.57	-0.60	21.97	<=33.01	Pass
			0	22.05	-0.60	21.45	<=33.01	Pass
			18	22.03	-0.60	21.43	<=33.01	Pass
			39	22.02	-0.60	21.42	<=33.01	Pass
			75	0	-0.60	21.40	<=33.01	Pass
		1	0	22.45	-0.60	21.85	<=33.01	Pass
			38	22.52	-0.60	21.92	<=33.01	Pass
			74	22.47	-0.60	21.87	<=33.01	Pass
			0	21.99	-0.60	21.39	<=33.01	Pass
			18	22.08	-0.60	21.48	<=33.01	Pass
			39	22.02	-0.60	21.42	<=33.01	Pass
	1902.5	75	0	21.95	-0.60	21.35	<=33.01	Pass
			0	22.53	-0.60	21.93	<=33.01	Pass
			38	22.45	-0.60	21.85	<=33.01	Pass
			74	22.78	-0.60	22.18	<=33.01	Pass
			0	21.83	-0.60	21.23	<=33.01	Pass
			18	21.83	-0.60	21.23	<=33.01	Pass
		36	39	21.80	-0.60	21.20	<=33.01	Pass
			0	21.86	-0.60	21.26	<=33.01	Pass
			0	22.53	-0.60	21.93	<=33.01	Pass
			38	22.45	-0.60	21.85	<=33.01	Pass
			74	22.78	-0.60	22.18	<=33.01	Pass
			0	21.83	-0.60	21.23	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	24.01	-0.60	23.41	<=33.01	Pass
			50	23.91	-0.60	23.31	<=33.01	Pass
			99	23.90	-0.60	23.30	<=33.01	Pass
		50	0	22.83	-0.60	22.23	<=33.01	Pass
			25	22.91	-0.60	22.31	<=33.01	Pass
			50	22.90	-0.60	22.30	<=33.01	Pass
		100	0	22.82	-0.60	22.22	<=33.01	Pass
			0	23.88	-0.60	23.28	<=33.01	Pass
			50	23.97	-0.60	23.37	<=33.01	Pass
		1	99	24.02	-0.60	23.42	<=33.01	Pass
			0	22.85	-0.60	22.25	<=33.01	Pass
			25	22.73	-0.60	22.13	<=33.01	Pass
	1880	50	50	22.83	-0.60	22.23	<=33.01	Pass
			0	22.74	-0.60	22.14	<=33.01	Pass
			0	23.85	-0.60	23.25	<=33.01	Pass
		1	50	23.80	-0.60	23.20	<=33.01	Pass
			99	23.86	-0.60	23.26	<=33.01	Pass
			0	22.69	-0.60	22.09	<=33.01	Pass
		50	25	22.84	-0.60	22.24	<=33.01	Pass
			50	22.79	-0.60	22.19	<=33.01	Pass
			0	22.73	-0.60	22.13	<=33.01	Pass
	1900	100	0	22.73	-0.60	22.13	<=33.01	Pass
			0	23.34	-0.60	22.74	<=33.01	Pass
			50	23.20	-0.60	22.60	<=33.01	Pass
		1	99	23.20	-0.60	22.60	<=33.01	Pass
			0	21.93	-0.60	21.33	<=33.01	Pass
			25	22.01	-0.60	21.41	<=33.01	Pass
		50	50	21.96	-0.60	21.36	<=33.01	Pass
			0	22.08	-0.60	21.48	<=33.01	Pass
			0	22.32	-0.60	21.72	<=33.01	Pass
		1	50	22.25	-0.60	21.65	<=33.01	Pass
			0	23.34	-0.60	22.74	<=33.01	Pass
			50	23.20	-0.60	22.60	<=33.01	Pass

TCT		50	99	22.27	-0.60	21.67	<=33.01	Pass
			0	21.93	-0.60	21.33	<=33.01	Pass
			25	21.93	-0.60	21.33	<=33.01	Pass
			50	21.95	-0.60	21.35	<=33.01	Pass
	1900	100	0	21.88	-0.60	21.28	<=33.01	Pass
			0	22.35	-0.60	21.75	<=33.01	Pass
			50	22.31	-0.60	21.71	<=33.01	Pass
		1	99	22.20	-0.60	21.60	<=33.01	Pass
			0	21.94	-0.60	21.34	<=33.01	Pass
			25	21.94	-0.60	21.34	<=33.01	Pass
		50	50	21.87	-0.60	21.27	<=33.01	Pass
			0	21.86	-0.60	21.26	<=33.01	Pass
			0	21.86	-0.60	21.26	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	-1.802	-0.0010	-2.5 to 2.5	Pass
					3.85	-33.474	-0.0181	-2.5 to 2.5	Pass
					4.43	-4.921	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-15.106	-0.0082	-2.5 to 2.5	Pass
				-20	3.85	5.779	0.0031	-2.5 to 2.5	Pass
				-10	3.85	-26.693	-0.0144	-2.5 to 2.5	Pass
				0	3.85	-27.323	-0.0148	-2.5 to 2.5	Pass
				10	3.85	1.130	0.0006	-2.5 to 2.5	Pass
				30	3.85	-27.781	-0.0150	-2.5 to 2.5	Pass
				40	3.85	-20.814	-0.0112	-2.5 to 2.5	Pass
				50	3.85	-46.806	-0.0253	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	24.891	0.0132	-2.5 to 2.5	Pass
					3.85	14.033	0.0075	-2.5 to 2.5	Pass
					4.43	-30.069	-0.0160	-2.5 to 2.5	Pass
				-30	3.85	-32.187	-0.0171	-2.5 to 2.5	Pass
				-20	3.85	-33.875	-0.0180	-2.5 to 2.5	Pass
				-10	3.85	-11.129	-0.0059	-2.5 to 2.5	Pass
				0	3.85	-35.934	-0.0191	-2.5 to 2.5	Pass
				10	3.85	-6.795	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-24.190	-0.0129	-2.5 to 2.5	Pass
				40	3.85	-40.984	-0.0218	-2.5 to 2.5	Pass
				50	3.85	-7.396	-0.0039	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	29.097	0.0152	-2.5 to 2.5	Pass
					3.85	26.035	0.0136	-2.5 to 2.5	Pass
					4.43	-1.144	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-27.523	-0.0144	-2.5 to 2.5	Pass
				-20	3.85	-46.005	-0.0241	-2.5 to 2.5	Pass
				-10	3.85	-0.501	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-13.404	-0.0070	-2.5 to 2.5	Pass
				10	3.85	-27.165	-0.0142	-2.5 to 2.5	Pass
				30	3.85	-39.153	-0.0205	-2.5 to 2.5	Pass
				40	3.85	-13.232	-0.0069	-2.5 to 2.5	Pass
				50	3.85	-23.761	-0.0124	-2.5 to 2.5	Pass

16QAM	1850.7	6	0	20	3.27	-22.573	-0.0122	-2.5 to 2.5	Pass
					3.85	-28.896	-0.0156	-2.5 to 2.5	Pass
					4.43	-27.637	-0.0149	-2.5 to 2.5	Pass
				-30	3.85	-23.060	-0.0125	-2.5 to 2.5	Pass
				-20	3.85	-23.732	-0.0128	-2.5 to 2.5	Pass
				-10	3.85	-26.522	-0.0143	-2.5 to 2.5	Pass
				0	3.85	-28.653	-0.0155	-2.5 to 2.5	Pass
				10	3.85	-32.430	-0.0175	-2.5 to 2.5	Pass
				30	3.85	-35.849	-0.0194	-2.5 to 2.5	Pass
				40	3.85	-38.209	-0.0206	-2.5 to 2.5	Pass
				50	3.85	-42.086	-0.0227	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-21.944	-0.0117	-2.5 to 2.5	Pass
					3.85	-19.240	-0.0102	-2.5 to 2.5	Pass
					4.43	-13.075	-0.0070	-2.5 to 2.5	Pass
				-30	3.85	-5.879	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-0.558	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	2.446	0.0013	-2.5 to 2.5	Pass
				0	3.85	5.093	0.0027	-2.5 to 2.5	Pass
				10	3.85	7.067	0.0038	-2.5 to 2.5	Pass
				30	3.85	7.882	0.0042	-2.5 to 2.5	Pass
				40	3.85	10.700	0.0057	-2.5 to 2.5	Pass
				50	3.85	12.746	0.0068	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-34.933	-0.0183	-2.5 to 2.5	Pass
					3.85	-35.920	-0.0188	-2.5 to 2.5	Pass
					4.43	-34.146	-0.0179	-2.5 to 2.5	Pass
				-30	3.85	-39.482	-0.0207	-2.5 to 2.5	Pass
				-20	3.85	-48.594	-0.0255	-2.5 to 2.5	Pass
				-10	3.85	-57.249	-0.0300	-2.5 to 2.5	Pass
				0	3.85	-6.237	-0.0033	-2.5 to 2.5	Pass
				10	3.85	-16.265	-0.0085	-2.5 to 2.5	Pass
				30	3.85	-27.866	-0.0146	-2.5 to 2.5	Pass
				40	3.85	-43.073	-0.0226	-2.5 to 2.5	Pass
				50	3.85	-10.142	-0.0053	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	1.173	0.0006	-2.5 to 2.5	Pass
					3.85	-12.589	-0.0068	-2.5 to 2.5	Pass
					4.43	-8.440	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-44.117	-0.0238	-2.5 to 2.5	Pass
				-20	3.85	6.824	0.0037	-2.5 to 2.5	Pass
				-10	3.85	-38.953	-0.0210	-2.5 to 2.5	Pass
				0	3.85	-15.349	-0.0083	-2.5 to 2.5	Pass
				10	3.85	-18.210	-0.0098	-2.5 to 2.5	Pass
				30	3.85	-5.636	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-36.335	-0.0196	-2.5 to 2.5	Pass
				50	3.85	-9.856	-0.0053	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	27.723	0.0147	-2.5 to 2.5	Pass
					3.85	23.217	0.0123	-2.5 to 2.5	Pass
					4.43	-14.949	-0.0080	-2.5 to 2.5	Pass
				-30	3.85	-44.703	-0.0238	-2.5 to 2.5	Pass
				-20	3.85	-40.326	-0.0215	-2.5 to 2.5	Pass
				-10	3.85	-24.691	-0.0131	-2.5 to 2.5	Pass
				0	3.85	-24.834	-0.0132	-2.5 to 2.5	Pass

16QAM	1908.5	15	0	10	3.85	-17.409	-0.0093	-2.5 to 2.5	Pass
				30	3.85	3.991	0.0021	-2.5 to 2.5	Pass
				40	3.85	-34.261	-0.0182	-2.5 to 2.5	Pass
				50	3.85	-17.052	-0.0091	-2.5 to 2.5	Pass
				20	3.27	50.826	0.0266	-2.5 to 2.5	Pass
					3.85	-4.749	-0.0025	-2.5 to 2.5	Pass
					4.43	-26.507	-0.0139	-2.5 to 2.5	Pass
				-30	3.85	3.748	0.0020	-2.5 to 2.5	Pass
				-20	3.85	-26.321	-0.0138	-2.5 to 2.5	Pass
				-10	3.85	-17.495	-0.0092	-2.5 to 2.5	Pass
				0	3.85	-44.503	-0.0233	-2.5 to 2.5	Pass
				10	3.85	-31.414	-0.0165	-2.5 to 2.5	Pass
				30	3.85	8.440	0.0044	-2.5 to 2.5	Pass
				40	3.85	-10.042	-0.0053	-2.5 to 2.5	Pass
				50	3.85	-25.277	-0.0132	-2.5 to 2.5	Pass
	1851.5	15	0	20	3.27	-30.441	-0.0164	-2.5 to 2.5	Pass
					3.85	-26.307	-0.0142	-2.5 to 2.5	Pass
					4.43	-14.048	-0.0076	-2.5 to 2.5	Pass
				-30	3.85	-13.289	-0.0072	-2.5 to 2.5	Pass
				-20	3.85	-6.680	-0.0036	-2.5 to 2.5	Pass
				-10	3.85	1.431	0.0008	-2.5 to 2.5	Pass
				0	3.85	8.841	0.0048	-2.5 to 2.5	Pass
				10	3.85	11.201	0.0060	-2.5 to 2.5	Pass
				30	3.85	18.024	0.0097	-2.5 to 2.5	Pass
				40	3.85	22.273	0.0120	-2.5 to 2.5	Pass
				50	3.85	26.536	0.0143	-2.5 to 2.5	Pass
				20	3.27	-28.081	-0.0149	-2.5 to 2.5	Pass
					3.85	-8.426	-0.0045	-2.5 to 2.5	Pass
					4.43	-13.733	-0.0073	-2.5 to 2.5	Pass
16QAM	1880	15	0	-30	3.85	-1.459	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-32.601	-0.0173	-2.5 to 2.5	Pass
				-10	3.85	-9.127	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-32.959	-0.0175	-2.5 to 2.5	Pass
				10	3.85	-14.019	-0.0075	-2.5 to 2.5	Pass
				30	3.85	-31.629	-0.0168	-2.5 to 2.5	Pass
				40	3.85	-47.979	-0.0255	-2.5 to 2.5	Pass
				50	3.85	0.615	0.0003	-2.5 to 2.5	Pass
				20	3.27	-39.182	-0.0205	-2.5 to 2.5	Pass
					3.85	-40.712	-0.0213	-2.5 to 2.5	Pass
					4.43	-37.622	-0.0197	-2.5 to 2.5	Pass
				-30	3.85	-41.013	-0.0215	-2.5 to 2.5	Pass
	1908.5	15	0	-20	3.85	-37.136	-0.0195	-2.5 to 2.5	Pass
				-10	3.85	-33.016	-0.0173	-2.5 to 2.5	Pass
				0	3.85	-28.939	-0.0152	-2.5 to 2.5	Pass
				10	3.85	-26.450	-0.0139	-2.5 to 2.5	Pass
				30	3.85	-26.021	-0.0136	-2.5 to 2.5	Pass
				40	3.85	-24.261	-0.0127	-2.5 to 2.5	Pass
				50	3.85	-22.359	-0.0117	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	5.937	0.0032	-2.5 to 2.5	Pass
					3.85	-16.809	-0.0091	-2.5 to 2.5	Pass
					4.43	-37.093	-0.0200	-2.5 to 2.5	Pass

16QAM	1880	25	0	-30	3.85	-8.841	-0.0048	-2.5 to 2.5	Pass
				-20	3.85	-35.934	-0.0194	-2.5 to 2.5	Pass
				-10	3.85	-31.214	-0.0168	-2.5 to 2.5	Pass
				0	3.85	-29.268	-0.0158	-2.5 to 2.5	Pass
				10	3.85	-36.221	-0.0196	-2.5 to 2.5	Pass
				30	3.85	-16.909	-0.0091	-2.5 to 2.5	Pass
				40	3.85	-18.511	-0.0100	-2.5 to 2.5	Pass
				50	3.85	-28.539	-0.0154	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	37.408	0.0199	-2.5 to 2.5	Pass
					3.85	-2.346	-0.0012	-2.5 to 2.5	Pass
					4.43	-33.102	-0.0176	-2.5 to 2.5	Pass
				-30	3.85	-33.846	-0.0180	-2.5 to 2.5	Pass
				-20	3.85	-7.582	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	-31.714	-0.0169	-2.5 to 2.5	Pass
				0	3.85	-30.284	-0.0161	-2.5 to 2.5	Pass
				10	3.85	-18.597	-0.0099	-2.5 to 2.5	Pass
	1907.5	25	0	30	3.85	-44.045	-0.0234	-2.5 to 2.5	Pass
				40	3.85	-17.180	-0.0091	-2.5 to 2.5	Pass
				50	3.85	-37.379	-0.0199	-2.5 to 2.5	Pass
				20	3.27	37.222	0.0195	-2.5 to 2.5	Pass
					3.85	33.488	0.0176	-2.5 to 2.5	Pass
					4.43	6.351	0.0033	-2.5 to 2.5	Pass
				-30	3.85	-22.101	-0.0116	-2.5 to 2.5	Pass
				-20	3.85	-12.417	-0.0065	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	-10	3.85	-36.678	-0.0192	-2.5 to 2.5	Pass
				0	3.85	3.233	0.0017	-2.5 to 2.5	Pass
				10	3.85	-15.335	-0.0080	-2.5 to 2.5	Pass
				30	3.85	-34.018	-0.0178	-2.5 to 2.5	Pass
				40	3.85	-12.860	-0.0067	-2.5 to 2.5	Pass
				50	3.85	-30.341	-0.0159	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-7.167	-0.0039	-2.5 to 2.5	Pass
					3.85	-15.864	-0.0086	-2.5 to 2.5	Pass
					4.43	-8.268	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-38.910	-0.0210	-2.5 to 2.5	Pass
				-20	3.85	-25.191	-0.0136	-2.5 to 2.5	Pass
				-10	3.85	9.370	0.0051	-2.5 to 2.5	Pass
				0	3.85	-10.500	-0.0057	-2.5 to 2.5	Pass
				10	3.85	-26.565	-0.0143	-2.5 to 2.5	Pass
	1880	25	0	30	3.85	-41.027	-0.0221	-2.5 to 2.5	Pass
				40	3.85	-4.334	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-16.408	-0.0089	-2.5 to 2.5	Pass
				20	3.27	-9.871	-0.0053	-2.5 to 2.5	Pass
					3.85	-19.426	-0.0103	-2.5 to 2.5	Pass
					4.43	-19.212	-0.0102	-2.5 to 2.5	Pass
				-30	3.85	-19.441	-0.0103	-2.5 to 2.5	Pass
				-20	3.85	-19.798	-0.0105	-2.5 to 2.5	Pass
16QAM	1907.5	25	0	-10	3.85	-23.189	-0.0123	-2.5 to 2.5	Pass
				0	3.85	-24.719	-0.0131	-2.5 to 2.5	Pass
				10	3.85	-27.480	-0.0146	-2.5 to 2.5	Pass
				30	3.85	-31.314	-0.0167	-2.5 to 2.5	Pass
				40	3.85	-34.876	-0.0186	-2.5 to 2.5	Pass
				50	3.85	-36.964	-0.0197	-2.5 to 2.5	Pass
				20	3.27	-45.218	-0.0237	-2.5 to 2.5	Pass
					3.85	-13.719	-0.0072	-2.5 to 2.5	Pass
					4.43	-10.786	-0.0057	-2.5 to 2.5	Pass
	1907.5	25	0	-30	3.85	-5.765	-0.0030	-2.5 to 2.5	Pass
				-20	3.85	-3.262	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-2.532	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-2.403	-0.0013	-2.5 to 2.5	Pass

				10	3.85	-1.287	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-2.589	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-2.718	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-2.174	-0.0011	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-3.977	-0.0021	-2.5 to 2.5	Pass
					3.85	-2.518	-0.0014	-2.5 to 2.5	Pass
					4.43	-21.544	-0.0116	-2.5 to 2.5	Pass
				-30	3.85	-30.241	-0.0163	-2.5 to 2.5	Pass
				-20	3.85	-35.219	-0.0190	-2.5 to 2.5	Pass
				-10	3.85	-41.213	-0.0222	-2.5 to 2.5	Pass
				0	3.85	-4.864	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-34.261	-0.0185	-2.5 to 2.5	Pass
				30	3.85	-38.066	-0.0205	-2.5 to 2.5	Pass
				40	3.85	-35.963	-0.0194	-2.5 to 2.5	Pass
				50	3.85	-28.424	-0.0153	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	33.603	0.0179	-2.5 to 2.5	Pass
					3.85	31.815	0.0169	-2.5 to 2.5	Pass
					4.43	-9.241	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-34.533	-0.0184	-2.5 to 2.5	Pass
				-20	3.85	-32.887	-0.0175	-2.5 to 2.5	Pass
				-10	3.85	-43.759	-0.0233	-2.5 to 2.5	Pass
				0	3.85	-14.906	-0.0079	-2.5 to 2.5	Pass
				10	3.85	-39.096	-0.0208	-2.5 to 2.5	Pass
				30	3.85	-27.008	-0.0144	-2.5 to 2.5	Pass
				40	3.85	-0.944	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-23.217	-0.0123	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	33.617	0.0176	-2.5 to 2.5	Pass
					3.85	9.742	0.0051	-2.5 to 2.5	Pass
					4.43	-12.817	-0.0067	-2.5 to 2.5	Pass
				-30	3.85	-35.834	-0.0188	-2.5 to 2.5	Pass
				-20	3.85	-31.586	-0.0166	-2.5 to 2.5	Pass
				-10	3.85	-23.217	-0.0122	-2.5 to 2.5	Pass
				0	3.85	-14.849	-0.0078	-2.5 to 2.5	Pass
				10	3.85	-28.396	-0.0149	-2.5 to 2.5	Pass
				30	3.85	-40.498	-0.0213	-2.5 to 2.5	Pass
				40	3.85	-49.624	-0.0260	-2.5 to 2.5	Pass
				50	3.85	1.130	0.0006	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	-20.013	-0.0108	-2.5 to 2.5	Pass
					3.85	-39.039	-0.0210	-2.5 to 2.5	Pass
					4.43	-46.191	-0.0249	-2.5 to 2.5	Pass
				-30	3.85	-4.878	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-13.876	-0.0075	-2.5 to 2.5	Pass
				-10	3.85	-21.143	-0.0114	-2.5 to 2.5	Pass
				0	3.85	-28.238	-0.0152	-2.5 to 2.5	Pass
				10	3.85	-36.335	-0.0196	-2.5 to 2.5	Pass
				30	3.85	-29.025	-0.0156	-2.5 to 2.5	Pass
				40	3.85	-15.650	-0.0084	-2.5 to 2.5	Pass
				50	3.85	-21.143	-0.0114	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-42.086	-0.0224	-2.5 to 2.5	Pass
					3.85	-44.217	-0.0235	-2.5 to 2.5	Pass
					4.43	-41.184	-0.0219	-2.5 to 2.5	Pass

				-30	3.85	-36.163	-0.0192	-2.5 to 2.5	Pass
				-20	3.85	-34.246	-0.0182	-2.5 to 2.5	Pass
				-10	3.85	-34.876	-0.0186	-2.5 to 2.5	Pass
				0	3.85	-34.733	-0.0185	-2.5 to 2.5	Pass
				10	3.85	-36.263	-0.0193	-2.5 to 2.5	Pass
				30	3.85	-37.880	-0.0201	-2.5 to 2.5	Pass
				40	3.85	-38.967	-0.0207	-2.5 to 2.5	Pass
				50	3.85	-40.412	-0.0215	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-13.947	-0.0073	-2.5 to 2.5	Pass
					3.85	-19.169	-0.0101	-2.5 to 2.5	Pass
					4.43	-20.328	-0.0107	-2.5 to 2.5	Pass
				-30	3.85	-22.430	-0.0118	-2.5 to 2.5	Pass
				-20	3.85	-26.593	-0.0140	-2.5 to 2.5	Pass
				-10	3.85	-27.080	-0.0142	-2.5 to 2.5	Pass
				0	3.85	-29.197	-0.0153	-2.5 to 2.5	Pass
				10	3.85	-31.328	-0.0164	-2.5 to 2.5	Pass
				30	3.85	-34.676	-0.0182	-2.5 to 2.5	Pass
				40	3.85	-36.292	-0.0191	-2.5 to 2.5	Pass
				50	3.85	-38.309	-0.0201	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-29.340	-0.0158	-2.5 to 2.5	Pass
					3.85	-34.904	-0.0188	-2.5 to 2.5	Pass
					4.43	-21.315	-0.0115	-2.5 to 2.5	Pass
				-30	3.85	-19.841	-0.0107	-2.5 to 2.5	Pass
				-20	3.85	-30.370	-0.0163	-2.5 to 2.5	Pass
				-10	3.85	-36.635	-0.0197	-2.5 to 2.5	Pass
				0	3.85	-21.544	-0.0116	-2.5 to 2.5	Pass
				10	3.85	-38.567	-0.0208	-2.5 to 2.5	Pass
				30	3.85	-35.591	-0.0192	-2.5 to 2.5	Pass
				40	3.85	-35.863	-0.0193	-2.5 to 2.5	Pass
				50	3.85	-18.196	-0.0098	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	14.949	0.0080	-2.5 to 2.5	Pass
					3.85	-10.271	-0.0055	-2.5 to 2.5	Pass
					4.43	-24.533	-0.0130	-2.5 to 2.5	Pass
				-30	3.85	-35.663	-0.0190	-2.5 to 2.5	Pass
				-20	3.85	-16.236	-0.0086	-2.5 to 2.5	Pass
				-10	3.85	-49.438	-0.0263	-2.5 to 2.5	Pass
				0	3.85	-31.343	-0.0167	-2.5 to 2.5	Pass
				10	3.85	-21.744	-0.0116	-2.5 to 2.5	Pass
				30	3.85	-45.834	-0.0244	-2.5 to 2.5	Pass
				40	3.85	-42.944	-0.0228	-2.5 to 2.5	Pass
				50	3.85	-6.938	-0.0037	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	39.225	0.0206	-2.5 to 2.5	Pass
					3.85	2.618	0.0014	-2.5 to 2.5	Pass
					4.43	-9.642	-0.0051	-2.5 to 2.5	Pass
				-30	3.85	-25.392	-0.0133	-2.5 to 2.5	Pass
				-20	3.85	-37.279	-0.0196	-2.5 to 2.5	Pass
				-10	3.85	-47.064	-0.0247	-2.5 to 2.5	Pass
				0	3.85	-6.766	-0.0036	-2.5 to 2.5	Pass
				10	3.85	-23.732	-0.0125	-2.5 to 2.5	Pass
				30	3.85	-33.517	-0.0176	-2.5 to 2.5	Pass
				40	3.85	-37.708	-0.0198	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	50	3.85	-41.227	-0.0217	-2.5 to 2.5	Pass
				20	3.27	-38.753	-0.0209	-2.5 to 2.5	Pass
					3.85	8.326	0.0045	-2.5 to 2.5	Pass
					4.43	18.454	0.0099	-2.5 to 2.5	Pass
				-30	3.85	31.028	0.0167	-2.5 to 2.5	Pass
				-20	3.85	41.685	0.0224	-2.5 to 2.5	Pass
				-10	3.85	49.853	0.0268	-2.5 to 2.5	Pass
				0	3.85	9.127	0.0049	-2.5 to 2.5	Pass
				10	3.85	17.853	0.0096	-2.5 to 2.5	Pass
				30	3.85	23.589	0.0127	-2.5 to 2.5	Pass
	1880	75	0	40	3.85	29.426	0.0158	-2.5 to 2.5	Pass
				50	3.85	35.992	0.0194	-2.5 to 2.5	Pass
				20	3.27	-29.540	-0.0157	-2.5 to 2.5	Pass
					3.85	-37.022	-0.0197	-2.5 to 2.5	Pass
					4.43	-36.178	-0.0192	-2.5 to 2.5	Pass
				-30	3.85	-35.205	-0.0187	-2.5 to 2.5	Pass
				-20	3.85	-34.261	-0.0182	-2.5 to 2.5	Pass
				-10	3.85	-34.118	-0.0181	-2.5 to 2.5	Pass
				0	3.85	-35.019	-0.0186	-2.5 to 2.5	Pass
				10	3.85	-36.392	-0.0194	-2.5 to 2.5	Pass
	1902.5	75	0	30	3.85	-36.263	-0.0193	-2.5 to 2.5	Pass
				40	3.85	-36.507	-0.0194	-2.5 to 2.5	Pass
				50	3.85	-38.123	-0.0203	-2.5 to 2.5	Pass
				20	3.27	-44.961	-0.0236	-2.5 to 2.5	Pass
					3.85	-40.097	-0.0211	-2.5 to 2.5	Pass
					4.43	-24.834	-0.0131	-2.5 to 2.5	Pass
				-30	3.85	-12.889	-0.0068	-2.5 to 2.5	Pass
				-20	3.85	-1.731	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	9.098	0.0048	-2.5 to 2.5	Pass
				0	3.85	19.112	0.0100	-2.5 to 2.5	Pass
				10	3.85	27.909	0.0147	-2.5 to 2.5	Pass
				30	3.85	35.133	0.0185	-2.5 to 2.5	Pass
				40	3.85	40.312	0.0212	-2.5 to 2.5	Pass
				50	3.85	27.266	0.0143	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-7.038	-0.0038	-2.5 to 2.5	Pass
					3.85	-33.216	-0.0179	-2.5 to 2.5	Pass
					4.43	-20.499	-0.0110	-2.5 to 2.5	Pass
				-30	3.85	-30.756	-0.0165	-2.5 to 2.5	Pass
				-20	3.85	-36.178	-0.0195	-2.5 to 2.5	Pass
				-10	3.85	-10.486	-0.0056	-2.5 to 2.5	Pass
				0	3.85	-20.785	-0.0112	-2.5 to 2.5	Pass
				10	3.85	-19.941	-0.0107	-2.5 to 2.5	Pass
				30	3.85	-10.872	-0.0058	-2.5 to 2.5	Pass
				40	3.85	-43.373	-0.0233	-2.5 to 2.5	Pass
	1880	100	0	50	3.85	-22.774	-0.0122	-2.5 to 2.5	Pass
				20	3.27	35.448	0.0189	-2.5 to 2.5	Pass
					3.85	-11.644	-0.0062	-2.5 to 2.5	Pass
					4.43	-25.649	-0.0136	-2.5 to 2.5	Pass
				-30	3.85	-25.935	-0.0138	-2.5 to 2.5	Pass
				-20	3.85	-18.640	-0.0099	-2.5 to 2.5	Pass
				-10	3.85	-36.621	-0.0195	-2.5 to 2.5	Pass

				0	3.85	-35.763	-0.0190	-2.5 to 2.5	Pass
				10	3.85	-23.832	-0.0127	-2.5 to 2.5	Pass
				30	3.85	-48.051	-0.0256	-2.5 to 2.5	Pass
				40	3.85	-30.441	-0.0162	-2.5 to 2.5	Pass
				50	3.85	-48.423	-0.0258	-2.5 to 2.5	Pass
				20	3.27	27.938	0.0147	-2.5 to 2.5	Pass
					3.85	44.775	0.0236	-2.5 to 2.5	Pass
					4.43	32.830	0.0173	-2.5 to 2.5	Pass
				-30	3.85	25.005	0.0132	-2.5 to 2.5	Pass
				-20	3.85	22.745	0.0120	-2.5 to 2.5	Pass
				-10	3.85	20.456	0.0108	-2.5 to 2.5	Pass
				0	3.85	22.645	0.0119	-2.5 to 2.5	Pass
				10	3.85	26.336	0.0139	-2.5 to 2.5	Pass
				30	3.85	30.169	0.0159	-2.5 to 2.5	Pass
				40	3.85	33.360	0.0176	-2.5 to 2.5	Pass
				50	3.85	39.010	0.0205	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	3.905	0.0021	-2.5 to 2.5	Pass
					3.85	3.233	0.0017	-2.5 to 2.5	Pass
					4.43	10.700	0.0058	-2.5 to 2.5	Pass
				-30	3.85	15.492	0.0083	-2.5 to 2.5	Pass
				-20	3.85	19.727	0.0106	-2.5 to 2.5	Pass
				-10	3.85	22.302	0.0120	-2.5 to 2.5	Pass
				0	3.85	22.388	0.0120	-2.5 to 2.5	Pass
				10	3.85	21.157	0.0114	-2.5 to 2.5	Pass
				30	3.85	22.116	0.0119	-2.5 to 2.5	Pass
				40	3.85	23.460	0.0126	-2.5 to 2.5	Pass
				50	3.85	24.705	0.0133	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-2.661	-0.0014	-2.5 to 2.5	Pass
					3.85	0.343	0.0002	-2.5 to 2.5	Pass
					4.43	4.649	0.0025	-2.5 to 2.5	Pass
				-30	3.85	10.643	0.0057	-2.5 to 2.5	Pass
				-20	3.85	16.708	0.0089	-2.5 to 2.5	Pass
				-10	3.85	20.556	0.0109	-2.5 to 2.5	Pass
				0	3.85	23.460	0.0125	-2.5 to 2.5	Pass
				10	3.85	23.890	0.0127	-2.5 to 2.5	Pass
				30	3.85	26.722	0.0142	-2.5 to 2.5	Pass
				40	3.85	26.522	0.0141	-2.5 to 2.5	Pass
				50	3.85	17.595	0.0094	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	44.546	0.0234	-2.5 to 2.5	Pass
					3.85	5.736	0.0030	-2.5 to 2.5	Pass
					4.43	33.088	0.0174	-2.5 to 2.5	Pass
				-30	3.85	23.632	0.0124	-2.5 to 2.5	Pass
				-20	3.85	45.133	0.0238	-2.5 to 2.5	Pass
				-10	3.85	1.717	0.0009	-2.5 to 2.5	Pass
				0	3.85	17.323	0.0091	-2.5 to 2.5	Pass
				10	3.85	26.650	0.0140	-2.5 to 2.5	Pass
				30	3.85	26.937	0.0142	-2.5 to 2.5	Pass
				40	3.85	34.418	0.0181	-2.5 to 2.5	Pass
				50	3.85	45.147	0.0238	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.108	/	Pass
		1880	6	0	1.115	/	Pass
		1909.3	6	0	1.105	/	Pass
	16QAM	1850.7	6	0	1.112	/	Pass
		1880	6	0	1.107	/	Pass
		1909.3	6	0	1.119	/	Pass
3	QPSK	1851.5	15	0	2.758	/	Pass
		1880	15	0	2.764	/	Pass
		1908.5	15	0	2.749	/	Pass
	16QAM	1851.5	15	0	2.763	/	Pass
		1880	15	0	2.748	/	Pass
		1908.5	15	0	2.777	/	Pass
5	QPSK	1852.5	25	0	4.551	/	Pass
		1880	25	0	4.559	/	Pass
		1907.5	25	0	4.562	/	Pass
	16QAM	1852.5	25	0	4.562	/	Pass
		1880	25	0	4.561	/	Pass
		1907.5	25	0	4.543	/	Pass
10	QPSK	1855	50	0	9.091	/	Pass
		1880	50	0	9.075	/	Pass
		1905	50	0	9.063	/	Pass
	16QAM	1855	50	0	9.064	/	Pass
		1880	50	0	9.084	/	Pass
		1905	50	0	9.080	/	Pass
15	QPSK	1857.5	75	0	13.621	/	Pass
		1880	75	0	13.587	/	Pass
		1902.5	75	0	13.588	/	Pass
	16QAM	1857.5	75	0	13.646	/	Pass
		1880	75	0	13.629	/	Pass
		1902.5	75	0	13.615	/	Pass
20	QPSK	1860	100	0	18.146	/	Pass
		1880	100	0	18.263	/	Pass
		1900	100	0	18.091	/	Pass
	16QAM	1860	100	0	18.129	/	Pass
		1880	100	0	18.218	/	Pass
		1900	100	0	18.089	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.270	/	Pass
		1880	6	0	1.272	/	Pass
		1909.3	6	0	1.277	/	Pass


	16QAM	1850.7	6	0	1.277	/	Pass
		1880	6	0	1.266	/	Pass
		1909.3	6	0	1.280	/	Pass
3	QPSK	1851.5	15	0	3.102	/	Pass
		1880	15	0	3.078	/	Pass
		1908.5	15	0	3.106	/	Pass
	16QAM	1851.5	15	0	3.132	/	Pass
		1880	15	0	3.105	/	Pass
		1908.5	15	0	3.079	/	Pass
5	QPSK	1852.5	25	0	5.075	/	Pass
		1880	25	0	5.054	/	Pass
		1907.5	25	0	5.061	/	Pass
	16QAM	1852.5	25	0	5.100	/	Pass
		1880	25	0	5.074	/	Pass
		1907.5	25	0	5.034	/	Pass
10	QPSK	1855	50	0	10.000	/	Pass
		1880	50	0	10.055	/	Pass
		1905	50	0	10.078	/	Pass
	16QAM	1855	50	0	10.061	/	Pass
		1880	50	0	10.052	/	Pass
		1905	50	0	10.079	/	Pass
15	QPSK	1857.5	75	0	15.206	/	Pass
		1880	75	0	15.187	/	Pass
		1902.5	75	0	15.201	/	Pass
	16QAM	1857.5	75	0	15.221	/	Pass
		1880	75	0	15.233	/	Pass
		1902.5	75	0	15.155	/	Pass
20	QPSK	1860	100	0	20.038	/	Pass
		1880	100	0	20.074	/	Pass
		1900	100	0	19.881	/	Pass
	16QAM	1860	100	0	19.974	/	Pass
		1880	100	0	20.062	/	Pass
		1900	100	0	20.077	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTN




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTN




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




4.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.54	<=13	Pass
	1880	6	0	5.64	<=13	Pass
	1909.3	6	0	5.61	<=13	Pass
16QAM	1850.7	6	0	6.29	<=13	Pass
	1880	6	0	6.47	<=13	Pass
	1909.3	6	0	6.38	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.63	<=13	Pass
	1880	15	0	5.68	<=13	Pass
	1908.5	15	0	5.69	<=13	Pass
16QAM	1851.5	15	0	6.45	<=13	Pass
	1880	15	0	6.53	<=13	Pass
	1908.5	15	0	6.47	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.70	<=13	Pass
	1880	25	0	5.74	<=13	Pass
	1907.5	25	0	5.71	<=13	Pass
16QAM	1852.5	25	0	6.45	<=13	Pass
	1880	25	0	6.45	<=13	Pass
	1907.5	25	0	6.40	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.75	<=13	Pass
	1880	50	0	5.76	<=13	Pass
	1905	50	0	5.70	<=13	Pass
16QAM	1855	50	0	6.54	<=13	Pass
	1880	50	0	6.51	<=13	Pass

	1905	50	0	6.42	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.94	<=13	Pass
	1880	75	0	6.01	<=13	Pass
	1902.5	75	0	5.94	<=13	Pass
16QAM	1857.5	75	0	6.44	<=13	Pass
	1880	75	0	6.52	<=13	Pass
	1902.5	75	0	6.40	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.64	<=13	Pass
	1880	100	0	5.86	<=13	Pass
	1900	100	0	5.69	<=13	Pass
16QAM	1860	100	0	6.36	<=13	Pass
	1880	100	0	6.57	<=13	Pass
	1900	100	0	6.42	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




5.2.2 B2_3MHz




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




5.2.3 B2_5MHz



Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




5.2.4 B2_10MHz




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTV




5.2.5 B2_15MHz




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




5.2.6 B2_20MHz




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass

	1880	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1860	1	0	Refer To Test Graph		Pass


		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1900	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B2_1.4MHz




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-28.86	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-35.95	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-34.39	-13	Pass
1911	1913	1	CHP	2	1911.500	-39.19	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.025	-37.34	-13	Pass
1911	1913	1	CHP	2	1911.500	-29.57	-13	Pass

Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.498	-40.85	-13	Pass
1849	1850	0.003	/	2	1849.986	-39.59	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV



Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-30.54	-13	Pass
1849	1850	0.013	CHP	2	1849.910	-36.01	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.015	-39.05	-13	Pass
1911	1913	1	CHP	2	1911.500	-40.30	-13	Pass

Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.045	-37.41	-13	Pass
1911	1913	1	CHP	2	1911.500	-30.82	-13	Pass


6.2.2 B2_3MHz




Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV



Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-27.16	-13	Pass
1849	1850	0.031	CHP	2	1849.994	-26.97	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTNV



Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-25.46	-13	Pass
1911	1913	1	CHP	2	1911.500	-38.66	-13	Pass

Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.031	CHP	/	/	/	/	/
1910	1911	0.031	CHP	1	1910.006	-29.45	-13	Pass
1911	1913	1	CHP	2	1911.500	-28.91	-13	Pass

Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-38.29	-13	Pass
1849	1850	0.003	/	2	1849.998	-27.47	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV



Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-26.62	-13	Pass
1849	1850	0.031	CHP	2	1849.994	-27.76	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band2 3MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 1 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 1 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 1 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 1 0 NTV



Band2 3MHz 16QAM HCH 1908.5MHz RB 1 0 NTV




Band2 3MHz 16QAM HCH 1908.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.014	-27.81	-13	Pass
1911	1913	1	CHP	2	1911.500	-39.90	-13	Pass

Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.031	CHP	/	/	/	/	/
1910	1911	0.031	CHP	1	1910.006	-30.75	-13	Pass
1911	1913	1	CHP	2	1911.500	-27.88	-13	Pass


6.2.3 B2_5MHz




Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTN




Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTN




Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN



Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.009	-33.68	-13	Pass
1911	1915	1	CHP	2	1911.500	-39.54	-13	Pass

Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.051	CHP	/	/	/	/	/
1910	1911	0.051	CHP	1	1910.010	-34.61	-13	Pass
1911	1915	1	CHP	2	1911.500	-30.05	-13	Pass

Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-38.19	-13	Pass
1849	1850	0.003	/	2	1849.998	-35.31	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV



Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.490	-27.13	-13	Pass
1849	1850	0.051	CHP	2	1849.990	-32.37	-13	Pass
1850	1855	0.051	CHP	/	/	/	/	/


Band2 5MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 5MHz 16QAM HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz 16QAM HCH 1907.5MHz RB 1 0 NTV




Band2 5MHz 16QAM HCH 1907.5MHz RB 1 0 NTV




Band2 5MHz 16QAM HCH 1907.5MHz RB 1 0 NTV



Band2 5MHz 16QAM HCH 1907.5MHz RB 1 0 NTV




Band2 5MHz 16QAM HCH 1907.5MHz RB 1 24 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-35.02	-13	Pass
1911	1915	1	CHP	2	1911.500	-40.73	-13	Pass


Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-34.20	-13	Pass
1911	1915	1	CHP	2	1911.510	-29.34	-13	Pass

6.2.4 B2_10MHz


Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2 10MHz QPSK LCH 1855MHz RB 1 0 NTV




Band2 10MHz QPSK LCH 1855MHz RB 1 0 NTV




Band2 10MHz QPSK LCH 1855MHz RB 1 0 NTV



Band2 10MHz QPSK LCH 1855MHz RB 1 0 NTV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-30.24	-13	Pass
1849	1850	0.1	/	2	1849.980	-33.52	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 1 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 1 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 1 0 NTNV




Band2 10MHz QPSK HCH 1905MHz RB 1 0 NTNV



Band2 10MHz QPSK HCH 1905MHz RB 1 0 NTNV




Band2 10MHz QPSK HCH 1905MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.013	-38.20	-13	Pass
1911	1920	1	CHP	2	1911.500	-42.87	-13	Pass


Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTNV



Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.040	-29.71	-13	Pass
1849	1850	0.101	CHP	2	1849.980	-35.77	-13	Pass
1850	1860	0.101	CHP	/	/	/	/	/


Band2 10MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 1 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 1 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 1 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 1 0 NTNV



Band2 10MHz 16QAM HCH 1905MHz RB 1 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 1 49 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.013	-40.31	-13	Pass
1911	1920	1	CHP	2	1911.500	-43.77	-13	Pass


Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.101	CHP	/	/	/	/	/
1910	1911	0.101	CHP	1	1910.080	-38.06	-13	Pass
1911	1920	1	CHP	2	1911.500	-31.84	-13	Pass


6.2.5 B2_15MHz

Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-42.33	-13	Pass
1849	1850	0.003	/	2	1849.985	-39.99	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTV



Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 74 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.004	-40.52	-13	Pass
1911	1925	1	CHP	2	1911.500	-43.80	-13	Pass

Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.152	CHP	/	/	/	/	/
1910	1911	0.152	CHP	1	1910.030	-35.44	-13	Pass
1911	1925	1	CHP	2	1912.310	-31.67	-13	Pass

Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-43.22	-13	Pass
1849	1850	0.003	/	2	1849.966	-40.61	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV



Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1847.660	-30.59	-13	Pass
1849	1850	0.152	CHP	2	1849.970	-36.27	-13	Pass
1850	1865	0.152	CHP	/	/	/	/	/


Band2 15MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 1 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 1 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 1 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 1 0 NTV



Band2 15MHz 16QAM HCH 1902.5MHz RB 1 0 NTV




Band2 15MHz 16QAM HCH 1902.5MHz RB 1 74 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.004	-42.21	-13	Pass
1911	1925	1	CHP	2	1911.500	-44.90	-13	Pass


Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.152	CHP	/	/	/	/	/
1910	1911	0.152	CHP	1	1910.030	-36.84	-13	Pass
1911	1925	1	CHP	2	1912.820	-32.60	-13	Pass

6.2.6 B2_20MHz


Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTV




Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTV




Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTV




Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN



Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1 99 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.015	-44.54	-13	Pass
1911	1930	1	CHP	2	1911.500	-43.98	-13	Pass


Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV




Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTV




Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTN




Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTN




Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTNV



Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.320	-33.37	-13	Pass
1849	1850	0.2	CHP	2	1849.960	-38.76	-13	Pass
1850	1870	0.2	CHP	/	/	/	/	/


Band2 20MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTN




Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTN




Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-45.51	-13	Pass
1911	1930	1	CHP	2	1913.750	-42.85	-13	Pass

Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.201	CHP	/	/	/	/	/
1910	1911	0.201	CHP	1	1910.040	-37.81	-13	Pass
1911	1930	1	CHP	2	1911.520	-33.38	-13	Pass