

## AppendixA: Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | E.R.P (dBm) | Verdict |
|--------|-----------|------------|---------|------------------|-------------|-------------|---------|
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#0            | 25.12       | 23.27       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#12           | 25.29       | 23.44       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#24           | 25.15       | 23.30       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 12RB#0           | 24.19       | 22.34       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 12RB#6           | 24.21       | 22.36       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 12RB#13          | 24.21       | 22.36       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 25RB#0           | 24.25       | 22.40       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#0            | 25.16       | 23.31       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#12           | 25.23       | 23.38       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#24           | 25.13       | 23.28       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 12RB#0           | 24.04       | 22.19       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 12RB#6           | 24.12       | 22.27       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 12RB#13          | 24.05       | 22.20       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 25RB#0           | 24.13       | 22.28       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#0            | 25.12       | 23.27       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#12           | 25.30       | 23.45       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#24           | 25.16       | 23.31       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 12RB#0           | 24.21       | 22.36       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 12RB#6           | 24.26       | 22.41       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 12RB#13          | 24.22       | 22.37       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 25RB#0           | 24.21       | 22.36       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#0            | 24.27       | 22.42       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#12           | 24.44       | 22.59       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#24           | 24.27       | 22.42       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 12RB#0           | 23.35       | 21.50       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 12RB#6           | 23.29       | 21.44       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 12RB#13          | 23.38       | 21.53       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 25RB#0           | 23.30       | 21.45       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#0            | 24.12       | 22.27       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#12           | 24.23       | 22.38       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#24           | 24.11       | 22.26       | PASS    |

|        |       |       |       |         |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|------|
| Band17 | 5MHz  | 16QAM | 23790 | 12RB#0  | 23.30 | 21.45 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 12RB#6  | 23.23 | 21.38 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 12RB#13 | 23.25 | 21.40 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 25RB#0  | 23.29 | 21.44 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 1RB#0   | 24.11 | 22.26 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 1RB#12  | 24.21 | 22.36 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 1RB#24  | 24.08 | 22.23 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 12RB#0  | 23.28 | 21.43 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 12RB#6  | 23.31 | 21.46 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 12RB#13 | 23.24 | 21.39 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0  | 23.30 | 21.45 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#0   | 25.13 | 23.28 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#24  | 25.20 | 23.35 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#49  | 25.15 | 23.30 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 25RB#0  | 24.22 | 22.37 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 25RB#12 | 24.29 | 22.44 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 25RB#25 | 24.28 | 22.43 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0  | 24.27 | 22.42 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#0   | 25.13 | 23.28 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#24  | 25.29 | 23.44 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#49  | 25.15 | 23.30 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 25RB#0  | 24.16 | 22.31 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 25RB#12 | 24.17 | 22.32 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 25RB#25 | 24.17 | 22.32 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0  | 24.18 | 22.33 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#0   | 25.19 | 23.34 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#24  | 25.38 | 23.53 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#49  | 25.22 | 23.37 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 25RB#0  | 24.23 | 22.38 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 25RB#12 | 24.27 | 22.42 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 25RB#25 | 24.23 | 22.38 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0  | 24.22 | 22.37 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#0   | 24.30 | 22.45 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#24  | 24.50 | 22.65 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#49  | 24.28 | 22.43 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 25RB#0  | 23.32 | 21.47 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 25RB#12 | 23.31 | 21.46 | PASS |

|        |       |       |       |         |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|------|
| Band17 | 10MHz | 16QAM | 23780 | 25RB#25 | 23.28 | 21.43 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0  | 23.28 | 21.43 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#0   | 24.24 | 22.39 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#24  | 24.35 | 22.50 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#49  | 24.18 | 22.33 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 25RB#0  | 23.26 | 21.41 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 25RB#12 | 23.29 | 21.44 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 25RB#25 | 23.30 | 21.45 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0  | 23.28 | 21.43 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#0   | 24.10 | 22.25 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#24  | 24.22 | 22.37 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#49  | 24.08 | 22.23 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 25RB#0  | 23.35 | 21.50 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 25RB#12 | 23.35 | 21.50 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 25RB#25 | 23.29 | 21.44 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0  | 23.30 | 21.45 | PASS |


## AppendixB:Peak-to-Average Ratio(CCDF)

### Test Result


| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|--------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#0            | 4.40       | 13        | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 25RB#0           | 5.01       | 13        | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#0            | 3.93       | 13        | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 25RB#0           | 4.78       | 13        | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#0            | 3.64       | 13        | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 25RB#0           | 4.70       | 13        | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#0            | 5.03       | 13        | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 25RB#0           | 5.79       | 13        | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#0            | 4.65       | 13        | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 25RB#0           | 5.64       | 13        | PASS    |
| Band17 | 5MHz      | 16QAM      | 23825   | 1RB#0            | 4.34       | 13        | PASS    |
| Band17 | 5MHz      | 16QAM      | 23825   | 25RB#0           | 5.52       | 13        | PASS    |
| Band17 | 10MHz     | QPSK       | 23780   | 1RB#0            | 4.43       | 13        | PASS    |
| Band17 | 10MHz     | QPSK       | 23780   | 50RB#0           | 4.99       | 13        | PASS    |
| Band17 | 10MHz     | QPSK       | 23790   | 1RB#0            | 4.24       | 13        | PASS    |
| Band17 | 10MHz     | QPSK       | 23790   | 50RB#0           | 4.97       | 13        | PASS    |
| Band17 | 10MHz     | QPSK       | 23800   | 1RB#0            | 4.25       | 13        | PASS    |
| Band17 | 10MHz     | QPSK       | 23800   | 50RB#0           | 4.96       | 13        | PASS    |
| Band17 | 10MHz     | 16QAM      | 23780   | 1RB#0            | 5.37       | 13        | PASS    |
| Band17 | 10MHz     | 16QAM      | 23780   | 50RB#0           | 5.77       | 13        | PASS    |
| Band17 | 10MHz     | 16QAM      | 23790   | 1RB#0            | 5.06       | 13        | PASS    |
| Band17 | 10MHz     | 16QAM      | 23790   | 50RB#0           | 5.79       | 13        | PASS    |
| Band17 | 10MHz     | 16QAM      | 23800   | 1RB#0            | 5.24       | 13        | PASS    |
| Band17 | 10MHz     | 16QAM      | 23800   | 50RB#0           | 5.75       | 13        | PASS    |

## Test Graphs


Band17-5MHz-QPSK-23755-1RB#0




Band17-5MHz-QPSK-23755-25RB#0




Band17-5MHz-QPSK-23790-1RB#0



Band17-5MHz-QPSK-23790-25RB#0




Band17-5MHz-QPSK-23825-1RB#0




Band17-5MHz-QPSK-23825-25RB#0







Band17-5MHz-16QAM-23755-1RB#0




Band17-5MHz-16QAM-23755-25RB#0




Band17-5MHz-16QAM-23790-1RB#0



Band17-5MHz-16QAM-23790-25RB#0




Band17-5MHz-16QAM-23825-1RB#0




Band17-5MHz-16QAM-23825-25RB#0







Band17-10MHz-QPSK-23780-1RB#0




Band17-10MHz-QPSK-23780-50RB#0




Band17-10MHz-QPSK-23790-1RB#0




Band17-10MHz-QPSK-23790-50RB#0




Band17-10MHz-QPSK-23800-1RB#0




Band17-10MHz-QPSK-23800-50RB#0



Band17-10MHz-16QAM-23780-1RB#0




Band17-10MHz-16QAM-23780-50RB#0




Band17-10MHz-16QAM-23790-1RB#0




Band17-10MHz-16QAM-23790-50RB#0



Band17-10MHz-16QAM-23800-1RB#0



Band17-10MHz-16QAM-23800-50RB#0



## AppendixC:26dB Bandwidth andOccupied Bandwidth


### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|--------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band17 | 5MHz      | QPSK       | 23755   | 25RB#0           | 4.5094                   | 4.959                | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 25RB#0           | 4.5000                   | 4.939                | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 25RB#0           | 4.5024                   | 4.941                | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 25RB#0           | 4.5057                   | 4.991                | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 25RB#0           | 4.5063                   | 4.983                | PASS    |
| Band17 | 5MHz      | 16QAM      | 23825   | 25RB#0           | 4.5029                   | 4.894                | PASS    |
| Band17 | 10MHz     | QPSK       | 23780   | 50RB#0           | 8.9877                   | 9.592                | PASS    |
| Band17 | 10MHz     | QPSK       | 23790   | 50RB#0           | 8.9808                   | 9.579                | PASS    |
| Band17 | 10MHz     | QPSK       | 23800   | 50RB#0           | 8.9679                   | 9.564                | PASS    |
| Band17 | 10MHz     | 16QAM      | 23780   | 50RB#0           | 8.9703                   | 9.574                | PASS    |
| Band17 | 10MHz     | 16QAM      | 23790   | 50RB#0           | 8.9766                   | 9.535                | PASS    |
| Band17 | 10MHz     | 16QAM      | 23800   | 50RB#0           | 8.9661                   | 9.561                | PASS    |



## Test Graphs

Band17-5MHz-QPSK-23755-25RB#0



Band17-5MHz-QPSK-23790-25RB#0




Band17-5MHz-QPSK-23825-25RB#0




Band17-5MHz-16QAM-23755-25RB#0




Band17-5MHz-16QAM-23790-25RB#0




Band17-5MHz-16QAM-23825-25RB#0



Band17-10MHz-QPSK-23780-50RB#0



Band17-10MHz-QPSK-23790-50RB#0




Band17-10MHz-QPSK-23800-50RB#0




Band17-10MHz-16QAM-23780-50RB#0



Band17-10MHz-16QAM-23790-50RB#0



Band17-10MHz-16QAM-23800-50RB#0




## AppendixD:Band Edge

### Test Result


| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm)   | Verdict |
|--------|-----------|------------|---------|------------------|---------------|---------|
| Band17 | 5MHz      | QPSK       | 23755   | 25RB#0           | -17.52        | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 25RB#0           | -18.10        | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 25RB#0           | -18.19        | PASS    |
| Band17 | 5MHz      | 16QAM      | 23825   | 25RB#0           | -17.48        | PASS    |
| Band17 | 10MHz     | QPSK       | 23780   | 50RB#0           | -22.62,-20.09 | PASS    |
| Band17 | 10MHz     | QPSK       | 23800   | 50RB#0           | -20.72,-22.56 | PASS    |
| Band17 | 10MHz     | 16QAM      | 23780   | 50RB#0           | -24.68,-22.77 | PASS    |
| Band17 | 10MHz     | 16QAM      | 23800   | 50RB#0           | -22.31,-23.90 | PASS    |

### Test Graphs





Band17-5MHz-16QAM-23755-25RB#0



Band17-5MHz-16QAM-23825-25RB#0



Band17-10MHz-QPSK-23780-50RB#0





Band17-10MHz-QPSK-23800-50RB#0



Band17-10MHz-16QAM-23780-50RB#0



Band17-10MHz-16QAM-23800-50RB#0



## AppendixE:Conducted SpuriousEmission

### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Frequency Range       | Result (dBm) | Verdict |
|--------|-----------|------------|---------|------------------|-----------------------|--------------|---------|
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#0            | Range1:0.009~0.15MHz  | -50.65       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#0            | Range2:0.15~30MHz     | -54.07       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#0            | Range3:30~1000MHz     | -29.8        | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#0            | Range4:1000~5000MHz   | -28.51       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#0            | Range5:5000~12000MHz  | -52.42       | PASS    |
| Band17 | 5MHz      | QPSK       | 23755   | 1RB#0            | Range6:12000~26500MHz | -40.65       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#0            | Range1:0.009~0.15MHz  | -49.13       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#0            | Range2:0.15~30MHz     | -53.31       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#0            | Range3:30~1000MHz     | -31.54       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#0            | Range4:1000~5000MHz   | -28.71       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#0            | Range5:5000~12000MHz  | -52.36       | PASS    |
| Band17 | 5MHz      | QPSK       | 23790   | 1RB#0            | Range6:12000~26500MHz | -40.48       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#0            | Range1:0.009~0.15MHz  | -49.11       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#0            | Range2:0.15~30MHz     | -52.75       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#0            | Range3:30~1000MHz     | -30.33       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#0            | Range4:1000~5000MHz   | -28.46       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#0            | Range5:5000~12000MHz  | -52.32       | PASS    |
| Band17 | 5MHz      | QPSK       | 23825   | 1RB#0            | Range6:12000~26500MHz | -40.27       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#0            | Range1:0.009~0.15MHz  | -48.99       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#0            | Range2:0.15~30MHz     | -53.52       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#0            | Range3:30~1000MHz     | -31.51       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#0            | Range4:1000~5000MHz   | -28.67       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#0            | Range5:5000~12000MHz  | -52.44       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23755   | 1RB#0            | Range6:12000~26500MHz | -40.41       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#0            | Range1:0.009~0.15MHz  | -50.25       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#0            | Range2:0.15~30MHz     | -54.46       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#0            | Range3:30~1000MHz     | -31.62       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#0            | Range4:1000~5000MHz   | -28.35       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#0            | Range5:5000~12000MHz  | -52.39       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23790   | 1RB#0            | Range6:12000~26500MHz | -40.56       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23825   | 1RB#0            | Range1:0.009~0.15MHz  | -50.55       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23825   | 1RB#0            | Range2:0.15~30MHz     | -54.66       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23825   | 1RB#0            | Range3:30~1000MHz     | -31.28       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23825   | 1RB#0            | Range4:1000~5000MHz   | -28.12       | PASS    |
| Band17 | 5MHz      | 16QAM      | 23825   | 1RB#0            | Range5:5000~12000MHz  | -52.51       | PASS    |

|        |       |       |       |       |                       |        |      |
|--------|-------|-------|-------|-------|-----------------------|--------|------|
| Band17 | 5MHz  | 16QAM | 23825 | 1RB#0 | Range6:12000~26500MHz | -40.59 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#0 | Range1:0.009~0.15MHz  | -50.87 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#0 | Range2:0.15~30MHz     | -53.91 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#0 | Range3:30~1000MHz     | -31.33 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#0 | Range4:1000~5000MHz   | -28.83 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#0 | Range5:5000~12000MHz  | -52.25 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 1RB#0 | Range6:12000~26500MHz | -40.43 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#0 | Range1:0.009~0.15MHz  | -50.6  | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#0 | Range2:0.15~30MHz     | -54.99 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#0 | Range3:30~1000MHz     | -31.22 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#0 | Range4:1000~5000MHz   | -28.34 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#0 | Range5:5000~12000MHz  | -52.43 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 1RB#0 | Range6:12000~26500MHz | -40.52 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#0 | Range1:0.009~0.15MHz  | -49.92 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#0 | Range2:0.15~30MHz     | -53.79 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#0 | Range3:30~1000MHz     | -31.02 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#0 | Range4:1000~5000MHz   | -28.84 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#0 | Range5:5000~12000MHz  | -52.4  | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 1RB#0 | Range6:12000~26500MHz | -40.43 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#0 | Range1:0.009~0.15MHz  | -50.81 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#0 | Range2:0.15~30MHz     | -54.79 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#0 | Range3:30~1000MHz     | -31.82 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#0 | Range4:1000~5000MHz   | -28.92 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#0 | Range5:5000~12000MHz  | -52.44 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 1RB#0 | Range6:12000~26500MHz | -40.5  | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#0 | Range1:0.009~0.15MHz  | -50.78 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#0 | Range2:0.15~30MHz     | -54.29 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#0 | Range3:30~1000MHz     | -31.48 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#0 | Range4:1000~5000MHz   | -28.09 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#0 | Range5:5000~12000MHz  | -52.5  | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 1RB#0 | Range6:12000~26500MHz | -40.62 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#0 | Range1:0.009~0.15MHz  | -51.32 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#0 | Range2:0.15~30MHz     | -54    | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#0 | Range3:30~1000MHz     | -31.1  | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#0 | Range4:1000~5000MHz   | -28.9  | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#0 | Range5:5000~12000MHz  | -52.39 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 1RB#0 | Range6:12000~26500MHz | -40.53 | PASS |

## Test Graphs

Band17-5MHz-QPSK-23755-1RB#0-Range1:0.009~0.15MHz