

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7G	18G	AV	7.49397G	7.41	-72.37	-72.17	-69.26	-61.85	-41.20	-20.65
5180MHz	Pass	7G	18G	AV	10.60009G	7.41	-77.86	-78.92	-75.35	-67.94	-41.20	-26.74
5180MHz	Pass	7G	18G	AV	15.52844G	7.41	-75.65	-75.20	-72.41	-65.00	-41.20	-23.80
5180MHz	Pass	18G	40G	AV	38.6525G	7.41	-68.10	-67.97	-65.02	-57.61	-41.20	-16.41
5180MHz	Pass	7G	18G	PK	10.36256G	7.41	-69.64	-63.47	-62.53	-55.12	-27.00	-28.12
5180MHz	Pass	7G	18G	PK	15.53016G	7.41	-66.61	-68.58	-64.47	-57.06	-21.20	-35.86
5180MHz	Pass	7G	18G	PK	16.70578G	7.41	-64.22	-65.55	-61.82	-54.41	-27.00	-27.41
5180MHz	Pass	18G	40G	PK	32.59356G	7.41	-60.42	-60.02	-57.21	-49.80	-27.00	-22.80
5200MHz	Pass	7G	18G	AV	7.48091G	7.41	-73.42	-71.89	-69.58	-62.17	-41.20	-20.97
5200MHz	Pass	7G	18G	AV	10.60009G	7.41	-78.36	-77.93	-75.13	-67.72	-41.20	-26.52
5200MHz	Pass	7G	18G	AV	15.59547G	7.41	-76.21	-75.38	-72.76	-65.35	-41.20	-24.15
5200MHz	Pass	18G	40G	AV	38.67381G	7.41	-67.61	-68.65	-65.09	-57.68	-41.20	-16.48
5200MHz	Pass	7G	18G	PK	10.40175G	7.41	-69.88	-64.08	-63.07	-55.66	-27.00	-28.66
5200MHz	Pass	7G	18G	PK	15.60819G	7.41	-69.53	-65.61	-64.13	-56.72	-21.20	-35.52
5200MHz	Pass	7G	18G	PK	16.54559G	7.41	-64.71	-64.23	-61.45	-54.04	-27.00	-27.04
5200MHz	Pass	18G	40G	PK	37.89213G	7.41	-61.07	-58.27	-56.44	-49.03	-27.00	-22.03
5240MHz	Pass	7G	18G	AV	7.48916G	7.41	-72.84	-72.58	-69.70	-62.29	-41.20	-21.09
5240MHz	Pass	7G	18G	AV	10.60009G	7.41	-77.98	-78.25	-75.10	-67.69	-41.20	-26.49
5240MHz	Pass	7G	18G	AV	15.72403G	7.41	-75.34	-75.61	-72.46	-65.05	-41.20	-23.85
5240MHz	Pass	18G	40G	AV	38.67175G	7.41	-67.99	-68.16	-65.06	-57.65	-41.20	-16.45
5240MHz	Pass	7G	18G	PK	10.48288G	7.41	-66.36	-62.87	-61.26	-53.85	-27.00	-26.85
5240MHz	Pass	7G	18G	PK	15.72197G	7.41	-66.56	-67.44	-63.97	-56.56	-21.20	-35.36
5240MHz	Pass	18G	40G	PK	38.10663G	7.41	-60.52	-57.69	-55.87	-48.46	-27.00	-21.46
5260MHz	Pass	7G	18G	AV	7.4895G	7.41	-72.58	-72.49	-69.52	-62.11	-41.20	-20.91
5260MHz	Pass	7G	18G	AV	10.60009G	7.41	-78.44	-78.52	-75.47	-68.06	-41.20	-26.86
5260MHz	Pass	7G	18G	AV	15.7835G	7.41	-75.15	-75.93	-72.51	-65.10	-41.20	-23.90
5260MHz	Pass	18G	40G	AV	38.92819G	7.41	-69.04	-67.26	-65.05	-57.64	-41.20	-16.44
5260MHz	Pass	7G	18G	PK	10.51863G	7.41	-65.75	-64.05	-61.81	-54.40	-27.00	-27.40
5260MHz	Pass	7G	18G	PK	15.78384G	7.41	-65.55	-68.97	-63.92	-56.51	-21.20	-35.31
5260MHz	Pass	18G	40G	PK	38.46756G	7.41	-58.83	-59.46	-56.12	-48.71	-27.00	-21.71
5300MHz	Pass	7G	18G	AV	10.6025G	7.41	-71.39	-73.48	-69.30	-61.89	-41.20	-20.69
5300MHz	Pass	7G	18G	AV	15.91378G	7.41	-74.68	-74.49	-71.57	-64.16	-41.20	-22.96
5300MHz	Pass	18G	40G	AV	38.60094G	7.41	-67.65	-68.16	-64.89	-57.48	-41.20	-16.28
5300MHz	Pass	7G	18G	PK	10.59803G	7.41	-63.47	-67.23	-61.94	-54.53	-27.00	-27.53
5300MHz	Pass	7G	18G	PK	15.90381G	7.41	-68.48	-65.11	-63.47	-56.06	-21.20	-34.86
5300MHz	Pass	18G	40G	PK	38.07981G	7.41	-58.07	-60.68	-56.17	-48.76	-27.00	-21.76
5320MHz	Pass	7G	18G	AV	7.47541G	7.41	-72.68	-72.09	-69.36	-61.95	-41.20	-20.75
5320MHz	Pass	7G	18G	AV	10.64203G	7.41	-74.01	-73.23	-70.59	-63.18	-41.20	-21.98
5320MHz	Pass	7G	18G	AV	15.95916G	7.41	-73.70	-74.07	-70.87	-63.46	-41.20	-22.26
5320MHz	Pass	18G	40G	AV	38.658G	7.41	-68.60	-67.65	-65.09	-57.68	-41.20	-16.48
5320MHz	Pass	7G	18G	PK	7.15572G	7.41	-63.71	-67.52	-62.20	-54.79	-27.00	-27.79

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5320MHz	Pass	7G	18G	PK	10.63825G	7.41	-63.10	-67.76	-61.82	-54.41	-21.20	-33.21
5320MHz	Pass	7G	18G	PK	15.96603G	7.41	-64.99	-66.55	-62.69	-55.28	-21.20	-34.08
5320MHz	Pass	18G	40G	PK	38.01244G	7.41	-59.32	-58.42	-55.84	-48.43	-27.00	-21.43
5500MHz	Pass	7G	18G	AV	7.49122G	7.41	-72.80	-72.26	-69.51	-62.10	-41.20	-20.90
5500MHz	Pass	7G	18G	AV	11.00056G	7.41	-76.30	-72.53	-71.01	-63.60	-41.20	-22.40
5500MHz	Pass	7G	18G	AV	16.19978G	7.41	-75.12	-75.00	-72.05	-64.64	-41.20	-23.44
5500MHz	Pass	18G	40G	AV	38.61813G	7.41	-67.29	-69.11	-65.10	-57.69	-41.20	-16.49
5500MHz	Pass	7G	18G	PK	10.99747G	7.41	-65.99	-66.63	-63.29	-55.88	-21.20	-34.68
5500MHz	Pass	7G	18G	PK	16.49678G	7.41	-65.51	-66.89	-63.14	-55.73	-27.00	-28.73
5500MHz	Pass	7G	18G	PK	16.64494G	7.41	-65.47	-64.84	-62.13	-54.72	-27.00	-27.72
5500MHz	Pass	18G	40G	PK	38.05438G	7.41	-59.64	-59.24	-56.43	-49.02	-27.00	-22.02
5580MHz	Pass	7G	18G	AV	11.15972G	7.41	-74.22	-69.68	-68.37	-60.96	-41.20	-19.76
5580MHz	Pass	7G	18G	AV	16.19978G	7.41	-74.51	-75.62	-72.02	-64.61	-41.20	-23.41
5580MHz	Pass	18G	40G	AV	38.60163G	7.41	-68.06	-68.00	-65.02	-57.61	-41.20	-16.41
5580MHz	Pass	7G	18G	PK	11.15903G	7.41	-67.93	-61.37	-60.50	-53.09	-21.20	-31.89
5580MHz	Pass	7G	18G	PK	16.74153G	7.41	-60.42	-67.51	-59.64	-52.23	-27.00	-25.23
5580MHz	Pass	18G	40G	PK	38.18638G	7.41	-60.02	-59.21	-56.59	-49.18	-27.00	-22.18
5700MHz	Pass	7G	18G	AV	7.44825G	7.41	-72.41	-72.56	-69.47	-62.06	-41.20	-20.86
5700MHz	Pass	7G	18G	AV	11.39966G	7.41	-73.59	-73.95	-70.76	-63.35	-41.20	-22.15
5700MHz	Pass	7G	18G	AV	17.70025G	7.41	-76.23	-76.76	-73.48	-66.07	-41.20	-24.87
5700MHz	Pass	18G	40G	AV	38.89381G	7.41	-67.94	-68.30	-65.11	-57.70	-41.20	-16.50
5700MHz	Pass	7G	18G	PK	11.39966G	7.41	-66.48	-65.13	-62.74	-55.33	-21.20	-34.13
5700MHz	Pass	7G	18G	PK	16.56553G	7.41	-63.94	-66.90	-62.16	-54.75	-27.00	-27.75
5700MHz	Pass	7G	18G	PK	17.10453G	7.41	-67.50	-67.63	-64.55	-57.14	-27.00	-30.14
5700MHz	Pass	18G	40G	PK	37.98219G	7.41	-59.02	-58.98	-55.99	-48.58	-27.00	-21.58
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	11.43919G	7.41	-73.47	-70.53	-68.75	-61.34	-41.20	-20.14
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	17.70025G	7.41	-77.01	-76.65	-73.82	-66.41	-41.20	-25.21
5720MHz Straddle 5.47-5.725GHz	Pass	18G	40G	AV	38.64356G	7.41	-67.97	-68.03	-64.99	-57.58	-41.20	-16.38
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	11.43953G	7.41	-65.85	-62.31	-60.72	-53.31	-21.20	-32.11
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	17.1585G	7.41	-57.86	-69.99	-57.60	-50.19	-27.00	-23.19
5720MHz Straddle 5.47-5.725GHz	Pass	18G	40G	PK	38.14513G	7.41	-60.53	-58.55	-56.42	-49.01	-27.00	-22.01
5745MHz	Pass	7G	18G	AV	11.49041G	7.41	-72.88	-68.75	-67.33	-59.92	-41.20	-18.72
5745MHz	Pass	7G	18G	AV	17.70025G	7.41	-75.68	-76.50	-73.06	-65.65	-41.20	-24.45
5745MHz	Pass	18G	40G	AV	38.73294G	7.41	-68.16	-67.77	-64.95	-57.54	-41.20	-16.34
5745MHz	Pass	7G	18G	PK	11.49041G	7.41	-61.36	-61.71	-58.52	-51.11	-21.20	-29.91
5745MHz	Pass	7G	18G	PK	17.23584G	7.41	-53.54	-69.42	-53.43	-46.02	-27.00	-19.02
5745MHz	Pass	18G	40G	PK	37.98425G	7.41	-59.10	-59.90	-56.47	-49.06	-27.00	-22.06
5785MHz	Pass	7G	18G	AV	11.5705G	7.41	-73.65	-67.78	-66.78	-59.37	-41.20	-18.17
5785MHz	Pass	7G	18G	AV	17.70025G	7.41	-77.06	-77.08	-74.06	-66.65	-41.20	-25.45
5785MHz	Pass	18G	40G	AV	38.62844G	7.41	-68.08	-68.26	-65.16	-57.75	-41.20	-16.55
5785MHz	Pass	7G	18G	PK	11.57394G	7.41	-68.25	-59.06	-58.57	-51.16	-21.20	-29.96
5785MHz	Pass	7G	18G	PK	17.34859G	7.41	-55.78	-69.50	-55.60	-48.19	-27.00	-21.19

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5785MHz	Pass	18G	40G	PK	33.33538G	7.41	-57.96	-61.78	-56.45	-49.04	-27.00	-22.04
5825MHz	Pass	7G	18G	AV	11.64991G	7.41	-70.69	-71.67	-68.14	-60.73	-41.20	-19.53
5825MHz	Pass	7G	18G	AV	17.70025G	7.41	-76.87	-75.94	-73.37	-65.96	-41.20	-24.76
5825MHz	Pass	18G	40G	AV	38.80375G	7.41	-68.35	-67.99	-65.16	-57.75	-41.20	-16.55
5825MHz	Pass	7G	18G	PK	11.64991G	7.41	-60.95	-63.23	-58.93	-51.52	-21.20	-30.32
5825MHz	Pass	7G	18G	PK	17.47234G	7.41	-55.87	-69.70	-55.69	-48.28	-27.00	-21.28
5825MHz	Pass	18G	40G	PK	38.16094G	7.41	-60.95	-57.67	-56.00	-48.59	-27.00	-21.59
802.11ax HEW20_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7G	18G	AV	7.48881G	7.41	-72.33	-72.31	-69.31	-61.90	-41.20	-20.70
5180MHz	Pass	7G	18G	AV	10.60009G	7.41	-78.29	-78.66	-75.46	-68.05	-41.20	-26.85
5180MHz	Pass	7G	18G	AV	15.52466G	7.41	-76.04	-74.80	-72.37	-64.96	-41.20	-23.76
5180MHz	Pass	18G	40G	AV	38.62981G	7.41	-68.36	-67.87	-65.10	-57.69	-41.20	-16.49
5180MHz	Pass	7G	18G	PK	10.36153G	7.41	-70.81	-64.72	-63.76	-56.35	-27.00	-29.35
5180MHz	Pass	7G	18G	PK	15.52672G	7.41	-68.52	-66.20	-64.20	-56.79	-21.20	-35.59
5180MHz	Pass	7G	18G	PK	16.55591G	7.41	-66.25	-63.83	-61.86	-54.45	-27.00	-27.45
5180MHz	Pass	18G	40G	PK	38.58444G	7.41	-59.48	-59.18	-56.32	-48.91	-27.00	-21.91
5200MHz	Pass	7G	18G	AV	7.46338G	7.41	-72.60	-72.09	-69.33	-61.92	-41.20	-20.72
5200MHz	Pass	7G	18G	AV	10.60009G	7.41	-78.31	-78.06	-75.17	-67.76	-41.20	-26.56
5200MHz	Pass	7G	18G	AV	15.58241G	7.41	-75.93	-75.57	-72.74	-65.33	-41.20	-24.13
5200MHz	Pass	18G	40G	AV	38.94881G	7.41	-68.01	-67.57	-64.77	-57.36	-41.20	-16.16
5200MHz	Pass	7G	18G	PK	10.40175G	7.41	-67.65	-65.65	-63.53	-56.12	-27.00	-29.12
5200MHz	Pass	7G	18G	PK	15.58275G	7.41	-65.63	-69.63	-64.17	-56.76	-21.20	-35.56
5200MHz	Pass	7G	18G	PK	16.66694G	7.41	-63.08	-65.37	-61.07	-53.66	-27.00	-26.66
5200MHz	Pass	18G	40G	PK	38.47375G	7.41	-58.75	-59.69	-56.18	-48.77	-27.00	-21.77
5240MHz	Pass	7G	18G	AV	7.47609G	7.41	-73.33	-71.87	-69.53	-62.12	-41.20	-20.92
5240MHz	Pass	7G	18G	AV	10.60009G	7.41	-77.55	-78.60	-75.03	-67.62	-41.20	-26.42
5240MHz	Pass	7G	18G	AV	15.71613G	7.41	-74.58	-76.79	-72.54	-65.13	-41.20	-23.93
5240MHz	Pass	18G	40G	AV	38.88694G	7.41	-68.06	-68.40	-65.22	-57.81	-41.20	-16.61
5240MHz	Pass	7G	18G	PK	10.47841G	7.41	-67.25	-64.58	-62.70	-55.29	-27.00	-28.29
5240MHz	Pass	7G	18G	PK	15.70994G	7.41	-66.71	-69.21	-64.77	-57.36	-21.20	-36.16
5240MHz	Pass	7G	18G	PK	16.66797G	7.41	-66.59	-63.55	-61.80	-54.39	-27.00	-27.39
5240MHz	Pass	18G	40G	PK	38.54113G	7.41	-59.78	-59.45	-56.60	-49.19	-27.00	-22.19
5260MHz	Pass	7G	18G	AV	7.47988G	7.41	-71.72	-73.35	-69.45	-62.04	-41.20	-20.84
5260MHz	Pass	7G	18G	AV	10.60009G	7.41	-79.20	-78.48	-75.81	-68.40	-41.20	-27.20
5260MHz	Pass	7G	18G	AV	15.77834G	7.41	-74.26	-76.49	-72.22	-64.81	-41.20	-23.61
5260MHz	Pass	18G	40G	AV	38.61194G	7.41	-68.83	-67.26	-64.96	-57.55	-41.20	-16.35
5260MHz	Pass	7G	18G	PK	10.52309G	7.41	-67.57	-62.21	-61.10	-53.69	-27.00	-26.69
5260MHz	Pass	7G	18G	PK	15.78316G	7.41	-66.22	-68.05	-64.03	-56.62	-21.20	-35.42
5260MHz	Pass	18G	40G	PK	38.16163G	7.41	-60.77	-58.48	-56.47	-49.06	-27.00	-22.06
5300MHz	Pass	7G	18G	AV	7.48847G	7.41	-72.80	-72.17	-69.46	-62.05	-41.20	-20.85
5300MHz	Pass	7G	18G	AV	10.60044G	7.41	-73.92	-74.17	-71.03	-63.62	-41.20	-22.42
5300MHz	Pass	7G	18G	AV	15.91172G	7.41	-74.79	-74.04	-71.39	-63.98	-41.20	-22.78

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5300MHz	Pass	18G	40G	AV	38.92269G	7.41	-67.15	-68.97	-64.96	-57.55	-41.20	-16.35
5300MHz	Pass	7G	18G	PK	10.59631G	7.41	-64.71	-66.56	-62.53	-55.12	-27.00	-28.12
5300MHz	Pass	7G	18G	PK	15.90038G	7.41	-66.34	-66.69	-63.50	-56.09	-21.20	-34.89
5300MHz	Pass	7G	18G	PK	16.27025G	7.41	-66.10	-63.15	-61.37	-53.96	-27.00	-26.96
5300MHz	Pass	18G	40G	PK	38.0035G	7.41	-59.21	-59.32	-56.25	-48.84	-27.00	-21.84
5320MHz	Pass	7G	18G	AV	7.49947G	7.41	-72.59	-72.38	-69.47	-62.06	-41.20	-20.86
5320MHz	Pass	7G	18G	AV	10.63894G	7.41	-73.89	-75.21	-71.49	-64.08	-41.20	-22.88
5320MHz	Pass	7G	18G	AV	15.97497G	7.41	-73.83	-74.32	-71.06	-63.65	-41.20	-22.45
5320MHz	Pass	18G	40G	AV	38.64631G	7.41	-68.23	-67.51	-64.84	-57.43	-41.20	-16.23
5320MHz	Pass	7G	18G	PK	10.64341G	7.41	-65.76	-65.40	-62.57	-55.16	-21.20	-33.96
5320MHz	Pass	7G	18G	PK	15.96466G	7.41	-66.07	-65.48	-62.75	-55.34	-21.20	-34.14
5320MHz	Pass	7G	18G	PK	16.63669G	7.41	-66.57	-63.56	-61.80	-54.39	-27.00	-27.39
5320MHz	Pass	18G	40G	PK	38.18569G	7.41	-57.45	-62.78	-56.33	-48.92	-27.00	-21.92
5500MHz	Pass	7G	18G	AV	7.49431G	7.41	-72.67	-72.25	-69.44	-62.03	-41.20	-20.83
5500MHz	Pass	7G	18G	AV	11.00056G	7.41	-75.82	-73.42	-71.45	-64.04	-41.20	-22.84
5500MHz	Pass	7G	18G	AV	16.19978G	7.41	-73.85	-75.08	-71.41	-64.00	-41.20	-22.80
5500MHz	Pass	18G	40G	AV	38.75013G	7.41	-68.80	-66.68	-64.60	-57.19	-41.20	-15.99
5500MHz	Pass	7G	18G	PK	7.24956G	7.41	-64.03	-66.29	-62.00	-54.59	-27.00	-27.59
5500MHz	Pass	7G	18G	PK	11.00606G	7.41	-70.38	-64.57	-63.56	-56.15	-21.20	-34.95
5500MHz	Pass	7G	18G	PK	16.51294G	7.41	-67.59	-64.99	-63.09	-55.68	-27.00	-28.68
5500MHz	Pass	18G	40G	PK	38.09838G	7.41	-61.29	-57.63	-56.08	-48.67	-27.00	-21.67
5580MHz	Pass	7G	18G	AV	11.16075G	7.41	-74.48	-70.01	-68.68	-61.27	-41.20	-20.07
5580MHz	Pass	7G	18G	AV	16.19978G	7.41	-76.22	-75.04	-72.58	-65.17	-41.20	-23.97
5580MHz	Pass	18G	40G	AV	38.8065G	7.41	-68.02	-68.13	-65.06	-57.65	-41.20	-16.45
5580MHz	Pass	7G	18G	PK	11.15972G	7.41	-66.76	-62.14	-60.85	-53.44	-21.20	-32.24
5580MHz	Pass	7G	18G	PK	16.73844G	7.41	-60.12	-67.97	-59.46	-52.05	-27.00	-25.05
5580MHz	Pass	18G	40G	PK	37.97119G	7.41	-57.88	-60.90	-56.12	-48.71	-27.00	-21.71
5700MHz	Pass	7G	18G	AV	7.45891G	7.41	-72.42	-72.19	-69.29	-61.88	-41.20	-20.68
5700MHz	Pass	7G	18G	AV	11.4G	7.41	-74.83	-74.65	-71.73	-64.32	-41.20	-23.12
5700MHz	Pass	7G	18G	AV	17.70025G	7.41	-76.50	-76.10	-73.29	-65.88	-41.20	-24.68
5700MHz	Pass	18G	40G	AV	38.61813G	7.41	-68.55	-67.87	-65.19	-57.78	-41.20	-16.58
5700MHz	Pass	7G	18G	PK	7.24338G	7.41	-63.80	-66.79	-62.03	-54.62	-27.00	-27.62
5700MHz	Pass	7G	18G	PK	11.40309G	7.41	-68.97	-65.03	-63.56	-56.15	-21.20	-34.95
5700MHz	Pass	7G	18G	PK	17.09319G	7.41	-66.64	-68.31	-64.38	-56.97	-27.00	-29.97
5700MHz	Pass	18G	40G	PK	33.27006G	7.41	-62.42	-57.54	-56.32	-48.91	-27.00	-21.91
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	7.49569G	7.41	-72.38	-72.18	-69.27	-61.86	-41.20	-20.66
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	11.43988G	7.41	-74.47	-71.01	-69.39	-61.98	-41.20	-20.78
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	17.70025G	7.41	-76.67	-76.06	-73.34	-65.93	-41.20	-24.73
5720MHz Straddle 5.47-5.725GHz	Pass	18G	40G	AV	38.79963G	7.41	-68.83	-66.85	-64.72	-57.31	-41.20	-16.11
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	11.44709G	7.41	-68.66	-60.01	-59.45	-52.04	-21.20	-30.84
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	17.16125G	7.41	-58.90	-69.48	-58.54	-51.13	-27.00	-24.13
5720MHz Straddle 5.47-5.725GHz	Pass	18G	40G	PK	38.02069G	7.41	-58.58	-60.20	-56.30	-48.89	-27.00	-21.89

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5745MHz	Pass	7G	18G	AV	11.49109G	7.41	-72.30	-69.32	-67.55	-60.14	-41.20	-18.94
5745MHz	Pass	7G	18G	AV	17.70025G	7.41	-76.65	-76.96	-73.79	-66.38	-41.20	-25.18
5745MHz	Pass	18G	40G	AV	38.7955G	7.41	-67.87	-67.97	-64.91	-57.50	-41.20	-16.30
5745MHz	Pass	7G	18G	PK	11.48044G	7.41	-68.52	-60.67	-60.01	-52.60	-21.20	-31.40
5745MHz	Pass	7G	18G	PK	17.22966G	7.41	-56.69	-69.86	-56.49	-49.08	-27.00	-22.08
5745MHz	Pass	18G	40G	PK	38.50263G	7.41	-58.46	-59.57	-55.97	-48.56	-27.00	-21.56
5785MHz	Pass	7G	18G	AV	11.56947G	7.41	-73.47	-68.89	-67.59	-60.18	-41.20	-18.98
5785MHz	Pass	7G	18G	AV	17.70025G	7.41	-76.18	-76.27	-73.21	-65.80	-41.20	-24.60
5785MHz	Pass	18G	40G	AV	38.90206G	7.41	-67.96	-68.25	-65.09	-57.68	-41.20	-16.48
5785MHz	Pass	7G	18G	PK	11.57566G	7.41	-67.90	-59.61	-59.01	-51.60	-21.20	-30.40
5785MHz	Pass	7G	18G	PK	17.35788G	7.41	-55.08	-67.06	-54.81	-47.40	-27.00	-20.40
5785MHz	Pass	18G	40G	PK	38.02413G	7.41	-57.95	-59.84	-55.78	-48.37	-27.00	-21.37
5825MHz	Pass	7G	18G	AV	11.6475G	7.41	-70.68	-72.24	-68.38	-60.97	-41.20	-19.77
5825MHz	Pass	7G	18G	AV	17.70025G	7.41	-77.82	-76.90	-74.33	-66.92	-41.20	-25.72
5825MHz	Pass	18G	40G	AV	38.82988G	7.41	-67.35	-68.57	-64.91	-57.50	-41.20	-16.30
5825MHz	Pass	7G	18G	PK	11.64819G	7.41	-66.07	-62.64	-61.01	-53.60	-21.20	-32.40
5825MHz	Pass	7G	18G	PK	17.46925G	7.41	-55.70	-67.30	-55.41	-48.00	-27.00	-21.00
5825MHz	Pass	18G	40G	PK	38.05231G	7.41	-58.70	-59.24	-55.95	-48.54	-27.00	-21.54
802.11ax HEW40_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	7G	18G	AV	7.49913G	7.41	-72.39	-72.31	-69.34	-61.93	-41.20	-20.73
5190MHz	Pass	7G	18G	AV	10.60009G	7.41	-79.09	-78.78	-75.92	-68.51	-41.20	-27.31
5190MHz	Pass	7G	18G	AV	15.54941G	7.41	-75.76	-75.29	-72.51	-65.10	-41.20	-23.90
5190MHz	Pass	18G	40G	AV	38.65594G	7.41	-68.32	-68.00	-65.15	-57.74	-41.20	-16.54
5190MHz	Pass	7G	18G	PK	10.39109G	7.41	-67.82	-67.32	-64.55	-57.14	-27.00	-30.14
5190MHz	Pass	7G	18G	PK	15.55456G	7.41	-66.93	-67.41	-64.15	-56.74	-21.20	-35.54
5190MHz	Pass	7G	18G	PK	16.65766G	7.41	-65.05	-64.53	-61.77	-54.36	-27.00	-27.36
5190MHz	Pass	18G	40G	PK	38.16988G	7.41	-60.19	-58.75	-56.40	-48.99	-27.00	-21.99
5230MHz	Pass	7G	18G	AV	7.46097G	7.41	-71.97	-72.85	-69.38	-61.97	-41.20	-20.77
5230MHz	Pass	7G	18G	AV	10.60009G	7.41	-78.76	-78.52	-75.63	-68.22	-41.20	-27.02
5230MHz	Pass	7G	18G	AV	15.71647G	7.41	-75.67	-75.25	-72.44	-65.03	-41.20	-23.83
5230MHz	Pass	18G	40G	AV	38.845G	7.41	-67.69	-67.96	-64.81	-57.40	-41.20	-16.20
5230MHz	Pass	7G	18G	PK	10.46844G	7.41	-68.99	-66.39	-64.49	-57.08	-27.00	-30.08
5230MHz	Pass	7G	18G	PK	15.70409G	7.41	-67.25	-67.78	-64.50	-57.09	-21.20	-35.89
5230MHz	Pass	7G	18G	PK	16.57309G	7.41	-63.97	-66.53	-62.05	-54.64	-27.00	-27.64
5230MHz	Pass	18G	40G	PK	38.08531G	7.41	-58.67	-60.31	-56.40	-48.99	-27.00	-21.99
5270MHz	Pass	7G	18G	AV	7.45203G	7.41	-72.66	-72.54	-69.59	-62.18	-41.20	-20.98
5270MHz	Pass	7G	18G	AV	10.60009G	7.41	-78.23	-78.86	-75.52	-68.11	-41.20	-26.91
5270MHz	Pass	7G	18G	AV	15.81581G	7.41	-74.92	-75.02	-71.96	-64.55	-41.20	-23.35
5270MHz	Pass	18G	40G	AV	38.64013G	7.41	-68.29	-67.67	-64.96	-57.55	-41.20	-16.35
5270MHz	Pass	7G	18G	PK	10.54613G	7.41	-66.31	-64.68	-62.41	-55.00	-27.00	-28.00
5270MHz	Pass	7G	18G	PK	15.83816G	7.41	-66.79	-66.88	-63.82	-56.41	-21.20	-35.21
5270MHz	Pass	7G	18G	PK	16.62672G	7.41	-64.21	-66.46	-62.18	-54.77	-27.00	-27.77

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5270MHz	Pass	18G	40G	PK	38.16094G	7.41	-59.07	-59.13	-56.09	-48.68	-27.00	-21.68
5310MHz	Pass	7G	18G	AV	7.48503G	7.41	-71.75	-72.91	-69.28	-61.87	-41.20	-20.67
5310MHz	Pass	7G	18G	AV	10.62106G	7.41	-75.33	-76.14	-72.71	-65.30	-41.20	-24.10
5310MHz	Pass	7G	18G	AV	15.96603G	7.41	-74.18	-73.64	-70.89	-63.48	-41.20	-22.28
5310MHz	Pass	18G	40G	AV	38.83675G	7.41	-68.80	-67.53	-65.11	-57.70	-41.20	-16.50
5310MHz	Pass	7G	18G	PK	10.59597G	7.41	-69.62	-70.47	-67.01	-59.60	-27.00	-32.60
5310MHz	Pass	7G	18G	PK	15.92788G	7.41	-67.54	-63.45	-62.02	-54.61	-21.20	-33.41
5310MHz	Pass	7G	18G	PK	16.44041G	7.41	-66.26	-64.17	-62.08	-54.67	-27.00	-27.67
5310MHz	Pass	18G	40G	PK	32.69806G	7.41	-58.63	-60.27	-56.36	-48.95	-27.00	-21.95
5510MHz	Pass	7G	18G	AV	7.49706G	7.41	-73.18	-72.15	-69.62	-62.21	-41.20	-21.01
5510MHz	Pass	7G	18G	AV	11.01294G	7.41	-76.43	-73.74	-71.87	-64.46	-41.20	-23.26
5510MHz	Pass	7G	18G	AV	16.19978G	7.41	-75.06	-75.60	-72.31	-64.90	-41.20	-23.70
5510MHz	Pass	18G	40G	AV	38.99969G	7.41	-67.34	-69.24	-65.18	-57.77	-41.20	-16.57
5510MHz	Pass	7G	18G	PK	11.01809G	7.41	-68.36	-65.39	-63.62	-56.21	-21.20	-35.01
5510MHz	Pass	7G	18G	PK	16.50263G	7.41	-66.98	-63.32	-61.77	-54.36	-27.00	-27.36
5510MHz	Pass	18G	40G	PK	37.88388G	7.41	-59.42	-59.46	-56.43	-49.02	-27.00	-22.02
5590MHz	Pass	7G	18G	AV	11.18756G	7.41	-75.12	-70.84	-69.46	-62.05	-41.20	-20.85
5590MHz	Pass	7G	18G	AV	16.19978G	7.41	-74.50	-74.75	-71.61	-64.20	-41.20	-23.00
5590MHz	Pass	18G	40G	AV	38.72469G	7.41	-68.16	-68.39	-65.26	-57.85	-41.20	-16.65
5590MHz	Pass	7G	18G	PK	11.18G	7.41	-65.70	-62.72	-60.95	-53.54	-21.20	-32.34
5590MHz	Pass	7G	18G	PK	16.76353G	7.41	-60.84	-69.52	-60.29	-52.88	-27.00	-25.88
5590MHz	Pass	18G	40G	PK	38.15544G	7.41	-58.48	-61.18	-56.61	-49.20	-27.00	-22.20
5670MHz	Pass	7G	18G	AV	7.46475G	7.41	-72.78	-72.51	-69.63	-62.22	-41.20	-21.02
5670MHz	Pass	7G	18G	AV	11.33847G	7.41	-77.64	-72.79	-71.56	-64.15	-41.20	-22.95
5670MHz	Pass	7G	18G	AV	17.70025G	7.41	-76.59	-76.00	-73.27	-65.86	-41.20	-24.66
5670MHz	Pass	18G	40G	AV	38.83056G	7.41	-67.76	-68.16	-64.95	-57.54	-41.20	-16.34
5670MHz	Pass	7G	18G	PK	11.34019G	7.41	-66.25	-65.99	-63.11	-55.70	-21.20	-34.50
5670MHz	Pass	7G	18G	PK	16.60884G	7.41	-65.41	-64.25	-61.78	-54.37	-27.00	-27.37
5670MHz	Pass	7G	18G	PK	16.99625G	7.41	-66.95	-68.06	-64.46	-57.05	-27.00	-30.05
5670MHz	Pass	18G	40G	PK	38.03169G	7.41	-58.30	-62.46	-56.89	-49.48	-27.00	-22.48
5710MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	7.49363G	7.41	-72.01	-72.80	-69.38	-61.97	-41.20	-20.77
5710MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	11.42475G	7.41	-74.84	-72.13	-70.27	-62.86	-41.20	-21.66
5710MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	17.70025G	7.41	-76.20	-75.26	-72.69	-65.28	-41.20	-24.08
5710MHz Straddle 5.47-5.725GHz	Pass	18G	40G	AV	38.603G	7.41	-67.79	-68.48	-65.11	-57.70	-41.20	-16.50
5710MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	11.41719G	7.41	-66.52	-64.12	-62.15	-54.74	-21.20	-33.54
5710MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	17.12894G	7.41	-61.00	-69.31	-60.40	-52.99	-27.00	-25.99
5710MHz Straddle 5.47-5.725GHz	Pass	18G	40G	PK	37.97738G	7.41	-60.57	-58.51	-56.41	-49.00	-27.00	-22.00
5755MHz	Pass	7G	18G	AV	11.51584G	7.41	-76.74	-70.14	-69.28	-61.87	-41.20	-20.67
5755MHz	Pass	7G	18G	AV	17.70025G	7.41	-76.20	-76.52	-73.35	-65.94	-41.20	-24.74
5755MHz	Pass	18G	40G	AV	38.867G	7.41	-68.18	-67.73	-64.94	-57.53	-41.20	-16.33
5755MHz	Pass	7G	18G	PK	11.51516G	7.41	-66.49	-63.07	-61.44	-54.03	-21.20	-32.83
5755MHz	Pass	7G	18G	PK	17.27091G	7.41	-60.56	-68.51	-59.91	-52.50	-27.00	-25.50

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5755MHz	Pass	18G	40G	PK	38.10525G	7.41	-60.04	-58.07	-55.93	-48.52	-27.00	-21.52
5795MHz	Pass	7G	18G	AV	11.58975G	7.41	-74.79	-70.30	-68.98	-61.57	-41.20	-20.37
5795MHz	Pass	7G	18G	AV	17.70025G	7.41	-76.31	-76.14	-73.21	-65.80	-41.20	-24.60
5795MHz	Pass	18G	40G	AV	38.78931G	7.41	-67.36	-68.58	-64.92	-57.51	-41.20	-16.31
5795MHz	Pass	7G	18G	PK	11.59731G	7.41	-68.06	-60.63	-59.91	-52.50	-21.20	-31.30
5795MHz	Pass	7G	18G	PK	17.37919G	7.41	-56.24	-66.58	-55.86	-48.45	-27.00	-21.45
5795MHz	Pass	18G	40G	PK	38.09288G	7.41	-58.96	-60.39	-56.61	-49.20	-27.00	-22.20
802.11ax HEW80_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	7G	18G	AV	7.49397G	7.41	-72.36	-72.41	-69.37	-61.96	-41.20	-20.76
5210MHz	Pass	7G	18G	AV	10.60009G	7.41	-78.29	-78.13	-75.20	-67.79	-41.20	-26.59
5210MHz	Pass	7G	18G	AV	15.61197G	7.41	-75.43	-75.35	-72.38	-64.97	-41.20	-23.77
5210MHz	Pass	18G	40G	AV	38.61813G	7.41	-68.51	-67.87	-65.17	-57.76	-41.20	-16.56
5210MHz	Pass	7G	18G	PK	10.34916G	7.41	-67.31	-68.00	-64.63	-57.22	-27.00	-30.22
5210MHz	Pass	7G	18G	PK	15.64016G	7.41	-66.43	-67.62	-63.97	-56.56	-21.20	-35.36
5210MHz	Pass	7G	18G	PK	16.61813G	7.41	-62.79	-68.26	-61.71	-54.30	-27.00	-27.30
5210MHz	Pass	18G	40G	PK	37.97188G	7.41	-57.58	-62.97	-56.48	-49.07	-27.00	-22.07
5290MHz	Pass	7G	18G	AV	7.46338G	7.41	-72.83	-72.33	-69.56	-62.15	-41.20	-20.95
5290MHz	Pass	7G	18G	AV	10.64616G	7.41	-77.32	-77.56	-74.43	-67.02	-41.20	-25.82
5290MHz	Pass	7G	18G	AV	15.91275G	7.41	-74.64	-73.77	-71.17	-63.76	-41.20	-22.56
5290MHz	Pass	18G	40G	AV	38.94056G	7.41	-68.99	-67.43	-65.13	-57.72	-41.20	-16.52
5290MHz	Pass	7G	18G	PK	10.58084G	7.41	-69.69	-67.87	-65.68	-58.27	-27.00	-31.27
5290MHz	Pass	7G	18G	PK	15.93406G	7.41	-65.39	-65.15	-62.26	-54.85	-21.20	-33.65
5290MHz	Pass	7G	18G	PK	16.64666G	7.41	-64.96	-64.21	-61.56	-54.15	-27.00	-27.15
5290MHz	Pass	18G	40G	PK	38.581G	7.41	-57.70	-59.96	-55.67	-48.26	-27.00	-21.26
5530MHz	Pass	7G	18G	AV	7.49466G	7.41	-72.35	-72.82	-69.57	-62.16	-41.20	-20.96
5530MHz	Pass	7G	18G	AV	11.08272G	7.41	-76.35	-75.67	-72.99	-65.58	-41.20	-24.38
5530MHz	Pass	7G	18G	AV	16.19978G	7.41	-74.78	-75.15	-71.95	-64.54	-41.20	-23.34
5530MHz	Pass	18G	40G	AV	38.65388G	7.41	-67.72	-68.32	-65.00	-57.59	-41.20	-16.39
5530MHz	Pass	7G	18G	PK	11.02634G	7.41	-65.78	-69.38	-64.21	-56.80	-21.20	-35.60
5530MHz	Pass	7G	18G	PK	16.42906G	7.41	-64.07	-65.32	-61.64	-54.23	-27.00	-27.23
5530MHz	Pass	7G	18G	PK	16.62053G	7.41	-64.50	-65.87	-62.12	-54.71	-27.00	-27.71
5530MHz	Pass	18G	40G	PK	37.88044G	7.41	-57.29	-63.16	-56.29	-48.88	-27.00	-21.88
5610MHz	Pass	7G	18G	AV	7.47163G	7.41	-71.85	-72.84	-69.31	-61.90	-41.20	-20.70
5610MHz	Pass	7G	18G	AV	11.24222G	7.41	-76.93	-73.75	-72.04	-64.63	-41.20	-23.43
5610MHz	Pass	7G	18G	AV	16.19978G	7.41	-74.32	-73.87	-71.08	-63.67	-41.20	-22.47
5610MHz	Pass	18G	40G	AV	38.60644G	7.41	-68.02	-67.96	-64.98	-57.57	-41.20	-16.37
5610MHz	Pass	7G	18G	PK	7.19216G	7.41	-64.87	-63.50	-61.12	-53.71	-27.00	-26.71
5610MHz	Pass	7G	18G	PK	11.23672G	7.41	-68.00	-65.48	-63.55	-56.14	-21.20	-34.94
5610MHz	Pass	7G	18G	PK	16.79963G	7.41	-65.60	-65.78	-62.68	-55.27	-27.00	-28.27
5610MHz	Pass	18G	40G	PK	38.1025G	7.41	-58.54	-60.87	-56.54	-49.13	-27.00	-22.13
5690MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	7.4675G	7.41	-72.04	-72.74	-69.37	-61.96	-41.20	-20.76
5690MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	11.39725G	7.41	-76.55	-73.03	-71.43	-64.02	-41.20	-22.82

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5690MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	17.70025G	7.41	-76.44	-77.67	-74.00	-66.59	-41.20	-25.39
5690MHz Straddle 5.47-5.725GHz	Pass	18G	40G	AV	38.6305G	7.41	-68.04	-68.37	-65.19	-57.78	-41.20	-16.58
5690MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	7.24131G	7.41	-63.31	-66.18	-61.50	-54.09	-27.00	-27.09
5690MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	11.39725G	7.41	-65.76	-65.28	-62.50	-55.09	-21.20	-33.89
5690MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	17.11038G	7.41	-63.29	-69.49	-62.36	-54.95	-27.00	-27.95
5690MHz Straddle 5.47-5.725GHz	Pass	18G	40G	PK	38.14719G	7.41	-58.43	-58.61	-55.51	-48.10	-27.00	-21.10
5775MHz	Pass	7G	18G	AV	7.49397G	7.41	-72.43	-72.22	-69.31	-61.90	-41.20	-20.70
5775MHz	Pass	7G	18G	AV	11.565G	7.41	-77.40	-71.85	-70.78	-63.37	-41.20	-22.17
5775MHz	Pass	7G	18G	AV	17.70025G	7.41	-77.53	-77.01	-74.25	-66.84	-41.20	-25.64
5775MHz	Pass	18G	40G	AV	38.60713G	7.41	-67.59	-68.52	-65.02	-57.61	-41.20	-16.41
5775MHz	Pass	7G	18G	PK	11.52513G	7.41	-70.12	-64.79	-63.67	-56.26	-21.20	-35.06
5775MHz	Pass	7G	18G	PK	16.59131G	7.41	-66.59	-62.95	-61.39	-53.98	-27.00	-26.98
5775MHz	Pass	7G	18G	PK	17.35581G	7.41	-65.36	-68.21	-63.54	-56.13	-27.00	-29.13
5775MHz	Pass	18G	40G	PK	38.12106G	7.41	-61.18	-58.59	-56.68	-49.27	-27.00	-22.27


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]


5180MHz



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5180MHz






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]


5200MHz



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5200MHz






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]


5240MHz



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5240MHz






5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]


5260MHz



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]


5260MHz



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5300MHz




Limit.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	10.59803G	-61.94	-63.47	-67.23
7G	18G	1M	PK	15.90361G	-63.47	-68.48	-65.11
18G	40G	1M	PK	38.07981G	-56.17	-58.07	-60.68

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5300MHz



Limit.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	10.6025G	-69.30	-71.39	-73.48
7G	18G	1M	AV	15.91378G	-71.57	-74.60	-74.49
18G	40G	1M	AV	38.60094G	-64.89	-67.65	-68.16



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]


5320MHz



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5320MHz







5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5500MHz





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	10.99747G	-63.29	-65.99	-66.63
7G	18G	1M	PK	16.49678G	-63.14	-65.51	-66.89
7G	18G	1M	PK	16.64494G	-62.13	-65.47	-64.84
18G	40G	1M	PK	38.05438G	-56.43	-59.64	-59.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5500MHz




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	7.49122G	-69.51	-72.80	-72.26
7G	18G	1M	AV	11.00056G	-71.01	-76.30	-72.53
7G	18G	1M	AV	16.19978G	-72.05	-75.12	-75.00
18G	40G	1M	AV	38.61813G	-65.10	-67.29	-69.11

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5580MHz




Limit.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	11.15903G	-60.50	-67.93	-61.37
7G	18G	1M	PK	16.74153G	-59.64	-60.42	-67.51
18G	40G	1M	PK	38.18638G	-56.59	-60.02	-59.21

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5580MHz



Limit.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	11.15972G	-68.37	-74.22	-69.68
7G	18G	1M	AV	16.19978G	-72.02	-74.51	-75.62
18G	40G	1M	AV	38.60163G	-65.02	-68.06	-68.00



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]


5700MHz



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5700MHz






5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]


5720MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]


5720MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5745MHz




Limit.PK
Sum.PK
Port 1
Port 2

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5745MHz




Limit.AV
Sum.AV
Port 1
Port 2

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5785MHz




Limit.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	11.57394G	-58.57	-68.25	-59.06
7G	18G	1M	PK	17.34859G	-55.60	-55.78	-69.50
18G	40G	1M	PK	33.33538G	-56.45	-57.96	-61.78

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5785MHz




Limit.AV
Sum.AV
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	11.5705G	-66.78	-73.65	-67.78
7G	18G	1M	AV	17.70025G	-74.06	-77.06	-77.08
18G	40G	1M	AV	38.62844G	-65.16	-68.08	-68.26

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5825MHz




Limit.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	11.64991G	-58.93	-60.95	-63.23
7G	18G	1M	PK	17.47234G	-55.69	-55.87	-69.70
18G	40G	1M	PK	38.16094G	-56.00	-60.95	-57.67

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5825MHz




Limit.AV
Sum.AV
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	11.64991G	-68.14	-70.69	-71.67
7G	18G	1M	AV	17.70025G	-73.37	-76.87	-75.94
18G	40G	1M	AV	38.80375G	-65.16	-68.35	-67.99

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]


5180MHz



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5180MHz







5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

5200MHz





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	10.40175G	-63.53	-67.65	-65.65
7G	18G	1M	PK	15.58275G	-64.17	-65.63	-69.63
7G	18G	1M	PK	16.66694G	-61.07	-63.08	-65.37
18G	40G	1M	PK	38.47375G	-56.18	-58.75	-59.69

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5200MHz





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	7.46338G	-69.33	-72.60	-72.09
7G	18G	1M	AV	10.60009G	-75.17	-78.31	-78.06
7G	18G	1M	AV	15.58241G	-72.74	-75.93	-75.57
18G	40G	1M	AV	38.94881G	-64.77	-68.01	-67.57



5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

5240MHz





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	10.47841G	-62.70	-67.25	-64.58
7G	18G	1M	PK	15.70994G	-64.77	-66.71	-69.21
7G	18G	1M	PK	16.66797G	-61.80	-66.59	-63.55
18G	40G	1M	PK	38.54113G	-56.60	-59.78	-59.45

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5240MHz




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	7.47609G	-69.53	-73.33	-71.87
7G	18G	1M	AV	10.60009G	-75.03	-77.55	-78.60
7G	18G	1M	AV	15.71613G	-72.54	-74.58	-76.79
18G	40G	1M	AV	38.88694G	-65.22	-68.06	-68.40



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]


5260MHz



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5260MHz






5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]


5300MHz



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5300MHz






5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]


5320MHz



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5320MHz






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]


5500MHz



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]


5500MHz



5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

5580MHz




Limit.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	11.15972G	-60.85	-66.76	-62.14
7G	18G	1M	PK	16.73944G	-59.46	-60.12	-67.97
18G	40G	1M	PK	37.97119G	-56.12	-57.88	-60.90

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5580MHz



Limit.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	11.16075G	-68.68	-74.48	-70.01
7G	18G	1M	AV	16.19978G	-72.58	-76.22	-75.04
18G	40G	1M	AV	38.8065G	-65.06	-68.02	-68.13



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	7.24338G	-62.03	-63.80	-66.79
7G	18G	1M	PK	11.40309G	-63.56	-68.97	-65.03
7G	18G	1M	PK	17.09319G	-64.38	-66.64	-68.31
18G	40G	1M	PK	33.27006G	-56.32	-62.42	-57.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	7.45891G	-69.29	-72.42	-72.19
7G	18G	1M	AV	11.4G	-71.73	-74.83	-74.65
7G	18G	1M	AV	17.70025G	-73.29	-76.50	-76.10
18G	40G	1M	AV	38.61813G	-65.19	-68.55	-67.87



5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]


5720MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz






5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

5745MHz




Limit.PK
Sum.PK
Port 1
Port 2

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5745MHz




Limit.AV
Sum.AV
Port 1
Port 2

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

5785MHz




Limit.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	11.57566G	-59.01	-67.90	-59.61
7G	18G	1M	PK	17.35788G	-54.81	-55.08	-67.06
18G	40G	1M	PK	38.02413G	-55.78	-57.95	-59.84

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

5785MHz



Limit.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	11.56947G	-67.59	-73.47	-68.89
7G	18G	1M	AV	17.70025G	-73.21	-76.18	-76.27
18G	40G	1M	AV	38.90206G	-65.09	-67.96	-68.25



5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]


5825MHz



5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]


5825MHz



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]


5190MHz



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5190MHz






5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

5230MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	10.46844G	-64.49	-68.99	-66.39
7G	18G	1M	PK	15.70409G	-64.50	-67.25	-67.78
7G	18G	1M	PK	16.57309G	-62.05	-63.97	-66.53
18G	40G	1M	PK	38.08531G	-56.40	-58.67	-60.31

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5230MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	7.46097G	-69.38	-71.97	-72.85
7G	18G	1M	AV	10.60009G	-75.63	-78.76	-78.52
7G	18G	1M	AV	15.71647G	-72.44	-75.67	-75.25
18G	40G	1M	AV	38.845G	-64.81	-67.69	-67.96

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]


5270MHz



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5270MHz






5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]


5310MHz



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5310MHz






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]


5510MHz



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5510MHz






5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

5590MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	11.18G	-60.95	-65.70	-62.72
7G	18G	1M	PK	16.76353G	-60.29	-60.84	-69.52
18G	40G	1M	PK	38.15544G	-56.61	-58.48	-61.18



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5590MHz



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	11.18736G	-69.46	-75.12	-70.84
7G	18G	1M	AV	16.19978G	-71.61	-74.50	-74.75
18G	40G	1M	AV	38.72469G	-65.26	-68.16	-68.39






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]


5670MHz



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5670MHz






5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]


5710MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5710MHz Straddle 5.47-5.725GHz






5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]


5755MHz



5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5755MHz






5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

5795MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	11.59731G	-59.91	-68.06	-60.63
7G	18G	1M	PK	17.37919G	-55.06	-56.24	-66.58
18G	40G	1M	PK	38.09288G	-56.61	-58.96	-60.39

Limit.PK
Sum.PK
Port 1
Port 2

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5795MHz



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	11.58975G	-68.98	-74.79	-70.30
7G	18G	1M	AV	17.70025G	-73.21	-76.31	-76.14
18G	40G	1M	AV	38.78931G	-64.92	-67.36	-68.58


Limit.AV
Sum.AV
Port 1
Port 2



5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]


5210MHz



5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

5210MHz







5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

5290MHz





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	10.58084G	-65.68	-69.69	-67.87
7G	18G	1M	PK	15.93406G	-62.26	-65.39	-65.15
7G	18G	1M	PK	16.64666G	-61.56	-64.96	-64.21
18G	40G	1M	PK	38.581G	-55.67	-57.70	-59.96

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

5290MHz





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	7.46338G	-69.56	-72.83	-72.33
7G	18G	1M	AV	10.64616G	-74.43	-77.32	-77.56
7G	18G	1M	AV	15.91275G	-71.17	-74.64	-73.77
18G	40G	1M	AV	38.94056G	-65.13	-68.99	-67.43



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

5530MHz





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	11.02634G	-64.21	-65.78	-69.38
7G	18G	1M	PK	16.42906G	-61.64	-64.07	-65.32
7G	18G	1M	PK	16.62053G	-62.12	-64.50	-65.87
18G	40G	1M	PK	37.88044G	-56.29	-57.29	-63.16

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

5530MHz




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	7.49466G	-69.57	-72.35	-72.82
7G	18G	1M	AV	11.08272G	-72.99	-76.35	-75.67
7G	18G	1M	AV	16.19978G	-71.95	-74.78	-75.15
18G	40G	1M	AV	38.65388G	-65.00	-67.72	-68.32



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	PK	7.19216G	-61.12	-64.87	-63.50
7G	18G	1M	PK	11.23672G	-63.55	-68.00	-65.48
7G	18G	1M	PK	16.79963G	-62.68	-65.60	-65.78
18G	40G	1M	PK	38.1025G	-56.54	-58.54	-60.87

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
7G	18G	1M	AV	7.47163G	-69.31	-71.85	-72.84
7G	18G	1M	AV	11.24222G	-72.04	-76.93	-73.75
7G	18G	1M	AV	16.19978G	-71.08	-74.32	-73.87
18G	40G	1M	AV	38.60644G	-64.98	-68.02	-67.96



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]


5690MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz






5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]


5775MHz



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

5775MHz





Unwanted Emissions (Below 1GHz)

Modulation	ax HE40-OFDMA	Test Freq. (MHz)	5710
Polarization	Horizontal		
Test By :Paul Lin Temperature(°C):25 Humidity(%):63			
Level (dBUV/m) <			



Modulation	ax HE40-OFDMA	Test Freq. (MHz)	5710
Polarization	Vertical		
Test By :Paul Lin Temperature(°C):25 Humidity(%):63			
Level (dBuV/m) </			



Modulation	ax HE20-OFDMA	Test Freq. (MHz)	5785
Polarization	Horizontal		
Test By :Paul Lin Temperature(°C):25 Humidity(%):63			
Level (dBuV/m)			




Modulation	ax HE20-OFDMA	Test Freq. (MHz)	5785
Polarization	Vertical		
Test By :Paul Lin Temperature(°C):25 Humidity(%):63			
Level (dBUV/m)			



Unwanted Emissions (Above 1GHz) for 11a

Modulation	11a	Test Freq. (MHz)	5180
Polarization	Horizontal		
Test By :Brad Wu Temperature(°C):24 Humidity(%):62			
Level (dBuV/m)			




Modulation	11a	Test Freq. (MHz)	5180																																																		
Polarization	Vertical																																																				
Test By :Brad Wu Temperature(°C):24 Humidity(%):62																																																					
Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>6906.67</td><td>48.06</td><td>68.20</td><td>-20.14</td><td>44.33</td><td>3.73</td><td>Peak</td><td>100</td><td>42</td></tr><tr><td>2</td><td>10360.00</td><td>54.52</td><td>68.20</td><td>-13.68</td><td>47.16</td><td>7.36</td><td>Peak</td><td>100</td><td>225</td></tr><tr><td>3</td><td>15540.00</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>38.50</td><td>3.96</td><td>Average</td><td>100</td><td>134</td></tr><tr><td>4</td><td>15540.00</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>51.65</td><td>3.96</td><td>Peak</td><td>100</td><td>134</td></tr></tbody></table> Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	6906.67	48.06	68.20	-20.14	44.33	3.73	Peak	100	42	2	10360.00	54.52	68.20	-13.68	47.16	7.36	Peak	100	225	3	15540.00	42.46	54.00	-11.54	38.50	3.96	Average	100	134	4	15540.00	55.61	74.00	-18.39	51.65	3.96	Peak	100	134
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																												
1	6906.67	48.06	68.20	-20.14	44.33	3.73	Peak	100	42																																												
2	10360.00	54.52	68.20	-13.68	47.16	7.36	Peak	100	225																																												
3	15540.00	42.46	54.00	-11.54	38.50	3.96	Average	100	134																																												
4	15540.00	55.61	74.00	-18.39	51.65	3.96	Peak	100	134																																												



Modulation	11a	Test Freq. (MHz)	5200																																																		
Polarization	Horizontal																																																				
Test By :Brad Wu Temperature(°C):24 Humidity(%):62																																																					
Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>6933.33</td><td>47.85</td><td>68.20</td><td>-20.35</td><td>43.99</td><td>3.86</td><td>Peak</td><td>100</td><td>65</td></tr><tr><td>2</td><td>10400.00</td><td>54.42</td><td>68.20</td><td>-13.78</td><td>47.08</td><td>7.34</td><td>Peak</td><td>100</td><td>211</td></tr><tr><td>3</td><td>15600.00</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>38.19</td><td>4.00</td><td>Average</td><td>100</td><td>177</td></tr><tr><td>4</td><td>15600.00</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>51.36</td><td>4.00</td><td>Peak</td><td>100</td><td>177</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	6933.33	47.85	68.20	-20.35	43.99	3.86	Peak	100	65	2	10400.00	54.42	68.20	-13.78	47.08	7.34	Peak	100	211	3	15600.00	42.19	54.00	-11.81	38.19	4.00	Average	100	177	4	15600.00	55.36	74.00	-18.64	51.36	4.00	Peak	100	177
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																												
1	6933.33	47.85	68.20	-20.35	43.99	3.86	Peak	100	65																																												
2	10400.00	54.42	68.20	-13.78	47.08	7.34	Peak	100	211																																												
3	15600.00	42.19	54.00	-11.81	38.19	4.00	Average	100	177																																												
4	15600.00	55.36	74.00	-18.64	51.36	4.00	Peak	100	177																																												
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).																																																					



Modulation	11a	Test Freq. (MHz)	5200																																																		
Polarization	Vertical																																																				
Test By :Brad Wu Temperature(°C):24 Humidity(%):62																																																					
																																																					
	<table><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr><tr><td>1</td><td>6933.33</td><td>48.15</td><td>68.20</td><td>-20.05</td><td>44.29</td><td>3.86</td><td>Peak</td><td>100</td><td>51</td></tr><tr><td>2</td><td>10400.00</td><td>54.68</td><td>68.20</td><td>-13.52</td><td>47.34</td><td>7.34</td><td>Peak</td><td>100</td><td>222</td></tr><tr><td>3</td><td>15600.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>38.33</td><td>4.00</td><td>Average</td><td>100</td><td>152</td></tr><tr><td>4</td><td>15600.00</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>51.56</td><td>4.00</td><td>Peak</td><td>100</td><td>152</td></tr></table>		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	6933.33	48.15	68.20	-20.05	44.29	3.86	Peak	100	51	2	10400.00	54.68	68.20	-13.52	47.34	7.34	Peak	100	222	3	15600.00	42.33	54.00	-11.67	38.33	4.00	Average	100	152	4	15600.00	55.56	74.00	-18.44	51.56	4.00	Peak	100	152		
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																												
1	6933.33	48.15	68.20	-20.05	44.29	3.86	Peak	100	51																																												
2	10400.00	54.68	68.20	-13.52	47.34	7.34	Peak	100	222																																												
3	15600.00	42.33	54.00	-11.67	38.33	4.00	Average	100	152																																												
4	15600.00	55.56	74.00	-18.44	51.56	4.00	Peak	100	152																																												
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).																																																					



Modulation	11a	Test Freq. (MHz)	5240
Polarization	Horizontal		
Test By :Brad Wu Temperature(°C):24 Humidity(%):62			
Level (dBuV/m) <			



Modulation	11a	Test Freq. (MHz)	5240
Polarization	Vertical		
Test By :Brad Wu Temperature(°C):24 Humidity(%):62			
Level (dBuV/m)			



Modulation	11a	Test Freq. (MHz)	5260																																																		
Polarization	Horizontal																																																				
Test By :Brad Wu Temperature(°C):24 Humidity(%):62																																																					
Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>7013.33</td><td>49.46</td><td>68.20</td><td>-18.74</td><td>45.17</td><td>4.29</td><td>Peak</td><td>100</td><td>61</td></tr><tr><td>2</td><td>10520.00</td><td>54.68</td><td>68.20</td><td>-13.52</td><td>47.54</td><td>7.14</td><td>Peak</td><td>100</td><td>93</td></tr><tr><td>3</td><td>15780.00</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>37.98</td><td>3.96</td><td>Average</td><td>100</td><td>207</td></tr><tr><td>4</td><td>15780.00</td><td>55.32</td><td>74.00</td><td>-18.68</td><td>51.36</td><td>3.96</td><td>Peak</td><td>100</td><td>207</td></tr></tbody></table> Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7013.33	49.46	68.20	-18.74	45.17	4.29	Peak	100	61	2	10520.00	54.68	68.20	-13.52	47.54	7.14	Peak	100	93	3	15780.00	41.94	54.00	-12.06	37.98	3.96	Average	100	207	4	15780.00	55.32	74.00	-18.68	51.36	3.96	Peak	100	207
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																												
1	7013.33	49.46	68.20	-18.74	45.17	4.29	Peak	100	61																																												
2	10520.00	54.68	68.20	-13.52	47.54	7.14	Peak	100	93																																												
3	15780.00	41.94	54.00	-12.06	37.98	3.96	Average	100	207																																												
4	15780.00	55.32	74.00	-18.68	51.36	3.96	Peak	100	207																																												




Modulation	11a	Test Freq. (MHz)	5260
Polarization	Vertical		
Test By :Brad Wu Temperature(°C):24 Humidity(%):62			
Level (dBUV/m) <			



Modulation	11a	Test Freq. (MHz)	5300
Polarization	Horizontal		
Test By :Brad Wu Temperature(°C):24 Humidity(%):62			
Level (dBUV/m)			



Modulation	11a	Test Freq. (MHz)	5300																																																												
Polarization	Vertical																																																														
Test By :Brad Wu Temperature(°C):24 Humidity(%):62																																																															
 <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBUV/m</th><th>Limit dBUV/m</th><th>Margin dB</th><th>SA reading dBUV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>7066.67</td><td>47.65</td><td>68.20</td><td>-20.55</td><td>43.00</td><td>4.65</td><td>Peak</td><td>100</td><td>41</td></tr><tr><td>2</td><td>10600.00</td><td>41.18</td><td>54.00</td><td>-12.82</td><td>33.64</td><td>7.54</td><td>Average</td><td>100</td><td>125</td></tr><tr><td>3</td><td>10600.00</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>47.18</td><td>7.54</td><td>Peak</td><td>100</td><td>125</td></tr><tr><td>4</td><td>15900.00</td><td>41.77</td><td>54.00</td><td>-12.23</td><td>37.44</td><td>4.33</td><td>Average</td><td>100</td><td>206</td></tr><tr><td>5</td><td>15900.00</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>51.09</td><td>4.33</td><td>Peak</td><td>100</td><td>206</td></tr></tbody></table> Note 1: Emission Level (dBUV/m) = SA Reading (dBUV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBUV/m) – Limit (dBUV/m).					Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7066.67	47.65	68.20	-20.55	43.00	4.65	Peak	100	41	2	10600.00	41.18	54.00	-12.82	33.64	7.54	Average	100	125	3	10600.00	54.72	74.00	-19.28	47.18	7.54	Peak	100	125	4	15900.00	41.77	54.00	-12.23	37.44	4.33	Average	100	206	5	15900.00	55.42	74.00	-18.58	51.09	4.33	Peak	100	206
	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																																						
1	7066.67	47.65	68.20	-20.55	43.00	4.65	Peak	100	41																																																						
2	10600.00	41.18	54.00	-12.82	33.64	7.54	Average	100	125																																																						
3	10600.00	54.72	74.00	-19.28	47.18	7.54	Peak	100	125																																																						
4	15900.00	41.77	54.00	-12.23	37.44	4.33	Average	100	206																																																						
5	15900.00	55.42	74.00	-18.58	51.09	4.33	Peak	100	206																																																						



Modulation	11a	Test Freq. (MHz)	5320
Polarization	Horizontal		
Test By :Brad Wu Temperature(°C):24 Humidity(%):62			
Level (dBuV/m)			