



11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.917	-43.43	-25	Pass	601
2555	2565	1	RMS	2564.967	-37.59	-13	Pass	601
2565	2569	1	RMS	2569	-28.87	-10	Pass	5
2569	2570	0.3	RMS	2569.995	-22.62	-10	Pass	601
2570	2585	0.1	RMS	2570.825	20.29	30	Pass	601




11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2553.95	-40.82	-25	Pass	601
2555	2565	1	RMS	2564.633	-31.24	-13	Pass	601
2565	2569	1	RMS	2569	-29.99	-10	Pass	5
2569	2570	0.3	RMS	2570	-29.86	-10	Pass	601
2570	2585	0.1	RMS	2575	1.12	30	Pass	601




11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	21.51	30	Pass	601
2620	2621	0.3	RMS	2620	-21.57	-10	Pass	601
2621	2625	1	RMS	2621	-28.53	-10	Pass	5
2625	2635	1	RMS	2625.167	-37.55	-13	Pass	601
2635	2645	1	RMS	2635.017	-42.95	-25	Pass	601




11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2617.625	2.57	30	Pass	601
2620	2621	0.3	RMS	2620.005	-25.5	-10	Pass	601
2621	2625	1	RMS	2621	-25.73	-10	Pass	5
2625	2635	1	RMS	2625.617	-26.6	-13	Pass	601
2635	2645	1	RMS	2636.15	-37.36	-25	Pass	601




11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.45	30	Pass	601
2620	2621	0.3	RMS	2620.003	-22.96	-10	Pass	601
2621	2625	1	RMS	2621	-30.56	-10	Pass	5
2625	2635	1	RMS	2625	-39.26	-13	Pass	601
2635	2645	1	RMS	2635.15	-43.77	-25	Pass	601




11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.375	1.57	30	Pass	601
2620	2621	0.3	RMS	2620.007	-28.68	-10	Pass	601
2621	2625	1	RMS	2621	-28.72	-10	Pass	5
2625	2635	1	RMS	2625.033	-29.65	-13	Pass	601
2635	2645	1	RMS	2636.25	-38.95	-25	Pass	601




11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.608	-43.66	-25	Pass	601
2550	2565	1	RMS	2564.975	-36.09	-13	Pass	601
2565	2569	1	RMS	2569	-28.03	-10	Pass	5
2569	2570	0.51	RMS	2569.997	-19.7	-10	Pass	601
2570	2590	0.1	RMS	2571.067	20.97	30	Pass	601




11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.85	-41.01	-25	Pass	601
2550	2565	1	RMS	2564.925	-29.91	-13	Pass	601
2565	2569	1	RMS	2569	-29.04	-10	Pass	5
2569	2570	0.51	RMS	2569.997	-27.11	-10	Pass	601
2570	2590	0.1	RMS	2575.8	1.04	30	Pass	601




11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.958	-43.73	-25	Pass	601
2550	2565	1	RMS	2564.975	-36.36	-13	Pass	601
2565	2569	1	RMS	2569	-28.17	-10	Pass	5
2569	2570	0.51	RMS	2569.997	-19.17	-10	Pass	601
2570	2590	0.1	RMS	2571.1	20.07	30	Pass	601




11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.983	-42.06	-25	Pass	601
2550	2565	1	RMS	2565	-31.47	-13	Pass	601
2565	2569	1	RMS	2569	-30.85	-10	Pass	5
2569	2570	0.51	RMS	2569.99	-29.27	-10	Pass	601
2570	2590	0.1	RMS	2574.833	0.02	30	Pass	601




11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.933	21.36	30	Pass	601
2620	2621	0.51	RMS	2620.003	-20.16	-10	Pass	601
2621	2625	1	RMS	2621	-29.82	-10	Pass	5
2625	2640	1	RMS	2625.05	-37.71	-13	Pass	601
2640	2645	1	RMS	2640.167	-43.81	-25	Pass	601




11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.267	1.38	30	Pass	601
2620	2621	0.51	RMS	2620.002	-26.5	-10	Pass	601
2621	2625	1	RMS	2621	-28.92	-10	Pass	5
2625	2640	1	RMS	2625.1	-28.93	-13	Pass	601
2640	2645	1	RMS	2640.017	-38.83	-25	Pass	601




11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.867	20.03	30	Pass	601
2620	2621	0.51	RMS	2620.003	-19.94	-10	Pass	601
2621	2625	1	RMS	2621	-28.98	-10	Pass	5
2625	2640	1	RMS	2625.05	-37.16	-13	Pass	601
2640	2645	1	RMS	2640.025	-43.57	-25	Pass	601



11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.867	0.27	30	Pass	601
2620	2621	0.51	RMS	2620.008	-28.66	-10	Pass	601
2621	2625	1	RMS	2621	-30.94	-10	Pass	5
2625	2640	1	RMS	2625.025	-31.93	-13	Pass	601
2640	2645	1	RMS	2640.008	-40.52	-25	Pass	601



12. LTE_Band41


12.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.975	-40.61	-25	Pass	601
2490	2495	1	RMS	2495	-27.29	-13	Pass	6
2495	2496	0.01	RMS	2495.997	-29.56	-13	Pass	601
2496	2501	0.1	RMS	2496.358	20.81	30	Pass	601




12.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-36.7	-25	Pass	601
2490	2495	1	RMS	2495	-25.5	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-29.72	-13	Pass	601
2496	2501	0.1	RMS	2499.892	6.76	30	Pass	601




12.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-40.45	-25	Pass	601
2490	2495	1	RMS	2495	-27.19	-13	Pass	6
2495	2496	0.1	RMS	2496	-18.43	-13	Pass	601
2496	2501	0.1	RMS	2496.342	20.45	30	Pass	601




12.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-37.79	-25	Pass	601
2490	2495	1	RMS	2495	-27.48	-13	Pass	6
2495	2496	0.051	RMS	2496	-30.49	-13	Pass	601
2496	2501	0.1	RMS	2499.675	6.04	30	Pass	601



12.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.667	22.09	30	Pass	601
2690	2691	0.051	RMS	2690	-20.61	-10	Pass	601
2691	2695	1	RMS	2691	-25.15	-10	Pass	5
2695	2696	1	RMS	2695.002	-36.93	-13	Pass	601
2696	2715	1	RMS	2696.032	-38.59	-25	Pass	601




12.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.817	7.26	30	Pass	601
2690	2691	0.1	RMS	2690.003	-25.32	-10	Pass	601
2691	2695	1	RMS	2691	-23.24	-10	Pass	5
2695	2696	1	RMS	2695	-32.45	-13	Pass	601
2696	2715	1	RMS	2696.032	-35.74	-25	Pass	601



12.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.658	20.85	30	Pass	601
2690	2691	0.01	RMS	2690.002	-28.44	-10	Pass	601
2691	2695	1	RMS	2691	-25.53	-10	Pass	5
2695	2696	1	RMS	2695.002	-37.08	-13	Pass	601
2696	2715	1	RMS	2696	-38.48	-25	Pass	601




12.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.742	6.57	30	Pass	601
2690	2691	0.1	RMS	2690.002	-26.92	-10	Pass	601
2691	2695	1	RMS	2691	-25.61	-10	Pass	5
2695	2696	1	RMS	2695.008	-34.41	-13	Pass	601
2696	2715	1	RMS	2696	-36.87	-25	Pass	601




12.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-39.83	-25	Pass	601
2490	2495	1	RMS	2495	-28.01	-13	Pass	6
2495	2496	0.1	RMS	2496	-25.74	-13	Pass	11
2496	2506	0.1	RMS	2496.567	20.8	30	Pass	601




12.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.48	-25	Pass	16
2490	2495	1	RMS	2495	-26.9	-13	Pass	6
2495	2496	0.1	RMS	2495.997	-30.99	-13	Pass	601
2496	2506	0.1	RMS	2504.717	3.82	30	Pass	601




12.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-39.97	-25	Pass	601
2490	2495	1	RMS	2495	-28.16	-13	Pass	6
2495	2496	0.1	RMS	2496	-25.96	-13	Pass	11
2496	2506	0.1	RMS	2496.583	20.62	30	Pass	601




12.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.84	-25	Pass	16
2490	2495	1	RMS	2495	-30.03	-13	Pass	6
2495	2496	0.1	RMS	2496	-34.11	-13	Pass	601
2496	2506	0.1	RMS	2504.4	2.92	30	Pass	601




12.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.417	21.85	30	Pass	601
2690	2691	0.2	RMS	2690.002	-21.53	-10	Pass	601
2691	2695	1	RMS	2691	-27.47	-10	Pass	5
2695	2700	1	RMS	2695.05	-37.76	-13	Pass	601
2700	2715	1	RMS	2700.025	-42	-25	Pass	601




12.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.8	4.49	30	Pass	601
2690	2691	0.2	RMS	2690.025	-27.15	-10	Pass	601
2691	2695	1	RMS	2691	-25.58	-10	Pass	5
2695	2700	1	RMS	2695.267	-28.06	-13	Pass	601
2700	2715	1	RMS	2700.025	-35.4	-25	Pass	601




12.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	20.84	30	Pass	601
2690	2691	0.2	RMS	2690	-23.64	-10	Pass	601
2691	2695	1	RMS	2691	-29.44	-10	Pass	5
2695	2700	1	RMS	2695.017	-39.51	-13	Pass	601
2700	2715	1	RMS	2700	-43.13	-25	Pass	601




12.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2682.5	3.44	30	Pass	601
2690	2691	0.2	RMS	2690.003	-29.42	-10	Pass	601
2691	2695	1	RMS	2691	-28.32	-10	Pass	5
2695	2700	1	RMS	2695.025	-31.31	-13	Pass	601
2700	2715	1	RMS	2700.025	-37.63	-25	Pass	601




12.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.825	-37.32	-25	Pass	601
2490	2495	1	RMS	2495	-27.03	-13	Pass	6
2495	2496	0.15	RMS	2495.995	-23.06	-13	Pass	601
2496	2511	0.1	RMS	2496.85	22.72	30	Pass	601




12.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.82	-25	Pass	16
2490	2495	1	RMS	2494	-28.61	-13	Pass	6
2495	2496	0.15	RMS	2495.997	-31	-13	Pass	601
2496	2511	0.1	RMS	2509.8	2.06	30	Pass	601




12.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-38.12	-25	Pass	601
2490	2495	1	RMS	2495	-28.21	-13	Pass	6
2495	2496	0.15	RMS	2495.982	-24.22	-13	Pass	601
2496	2511	0.1	RMS	2496.875	22.08	30	Pass	601




12.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.95	-25	Pass	16
2490	2495	1	RMS	2495	-31.47	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-34.33	-13	Pass	601
2496	2511	0.1	RMS	2509.25	1.33	30	Pass	601



12.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.15	23.5	30	Pass	601
2690	2691	0.3	RMS	2690.02	-18.94	-10	Pass	601
2691	2695	1	RMS	2691	-27.06	-10	Pass	5
2695	2705	1	RMS	2695.017	-35.5	-13	Pass	601
2705	2715	1	RMS	2705.167	-42.66	-25	Pass	601




12.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.125	2.65	30	Pass	601
2690	2691	0.3	RMS	2690	-26.73	-10	Pass	601
2691	2695	1	RMS	2692	-27.32	-10	Pass	5
2695	2705	1	RMS	2695.5	-28.2	-13	Pass	601
2705	2715	1	RMS	2705.033	-37.74	-25	Pass	601



12.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	22.13	30	Pass	601
2690	2691	0.3	RMS	2690.012	-20.12	-10	Pass	601
2691	2695	1	RMS	2691	-29.36	-10	Pass	5
2695	2705	1	RMS	2695.033	-37.22	-13	Pass	601
2705	2715	1	RMS	2705.183	-43.61	-25	Pass	601




12.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2675.925	1.6	30	Pass	601
2690	2691	0.3	RMS	2690.002	-30.08	-10	Pass	601
2691	2695	1	RMS	2692	-30.38	-10	Pass	5
2695	2705	1	RMS	2695.167	-31.37	-13	Pass	601
2705	2715	1	RMS	2705.9	-39.26	-25	Pass	601




12.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-38.59	-25	Pass	601
2490	2495	1	RMS	2495	-28.07	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-27.01	-13	Pass	601
2496	2516	0.1	RMS	2497.067	20.3	30	Pass	601




12.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.575	-32.58	-25	Pass	601
2490	2495	1	RMS	2495	-30.14	-13	Pass	6
2495	2496	0.2	RMS	2495.973	-32.59	-13	Pass	601
2496	2516	0.1	RMS	2510.933	0.65	30	Pass	601




12.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.76	-25	Pass	601
2490	2495	1	RMS	2495	-28.29	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-26.95	-13	Pass	601
2496	2516	0.1	RMS	2497.1	19.83	30	Pass	601




12.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.05	-25	Pass	16
2490	2495	1	RMS	2495	-32.63	-13	Pass	6
2495	2496	0.2	RMS	2495.962	-35.29	-13	Pass	601
2496	2516	0.1	RMS	2513.033	-0.27	30	Pass	601




12.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.06	30	Pass	601
2690	2691	0.51	RMS	2690.002	-20.25	-10	Pass	601
2691	2695	1	RMS	2691	-29.58	-10	Pass	5
2695	2710	1	RMS	2695	-37.98	-13	Pass	601
2710	2715	1	RMS	2710.15	-44.35	-25	Pass	601




12.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.233	1.62	30	Pass	601
2690	2691	0.51	RMS	2690.015	-28.74	-10	Pass	601
2691	2695	1	RMS	2691	-31.51	-10	Pass	5
2695	2710	1	RMS	2695.4	-31.74	-13	Pass	601
2710	2715	1	RMS	2710.025	-39.98	-25	Pass	601



12.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.867	20.1	30	Pass	601
2690	2691	0.51	RMS	2690	-19.9	-10	Pass	601
2691	2695	1	RMS	2691	-28.77	-10	Pass	5
2695	2710	1	RMS	2695.05	-37.55	-13	Pass	601
2710	2715	1	RMS	2710.142	-44.29	-25	Pass	601



12.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2674.633	0.52	30	Pass	601
2690	2691	0.51	RMS	2690.002	-30.1	-10	Pass	601
2691	2695	1	RMS	2691	-33.38	-10	Pass	5
2695	2710	1	RMS	2695.575	-34.36	-13	Pass	601
2710	2715	1	RMS	2710.05	-41.66	-25	Pass	601



13. LTE_Band42_IC


13.1. LTE Band Edge(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3430	3440	1	RMS	3439.983	-44.07	-30	Pass	601
3440	3445	1	RMS	3444.933	-39.91	-25	Pass	601
3445	3449	1	RMS	3449	-29.09	-10	Pass	5
3449	3450	0.0051	RMS	3450	-34.83	-13	Pass	601
3450	3455	0.1	RMS	3450.342	18.42	30	Pass	601




13.2. LTE Band Edge(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3430	3440	1	RMS	3439.633	-45.36	-30	Pass	601
3440	3445	1	RMS	3444.967	-36.53	-25	Pass	601
3445	3449	1	RMS	3449	-22.58	-10	Pass	5
3449	3450	0.0051	RMS	3450	-39.62	-13	Pass	601
3450	3455	0.1	RMS	3451.667	4.34	30	Pass	601




13.3. LTE Band Edge(NTNV)(Subtest:3, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3430	3440	1	RMS	3439.867	-44.08	-30	Pass	601
3440	3445	1	RMS	3445	-39.99	-25	Pass	601
3445	3449	1	RMS	3449	-29.16	-10	Pass	5
3449	3450	0.0051	RMS	3450	-35.38	-13	Pass	601
3450	3455	0.1	RMS	3450.333	17.43	30	Pass	601




13.4. LTE Band Edge(NTNV)(Subtest:4, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3430	3440	1	RMS	3439.733	-45.05	-30	Pass	601
3440	3445	1	RMS	3444.975	-36.9	-25	Pass	601
3445	3449	1	RMS	3449	-23.43	-10	Pass	5
3449	3450	0.0051	RMS	3449.998	-40.95	-13	Pass	601
3450	3455	0.1	RMS	3453.658	3.34	30	Pass	601




13.5. LTE Band Edge(NTNV)(Subtest:5, Channel:43565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3600	0.1	RMS	3599.658	18.34	30	Pass	601
3600	3601	0.0051	RMS	3600	-34.25	-13	Pass	601
3601	3605	1	RMS	3601	-28.04	-10	Pass	5
3605	3610	1	RMS	3605.067	-38.84	-25	Pass	601
3610	3620	1	RMS	3610.15	-42.43	-30	Pass	601




13.6. LTE Band Edge(NTNV)(Subtest:6, Channel:43565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3600	0.1	RMS	3596.808	3.89	30	Pass	601
3600	3601	0.0051	RMS	3600.017	-40.63	-13	Pass	601
3601	3605	1	RMS	3601	-23.95	-10	Pass	5
3605	3610	1	RMS	3605	-35.96	-25	Pass	601
3610	3620	1	RMS	3610.067	-43.05	-30	Pass	601




13.7. LTE Band Edge(NTNV)(Subtest:7, Channel:43565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3600	0.1	RMS	3599.642	17.48	30	Pass	601
3600	3601	0.0051	RMS	3600.01	-34.97	-13	Pass	601
3601	3605	1	RMS	3601	-28.67	-10	Pass	5
3605	3610	1	RMS	3605.05	-38.97	-25	Pass	601
3610	3620	1	RMS	3610.067	-42.28	-30	Pass	601




13.8. LTE Band Edge(NTNV)(Subtest:8, Channel:43565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3600	0.1	RMS	3598.958	2.84	30	Pass	601
3600	3601	0.0051	RMS	3600.042	-42.32	-13	Pass	601
3601	3605	1	RMS	3601	-25.3	-10	Pass	5
3605	3610	1	RMS	3605.008	-37.65	-25	Pass	601
3610	3620	1	RMS	3610.083	-43.34	-30	Pass	601




13.9. LTE Band Edge(NTNV)(Subtest:9, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3430	3435	1	RMS	3434.992	-45.44	-30	Pass	601
3435	3440	1	RMS	3439.983	-43.67	-25	Pass	601
3440	3445	1	RMS	3444.883	-39.85	-13	Pass	601
3445	3449	1	RMS	3449	-29.97	-10	Pass	5
3449	3450	0.01	RMS	3449.98	-41.11	-13	Pass	101
3450	3460	0.1	RMS	3450.583	18.45	30	Pass	601




13.10. LTE Band Edge(NTNV)(Subtest:10, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3430	3435	1	RMS	3434.908	-44.88	-30	Pass	601
3435	3440	1	RMS	3439.933	-40.33	-25	Pass	601
3440	3445	1	RMS	3445	-27.63	-13	Pass	601
3445	3449	1	RMS	3449	-24.63	-10	Pass	5
3449	3450	0.01	RMS	3449.99	-41.2	-13	Pass	101
3450	3460	0.1	RMS	3454.25	1.38	30	Pass	601




13.11. LTE Band Edge(NTNV)(Subtest:11, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3430	3435	1	RMS	3434.842	-45.68	-30	Pass	601
3435	3440	1	RMS	3439.825	-44.11	-25	Pass	601
3440	3445	1	RMS	3444.992	-39.85	-13	Pass	601
3445	3449	1	RMS	3449	-30.48	-10	Pass	5
3449	3450	0.01	RMS	3449.99	-41.84	-13	Pass	101
3450	3460	0.1	RMS	3450.567	17.45	30	Pass	601




13.12. LTE Band Edge(NTNV)(Subtest:12, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3430	3435	1	RMS	3434.875	-46.01	-30	Pass	601
3435	3440	1	RMS	3439.892	-41.3	-25	Pass	601
3440	3445	1	RMS	3444.983	-28.79	-13	Pass	601
3445	3449	1	RMS	3449	-25.87	-10	Pass	5
3449	3450	0.01	RMS	3449.89	-42.02	-13	Pass	101
3450	3460	0.1	RMS	3453.833	0.12	30	Pass	601




13.13. LTE Band Edge(NTNV)(Subtest:13, Channel:43540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3600	0.1	RMS	3599.433	18.03	30	Pass	601
3600	3601	0.01	RMS	3600.007	-40.19	-13	Pass	601
3601	3605	1	RMS	3601	-30.64	-10	Pass	5
3605	3610	1	RMS	3605.058	-39.71	-13	Pass	601
3610	3615	1	RMS	3610.017	-42.37	-25	Pass	601
3615	3620	1	RMS	3615.15	-43.43	-30	Pass	601




13.14. LTE Band Edge(NTNV)(Subtest:14, Channel:43540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3600	0.1	RMS	3593.8	1.09	30	Pass	601
3600	3601	0.01	RMS	3600.045	-41.83	-13	Pass	601
3601	3605	1	RMS	3601	-25.68	-10	Pass	5
3605	3610	1	RMS	3605.008	-28.38	-13	Pass	601
3610	3615	1	RMS	3610.017	-39.2	-25	Pass	601
3615	3620	1	RMS	3615.075	-42.99	-30	Pass	601




13.15. LTE Band Edge(NTNV)(Subtest:15, Channel:43540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3600	0.1	RMS	3599.433	16.95	30	Pass	601
3600	3601	0.01	RMS	3600.015	-42.24	-13	Pass	601
3601	3605	1	RMS	3601	-32.35	-10	Pass	5
3605	3610	1	RMS	3605.208	-40.68	-13	Pass	601
3610	3615	1	RMS	3610.008	-43.03	-25	Pass	601
3615	3620	1	RMS	3615.592	-43.7	-30	Pass	601




13.16. LTE Band Edge(NTNV)(Subtest:16, Channel:43540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3600	0.1	RMS	3593.267	0.01	30	Pass	601
3600	3601	0.01	RMS	3600.037	-43.21	-13	Pass	601
3601	3605	1	RMS	3601	-27.09	-10	Pass	5
3605	3610	1	RMS	3605.025	-30.18	-13	Pass	601
3610	3615	1	RMS	3610.017	-39.92	-25	Pass	601
3615	3620	1	RMS	3615.017	-43.33	-30	Pass	601




13.17. LTE Band Edge(NTNV)(Subtest:17, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3425	3430	1	RMS	3429.592	-46.12	-30	Pass	601
3430	3435	1	RMS	3434.9	-45.36	-25	Pass	601
3435	3445	1	RMS	3445	-39.53	-13	Pass	601
3445	3449	0.5	RMS	3449	-34.02	-10	Pass	9
3449	3450	0.015	RMS	3449.997	-40.03	-13	Pass	601
3450	3465	0.1	RMS	3450.875	17.88	30	Pass	601




13.18. LTE Band Edge(NTNV)(Subtest:18, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3425	3430	1	RMS	3429.758	-45.29	-30	Pass	601
3430	3435	1	RMS	3435	-41.41	-25	Pass	601
3435	3445	1	RMS	3443.967	-27.82	-13	Pass	601
3445	3449	0.5	RMS	3448	-28.9	-10	Pass	9
3449	3450	0.015	RMS	3450	-39.91	-13	Pass	601
3450	3465	0.1	RMS	3456.875	-0.65	30	Pass	601




13.19. LTE Band Edge(NTNV)(Subtest:19, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3425	3430	1	RMS	3429.975	-46.15	-30	Pass	601
3430	3435	1	RMS	3434.867	-45.52	-25	Pass	601
3435	3445	1	RMS	3444.85	-39.68	-13	Pass	601
3445	3449	0.5	RMS	3449	-34.45	-10	Pass	9
3449	3450	0.015	RMS	3449.998	-40.9	-13	Pass	601
3450	3465	0.1	RMS	3450.825	17.44	30	Pass	601




13.20. LTE Band Edge(NTNV)(Subtest:20, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3425	3430	1	RMS	3429.9	-45.67	-30	Pass	601
3430	3435	1	RMS	3434.892	-42.16	-25	Pass	601
3435	3445	1	RMS	3445	-28.88	-13	Pass	601
3445	3449	0.5	RMS	3448	-30.1	-10	Pass	9
3449	3450	0.015	RMS	3449.997	-42.91	-13	Pass	601
3450	3465	0.1	RMS	3456.55	-1.62	30	Pass	601




13.21. LTE Band Edge(NTNV)(Subtest:21, Channel:43515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3585	3600	0.1	RMS	3599.15	17.96	30	Pass	601
3600	3601	0.015	RMS	3600.012	-41.21	-13	Pass	601
3601	3605	1	RMS	3601	-31.38	-10	Pass	5
3605	3615	1	RMS	3605.05	-39.32	-13	Pass	601
3615	3620	1	RMS	3615.05	-43.3	-25	Pass	601
3620	3625	1	RMS	3620.492	-43.74	-30	Pass	601




13.22. LTE Band Edge(NTNV)(Subtest:22, Channel:43515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3585	3600	0.1	RMS	3591.95	-1.02	30	Pass	601
3600	3601	0.015	RMS	3600.01	-41.67	-13	Pass	601
3601	3605	1	RMS	3602	-26.96	-10	Pass	5
3605	3615	1	RMS	3606.017	-28.78	-13	Pass	601
3615	3620	1	RMS	3615.017	-40.59	-25	Pass	601
3620	3625	1	RMS	3620.017	-43.22	-30	Pass	601




13.23. LTE Band Edge(NTNV)(Subtest:23, Channel:43515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3585	3600	0.1	RMS	3599.15	16.88	30	Pass	601
3600	3601	0.015	RMS	3600	-41.84	-13	Pass	601
3601	3605	1	RMS	3601	-32.92	-10	Pass	5
3605	3615	1	RMS	3605.083	-40.5	-13	Pass	601
3615	3620	1	RMS	3615.275	-43.7	-25	Pass	601
3620	3625	1	RMS	3620.125	-43.95	-30	Pass	601




13.24. LTE Band Edge(NTNV)(Subtest:24, Channel:43515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3585	3600	0.1	RMS	3590.425	-1.78	30	Pass	601
3600	3601	0.015	RMS	3600.045	-43.54	-13	Pass	601
3601	3605	1	RMS	3602	-28.4	-10	Pass	5
3605	3615	1	RMS	3605.217	-29.89	-13	Pass	601
3615	3620	1	RMS	3615	-41.33	-25	Pass	601
3620	3625	1	RMS	3620.158	-43.63	-30	Pass	601




13.25. LTE Band Edge(NTNV)(Subtest:25, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3420	3425	1	RMS	3424.442	-46.32	-30	Pass	601
3425	3430	1	RMS	3429.925	-45.81	-25	Pass	601
3430	3445	1	RMS	3444.95	-38.17	-13	Pass	601
3445	3449	1	RMS	3449	-29.77	-10	Pass	5
3449	3450	0.02	RMS	3449.978	-40.84	-13	Pass	601
3450	3470	0.1	RMS	3451.1	18.07	30	Pass	601




13.26. LTE Band Edge(NTNV)(Subtest:26, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3420	3425	1	RMS	3424.942	-45.15	-30	Pass	601
3425	3430	1	RMS	3429.967	-43.17	-25	Pass	601
3430	3445	1	RMS	3444.95	-29.03	-13	Pass	601
3445	3449	1	RMS	3449	-27.52	-10	Pass	5
3449	3450	0.02	RMS	3449.917	-40.6	-13	Pass	601
3450	3470	0.1	RMS	3458.6	-1.79	30	Pass	601




13.27. LTE Band Edge(NTNV)(Subtest:27, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3420	3425	1	RMS	3423.775	-46.45	-30	Pass	601
3425	3430	1	RMS	3429.292	-46.05	-25	Pass	601
3430	3445	1	RMS	3444.875	-39.18	-13	Pass	601
3445	3449	1	RMS	3449	-31.73	-10	Pass	5
3449	3450	0.02	RMS	3449.993	-40.32	-13	Pass	601
3450	3470	0.1	RMS	3451.1	16.97	30	Pass	601




13.28. LTE Band Edge(NTNV)(Subtest:28, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3420	3425	1	RMS	3424.958	-45.8	-30	Pass	601
3425	3430	1	RMS	3429.883	-43.86	-25	Pass	601
3430	3445	1	RMS	3444.9	-29.93	-13	Pass	601
3445	3449	1	RMS	3449	-28.77	-10	Pass	5
3449	3450	0.02	RMS	3449.988	-42.35	-13	Pass	601
3450	3470	0.1	RMS	3462.533	-2.73	30	Pass	601




13.29. LTE Band Edge(NTNV)(Subtest:29, Channel:43490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3580	3600	0.1	RMS	3598.9	17.7	30	Pass	601
3600	3601	0.02	RMS	3600.01	-40.06	-13	Pass	601
3601	3605	1	RMS	3601	-30.71	-10	Pass	5
3605	3620	1	RMS	3605.175	-38.38	-13	Pass	601
3620	3625	1	RMS	3620.108	-43.56	-25	Pass	601
3625	3630	1	RMS	3625.342	-43.9	-30	Pass	601




13.30. LTE Band Edge(NTNV)(Subtest:30, Channel:43490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3580	3600	0.1	RMS	3589.333	-2.14	30	Pass	601
3600	3601	0.02	RMS	3600.082	-41.46	-13	Pass	601
3601	3605	1	RMS	3601	-28.37	-10	Pass	5
3605	3620	1	RMS	3605.225	-29.72	-13	Pass	601
3620	3625	1	RMS	3620.2	-41.92	-25	Pass	601
3625	3630	1	RMS	3625.258	-43.16	-30	Pass	601




13.31. LTE Band Edge(NTNV)(Subtest:31, Channel:43490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3580	3600	0.1	RMS	3598.933	16.95	30	Pass	601
3600	3601	0.02	RMS	3600	-40.16	-13	Pass	601
3601	3605	1	RMS	3601	-31.84	-10	Pass	5
3605	3620	1	RMS	3605.1	-39.23	-13	Pass	601
3620	3625	1	RMS	3620.075	-43.72	-25	Pass	601
3625	3630	1	RMS	3625.45	-43.95	-30	Pass	601



13.32. LTE Band Edge(NTNV)(Subtest:32, Channel:43490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3580	3600	0.1	RMS	3592.333	-3.16	30	Pass	601
3600	3601	0.02	RMS	3600.013	-43.44	-13	Pass	601
3601	3605	1	RMS	3601	-29.79	-10	Pass	5
3605	3620	1	RMS	3605.125	-30.91	-13	Pass	601
3620	3625	1	RMS	3620.4	-42.49	-25	Pass	601
3625	3630	1	RMS	3625.075	-43.54	-30	Pass	601



14. LTE_Band43(3600-3650)_IC


14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:43615, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.96	-32.87	-13	Pass	601
3598	3599	1	RMS	3599	-29.35	-13	Pass	2
3599	3600	0.15	RMS	3600	-19.41	-13	Pass	8
3600	3602	0.2	RMS	3600.343	19.9	30	Pass	601




14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:43615, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.88	-24.24	-13	Pass	601
3598	3599	1	RMS	3599	-23.68	-13	Pass	2
3599	3600	0.15	RMS	3600	-26.36	-13	Pass	8
3600	3602	0.2	RMS	3601.697	6.69	30	Pass	601




14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:43615, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3598	-33.02	-13	Pass	601
3598	3599	1	RMS	3599	-29.42	-13	Pass	2
3599	3600	0.15	RMS	3600	-20.28	-13	Pass	8
3600	3602	0.2	RMS	3600.333	19.13	30	Pass	601




14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:43615, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.933	-25.18	-13	Pass	601
3598	3599	1	RMS	3599	-24.65	-13	Pass	2
3599	3600	0.15	RMS	3600	-27.78	-13	Pass	8
3600	3602	0.2	RMS	3601.35	5.6	30	Pass	601




14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:44065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3648	3650	0.2	RMS	3649.653	18.29	30	Pass	601
3650	3651	0.15	RMS	3650	-20.43	-13	Pass	8
3651	3652	1	RMS	3651	-29.82	-13	Pass	2
3652	3660	1	RMS	3652.093	-33.41	-13	Pass	601




14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:44065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3648	3650	0.2	RMS	3648	5.37	30	Pass	601
3650	3651	0.15	RMS	3650	-28.81	-13	Pass	8
3651	3652	1	RMS	3651	-26.67	-13	Pass	2
3652	3660	1	RMS	3652.147	-26.79	-13	Pass	601




14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:44065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3648	3650	0.2	RMS	3649.68	17.58	30	Pass	601
3650	3651	0.15	RMS	3650	-20.76	-13	Pass	8
3651	3652	1	RMS	3651	-30.18	-13	Pass	2
3652	3660	1	RMS	3652	-33.2	-13	Pass	601




14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:44065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3648	3650	0.2	RMS	3648.303	4.38	30	Pass	601
3650	3651	0.15	RMS	3650	-30.2	-13	Pass	8
3651	3652	1	RMS	3651	-28.46	-13	Pass	2
3652	3660	1	RMS	3652.027	-28.47	-13	Pass	601




14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:43640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.973	-32.43	-13	Pass	601
3598	3599	1	RMS	3599	-30.27	-13	Pass	2
3599	3600	0.2	RMS	3600	-27.89	-13	Pass	6
3600	3610	0.2	RMS	3600.6	19.68	30	Pass	601




14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:43640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.987	-25.62	-13	Pass	601
3598	3599	1	RMS	3599	-25.79	-13	Pass	2
3599	3600	0.2	RMS	3600	-29.29	-13	Pass	6
3600	3610	0.2	RMS	3603.333	3.79	30	Pass	601




14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:43640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.933	-32.83	-13	Pass	601
3598	3599	1	RMS	3599	-30.62	-13	Pass	2
3599	3600	0.2	RMS	3600	-28.29	-13	Pass	6
3600	3610	0.2	RMS	3600.6	19.08	30	Pass	601




14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:43640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.76	-27.03	-13	Pass	601
3598	3599	1	RMS	3599	-27.22	-13	Pass	2
3599	3600	0.2	RMS	3600	-31.6	-13	Pass	6
3600	3610	0.2	RMS	3603.783	2.88	30	Pass	601




14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:44040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3650	0.2	RMS	3649.45	18.61	30	Pass	601
3650	3651	0.2	RMS	3650	-28.67	-13	Pass	6
3651	3652	1	RMS	3651	-32	-13	Pass	2
3652	3660	1	RMS	3652	-34.02	-13	Pass	601




14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:44040, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3650	0.2	RMS	3643.783	2.8	30	Pass	601
3650	3651	0.2	RMS	3650	-32.02	-13	Pass	6
3651	3652	1	RMS	3651	-28.37	-13	Pass	2
3652	3660	1	RMS	3652	-27.76	-13	Pass	601




14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:44040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3650	0.2	RMS	3649.4	17.55	30	Pass	601
3650	3651	0.2	RMS	3650	-30.62	-13	Pass	6
3651	3652	1	RMS	3651	-33.86	-13	Pass	2
3652	3660	1	RMS	3652.013	-35.51	-13	Pass	601




14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:44040, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3650	0.2	RMS	3643.7	1.8	30	Pass	601
3650	3651	0.2	RMS	3650	-34.1	-13	Pass	6
3651	3652	1	RMS	3651	-30.09	-13	Pass	2
3652	3660	1	RMS	3652.027	-29.43	-13	Pass	601




14.17. LTE Band Edge(NTNV)(Subtest:17, Channel:43665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.933	-33.16	-13	Pass	601
3598	3599	1	RMS	3599	-30.76	-13	Pass	2
3599	3600	0.15	RMS	3600	-31.08	-13	Pass	8
3600	3615	0.2	RMS	3600.825	19.84	30	Pass	601




14.18. LTE Band Edge(NTNV)(Subtest:18, Channel:43665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.947	-25.79	-13	Pass	601
3598	3599	1	RMS	3598	-26.98	-13	Pass	2
3599	3600	0.15	RMS	3600	-32.68	-13	Pass	8
3600	3615	0.2	RMS	3603.75	1.96	30	Pass	601




14.19. LTE Band Edge(NTNV)(Subtest:19, Channel:43665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.973	-33.34	-13	Pass	601
3598	3599	1	RMS	3599	-31.17	-13	Pass	2
3599	3600	0.15	RMS	3600	-31.6	-13	Pass	8
3600	3615	0.2	RMS	3600.8	18.83	30	Pass	601




14.20. LTE Band Edge(NTNV)(Subtest:20, Channel:43665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3598	-27.04	-13	Pass	601
3598	3599	1	RMS	3598	-28.37	-13	Pass	2
3599	3600	0.15	RMS	3600	-34.97	-13	Pass	8
3600	3615	0.2	RMS	3606.475	0.84	30	Pass	601




14.21. LTE Band Edge(NTNV)(Subtest:21, Channel:44015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3635	3650	0.2	RMS	3649.175	18.17	30	Pass	601
3650	3651	0.15	RMS	3650	-32.57	-13	Pass	8
3651	3652	1	RMS	3651	-32.5	-13	Pass	2
3652	3660	1	RMS	3652.013	-34.3	-13	Pass	601




14.22. LTE Band Edge(NTNV)(Subtest:22, Channel:44015, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3635	3650	0.2	RMS	3642.125	0.88	30	Pass	601
3650	3651	0.15	RMS	3650	-34.41	-13	Pass	8
3651	3652	1	RMS	3652	-29.11	-13	Pass	2
3652	3660	1	RMS	3652.08	-27.6	-13	Pass	601




14.23. LTE Band Edge(NTNV)(Subtest:23, Channel:44015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3635	3650	0.2	RMS	3649.175	17.44	30	Pass	601
3650	3651	0.15	RMS	3650	-33.94	-13	Pass	8
3651	3652	1	RMS	3651	-34.08	-13	Pass	2
3652	3660	1	RMS	3652.053	-36.28	-13	Pass	601




14.24. LTE Band Edge(NTNV)(Subtest:24, Channel:44015, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3635	3650	0.2	RMS	3640.375	0.13	30	Pass	601
3650	3651	0.15	RMS	3650	-36.73	-13	Pass	8
3651	3652	1	RMS	3652	-30.87	-13	Pass	2
3652	3660	1	RMS	3652.107	-29.37	-13	Pass	601




14.25. LTE Band Edge(NTNV)(Subtest:25, Channel:43690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.987	-32.08	-13	Pass	601
3598	3599	1	RMS	3599	-29.9	-13	Pass	2
3599	3600	0.2	RMS	3600	-30.66	-13	Pass	6
3600	3620	0.2	RMS	3601.1	19.85	30	Pass	601




14.26. LTE Band Edge(NTNV)(Subtest:26, Channel:43690, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.973	-28.45	-13	Pass	601
3598	3599	1	RMS	3599	-28.92	-13	Pass	2
3599	3600	0.2	RMS	3600	-33.31	-13	Pass	6
3600	3620	0.2	RMS	3609	0.77	30	Pass	601




14.27. LTE Band Edge(NTNV)(Subtest:27, Channel:43690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3598	-32.55	-13	Pass	601
3598	3599	1	RMS	3599	-30.28	-13	Pass	2
3599	3600	0.2	RMS	3600	-30.65	-13	Pass	6
3600	3620	0.2	RMS	3601.1	19.13	30	Pass	601




14.28. LTE Band Edge(NTNV)(Subtest:28, Channel:43690, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3598	1	RMS	3597.947	-29.57	-13	Pass	601
3598	3599	1	RMS	3599	-30.28	-13	Pass	2
3599	3600	0.2	RMS	3599.8	-35.45	-13	Pass	6
3600	3620	0.2	RMS	3609.2	-0.09	30	Pass	601




14.29. LTE Band Edge(NTNV)(Subtest:29, Channel:43990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3630	3650	0.2	RMS	3648.867	18.04	30	Pass	601
3650	3651	0.2	RMS	3650	-33.79	-13	Pass	6
3651	3652	1	RMS	3651	-33.28	-13	Pass	2
3652	3660	1	RMS	3652.027	-35.2	-13	Pass	601




14.30. LTE Band Edge(NTNV)(Subtest:30, Channel:43990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3630	3650	0.2	RMS	3636.533	-0.04	30	Pass	601
3650	3651	0.2	RMS	3650	-35	-13	Pass	6
3651	3652	1	RMS	3651	-30.76	-13	Pass	2
3652	3660	1	RMS	3652.08	-29.97	-13	Pass	601




14.31. LTE Band Edge(NTNV)(Subtest:31, Channel:43990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3630	3650	0.2	RMS	3648.9	17.76	30	Pass	601
3650	3651	0.2	RMS	3650	-33.14	-13	Pass	6
3651	3652	1	RMS	3651	-32.71	-13	Pass	2
3652	3660	1	RMS	3652	-34.93	-13	Pass	601



14.32. LTE Band Edge(NTNV)(Subtest:32, Channel:43990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3630	3650	0.2	RMS	3642.833	-1.05	30	Pass	601
3650	3651	0.2	RMS	3650	-36.8	-13	Pass	6
3651	3652	1	RMS	3651	-32.51	-13	Pass	2
3652	3660	1	RMS	3652.027	-31.62	-13	Pass	601



15. LTE_Band43(3650-3700)_IC


15.1. LTE Band Edge(NTNV)(Subtest:1, Channel:44115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.987	-32.53	-13	Pass	601
3648	3649	1	RMS	3649	-29.68	-13	Pass	2
3649	3650	0.15	RMS	3650	-19.89	-13	Pass	8
3650	3652	0.2	RMS	3650.333	18.72	30	Pass	601




15.2. LTE Band Edge(NTNV)(Subtest:2, Channel:44115, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.893	-26.36	-13	Pass	601
3648	3649	1	RMS	3649	-26.2	-13	Pass	2
3649	3650	0.15	RMS	3650	-28.89	-13	Pass	8
3650	3652	0.2	RMS	3651.807	5.17	30	Pass	601




15.3. LTE Band Edge(NTNV)(Subtest:3, Channel:44115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.987	-33.16	-13	Pass	601
3648	3649	1	RMS	3649	-30.09	-13	Pass	2
3649	3650	0.15	RMS	3650	-20.82	-13	Pass	8
3650	3652	0.2	RMS	3650.333	18.02	30	Pass	601




15.4. LTE Band Edge(NTNV)(Subtest:4, Channel:44115, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.893	-27.98	-13	Pass	601
3648	3649	1	RMS	3649	-27.45	-13	Pass	2
3649	3650	0.15	RMS	3650	-29.15	-13	Pass	8
3650	3652	0.2	RMS	3650.7	4.28	30	Pass	601




15.5. LTE Band Edge(NTNV)(Subtest:5, Channel:44565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3698	3700	0.2	RMS	3699.66	17.04	30	Pass	601
3700	3701	0.15	RMS	3700	-22.36	-13	Pass	8
3701	3702	1	RMS	3701	-32.4	-13	Pass	2
3702	3710	1	RMS	3702.027	-35.03	-13	Pass	601




15.6. LTE Band Edge(NTNV)(Subtest:6, Channel:44565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3698	3700	0.2	RMS	3698	4.05	30	Pass	601
3700	3701	0.15	RMS	3700	-29.78	-13	Pass	8
3701	3702	1	RMS	3701	-27.88	-13	Pass	2
3702	3710	1	RMS	3702	-28.03	-13	Pass	601




15.7. LTE Band Edge(NTNV)(Subtest:7, Channel:44565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3698	3700	0.2	RMS	3699.68	16.26	30	Pass	601
3700	3701	0.15	RMS	3700	-22.38	-13	Pass	8
3701	3702	1	RMS	3701	-32.95	-13	Pass	2
3702	3710	1	RMS	3702	-35.4	-13	Pass	601




**15.8. LTE Band Edge(NTNV)(Subtest:8, Channel:44565, Bandwidth:5,
Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3698	3700	0.2	RMS	3698.003	3.1	30	Pass	601
3700	3701	0.15	RMS	3700	-30.83	-13	Pass	8
3701	3702	1	RMS	3701	-29.92	-13	Pass	2
3702	3710	1	RMS	3702.053	-30.33	-13	Pass	601




15.9. LTE Band Edge(NTNV)(Subtest:9, Channel:44140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3648	-33.57	-13	Pass	601
3648	3649	1	RMS	3649	-31.54	-13	Pass	2
3649	3650	0.2	RMS	3650	-29.21	-13	Pass	6
3650	3660	0.2	RMS	3650.6	18.69	30	Pass	601




15.10. LTE Band Edge(NTNV)(Subtest:10, Channel:44140, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3648	-27.74	-13	Pass	601
3648	3649	1	RMS	3649	-28.12	-13	Pass	2
3649	3650	0.2	RMS	3650	-31.2	-13	Pass	6
3650	3660	0.2	RMS	3653.317	2.77	30	Pass	601




15.11. LTE Band Edge(NTNV)(Subtest:11, Channel:44140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.987	-33.96	-13	Pass	601
3648	3649	1	RMS	3649	-32.04	-13	Pass	2
3649	3650	0.2	RMS	3650	-29.49	-13	Pass	6
3650	3660	0.2	RMS	3650.6	17.96	30	Pass	601




15.12. LTE Band Edge(NTNV)(Subtest:12, Channel:44140, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3648	-29.3	-13	Pass	601
3648	3649	1	RMS	3649	-29.72	-13	Pass	2
3649	3650	0.2	RMS	3650	-33.65	-13	Pass	6
3650	3660	0.2	RMS	3653.35	1.58	30	Pass	601




15.13. LTE Band Edge(NTNV)(Subtest:13, Channel:44540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	0.2	RMS	3699.433	17.3	30	Pass	601
3700	3701	0.2	RMS	3700	-30.13	-13	Pass	6
3701	3702	1	RMS	3701	-33.16	-13	Pass	2
3702	3710	1	RMS	3702	-35.2	-13	Pass	601




15.14. LTE Band Edge(NTNV)(Subtest:14, Channel:44540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	0.2	RMS	3693.767	1.52	30	Pass	601
3700	3701	0.2	RMS	3700	-33.46	-13	Pass	6
3701	3702	1	RMS	3701	-29.7	-13	Pass	2
3702	3710	1	RMS	3702.027	-29.11	-13	Pass	601




15.15. LTE Band Edge(NTNV)(Subtest:15, Channel:44540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	0.2	RMS	3699.417	16.37	30	Pass	601
3700	3701	0.2	RMS	3700	-32.1	-13	Pass	6
3701	3702	1	RMS	3701	-35.02	-13	Pass	2
3702	3710	1	RMS	3702.013	-36.93	-13	Pass	601




15.16. LTE Band Edge(NTNV)(Subtest:16, Channel:44540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	0.2	RMS	3695.417	0.38	30	Pass	601
3700	3701	0.2	RMS	3700	-35.46	-13	Pass	6
3701	3702	1	RMS	3701	-31.7	-13	Pass	2
3702	3710	1	RMS	3702.053	-31.05	-13	Pass	601




15.17. LTE Band Edge(NTNV)(Subtest:17, Channel:44165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.987	-34.4	-13	Pass	601
3648	3649	1	RMS	3649	-31.98	-13	Pass	2
3649	3650	0.15	RMS	3650	-32.29	-13	Pass	8
3650	3665	0.2	RMS	3650.875	18.34	30	Pass	601




15.18. LTE Band Edge(NTNV)(Subtest:18, Channel:44165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.987	-27.7	-13	Pass	601
3648	3649	1	RMS	3648	-29.23	-13	Pass	2
3649	3650	0.15	RMS	3650	-34.45	-13	Pass	8
3650	3665	0.2	RMS	3656.475	0.68	30	Pass	601




15.19. LTE Band Edge(NTNV)(Subtest:19, Channel:44165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3648	-34.44	-13	Pass	601
3648	3649	1	RMS	3649	-32.49	-13	Pass	2
3649	3650	0.15	RMS	3650	-32.95	-13	Pass	8
3650	3665	0.2	RMS	3650.875	17.54	30	Pass	601




15.20. LTE Band Edge(NTNV)(Subtest:20, Channel:44165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.987	-29.74	-13	Pass	601
3648	3649	1	RMS	3648	-31.08	-13	Pass	2
3649	3650	0.15	RMS	3650	-37.04	-13	Pass	8
3650	3665	0.2	RMS	3656.55	-0.42	30	Pass	601




15.21. LTE Band Edge(NTNV)(Subtest:21, Channel:44515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	0.2	RMS	3699.175	16.91	30	Pass	601
3700	3701	0.15	RMS	3700	-34.07	-13	Pass	8
3701	3702	1	RMS	3701	-33.69	-13	Pass	2
3702	3710	1	RMS	3702	-35.73	-13	Pass	601




15.22. LTE Band Edge(NTNV)(Subtest:22, Channel:44515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	0.2	RMS	3692.05	-0.49	30	Pass	601
3700	3701	0.15	RMS	3700	-36.06	-13	Pass	8
3701	3702	1	RMS	3702	-30.85	-13	Pass	2
3702	3710	1	RMS	3702.253	-29.31	-13	Pass	601




15.23. LTE Band Edge(NTNV)(Subtest:23, Channel:44515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	0.2	RMS	3699.15	15.77	30	Pass	601
3700	3701	0.15	RMS	3700	-35.49	-13	Pass	8
3701	3702	1	RMS	3701	-35.44	-13	Pass	2
3702	3710	1	RMS	3702.013	-37.34	-13	Pass	601




15.24. LTE Band Edge(NTNV)(Subtest:24, Channel:44515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	0.2	RMS	3690.4	-1.44	30	Pass	601
3700	3701	0.15	RMS	3700	-38.65	-13	Pass	8
3701	3702	1	RMS	3702	-33.04	-13	Pass	2
3702	3710	1	RMS	3702.133	-31.74	-13	Pass	601




15.25. LTE Band Edge(NTNV)(Subtest:25, Channel:44190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.973	-33.72	-13	Pass	601
3648	3649	1	RMS	3649	-31.28	-13	Pass	2
3649	3650	0.2	RMS	3650	-32.26	-13	Pass	6
3650	3670	0.2	RMS	3651.067	18.28	30	Pass	601




15.26. LTE Band Edge(NTNV)(Subtest:26, Channel:44190, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3648	-30.47	-13	Pass	601
3648	3649	1	RMS	3649	-31.43	-13	Pass	2
3649	3650	0.2	RMS	3650	-35.41	-13	Pass	6
3650	3670	0.2	RMS	3655.833	-0.77	30	Pass	601




15.27. LTE Band Edge(NTNV)(Subtest:27, Channel:44190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.947	-34.05	-13	Pass	601
3648	3649	1	RMS	3649	-31.79	-13	Pass	2
3649	3650	0.2	RMS	3650	-32.19	-13	Pass	6
3650	3670	0.2	RMS	3651.067	17.36	30	Pass	601




15.28. LTE Band Edge(NTNV)(Subtest:28, Channel:44190, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3648	1	RMS	3647.867	-31.97	-13	Pass	601
3648	3649	1	RMS	3649	-32.96	-13	Pass	2
3649	3650	0.2	RMS	3650	-37.63	-13	Pass	6
3650	3670	0.2	RMS	3659.267	-1.86	30	Pass	601




15.29. LTE Band Edge(NTNV)(Subtest:29, Channel:44490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.2	RMS	3698.9	16.6	30	Pass	601
3700	3701	0.2	RMS	3700	-35.39	-13	Pass	6
3701	3702	1	RMS	3701	-34.76	-13	Pass	2
3702	3710	1	RMS	3702.08	-36.73	-13	Pass	601




15.30. LTE Band Edge(NTNV)(Subtest:30, Channel:44490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.2	RMS	3686.367	-1.75	30	Pass	601
3700	3701	0.2	RMS	3700	-37.04	-13	Pass	6
3701	3702	1	RMS	3701	-33	-13	Pass	2
3702	3710	1	RMS	3702.093	-31.99	-13	Pass	601




15.31. LTE Band Edge(NTNV)(Subtest:31, Channel:44490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.2	RMS	3698.933	15.83	30	Pass	601
3700	3701	0.2	RMS	3700	-34.9	-13	Pass	6
3701	3702	1	RMS	3701	-34.42	-13	Pass	2
3702	3710	1	RMS	3702.04	-36.37	-13	Pass	601



15.32. LTE Band Edge(NTNV)(Subtest:32, Channel:44490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.2	RMS	3688.333	-2.82	30	Pass	601
3700	3701	0.2	RMS	3700	-38.93	-13	Pass	6
3701	3702	1	RMS	3701	-34.73	-13	Pass	2
3702	3710	1	RMS	3702.16	-33.58	-13	Pass	601



16. LTE_Band48


16.1. LTE Band Edge(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.833	-48.11	-40	Pass	601
3530	3545	1	RMS	3544.9	-38.02	-25	Pass	601
3545	3549	1	RMS	3549	-26.62	-13	Pass	5
3549	3550	0.1	RMS	3550	-18.86	-13	Pass	11
3550	3555	0.1	RMS	3550.325	21.55	60	Pass	601
3555	3556	0.1	RMS	3555.1	-46.98	-13	Pass	11
3556	3560	1	RMS	3556	-39.5	-13	Pass	5
3560	3595	1	RMS	3560.117	-43.18	-25	Pass	601




16.2. LTE Band Edge(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3530	-49.15	-40	Pass	601
3530	3545	1	RMS	3544.95	-42.73	-25	Pass	601
3545	3549	1	RMS	3549	-39.23	-13	Pass	5
3549	3550	0.1	RMS	3549.8	-47.16	-13	Pass	11
3550	3555	0.1	RMS	3554.692	21.35	60	Pass	601
3555	3556	0.1	RMS	3555	-18.31	-13	Pass	11
3556	3560	1	RMS	3556	-26.5	-13	Pass	5
3560	3595	1	RMS	3560	-38.06	-25	Pass	601




16.3. LTE Band Edge(NTNV)(Subtest:3, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3527.833	-49.94	-40	Pass	601
3530	3545	1	RMS	3544.975	-33.48	-25	Pass	601
3545	3549	1	RMS	3549	-19.99	-13	Pass	5
3549	3550	0.1	RMS	3550	-24.96	-13	Pass	11
3550	3555	0.1	RMS	3551.708	7.42	60	Pass	601
3555	3556	0.1	RMS	3555	-25.19	-13	Pass	11
3556	3560	1	RMS	3556	-20.52	-13	Pass	5
3560	3595	1	RMS	3560.117	-34.34	-25	Pass	601




16.4. LTE Band Edge(NTNV)(Subtest:4, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3530	-48.9	-40	Pass	601
3530	3545	1	RMS	3544.875	-38.32	-25	Pass	601
3545	3549	1	RMS	3549	-26.56	-13	Pass	5
3549	3550	0.1	RMS	3550	-19.77	-13	Pass	11
3550	3555	0.1	RMS	3550.325	20.61	60	Pass	601
3555	3556	0.1	RMS	3555.2	-47.53	-13	Pass	11
3556	3560	1	RMS	3556	-39.55	-13	Pass	5
3560	3595	1	RMS	3560.058	-43.29	-25	Pass	601




16.5. LTE Band Edge(NTNV)(Subtest:5, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.733	-49.41	-40	Pass	601
3530	3545	1	RMS	3544.975	-42.77	-25	Pass	601
3545	3549	1	RMS	3549	-39.17	-13	Pass	5
3549	3550	0.1	RMS	3549.8	-47.42	-13	Pass	11
3550	3555	0.1	RMS	3554.683	20.73	60	Pass	601
3555	3556	0.1	RMS	3555	-19.29	-13	Pass	11
3556	3560	1	RMS	3556	-26.56	-13	Pass	5
3560	3595	1	RMS	3560	-38.07	-25	Pass	601




16.6. LTE Band Edge(NTNV)(Subtest:6, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.833	-49.1	-40	Pass	601
3530	3545	1	RMS	3544.975	-34.29	-25	Pass	601
3545	3549	1	RMS	3549	-20.83	-13	Pass	5
3549	3550	0.1	RMS	3550	-26.19	-13	Pass	11
3550	3555	0.1	RMS	3553.308	6.44	60	Pass	601
3555	3556	0.1	RMS	3555	-26.68	-13	Pass	11
3556	3560	1	RMS	3556	-21.49	-13	Pass	5
3560	3595	1	RMS	3560.058	-35.46	-25	Pass	601




16.7. LTE Band Edge(NTNV)(Subtest:13, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3690	1	RMS	3689.883	-38.89	-25	Pass	601
3690	3694	1	RMS	3694	-27.38	-13	Pass	5
3694	3695	0.1	RMS	3695	-20.5	-13	Pass	11
3695	3700	0.1	RMS	3695.333	19.5	60	Pass	601
3700	3701	0.1	RMS	3700	-48.43	-13	Pass	11
3701	3705	1	RMS	3701	-40.27	-13	Pass	5
3705	3720	1	RMS	3705.05	-43.33	-25	Pass	601
3720	3740	1	RMS	3720.167	-48.44	-40	Pass	601




16.8. LTE Band Edge(NTNV)(Subtest:14, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3690	1	RMS	3689.825	-43.83	-25	Pass	601
3690	3694	1	RMS	3694	-40.02	-13	Pass	5
3694	3695	0.1	RMS	3695	-48.69	-13	Pass	11
3695	3700	0.1	RMS	3699.658	19.79	60	Pass	601
3700	3701	0.1	RMS	3700	-20.83	-13	Pass	11
3701	3705	1	RMS	3701	-27.35	-13	Pass	5
3705	3720	1	RMS	3705.025	-38.61	-25	Pass	601
3720	3740	1	RMS	3720.4	-47.66	-40	Pass	601




16.9. LTE Band Edge(NTNV)(Subtest:15, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3690	1	RMS	3689.942	-35.85	-25	Pass	601
3690	3694	1	RMS	3694	-24.14	-13	Pass	5
3694	3695	0.1	RMS	3695	-28.59	-13	Pass	11
3695	3700	0.1	RMS	3696.833	5.34	60	Pass	601
3700	3701	0.1	RMS	3700	-28.52	-13	Pass	11
3701	3705	1	RMS	3701	-24.48	-13	Pass	5
3705	3720	1	RMS	3705.125	-36.38	-25	Pass	601
3720	3740	1	RMS	3720	-48.54	-40	Pass	601




16.10. LTE Band Edge(NTNV)(Subtest:16, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3690	1	RMS	3689.942	-38.89	-25	Pass	601
3690	3694	1	RMS	3694	-27.7	-13	Pass	5
3694	3695	0.1	RMS	3695	-21.01	-13	Pass	11
3695	3700	0.1	RMS	3695.308	18.86	60	Pass	601
3700	3701	0.1	RMS	3700	-48.63	-13	Pass	11
3701	3705	1	RMS	3701	-40.53	-13	Pass	5
3705	3720	1	RMS	3705.075	-43.69	-25	Pass	601
3720	3740	1	RMS	3720	-48.38	-40	Pass	601




16.11. LTE Band Edge(NTNV)(Subtest:17, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3690	1	RMS	3689.883	-43.99	-25	Pass	601
3690	3694	1	RMS	3694	-40.23	-13	Pass	5
3694	3695	0.1	RMS	3695	-48.65	-13	Pass	11
3695	3700	0.1	RMS	3699.658	18.7	60	Pass	601
3700	3701	0.1	RMS	3700	-21.03	-13	Pass	11
3701	3705	1	RMS	3701	-27.78	-13	Pass	5
3705	3720	1	RMS	3705.05	-38.9	-25	Pass	601
3720	3740	1	RMS	3720.267	-47.78	-40	Pass	601




16.12. LTE Band Edge(NTNV)(Subtest:18, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3690	1	RMS	3689.825	-38.41	-25	Pass	601
3690	3694	1	RMS	3694	-25.77	-13	Pass	5
3694	3695	0.1	RMS	3695	-29.07	-13	Pass	11
3695	3700	0.1	RMS	3698.967	4.31	60	Pass	601
3700	3701	0.1	RMS	3700	-30.22	-13	Pass	11
3701	3705	1	RMS	3701	-26.55	-13	Pass	5
3705	3720	1	RMS	3705.125	-38.62	-25	Pass	601
3720	3740	1	RMS	3720.567	-48.74	-40	Pass	601




16.13. LTE Band Edge(NTNV)(Subtest:19, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3530	-47.84	-40	Pass	601
3530	3540	1	RMS	3539.917	-42.79	-25	Pass	601
3540	3549	1	RMS	3549	-27.18	-13	Pass	10
3549	3550	0.1	RMS	3550	-28.12	-13	Pass	11
3550	3560	0.1	RMS	3550.567	21.41	60	Pass	601
3560	3561	0.1	RMS	3560	-50.97	-13	Pass	11
3561	3570	1	RMS	3561	-43.89	-13	Pass	10
3570	3600	1	RMS	3570.05	-46.81	-25	Pass	601




16.14. LTE Band Edge(NTNV)(Subtest:20, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3530	-49.69	-40	Pass	601
3530	3540	1	RMS	3539.967	-47.06	-25	Pass	601
3540	3549	1	RMS	3549	-43.55	-13	Pass	10
3549	3550	0.1	RMS	3550	-50.6	-13	Pass	11
3550	3560	0.1	RMS	3559.383	21.41	60	Pass	601
3560	3561	0.1	RMS	3560	-27.99	-13	Pass	11
3561	3570	1	RMS	3561	-27.42	-13	Pass	10
3570	3600	1	RMS	3570.25	-43.12	-25	Pass	601




16.15. LTE Band Edge(NTNV)(Subtest:21, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.733	-48.94	-40	Pass	601
3530	3540	1	RMS	3540	-38.42	-25	Pass	601
3540	3549	1	RMS	3549	-22.26	-13	Pass	10
3549	3550	0.1	RMS	3550	-29.04	-13	Pass	11
3550	3560	0.1	RMS	3554.217	4.28	60	Pass	601
3560	3561	0.1	RMS	3560	-29.87	-13	Pass	11
3561	3570	1	RMS	3561	-22.82	-13	Pass	10
3570	3600	1	RMS	3570.15	-39.27	-25	Pass	601




16.16. LTE Band Edge(NTNV)(Subtest:22, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.233	-47.78	-40	Pass	601
3530	3540	1	RMS	3539.917	-42.83	-25	Pass	601
3540	3549	1	RMS	3549	-27.51	-13	Pass	10
3549	3550	0.1	RMS	3550	-28.61	-13	Pass	11
3550	3560	0.1	RMS	3550.583	20.72	60	Pass	601
3560	3561	0.1	RMS	3560	-52.07	-13	Pass	11
3561	3570	1	RMS	3561	-44.05	-13	Pass	10
3570	3600	1	RMS	3570.25	-47.11	-25	Pass	601




16.17. LTE Band Edge(NTNV)(Subtest:23, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.633	-49.68	-40	Pass	601
3530	3540	1	RMS	3539.917	-46.95	-25	Pass	601
3540	3549	1	RMS	3549	-43.68	-13	Pass	10
3549	3550	0.1	RMS	3550	-52.23	-13	Pass	11
3550	3560	0.1	RMS	3559.4	20.67	60	Pass	601
3560	3561	0.1	RMS	3560	-28.06	-13	Pass	11
3561	3570	1	RMS	3561	-27.61	-13	Pass	10
3570	3600	1	RMS	3570.55	-43.32	-25	Pass	601




16.18. LTE Band Edge(NTNV)(Subtest:24, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.033	-50.08	-40	Pass	601
3530	3540	1	RMS	3539.95	-39.67	-25	Pass	601
3540	3549	1	RMS	3549	-23.57	-13	Pass	10
3549	3550	0.1	RMS	3550	-31.27	-13	Pass	11
3550	3560	0.1	RMS	3553.817	3.24	60	Pass	601
3560	3561	0.1	RMS	3560	-31.21	-13	Pass	11
3561	3570	1	RMS	3561	-24.05	-13	Pass	10
3570	3600	1	RMS	3570	-39.5	-25	Pass	601




16.19. LTE Band Edge(NTNV)(Subtest:31, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3650	3680	1	RMS	3679.9	-44.79	-25	Pass	601
3680	3689	1	RMS	3689	-29.81	-13	Pass	10
3689	3690	0.1	RMS	3690	-30.65	-13	Pass	11
3690	3700	0.1	RMS	3690.583	19.2	60	Pass	601
3700	3701	0.1	RMS	3700	-53.05	-13	Pass	11
3701	3710	1	RMS	3701	-45.08	-13	Pass	10
3710	3720	1	RMS	3710.083	-47.83	-25	Pass	601
3720	3740	1	RMS	3720.167	-49.06	-40	Pass	601




16.20. LTE Band Edge(NTNV)(Subtest:32, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3650	3680	1	RMS	3679.95	-48.31	-25	Pass	601
3680	3689	1	RMS	3689	-45.13	-13	Pass	10
3689	3690	0.1	RMS	3690	-52.39	-13	Pass	11
3690	3700	0.1	RMS	3699.433	19.47	60	Pass	601
3700	3701	0.1	RMS	3700	-29.68	-13	Pass	11
3701	3710	1	RMS	3701	-28.9	-13	Pass	10
3710	3720	1	RMS	3710.767	-43.53	-25	Pass	601
3720	3740	1	RMS	3720.167	-46.94	-40	Pass	601




16.21. LTE Band Edge(NTNV)(Subtest:33, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3650	3680	1	RMS	3679.95	-39.86	-25	Pass	601
3680	3689	1	RMS	3689	-26.54	-13	Pass	10
3689	3690	0.1	RMS	3690	-32.65	-13	Pass	11
3690	3700	0.1	RMS	3696.417	2.47	60	Pass	601
3700	3701	0.1	RMS	3700	-32.85	-13	Pass	11
3701	3710	1	RMS	3701	-26.54	-13	Pass	10
3710	3720	1	RMS	3710.067	-39.68	-25	Pass	601
3720	3740	1	RMS	3720	-47.76	-40	Pass	601




16.22. LTE Band Edge(NTNV)(Subtest:34, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3650	3680	1	RMS	3679.5	-44.66	-25	Pass	601
3680	3689	1	RMS	3689	-30.48	-13	Pass	10
3689	3690	0.1	RMS	3690	-31.35	-13	Pass	11
3690	3700	0.1	RMS	3690.583	18.58	60	Pass	601
3700	3701	0.1	RMS	3700	-54.5	-13	Pass	11
3701	3710	1	RMS	3701	-45.69	-13	Pass	10
3710	3720	1	RMS	3712.15	-47.55	-25	Pass	601
3720	3740	1	RMS	3720.933	-48.99	-40	Pass	601




16.23. LTE Band Edge(NTNV)(Subtest:35, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3650	3680	1	RMS	3680	-47.6	-25	Pass	601
3680	3689	1	RMS	3689	-45.6	-13	Pass	10
3689	3690	0.1	RMS	3690	-54.58	-13	Pass	11
3690	3700	0.1	RMS	3699.417	18.91	60	Pass	601
3700	3701	0.1	RMS	3700	-31.14	-13	Pass	11
3701	3710	1	RMS	3701	-31.54	-13	Pass	10
3710	3720	1	RMS	3710.017	-45.71	-25	Pass	601
3720	3740	1	RMS	3720.3	-48.59	-40	Pass	601




16.24. LTE Band Edge(NTNV)(Subtest:36, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3650	3680	1	RMS	3679.9	-41.88	-25	Pass	601
3680	3689	1	RMS	3689	-28.28	-13	Pass	10
3689	3690	0.1	RMS	3690	-35.09	-13	Pass	11
3690	3700	0.1	RMS	3694.25	1.3	60	Pass	601
3700	3701	0.1	RMS	3700	-35.3	-13	Pass	11
3701	3710	1	RMS	3701	-28.34	-13	Pass	10
3710	3720	1	RMS	3710.15	-41.4	-25	Pass	601
3720	3740	1	RMS	3721.567	-48.13	-40	Pass	601




16.25. LTE Band Edge(NTNV)(Subtest:37, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.033	-47.4	-40	Pass	601
3530	3535	1	RMS	3534.933	-45.63	-25	Pass	601
3535	3549	1	RMS	3549	-27.87	-13	Pass	15
3549	3550	0.1	RMS	3550	-29.75	-13	Pass	11
3550	3565	0.1	RMS	3550.875	20.84	60	Pass	601
3565	3566	0.1	RMS	3565.1	-51.37	-13	Pass	11
3566	3580	1	RMS	3566	-46.39	-13	Pass	15
3580	3605	1	RMS	3580.125	-49.06	-25	Pass	601




16.26. LTE Band Edge(NTNV)(Subtest:38, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.933	-50.68	-40	Pass	601
3530	3535	1	RMS	3534.7	-49.46	-25	Pass	601
3535	3549	1	RMS	3549	-46.11	-13	Pass	15
3549	3550	0.1	RMS	3550	-52.77	-13	Pass	11
3550	3565	0.1	RMS	3564.125	20.93	60	Pass	601
3565	3566	0.1	RMS	3565	-29.95	-13	Pass	11
3566	3580	1	RMS	3566	-28.24	-13	Pass	15
3580	3605	1	RMS	3580.208	-45.41	-25	Pass	601




16.27. LTE Band Edge(NTNV)(Subtest:39, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.933	-45.31	-40	Pass	601
3530	3535	1	RMS	3534.967	-39.04	-25	Pass	601
3535	3549	1	RMS	3548	-23.26	-13	Pass	15
3549	3550	0.1	RMS	3550	-31.2	-13	Pass	11
3550	3565	0.1	RMS	3556.425	2.47	60	Pass	601
3565	3566	0.1	RMS	3565	-31.29	-13	Pass	11
3566	3580	1	RMS	3567	-23.43	-13	Pass	15
3580	3605	1	RMS	3580	-39.6	-25	Pass	601




16.28. LTE Band Edge(NTNV)(Subtest:40, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.967	-47.44	-40	Pass	601
3530	3535	1	RMS	3534.983	-45.82	-25	Pass	601
3535	3549	1	RMS	3549	-28.32	-13	Pass	15
3549	3550	0.1	RMS	3550	-30.47	-13	Pass	11
3550	3565	0.1	RMS	3550.85	20.26	60	Pass	601
3565	3566	0.1	RMS	3565.1	-54.97	-13	Pass	11
3566	3580	1	RMS	3566	-46.57	-13	Pass	15
3580	3605	1	RMS	3580.125	-48.92	-25	Pass	601




16.29. LTE Band Edge(NTNV)(Subtest:41, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.867	-50.88	-40	Pass	601
3530	3535	1	RMS	3534.942	-49.61	-25	Pass	601
3535	3549	1	RMS	3549	-46.34	-13	Pass	15
3549	3550	0.1	RMS	3550	-53.96	-13	Pass	11
3550	3565	0.1	RMS	3564.125	20.17	60	Pass	601
3565	3566	0.1	RMS	3565	-30.09	-13	Pass	11
3566	3580	1	RMS	3566	-28.5	-13	Pass	15
3580	3605	1	RMS	3580	-45.72	-25	Pass	601




16.30. LTE Band Edge(NTNV)(Subtest:42, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.833	-46.71	-40	Pass	601
3530	3535	1	RMS	3534.958	-40.57	-25	Pass	601
3535	3549	1	RMS	3548	-24.6	-13	Pass	15
3549	3550	0.1	RMS	3550	-33.32	-13	Pass	11
3550	3565	0.1	RMS	3556.45	1.43	60	Pass	601
3565	3566	0.1	RMS	3565	-33.44	-13	Pass	11
3566	3580	1	RMS	3567	-24.91	-13	Pass	15
3580	3605	1	RMS	3580.292	-41.17	-25	Pass	601




16.31. LTE Band Edge(NTNV)(Subtest:49, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3675	1	RMS	3674.9	-44.56	-25	Pass	601
3675	3684	1	RMS	3684	-30.76	-13	Pass	10
3684	3685	0.1	RMS	3685	-32.4	-13	Pass	11
3685	3700	0.1	RMS	3685.875	18.87	60	Pass	601
3700	3701	0.1	RMS	3700.1	-52.79	-13	Pass	11
3701	3710	1	RMS	3701	-47.11	-13	Pass	10
3710	3720	1	RMS	3710	-48.39	-25	Pass	601
3720	3740	1	RMS	3720.333	-49.68	-40	Pass	601




16.32. LTE Band Edge(NTNV)(Subtest:50, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3670	1	RMS	3669.583	-49.64	-25	Pass	601
3670	3684	1	RMS	3684	-47.26	-13	Pass	15
3684	3685	0.1	RMS	3684.8	-54.83	-13	Pass	11
3685	3700	0.1	RMS	3699.175	19.1	60	Pass	601
3700	3701	0.1	RMS	3700	-32.15	-13	Pass	11
3701	3715	1	RMS	3701	-30.35	-13	Pass	15
3715	3720	1	RMS	3715.175	-46.5	-25	Pass	601
3720	3740	1	RMS	3720.167	-47.78	-40	Pass	601




16.33. LTE Band Edge(NTNV)(Subtest:51, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3670	1	RMS	3669.833	-41.62	-25	Pass	601
3670	3684	1	RMS	3683	-27.9	-13	Pass	15
3684	3685	0.1	RMS	3685	-34.99	-13	Pass	11
3685	3700	0.1	RMS	3692.175	0.18	60	Pass	601
3700	3701	0.1	RMS	3700	-34.38	-13	Pass	11
3701	3715	1	RMS	3702	-27.35	-13	Pass	15
3715	3720	1	RMS	3715.05	-41.22	-25	Pass	601
3720	3740	1	RMS	3720	-46.62	-40	Pass	601




16.34. LTE Band Edge(NTNV)(Subtest:52, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3670	1	RMS	3669.958	-48.21	-25	Pass	601
3670	3684	1	RMS	3684	-32.63	-13	Pass	15
3684	3685	0.1	RMS	3685	-34.25	-13	Pass	11
3685	3700	0.1	RMS	3685.85	18.07	60	Pass	601
3700	3701	0.1	RMS	3700.1	-56.93	-13	Pass	11
3701	3715	1	RMS	3701	-48.12	-13	Pass	15
3715	3720	1	RMS	3716.025	-49.53	-25	Pass	601
3720	3740	1	RMS	3720.1	-49.91	-40	Pass	601




16.35. LTE Band Edge(NTNV)(Subtest:53, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3670	1	RMS	3669.833	-50.1	-25	Pass	601
3670	3684	1	RMS	3684	-48.38	-13	Pass	15
3684	3685	0.1	RMS	3684.8	-57.6	-13	Pass	11
3685	3700	0.1	RMS	3699.15	18.13	60	Pass	601
3700	3701	0.1	RMS	3700	-33.65	-13	Pass	11
3701	3715	1	RMS	3701	-32.15	-13	Pass	15
3715	3720	1	RMS	3715	-47.57	-25	Pass	601
3720	3740	1	RMS	3720.167	-48.52	-40	Pass	601




16.36. LTE Band Edge(NTNV)(Subtest:54, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3670	1	RMS	3669.875	-43.33	-25	Pass	601
3670	3684	1	RMS	3683	-29.85	-13	Pass	15
3684	3685	0.1	RMS	3685	-37.1	-13	Pass	11
3685	3700	0.1	RMS	3690.425	-0.45	60	Pass	601
3700	3701	0.1	RMS	3700	-36.93	-13	Pass	11
3701	3715	1	RMS	3702	-29.5	-13	Pass	15
3715	3720	1	RMS	3715.058	-42.96	-25	Pass	601
3720	3740	1	RMS	3720	-47.65	-40	Pass	601




16.37. LTE Band Edge(NTNV)(Subtest:55, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.6	-46.71	-40	Pass	601
3530	3549	1	RMS	3549	-27.41	-13	Pass	20
3549	3550	0.1	RMS	3550	-30.88	-13	Pass	11
3550	3570	0.1	RMS	3551.067	21.37	60	Pass	601
3570	3571	0.1	RMS	3570	-56.28	-13	Pass	11
3571	3590	1	RMS	3571	-46.7	-13	Pass	20
3590	3610	1	RMS	3590.167	-49.96	-25	Pass	601




16.38. LTE Band Edge(NTNV)(Subtest:56, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.533	-51.37	-40	Pass	601
3530	3549	1	RMS	3549	-46.96	-13	Pass	20
3549	3550	0.1	RMS	3549.8	-55.31	-13	Pass	11
3550	3570	0.1	RMS	3568.933	21.01	60	Pass	601
3570	3571	0.1	RMS	3570	-30.86	-13	Pass	11
3571	3590	1	RMS	3571	-27.32	-13	Pass	20
3590	3610	1	RMS	3590.1	-46.35	-25	Pass	601




16.39. LTE Band Edge(NTNV)(Subtest:57, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3530	-43.08	-40	Pass	21
3530	3549	1	RMS	3549	-25.37	-13	Pass	20
3549	3550	0.1	RMS	3550	-33.06	-13	Pass	11
3550	3570	0.1	RMS	3561.667	0.76	60	Pass	601
3570	3571	0.1	RMS	3570	-33.18	-13	Pass	11
3571	3590	1	RMS	3571	-25.36	-13	Pass	20
3590	3610	1	RMS	3590.067	-43.01	-25	Pass	601




16.40. LTE Band Edge(NTNV)(Subtest:58, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.267	-46.55	-40	Pass	601
3530	3549	1	RMS	3549	-29.02	-13	Pass	20
3549	3550	0.1	RMS	3550	-32.05	-13	Pass	11
3550	3570	0.1	RMS	3551.133	19.78	60	Pass	601
3570	3571	0.1	RMS	3570.2	-56.81	-13	Pass	11
3571	3590	1	RMS	3571	-47.17	-13	Pass	20
3590	3610	1	RMS	3590.167	-50.1	-25	Pass	601




16.41. LTE Band Edge(NTNV)(Subtest:59, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3530	-51.18	-40	Pass	601
3530	3549	1	RMS	3549	-47.24	-13	Pass	20
3549	3550	0.1	RMS	3550	-56.61	-13	Pass	11
3550	3570	0.1	RMS	3568.933	19.98	60	Pass	601
3570	3571	0.1	RMS	3570	-31.25	-13	Pass	11
3571	3590	1	RMS	3571	-27.72	-13	Pass	20
3590	3610	1	RMS	3590.067	-46.29	-25	Pass	601




16.42. LTE Band Edge(NTNV)(Subtest:60, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3530	1	RMS	3529.933	-43.06	-40	Pass	601
3530	3549	1	RMS	3549	-26.51	-13	Pass	20
3549	3550	0.1	RMS	3549.9	-34.69	-13	Pass	11
3550	3570	0.1	RMS	3558.733	0.19	60	Pass	601
3570	3571	0.1	RMS	3570	-35.34	-13	Pass	11
3571	3590	1	RMS	3571	-26.67	-13	Pass	20
3590	3610	1	RMS	3590.167	-43.41	-25	Pass	601




16.43. LTE Band Edge(NTNV)(Subtest:67, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3660	1	RMS	3659.833	-48.33	-25	Pass	601
3660	3679	1	RMS	3679	-31.37	-13	Pass	20
3679	3680	0.1	RMS	3680	-34.59	-13	Pass	11
3680	3700	0.1	RMS	3681.1	18.61	60	Pass	601
3700	3701	0.1	RMS	3700.1	-57.62	-13	Pass	11
3701	3720	1	RMS	3701	-48.24	-13	Pass	20
3720	3740	1	RMS	3720	-49.96	-40	Pass	601




16.44. LTE Band Edge(NTNV)(Subtest:68, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3660	1	RMS	3659.867	-50.53	-25	Pass	601
3660	3679	1	RMS	3679	-48.53	-13	Pass	20
3679	3680	0.1	RMS	3679.8	-57.81	-13	Pass	11
3680	3700	0.1	RMS	3698.9	19.31	60	Pass	601
3700	3701	0.1	RMS	3700	-34.7	-13	Pass	11
3701	3720	1	RMS	3701	-31.1	-13	Pass	20
3720	3740	1	RMS	3720.333	-47.76	-40	Pass	601




16.45. LTE Band Edge(NTNV)(Subtest:69, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3660	1	RMS	3659.967	-43.78	-25	Pass	601
3660	3679	1	RMS	3679	-30.5	-13	Pass	20
3679	3680	0.1	RMS	3680	-37.36	-13	Pass	11
3680	3700	0.1	RMS	3692.933	-0.91	60	Pass	601
3700	3701	0.1	RMS	3700	-36.33	-13	Pass	11
3701	3720	1	RMS	3701	-29.46	-13	Pass	20
3720	3740	1	RMS	3720.167	-43.39	-40	Pass	601




16.46. LTE Band Edge(NTNV)(Subtest:70, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3660	1	RMS	3659.667	-48.26	-25	Pass	601
3660	3679	1	RMS	3679	-30.87	-13	Pass	20
3679	3680	0.1	RMS	3680	-34.09	-13	Pass	11
3680	3700	0.1	RMS	3681.1	17.63	60	Pass	601
3700	3701	0.1	RMS	3700	-57.81	-13	Pass	11
3701	3720	1	RMS	3701	-48.04	-13	Pass	20
3720	3740	1	RMS	3720.033	-49.97	-40	Pass	601




16.47. LTE Band Edge(NTNV)(Subtest:71, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3660	1	RMS	3659.9	-50.52	-25	Pass	601
3660	3679	1	RMS	3679	-48.4	-13	Pass	20
3679	3680	0.1	RMS	3679.9	-58.03	-13	Pass	11
3680	3700	0.1	RMS	3698.867	17.8	60	Pass	601
3700	3701	0.1	RMS	3700	-34.11	-13	Pass	11
3701	3720	1	RMS	3701	-30.81	-13	Pass	20
3720	3740	1	RMS	3720.3	-47.64	-40	Pass	601



16.48. LTE Band Edge(NTNV)(Subtest:72, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3640	3660	1	RMS	3659.667	-45.25	-25	Pass	601
3660	3679	1	RMS	3679	-31.65	-13	Pass	20
3679	3680	0.1	RMS	3680	-39.51	-13	Pass	11
3680	3700	0.1	RMS	3692.9	-1.65	60	Pass	601
3700	3701	0.1	RMS	3700	-38.2	-13	Pass	11
3701	3720	1	RMS	3701	-31.05	-13	Pass	20
3720	3740	1	RMS	3720.4	-45.13	-40	Pass	601



17. LTE_Band66


17.1. LTE Band Edge(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.02	-13	Pass	401
1708	1709	1	RMS	1709	-37.77	-13	Pass	2
1709	1710	0.02	RMS	1709.988	-33.99	-13	Pass	401
1710	1712	0.1	RMS	1710.24	21.41	30	Pass	401




**17.2. LTE Band Edge(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4,
Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.99	-13	Pass	401
1708	1709	1	RMS	1709	-27.84	-13	Pass	2
1709	1710	0.02	RMS	1709.925	-39.58	-13	Pass	401
1710	1712	0.1	RMS	1710.455	13.57	30	Pass	401




17.3. LTE Band Edge(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.52	-13	Pass	401
1708	1709	1	RMS	1709	-38.54	-13	Pass	2
1709	1710	0.02	RMS	1710	-36.57	-13	Pass	401
1710	1712	0.1	RMS	1710.235	20.32	30	Pass	401




17.4. LTE Band Edge(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.19	-13	Pass	401
1708	1709	1	RMS	1709	-29.04	-13	Pass	2
1709	1710	0.02	RMS	1709.918	-39.37	-13	Pass	401
1710	1712	0.1	RMS	1710.925	12.02	30	Pass	401




17.5. LTE Band Edge(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	21.6	30	Pass	401
1780	1781	0.02	RMS	1780	-33.57	-13	Pass	401
1781	1782	1	RMS	1781	-36.86	-13	Pass	2
1782	1790	1	RMS	1782	-44.87	-13	Pass	401




17.6. LTE Band Edge(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.035	13.73	30	Pass	401
1780	1781	0.02	RMS	1780.703	-41.13	-13	Pass	401
1781	1782	1	RMS	1781	-27.53	-13	Pass	2
1782	1790	1	RMS	1782	-33.14	-13	Pass	401




17.7. LTE Band Edge(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.76	20.69	30	Pass	401
1780	1781	0.02	RMS	1780.003	-34.63	-13	Pass	401
1781	1782	1	RMS	1781	-37.72	-13	Pass	2
1782	1790	1	RMS	1782	-45.4	-13	Pass	401




**17.8. LTE Band Edge(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4,
Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.06	13.02	30	Pass	401
1780	1781	0.02	RMS	1780.085	-40.26	-13	Pass	401
1781	1782	1	RMS	1781	-28.04	-13	Pass	2
1782	1790	1	RMS	1782	-35.1	-13	Pass	401




17.9. LTE Band Edge(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.99	-13	Pass	401
1708	1709	1	RMS	1709	-37.56	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.77	-13	Pass	35
1710	1713	0.1	RMS	1710.255	21.51	30	Pass	401




17.10. LTE Band Edge(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.07	-13	Pass	401
1708	1709	1	RMS	1709	-28.88	-13	Pass	2
1709	1710	0.03	RMS	1710	-25.24	-13	Pass	401
1710	1713	0.1	RMS	1712.715	9.26	30	Pass	401




17.11. LTE Band Edge(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-45.4	-13	Pass	401
1708	1709	1	RMS	1709	-38.2	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.32	-13	Pass	35
1710	1713	0.1	RMS	1710.233	20.66	30	Pass	401




17.12. LTE Band Edge(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.41	-13	Pass	401
1708	1709	1	RMS	1709	-28.23	-13	Pass	2
1709	1710	0.03	RMS	1710	-26.92	-13	Pass	401
1710	1713	0.1	RMS	1712.37	8.41	30	Pass	401




17.13. LTE Band Edge(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.768	21.71	30	Pass	401
1780	1781	0.03	RMS	1780	-19.71	-13	Pass	35
1781	1782	1	RMS	1781	-36.59	-13	Pass	2
1782	1790	1	RMS	1782	-44.86	-13	Pass	401




17.14. LTE Band Edge(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.278	9.46	30	Pass	401
1780	1781	0.03	RMS	1780	-26.96	-13	Pass	401
1781	1782	1	RMS	1782	-30.27	-13	Pass	2
1782	1790	1	RMS	1782	-30.4	-13	Pass	401




17.15. LTE Band Edge(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.783	20.75	30	Pass	401
1780	1781	0.03	RMS	1780	-22.08	-13	Pass	35
1781	1782	1	RMS	1781	-37.59	-13	Pass	2
1782	1790	1	RMS	1782	-45.5	-13	Pass	401




17.16. LTE Band Edge(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.698	8.49	30	Pass	401
1780	1781	0.03	RMS	1780	-27.21	-13	Pass	401
1781	1782	1	RMS	1782	-52.26	-13	Pass	2
1782	1790	1	RMS	1782	-31.83	-13	Pass	401




17.17. LTE Band Edge(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.17	-13	Pass	401
1708	1709	1	RMS	1709	-38.1	-13	Pass	2
1709	1710	0.05	RMS	1710	-23.91	-13	Pass	21
1710	1715	0.1	RMS	1710.338	21.45	30	Pass	401




17.18. LTE Band Edge(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.46	-30.45	-13	Pass	401
1708	1709	1	RMS	1709	-29.94	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.33	-13	Pass	401
1710	1715	0.1	RMS	1713.325	7.08	30	Pass	401




17.19. LTE Band Edge(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.6	-13	Pass	401
1708	1709	1	RMS	1709	-39.03	-13	Pass	2
1709	1710	0.051	RMS	1710	-22.76	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.72	30	Pass	401




17.20. LTE Band Edge(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.83	-13	Pass	401
1708	1709	1	RMS	1709	-28.95	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-30.5	-13	Pass	401
1710	1715	0.1	RMS	1713.325	6.1	30	Pass	401




17.21. LTE Band Edge(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	21.65	30	Pass	401
1780	1781	0.05	RMS	1780	-23.92	-13	Pass	21
1781	1782	1	RMS	1781	-37.27	-13	Pass	2
1782	1790	1	RMS	1782	-45.34	-13	Pass	401




17.22. LTE Band Edge(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.088	7.31	30	Pass	401
1780	1781	0.051	RMS	1780.003	-29.98	-13	Pass	401
1781	1782	1	RMS	1781	-33.15	-13	Pass	2
1782	1790	1	RMS	1783.46	-32.29	-13	Pass	401




17.23. LTE Band Edge(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	20.84	30	Pass	401
1780	1781	0.051	RMS	1780	-22.14	-13	Pass	401
1781	1782	1	RMS	1781	-37.81	-13	Pass	2
1782	1790	1	RMS	1782	-45.71	-13	Pass	401




17.24. LTE Band Edge(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.563	6.34	30	Pass	401
1780	1781	0.051	RMS	1780	-30.64	-13	Pass	401
1781	1782	1	RMS	1781	-31.25	-13	Pass	2
1782	1790	1	RMS	1782	-31.89	-13	Pass	401




17.25. LTE Band Edge(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.2	-13	Pass	401
1708	1709	1	RMS	1709	-42.03	-13	Pass	2
1709	1710	0.1	RMS	1710	-31.65	-13	Pass	401
1710	1720	0.1	RMS	1710.6	21.27	30	Pass	401




17.26. LTE Band Edge(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.5	-13	Pass	401
1708	1709	1	RMS	1709	-30.79	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.14	-13	Pass	401
1710	1720	0.1	RMS	1711.925	4.18	30	Pass	401




17.27. LTE Band Edge(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.82	-13	Pass	401
1708	1709	1	RMS	1709	-42.54	-13	Pass	2
1709	1710	0.1	RMS	1710	-33.17	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.68	30	Pass	401




17.28. LTE Band Edge(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.09	-13	Pass	401
1708	1709	1	RMS	1709	-30.59	-13	Pass	2
1709	1710	0.1	RMS	1710	-34.3	-13	Pass	401
1710	1720	0.1	RMS	1711.375	3.08	30	Pass	401




17.29. LTE Band Edge(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	21.52	30	Pass	401
1780	1781	0.1	RMS	1780	-30.98	-13	Pass	401
1781	1782	1	RMS	1781	-41.05	-13	Pass	2
1782	1790	1	RMS	1782	-46.45	-13	Pass	401




17.30. LTE Band Edge(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1772.45	4.41	30	Pass	401
1780	1781	0.1	RMS	1780.005	-34.95	-13	Pass	401
1781	1782	1	RMS	1781	-34.61	-13	Pass	2
1782	1790	1	RMS	1787.46	-34.54	-13	Pass	401



17.31. LTE Band Edge(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	20.64	30	Pass	401
1780	1781	0.1	RMS	1780	-33.09	-13	Pass	401
1781	1782	1	RMS	1781	-41.85	-13	Pass	2
1782	1790	1	RMS	1782	-47.05	-13	Pass	401




17.32. LTE Band Edge(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1771.2	3.45	30	Pass	401
1780	1781	0.1	RMS	1780.003	-35.9	-13	Pass	401
1781	1782	1	RMS	1781	-33.31	-13	Pass	2
1782	1790	1	RMS	1782	-33.89	-13	Pass	401




17.33. LTE Band Edge(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.88	-13	Pass	401
1708	1709	1	RMS	1709	-43.06	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.38	-13	Pass	401
1710	1725	0.1	RMS	1710.825	21.22	30	Pass	401




17.34. LTE Band Edge(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-31.52	-13	Pass	401
1708	1709	1	RMS	1709	-31.43	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-32.92	-13	Pass	401
1710	1725	0.1	RMS	1713.6	2.28	30	Pass	401




17.35. LTE Band Edge(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-47.3	-13	Pass	401
1708	1709	1	RMS	1709	-43.74	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-30.19	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.32	30	Pass	401




17.36. LTE Band Edge(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.7	-31.4	-13	Pass	401
1708	1709	1	RMS	1709	-31.29	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-35.12	-13	Pass	401
1710	1725	0.1	RMS	1712.025	1.37	30	Pass	401




17.37. LTE Band Edge(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	21.35	30	Pass	401
1780	1781	0.15	RMS	1780	-29.99	-13	Pass	401
1781	1782	1	RMS	1781	-42.41	-13	Pass	2
1782	1790	1	RMS	1782	-46.16	-13	Pass	401




17.38. LTE Band Edge(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1768.825	2.52	30	Pass	401
1780	1781	0.15	RMS	1780	-34.74	-13	Pass	401
1781	1782	1	RMS	1781	-35.24	-13	Pass	2
1782	1790	1	RMS	1789.92	-35.62	-13	Pass	401




17.39. LTE Band Edge(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.46	30	Pass	401
1780	1781	0.15	RMS	1780.003	-30.23	-13	Pass	401
1781	1782	1	RMS	1781	-42.8	-13	Pass	2
1782	1790	1	RMS	1782	-46.67	-13	Pass	401




17.40. LTE Band Edge(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1767.25	1.54	30	Pass	401
1780	1781	0.15	RMS	1780.003	-36.99	-13	Pass	401
1781	1782	1	RMS	1781	-34.27	-13	Pass	2
1782	1790	1	RMS	1782.04	-34.74	-13	Pass	401




17.41. LTE Band Edge(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1703.68	-46.44	-13	Pass	401
1708	1709	1	RMS	1709	-44.48	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.64	-13	Pass	401
1710	1730	0.1	RMS	1711.1	21.24	30	Pass	401




17.42. LTE Band Edge(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-34.11	-13	Pass	401
1708	1709	1	RMS	1709	-33.91	-13	Pass	2
1709	1710	0.2	RMS	1710	-35.13	-13	Pass	401
1710	1730	0.1	RMS	1725.1	1	30	Pass	401




17.43. LTE Band Edge(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-47.71	-13	Pass	401
1708	1709	1	RMS	1709	-45	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-30.74	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.46	30	Pass	401




17.44. LTE Band Edge(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-33.59	-13	Pass	401
1708	1709	1	RMS	1709	-33.21	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-36.19	-13	Pass	401
1710	1730	0.1	RMS	1722.9	0.06	30	Pass	401




17.45. LTE Band Edge(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	21.4	30	Pass	401
1780	1781	0.2	RMS	1780	-30.78	-13	Pass	401
1781	1782	1	RMS	1781	-43.46	-13	Pass	2
1782	1790	1	RMS	1782	-46.43	-13	Pass	401




17.46. LTE Band Edge(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766.3	1.36	30	Pass	401
1780	1781	0.2	RMS	1780.008	-36.51	-13	Pass	401
1781	1782	1	RMS	1781	-37.25	-13	Pass	2
1782	1790	1	RMS	1782.18	-37.86	-13	Pass	401




17.47. LTE Band Edge(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.38	30	Pass	401
1780	1781	0.2	RMS	1780	-31.1	-13	Pass	401
1781	1782	1	RMS	1781	-44.17	-13	Pass	2
1782	1790	1	RMS	1782.08	-42.81	-13	Pass	401



17.48. LTE Band Edge(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766.95	0.45	30	Pass	401
1780	1781	0.2	RMS	1780	-37.57	-13	Pass	401
1781	1782	1	RMS	1781	-35.49	-13	Pass	2
1782	1790	1	RMS	1782	-36.17	-13	Pass	401



18. LTE_Band71


18.1. LTE Band Edge(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-30.1	-13	Pass	601
662.9	663	0.03	RMS	663	-25.62	-13	Pass	601
663	668	0.1	RMS	663.333	21.01	30	Pass	601




18.2. LTE Band Edge(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-27.73	-13	Pass	601
662.9	663	0.03	RMS	663	-30.68	-13	Pass	601
663	668	0.1	RMS	666.317	7	30	Pass	601




18.3. LTE Band Edge(NTNV)(Subtest:3, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-30.8	-13	Pass	601
662.9	663	0.03	RMS	662.999	-26.29	-13	Pass	601
663	668	0.1	RMS	663.35	20.26	30	Pass	601




18.4. LTE Band Edge(NTNV)(Subtest:4, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-29.97	-13	Pass	601
662.9	663	0.03	RMS	663	-32.25	-13	Pass	601
663	668	0.1	RMS	666.325	6.07	30	Pass	601




18.5. LTE Band Edge(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.658	21.09	30	Pass	601
698	698.1	0.03	RMS	698	-26.37	-13	Pass	601
698.1	710	0.1	RMS	698.1	-31.82	-13	Pass	601




18.6. LTE Band Edge(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	694.875	6.81	30	Pass	601
698	698.1	0.03	RMS	698.001	-31.71	-13	Pass	601
698.1	710	0.1	RMS	698.1	-29.72	-13	Pass	601



18.7. LTE Band Edge(NTNV)(Subtest:7, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.667	20.25	30	Pass	601
698	698.1	0.03	RMS	698	-26.53	-13	Pass	601
698.1	710	0.1	RMS	698.1	-31.7	-13	Pass	601




18.8. LTE Band Edge(NTNV)(Subtest:8, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	695.133	5.79	30	Pass	601
698	698.1	0.03	RMS	698	-32.52	-13	Pass	601
698.1	710	0.1	RMS	698.1	-31.55	-13	Pass	601




18.9. LTE Band Edge(NTNV)(Subtest:9, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-41.49	-13	Pass	601
662.9	663	0.03	RMS	663	-39.86	-13	Pass	601
663	673	0.1	RMS	663.6	21.03	30	Pass	601




18.10. LTE Band Edge(NTNV)(Subtest:10, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-31.45	-13	Pass	601
662.9	663	0.03	RMS	662.999	-35.18	-13	Pass	601
663	673	0.1	RMS	667.217	3.95	30	Pass	601




18.11. LTE Band Edge(NTNV)(Subtest:11, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-41.99	-13	Pass	601
662.9	663	0.03	RMS	663	-39.93	-13	Pass	601
663	673	0.1	RMS	663.583	20.43	30	Pass	601




18.12. LTE Band Edge(NTNV)(Subtest:12, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-33.94	-13	Pass	601
662.9	663	0.03	RMS	662.998	-38.25	-13	Pass	601
663	673	0.1	RMS	666.483	2.89	30	Pass	601




18.13. LTE Band Edge(NTNV)(Subtest:13, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.417	21.05	30	Pass	601
698	698.1	0.03	RMS	698.002	-40.22	-13	Pass	601
698.1	710	0.1	RMS	698.1	-42.12	-13	Pass	601




18.14. LTE Band Edge(NTNV)(Subtest:14, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	694.383	3.94	30	Pass	601
698	698.1	0.03	RMS	698.013	-36	-13	Pass	601
698.1	710	0.1	RMS	698.1	-31.99	-13	Pass	601




18.15. LTE Band Edge(NTNV)(Subtest:15, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.417	20.13	30	Pass	601
698	698.1	0.03	RMS	698.001	-41.54	-13	Pass	601
698.1	710	0.1	RMS	698.1	-43.07	-13	Pass	601




18.16. LTE Band Edge(NTNV)(Subtest:16, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	694.533	2.82	30	Pass	601
698	698.1	0.03	RMS	698.018	-37.58	-13	Pass	601
698.1	710	0.1	RMS	698.12	-34.08	-13	Pass	601




18.17. LTE Band Edge(NTNV)(Subtest:17, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-38.63	-13	Pass	601
662.9	663	0.03	RMS	662.999	-38.6	-13	Pass	601
663	678	0.1	RMS	663.85	20.84	30	Pass	601




18.18. LTE Band Edge(NTNV)(Subtest:18, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-31.54	-13	Pass	601
662.9	663	0.03	RMS	663	-35.04	-13	Pass	601
663	678	0.1	RMS	667.575	1.87	30	Pass	601




18.19. LTE Band Edge(NTNV)(Subtest:19, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-39.45	-13	Pass	601
662.9	663	0.03	RMS	662.997	-38.77	-13	Pass	601
663	678	0.1	RMS	663.825	20.14	30	Pass	601




18.20. LTE Band Edge(NTNV)(Subtest:20, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.857	-34.05	-13	Pass	601
662.9	663	0.03	RMS	662.997	-38.19	-13	Pass	601
663	678	0.1	RMS	669.5	0.93	30	Pass	601




18.21. LTE Band Edge(NTNV)(Subtest:21, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.15	20.93	30	Pass	601
698	698.1	0.03	RMS	698.002	-38.75	-13	Pass	601
698.1	710	0.1	RMS	698.1	-39.15	-13	Pass	601




18.22. LTE Band Edge(NTNV)(Subtest:22, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	689.775	1.84	30	Pass	601
698	698.1	0.03	RMS	698.004	-36.21	-13	Pass	601
698.1	710	0.1	RMS	698.1	-32.72	-13	Pass	601




18.23. LTE Band Edge(NTNV)(Subtest:23, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.175	20.09	30	Pass	601
698	698.1	0.03	RMS	698.003	-39.33	-13	Pass	601
698.1	710	0.1	RMS	698.1	-40.08	-13	Pass	601




18.24. LTE Band Edge(NTNV)(Subtest:24, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	685.275	0.86	30	Pass	601
698	698.1	0.03	RMS	698.001	-39.11	-13	Pass	601
698.1	710	0.1	RMS	698.1	-35.39	-13	Pass	601




18.25. LTE Band Edge(NTNV)(Subtest:25, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-39.63	-13	Pass	601
662.9	663	0.03	RMS	662.999	-41.02	-13	Pass	601
663	683	0.1	RMS	664.1	20.74	30	Pass	601




18.26. LTE Band Edge(NTNV)(Subtest:26, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.814	-34.7	-13	Pass	601
662.9	663	0.03	RMS	662.917	-39.1	-13	Pass	601
663	683	0.1	RMS	675.833	0.86	30	Pass	601




18.27. LTE Band Edge(NTNV)(Subtest:27, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-39.96	-13	Pass	601
662.9	663	0.03	RMS	662.999	-40.71	-13	Pass	601
663	683	0.1	RMS	664.1	20.08	30	Pass	601




18.28. LTE Band Edge(NTNV)(Subtest:28, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.857	-36.58	-13	Pass	601
662.9	663	0.03	RMS	663	-41.24	-13	Pass	601
663	683	0.1	RMS	676.3	-0.16	30	Pass	601




18.29. LTE Band Edge(NTNV)(Subtest:29, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	20.79	30	Pass	601
698	698.1	0.03	RMS	698.001	-40.81	-13	Pass	601
698.1	710	0.1	RMS	698.1	-40.11	-13	Pass	601




18.30. LTE Band Edge(NTNV)(Subtest:30, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	683.367	0.9	30	Pass	601
698	698.1	0.03	RMS	698.001	-40.24	-13	Pass	601
698.1	710	0.1	RMS	698.1	-35.61	-13	Pass	601




18.31. LTE Band Edge(NTNV)(Subtest:31, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	19.92	30	Pass	601
698	698.1	0.03	RMS	698.002	-41.04	-13	Pass	601
698.1	710	0.1	RMS	698.1	-40.34	-13	Pass	601



18.32. LTE Band Edge(NTNV)(Subtest:32, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	684	-0.1	30	Pass	601
698	698.1	0.03	RMS	698.004	-42.02	-13	Pass	601
698.1	710	0.1	RMS	698.1	-37.65	-13	Pass	601



19. GSM_GSM850


19.1. GSM Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.7	-47.54	-13	Pass	401
823	824	0.003	RMS	823.997	-18.07	-13	Pass	667
824	824.5	0.01	RMS	824.218	17.4	35	Pass	401



19.2. GSM Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.819	17.51	35	Pass	401
849	850	0.003	RMS	849.017	-17.22	-13	Pass	667
850	855	0.1	RMS	850.263	-47.38	-13	Pass	401



20. GSM_PCS


20.1. GSM Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.62	-13	Pass	41
1849	1850	0.003	RMS	1849.983	-20.98	-13	Pass	700
1850	1851	0.01	RMS	1850.225	20.89	35	Pass	401



20.2. GSM Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.82	20.33	35	Pass	401
1910	1911	0.003	RMS	1910.03	-18.39	-13	Pass	700
1911	1915	1	RMS	1911	-32.11	-13	Pass	41



21. GPRS_GSM850


21.1. GPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.7	-43.63	-13	Pass	401
823	824	0.003	RMS	823.997	-18.21	-13	Pass	700
824	824.5	0.01	RMS	824.193	23.2	35	Pass	401



21.2. GPRS Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.781	23.52	35	Pass	401
849	850	0.003	RMS	849.009	-18.73	-13	Pass	700
850	855	0.1	RMS	850.213	-43.38	-13	Pass	401



22. GPRS_PCS


22.1. GPRS Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.66	-13	Pass	41
1849	1850	0.003	RMS	1849.997	-20.39	-13	Pass	700
1850	1851	0.01	RMS	1850.198	21.1	35	Pass	401



22.2. GPRS Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.81	20.54	35	Pass	401
1910	1911	0.003	RMS	1910.037	-20.47	-13	Pass	700
1911	1915	1	RMS	1911	-32.14	-13	Pass	41



23. EGPRS_GSM850


23.1. EGPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.775	-44.16	-13	Pass	401
823	824	0.003	RMS	823.997	-27.03	-13	Pass	700
824	824.5	0.01	RMS	824.203	17.52	35	Pass	401



23.2. EGPRS Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.823	16.92	35	Pass	401
849	850	0.003	RMS	849.014	-23.53	-13	Pass	700
850	855	0.1	RMS	850.238	-43.94	-13	Pass	401



24. EGPRS_PCS


24.1. EGPRS Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.97	-13	Pass	41
1849	1850	0.003	RMS	1849.991	-25	-13	Pass	700
1850	1851	0.01	RMS	1850.228	16.46	35	Pass	401



24.2. EGPRS Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.803	16.5	35	Pass	401
1910	1911	0.003	RMS	1910.024	-25.43	-13	Pass	700
1911	1915	1	RMS	1911	-32.92	-13	Pass	41



25. WCDMA_Band2


25.1. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-21.99	-13	Pass	41
1849	1850	0.051	RMS	1849.843	-24.44	-13	Pass	401
1850	1855	0.1	RMS	1853.75	9.76	35	Pass	401



25.2. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.675	9.85	35	Pass	401
1910	1911	0.051	RMS	1910	-23.72	-13	Pass	401
1911	1915	1	RMS	1911	-23	-13	Pass	41



26. WCDMA_Band4


26.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-23.89	-13	Pass	41
1709	1710	0.051	RMS	1710	-25.11	-13	Pass	401
1710	1715	0.1	RMS	1713.788	8.77	35	Pass	401



26.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754	8.81	35	Pass	401
1755	1756	0.051	RMS	1755.165	-24.86	-13	Pass	401
1756	1760	1	RMS	1756	-23.51	-13	Pass	41



27. WCDMA_Band5


27.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.738	-35.6	-13	Pass	401
823	824	0.051	RMS	824	-24.58	-13	Pass	401
824	829	0.1	RMS	827.313	9.17	35	Pass	401



27.2. WCDMA Band Edge(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.713	9.31	35	Pass	401
849	850	0.051	RMS	849	-25.19	-13	Pass	401
850	855	0.1	RMS	850.313	-37.04	-13	Pass	401



END