

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	24.21	PASS
Band2	1.4	18607	1	#Mid	QPSK	24.16	PASS
Band2	1.4	18607	1	#Max	QPSK	24.10	PASS
Band2	1.4	18607	3	#0	QPSK	24.16	PASS
Band2	1.4	18607	3	#Mid	QPSK	24.13	PASS
Band2	1.4	18607	3	#Max	QPSK	24.08	PASS
Band2	1.4	18607	6	#0	QPSK	23.19	PASS
Band2	1.4	18607	1	#0	QAM16	23.30	PASS
Band2	1.4	18607	1	#Mid	QAM16	23.28	PASS
Band2	1.4	18607	1	#Max	QAM16	23.26	PASS
Band2	1.4	18607	3	#0	QAM16	23.34	PASS
Band2	1.4	18607	3	#Mid	QAM16	23.33	PASS
Band2	1.4	18607	3	#Max	QAM16	23.28	PASS
Band2	1.4	18607	6	#0	QAM16	22.39	PASS
Band2	1.4	18900	1	#0	QPSK	24.14	PASS
Band2	1.4	18900	1	#Mid	QPSK	24.07	PASS
Band2	1.4	18900	1	#Max	QPSK	24.03	PASS
Band2	1.4	18900	3	#0	QPSK	24.11	PASS
Band2	1.4	18900	3	#Mid	QPSK	24.11	PASS
Band2	1.4	18900	3	#Max	QPSK	24.10	PASS
Band2	1.4	18900	6	#0	QPSK	23.09	PASS
Band2	1.4	18900	1	#0	QAM16	23.32	PASS
Band2	1.4	18900	1	#Mid	QAM16	23.29	PASS
Band2	1.4	18900	1	#Max	QAM16	23.30	PASS
Band2	1.4	18900	3	#0	QAM16	23.35	PASS
Band2	1.4	18900	3	#Mid	QAM16	23.37	PASS
Band2	1.4	18900	3	#Max	QAM16	23.34	PASS
Band2	1.4	18900	6	#0	QAM16	22.28	PASS
Band2	1.4	19193	1	#0	QPSK	23.41	PASS
Band2	1.4	19193	1	#Mid	QPSK	23.39	PASS
Band2	1.4	19193	1	#Max	QPSK	23.44	PASS
Band2	1.4	19193	3	#0	QPSK	23.40	PASS
Band2	1.4	19193	3	#Mid	QPSK	23.41	PASS
Band2	1.4	19193	3	#Max	QPSK	23.42	PASS
Band2	1.4	19193	6	#0	QPSK	22.49	PASS
Band2	1.4	19193	1	#0	QAM16	22.51	PASS
Band2	1.4	19193	1	#Mid	QAM16	22.27	PASS
Band2	1.4	19193	1	#Max	QAM16	22.20	PASS
Band2	1.4	19193	3	#0	QAM16	22.68	PASS
Band2	1.4	19193	3	#Mid	QAM16	22.55	PASS
Band2	1.4	19193	3	#Max	QAM16	22.52	PASS

Band2	1.4	19193	6	#0	QAM16	22.02	PASS
Band2	3	18615	1	#0	QPSK	24.03	PASS
Band2	3	18615	1	#Mid	QPSK	24.01	PASS
Band2	3	18615	1	#Max	QPSK	23.90	PASS
Band2	3	18615	8	#0	QPSK	23.01	PASS
Band2	3	18615	8	#Mid	QPSK	23.01	PASS
Band2	3	18615	8	#Max	QPSK	23.02	PASS
Band2	3	18615	15	#0	QPSK	22.99	PASS
Band2	3	18615	1	#0	QAM16	23.31	PASS
Band2	3	18615	1	#Mid	QAM16	23.36	PASS
Band2	3	18615	1	#Max	QAM16	23.28	PASS
Band2	3	18615	8	#0	QAM16	22.07	PASS
Band2	3	18615	8	#Mid	QAM16	22.05	PASS
Band2	3	18615	8	#Max	QAM16	22.07	PASS
Band2	3	18615	15	#0	QAM16	22.05	PASS
Band2	3	18900	1	#0	QPSK	24.04	PASS
Band2	3	18900	1	#Mid	QPSK	24.07	PASS
Band2	3	18900	1	#Max	QPSK	23.95	PASS
Band2	3	18900	8	#0	QPSK	23.07	PASS
Band2	3	18900	8	#Mid	QPSK	23.11	PASS
Band2	3	18900	8	#Max	QPSK	23.06	PASS
Band2	3	18900	15	#0	QPSK	23.07	PASS
Band2	3	18900	1	#0	QAM16	23.25	PASS
Band2	3	18900	1	#Mid	QAM16	23.29	PASS
Band2	3	18900	1	#Max	QAM16	23.17	PASS
Band2	3	18900	8	#0	QAM16	22.04	PASS
Band2	3	18900	8	#Mid	QAM16	22.07	PASS
Band2	3	18900	8	#Max	QAM16	22.02	PASS
Band2	3	18900	15	#0	QAM16	22.01	PASS
Band2	3	19185	1	#0	QPSK	24.03	PASS
Band2	3	19185	1	#Mid	QPSK	23.40	PASS
Band2	3	19185	1	#Max	QPSK	23.29	PASS
Band2	3	19185	8	#0	QPSK	23.07	PASS
Band2	3	19185	8	#Mid	QPSK	22.99	PASS
Band2	3	19185	8	#Max	QPSK	22.49	PASS
Band2	3	19185	15	#0	QPSK	22.88	PASS
Band2	3	19185	1	#0	QAM16	22.90	PASS
Band2	3	19185	1	#Mid	QAM16	22.76	PASS
Band2	3	19185	1	#Max	QAM16	22.03	PASS
Band2	3	19185	8	#0	QAM16	22.12	PASS
Band2	3	19185	8	#Mid	QAM16	22.10	PASS
Band2	3	19185	8	#Max	QAM16	21.84	PASS
Band2	3	19185	15	#0	QAM16	22.11	PASS
Band2	5	18625	1	#0	QPSK	24.13	PASS

Band2	5	18625	1	#Mid	QPSK	24.06	PASS
Band2	5	18625	1	#Max	QPSK	23.95	PASS
Band2	5	18625	12	#0	QPSK	22.97	PASS
Band2	5	18625	12	#Mid	QPSK	23.06	PASS
Band2	5	18625	12	#Max	QPSK	22.96	PASS
Band2	5	18625	25	#0	QPSK	22.97	PASS
Band2	5	18625	1	#0	QAM16	23.56	PASS
Band2	5	18625	1	#Mid	QAM16	23.50	PASS
Band2	5	18625	1	#Max	QAM16	23.44	PASS
Band2	5	18625	12	#0	QAM16	22.01	PASS
Band2	5	18625	12	#Mid	QAM16	22.07	PASS
Band2	5	18625	12	#Max	QAM16	21.98	PASS
Band2	5	18625	25	#0	QAM16	21.96	PASS
Band2	5	18900	1	#0	QPSK	24.20	PASS
Band2	5	18900	1	#Mid	QPSK	24.06	PASS
Band2	5	18900	1	#Max	QPSK	24.00	PASS
Band2	5	18900	12	#0	QPSK	23.06	PASS
Band2	5	18900	12	#Mid	QPSK	23.08	PASS
Band2	5	18900	12	#Max	QPSK	23.00	PASS
Band2	5	18900	25	#0	QPSK	23.00	PASS
Band2	5	18900	1	#0	QAM16	23.49	PASS
Band2	5	18900	1	#Mid	QAM16	23.38	PASS
Band2	5	18900	1	#Max	QAM16	23.32	PASS
Band2	5	18900	12	#0	QAM16	22.03	PASS
Band2	5	18900	12	#Mid	QAM16	22.01	PASS
Band2	5	18900	12	#Max	QAM16	21.93	PASS
Band2	5	18900	25	#0	QAM16	22.00	PASS
Band2	5	19175	1	#0	QPSK	24.16	PASS
Band2	5	19175	1	#Mid	QPSK	24.01	PASS
Band2	5	19175	1	#Max	QPSK	23.37	PASS
Band2	5	19175	12	#0	QPSK	23.12	PASS
Band2	5	19175	12	#Mid	QPSK	23.12	PASS
Band2	5	19175	12	#Max	QPSK	22.78	PASS
Band2	5	19175	25	#0	QPSK	23.00	PASS
Band2	5	19175	1	#0	QAM16	23.49	PASS
Band2	5	19175	1	#Mid	QAM16	23.31	PASS
Band2	5	19175	1	#Max	QAM16	22.53	PASS
Band2	5	19175	12	#0	QAM16	22.17	PASS
Band2	5	19175	12	#Mid	QAM16	22.22	PASS
Band2	5	19175	12	#Max	QAM16	22.00	PASS
Band2	5	19175	25	#0	QAM16	22.05	PASS
Band2	10	18650	1	#0	QPSK	23.99	PASS
Band2	10	18650	1	#Mid	QPSK	23.75	PASS
Band2	10	18650	1	#Max	QPSK	23.90	PASS

Band2	10	18650	25	#0	QPSK	22.64	PASS
Band2	10	18650	25	#Mid	QPSK	22.82	PASS
Band2	10	18650	25	#Max	QPSK	22.67	PASS
Band2	10	18650	50	#0	QPSK	22.69	PASS
Band2	10	18650	1	#0	QAM16	23.28	PASS
Band2	10	18650	1	#Mid	QAM16	23.17	PASS
Band2	10	18650	1	#Max	QAM16	23.19	PASS
Band2	10	18650	25	#0	QAM16	21.77	PASS
Band2	10	18650	25	#Mid	QAM16	21.87	PASS
Band2	10	18650	25	#Max	QAM16	21.72	PASS
Band2	10	18900	1	#0	QPSK	24.08	PASS
Band2	10	18900	1	#Mid	QPSK	23.88	PASS
Band2	10	18900	1	#Max	QPSK	23.84	PASS
Band2	10	18900	25	#0	QPSK	22.88	PASS
Band2	10	18900	25	#Mid	QPSK	22.90	PASS
Band2	10	18900	25	#Max	QPSK	22.76	PASS
Band2	10	18900	50	#0	QPSK	23.61	PASS
Band2	10	18900	1	#0	QAM16	23.21	PASS
Band2	10	18900	1	#Mid	QAM16	23.08	PASS
Band2	10	18900	1	#Max	QAM16	23.07	PASS
Band2	10	18900	25	#0	QAM16	21.84	PASS
Band2	10	18900	25	#Mid	QAM16	21.91	PASS
Band2	10	18900	25	#Max	QAM16	21.77	PASS
Band2	10	19150	1	#0	QPSK	23.98	PASS
Band2	10	19150	1	#Mid	QPSK	24.00	PASS
Band2	10	19150	1	#Max	QPSK	23.22	PASS
Band2	10	19150	25	#0	QPSK	22.65	PASS
Band2	10	19150	25	#Mid	QPSK	22.98	PASS
Band2	10	19150	25	#Max	QPSK	22.81	PASS
Band2	10	19150	50	#0	QPSK	22.94	PASS
Band2	10	19150	1	#0	QAM16	22.73	PASS
Band2	10	19150	1	#Mid	QAM16	22.91	PASS
Band2	10	19150	1	#Max	QAM16	22.00	PASS
Band2	10	19150	25	#0	QAM16	21.65	PASS
Band2	10	19150	25	#Mid	QAM16	21.98	PASS
Band2	10	19150	25	#Max	QAM16	21.85	PASS
Band2	15	18675	1	#0	QPSK	23.94	PASS
Band2	15	18675	1	#Mid	QPSK	23.70	PASS
Band2	15	18675	1	#Max	QPSK	23.78	PASS
Band2	15	18675	36	#0	QPSK	22.83	PASS
Band2	15	18675	36	#Mid	QPSK	22.86	PASS
Band2	15	18675	36	#Max	QPSK	22.86	PASS
Band2	15	18675	75	#0	QPSK	22.81	PASS
Band2	15	18675	1	#0	QAM16	23.25	PASS

Band2	15	18675	1	#Mid	QAM16	23.15	PASS
Band2	15	18675	1	#Max	QAM16	23.22	PASS
Band2	15	18675	36	#0	QAM16	23.90	PASS
Band2	15	18675	36	#Mid	QAM16	23.89	PASS
Band2	15	18675	36	#Max	QAM16	23.88	PASS
Band2	15	18900	1	#0	QPSK	24.36	PASS
Band2	15	18900	1	#Mid	QPSK	24.33	PASS
Band2	15	18900	1	#Max	QPSK	24.25	PASS
Band2	15	18900	36	#0	QPSK	23.35	PASS
Band2	15	18900	36	#Mid	QPSK	23.24	PASS
Band2	15	18900	36	#Max	QPSK	23.20	PASS
Band2	15	18900	75	#0	QPSK	23.12	PASS
Band2	15	18900	1	#0	QAM16	23.78	PASS
Band2	15	18900	1	#Mid	QAM16	23.60	PASS
Band2	15	18900	1	#Max	QAM16	23.62	PASS
Band2	15	18900	36	#0	QAM16	24.43	PASS
Band2	15	18900	36	#Mid	QAM16	24.41	PASS
Band2	15	18900	36	#Max	QAM16	24.39	PASS
Band2	15	19125	1	#0	QPSK	23.64	PASS
Band2	15	19125	1	#Mid	QPSK	23.68	PASS
Band2	15	19125	1	#Max	QPSK	23.16	PASS
Band2	15	19125	36	#0	QPSK	23.75	PASS
Band2	15	19125	36	#Mid	QPSK	23.75	PASS
Band2	15	19125	36	#Max	QPSK	23.75	PASS
Band2	15	19125	75	#0	QPSK	23.75	PASS
Band2	15	19125	1	#0	QAM16	23.04	PASS
Band2	15	19125	1	#Mid	QAM16	23.12	PASS
Band2	15	19125	1	#Max	QAM16	22.54	PASS
Band2	15	19125	36	#0	QAM16	23.75	PASS
Band2	15	19125	36	#Mid	QAM16	23.74	PASS
Band2	15	19125	36	#Max	QAM16	23.74	PASS
Band2	20	18700	1	#0	QPSK	23.90	PASS
Band2	20	18700	1	#Mid	QPSK	23.91	PASS
Band2	20	18700	1	#Max	QPSK	24.04	PASS
Band2	20	18700	50	#0	QPSK	22.80	PASS
Band2	20	18700	50	#Mid	QPSK	22.94	PASS
Band2	20	18700	50	#Max	QPSK	22.82	PASS
Band2	20	18700	100	#0	QPSK	22.87	PASS
Band2	20	18700	1	#0	QAM16	23.17	PASS
Band2	20	18700	1	#Mid	QAM16	23.22	PASS
Band2	20	18700	1	#Max	QAM16	23.34	PASS
Band2	20	18700	50	#0	QAM16	23.82	PASS
Band2	20	18700	50	#Mid	QAM16	23.81	PASS
Band2	20	18700	50	#Max	QAM16	23.80	PASS

Band2	20	18900	1	#0	QPSK	24.08	PASS
Band2	20	18900	1	#Mid	QPSK	23.88	PASS
Band2	20	18900	1	#Max	QPSK	23.64	PASS
Band2	20	18900	50	#0	QPSK	23.70	PASS
Band2	20	18900	50	#Mid	QPSK	23.70	PASS
Band2	20	18900	50	#Max	QPSK	23.70	PASS
Band2	20	18900	100	#0	QPSK	23.70	PASS
Band2	20	18900	1	#0	QAM16	23.37	PASS
Band2	20	18900	1	#Mid	QAM16	23.18	PASS
Band2	20	18900	1	#Max	QAM16	22.95	PASS
Band2	20	18900	50	#0	QAM16	23.70	PASS
Band2	20	18900	50	#Mid	QAM16	23.69	PASS
Band2	20	18900	50	#Max	QAM16	23.69	PASS
Band2	20	19100	1	#0	QPSK	23.51	PASS
Band2	20	19100	1	#Mid	QPSK	23.79	PASS
Band2	20	19100	1	#Max	QPSK	23.05	PASS
Band2	20	19100	50	#0	QPSK	23.81	PASS
Band2	20	19100	50	#Mid	QPSK	23.81	PASS
Band2	20	19100	50	#Max	QPSK	23.81	PASS
Band2	20	19100	100	#0	QPSK	23.81	PASS
Band2	20	19100	1	#0	QAM16	22.79	PASS
Band2	20	19100	1	#Mid	QAM16	23.08	PASS
Band2	20	19100	1	#Max	QAM16	22.38	PASS
Band2	20	19100	50	#0	QAM16	23.88	PASS
Band2	20	19100	50	#Mid	QAM16	23.87	PASS
Band2	20	19100	50	#Max	QAM16	23.87	PASS
Band4	1.4	19957	1	#0	QPSK	23.77	PASS
Band4	1.4	19957	1	#Mid	QPSK	23.76	PASS
Band4	1.4	19957	1	#Max	QPSK	23.65	PASS
Band4	1.4	19957	3	#0	QPSK	23.73	PASS
Band4	1.4	19957	3	#Mid	QPSK	23.72	PASS
Band4	1.4	19957	3	#Max	QPSK	23.70	PASS
Band4	1.4	19957	6	#0	QPSK	22.68	PASS
Band4	1.4	19957	1	#0	QAM16	22.71	PASS
Band4	1.4	19957	1	#Mid	QAM16	22.71	PASS
Band4	1.4	19957	1	#Max	QAM16	22.73	PASS
Band4	1.4	19957	3	#0	QAM16	22.76	PASS
Band4	1.4	19957	3	#Mid	QAM16	22.76	PASS
Band4	1.4	19957	3	#Max	QAM16	22.74	PASS
Band4	1.4	19957	6	#0	QAM16	21.74	PASS
Band4	1.4	20175	1	#0	QPSK	23.61	PASS
Band4	1.4	20175	1	#Mid	QPSK	23.57	PASS
Band4	1.4	20175	1	#Max	QPSK	23.57	PASS
Band4	1.4	20175	3	#0	QPSK	23.62	PASS

Band4	1.4	20175	3	#Mid	QPSK	23.59	PASS
Band4	1.4	20175	3	#Max	QPSK	23.60	PASS
Band4	1.4	20175	6	#0	QPSK	22.63	PASS
Band4	1.4	20175	1	#0	QAM16	22.71	PASS
Band4	1.4	20175	1	#Mid	QAM16	22.71	PASS
Band4	1.4	20175	1	#Max	QAM16	22.71	PASS
Band4	1.4	20175	3	#0	QAM16	22.77	PASS
Band4	1.4	20175	3	#Mid	QAM16	22.79	PASS
Band4	1.4	20175	3	#Max	QAM16	22.76	PASS
Band4	1.4	20175	6	#0	QAM16	21.69	PASS
Band4	1.4	20393	1	#0	QPSK	23.41	PASS
Band4	1.4	20393	1	#Mid	QPSK	23.36	PASS
Band4	1.4	20393	1	#Max	QPSK	23.37	PASS
Band4	1.4	20393	3	#0	QPSK	23.36	PASS
Band4	1.4	20393	3	#Mid	QPSK	23.35	PASS
Band4	1.4	20393	3	#Max	QPSK	23.32	PASS
Band4	1.4	20393	6	#0	QPSK	22.49	PASS
Band4	1.4	20393	1	#0	QAM16	22.27	PASS
Band4	1.4	20393	1	#Mid	QAM16	22.30	PASS
Band4	1.4	20393	1	#Max	QAM16	22.28	PASS
Band4	1.4	20393	3	#0	QAM16	22.56	PASS
Band4	1.4	20393	3	#Mid	QAM16	22.55	PASS
Band4	1.4	20393	3	#Max	QAM16	22.57	PASS
Band4	1.4	20393	6	#0	QAM16	21.53	PASS
Band4	3	19965	1	#0	QPSK	23.56	PASS
Band4	3	19965	1	#Mid	QPSK	23.61	PASS
Band4	3	19965	1	#Max	QPSK	23.44	PASS
Band4	3	19965	8	#0	QPSK	22.55	PASS
Band4	3	19965	8	#Mid	QPSK	22.55	PASS
Band4	3	19965	8	#Max	QPSK	22.54	PASS
Band4	3	19965	15	#0	QPSK	22.53	PASS
Band4	3	19965	1	#0	QAM16	22.73	PASS
Band4	3	19965	1	#Mid	QAM16	22.81	PASS
Band4	3	19965	1	#Max	QAM16	22.67	PASS
Band4	3	19965	8	#0	QAM16	21.47	PASS
Band4	3	19965	8	#Mid	QAM16	21.50	PASS
Band4	3	19965	8	#Max	QAM16	21.47	PASS
Band4	3	19965	15	#0	QAM16	21.46	PASS
Band4	3	20175	1	#0	QPSK	23.38	PASS
Band4	3	20175	1	#Mid	QPSK	23.48	PASS
Band4	3	20175	1	#Max	QPSK	23.43	PASS
Band4	3	20175	8	#0	QPSK	22.49	PASS
Band4	3	20175	8	#Mid	QPSK	22.56	PASS
Band4	3	20175	8	#Max	QPSK	22.51	PASS

Band4	3	20175	15	#0	QPSK	22.49	PASS
Band4	3	20175	1	#0	QAM16	22.50	PASS
Band4	3	20175	1	#Mid	QAM16	22.62	PASS
Band4	3	20175	1	#Max	QAM16	22.56	PASS
Band4	3	20175	8	#0	QAM16	21.42	PASS
Band4	3	20175	8	#Mid	QAM16	21.48	PASS
Band4	3	20175	8	#Max	QAM16	21.43	PASS
Band4	3	20175	15	#0	QAM16	21.39	PASS
Band4	3	20385	1	#0	QPSK	23.33	PASS
Band4	3	20385	1	#Mid	QPSK	23.34	PASS
Band4	3	20385	1	#Max	QPSK	23.22	PASS
Band4	3	20385	8	#0	QPSK	22.45	PASS
Band4	3	20385	8	#Mid	QPSK	22.43	PASS
Band4	3	20385	8	#Max	QPSK	22.40	PASS
Band4	3	20385	15	#0	QPSK	22.40	PASS
Band4	3	20385	1	#0	QAM16	22.18	PASS
Band4	3	20385	1	#Mid	QAM16	22.24	PASS
Band4	3	20385	1	#Max	QAM16	22.11	PASS
Band4	3	20385	8	#0	QAM16	21.26	PASS
Band4	3	20385	8	#Mid	QAM16	21.29	PASS
Band4	3	20385	8	#Max	QAM16	21.26	PASS
Band4	3	20385	15	#0	QAM16	21.33	PASS
Band4	5	19975	1	#0	QPSK	23.64	PASS
Band4	5	19975	1	#Mid	QPSK	23.50	PASS
Band4	5	19975	1	#Max	QPSK	23.44	PASS
Band4	5	19975	12	#0	QPSK	22.47	PASS
Band4	5	19975	12	#Mid	QPSK	22.55	PASS
Band4	5	19975	12	#Max	QPSK	22.40	PASS
Band4	5	19975	25	#0	QPSK	22.38	PASS
Band4	5	19975	1	#0	QAM16	22.90	PASS
Band4	5	19975	1	#Mid	QAM16	22.84	PASS
Band4	5	19975	1	#Max	QAM16	22.80	PASS
Band4	5	19975	12	#0	QAM16	21.39	PASS
Band4	5	19975	12	#Mid	QAM16	21.46	PASS
Band4	5	19975	12	#Max	QAM16	21.31	PASS
Band4	5	19975	25	#0	QAM16	21.35	PASS
Band4	5	20175	1	#0	QPSK	23.41	PASS
Band4	5	20175	1	#Mid	QPSK	23.47	PASS
Band4	5	20175	1	#Max	QPSK	23.50	PASS
Band4	5	20175	12	#0	QPSK	22.42	PASS
Band4	5	20175	12	#Mid	QPSK	22.54	PASS
Band4	5	20175	12	#Max	QPSK	22.47	PASS
Band4	5	20175	25	#0	QPSK	22.43	PASS
Band4	5	20175	1	#0	QAM16	22.66	PASS

Band4	5	20175	1	#Mid	QAM16	22.71	PASS
Band4	5	20175	1	#Max	QAM16	22.69	PASS
Band4	5	20175	12	#0	QAM16	21.30	PASS
Band4	5	20175	12	#Mid	QAM16	21.42	PASS
Band4	5	20175	12	#Max	QAM16	21.36	PASS
Band4	5	20175	25	#0	QAM16	21.36	PASS
Band4	5	20375	1	#0	QPSK	23.44	PASS
Band4	5	20375	1	#Mid	QPSK	23.34	PASS
Band4	5	20375	1	#Max	QPSK	23.32	PASS
Band4	5	20375	12	#0	QPSK	22.37	PASS
Band4	5	20375	12	#Mid	QPSK	22.45	PASS
Band4	5	20375	12	#Max	QPSK	22.34	PASS
Band4	5	20375	25	#0	QPSK	22.39	PASS
Band4	5	20375	1	#0	QAM16	22.70	PASS
Band4	5	20375	1	#Mid	QAM16	22.65	PASS
Band4	5	20375	1	#Max	QAM16	22.57	PASS
Band4	5	20375	12	#0	QAM16	21.27	PASS
Band4	5	20375	12	#Mid	QAM16	21.32	PASS
Band4	5	20375	12	#Max	QAM16	21.26	PASS
Band4	5	20375	25	#0	QAM16	21.18	PASS
Band4	10	20000	1	#0	QPSK	23.62	PASS
Band4	10	20000	1	#Mid	QPSK	23.36	PASS
Band4	10	20000	1	#Max	QPSK	23.35	PASS
Band4	10	20000	25	#0	QPSK	22.20	PASS
Band4	10	20000	25	#Mid	QPSK	22.33	PASS
Band4	10	20000	25	#Max	QPSK	22.15	PASS
Band4	10	20000	50	#0	QPSK	22.20	PASS
Band4	10	20000	1	#0	QAM16	22.75	PASS
Band4	10	20000	1	#Mid	QAM16	22.62	PASS
Band4	10	20000	1	#Max	QAM16	22.62	PASS
Band4	10	20000	25	#0	QAM16	21.19	PASS
Band4	10	20000	25	#Mid	QAM16	21.24	PASS
Band4	10	20000	25	#Max	QAM16	21.06	PASS
Band4	10	20175	1	#0	QPSK	23.37	PASS
Band4	10	20175	1	#Mid	QPSK	23.34	PASS
Band4	10	20175	1	#Max	QPSK	23.41	PASS
Band4	10	20175	25	#0	QPSK	22.20	PASS
Band4	10	20175	25	#Mid	QPSK	22.39	PASS
Band4	10	20175	25	#Max	QPSK	22.29	PASS
Band4	10	20175	50	#0	QPSK	22.92	PASS
Band4	10	20175	1	#0	QAM16	22.40	PASS
Band4	10	20175	1	#Mid	QAM16	22.48	PASS
Band4	10	20175	1	#Max	QAM16	22.48	PASS
Band4	10	20175	25	#0	QAM16	21.11	PASS

Band4	10	20175	25	#Mid	QAM16	21.31	PASS
Band4	10	20175	25	#Max	QAM16	21.20	PASS
Band4	10	20350	1	#0	QPSK	23.36	PASS
Band4	10	20350	1	#Mid	QPSK	23.28	PASS
Band4	10	20350	1	#Max	QPSK	23.25	PASS
Band4	10	20350	25	#0	QPSK	22.23	PASS
Band4	10	20350	25	#Mid	QPSK	22.35	PASS
Band4	10	20350	25	#Max	QPSK	22.17	PASS
Band4	10	20350	50	#0	QPSK	22.59	PASS
Band4	10	20350	1	#0	QAM16	22.12	PASS
Band4	10	20350	1	#Mid	QAM16	22.19	PASS
Band4	10	20350	1	#Max	QAM16	22.05	PASS
Band4	10	20350	25	#0	QAM16	21.02	PASS
Band4	10	20350	25	#Mid	QAM16	21.19	PASS
Band4	10	20350	25	#Max	QAM16	21.04	PASS
Band4	15	20025	1	#0	QPSK	23.49	PASS
Band4	15	20025	1	#Mid	QPSK	23.23	PASS
Band4	15	20025	1	#Max	QPSK	23.29	PASS
Band4	15	20025	36	#0	QPSK	22.27	PASS
Band4	15	20025	36	#Mid	QPSK	22.25	PASS
Band4	15	20025	36	#Max	QPSK	22.16	PASS
Band4	15	20025	75	#0	QPSK	22.16	PASS
Band4	15	20025	1	#0	QAM16	22.70	PASS
Band4	15	20025	1	#Mid	QAM16	22.51	PASS
Band4	15	20025	1	#Max	QAM16	22.63	PASS
Band4	15	20025	36	#0	QAM16	23.52	PASS
Band4	15	20025	36	#Mid	QAM16	23.51	PASS
Band4	15	20025	36	#Max	QAM16	23.51	PASS
Band4	15	20175	1	#0	QPSK	23.85	PASS
Band4	15	20175	1	#Mid	QPSK	23.87	PASS
Band4	15	20175	1	#Max	QPSK	23.82	PASS
Band4	15	20175	36	#0	QPSK	23.67	PASS
Band4	15	20175	36	#Mid	QPSK	23.66	PASS
Band4	15	20175	36	#Max	QPSK	23.65	PASS
Band4	15	20175	75	#0	QPSK	23.64	PASS
Band4	15	20175	1	#0	QAM16	22.88	PASS
Band4	15	20175	1	#Mid	QAM16	22.95	PASS
Band4	15	20175	1	#Max	QAM16	22.86	PASS
Band4	15	20175	36	#0	QAM16	23.61	PASS
Band4	15	20175	36	#Mid	QAM16	23.60	PASS
Band4	15	20175	36	#Max	QAM16	23.59	PASS
Band4	15	20325	1	#0	QPSK	-19.94	PASS
Band4	15	20325	1	#Mid	QPSK	23.69	PASS
Band4	15	20325	1	#Max	QPSK	23.59	PASS

Band4	15	20325	36	#0	QPSK	22.60	PASS
Band4	15	20325	36	#Mid	QPSK	22.72	PASS
Band4	15	20325	36	#Max	QPSK	22.56	PASS
Band4	15	20325	75	#0	QPSK	22.58	PASS
Band4	15	20325	1	#0	QAM16	22.82	PASS
Band4	15	20325	1	#Mid	QAM16	22.96	PASS
Band4	15	20325	1	#Max	QAM16	22.86	PASS
Band4	15	20325	36	#0	QAM16	23.60	PASS
Band4	15	20325	36	#Mid	QAM16	23.59	PASS
Band4	15	20325	36	#Max	QAM16	23.58	PASS
Band4	20	20050	1	#0	QPSK	23.31	PASS
Band4	20	20050	1	#Mid	QPSK	23.05	PASS
Band4	20	20050	1	#Max	QPSK	23.24	PASS
Band4	20	20050	50	#0	QPSK	22.00	PASS
Band4	20	20050	50	#Mid	QPSK	21.98	PASS
Band4	20	20050	50	#Max	QPSK	22.01	PASS
Band4	20	20050	100	#0	QPSK	21.88	PASS
Band4	20	20050	1	#0	QAM16	22.39	PASS
Band4	20	20050	1	#Mid	QAM16	22.17	PASS
Band4	20	20050	1	#Max	QAM16	22.37	PASS
Band4	20	20050	50	#0	QAM16	23.04	PASS
Band4	20	20050	50	#Mid	QAM16	23.02	PASS
Band4	20	20050	50	#Max	QAM16	23.03	PASS
Band4	20	20175	1	#0	QPSK	22.97	PASS
Band4	20	20175	1	#Mid	QPSK	23.15	PASS
Band4	20	20175	1	#Max	QPSK	23.06	PASS
Band4	20	20175	50	#0	QPSK	22.90	PASS
Band4	20	20175	50	#Mid	QPSK	22.90	PASS
Band4	20	20175	50	#Max	QPSK	22.90	PASS
Band4	20	20175	100	#0	QPSK	22.90	PASS
Band4	20	20175	1	#0	QAM16	22.17	PASS
Band4	20	20175	1	#Mid	QAM16	22.44	PASS
Band4	20	20175	1	#Max	QAM16	22.27	PASS
Band4	20	20175	50	#0	QAM16	22.90	PASS
Band4	20	20175	50	#Mid	QAM16	22.90	PASS
Band4	20	20175	50	#Max	QAM16	22.89	PASS
Band4	20	20300	1	#0	QPSK	23.00	PASS
Band4	20	20300	1	#Mid	QPSK	23.02	PASS
Band4	20	20300	1	#Max	QPSK	22.91	PASS
Band4	20	20300	50	#0	QPSK	22.82	PASS
Band4	20	20300	50	#Mid	QPSK	22.82	PASS
Band4	20	20300	50	#Max	QPSK	22.82	PASS
Band4	20	20300	100	#0	QPSK	22.82	PASS
Band4	20	20300	1	#0	QAM16	22.19	PASS

Band4	20	20300	1	#Mid	QAM16	22.32	PASS
Band4	20	20300	1	#Max	QAM16	22.14	PASS
Band4	20	20300	50	#0	QAM16	22.82	PASS
Band4	20	20300	50	#Mid	QAM16	22.82	PASS
Band4	20	20300	50	#Max	QAM16	22.82	PASS
Band5	1.4	20407	1	#0	QPSK	24.42	PASS
Band5	1.4	20407	1	#Mid	QPSK	24.38	PASS
Band5	1.4	20407	1	#Max	QPSK	24.35	PASS
Band5	1.4	20407	3	#0	QPSK	24.34	PASS
Band5	1.4	20407	3	#Mid	QPSK	24.35	PASS
Band5	1.4	20407	3	#Max	QPSK	24.35	PASS
Band5	1.4	20407	6	#0	QPSK	23.19	PASS
Band5	1.4	20407	1	#0	QAM16	23.39	PASS
Band5	1.4	20407	1	#Mid	QAM16	23.44	PASS
Band5	1.4	20407	1	#Max	QAM16	23.45	PASS
Band5	1.4	20407	3	#0	QAM16	23.41	PASS
Band5	1.4	20407	3	#Mid	QAM16	23.43	PASS
Band5	1.4	20407	3	#Max	QAM16	23.45	PASS
Band5	1.4	20407	6	#0	QAM16	22.34	PASS
Band5	1.4	20525	1	#0	QPSK	24.09	PASS
Band5	1.4	20525	1	#Mid	QPSK	23.89	PASS
Band5	1.4	20525	1	#Max	QPSK	23.85	PASS
Band5	1.4	20525	3	#0	QPSK	23.98	PASS
Band5	1.4	20525	3	#Mid	QPSK	23.93	PASS
Band5	1.4	20525	3	#Max	QPSK	23.87	PASS
Band5	1.4	20525	6	#0	QPSK	22.83	PASS
Band5	1.4	20525	1	#0	QAM16	23.17	PASS
Band5	1.4	20525	1	#Mid	QAM16	23.00	PASS
Band5	1.4	20525	1	#Max	QAM16	22.99	PASS
Band5	1.4	20525	3	#0	QAM16	23.17	PASS
Band5	1.4	20525	3	#Mid	QAM16	23.12	PASS
Band5	1.4	20525	3	#Max	QAM16	23.04	PASS
Band5	1.4	20525	6	#0	QAM16	22.01	PASS
Band5	1.4	20643	1	#0	QPSK	23.99	PASS
Band5	1.4	20643	1	#Mid	QPSK	23.91	PASS
Band5	1.4	20643	1	#Max	QPSK	23.80	PASS
Band5	1.4	20643	3	#0	QPSK	23.88	PASS
Band5	1.4	20643	3	#Mid	QPSK	23.86	PASS
Band5	1.4	20643	3	#Max	QPSK	23.79	PASS
Band5	1.4	20643	6	#0	QPSK	22.73	PASS
Band5	1.4	20643	1	#0	QAM16	22.65	PASS
Band5	1.4	20643	1	#Mid	QAM16	22.68	PASS
Band5	1.4	20643	1	#Max	QAM16	22.58	PASS
Band5	1.4	20643	3	#0	QAM16	22.93	PASS

Band5	1.4	20643	3	#Mid	QAM16	22.92	PASS
Band5	1.4	20643	3	#Max	QAM16	22.90	PASS
Band5	1.4	20643	6	#0	QAM16	21.88	PASS
Band5	3	20415	1	#0	QPSK	24.43	PASS
Band5	3	20415	1	#Mid	QPSK	24.34	PASS
Band5	3	20415	1	#Max	QPSK	24.25	PASS
Band5	3	20415	8	#0	QPSK	23.15	PASS
Band5	3	20415	8	#Mid	QPSK	23.19	PASS
Band5	3	20415	8	#Max	QPSK	23.10	PASS
Band5	3	20415	15	#0	QPSK	23.16	PASS
Band5	3	20415	1	#0	QAM16	23.52	PASS
Band5	3	20415	1	#Mid	QAM16	23.57	PASS
Band5	3	20415	1	#Max	QAM16	23.48	PASS
Band5	3	20415	8	#0	QAM16	22.13	PASS
Band5	3	20415	8	#Mid	QAM16	22.13	PASS
Band5	3	20415	8	#Max	QAM16	22.06	PASS
Band5	3	20415	15	#0	QAM16	22.14	PASS
Band5	3	20525	1	#0	QPSK	24.21	PASS
Band5	3	20525	1	#Mid	QPSK	23.87	PASS
Band5	3	20525	1	#Max	QPSK	23.86	PASS
Band5	3	20525	8	#0	QPSK	23.01	PASS
Band5	3	20525	8	#Mid	QPSK	22.90	PASS
Band5	3	20525	8	#Max	QPSK	22.80	PASS
Band5	3	20525	15	#0	QPSK	22.88	PASS
Band5	3	20525	1	#0	QAM16	23.24	PASS
Band5	3	20525	1	#Mid	QAM16	23.02	PASS
Band5	3	20525	1	#Max	QAM16	22.94	PASS
Band5	3	20525	8	#0	QAM16	21.99	PASS
Band5	3	20525	8	#Mid	QAM16	21.88	PASS
Band5	3	20525	8	#Max	QAM16	21.78	PASS
Band5	3	20525	15	#0	QAM16	21.84	PASS
Band5	3	20635	1	#0	QPSK	24.08	PASS
Band5	3	20635	1	#Mid	QPSK	24.03	PASS
Band5	3	20635	1	#Max	QPSK	23.76	PASS
Band5	3	20635	8	#0	QPSK	22.87	PASS
Band5	3	20635	8	#Mid	QPSK	22.84	PASS
Band5	3	20635	8	#Max	QPSK	22.75	PASS
Band5	3	20635	15	#0	QPSK	22.81	PASS
Band5	3	20635	1	#0	QAM16	22.75	PASS
Band5	3	20635	1	#Mid	QAM16	22.76	PASS
Band5	3	20635	1	#Max	QAM16	22.57	PASS
Band5	3	20635	8	#0	QAM16	21.82	PASS
Band5	3	20635	8	#Mid	QAM16	21.81	PASS
Band5	3	20635	8	#Max	QAM16	21.72	PASS

Band5	3	20635	15	#0	QAM16	21.86	PASS
Band5	5	20425	1	#0	QPSK	24.73	PASS
Band5	5	20425	1	#Mid	QPSK	24.32	PASS
Band5	5	20425	1	#Max	QPSK	24.39	PASS
Band5	5	20425	12	#0	QPSK	23.08	PASS
Band5	5	20425	12	#Mid	QPSK	23.08	PASS
Band5	5	20425	12	#Max	QPSK	23.08	PASS
Band5	5	20425	25	#0	QPSK	23.04	PASS
Band5	5	20425	1	#0	QAM16	23.84	PASS
Band5	5	20425	1	#Mid	QAM16	23.65	PASS
Band5	5	20425	1	#Max	QAM16	23.73	PASS
Band5	5	20425	12	#0	QAM16	22.04	PASS
Band5	5	20425	12	#Mid	QAM16	22.05	PASS
Band5	5	20425	12	#Max	QAM16	22.07	PASS
Band5	5	20425	25	#0	QAM16	21.98	PASS
Band5	5	20525	1	#0	QPSK	24.47	PASS
Band5	5	20525	1	#Mid	QPSK	23.87	PASS
Band5	5	20525	1	#Max	QPSK	24.10	PASS
Band5	5	20525	12	#0	QPSK	23.07	PASS
Band5	5	20525	12	#Mid	QPSK	22.88	PASS
Band5	5	20525	12	#Max	QPSK	22.81	PASS
Band5	5	20525	25	#0	QPSK	22.85	PASS
Band5	5	20525	1	#0	QAM16	23.60	PASS
Band5	5	20525	1	#Mid	QAM16	23.08	PASS
Band5	5	20525	1	#Max	QAM16	23.25	PASS
Band5	5	20525	12	#0	QAM16	22.02	PASS
Band5	5	20525	12	#Mid	QAM16	21.88	PASS
Band5	5	20525	12	#Max	QAM16	21.74	PASS
Band5	5	20525	25	#0	QAM16	21.91	PASS
Band5	5	20625	1	#0	QPSK	24.35	PASS
Band5	5	20625	1	#Mid	QPSK	24.04	PASS
Band5	5	20625	1	#Max	QPSK	24.01	PASS
Band5	5	20625	12	#0	QPSK	22.87	PASS
Band5	5	20625	12	#Mid	QPSK	22.92	PASS
Band5	5	20625	12	#Max	QPSK	22.76	PASS
Band5	5	20625	25	#0	QPSK	22.85	PASS
Band5	5	20625	1	#0	QAM16	23.45	PASS
Band5	5	20625	1	#Mid	QAM16	23.25	PASS
Band5	5	20625	1	#Max	QAM16	23.15	PASS
Band5	5	20625	12	#0	QAM16	21.86	PASS
Band5	5	20625	12	#Mid	QAM16	21.93	PASS
Band5	5	20625	12	#Max	QAM16	21.78	PASS
Band5	5	20625	25	#0	QAM16	21.81	PASS
Band5	10	20450	1	#0	QPSK	24.89	PASS

Band5	10	20450	1	#Mid	QPSK	24.20	PASS
Band5	10	20450	1	#Max	QPSK	24.43	PASS
Band5	10	20450	25	#0	QPSK	22.99	PASS
Band5	10	20450	25	#Mid	QPSK	23.05	PASS
Band5	10	20450	25	#Max	QPSK	22.94	PASS
Band5	10	20450	50	#0	QPSK	22.94	PASS
Band5	10	20450	1	#0	QAM16	23.81	PASS
Band5	10	20450	1	#Mid	QAM16	23.47	PASS
Band5	10	20450	1	#Max	QAM16	23.64	PASS
Band5	10	20450	25	#0	QAM16	21.96	PASS
Band5	10	20450	25	#Mid	QAM16	22.05	PASS
Band5	10	20450	25	#Max	QAM16	21.89	PASS
Band5	10	20525	1	#0	QPSK	24.43	PASS
Band5	10	20525	1	#Mid	QPSK	23.81	PASS
Band5	10	20525	1	#Max	QPSK	24.14	PASS
Band5	10	20525	25	#0	QPSK	22.94	PASS
Band5	10	20525	25	#Mid	QPSK	22.84	PASS
Band5	10	20525	25	#Max	QPSK	22.73	PASS
Band5	10	20525	50	#0	QPSK	23.58	PASS
Band5	10	20525	1	#0	QAM16	23.39	PASS
Band5	10	20525	1	#Mid	QAM16	22.93	PASS
Band5	10	20525	1	#Max	QAM16	23.13	PASS
Band5	10	20525	25	#0	QAM16	21.95	PASS
Band5	10	20525	25	#Mid	QAM16	21.86	PASS
Band5	10	20525	25	#Max	QAM16	21.73	PASS
Band5	10	20600	1	#0	QPSK	24.31	PASS
Band5	10	20600	1	#Mid	QPSK	24.11	PASS
Band5	10	20600	1	#Max	QPSK	24.24	PASS
Band5	10	20600	25	#0	QPSK	22.75	PASS
Band5	10	20600	25	#Mid	QPSK	22.94	PASS
Band5	10	20600	25	#Max	QPSK	22.73	PASS
Band5	10	20600	50	#0	QPSK	23.75	PASS
Band5	10	20600	1	#0	QAM16	22.96	PASS
Band5	10	20600	1	#Mid	QAM16	22.88	PASS
Band5	10	20600	1	#Max	QAM16	22.91	PASS
Band5	10	20600	25	#0	QAM16	21.70	PASS
Band5	10	20600	25	#Mid	QAM16	21.90	PASS
Band5	10	20600	25	#Max	QAM16	21.72	PASS
Band7	5	20775	1	#0	QPSK	23.16	PASS
Band7	5	20775	1	#Mid	QPSK	23.02	PASS
Band7	5	20775	1	#Max	QPSK	23.12	PASS
Band7	5	20775	12	#0	QPSK	22.00	PASS
Band7	5	20775	12	#Mid	QPSK	22.06	PASS
Band7	5	20775	12	#Max	QPSK	22.03	PASS

Band7	5	20775	25	#0	QPSK	22.02	PASS
Band7	5	20775	1	#0	QAM16	22.66	PASS
Band7	5	20775	1	#Mid	QAM16	22.55	PASS
Band7	5	20775	1	#Max	QAM16	22.68	PASS
Band7	5	20775	12	#0	QAM16	21.03	PASS
Band7	5	20775	12	#Mid	QAM16	21.09	PASS
Band7	5	20775	12	#Max	QAM16	21.05	PASS
Band7	5	20775	25	#0	QAM16	21.02	PASS
Band7	5	21100	1	#0	QPSK	23.26	PASS
Band7	5	21100	1	#Mid	QPSK	23.17	PASS
Band7	5	21100	1	#Max	QPSK	23.19	PASS
Band7	5	21100	12	#0	QPSK	22.14	PASS
Band7	5	21100	12	#Mid	QPSK	22.19	PASS
Band7	5	21100	12	#Max	QPSK	22.08	PASS
Band7	5	21100	25	#0	QPSK	22.13	PASS
Band7	5	21100	1	#0	QAM16	22.54	PASS
Band7	5	21100	1	#Mid	QAM16	22.49	PASS
Band7	5	21100	1	#Max	QAM16	22.52	PASS
Band7	5	21100	12	#0	QAM16	21.12	PASS
Band7	5	21100	12	#Mid	QAM16	21.20	PASS
Band7	5	21100	12	#Max	QAM16	21.09	PASS
Band7	5	21100	25	#0	QAM16	21.20	PASS
Band7	5	21425	1	#0	QPSK	22.97	PASS
Band7	5	21425	1	#Mid	QPSK	22.81	PASS
Band7	5	21425	1	#Max	QPSK	22.86	PASS
Band7	5	21425	12	#0	QPSK	21.83	PASS
Band7	5	21425	12	#Mid	QPSK	21.85	PASS
Band7	5	21425	12	#Max	QPSK	21.81	PASS
Band7	5	21425	25	#0	QPSK	21.78	PASS
Band7	5	21425	1	#0	QAM16	22.28	PASS
Band7	5	21425	1	#Mid	QAM16	22.14	PASS
Band7	5	21425	1	#Max	QAM16	22.20	PASS
Band7	5	21425	12	#0	QAM16	20.93	PASS
Band7	5	21425	12	#Mid	QAM16	21.00	PASS
Band7	5	21425	12	#Max	QAM16	20.97	PASS
Band7	5	21425	25	#0	QAM16	20.87	PASS
Band7	10	20800	1	#0	QPSK	22.91	PASS
Band7	10	20800	1	#Mid	QPSK	22.77	PASS
Band7	10	20800	1	#Max	QPSK	23.21	PASS
Band7	10	20800	25	#0	QPSK	21.67	PASS
Band7	10	20800	25	#Mid	QPSK	21.84	PASS
Band7	10	20800	25	#Max	QPSK	21.85	PASS
Band7	10	20800	50	#0	QPSK	21.76	PASS
Band7	10	20800	1	#0	QAM16	22.27	PASS

Band7	10	20800	1	#Mid	QAM16	22.26	PASS
Band7	10	20800	1	#Max	QAM16	22.57	PASS
Band7	10	20800	25	#0	QAM16	20.71	PASS
Band7	10	20800	25	#Mid	QAM16	20.89	PASS
Band7	10	20800	25	#Max	QAM16	20.88	PASS
Band7	10	21100	1	#0	QPSK	23.03	PASS
Band7	10	21100	1	#Mid	QPSK	22.92	PASS
Band7	10	21100	1	#Max	QPSK	22.99	PASS
Band7	10	21100	25	#0	QPSK	21.80	PASS
Band7	10	21100	25	#Mid	QPSK	21.92	PASS
Band7	10	21100	25	#Max	QPSK	21.82	PASS
Band7	10	21100	50	#0	QPSK	22.32	PASS
Band7	10	21100	1	#0	QAM16	22.17	PASS
Band7	10	21100	1	#Mid	QAM16	22.11	PASS
Band7	10	21100	1	#Max	QAM16	22.19	PASS
Band7	10	21100	25	#0	QAM16	20.82	PASS
Band7	10	21100	25	#Mid	QAM16	21.00	PASS
Band7	10	21100	25	#Max	QAM16	20.86	PASS
Band7	10	21400	1	#0	QPSK	22.82	PASS
Band7	10	21400	1	#Mid	QPSK	22.72	PASS
Band7	10	21400	1	#Max	QPSK	22.84	PASS
Band7	10	21400	25	#0	QPSK	21.56	PASS
Band7	10	21400	25	#Mid	QPSK	21.73	PASS
Band7	10	21400	25	#Max	QPSK	21.56	PASS
Band7	10	21400	50	#0	QPSK	22.37	PASS
Band7	10	21400	1	#0	QAM16	21.60	PASS
Band7	10	21400	1	#Mid	QAM16	21.65	PASS
Band7	10	21400	1	#Max	QAM16	21.68	PASS
Band7	10	21400	25	#0	QAM16	20.67	PASS
Band7	10	21400	25	#Mid	QAM16	20.81	PASS
Band7	10	21400	25	#Max	QAM16	20.70	PASS
Band7	15	20825	1	#0	QPSK	22.98	PASS
Band7	15	20825	1	#Mid	QPSK	22.97	PASS
Band7	15	20825	1	#Max	QPSK	23.31	PASS
Band7	15	20825	36	#0	QPSK	21.91	PASS
Band7	15	20825	36	#Mid	QPSK	22.08	PASS
Band7	15	20825	36	#Max	QPSK	22.16	PASS
Band7	15	20825	75	#0	QPSK	22.04	PASS
Band7	15	20825	1	#0	QAM16	22.32	PASS
Band7	15	20825	1	#Mid	QAM16	22.45	PASS
Band7	15	20825	1	#Max	QAM16	22.76	PASS
Band7	15	20825	36	#0	QAM16	23.21	PASS
Band7	15	20825	36	#Mid	QAM16	23.19	PASS
Band7	15	20825	36	#Max	QAM16	23.18	PASS

Band7	15	21100	1	#0	QPSK	23.90	PASS
Band7	15	21100	1	#Mid	QPSK	23.71	PASS
Band7	15	21100	1	#Max	QPSK	23.57	PASS
Band7	15	21100	36	#0	QPSK	23.74	PASS
Band7	15	21100	36	#Mid	QPSK	23.70	PASS
Band7	15	21100	36	#Max	QPSK	23.70	PASS
Band7	15	21100	75	#0	QPSK	23.67	PASS
Band7	15	21100	1	#0	QAM16	22.76	PASS
Band7	15	21100	1	#Mid	QAM16	22.70	PASS
Band7	15	21100	1	#Max	QAM16	22.62	PASS
Band7	15	21100	36	#0	QAM16	23.63	PASS
Band7	15	21100	36	#Mid	QAM16	23.59	PASS
Band7	15	21100	36	#Max	QAM16	23.57	PASS
Band7	15	21375	1	#0	QPSK	23.98	PASS
Band7	15	21375	1	#Mid	QPSK	23.74	PASS
Band7	15	21375	1	#Max	QPSK	23.66	PASS
Band7	15	21375	36	#0	QPSK	22.46	PASS
Band7	15	21375	36	#Mid	QPSK	22.60	PASS
Band7	15	21375	36	#Max	QPSK	22.55	PASS
Band7	15	21375	75	#0	QPSK	22.40	PASS
Band7	15	21375	1	#0	QAM16	22.61	PASS
Band7	15	21375	1	#Mid	QAM16	22.59	PASS
Band7	15	21375	1	#Max	QAM16	22.55	PASS
Band7	15	21375	36	#0	QAM16	23.23	PASS
Band7	15	21375	36	#Mid	QAM16	23.20	PASS
Band7	15	21375	36	#Max	QAM16	23.17	PASS
Band7	20	20850	1	#0	QPSK	23.29	PASS
Band7	20	20850	1	#Mid	QPSK	23.55	PASS
Band7	20	20850	1	#Max	QPSK	23.58	PASS
Band7	20	20850	50	#0	QPSK	22.24	PASS
Band7	20	20850	50	#Mid	QPSK	22.57	PASS
Band7	20	20850	50	#Max	QPSK	22.48	PASS
Band7	20	20850	100	#0	QPSK	22.46	PASS
Band7	20	20850	1	#0	QAM16	22.56	PASS
Band7	20	20850	1	#Mid	QAM16	22.82	PASS
Band7	20	20850	1	#Max	QAM16	22.91	PASS
Band7	20	20850	50	#0	QAM16	23.25	PASS
Band7	20	20850	50	#Mid	QAM16	23.23	PASS
Band7	20	20850	50	#Max	QAM16	23.21	PASS
Band7	20	21100	1	#0	QPSK	23.26	PASS
Band7	20	21100	1	#Mid	QPSK	23.23	PASS
Band7	20	21100	1	#Max	QPSK	23.10	PASS
Band7	20	21100	50	#0	QPSK	23.41	PASS
Band7	20	21100	50	#Mid	QPSK	23.41	PASS

Band7	20	21100	50	#Max	QPSK	23.41	PASS
Band7	20	21100	100	#0	QPSK	23.40	PASS
Band7	20	21100	1	#0	QAM16	22.58	PASS
Band7	20	21100	1	#Mid	QAM16	22.65	PASS
Band7	20	21100	1	#Max	QAM16	22.39	PASS
Band7	20	21100	50	#0	QAM16	23.41	PASS
Band7	20	21100	50	#Mid	QAM16	23.40	PASS
Band7	20	21100	50	#Max	QAM16	23.39	PASS
Band7	20	21350	1	#0	QPSK	22.95	PASS
Band7	20	21350	1	#Mid	QPSK	22.92	PASS
Band7	20	21350	1	#Max	QPSK	22.91	PASS
Band7	20	21350	50	#0	QPSK	23.10	PASS
Band7	20	21350	50	#Mid	QPSK	23.10	PASS
Band7	20	21350	50	#Max	QPSK	23.09	PASS
Band7	20	21350	100	#0	QPSK	23.09	PASS
Band7	20	21350	1	#0	QAM16	22.28	PASS
Band7	20	21350	1	#Mid	QAM16	22.30	PASS
Band7	20	21350	1	#Max	QAM16	22.24	PASS
Band7	20	21350	50	#0	QAM16	23.09	PASS
Band7	20	21350	50	#Mid	QAM16	23.08	PASS
Band7	20	21350	50	#Max	QAM16	23.07	PASS

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18900	1	#0	QPSK	4.52	13	PASS
Band2	1.4	18900	1	#0	QAM16	5.28	13	PASS
Band2	3	18900	1	#0	QPSK	4.52	13	PASS
Band2	3	18900	1	#0	QAM16	5.26	13	PASS
Band2	5	18900	1	#0	QPSK	4.56	13	PASS
Band2	5	18900	1	#0	QAM16	5.15	13	PASS
Band2	10	18900	1	#0	QPSK	4.42	13	PASS
Band2	10	18900	1	#0	QAM16	5.20	13	PASS
Band2	15	18900	1	#0	QPSK	4.50	13	PASS
Band2	15	18900	1	#0	QAM16	5.52	13	PASS
Band2	20	18900	1	#0	QPSK	4.59	13	PASS
Band2	20	18900	1	#0	QAM16	5.18	13	PASS
Band4	1.4	20175	1	#0	QPSK	4.59	13	PASS
Band4	1.4	20175	1	#0	QAM16	5.28	13	PASS
Band4	3	20175	1	#0	QPSK	4.48	13	PASS
Band4	3	20175	1	#0	QAM16	5.28	13	PASS
Band4	5	20175	1	#0	QPSK	4.89	13	PASS
Band4	5	20175	1	#0	QAM16	5.11	13	PASS
Band4	10	20175	1	#0	QPSK	4.51	13	PASS

Band4	10	20175	1	#0	QAM16	5.56	13	PASS
Band4	15	20175	1	#0	QPSK	4.71	13	PASS
Band4	15	20175	1	#0	QAM16	5.64	13	PASS
Band4	20	20175	1	#0	QPSK	4.58	13	PASS
Band4	20	20175	1	#0	QAM16	5.32	13	PASS
Band5	1.4	20525	1	#0	QPSK	4.48	13	PASS
Band5	1.4	20525	1	#0	QAM16	5.31	13	PASS
Band5	3	20525	1	#0	QPSK	4.32	13	PASS
Band5	3	20525	1	#0	QAM16	5.30	13	PASS
Band5	5	20525	1	#0	QPSK	4.40	13	PASS
Band5	5	20525	1	#0	QAM16	5.10	13	PASS
Band5	10	20525	1	#0	QPSK	4.49	13	PASS
Band5	10	20525	1	#0	QAM16	5.59	13	PASS
Band7	5	21100	1	#0	QPSK	5.14	13	PASS
Band7	5	21100	1	#0	QAM16	5.74	13	PASS
Band7	10	21100	1	#0	QPSK	5.02	13	PASS
Band7	10	21100	1	#0	QAM16	5.95	13	PASS
Band7	15	21100	1	#0	QPSK	4.93	13	PASS
Band7	15	21100	1	#0	QAM16	5.66	13	PASS
Band7	20	21100	1	#0	QPSK	4.82	13	PASS
Band7	20	21100	1	#0	QAM16	5.57	13	PASS

Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0



Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0



Band4 QAM16 BW=3MHz Channel=20175 RB Size=1 Position=#0



Band4 QAM16 BW=5MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0



Band4 QAM16 BW=10MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0



Band4 QAM16 BW=15MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0



Band4 QAM16 BW=20MHz Channel=20175 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0



Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0



Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0



Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0



Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18900	6	#0	QPSK	1.105	1.280	PASS
Band2	1.4	18900	6	#0	QAM16	1.096	1.286	PASS
Band2	3	18900	15	#0	QPSK	2.689	2.917	PASS
Band2	3	18900	15	#0	QAM16	2.685	2.948	PASS
Band2	5	18900	25	#0	QPSK	4.533	5.160	PASS
Band2	5	18900	25	#0	QAM16	4.519	5.113	PASS
Band2	10	18900	50	#0	QPSK	9.012	9.907	PASS
Band2	10	18900	50	#0	QAM16	9.022	10.129	PASS
Band2	15	18900	75	#0	QPSK	13.535	14.988	PASS
Band2	15	18900	75	#0	QAM16	13.512	14.869	PASS
Band2	20	18900	100	#0	QPSK	18.037	19.756	PASS
Band2	20	18900	100	#0	QAM16	17.988	19.355	PASS
Band4	1.4	20175	6	#0	QPSK	1.098	1.307	PASS
Band4	1.4	20175	6	#0	QAM16	1.095	1.277	PASS
Band4	3	20175	15	#0	QPSK	2.695	2.927	PASS
Band4	3	20175	15	#0	QAM16	2.691	2.932	PASS
Band4	5	20175	25	#0	QPSK	4.520	5.127	PASS
Band4	5	20175	25	#0	QAM16	4.533	5.135	PASS
Band4	10	20175	50	#0	QPSK	9.003	10.031	PASS
Band4	10	20175	50	#0	QAM16	9.024	10.059	PASS

Band4	15	20175	75	#0	QPSK	13.467	15.071	PASS
Band4	15	20175	75	#0	QAM16	13.494	14.762	PASS
Band4	20	20175	100	#0	QPSK	17.950	19.575	PASS
Band4	20	20175	100	#0	QAM16	17.947	19.425	PASS
Band5	1.4	20525	6	#0	QPSK	1.091	1.288	PASS
Band5	1.4	20525	6	#0	QAM16	1.093	1.303	PASS
Band5	3	20525	15	#0	QPSK	2.691	2.933	PASS
Band5	3	20525	15	#0	QAM16	2.685	2.905	PASS
Band5	5	20525	25	#0	QPSK	4.531	5.112	PASS
Band5	5	20525	25	#0	QAM16	4.505	5.076	PASS
Band5	10	20525	50	#0	QPSK	8.982	9.988	PASS
Band5	10	20525	50	#0	QAM16	8.992	9.873	PASS
Band7	5	21100	25	#0	QPSK	4.518	5.085	PASS
Band7	5	21100	25	#0	QAM16	4.530	5.240	PASS
Band7	10	21100	50	#0	QPSK	9.016	10.041	PASS
Band7	10	21100	50	#0	QAM16	9.024	10.024	PASS
Band7	15	21100	75	#0	QPSK	13.493	14.995	PASS
Band7	15	21100	75	#0	QAM16	13.547	14.874	PASS
Band7	20	21100	100	#0	QPSK	17.933	19.687	PASS
Band7	20	21100	100	#0	QAM16	17.970	19.601	PASS


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=100 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	1850.00	-24.66	-13	PASS
Band2	1.4	18607	1	#Max	QPSK	1849.35	-32.76	-13	PASS
Band2	1.4	18607	6	#0	QPSK	1849.99	-28.95	-13	PASS
Band2	1.4	18607	1	#0	QAM16	1850.00	-26.19	-13	PASS
Band2	1.4	18607	1	#Max	QAM16	1849.37	-33.71	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1849.99	-29.60	-13	PASS
Band2	1.4	19193	1	#0	QPSK	1910.63	-33.02	-13	PASS
Band2	1.4	19193	1	#Max	QPSK	1910.01	-20.74	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.01	-27.89	-13	PASS
Band2	1.4	19193	1	#0	QAM16	1910.62	-33.65	-13	PASS
Band2	1.4	19193	1	#Max	QAM16	1910.00	-23.83	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.00	-28.84	-13	PASS
Band2	3	18615	1	#0	QPSK	1850.00	-19.74	-13	PASS
Band2	3	18615	1	#Max	QPSK	1847.69	-34.52	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-28.44	-13	PASS
Band2	3	18615	1	#0	QAM16	1850.00	-19.57	-13	PASS
Band2	3	18615	1	#Max	QAM16	1847.74	-34.25	-13	PASS
Band2	3	18615	15	#0	QAM16	1850.00	-30.30	-13	PASS
Band2	3	19185	1	#0	QPSK	1912.23	-33.88	-13	PASS

Band2	3	19185	1	#Max	QPSK	1910.00	-16.69	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-29.16	-13	PASS
Band2	3	19185	1	#0	QAM16	1912.33	-34.86	-13	PASS
Band2	3	19185	1	#Max	QAM16	1910.00	-19.50	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.02	-29.62	-13	PASS
Band2	5	18625	1	#0	QPSK	1850.00	-19.70	-13	PASS
Band2	5	18625	1	#Max	QPSK	1846.01	-34.10	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-30.05	-13	PASS
Band2	5	18625	1	#0	QAM16	1849.99	-17.36	-13	PASS
Band2	5	18625	1	#Max	QAM16	1846.02	-34.21	-13	PASS
Band2	5	18625	25	#0	QAM16	1849.99	-31.09	-13	PASS
Band2	5	19175	1	#0	QPSK	1913.93	-32.85	-13	PASS
Band2	5	19175	1	#Max	QPSK	1910.02	-18.51	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.02	-29.31	-13	PASS
Band2	5	19175	1	#0	QAM16	1913.99	-32.81	-13	PASS
Band2	5	19175	1	#Max	QAM16	1910.00	-17.64	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.01	-29.85	-13	PASS
Band2	10	18650	1	#0	QPSK	1849.98	-22.72	-13	PASS
Band2	10	18650	1	#Max	QPSK	1841.80	-33.45	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-32.45	-13	PASS
Band2	10	18650	1	#0	QAM16	1850.00	-21.01	-13	PASS
Band2	10	18650	1	#Max	QAM16	1841.76	-32.98	-13	PASS
Band2	10	19150	1	#0	QPSK	1918.18	-35.25	-13	PASS
Band2	10	19150	1	#Max	QPSK	1910.00	-19.46	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.08	-31.64	-13	PASS
Band2	10	19150	1	#0	QAM16	1918.20	-35.59	-13	PASS
Band2	10	19150	1	#Max	QAM16	1910.00	-20.27	-13	PASS
Band2	15	18675	1	#0	QPSK	1850.00	-25.66	-13	PASS
Band2	15	18675	1	#Max	QPSK	1837.58	-33.66	-13	PASS
Band2	15	18675	75	#0	QPSK	1848.89	-35.04	-13	PASS
Band2	15	18675	1	#0	QAM16	1850.00	-29.32	-13	PASS
Band2	15	18675	1	#Max	QAM16	1837.52	-33.19	-13	PASS
Band2	15	19125	1	#0	QPSK	1922.54	-38.17	-13	PASS
Band2	15	19125	1	#Max	QPSK	1910.00	-27.67	-13	PASS
Band2	15	19125	75	#0	QPSK	1911.71	-32.36	-13	PASS
Band2	15	19125	1	#0	QAM16	1922.48	-37.39	-13	PASS
Band2	15	19125	1	#Max	QAM16	1910.00	-24.49	-13	PASS
Band2	20	18700	1	#0	QPSK	1849.96	-35.45	-13	PASS
Band2	20	18700	1	#Max	QPSK	1833.36	-36.82	-13	PASS
Band2	20	18700	100	#0	QPSK	1849.96	-34.42	-13	PASS
Band2	20	18700	1	#0	QAM16	1849.88	-37.58	-13	PASS
Band2	20	18700	1	#Max	QAM16	1833.24	-37.54	-13	PASS
Band2	20	19100	1	#0	QPSK	1910.28	-42.05	-13	PASS
Band2	20	19100	1	#Max	QPSK	1910.00	-35.63	-13	PASS


Band2	20	19100	100	#0	QPSK	1910.20	-31.76	-13	PASS
Band2	20	19100	1	#0	QAM16	1910.32	-41.98	-13	PASS
Band2	20	19100	1	#Max	QAM16	1910.24	-36.70	-13	PASS
Band4	1.4	19957	1	#0	QPSK	1710.00	-25.56	-13	PASS
Band4	1.4	19957	1	#Max	QPSK	1709.31	-34.44	-13	PASS
Band4	1.4	19957	6	#0	QPSK	1710.00	-31.78	-13	PASS
Band4	1.4	19957	1	#0	QAM16	1710.00	-26.22	-13	PASS
Band4	1.4	19957	1	#Max	QAM16	1709.39	-36.63	-13	PASS
Band4	1.4	19957	6	#0	QAM16	1709.99	-32.41	-13	PASS
Band4	1.4	20393	1	#0	QPSK	1755.68	-35.45	-13	PASS
Band4	1.4	20393	1	#Max	QPSK	1755.00	-26.04	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1755.01	-32.69	-13	PASS
Band4	1.4	20393	1	#0	QAM16	1755.69	-35.47	-13	PASS
Band4	1.4	20393	1	#Max	QAM16	1755.00	-28.16	-13	PASS
Band4	1.4	20393	6	#0	QAM16	1755.01	-34.35	-13	PASS
Band4	3	19965	1	#0	QPSK	1710.00	-19.88	-13	PASS
Band4	3	19965	1	#Max	QPSK	1707.74	-36.61	-13	PASS
Band4	3	19965	15	#0	QPSK	1710.00	-30.16	-13	PASS
Band4	3	19965	1	#0	QAM16	1710.00	-20.18	-13	PASS
Band4	3	19965	1	#Max	QAM16	1707.74	-36.90	-13	PASS
Band4	3	19965	15	#0	QAM16	1710.00	-32.89	-13	PASS
Band4	3	20385	1	#0	QPSK	1757.26	-35.43	-13	PASS
Band4	3	20385	1	#Max	QPSK	1755.00	-20.50	-13	PASS
Band4	3	20385	15	#0	QPSK	1755.00	-32.43	-13	PASS
Band4	3	20385	1	#0	QAM16	1757.32	-35.60	-13	PASS
Band4	3	20385	1	#Max	QAM16	1755.00	-21.52	-13	PASS
Band4	3	20385	15	#0	QAM16	1755.00	-35.17	-13	PASS
Band4	5	19975	1	#0	QPSK	1710.00	-19.36	-13	PASS
Band4	5	19975	1	#Max	QPSK	1705.98	-37.61	-13	PASS
Band4	5	19975	25	#0	QPSK	1710.00	-29.93	-13	PASS
Band4	5	19975	1	#0	QAM16	1710.00	-17.41	-13	PASS
Band4	5	19975	1	#Max	QAM16	1705.97	-36.92	-13	PASS
Band4	5	19975	25	#0	QAM16	1710.00	-32.88	-13	PASS
Band4	5	20375	1	#0	QPSK	1759.01	-33.65	-13	PASS
Band4	5	20375	1	#Max	QPSK	1755.01	-18.16	-13	PASS
Band4	5	20375	25	#0	QPSK	1755.00	-33.06	-13	PASS
Band4	5	20375	1	#0	QAM16	1758.99	-33.70	-13	PASS
Band4	5	20375	1	#Max	QAM16	1755.01	-19.59	-13	PASS
Band4	5	20375	25	#0	QAM16	1755.00	-33.98	-13	PASS
Band4	10	20000	1	#0	QPSK	1710.00	-21.46	-13	PASS
Band4	10	20000	1	#Max	QPSK	1701.76	-36.19	-13	PASS
Band4	10	20000	50	#0	QPSK	1710.00	-33.56	-13	PASS
Band4	10	20000	1	#0	QAM16	1710.00	-24.83	-13	PASS
Band4	10	20000	1	#Max	QAM16	1701.74	-36.47	-13	PASS

Band4	10	20350	1	#0	QPSK	1763.24	-32.26	-13	PASS
Band4	10	20350	1	#Max	QPSK	1755.04	-23.83	-13	PASS
Band4	10	20350	50	#0	QPSK	1755.00	-36.17	-13	PASS
Band4	10	20350	1	#0	QAM16	1763.22	-31.97	-13	PASS
Band4	10	20350	1	#Max	QAM16	1755.00	-24.79	-13	PASS
Band4	15	20025	1	#0	QPSK	1710.00	-30.24	-13	PASS
Band4	15	20025	1	#Max	QPSK	1697.49	-32.92	-13	PASS
Band4	15	20025	75	#0	QPSK	1709.43	-32.60	-13	PASS
Band4	15	20025	1	#0	QAM16	1710.00	-29.49	-13	PASS
Band4	15	20025	1	#Max	QAM16	1697.58	-33.16	-13	PASS
Band4	15	20325	1	#0	QPSK	1767.51	-31.95	-13	PASS
Band4	15	20325	1	#Max	QPSK	1755.06	-30.83	-13	PASS
Band4	15	20325	75	#0	QPSK	1755.36	-36.09	-13	PASS
Band4	15	20325	1	#0	QAM16	1767.48	-32.49	-13	PASS
Band4	15	20325	1	#Max	QAM16	1755.00	-27.63	-13	PASS
Band4	20	20050	1	#0	QPSK	1710.00	-37.76	-13	PASS
Band4	20	20050	1	#Max	QPSK	1693.28	-34.13	-13	PASS
Band4	20	20050	100	#0	QPSK	1709.76	-34.50	-13	PASS
Band4	20	20050	1	#0	QAM16	1709.80	-38.80	-13	PASS
Band4	20	20050	1	#Max	QAM16	1693.24	-32.57	-13	PASS
Band4	20	20300	1	#0	QPSK	1771.80	-32.39	-13	PASS
Band4	20	20300	1	#Max	QPSK	1755.12	-36.56	-13	PASS
Band4	20	20300	100	#0	QPSK	1755.16	-37.21	-13	PASS
Band4	20	20300	1	#0	QAM16	1771.80	-32.44	-13	PASS
Band4	20	20300	1	#Max	QAM16	1755.00	-37.31	-13	PASS
Band5	1.4	20407	1	#0	QPSK	824.00	-23.93	-13	PASS
Band5	1.4	20407	1	#Max	QPSK	823.79	-42.82	-13	PASS
Band5	1.4	20407	6	#0	QPSK	824.00	-32.12	-13	PASS
Band5	1.4	20407	1	#0	QAM16	824.00	-27.51	-13	PASS
Band5	1.4	20407	1	#Max	QAM16	823.83	-43.22	-13	PASS
Band5	1.4	20407	6	#0	QAM16	824.00	-34.25	-13	PASS
Band5	1.4	20643	1	#0	QPSK	849.20	-42.82	-13	PASS
Band5	1.4	20643	1	#Max	QPSK	849.00	-25.88	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.01	-32.05	-13	PASS
Band5	1.4	20643	1	#0	QAM16	849.69	-43.23	-13	PASS
Band5	1.4	20643	1	#Max	QAM16	849.00	-27.47	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.00	-33.60	-13	PASS
Band5	3	20415	1	#0	QPSK	824.00	-17.90	-13	PASS
Band5	3	20415	1	#Max	QPSK	822.96	-36.25	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-30.18	-13	PASS
Band5	3	20415	1	#0	QAM16	824.00	-21.14	-13	PASS
Band5	3	20415	1	#Max	QAM16	822.96	-36.82	-13	PASS
Band5	3	20415	15	#0	QAM16	824.00	-30.75	-13	PASS
Band5	3	20635	1	#0	QPSK	850.04	-37.25	-13	PASS

Band5	3	20635	1	#Max	QPSK	849.00	-20.99	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-32.36	-13	PASS
Band5	3	20635	1	#0	QAM16	850.06	-38.04	-13	PASS
Band5	3	20635	1	#Max	QAM16	849.00	-20.50	-13	PASS
Band5	3	20635	15	#0	QAM16	849.00	-32.78	-13	PASS
Band5	5	20425	1	#0	QPSK	824.00	-15.47	-13	PASS
Band5	5	20425	1	#Max	QPSK	822.17	-38.64	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-30.85	-13	PASS
Band5	5	20425	1	#0	QAM16	824.00	-18.71	-13	PASS
Band5	5	20425	1	#Max	QAM16	822.21	-38.11	-13	PASS
Band5	5	20425	25	#0	QAM16	823.99	-32.79	-13	PASS
Band5	5	20625	1	#0	QPSK	850.81	-40.22	-13	PASS
Band5	5	20625	1	#Max	QPSK	849.02	-19.46	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-30.25	-13	PASS
Band5	5	20625	1	#0	QAM16	850.85	-40.32	-13	PASS
Band5	5	20625	1	#Max	QAM16	849.00	-16.93	-13	PASS
Band5	5	20625	25	#0	QAM16	849.00	-31.55	-13	PASS
Band5	10	20450	1	#0	QPSK	824.00	-21.96	-13	PASS
Band5	10	20450	1	#Max	QPSK	820.16	-37.58	-13	PASS
Band5	10	20450	50	#0	QPSK	823.98	-33.02	-13	PASS
Band5	10	20450	1	#0	QAM16	823.98	-20.38	-13	PASS
Band5	10	20450	1	#Max	QAM16	820.20	-36.21	-13	PASS
Band5	10	20600	1	#0	QPSK	857.28	-44.95	-13	PASS
Band5	10	20600	1	#Max	QPSK	849.00	-22.71	-13	PASS
Band5	10	20600	50	#0	QPSK	849.06	-34.15	-13	PASS
Band5	10	20600	1	#0	QAM16	857.30	-44.47	-13	PASS
Band5	10	20600	1	#Max	QAM16	849.02	-20.56	-13	PASS
Band7	5	20775	1	#0	QPSK	2499.00	-10.06	-10	PASS
Band7	5	20775	1	#Max	QPSK	2491.99	-40.71	-25	PASS
Band7	5	20775	25	#0	QPSK	2498.99	-24.66	-10	PASS
Band7	5	20775	1	#0	QAM16	2498.99	-10.87	-10	PASS
Band7	5	20775	1	#Max	QAM16	2480.40	-40.71	-25	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-24.75	-10	PASS
Band7	5	21425	1	#0	QPSK	2578.74	-40.47	-25	PASS
Band7	5	21425	1	#Max	QPSK	2571.00	-11.16	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-24.29	-10	PASS
Band7	5	21425	1	#0	QAM16	2583.45	-40.21	-25	PASS
Band7	5	21425	1	#Max	QAM16	2571.01	-12.08	-10	PASS
Band7	5	21425	25	#0	QAM16	2576.06	-39.95	-25	PASS
Band7	10	20800	1	#0	QPSK	2499.00	-20.90	-10	PASS
Band7	10	20800	1	#Max	QPSK	2477.18	-40.52	-25	PASS
Band7	10	20800	50	#0	QPSK	2488.62	-40.30	-25	PASS
Band7	10	20800	1	#0	QAM16	2499.00	-21.96	-10	PASS
Band7	10	20800	1	#Max	QAM16	2485.62	-40.55	-25	PASS

Band7	10	21400	1	#0	QPSK	2592.69	-40.35	-25	PASS
Band7	10	21400	1	#Max	QPSK	2571.01	-21.41	-10	PASS
Band7	10	21400	50	#0	QPSK	2580.12	-39.97	-25	PASS
Band7	10	21400	1	#0	QAM16	2587.08	-40.35	-25	PASS
Band7	10	21400	1	#Max	QAM16	2571.00	-21.85	-10	PASS
Band7	15	20825	1	#0	QPSK	2475.98	-40.54	-25	PASS
Band7	15	20825	1	#Max	QPSK	2481.16	-40.78	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.78	-40.31	-25	PASS
Band7	15	20825	1	#0	QAM16	2480.82	-40.62	-25	PASS
Band7	15	20825	1	#Max	QAM16	2480.63	-40.64	-25	PASS
Band7	15	21375	1	#0	QPSK	2594.02	-40.40	-25	PASS
Band7	15	21375	1	#Max	QPSK	2586.89	-40.34	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.27	-39.49	-25	PASS
Band7	15	21375	1	#0	QAM16	2586.34	-40.41	-25	PASS
Band7	15	21375	1	#Max	QAM16	2591.29	-40.34	-25	PASS
Band7	20	20850	1	#0	QPSK	2476.07	-40.61	-25	PASS
Band7	20	20850	1	#Max	QPSK	2478.23	-40.84	-25	PASS
Band7	20	20850	100	#0	QPSK	2475.82	-40.46	-25	PASS
Band7	20	20850	1	#0	QAM16	2478.27	-40.83	-25	PASS
Band7	20	20850	1	#Max	QAM16	2478.06	-40.77	-25	PASS
Band7	20	21350	1	#0	QPSK	2594.04	-40.27	-25	PASS
Band7	20	21350	1	#Max	QPSK	2590.41	-40.06	-25	PASS
Band7	20	21350	100	#0	QPSK	2590.01	-40.26	-25	PASS
Band7	20	21350	1	#0	QAM16	2590.16	-40.29	-25	PASS
Band7	20	21350	1	#Max	QAM16	2591.35	-40.19	-25	PASS

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0



Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#Max



Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#Max



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#0



Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0



Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#Max



Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#Max



Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#0



Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#Max



Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#0



Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#Max



Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#Max



Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#0



Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#Max



Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#Max




Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QAM16 BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#Max




Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#Max



Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#0



Band4 QAM16 BW=3MHz Channel=20385 RB Size=15 Position=#0