



RFECA Series – RoHS Compliance

CERAMIC ANTENNA

Halogens Free Product

2.4 GHz ISM Band Working Frequency

P/N: RFECA3216060A1T

*Contents in this sheet are subject to change without prior notice.




FEATURES

- 1. Surface Mounted Devices with a small dimension of 3.2 X 1.6 X 0.6 mm³ meet future miniaturization trend.
- 2. LTCC process.
- 3. High stability in Temperature / Humidity Change.
- 4. Superb performance to place on the middle of PCB edge and excellent peak/ average gain observed by field test application.

APPLICATIONS

- 1. ISM Band 2.4GHz applications.
- 2. Bluetooth..

CONSTRUCTION



PIN	Connection
1	Feeding
2	Soldering terminal


DIMENSIONS

Figure	Symbol	Dimension (mm)
$W = T = 1.6 \pm 0.2 \text{ mm} 0.6 \pm 0.1 \text{ mm}$	L	3.10 ± 0.20
	W	1.60 ± 0.20
3.1 ±0.2 mm A = 0.25±0.2 mm	Т	0.60 ± 0.10
	A	0.25 ± 0.20



SOLDER LAND PATTERN DESIGN

Type-1: Empty Space 8.0mm x 3.0 mm




TYPE-1 TEST BOARD ELECTRONIC CHARACTERISTICS

ltem	Specification	
Working Frequency Range	2.4GHz~2.4835GHz (Note-1)	
Gain	2 dBi (Typical)	
VSWR	2.0 max.	
Polarization	Linear	
Azimuth Beamwidth	Omni-directional	
Impedance	50Ω	

*Note 1. Central Frequency should be defined after customers' application approval.



Type-2: Empty Space 6.3mm x 4.0 mm




TYPE-2 TEST BOARD ELECTRONIC CHARACTERISTICS

ltem	Specification	
Working Frequency Range	2.4GHz~2.4835GHz (Note-1)	
Gain	2.09 dBi (Typical)	
VSWR	2.0 max.	
Polarization	Linear	
Azimuth Beamwidth	Omni-directional	
Impedance	50Ω	


*Note 1. Central Frequency should be defined after customers' application approval.



Antenna on Type-1 Test Board (Empty Space 8x3 mm & Thick ness 0.8mm)




L





Antenna on Type-2 Test Board (Empty Space 6.3x4 mm & Thick ness 0.8mm)







RADIATION PATTERN

Radiation Pattern and Gain were dependent on measurement board design. The specification of RFECA3216060A1T antenna was measured based on the PCB size and installation position as shown in the below figure Test Board.

Antenna on Type-1 Test Board








	ZX plane		ZY plane		XY plane	
Frequency [MHz]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]
2400	0.29	-3.32	1.82	-0.51	1.49	-2.87
2450	0.55	-2.88	2.09	-0.21	1.95	-2.48
2500	-0.15	-3.44	1.82	-0.62	1.82	-2.73


Approval sheet












	ZX plane		ZY plane		XY plane	
Frequency [MHz]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]
2400	1.57	-2.83	1.95	-0.76	1.10	-2.93
2450	1.70	-2.62	2.02	-0.62	1.57	-2.61
2500	1.46	-2.82	1.90	-0.71	1.75	-2.68

.

RELIABILITY TEST

Г

Test item	Test condition / Test method	Specification
Solderability	*Solder bath temperature : $235\pm5^{\circ}C$	At least 95% of a surface of each terminal
JIS C 0050-4.6	*Immersion time:2 \pm 0.5 sec	electrode must be covered by fresh solder.
JESD22-B102D	Solder:Sn3Ag0.5Cu for lead-free	
Leaching	*Solder bath temperature $: 260 \pm 5^{\circ}C$	Loss of metallization on the edges of each
(Resistance to	*Leaching immersion time $: 30 \pm 0.5$ sec	electrode shall not exceed 25%.
dissolution of	Solder : SN63A	
metallization)		
IEC 60068-2-58		
Resistance to soldering heat	*Preheating temperature : 120~150 $^\circ\!\!\mathbb{C}$,	No mechanical damage.
JIS C 0050-5.4	1 minute.	Electrical specification shall satisfy the
	*Solder temperature:270±5°C	descriptions in electrical characteristics under
	*Immersion time : 10±1 sec	the operational temperature range within -40
		~ 85°C.
	Solder : Sn3Ag0.5Cu for lead-free	Loss of metallization on the edges of each
	Measurement to be made after keeping at	electrode shall not exceed 25%.
	room temperature for 24±2 hrs	
Drop Test	*Height:75 cm	No mechanical damage.
JIS C 0044	*Test Surface : Rigid surface of concrete or	Electrical specification shall satisfy the
Customer's specification.	steel.	descriptions in electrical characteristics under
	*Times : 6 surfaces for each units ; 2 times for	the operational temperature range within -40
	each side.	~ 85°C.
Vibration	*Frequency:10Hz~55Hz~10Hz(1min)	No mechanical damage.
JIS C 0040	*Total amplitude:1.5mm	Electrical specification shall satisfy the
	*Test times : 6hrs.(Two hrs each in three	descriptions in electrical characteristics under
	mutually perpendicular directions)	the operational temperature range within -40
		~ 85°C.
Adhesive Strength	*Pressurizing force :	No remarkable damage or removal of the
of Termination	5N(≦0603);10N(>0603)	termination.
JIS C 0051- 7.4.3	*Test time:10±1 sec	
	1	



Bending test		
JIS C 0051- 7.4.1	The middle part of substrate shall be	No mechanical damage.
000000000000000000000000000000000000000	pressurized by means of the pressurizing rod	Electrical specification shall satisfy the
	at a rate of about 1 mm/s per second until the	descriptions in electrical characteristics under
	deflection becomes 1mm/s and then pressure	the operational temperature range within -40
	shall be maintained for 5 ± 1 sec.	~ 85°C.
	Measurement to be made after keeping at	
	room temperature for 24±2 hours	
Temperature cycle	1. 30±3 minutes at -40°C±3°C,	No mechanical damage.
JIS C 0025	2. 10~15 minutes at room temperature,	Electrical specification shall satisfy the
	3. 30±3 minutes at +85°C±3°C,	descriptions in electrical characteristics under
	4. 10~15 minutes at room temperature,	the operational temperature range within -40
	Total 100 continuous cycles	~ 85°C.
	Measurement to be made after keeping at	
	room temperature for 24±2 hrs	
High temperature	*Temperature : 85°C±2°C	No mechanical damage.
JIS C 0021	*Test duration : 1000+24/-0 hours	Electrical specification shall satisfy the
	Measurement to be made after keeping at	descriptions in electrical characteristics under
	room temperature for 24 ± 2 hrs	the operational temperature range within -40
		~ 85°C.
Humidity	*Humidity : 90% to 95% R.H.	No mechanical damage.
(steady conditions)	*Temperature:40±2°C	Electrical specification shall satisfy the
JIS C 0022	*Time : 1000+24/-0 hrs.	descriptions in electrical characteristics under
	Measurement to be made after keeping	the operational temperature range within -40
	at room temperature for 24±2 hrs	~ 85°C.
	% 500hrs measuring the first data then	
	1000hrs data	
Low temperature	*Temperature:-40°C±2°C	No mechanical damage.
JIS C 0020	*Test duration : 1000+24/-0 hours	Electrical specification shall satisfy the
	Measurement to be made after keeping at	descriptions in electrical characteristics under
	room temperature for 24±2 hrs	the operational temperature range within -40
		~ 85°C.



SOLDERING CONDITION

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2





Fig 2. Infrared soldering profile

ORDERING CODE

RF	ECA	321606	0	A	1	Т
Walsin	Product	Dimension code	Unit of	Application	Specification	Packing
RF	code	Per 2 digits of	dimension	A : 2.4GHz ISM	Design Code	T : Reeled
device	ANT :	Length, Width,	0 : 0.1 mm	Band		
	Antenna	Thickness :	1 : 1.0 mm			
		e.g. :				
		321606 =				
		Length 32,				
		Width 16,				
		Thickness 06				

Minimum Ordering Quantity: 2000 pcs per reel. **PACKAGING**




Plastic Tape specifications (unit :mm)

Index	Ao	Во	ΦD	Т	W
Dimension (mm)	1.85 ± 0.10	$\textbf{3.45}\pm\textbf{0.10}$	1.55 ± 0.05	0.75 ± 0.10	8.00 ± 0.30
Index	E	F	Po	P1	P2
Dimension (mm)	1.75 ± 0.10	3.50 ± 0.05	4.00 ± 0.10	4.00 ± 0.10	2.00 ± 0.10



Reel dimensions



Taping Quantity:2000 pieces per 7" reel

CAUTION OF HANDLING

Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection, which can be confirmed.
- (2) Storage environment condition.
 - Products should be storage in the warehouse on the following conditions.
 - Temperature : -10 to +40°C
 - Humidity : 30 to 70% relative humidity
 - Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
 - Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
 - Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
 - Products should be storage under the airtight packaged condition.