

FCC Part 27

RF power output

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	21.14	21.61	0.145	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	17.64	18.11	0.065	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	20.53	21	0.126	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	20.65	21.12	0.129	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	22.27	22.74	0.188	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	22.39	22.86	0.193	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	20.99	21.46	0.14	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	22.12	22.59	0.182	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	19.70	20.17	0.104	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	21.63	22.1	0.162	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.92	24.39	0.275	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.99	24.46	0.279	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.85	24.32	0.27	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.44	23.91	0.246	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	23.68	24.15	0.26	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	23.70	24.17	0.261	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	23.98	24.45	0.279	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	23.03	23.5	0.224	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	20.99	21.46	0.14	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	20.70	21.17	0.131	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	20.70	21.17	0.131	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.68	23.15	0.207	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	22.75	23.22	0.21	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	22.43	22.9	0.195	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	21.04	21.51	0.142	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	22.19	22.66	0.185	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	19.69	20.16	0.104	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	21.74	22.21	0.166	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.04	24.51	0.282	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.89	24.36	0.273	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.07	24.54	0.284	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.58	24.05	0.254	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.87	24.34	0.272	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	23.90	24.37	0.274	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	24.02	24.49	0.281	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	23.06	23.53	0.225	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	21.36	21.83	0.152	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	17.99	18.46	0.07	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	20.96	21.43	0.139	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	22.20	22.67	0.185	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	23.10	23.57	0.228	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	22.56	23.03	0.201	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	21.33	21.8	0.151	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	22.48	22.95	0.197	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	20.05	20.52	0.113	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	22.20	22.67	0.185	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.32	24.79	0.301	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	24.10	24.57	0.286	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.33	24.8	0.302	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.89	24.36	0.273	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	23.99	24.46	0.279	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	24.09	24.56	0.286	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	24.37	24.84	0.305	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	23.45	23.92	0.247	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	21.12	21.59	0.144	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	17.72	18.19	0.066	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	20.80	21.27	0.134	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	22.03	22.5	0.178	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	22.59	23.06	0.202	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	22.79	23.26	0.212	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	21.02	21.49	0.141	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	22.15	22.62	0.183	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.79	20.26	0.106	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.69	22.16	0.164	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.81	24.28	0.268	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.78	24.25	0.266	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	24.02	24.49	0.281	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.58	24.05	0.254	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	23.74	24.21	0.264	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	23.80	24.27	0.267	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	24.05	24.52	0.283	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	23.03	23.5	0.224	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	21.29	21.76	0.15	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	17.85	18.32	0.068	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	20.75	21.22	0.132	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.92	23.39	0.218	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	22.34	22.81	0.191	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	22.38	22.85	0.193	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	21.07	21.54	0.143	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	22.22	22.69	0.186	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	19.90	20.37	0.109	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	21.75	22.22	0.167	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.89	24.36	0.273	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.90	24.37	0.274	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	24.14	24.61	0.289	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.64	24.11	0.258	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.86	24.33	0.271	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	23.89	24.36	0.273	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	24.10	24.57	0.286	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	23.15	23.62	0.23	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	21.47	21.94	0.156	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	18.07	18.54	0.071	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	21.09	21.56	0.143	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	22.33	22.8	0.191	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	23.47	23.94	0.248	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	23.15	23.62	0.23	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	21.41	21.88	0.154	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	22.55	23.02	0.2	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	20.06	20.53	0.113	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	22.15	22.62	0.183	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.37	24.84	0.305	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	24.47	24.94	0.312	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	24.35	24.82	0.303	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.88	24.35	0.272	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	23.89	24.36	0.273	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	24.04	24.51	0.282	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	24.36	24.83	0.304	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	23.41	23.88	0.244	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	21.11	21.58	0.144	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	17.72	18.19	0.066	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	20.62	21.09	0.129	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	22.56	23.03	0.201	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	22.90	23.37	0.217	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	22.80	23.27	0.212	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	21.09	21.56	0.143	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	22.17	22.64	0.184	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	19.73	20.2	0.105	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	21.60	22.07	0.161	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.97	24.44	0.278	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	24.08	24.55	0.285	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.11	24.58	0.287	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.57	24.04	0.254	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	23.70	24.17	0.261	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	23.92	24.39	0.275	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	24.09	24.56	0.286	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	23.13	23.6	0.229	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	21.16	21.63	0.146	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	17.86	18.33	0.068	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	20.74	21.21	0.132	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.19	22.66	0.185	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	22.14	22.61	0.182	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	22.60	23.07	0.203	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	21.10	21.57	0.144	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	22.24	22.71	0.187	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	19.73	20.2	0.105	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	21.70	22.17	0.165	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.04	24.51	0.282	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	24.08	24.55	0.285	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.17	24.64	0.291	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.67	24.14	0.259	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.88	24.35	0.272	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	23.92	24.39	0.275	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	24.22	24.69	0.294	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	23.23	23.7	0.234	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	21.43	21.9	0.155	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	18.10	18.57	0.072	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	20.93	21.4	0.138	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	23.49	23.96	0.249	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	22.36	22.83	0.192	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	23.06	23.53	0.225	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	21.37	21.84	0.153	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	22.53	23	0.2	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	20.08	20.55	0.114	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	22.09	22.56	0.18	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.16	24.63	0.29	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	24.07	24.54	0.284	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.44	24.91	0.31	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.90	24.37	0.274	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	23.91	24.38	0.274	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	24.16	24.63	0.29	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	24.47	24.94	0.312	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	23.46	23.93	0.247	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM 16 QAM_RB78@0	21.19	21.66	0.147	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM 256 QAM_RB78@0	17.83	18.3	0.068	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM 64 QAM_RB78@0	20.78	21.25	0.133	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@1	21.97	22.44	0.175	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@76	23.00	23.47	0.222	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB39@19	22.60	23.07	0.203	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB78@0	21.23	21.7	0.148	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM 16 QAM_RB75@0	22.23	22.7	0.186	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM 256 QAM_RB75@0	19.76	20.23	0.105	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM 64 QAM_RB75@0	21.79	22.26	0.168	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.94	24.41	0.276	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	24.17	24.64	0.291	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.05	24.52	0.283	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.62	24.09	0.256	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	23.88	24.35	0.272	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@76	24.11	24.58	0.287	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB36@18	24.08	24.55	0.285	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB75@0	23.19	23.66	0.232	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB78@0	21.20	21.67	0.147	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB78@0	17.86	18.33	0.068	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB78@0	20.67	21.14	0.13	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	23.01	23.48	0.223	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	22.24	22.71	0.187	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	22.64	23.11	0.205	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	21.18	21.65	0.146	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	22.22	22.69	0.186	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	19.78	20.25	0.106	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	21.77	22.24	0.167	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.11	24.58	0.287	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.90	24.37	0.274	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.19	24.66	0.292	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.67	24.14	0.259	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.97	24.44	0.278	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	24.05	24.52	0.283	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	24.15	24.62	0.29	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	23.20	23.67	0.233	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	21.46	21.93	0.156	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	20.98	21.45	0.14	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	20.97	21.44	0.139	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	22.83	23.3	0.214	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	22.41	22.88	0.194	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	22.84	23.31	0.214	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	21.45	21.92	0.156	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	22.44	22.91	0.195	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	20.07	20.54	0.113	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	22.06	22.53	0.179	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.15	24.62	0.29	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	24.09	24.56	0.286	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.36	24.83	0.304	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.83	24.3	0.269	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	23.78	24.25	0.266	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	23.47	23.94	0.248	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB36@18	23.49	23.96	0.249	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB75@0	23.44	23.91	0.246	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	21.25	21.72	0.149	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	20.74	21.21	0.132	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	20.78	21.25	0.133	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	22.82	23.29	0.213	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	22.50	22.97	0.198	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	21.24	21.71	0.148	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	22.53	23	0.2	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	22.24	22.71	0.187	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	19.80	20.27	0.106	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	21.78	22.25	0.168	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.04	24.51	0.282	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.03	24.5	0.282	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.63	24.1	0.257	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.11	24.58	0.287	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	23.69	24.16	0.261	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	23.94	24.41	0.276	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	23.21	23.68	0.233	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	24.09	24.56	0.286	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	21.20	21.67	0.147	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	21.08	21.55	0.143	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	20.73	21.2	0.132	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.50	22.97	0.198	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	22.34	22.81	0.191	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	21.22	21.69	0.148	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	22.49	22.96	0.198	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	22.22	22.69	0.186	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	19.76	20.23	0.105	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	21.73	22.2	0.166	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.94	24.41	0.276	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.95	24.42	0.277	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.64	24.11	0.258	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.16	24.63	0.29	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.95	24.42	0.277	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	23.92	24.39	0.275	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	23.17	23.64	0.231	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	24.13	24.6	0.288	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	21.38	21.85	0.153	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	17.95	18.42	0.07	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	20.92	21.39	0.138	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	23.36	23.83	0.242	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	23.43	23.9	0.245	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	21.34	21.81	0.152	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	20.39	20.86	0.122	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	22.52	22.99	0.199	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	20.07	20.54	0.113	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	22.01	22.48	0.177	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.08	24.55	0.285	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.16	24.63	0.29	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.82	24.29	0.269	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.31	24.78	0.301	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	23.81	24.28	0.268	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	24.24	24.71	0.296	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	23.41	23.88	0.244	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	24.31	24.78	0.301	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	21.21	21.68	0.147	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	17.81	18.28	0.067	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	20.74	21.21	0.132	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	22.24	22.71	0.187	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	22.51	22.98	0.199	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	21.20	21.67	0.147	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	22.59	23.06	0.202	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	22.23	22.7	0.186	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	19.78	20.25	0.106	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	21.70	22.17	0.165	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.01	24.48	0.281	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	24.02	24.49	0.281	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.57	24.04	0.254	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24.19	24.66	0.292	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	23.82	24.29	0.269	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	24.12	24.59	0.288	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	23.12	23.59	0.229	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	24.18	24.65	0.292	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	21.16	21.63	0.146	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	20.70	21.17	0.131	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	20.68	21.15	0.13	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.50	22.97	0.198	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	22.32	22.79	0.19	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	21.16	21.63	0.146	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	22.50	22.97	0.198	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	22.21	22.68	0.185	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	19.80	20.27	0.106	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	21.72	22.19	0.166	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.94	24.41	0.276	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	24.01	24.48	0.281	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.66	24.13	0.259	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24.17	24.64	0.291	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.92	24.39	0.275	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	24.04	24.51	0.282	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	23.17	23.64	0.231	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	24.23	24.7	0.295	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	21.28	21.75	0.15	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	17.92	18.39	0.069	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	20.82	21.29	0.135	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	22.81	23.28	0.213	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	23.59	24.06	0.255	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	21.23	21.7	0.148	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	22.65	23.12	0.205	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	22.34	22.81	0.191	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	19.93	20.4	0.11	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	20.54	21.01	0.126	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.98	24.45	0.279	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	24.19	24.66	0.292	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.68	24.15	0.26	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24.26	24.73	0.297	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	23.72	24.19	0.262	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	24.41	24.88	0.308	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	23.24	23.71	0.235	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	24.29	24.76	0.299	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	21.19	21.66	0.147	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	17.81	18.28	0.067	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	20.72	21.19	0.132	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	22.67	23.14	0.206	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	23.00	23.47	0.222	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	21.15	21.62	0.145	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	22.63	23.1	0.204	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	22.21	22.68	0.185	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	19.84	20.31	0.107	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	21.71	22.18	0.165	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.05	24.52	0.283	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	24.04	24.51	0.282	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	23.63	24.1	0.257	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	24.11	24.58	0.287	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	23.66	24.13	0.259	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	24.10	24.57	0.286	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	23.19	23.66	0.232	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	24.22	24.69	0.294	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	21.15	21.62	0.145	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	17.84	18.31	0.068	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	20.66	21.13	0.13	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.47	22.94	0.197	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	23.34	23.81	0.24	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	21.08	21.55	0.143	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	22.54	23.01	0.2	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	22.18	22.65	0.184	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	19.76	20.23	0.105	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	21.70	22.17	0.165	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.94	24.41	0.276	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	24.00	24.47	0.28	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	23.58	24.05	0.254	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	24.08	24.55	0.285	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.87	24.34	0.272	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	24.06	24.53	0.284	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	23.16	23.63	0.231	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	24.08	24.55	0.285	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	21.23	21.7	0.148	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	17.85	18.32	0.068	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	20.72	21.19	0.132	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	21.93	22.4	0.174	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	23.47	23.94	0.248	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	21.16	21.63	0.146	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	22.61	23.08	0.203	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	22.30	22.77	0.189	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	19.90	20.37	0.109	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	21.81	22.28	0.169	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.86	24.33	0.271	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	24.59	25.06	0.321	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	23.65	24.12	0.258	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	24.18	24.65	0.292	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	23.64	24.11	0.258	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	24.38	24.85	0.305	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	23.24	23.71	0.235	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	24.22	24.69	0.294	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	21.23	21.7	0.148	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	20.75	21.22	0.132	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	20.79	21.26	0.134	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	22.17	22.64	0.184	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	23.08	23.55	0.226	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	22.65	23.12	0.205	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	21.24	21.71	0.148	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	22.23	22.7	0.186	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	19.77	20.24	0.106	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	19.34	19.81	0.096	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.74	24.21	0.264	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	24.10	24.57	0.286	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.19	24.66	0.292	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.62	24.09	0.256	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	23.70	24.17	0.261	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	23.96	24.43	0.277	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	24.25	24.72	0.296	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	23.15	23.62	0.23	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	21.17	21.64	0.146	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	17.84	18.31	0.068	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	20.66	21.13	0.13	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.34	22.81	0.191	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	23.32	23.79	0.239	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	22.54	23.01	0.2	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	21.18	21.65	0.146	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	22.17	22.64	0.184	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	19.75	20.22	0.105	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	21.68	22.15	0.164	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.05	24.52	0.283	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	24.07	24.54	0.284	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.14	24.61	0.289	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.53	24	0.251	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.87	24.34	0.272	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	24.19	24.66	0.292	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	24.18	24.65	0.292	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	23.11	23.58	0.228	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	21.29	21.76	0.15	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	17.86	18.33	0.068	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	20.67	21.14	0.13	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	21.33	21.8	0.151	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	22.51	22.98	0.199	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	22.63	23.1	0.204	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	21.29	21.76	0.15	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	22.25	22.72	0.187	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	19.88	20.35	0.108	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	20.56	21.03	0.128	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.90	24.37	0.274	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	24.27	24.74	0.298	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.15	24.62	0.29	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.56	24.03	0.253	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	23.72	24.19	0.262	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	24.44	24.91	0.31	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	24.22	24.69	0.294	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	23.15	23.62	0.23	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	21.25	21.72	0.149	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	17.89	18.36	0.069	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	20.75	21.22	0.132	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	22.08	22.55	0.18	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	23.07	23.54	0.226	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	22.60	23.07	0.203	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	21.27	21.74	0.149	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	22.24	22.71	0.187	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	19.92	20.39	0.109	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	21.81	22.28	0.169	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.74	24.21	0.264	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	24.07	24.54	0.284	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	24.17	24.64	0.291	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	23.66	24.13	0.259	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	23.81	24.28	0.268	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	24.07	24.54	0.284	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	24.23	24.7	0.295	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	23.28	23.75	0.237	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	21.18	21.65	0.146	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	17.82	18.29	0.067	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	17.95	18.42	0.070	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.19	22.66	0.185	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	23.24	23.71	0.235	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	22.59	23.06	0.202	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	21.16	21.63	0.146	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	22.24	22.71	0.187	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	19.83	20.3	0.107	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	21.73	22.2	0.166	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.14	24.61	0.289	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	24.07	24.54	0.284	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	24.08	24.55	0.285	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	23.61	24.08	0.256	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.99	24.46	0.279	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	24.09	24.56	0.286	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	24.11	24.58	0.287	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	23.18	23.65	0.232	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	21.19	21.66	0.147	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	17.81	18.28	0.067	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	18.10	18.57	0.072	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	22.84	23.31	0.214	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	22.57	23.04	0.201	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	22.55	23.02	0.2	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	21.25	21.72	0.149	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	22.33	22.8	0.191	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	19.83	20.3	0.107	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	21.80	22.27	0.169	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.97	24.44	0.278	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	24.26	24.73	0.297	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	24.13	24.6	0.288	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	23.60	24.07	0.255	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	23.67	24.14	0.259	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	24.24	24.71	0.296	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	24.19	24.66	0.292	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	23.24	23.71	0.235	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	21.24	21.71	0.148	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	20.44	20.91	0.123	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	20.41	20.88	0.122	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	23.25	23.72	0.236	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	22.42	22.89	0.195	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	22.59	23.06	0.202	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	21.24	21.71	0.148	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	22.27	22.74	0.188	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	19.77	20.24	0.106	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	21.78	22.25	0.168	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.81	24.28	0.268	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	24.05	24.52	0.283	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	24.14	24.61	0.289	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.67	24.14	0.259	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	23.79	24.26	0.267	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	24.09	24.56	0.286	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	24.15	24.62	0.29	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	23.23	23.7	0.234	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	21.15	21.62	0.145	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	17.84	18.31	0.068	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	17.52	17.99	0.063	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.38	22.85	0.193	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	23.38	23.85	0.243	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	22.53	23	0.2	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	21.18	21.65	0.146	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	22.22	22.69	0.186	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	19.81	20.28	0.107	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	21.67	22.14	0.164	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.05	24.52	0.283	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	24.07	24.54	0.284	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	24.04	24.51	0.282	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.57	24.04	0.254	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.89	24.36	0.273	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	24.16	24.63	0.29	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	24.06	24.53	0.284	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	23.10	23.57	0.228	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	21.19	21.66	0.147	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	17.81	18.28	0.067	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	20.66	21.13	0.13	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	22.57	23.04	0.201	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	23.66	24.13	0.259	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	22.60	23.07	0.203	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	21.20	21.67	0.147	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	19.63	20.10	0.102	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	19.84	20.31	0.107	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	21.71	22.18	0.165	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.96	24.43	0.277	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	24.35	24.82	0.303	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	24.06	24.53	0.284	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.58	24.05	0.254	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	23.80	24.27	0.267	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	24.51	24.98	0.315	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	24.08	24.55	0.285	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	23.12	23.59	0.229	2.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n41:

1.Ant Gain =0.47 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	18.05	19.25	0.084	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	14.54	15.74	0.037	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	17.59	18.79	0.076	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	19.33	20.53	0.113	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	19.46	20.66	0.116	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	19.57	20.77	0.119	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	18.03	19.23	0.084	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	19.02	20.22	0.105	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.45	17.65	0.058	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	18.56	19.76	0.095	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.93	22.13	0.163	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.03	22.23	0.167	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.05	22.25	0.168	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	20.54	21.74	0.149	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	21.01	22.21	0.166	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	20.98	22.18	0.165	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	21.07	22.27	0.169	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	20.08	21.28	0.134	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	18.18	19.38	0.087	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	14.70	15.9	0.039	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	17.75	18.95	0.079	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.45	20.65	0.116	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	19.73	20.93	0.124	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	19.79	20.99	0.126	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	18.26	19.46	0.088	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	19.22	20.42	0.11	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	16.63	17.83	0.061	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	18.75	19.95	0.099	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.30	22.5	0.178	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.33	22.53	0.179	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.27	22.47	0.177	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	20.78	21.98	0.158	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.16	22.36	0.172	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	21.19	22.39	0.173	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	21.28	22.48	0.177	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	20.27	21.47	0.14	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	18.82	20.02	0.1	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	15.26	16.46	0.044	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	18.31	19.51	0.089	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	20.03	21.23	0.133	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	20.13	21.33	0.136	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	20.31	21.51	0.142	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	18.81	20.01	0.1	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	19.79	20.99	0.126	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.19	18.39	0.069	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.31	20.51	0.112	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.65	22.85	0.193	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.86	23.06	0.202	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.81	23.01	0.2	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.31	22.51	0.178	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	21.63	22.83	0.192	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	21.74	22.94	0.197	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	21.84	23.04	0.201	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	20.84	22.04	0.16	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	18.08	19.28	0.085	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	14.52	15.72	0.037	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	17.56	18.76	0.075	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	19.46	20.66	0.116	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	19.49	20.69	0.117	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	19.48	20.68	0.117	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	18.04	19.24	0.084	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	19.02	20.22	0.105	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	16.53	17.73	0.059	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	18.52	19.72	0.094	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.01	22.21	0.166	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.16	22.36	0.172	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.00	22.2	0.166	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	20.56	21.76	0.15	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	21.07	22.27	0.169	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	21.13	22.33	0.171	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	21.03	22.23	0.167	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	20.04	21.24	0.133	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	18.22	19.42	0.087	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	14.67	15.87	0.039	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	17.73	18.93	0.078	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.48	20.68	0.117	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	19.74	20.94	0.124	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	19.71	20.91	0.123	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	18.17	19.37	0.086	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	19.18	20.38	0.109	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	16.68	17.88	0.061	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	18.71	19.91	0.098	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.14	22.34	0.171	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.43	22.63	0.183	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.21	22.41	0.174	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	20.75	21.95	0.157	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.18	22.38	0.173	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	21.27	22.47	0.177	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	21.24	22.44	0.175	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	20.25	21.45	0.14	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	18.83	20.03	0.101	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	15.23	16.43	0.044	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	18.25	19.45	0.088	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	19.99	21.19	0.132	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	20.33	21.53	0.142	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	20.21	21.41	0.138	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	18.78	19.98	0.1	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	19.76	20.96	0.125	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	17.24	18.44	0.07	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	19.30	20.5	0.112	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.59	22.79	0.19	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.81	23.01	0.2	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.75	22.95	0.197	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.28	22.48	0.177	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	21.63	22.83	0.192	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	21.87	23.07	0.203	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	21.73	22.93	0.196	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	20.75	21.95	0.157	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	18.15	19.35	0.086	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	14.59	15.79	0.038	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	17.71	18.91	0.078	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	19.67	20.87	0.122	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	19.48	20.68	0.117	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	19.69	20.89	0.123	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	18.15	19.35	0.086	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	19.12	20.32	0.108	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	16.57	17.77	0.06	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	18.67	19.87	0.097	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.07	22.27	0.169	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.08	22.28	0.169	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.15	22.35	0.172	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	20.67	21.87	0.154	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	21.13	22.33	0.171	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	21.16	22.36	0.172	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	21.15	22.35	0.172	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	20.13	21.33	0.136	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	18.29	19.49	0.089	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	14.75	15.95	0.039	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	17.80	19	0.079	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.65	20.85	0.122	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	19.74	20.94	0.124	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	19.82	21.02	0.126	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	18.34	19.54	0.09	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	19.28	20.48	0.112	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	16.77	17.97	0.063	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	18.84	20.04	0.101	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.12	22.32	0.171	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.44	22.64	0.184	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.31	22.51	0.178	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	20.81	22.01	0.159	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.10	22.3	0.17	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	21.36	22.56	0.18	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	21.29	22.49	0.177	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	20.25	21.45	0.14	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	18.75	19.95	0.099	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	15.23	16.43	0.044	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	18.32	19.52	0.09	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	20.05	21.25	0.133	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	20.28	21.48	0.141	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	20.32	21.52	0.142	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	18.80	20	0.1	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	19.76	20.96	0.125	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.25	18.45	0.07	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.36	20.56	0.114	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.56	22.76	0.189	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.87	23.07	0.203	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.82	23.02	0.2	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.32	22.52	0.179	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	21.52	22.72	0.187	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	21.93	23.13	0.206	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	21.78	22.98	0.199	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	20.81	22.01	0.159	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	18.17	19.37	0.086	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	14.70	15.9	0.039	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	17.68	18.88	0.077	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	19.46	20.66	0.116	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	19.48	20.68	0.117	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	18.19	19.39	0.087	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	19.65	20.85	0.122	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	19.13	20.33	0.108	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	16.61	17.81	0.06	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	18.62	19.82	0.096	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.11	22.31	0.17	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.18	22.38	0.173	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	20.66	21.86	0.153	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.17	22.37	0.173	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	21.12	22.32	0.171	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	21.13	22.33	0.171	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	20.15	21.35	0.136	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	21.17	22.37	0.173	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	18.36	19.56	0.09	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	14.79	15.99	0.04	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	17.85	19.05	0.08	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.72	20.92	0.124	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	19.76	20.96	0.125	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	18.38	19.58	0.091	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	19.81	21.01	0.126	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	19.29	20.49	0.112	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	16.81	18.01	0.063	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	18.79	19.99	0.1	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.07	22.27	0.169	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.41	22.61	0.182	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	20.84	22.04	0.16	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.34	22.54	0.179	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.11	22.31	0.17	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	21.39	22.59	0.182	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	20.31	21.51	0.142	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	21.31	22.51	0.178	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	18.68	19.88	0.097	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	15.11	16.31	0.043	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	18.19	19.39	0.087	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	19.98	21.18	0.131	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	20.33	21.53	0.142	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	18.70	19.9	0.098	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	20.25	21.45	0.14	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	19.71	20.91	0.123	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	17.19	18.39	0.069	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	19.18	20.38	0.109	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.47	22.67	0.185	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.91	23.11	0.205	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.13	22.33	0.171	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.73	22.93	0.196	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	21.44	22.64	0.184	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	21.90	23.1	0.204	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	20.66	21.86	0.153	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	21.73	22.93	0.196	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	18.19	19.39	0.087	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	14.64	15.84	0.038	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	17.69	18.89	0.077	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	19.53	20.73	0.118	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	19.78	20.98	0.125	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	18.19	19.39	0.087	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	19.68	20.88	0.122	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	19.14	20.34	0.108	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	16.64	17.84	0.061	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	18.62	19.82	0.096	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.96	22.16	0.164	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.20	22.4	0.174	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	20.64	21.84	0.153	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.11	22.31	0.17	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	20.98	22.18	0.165	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	21.20	22.4	0.174	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	20.15	21.35	0.136	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	21.11	22.31	0.17	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	18.38	19.58	0.091	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	14.86	16.06	0.04	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	17.91	19.11	0.081	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.58	20.78	0.12	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	19.93	21.13	0.13	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	18.44	19.64	0.092	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	19.88	21.08	0.128	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	19.41	20.61	0.115	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	16.87	18.07	0.064	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	18.91	20.11	0.103	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.05	22.25	0.168	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.56	22.76	0.189	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	20.85	22.05	0.16	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.35	22.55	0.18	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.04	22.24	0.167	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	21.44	22.64	0.184	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	20.38	21.58	0.144	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	21.34	22.54	0.179	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	18.57	19.77	0.095	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	15.04	16.24	0.042	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	18.08	19.28	0.085	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	19.87	21.07	0.128	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	20.21	21.41	0.138	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	18.61	19.81	0.096	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	20.22	21.42	0.139	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	19.61	20.81	0.121	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	17.11	18.31	0.068	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	19.08	20.28	0.107	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.28	22.48	0.177	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.90	23.1	0.204	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.09	22.29	0.169	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.73	22.93	0.196	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	21.36	22.56	0.18	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	21.79	22.99	0.199	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	20.61	21.81	0.152	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	21.70	22.9	0.195	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	18.24	19.44	0.088	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	14.75	15.95	0.039	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	17.72	18.92	0.078	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	19.61	20.81	0.121	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	19.90	21.1	0.129	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	18.23	19.43	0.088	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	19.79	20.99	0.126	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	19.23	20.43	0.11	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	16.71	17.91	0.062	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	18.73	19.93	0.098	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.01	22.21	0.166	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.40	22.6	0.182	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.76	21.96	0.157	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.23	22.43	0.175	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	21.03	22.23	0.167	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	21.32	22.52	0.179	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	20.24	21.44	0.139	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	21.24	22.44	0.175	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	18.40	19.6	0.091	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	14.91	16.11	0.041	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	17.93	19.13	0.082	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.62	20.82	0.121	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	20.15	21.35	0.136	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	18.43	19.63	0.092	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	19.96	21.16	0.131	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	19.41	20.61	0.115	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	16.91	18.11	0.065	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	18.94	20.14	0.103	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.09	22.29	0.169	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.63	22.83	0.192	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.91	22.11	0.163	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.37	22.57	0.181	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.12	22.32	0.171	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	21.58	22.78	0.19	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	20.40	21.6	0.145	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	21.34	22.54	0.179	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	18.66	19.86	0.097	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	15.21	16.41	0.044	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	18.19	19.39	0.087	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	19.86	21.06	0.128	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	20.46	21.66	0.147	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	18.70	19.9	0.098	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	20.25	21.45	0.14	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	19.71	20.91	0.123	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	17.19	18.39	0.069	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	19.16	20.36	0.109	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.25	22.45	0.176	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.99	23.19	0.208	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	21.16	22.36	0.172	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.70	22.9	0.195	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	21.30	22.5	0.178	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	21.91	23.11	0.205	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	20.65	21.85	0.153	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	21.76	22.96	0.198	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	18.20	19.4	0.087	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	14.71	15.91	0.039	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	17.70	18.9	0.078	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	19.58	20.78	0.12	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	20.01	21.21	0.132	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	19.79	20.99	0.126	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	18.23	19.43	0.088	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	19.20	20.4	0.11	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	16.71	17.91	0.062	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	18.73	19.93	0.098	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.97	22.17	0.165	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	21.60	22.8	0.191	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.31	22.51	0.178	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	20.71	21.91	0.155	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	21.01	22.21	0.166	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	21.51	22.71	0.187	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	21.32	22.52	0.179	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	20.24	21.44	0.139	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	18.42	19.62	0.092	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	14.87	16.07	0.04	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	17.90	19.1	0.081	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.46	20.66	0.116	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	20.29	21.49	0.141	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	19.94	21.14	0.13	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	18.44	19.64	0.092	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	19.43	20.63	0.116	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	16.91	18.11	0.065	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	18.94	20.14	0.103	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.99	22.19	0.166	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	21.80	23	0.2	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.41	22.61	0.182	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	20.91	22.11	0.163	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.02	22.22	0.167	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	21.68	22.88	0.194	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	21.40	22.6	0.182	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	20.44	21.64	0.146	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	18.53	19.73	0.094	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	15.06	16.26	0.042	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	18.05	19.25	0.084	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	19.67	20.87	0.122	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	20.45	21.65	0.146	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	20.09	21.29	0.135	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	18.55	19.75	0.094	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	19.52	20.72	0.118	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	17.01	18.21	0.066	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	19.01	20.21	0.105	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.11	22.31	0.17	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	21.94	23.14	0.206	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.60	22.8	0.191	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.06	22.26	0.168	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	21.08	22.28	0.169	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	21.84	23.04	0.201	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	21.61	22.81	0.191	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	20.53	21.73	0.149	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n66:

1.Ant Gain =1.2 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB