

ANNEX G TEST DATA

For

Project No.:	8228EU012506W
Client:	SHENZHEN ELECTRON TECHNOLOGY CO.,LTD.
Product Description:	Android Tablet
Model No.:	K109 Pro
FCC ID:	2ABC5-E0060
Technology:	WiFi 5G
Test Engineer:	<i>Mikoy zhu</i>
Test Date:	2024-05-11

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Unwanted Emissions In Restricted Frequency Bands	Pass
Frequency Stability	Pass


1. Duty Cycle

1.1 Ant1


1.1.1 Test Result

Ant1									
Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	/	/	2.033	12.053	16.87	7.73	0.03
		5200	/	/	2.033	12.053	16.87	7.73	0.03
		5240	/	/	2.034	12.054	16.87	7.73	0.03
		5745	/	/	2.033	12.093	16.81	7.74	0.08
		5785	/	/	2.034	12.087	16.83	7.74	0.05
		5825	/	/	2.033	12.053	16.87	7.73	0.03
802.11n (HT20)	SISO	5180	/	/	1.893	11.913	15.89	7.99	0.03
		5200	/	/	1.894	11.914	15.90	7.99	0.00
		5240	/	/	1.893	11.913	15.89	7.99	0.03
		5745	/	/	0.224	10.244	2.19	16.60	0.03
		5785	/	/	0.227	10.263	2.21	16.55	0.01
		5825	/	/	0.226	10.246	2.21	16.56	0.00
802.11n (HT40)	SISO	5190	/	/	0.934	10.954	8.53	10.69	0.00
		5230	/	/	0.933	10.953	8.52	10.70	0.01
		5755	/	/	0.934	10.954	8.53	10.69	0.01
		5795	/	/	0.934	10.954	8.53	10.69	0.03
802.11ac (VHT20)	SISO	5180	/	/	1.900	11.920	15.94	7.98	0.03
		5200	/	/	1.900	11.920	15.94	7.98	0.03
		5240	/	/	1.900	11.920	15.94	7.98	0.03
		5745	/	/	0.197	10.217	1.93	17.15	0.03
		5785	/	/	0.200	10.270	1.95	17.11	0.01
		5825	/	/	0.197	10.217	1.93	17.15	0.03
802.11ac (VHT40)	SISO	5190	/	/	0.937	10.954	8.55	10.68	0.03
		5230	/	/	0.937	10.953	8.55	10.68	0.03
		5755	/	/	0.936	10.956	8.54	10.68	0.03
		5795	/	/	0.936	10.956	8.54	10.68	0.03
802.11ax (HEW20)	SISO	5180	RU242	Left	0.143	10.163	1.41	18.52	0.00
		5200	RU242	Left	0.143	10.163	1.41	18.52	0.03
		5240	RU242	Left	0.143	10.167	1.41	18.52	0.03
		5745	RU242	Left	0.103	10.123	1.02	19.92	0.00
		5785	RU242	Left	0.143	10.163	1.41	18.52	0.03
		5825	RU242	Left	0.143	10.163	1.41	18.52	0.03
802.11ax (HEW40)	SISO	5190	RU484	Left	0.104	10.120	1.03	19.88	0.00
		5230	RU484	Left	0.103	10.123	1.02	19.92	0.00
		5755	RU484	Left	0.103	10.123	1.02	19.92	0.00
		5795	RU484	Left	0.104	10.127	1.03	19.88	0.00


1.1.2 Test Graph




802.11a HCH_5240MHz_Ant1_NTNV




802.11a LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ax(HEW20) LCH_5180MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) MCH_5200MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) HCH_5240MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) LCH_5745MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) MCH_5785MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) HCH_5825MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40) LCH 5190MHz RU484 Left Ant1 NTVN




802.11ax(HEW40) HCH 5230MHz RU484 Left Ant1 NTVN



802.11ax(HEW40) LCH_5755MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW40) HCH_5795MHz_RU484_Left_Ant1_NTNV




2. Bandwidth

2.1 OBW


2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	18.235	/	Pass
		5200	/	/	1	18.435	/	Pass
		5240	/	/	1	18.618	/	Pass
		5745	/	/	1	18.494	/	Pass
		5785	/	/	1	18.568	/	Pass
		5825	/	/	1	18.687	/	Pass
802.11n (HT20)	SISO	5180	/	/	1	19.377	/	Pass
		5200	/	/	1	19.442	/	Pass
		5240	/	/	1	19.442	/	Pass
		5745	/	/	1	18.891	/	Pass
		5785	/	/	1	18.659	/	Pass
		5825	/	/	1	18.756	/	Pass
802.11n (HT40)	SISO	5190	/	/	1	37.397	/	Pass
		5230	/	/	1	37.348	/	Pass
		5755	/	/	1	38.066	/	Pass
		5795	/	/	1	38.030	/	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	19.120	/	Pass
		5200	/	/	1	19.467	/	Pass
		5240	/	/	1	19.567	/	Pass
		5745	/	/	1	18.993	/	Pass
		5785	/	/	1	18.745	/	Pass
		5825	/	/	1	18.852	/	Pass
802.11ac (VHT40)	SISO	5190	/	/	1	37.584	/	Pass
		5230	/	/	1	37.616	/	Pass
		5755	/	/	1	38.001	/	Pass
		5795	/	/	1	37.841	/	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	1	19.519	/	Pass
		5200	RU242	Left	1	19.631	/	Pass
		5240	RU242	Left	1	19.740	/	Pass
		5745	RU242	Left	1	19.861	/	Pass
		5785	RU242	Left	1	20.013	/	Pass
		5825	RU242	Left	1	19.776	/	Pass
802.11ax (HEW40)	SISO	5190	RU484	Left	1	38.576	/	Pass
		5230	RU484	Left	1	38.385	/	Pass
		5755	RU484	Left	1	39.136	/	Pass
		5795	RU484	Left	1	38.795	/	Pass


2.1.2 Test Graph




802.11a HCH_5240MHz_Ant1_NTNV




802.11a LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ax(HEW20) LCH_5180MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) MCH_5200MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) HCH_5240MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) LCH_5745MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) MCH_5785MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) HCH_5825MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40) LCH 5190MHz RU484 Left Ant1 NTVN




802.11ax(HEW40) HCH 5230MHz RU484 Left Ant1 NTVN



802.11ax(HEW40) LCH_5755MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW40) HCH_5795MHz_RU484_Left_Ant1_NTNV




2.2 6dB BW


2.2.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5745	/	/	1	16.419	≥ 0.5	Pass
		5785	/	/	1	16.405	≥ 0.5	Pass
		5825	/	/	1	16.397	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	/	/	1	17.746	≥ 0.5	Pass
		5785	/	/	1	17.696	≥ 0.5	Pass
		5825	/	/	1	17.658	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	/	/	1	36.393	≥ 0.5	Pass
		5795	/	/	1	36.391	≥ 0.5	Pass
802.11ac (VHT20)	SISO	5745	/	/	1	17.648	≥ 0.5	Pass
		5785	/	/	1	17.702	≥ 0.5	Pass
		5825	/	/	1	17.660	≥ 0.5	Pass
802.11ac (VHT40)	SISO	5755	/	/	1	36.389	≥ 0.5	Pass
		5795	/	/	1	36.361	≥ 0.5	Pass
802.11ax (HEW20)	SISO	5745	RU242	Left	1	19.039	≥ 0.5	Pass
		5785	RU242	Left	1	18.928	≥ 0.5	Pass
		5825	RU242	Left	1	19.112	≥ 0.5	Pass
802.11ax (HEW40)	SISO	5755	RU484	Left	1	38.000	≥ 0.5	Pass
		5795	RU484	Left	1	38.031	≥ 0.5	Pass


2.2.2 Test Graph




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) MCH_5785MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) HCH_5825MHz_RU242_Left_Ant1_NTNV



802.11ax(HEW40) LCH_5755MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW40) HCH_5795MHz_RU484_Left_Ant1_NTNV




2.3 26dB BW


2.3.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	23.157	/	Pass
		5200	/	/	1	24.115	/	Pass
		5240	/	/	1	23.984	/	Pass
802.11n (HT20)	SISO	5180	/	/	1	25.233	/	Pass
		5200	/	/	1	25.492	/	Pass
		5240	/	/	1	25.342	/	Pass
802.11n (HT40)	SISO	5190	/	/	1	47.084	/	Pass
		5230	/	/	1	46.136	/	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	25.058	/	Pass
		5200	/	/	1	25.306	/	Pass
		5240	/	/	1	25.818	/	Pass
802.11ac (VHT40)	SISO	5190	/	/	1	46.247	/	Pass
		5230	/	/	1	45.873	/	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	1	22.998	/	Pass
		5200	RU242	Left	1	24.159	/	Pass
		5240	RU242	Left	1	25.815	/	Pass
802.11ax (HEW40)	SISO	5190	RU484	Left	1	43.505	/	Pass
		5230	RU484	Left	1	59.262	/	Pass


2.3.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH 5200MHz_Ant1_NTNV




802.11n(HT20)_HCH 5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) MCH_5200MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) HCH_5240MHz_RU242_Left_Ant1_NTNV



802.11ax(HEW40) LCH 5190MHz RU484 Left Ant1 NTVN



802.11ax(HEW40) HCH 5230MHz RU484 Left Ant1 NTVN




3. Maximum Conducted Output Power

3.1 Power


3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	13.37	<=23.98	Pass
		5200	/	/	13.91	<=23.98	Pass
		5240	/	/	16.31	<=23.98	Pass
		5745	/	/	15.24	<=30	Pass
		5785	/	/	15.60	<=30	Pass
		5825	/	/	15.23	<=30	Pass
802.11n (HT20)	SISO	5180	/	/	15.16	<=23.98	Pass
		5200	/	/	15.31	<=23.98	Pass
		5240	/	/	17.01	<=23.98	Pass
		5745	/	/	10.03	<=30	Pass
		5785	/	/	11.97	<=30	Pass
		5825	/	/	12.30	<=30	Pass
802.11n (HT40)	SISO	5190	/	/	13.20	<=23.98	Pass
		5230	/	/	16.12	<=23.98	Pass
		5755	/	/	13.03	<=30	Pass
		5795	/	/	14.60	<=30	Pass
802.11ac (VHT20)	SISO	5180	/	/	12.72	<=23.98	Pass
		5200	/	/	13.24	<=23.98	Pass
		5240	/	/	15.76	<=23.98	Pass
		5745	/	/	11.97	<=30	Pass
		5785	/	/	12.63	<=30	Pass
		5825	/	/	11.48	<=30	Pass
802.11ac (VHT40)	SISO	5190	/	/	13.17	<=23.98	Pass
		5230	/	/	14.54	<=23.98	Pass
		5755	/	/	14.50	<=30	Pass
		5795	/	/	14.48	<=30	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	13.08	<=23.98	Pass
		5200	RU242	Left	13.95	<=23.98	Pass
		5240	RU242	Left	14.10	<=23.98	Pass
		5745	RU242	Left	13.69	<=30	Pass
		5785	RU242	Left	15.95	<=30	Pass
		5825	RU242	Left	12.93	<=30	Pass
802.11ax (HEW40)	SISO	5190	RU484	Left	10.84	<=23.98	Pass
		5230	RU484	Left	13.43	<=23.98	Pass
		5755	RU484	Left	14.33	<=30	Pass
		5795	RU484	Left	12.75	<=30	Pass


3.1.2 Test Graph




802.11a HCH_5240MHz_Ant1_NTNV




802.11a LCH_5745MHz_Ant1_NTNV




802.11a MCH_5785MHz_Ant1_NTNV




802.11a HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ax(HEW20) LCH 5180MHz RU242 Left Ant1 NTN




802.11ax(HEW20) MCH 5200MHz RU242 Left Ant1 NTN




802.11ax(HEW20) HCH 5240MHz RU242 Left Ant1 NTN




802.11ax(HEW20) LCH 5745MHz RU242 Left Ant1 NTN




802.11ax(HEW20) MCH_5785MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) HCH_5825MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40) LCH 5190MHz RU484 Left Ant1 NTN




802.11ax(HEW40) HCH 5230MHz RU484 Left Ant1 NTN



802.11ax(HEW40) LCH 5755MHz RU484 Left Ant1 NTN



802.11ax(HEW40) HCH 5795MHz RU484 Left Ant1 NTN




4. Maximum Power Spectral Density

4.1 PSD


4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	3.55	<=11	Pass
		5200	/	/	5.22	<=11	Pass
		5240	/	/	5.03	<=11	Pass
802.11n (HT20)	SISO	5180	/	/	3.24	<=11	Pass
		5200	/	/	3.63	<=11	Pass
		5240	/	/	5.76	<=11	Pass
802.11n (HT40)	SISO	5190	/	/	0.51	<=11	Pass
		5230	/	/	2.06	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	4.17	<=11	Pass
		5200	/	/	3.78	<=11	Pass
		5240	/	/	3.59	<=11	Pass
802.11ac (VHT40)	SISO	5190	/	/	0.76	<=11	Pass
		5230	/	/	1.00	<=11	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	6.51	<=11	Pass
		5200	RU242	Left	4.27	<=11	Pass
		5240	RU242	Left	6.41	<=11	Pass
802.11ax (HEW40)	SISO	5190	RU484	Left	1.28	<=11	Pass
		5230	RU484	Left	3.77	<=11	Pass


4.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) MCH_5200MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) HCH_5240MHz_RU242_Left_Ant1_NTNV



802.11ax(HEW40) LCH 5190MHz RU484 Left Ant1 NTVN



802.11ax(HEW40) HCH 5230MHz RU484 Left Ant1 NTVN




4.2 PSD-Band3


4.2.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5745	/	/	1.60	<=30	Pass
		5785	/	/	0.99	<=30	Pass
		5825	/	/	1.19	<=30	Pass
802.11n (HT20)	SISO	5745	/	/	-0.34	<=30	Pass
		5785	/	/	1.31	<=30	Pass
		5825	/	/	0.28	<=30	Pass
802.11n (HT40)	SISO	5755	/	/	-2.11	<=30	Pass
		5795	/	/	-2.20	<=30	Pass
802.11ac (VHT20)	SISO	5745	/	/	1.65	<=30	Pass
		5785	/	/	1.29	<=30	Pass
		5825	/	/	0.22	<=30	Pass
802.11ac (VHT40)	SISO	5755	/	/	-1.32	<=30	Pass
		5795	/	/	-2.57	<=30	Pass
802.11ax (HEW20)	SISO	5745	RU242	Left	6.46	<=30	Pass
		5785	RU242	Left	4.28	<=30	Pass
		5825	RU242	Left	4.95	<=30	Pass
802.11ax (HEW40)	SISO	5755	RU484	Left	2.68	<=30	Pass
		5795	RU484	Left	3.10	<=30	Pass


4.2.2 Test Graph




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH 5785MHz_Ant1_NTNV




802.11n(HT20)_HCH 5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) MCH_5785MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20) HCH_5825MHz_RU242_Left_Ant1_NTNV



802.11ax(HEW40) LCH 5755MHz RU484 Left Ant1 NTVN



802.11ax(HEW40) HCH 5795MHz RU484 Left Ant1 NTVN



5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	102	5180.060	5150 to 5250	Pass
						120	5180.040	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5180.100	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5180.040	5150 to 5250	Pass
					40	120	5180.060	5150 to 5250	Pass
					50	120	5180.080	5150 to 5250	Pass
		5200	/	/	20	102	5200.000	5150 to 5250	Pass
						120	5200.100	5150 to 5250	Pass
						138	5200.000	5150 to 5250	Pass
					-30	120	5200.080	5150 to 5250	Pass
					-20	120	5200.040	5150 to 5250	Pass
					-10	120	5200.000	5150 to 5250	Pass
					0	120	5200.020	5150 to 5250	Pass
					10	120	5199.980	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass
					50	120	5200.060	5150 to 5250	Pass
		5240	/	/	20	102	5240.020	5150 to 5250	Pass
						120	5239.980	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.120	5150 to 5250	Pass
					10	120	5240.060	5150 to 5250	Pass
					30	120	5239.980	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.040	5150 to 5250	Pass
		5745	/	/	20	102	5745.060	5725 to 5850	Pass
						120	5745.000	5725 to 5850	Pass
						138	5744.920	5725 to 5850	Pass
					-30	120	5745.000	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.000	5725 to 5850	Pass
					0	120	5745.060	5725 to 5850	Pass

					10	120	5744.960	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.060	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5785.040	5725 to 5850	Pass
						120	5784.960	5725 to 5850	Pass
						138	5785.040	5725 to 5850	Pass
					-30	120	5785.080	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.060	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.120	5725 to 5850	Pass
					50	120	5785.000	5725 to 5850	Pass
		5825	/	/	20	102	5825.020	5725 to 5850	Pass
						120	5824.980	5725 to 5850	Pass
						138	5825.020	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.060	5725 to 5850	Pass
					-10	120	5825.040	5725 to 5850	Pass
					0	120	5825.040	5725 to 5850	Pass
					10	120	5824.980	5725 to 5850	Pass
					30	120	5825.060	5725 to 5850	Pass
					40	120	5825.040	5725 to 5850	Pass
					50	120	5825.040	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	/	/	20	102	5180.080	5150 to 5250	Pass
						120	5179.960	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5180.120	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5179.980	5150 to 5250	Pass
					30	120	5180.080	5150 to 5250	Pass
					40	120	5179.960	5150 to 5250	Pass
					50	120	5179.980	5150 to 5250	Pass
		5200	/	/	20	102	5200.060	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass
						138	5200.000	5150 to 5250	Pass
					-30	120	5200.020	5150 to 5250	Pass
					-20	120	5200.060	5150 to 5250	Pass
					-10	120	5200.040	5150 to 5250	Pass
					0	120	5199.940	5150 to 5250	Pass
					10	120	5200.140	5150 to 5250	Pass
					30	120	5200.080	5150 to 5250	Pass
					40	120	5200.040	5150 to 5250	Pass
					50	120	5200.140	5150 to 5250	Pass
		5240	/	/	20	102	5239.980	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						138	5240.100	5150 to 5250	Pass
					-30	120	5240.060	5150 to 5250	Pass

SHENZHEN EU TESTING LABORATORY LIMITED

Address: 101, Building B1, Fuqiao Fourth Area, Qiaotou Community,
Fuhai Subdistrict, Baoan District, Shenzhen, Guangdong, China

Website: www.eu-test.com

Tel: (86)-755-2357-9714 Email: Service@eu-test.com

					-20	120	5240.040	5150 to 5250	Pass
					-10	120	5240.060	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.040	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5240.080	5150 to 5250	Pass
		5745	/	/	20	102	5745.000	5725 to 5850	Pass
						120	5745.100	5725 to 5850	Pass
						138	5745.120	5725 to 5850	Pass
					-30	120	5745.020	5725 to 5850	Pass
					-20	120	5744.960	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.080	5725 to 5850	Pass
					50	120	5744.960	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5784.960	5725 to 5850	Pass
						138	5785.040	5725 to 5850	Pass
					-30	120	5785.100	5725 to 5850	Pass
					-20	120	5785.080	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5785.120	5725 to 5850	Pass
					10	120	5785.140	5725 to 5850	Pass
					30	120	5785.060	5725 to 5850	Pass
					40	120	5785.140	5725 to 5850	Pass
					50	120	5785.080	5725 to 5850	Pass
		5825	/	/	20	102	5825.200	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5824.920	5725 to 5850	Pass
					-30	120	5825.060	5725 to 5850	Pass
					-20	120	5825.020	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5824.920	5725 to 5850	Pass
					10	120	5825.060	5725 to 5850	Pass
					30	120	5825.100	5725 to 5850	Pass
					40	120	5825.060	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.160	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.120	5150 to 5250	Pass
					-20	120	5190.120	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.200	5150 to 5250	Pass
					10	120	5190.040	5150 to 5250	Pass
					30	120	5190.160	5150 to 5250	Pass
					40	120	5190.160	5150 to 5250	Pass
					50	120	5190.080	5150 to 5250	Pass
		5230	/	/	20	102	5230.160	5150 to 5250	Pass

802.11ac (VHT20)	SISO					120	5230.080	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.160	5150 to 5250	Pass
					30	120	5230.120	5150 to 5250	Pass
					40	120	5230.120	5150 to 5250	Pass
					50	120	5230.120	5150 to 5250	Pass
		5755	/	/		102	5754.960	5725 to 5850	Pass
					20	120	5755.120	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5755.120	5725 to 5850	Pass
					0	120	5755.000	5725 to 5850	Pass
					10	120	5755.080	5725 to 5850	Pass
					30	120	5755.000	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.200	5725 to 5850	Pass
		5795	/	/		102	5795.040	5725 to 5850	Pass
					20	120	5795.040	5725 to 5850	Pass
						138	5795.080	5725 to 5850	Pass
					-30	120	5794.960	5725 to 5850	Pass
					-20	120	5795.040	5725 to 5850	Pass
					-10	120	5795.080	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.080	5725 to 5850	Pass
					30	120	5795.120	5725 to 5850	Pass
					40	120	5795.160	5725 to 5850	Pass
					50	120	5795.080	5725 to 5850	Pass
		5180	/	/		102	5180.160	5150 to 5250	Pass
					20	120	5180.120	5150 to 5250	Pass
						138	5180.060	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.020	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.040	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	/	/		102	5200.040	5150 to 5250	Pass
					20	120	5200.060	5150 to 5250	Pass
						138	5200.080	5150 to 5250	Pass
					-30	120	5200.020	5150 to 5250	Pass
					-20	120	5200.100	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.040	5150 to 5250	Pass
					10	120	5199.980	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass

		5240	/	/	40	120	5200.000	5150 to 5250	Pass
					50	120	5199.960	5150 to 5250	Pass
					20	102	5240.060	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
						-30	5240.040	5150 to 5250	Pass
					-20	120	5240.040	5150 to 5250	Pass
					-10	120	5240.040	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.080	5150 to 5250	Pass
					40	120	5240.040	5150 to 5250	Pass
					50	120	5240.100	5150 to 5250	Pass
		5745	/	/	20	102	5745.060	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5744.960	5725 to 5850	Pass
						-30	5745.080	5725 to 5850	Pass
					-20	120	5744.980	5725 to 5850	Pass
					-10	120	5745.000	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5744.980	5725 to 5850	Pass
					30	120	5745.060	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.060	5725 to 5850	Pass
		5785	/	/	20	102	5785.080	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5785.060	5725 to 5850	Pass
						-30	5785.040	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5785.100	5725 to 5850	Pass
					40	120	5785.020	5725 to 5850	Pass
					50	120	5785.000	5725 to 5850	Pass
		5825	/	/	20	102	5824.920	5725 to 5850	Pass
						120	5825.060	5725 to 5850	Pass
						138	5825.060	5725 to 5850	Pass
						-30	5825.040	5725 to 5850	Pass
					-20	120	5824.920	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5824.960	5725 to 5850	Pass
					10	120	5825.080	5725 to 5850	Pass
					30	120	5825.120	5725 to 5850	Pass
					40	120	5825.020	5725 to 5850	Pass
					50	120	5825.160	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.120	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
						-30	5190.080	5150 to 5250	Pass
					-20	120	5190.120	5150 to 5250	Pass
					-10	120	5190.080	5150 to 5250	Pass

					0	120	5190.040	5150 to 5250	Pass
					10	120	5190.120	5150 to 5250	Pass
					30	120	5190.120	5150 to 5250	Pass
					40	120	5190.160	5150 to 5250	Pass
					50	120	5190.120	5150 to 5250	Pass
		5230	/	/	20	102	5230.120	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.120	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.200	5150 to 5250	Pass
					10	120	5230.120	5150 to 5250	Pass
					30	120	5230.000	5150 to 5250	Pass
					40	120	5230.120	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5755	/	/	20	102	5755.040	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.160	5725 to 5850	Pass
					-20	120	5754.880	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.000	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass
					30	120	5755.080	5725 to 5850	Pass
					40	120	5755.120	5725 to 5850	Pass
					50	120	5755.040	5725 to 5850	Pass
		5795	/	/	20	102	5795.120	5725 to 5850	Pass
						120	5795.160	5725 to 5850	Pass
						138	5795.080	5725 to 5850	Pass
					-30	120	5795.120	5725 to 5850	Pass
					-20	120	5795.040	5725 to 5850	Pass
					-10	120	5795.160	5725 to 5850	Pass
					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.160	5725 to 5850	Pass
					40	120	5795.080	5725 to 5850	Pass
					50	120	5795.000	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5180	RU242	Left	20	102	5179.980	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5180.140	5150 to 5250	Pass
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5179.860	5150 to 5250	Pass
					-10	120	5180.060	5150 to 5250	Pass
					0	120	5179.060	5150 to 5250	Pass
					10	120	5180.100	5150 to 5250	Pass
					30	120	5179.860	5150 to 5250	Pass
					40	120	5180.040	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	RU242	Left	20	102	5200.040	5150 to 5250	Pass
						120	5200.040	5150 to 5250	Pass
						138	5199.940	5150 to 5250	Pass

					-30	120	5199.940	5150 to 5250	Pass
					-20	120	5199.900	5150 to 5250	Pass
					-10	120	5200.140	5150 to 5250	Pass
					0	120	5200.140	5150 to 5250	Pass
					10	120	5200.340	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
					40	120	5200.060	5150 to 5250	Pass
					50	120	5199.980	5150 to 5250	Pass
		5240	RU242	Left	20	102	5240.080	5150 to 5250	Pass
						120	5239.940	5150 to 5250	Pass
						138	5240.080	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5240.140	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5240.080	5150 to 5250	Pass
					10	120	5239.880	5150 to 5250	Pass
					30	120	5240.020	5150 to 5250	Pass
					40	120	5240.060	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5745	RU242	Left	20	102	5744.980	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5744.980	5725 to 5850	Pass
					-30	120	5744.940	5725 to 5850	Pass
					-20	120	5744.960	5725 to 5850	Pass
					-10	120	5745.040	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5745.140	5725 to 5850	Pass
					40	120	5745.060	5725 to 5850	Pass
					50	120	5744.940	5725 to 5850	Pass
		5785	RU242	Left	20	102	5785.060	5725 to 5850	Pass
						120	5785.040	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5785.520	5725 to 5850	Pass
					-20	120	5785.020	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5784.980	5725 to 5850	Pass
					10	120	5785.040	5725 to 5850	Pass
					30	120	5784.960	5725 to 5850	Pass
					40	120	5785.140	5725 to 5850	Pass
					50	120	5784.900	5725 to 5850	Pass
		5825	RU242	Left	20	102	5825.040	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5825.000	5725 to 5850	Pass
					-30	120	5824.980	5725 to 5850	Pass
					-20	120	5825.060	5725 to 5850	Pass
					-10	120	5825.040	5725 to 5850	Pass
					0	120	5824.920	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5825.020	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass

802.11ax (HEW40)	SISO	5190	RU484	Left	20	102	5190.000	5150 to 5250	Pass
						120	5190.080	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5189.960	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.040	5150 to 5250	Pass
					10	120	5190.120	5150 to 5250	Pass
					30	120	5190.000	5150 to 5250	Pass
					40	120	5190.240	5150 to 5250	Pass
					50	120	5189.960	5150 to 5250	Pass
		5230	RU484	Left	20	102	5229.920	5150 to 5250	Pass
						120	5230.120	5150 to 5250	Pass
						138	5230.160	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.280	5150 to 5250	Pass
					-10	120	5230.120	5150 to 5250	Pass
					0	120	5230.000	5150 to 5250	Pass
					10	120	5230.160	5150 to 5250	Pass
					30	120	5230.120	5150 to 5250	Pass
					40	120	5230.080	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5755	RU484	Left	20	102	5754.840	5725 to 5850	Pass
						120	5755.000	5725 to 5850	Pass
						138	5755.120	5725 to 5850	Pass
					-30	120	5754.920	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5754.880	5725 to 5850	Pass
					0	120	5754.960	5725 to 5850	Pass
					10	120	5755.080	5725 to 5850	Pass
					30	120	5754.960	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.480	5725 to 5850	Pass
		5795	RU484	Left	20	102	5795.000	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5795.080	5725 to 5850	Pass
					-30	120	5795.080	5725 to 5850	Pass
					-20	120	5795.200	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.080	5725 to 5850	Pass
					30	120	5795.160	5725 to 5850	Pass
					40	120	5795.080	5725 to 5850	Pass
					50	120	5795.160	5725 to 5850	Pass

----- End of Report -----