

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 B26a\_1.4MHz\_ERP

| Band: 26a / Bandwidth: 1.4MHz / NTNV |                 |               |        |                       |            |           |         |         |
|--------------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                           | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                      |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                                 | 814.7           | 1             | 0      | 21.18                 | -2.81      | 16.22     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.08                 | -2.81      | 16.12     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 20.95                 | -2.81      | 15.99     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 21.05                 | -2.81      | 16.09     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.09                 | -2.81      | 16.13     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 21.03                 | -2.81      | 16.07     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 19.97                 | -2.81      | 15.01     | <=38.45 | Pass    |
|                                      | 819             | 1             | 0      | 21.02                 | -2.81      | 16.06     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.04                 | -2.81      | 16.08     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 21.05                 | -2.81      | 16.09     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 21.06                 | -2.81      | 16.10     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.99                 | -2.81      | 16.03     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 21.12                 | -2.81      | 16.16     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 19.92                 | -2.81      | 14.96     | <=38.45 | Pass    |
|                                      | 823.3           | 1             | 0      | 20.79                 | -2.81      | 15.83     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.97                 | -2.81      | 16.01     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 20.86                 | -2.81      | 15.90     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 20.84                 | -2.81      | 15.88     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.95                 | -2.81      | 15.99     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 20.88                 | -2.81      | 15.92     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 19.82                 | -2.81      | 14.86     | <=38.45 | Pass    |
| 16QAM                                | 814.7           | 1             | 0      | 20.16                 | -2.81      | 15.20     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.44                 | -2.81      | 16.48     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 21.47                 | -2.81      | 16.51     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 19.82                 | -2.81      | 14.86     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 19.93                 | -2.81      | 14.97     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 20.16                 | -2.81      | 15.20     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 19.29                 | -2.81      | 14.33     | <=38.45 | Pass    |
|                                      | 819             | 1             | 0      | 20.87                 | -2.81      | 15.91     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.45                 | -2.81      | 16.49     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 21.00                 | -2.81      | 16.04     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 20.11                 | -2.81      | 15.15     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.10                 | -2.81      | 15.14     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 19.88                 | -2.81      | 14.92     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 19.27                 | -2.81      | 14.31     | <=38.45 | Pass    |
|                                      | 823.3           | 1             | 0      | 20.58                 | -2.81      | 15.62     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.23                 | -2.81      | 16.27     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 21.25                 | -2.81      | 16.29     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 20.06                 | -2.81      | 15.10     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 19.72                 | -2.81      | 14.76     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 20.09                 | -2.81      | 15.13     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 19.49                 | -2.81      | 14.53     | <=38.45 | Pass    |

Note1: ERP=Conducted Power+Antenna Gain-2.15

#### 1.1.2 B26a\_3MHz\_ERP

| Band: 26a / Bandwidth: 3MHz / NTNV |
|------------------------------------|
|------------------------------------|

| Modulation | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
|            |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK       | 815.5           | 1             | 0      | 21.15                 | -2.81      | 16.19     | <=38.45 | Pass    |
|            |                 |               | 7      | 20.97                 | -2.81      | 16.01     | <=38.45 | Pass    |
|            |                 |               | 14     | 21.06                 | -2.81      | 16.10     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 20.08                 | -2.81      | 15.12     | <=38.45 | Pass    |
|            |                 |               | 4      | 19.99                 | -2.81      | 15.03     | <=38.45 | Pass    |
|            |                 |               | 7      | 20.03                 | -2.81      | 15.07     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 19.83                 | -2.81      | 14.87     | <=38.45 | Pass    |
|            | 819             | 1             | 0      | 21.09                 | -2.81      | 16.13     | <=38.45 | Pass    |
|            |                 |               | 7      | 21.08                 | -2.81      | 16.12     | <=38.45 | Pass    |
|            |                 |               | 14     | 20.96                 | -2.81      | 16.00     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 19.92                 | -2.81      | 14.96     | <=38.45 | Pass    |
|            |                 |               | 4      | 19.95                 | -2.81      | 14.99     | <=38.45 | Pass    |
|            |                 |               | 7      | 19.95                 | -2.81      | 14.99     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 19.88                 | -2.81      | 14.92     | <=38.45 | Pass    |
|            | 822.5           | 1             | 0      | 20.86                 | -2.81      | 15.90     | <=38.45 | Pass    |
|            |                 |               | 7      | 21.10                 | -2.81      | 16.14     | <=38.45 | Pass    |
|            |                 |               | 14     | 20.81                 | -2.81      | 15.85     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 19.92                 | -2.81      | 14.96     | <=38.45 | Pass    |
|            |                 |               | 4      | 19.87                 | -2.81      | 14.91     | <=38.45 | Pass    |
|            |                 |               | 7      | 19.90                 | -2.81      | 14.94     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 19.96                 | -2.81      | 15.00     | <=38.45 | Pass    |
| 16QAM      | 815.5           | 1             | 0      | 20.72                 | -2.81      | 15.76     | <=38.45 | Pass    |
|            |                 |               | 7      | 21.44                 | -2.81      | 16.48     | <=38.45 | Pass    |
|            |                 |               | 14     | 20.40                 | -2.81      | 15.44     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 19.35                 | -2.81      | 14.39     | <=38.45 | Pass    |
|            |                 |               | 4      | 19.15                 | -2.81      | 14.19     | <=38.45 | Pass    |
|            |                 |               | 7      | 19.23                 | -2.81      | 14.27     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 19.12                 | -2.81      | 14.16     | <=38.45 | Pass    |
|            | 819             | 1             | 0      | 20.05                 | -2.81      | 15.09     | <=38.45 | Pass    |
|            |                 |               | 7      | 20.85                 | -2.81      | 15.89     | <=38.45 | Pass    |
|            |                 |               | 14     | 21.34                 | -2.81      | 16.38     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 19.23                 | -2.81      | 14.27     | <=38.45 | Pass    |
|            |                 |               | 4      | 19.18                 | -2.81      | 14.22     | <=38.45 | Pass    |
|            |                 |               | 7      | 19.10                 | -2.81      | 14.14     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 19.04                 | -2.81      | 14.08     | <=38.45 | Pass    |
|            | 822.5           | 1             | 0      | 20.55                 | -2.81      | 15.59     | <=38.45 | Pass    |
|            |                 |               | 7      | 20.17                 | -2.81      | 15.21     | <=38.45 | Pass    |
|            |                 |               | 14     | 20.83                 | -2.81      | 15.87     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 19.15                 | -2.81      | 14.19     | <=38.45 | Pass    |
|            |                 |               | 4      | 19.59                 | -2.81      | 14.63     | <=38.45 | Pass    |
|            |                 |               | 7      | 19.61                 | -2.81      | 14.65     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 19.52                 | -2.81      | 14.56     | <=38.45 | Pass    |

Note1: ERP=Conducted Power+Antenna Gain-2.15

### 1.1.3 B26a\_5MHz\_ERP

| Band: 26a / Bandwidth: 5MHz / NTV |                 |               |        |                       |            |           |         |         |
|-----------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                   |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                              | 816.5           | 1             | 0      | 20.97                 | -2.81      | 16.01     | <=38.45 | Pass    |
|                                   |                 |               | 13     | 20.79                 | -2.81      | 15.83     | <=38.45 | Pass    |
|                                   |                 |               | 24     | 21.03                 | -2.81      | 16.07     | <=38.45 | Pass    |
|                                   |                 | 12            | 0      | 19.95                 | -2.81      | 14.99     | <=38.45 | Pass    |
|                                   |                 |               | 6      | 19.96                 | -2.81      | 15.00     | <=38.45 | Pass    |
|                                   |                 |               | 13     | 19.88                 | -2.81      | 14.92     | <=38.45 | Pass    |
|                                   |                 |               |        |                       |            |           |         |         |

|       |       |    |    |       |       |       |         |      |
|-------|-------|----|----|-------|-------|-------|---------|------|
| 16QAM | 819   | 25 | 0  | 20.09 | -2.81 | 15.13 | <=38.45 | Pass |
|       |       |    | 0  | 20.96 | -2.81 | 16.00 | <=38.45 | Pass |
|       |       |    | 13 | 20.81 | -2.81 | 15.85 | <=38.45 | Pass |
|       |       |    | 24 | 20.90 | -2.81 | 15.94 | <=38.45 | Pass |
|       |       | 12 | 0  | 19.91 | -2.81 | 14.95 | <=38.45 | Pass |
|       |       |    | 6  | 20.01 | -2.81 | 15.05 | <=38.45 | Pass |
|       |       |    | 13 | 19.92 | -2.81 | 14.96 | <=38.45 | Pass |
|       |       | 25 | 0  | 19.98 | -2.81 | 15.02 | <=38.45 | Pass |
|       | 821.5 | 1  | 0  | 21.04 | -2.81 | 16.08 | <=38.45 | Pass |
|       |       |    | 13 | 21.05 | -2.81 | 16.09 | <=38.45 | Pass |
|       |       |    | 24 | 20.75 | -2.81 | 15.79 | <=38.45 | Pass |
|       |       | 12 | 0  | 19.91 | -2.81 | 14.95 | <=38.45 | Pass |
|       |       |    | 6  | 19.94 | -2.81 | 14.98 | <=38.45 | Pass |
|       |       |    | 13 | 19.88 | -2.81 | 14.92 | <=38.45 | Pass |
|       |       | 25 | 0  | 20.02 | -2.81 | 15.06 | <=38.45 | Pass |
|       | 816.5 | 1  | 0  | 19.72 | -2.81 | 14.76 | <=38.45 | Pass |
|       |       |    | 13 | 20.50 | -2.81 | 15.54 | <=38.45 | Pass |
|       |       |    | 24 | 20.53 | -2.81 | 15.57 | <=38.45 | Pass |
|       |       | 12 | 0  | 19.05 | -2.81 | 14.09 | <=38.45 | Pass |
|       |       |    | 6  | 19.09 | -2.81 | 14.13 | <=38.45 | Pass |
|       |       |    | 13 | 19.00 | -2.81 | 14.04 | <=38.45 | Pass |
|       |       | 25 | 0  | 19.12 | -2.81 | 14.16 | <=38.45 | Pass |
|       | 819   | 1  | 0  | 20.57 | -2.81 | 15.61 | <=38.45 | Pass |
|       |       |    | 13 | 19.48 | -2.81 | 14.52 | <=38.45 | Pass |
|       |       |    | 24 | 20.50 | -2.81 | 15.54 | <=38.45 | Pass |
|       |       | 12 | 0  | 19.05 | -2.81 | 14.09 | <=38.45 | Pass |
|       |       |    | 6  | 19.10 | -2.81 | 14.14 | <=38.45 | Pass |
|       |       |    | 13 | 19.10 | -2.81 | 14.14 | <=38.45 | Pass |
|       |       | 25 | 0  | 19.09 | -2.81 | 14.13 | <=38.45 | Pass |
|       | 821.5 | 1  | 0  | 20.41 | -2.81 | 15.45 | <=38.45 | Pass |
|       |       |    | 13 | 20.52 | -2.81 | 15.56 | <=38.45 | Pass |
|       |       |    | 24 | 19.51 | -2.81 | 14.55 | <=38.45 | Pass |
|       |       | 12 | 0  | 19.04 | -2.81 | 14.08 | <=38.45 | Pass |
|       |       |    | 6  | 19.02 | -2.81 | 14.06 | <=38.45 | Pass |
|       |       |    | 13 | 19.44 | -2.81 | 14.48 | <=38.45 | Pass |
|       |       | 25 | 0  | 18.99 | -2.81 | 14.03 | <=38.45 | Pass |

Note1: ERP=Conducted Power+Antenna Gain-2.15

#### 1.1.4 B26a\_10MHz\_ERP

| Band: 26a / Bandwidth: 10MHz / NTNV |                 |               |        |                       |            |           |         |         |
|-------------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                     |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                                | 819             | 1             | 0      | 21.14                 | -2.81      | 16.18     | <=38.45 | Pass    |
|                                     |                 |               | 25     | 20.97                 | -2.81      | 16.01     | <=38.45 | Pass    |
|                                     |                 |               | 49     | 20.88                 | -2.81      | 15.92     | <=38.45 | Pass    |
|                                     |                 | 25            | 0      | 20.03                 | -2.81      | 15.07     | <=38.45 | Pass    |
|                                     |                 |               | 13     | 19.85                 | -2.81      | 14.89     | <=38.45 | Pass    |
|                                     |                 |               | 25     | 19.97                 | -2.81      | 15.01     | <=38.45 | Pass    |
|                                     |                 | 50            | 0      | 19.88                 | -2.81      | 14.92     | <=38.45 | Pass    |
| 16QAM                               | 819             | 1             | 0      | 20.22                 | -2.81      | 15.26     | <=38.45 | Pass    |
|                                     |                 |               | 25     | 20.52                 | -2.81      | 15.56     | <=38.45 | Pass    |
|                                     |                 |               | 49     | 20.49                 | -2.81      | 15.53     | <=38.45 | Pass    |
|                                     |                 | 25            | 0      | 19.19                 | -2.81      | 14.23     | <=38.45 | Pass    |
|                                     |                 |               | 13     | 19.10                 | -2.81      | 14.14     | <=38.45 | Pass    |
|                                     |                 |               | 25     | 19.13                 | -2.81      | 14.17     | <=38.45 | Pass    |
|                                     |                 | 50            | 0      | 19.17                 | -2.81      | 14.21     | <=38.45 | Pass    |

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B26a\_1.4MHz

| Band: 26a / Bandwidth: 1.4MHz |                 |               |        |            |               |                  |                       |             |         |
|-------------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                    | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                               |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                          | 814.7           | 6             | 0      | 20         | 3.27          | 16.294           | 0.0200                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 3.85          | -13.962          | -0.0171               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 4.43          | -22.759          | -0.0279               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -30        | 3.85          | -5.937           | -0.0073               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -20        | 3.85          | -17.209          | -0.0211               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -10        | 3.85          | -11.973          | -0.0147               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 0          | 3.85          | -7.567           | -0.0093               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 10         | 3.85          | -38.695          | -0.0475               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 30         | 3.85          | -12.131          | -0.0149               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 40         | 3.85          | -32.558          | -0.0400               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 50         | 3.85          | -7.868           | -0.0097               | -2.5 to 2.5 | Pass    |
|                               | 819             | 6             | 0      | 20         | 3.27          | 11.945           | 0.0146                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 3.85          | 17.667           | 0.0216                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 4.43          | 14.906           | 0.0182                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -30        | 3.85          | 18.468           | 0.0225                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -20        | 3.85          | 22.502           | 0.0275                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -10        | 3.85          | 16.537           | 0.0202                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 0          | 3.85          | 14.234           | 0.0174                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 10         | 3.85          | 18.783           | 0.0229                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 30         | 3.85          | 31.528           | 0.0385                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 40         | 3.85          | 35.062           | 0.0428                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 50         | 3.85          | 35.033           | 0.0428                | -2.5 to 2.5 | Pass    |
|                               | 823.3           | 6             | 0      | 20         | 3.27          | 3.920            | 0.0048                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 3.85          | -16.208          | -0.0197               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 4.43          | -45.204          | -0.0549               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -30        | 3.85          | -32.845          | -0.0399               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -20        | 3.85          | -16.665          | -0.0202               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -10        | 3.85          | -35.048          | -0.0426               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 0          | 3.85          | -7.238           | -0.0088               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 10         | 3.85          | -17.309          | -0.0210               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 30         | 3.85          | -29.340          | -0.0356               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 40         | 3.85          | -39.797          | -0.0483               | -2.5 to 2.5 | Pass    |
| 16QAM                         | 814.7           | 6             | 0      | 20         | 3.27          | 1.845            | 0.0023                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 3.85          | 8.826            | 0.0108                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 4.43          | 14.162           | 0.0174                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -30        | 3.85          | 20.828           | 0.0256                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -20        | 3.85          | 24.862           | 0.0305                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -10        | 3.85          | 32.029           | 0.0393                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 0          | 3.85          | 23.074           | 0.0283                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 10         | 3.85          | 28.410           | 0.0349                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 30         | 3.85          | 27.351           | 0.0336                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 40         | 3.85          | 27.938           | 0.0343                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 50         | 3.85          | 31.557           | 0.0387                | -2.5 to 2.5 | Pass    |
|                               | 819             | 6             | 0      | 20         | 3.27          | 9.356            | 0.0114                | -2.5 to 2.5 | Pass    |

|  |       |   |   |     |      |         |         |             |      |
|--|-------|---|---|-----|------|---------|---------|-------------|------|
|  |       |   |   |     | 3.85 | 28.439  | 0.0347  | -2.5 to 2.5 | Pass |
|  |       |   |   |     | 4.43 | 28.038  | 0.0342  | -2.5 to 2.5 | Pass |
|  |       |   |   | -30 | 3.85 | 35.133  | 0.0429  | -2.5 to 2.5 | Pass |
|  |       |   |   | -20 | 3.85 | 44.189  | 0.0540  | -2.5 to 2.5 | Pass |
|  |       |   |   | -10 | 3.85 | 4.292   | 0.0052  | -2.5 to 2.5 | Pass |
|  |       |   |   | 0   | 3.85 | -0.243  | -0.0003 | -2.5 to 2.5 | Pass |
|  |       |   |   | 10  | 3.85 | 4.992   | 0.0061  | -2.5 to 2.5 | Pass |
|  |       |   |   | 30  | 3.85 | 7.997   | 0.0098  | -2.5 to 2.5 | Pass |
|  |       |   |   | 40  | 3.85 | 13.490  | 0.0165  | -2.5 to 2.5 | Pass |
|  |       |   |   | 50  | 3.85 | 9.913   | 0.0121  | -2.5 to 2.5 | Pass |
|  | 823.3 | 6 | 0 | 20  | 3.27 | 24.505  | 0.0298  | -2.5 to 2.5 | Pass |
|  |       |   |   |     | 3.85 | 16.980  | 0.0206  | -2.5 to 2.5 | Pass |
|  |       |   |   |     | 4.43 | -21.429 | -0.0260 | -2.5 to 2.5 | Pass |
|  |       |   |   | -30 | 3.85 | -7.339  | -0.0089 | -2.5 to 2.5 | Pass |
|  |       |   |   | -20 | 3.85 | -36.635 | -0.0445 | -2.5 to 2.5 | Pass |
|  |       |   |   | -10 | 3.85 | -7.095  | -0.0086 | -2.5 to 2.5 | Pass |
|  |       |   |   | 0   | 3.85 | -24.018 | -0.0292 | -2.5 to 2.5 | Pass |
|  |       |   |   | 10  | 3.85 | -33.031 | -0.0401 | -2.5 to 2.5 | Pass |
|  |       |   |   | 30  | 3.85 | -39.253 | -0.0477 | -2.5 to 2.5 | Pass |
|  |       |   |   | 40  | 3.85 | -10.972 | -0.0133 | -2.5 to 2.5 | Pass |
|  |       |   |   | 50  | 3.85 | -19.670 | -0.0239 | -2.5 to 2.5 | Pass |

## 2.1.2 B26a\_3MHz

| Band: 26a / Bandwidth: 3MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 815.5           | 15            | 0      | 20         | 3.27          | 13.218           | 0.0162                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -25.420          | -0.0312               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -38.409          | -0.0471               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -45.104          | -0.0553               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -26.593          | -0.0326               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -9.685           | -0.0119               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -29.140          | -0.0357               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -40.898          | -0.0502               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -11.516          | -0.0141               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -23.017          | -0.0282               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -30.656          | -0.0376               | -2.5 to 2.5 | Pass    |
|                             | 819             | 15            | 0      | 20         | 3.27          | 3.304            | 0.0040                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 3.319            | 0.0041                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 5.751            | 0.0070                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 4.792            | 0.0059                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 6.094            | 0.0074                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 5.536            | 0.0068                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | 3.963            | 0.0048                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 2.632            | 0.0032                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | 2.689            | 0.0033                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | 3.591            | 0.0044                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -0.014           | 0.0000                | -2.5 to 2.5 | Pass    |
|                             | 822.5           | 15            | 0      | 20         | 3.27          | 9.270            | 0.0113                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 8.812            | 0.0107                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 7.467            | 0.0091                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 2.046            | 0.0025                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 2.747            | 0.0033                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -0.801           | -0.0010               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -0.930           | -0.0011               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -1.502           | -0.0018               | -2.5 to 2.5 | Pass    |

|       |       |    |   |     |      |        |         |             |      |
|-------|-------|----|---|-----|------|--------|---------|-------------|------|
| 16QAM | 815.5 | 15 | 0 | 30  | 3.85 | -5.050 | -0.0061 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -8.969 | -0.0109 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -8.569 | -0.0104 | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 4.492  | 0.0055  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 6.351  | 0.0078  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 6.208  | 0.0076  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | 8.168  | 0.0100  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | 10.214 | 0.0125  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 10.614 | 0.0130  | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | 9.341  | 0.0115  | -2.5 to 2.5 | Pass |
|       | 819   | 15 | 0 | 10  | 3.85 | 7.968  | 0.0098  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | 10.514 | 0.0129  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 11.759 | 0.0144  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 12.503 | 0.0153  | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 6.137  | 0.0075  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 8.612  | 0.0105  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 7.238  | 0.0088  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | 11.859 | 0.0145  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | 13.719 | 0.0168  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 15.965 | 0.0195  | -2.5 to 2.5 | Pass |
|       | 822.5 | 15 | 0 | 0   | 3.85 | 15.035 | 0.0184  | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | 15.564 | 0.0190  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | 18.911 | 0.0231  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 22.388 | 0.0273  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 22.659 | 0.0277  | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 4.106  | 0.0050  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 7.381  | 0.0090  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 4.120  | 0.0050  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | 5.908  | 0.0072  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | 5.937  | 0.0072  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 6.609  | 0.0080  | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | 6.809  | 0.0083  | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | 6.967  | 0.0085  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | 7.982  | 0.0097  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 7.567  | 0.0092  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 11.115 | 0.0135  | -2.5 to 2.5 | Pass |

### 2.1.3 B26a\_5MHz

| Band: 26a / Bandwidth: 5MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 816.5           | 25            | 0      | 20         | 3.27          | 27.480           | 0.0337                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 16.251           | 0.0199                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -31.657          | -0.0388               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -21.243          | -0.0260               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -6.194           | -0.0076               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -21.300          | -0.0261               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -37.351          | -0.0457               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 0.072            | 0.0001                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -6.351           | -0.0078               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -12.474          | -0.0153               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -17.481          | -0.0214               | -2.5 to 2.5 | Pass    |
|                             | 819             | 25            | 0      | 20         | 3.27          | 10.257           | 0.0125                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 16.265           | 0.0199                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 18.883           | 0.0231                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 19.827           | 0.0242                | -2.5 to 2.5 | Pass    |

|       |       |    |   |     |      |         |         |             |      |
|-------|-------|----|---|-----|------|---------|---------|-------------|------|
| 16QAM | 821.5 | 25 | 0 | -20 | 3.85 | 19.069  | 0.0233  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 20.728  | 0.0253  | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | 19.054  | 0.0233  | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | 20.199  | 0.0247  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | 20.328  | 0.0248  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 22.073  | 0.0270  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 25.721  | 0.0314  | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 6.981   | 0.0085  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 3.819   | 0.0046  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -0.415  | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -10.486 | -0.0128 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -23.060 | -0.0281 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -29.311 | -0.0357 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -34.461 | -0.0419 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -36.221 | -0.0441 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -35.205 | -0.0429 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -40.655 | -0.0495 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -42.558 | -0.0518 | -2.5 to 2.5 | Pass |
|       | 816.5 | 25 | 0 | 20  | 3.27 | 3.648   | 0.0045  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 12.016  | 0.0147  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 19.741  | 0.0242  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | 28.696  | 0.0351  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | 37.365  | 0.0458  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 40.398  | 0.0495  | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | 42.801  | 0.0524  | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | 46.878  | 0.0574  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -2.532  | -0.0031 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 1.159   | 0.0014  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 2.747   | 0.0034  | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 8.669   | 0.0106  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 22.616  | 0.0276  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 33.717  | 0.0412  | -2.5 to 2.5 | Pass |
| 16QAM | 819   | 25 | 0 | -30 | 3.85 | 37.537  | 0.0458  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | 37.394  | 0.0457  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 39.368  | 0.0481  | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | 45.776  | 0.0559  | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | 4.091   | 0.0050  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | 9.985   | 0.0122  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 12.345  | 0.0151  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 10.929  | 0.0133  | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 7.367   | 0.0090  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 21.687  | 0.0264  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 35.076  | 0.0427  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | 45.619  | 0.0555  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | 2.332   | 0.0028  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 12.989  | 0.0158  | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | 29.125  | 0.0355  | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | 39.968  | 0.0487  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | 3.762   | 0.0046  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 13.418  | 0.0163  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 24.419  | 0.0297  | -2.5 to 2.5 | Pass |

## 2.1.4 B26a\_10MHz

| Band: 26a / Bandwidth: 10MHz |                 |               |        |            |               |                  |                       |       |         |
|------------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------|---------|
| Modulation                   | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |       | Verdict |
|                              |                 | Size          | Offset |            |               |                  | Result                | Limit |         |

|       |     |    |   |     |      |        |        |             |      |
|-------|-----|----|---|-----|------|--------|--------|-------------|------|
| QPSK  | 819 | 50 | 0 | 20  | 3.27 | 3.619  | 0.0044 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 3.85 | 12.789 | 0.0156 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 4.43 | 14.319 | 0.0175 | -2.5 to 2.5 | Pass |
|       |     |    |   | -30 | 3.85 | 14.949 | 0.0183 | -2.5 to 2.5 | Pass |
|       |     |    |   | -20 | 3.85 | 12.574 | 0.0154 | -2.5 to 2.5 | Pass |
|       |     |    |   | -10 | 3.85 | 11.601 | 0.0142 | -2.5 to 2.5 | Pass |
|       |     |    |   | 0   | 3.85 | 4.177  | 0.0051 | -2.5 to 2.5 | Pass |
|       |     |    |   | 10  | 3.85 | 6.781  | 0.0083 | -2.5 to 2.5 | Pass |
|       |     |    |   | 30  | 3.85 | 6.208  | 0.0076 | -2.5 to 2.5 | Pass |
|       |     |    |   | 40  | 3.85 | 3.004  | 0.0037 | -2.5 to 2.5 | Pass |
| 16QAM | 819 | 50 | 0 | 20  | 3.27 | 4.363  | 0.0053 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 3.85 | 19.569 | 0.0239 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 4.43 | 21.157 | 0.0258 | -2.5 to 2.5 | Pass |
|       |     |    |   | -30 | 3.85 | 25.163 | 0.0307 | -2.5 to 2.5 | Pass |
|       |     |    |   | -20 | 3.85 | 27.194 | 0.0332 | -2.5 to 2.5 | Pass |
|       |     |    |   | -10 | 3.85 | 33.474 | 0.0409 | -2.5 to 2.5 | Pass |
|       |     |    |   | 0   | 3.85 | 38.352 | 0.0468 | -2.5 to 2.5 | Pass |
|       |     |    |   | 10  | 3.85 | 46.849 | 0.0572 | -2.5 to 2.5 | Pass |
|       |     |    |   | 30  | 3.85 | 44.203 | 0.0540 | -2.5 to 2.5 | Pass |
|       |     |    |   | 40  | 3.85 | 48.323 | 0.0590 | -2.5 to 2.5 | Pass |
|       |     |    |   | 50  | 3.85 | 47.965 | 0.0586 | -2.5 to 2.5 | Pass |

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B26a\_1.4MHz

| Band: 26a / Bandwidth: 1.4MHz / NTNV |                 |               |        |                            |       |         |
|--------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                           | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                      |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                                 | 819             | 6             | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                                | 819             | 6             | 0      | Refer To Test Graph        |       | Pass    |

##### 3.1.2 B26a\_3MHz

| Band: 26a / Bandwidth: 3MHz / NTNV |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 819             | 15            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 819             | 15            | 0      | Refer To Test Graph        |       | Pass    |

##### 3.1.3 B26a\_5MHz


| Band: 26a / Bandwidth: 5MHz / NTVN |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 819             | 25            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 819             | 25            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.4 B26a\_10MHz


| Band: 26a / Bandwidth: 10MHz / NTV |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 819             | 50            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 819             | 50            | 0      | Refer To Test Graph        |       | Pass    |

## 3.2 Test Graph


### 3.2.1 B26a\_1.4MHz




### 3.2.2 B26a\_3MHz



### 3.2.3 B26a\_5MHz



### 3.2.4 B26a\_10MHz



## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band26a\_OBW

| Band: 26a / NTNV |            |                 |               |        |                              |       |         |
|------------------|------------|-----------------|---------------|--------|------------------------------|-------|---------|
| Bandwidth (MHz)  | Modulation | Frequency (MHz) | RB Allocation |        | 99% Occupied Bandwidth (MHz) |       | Verdict |
|                  |            |                 | Size          | Offset | Result                       | Limit |         |
| 1.4              | QPSK       | 814.7           | 6             | 0      | 1.118                        | /     | Pass    |
|                  |            | 819             | 6             | 0      | 1.119                        | /     | Pass    |
|                  |            | 823.3           | 6             | 0      | 1.111                        | /     | Pass    |
|                  | 16QAM      | 814.7           | 6             | 0      | 1.116                        | /     | Pass    |
|                  |            | 819             | 6             | 0      | 1.113                        | /     | Pass    |
|                  |            | 823.3           | 6             | 0      | 1.111                        | /     | Pass    |
| 3                | QPSK       | 815.5           | 15            | 0      | 2.748                        | /     | Pass    |
|                  |            | 819             | 15            | 0      | 2.758                        | /     | Pass    |
|                  |            | 822.5           | 15            | 0      | 2.766                        | /     | Pass    |
|                  | 16QAM      | 815.5           | 15            | 0      | 2.758                        | /     | Pass    |
|                  |            | 819             | 15            | 0      | 2.755                        | /     | Pass    |
|                  |            | 822.5           | 15            | 0      | 2.741                        | /     | Pass    |
| 5                | QPSK       | 816.5           | 25            | 0      | 4.550                        | /     | Pass    |
|                  |            | 819             | 25            | 0      | 4.537                        | /     | Pass    |
|                  |            | 821.5           | 25            | 0      | 4.557                        | /     | Pass    |
|                  | 16QAM      | 816.5           | 25            | 0      | 4.553                        | /     | Pass    |
|                  |            | 819             | 25            | 0      | 4.558                        | /     | Pass    |
|                  |            | 821.5           | 25            | 0      | 4.571                        | /     | Pass    |
| 10               | QPSK       | 819             | 50            | 0      | 9.044                        | /     | Pass    |
|                  | 16QAM      | 819             | 50            | 0      | 9.053                        | /     | Pass    |

#### 4.1.2 Band26a\_XDB


| Band: 26a / NTNV |            |                 |               |        |                      |       |         |
|------------------|------------|-----------------|---------------|--------|----------------------|-------|---------|
| Bandwidth (MHz)  | Modulation | Frequency (MHz) | RB Allocation |        | 26dB Bandwidth (MHz) |       | Verdict |
|                  |            |                 | Size          | Offset | Result               | Limit |         |
| 1.4              | QPSK       | 814.7           | 6             | 0      | 1.272                | /     | Pass    |
|                  |            | 819             | 6             | 0      | 1.271                | /     | Pass    |
|                  |            | 823.3           | 6             | 0      | 1.276                | /     | Pass    |
|                  | 16QAM      | 814.7           | 6             | 0      | 1.279                | /     | Pass    |
|                  |            | 819             | 6             | 0      | 1.269                | /     | Pass    |
|                  |            | 823.3           | 6             | 0      | 1.262                | /     | Pass    |
| 3                | QPSK       | 815.5           | 15            | 0      | 3.095                | /     | Pass    |
|                  |            | 819             | 15            | 0      | 3.089                | /     | Pass    |
|                  |            | 822.5           | 15            | 0      | 3.098                | /     | Pass    |
|                  | 16QAM      | 815.5           | 15            | 0      | 3.108                | /     | Pass    |
|                  |            | 819             | 15            | 0      | 3.113                | /     | Pass    |
|                  |            | 822.5           | 15            | 0      | 3.085                | /     | Pass    |
| 5                | QPSK       | 816.5           | 25            | 0      | 5.042                | /     | Pass    |
|                  |            | 819             | 25            | 0      | 5.074                | /     | Pass    |
|                  |            | 821.5           | 25            | 0      | 5.039                | /     | Pass    |
|                  | 16QAM      | 816.5           | 25            | 0      | 5.069                | /     | Pass    |
|                  |            | 819             | 25            | 0      | 5.086                | /     | Pass    |
|                  |            | 821.5           | 25            | 0      | 5.035                | /     | Pass    |
| 10               | QPSK       | 819             | 50            | 0      | 9.996                | /     | Pass    |

|  |       |     |    |   |        |   |      |
|--|-------|-----|----|---|--------|---|------|
|  | 16QAM | 819 | 50 | 0 | 10.046 | / | Pass |
|--|-------|-----|----|---|--------|---|------|




## 4.2 Test Graph


### 4.2.1 Band26a\_OBW




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a\_3MHz\_QPSK\_MCH\_819MHz\_RB\_15\_0\_NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




## Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




## Band26a\_5MHz\_16QAM\_LCH\_816.5MHz\_RB\_25\_0\_NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV




Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTV




Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTV




#### 4.2.2 Band26a\_XDB




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a\_3MHz\_QPSK\_MCH\_819MHz\_RB\_15\_0\_NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTV



Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTV



## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B26a\_1.4MHz

| Band: 26a / Bandwidth: 1.4MHz / NTNV |                 |               |        |                         |       |         |
|--------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                           | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                      |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                                 | 814.7           | 6             | 0      | 5.82                    | <=13  | Pass    |
|                                      | 819             | 6             | 0      | 5.73                    | <=13  | Pass    |
|                                      | 823.3           | 6             | 0      | 5.90                    | <=13  | Pass    |
| 16QAM                                | 814.7           | 6             | 0      | 6.56                    | <=13  | Pass    |
|                                      | 819             | 6             | 0      | 6.49                    | <=13  | Pass    |
|                                      | 823.3           | 6             | 0      | 6.67                    | <=13  | Pass    |

#### 5.1.2 B26a\_3MHz

| Band: 26a / Bandwidth: 3MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 815.5           | 15            | 0      | 5.81                    | <=13  | Pass    |
|                                    | 819             | 15            | 0      | 5.73                    | <=13  | Pass    |
|                                    | 822.5           | 15            | 0      | 5.91                    | <=13  | Pass    |
| 16QAM                              | 815.5           | 15            | 0      | 6.62                    | <=13  | Pass    |
|                                    | 819             | 15            | 0      | 6.58                    | <=13  | Pass    |
|                                    | 822.5           | 15            | 0      | 6.62                    | <=13  | Pass    |

#### 5.1.3 B26a\_5MHz


| Band: 26a / Bandwidth: 5MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 816.5           | 25            | 0      | 5.79                    | <=13  | Pass    |
|                                    | 819             | 25            | 0      | 5.78                    | <=13  | Pass    |
|                                    | 821.5           | 25            | 0      | 5.82                    | <=13  | Pass    |
| 16QAM                              | 816.5           | 25            | 0      | 6.50                    | <=13  | Pass    |
|                                    | 819             | 25            | 0      | 6.54                    | <=13  | Pass    |
|                                    | 821.5           | 25            | 0      | 6.54                    | <=13  | Pass    |

#### 5.1.4 B26a\_10MHz


| Band: 26a / Bandwidth: 10MHz / NTNV |                 |               |        |                         |       |         |
|-------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                     |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                                | 819             | 50            | 0      | 5.76                    | <=13  | Pass    |
| 16QAM                               | 819             | 50            | 0      | 6.52                    | <=13  | Pass    |

## 5.2 Test Graph

### 5.2.1 B26a\_1.4MHz




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




2024-10-11 18:01:02

Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




2024-10-11 17:58:58


Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV



### 5.2.2 B26a\_3MHz




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




2024-10-11 18:04:35

Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




2024-10-11 18:03:00

Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




2024-10-11 18:04:03

Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




2024-10-11 18:05:07

### 5.2.3 B26a\_5MHz




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




2024-10-11 18:08:08

Band26a\_5MHz\_16QAM\_LCH\_816.5MHz\_RB\_25\_0\_NTNV




2024-10-11 18:08:34

Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




2024-10-11 18:07:38

Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



2024-10-11 18:08:40

## 5.2.4 B26a\_10MHz



## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B26a\_1.4MHz

| Band: 26a / Bandwidth: 1.4MHz / NTNV |                 |               |        |                     |       |         |
|--------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                           | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                      |                 | Size          | Offset | Result              | Limit |         |
| QPSK                                 | 814.7           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                      | 823.3           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 | 1             | 5      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                                | 814.7           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                      | 823.3           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 | 1             | 5      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.2 B26a\_3MHz

| Band: 26a / Bandwidth: 3MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 815.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 822.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 14     | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 815.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 822.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 14     | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.3 B26a\_5MHz

| Band: 26a / Bandwidth: 5MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 816.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 821.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 1             | 24     | Refer To Test Graph |       | Pass    |
|                                    |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 816.5           | 1             | 0      | Refer To Test Graph |       | Pass    |


|  |       |    |    |                     |      |
|--|-------|----|----|---------------------|------|
|  |       | 25 | 0  | Refer To Test Graph | Pass |
|  | 819   | 1  | 0  | Refer To Test Graph | Pass |
|  | 821.5 | 1  | 0  | Refer To Test Graph | Pass |
|  |       |    | 24 | Refer To Test Graph | Pass |
|  |       | 25 | 0  | Refer To Test Graph | Pass |

## 6.1.4 B26a\_10MHz


| Band: 26a / Bandwidth: 10MHz / NTN |                 |               |        |                     |       |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       |
|                                    |                 | Size          | Offset | Result              | Limit |
| QPSK                               | 819             | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 | 50            | 0      | Refer To Test Graph | Pass  |
|                                    | 819             | 1             | 49     | Refer To Test Graph | Pass  |
|                                    |                 | 50            | 0      | Refer To Test Graph | Pass  |
| 16QAM                              | 819             | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 | 50            | 0      | Refer To Test Graph | Pass  |
|                                    | 819             | 1             | 49     | Refer To Test Graph | Pass  |
|                                    |                 | 50            | 0      | Refer To Test Graph | Pass  |

## 6.2 Test Graph


### 6.2.1 B26a\_1.4MHz




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV



Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 6 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 812.5       | 813        | 0.1       | CHP    | 1          | 812.948    | -40.20      | -13         | Pass   |
| 813         | 813.963    | 0.013     | CHP    | 2          | 813.960    | -40.40      | -13         | Pass   |
| 813.963     | 814        | 0.013     | CHP    | 3          | 813.968    | -40.01      | -20         | Pass   |
| 814         | 815.5      | 0.013     | CHP    | /          | /          | /           | /           | /      |


Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV



Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




## Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 5 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 822.5       | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.010    | -42.00      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.043    | -43.98      | -13         | Pass   |
| 825         | 825.5      | 0.1       | CHP    | 3          | 825.344    | -53.00      | -13         | Pass   |

## Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 822.5       | 824        | 0.013     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.013     | CHP    | 1          | 824.014    | -40.66      | -20         | Pass   |
| 824.038     | 825        | 0.013     | CHP    | 2          | 824.077    | -42.11      | -13         | Pass   |
| 825         | 825.5      | 0.1       | CHP    | 3          | 825.076    | -41.62      | -13         | Pass   |

## Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 812.5       | 813        | 0.1       | CHP    | 1          | 812.551    | -51.37      | -13         | Pass   |
| 813         | 813.963    | 0.003     | /      | 2          | 813.961    | -42.34      | -13         | Pass   |
| 813.963     | 814        | 0.003     | /      | 3          | 813.985    | -40.19      | -20         | Pass   |
| 814         | 815.5      | 0.003     | /      | /          | /          | /           | /           | /      |


## Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN



Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 812.5       | 813        | 0.1       | CHP    | 1          | 812.933    | -40.43      | -13         | Pass   |
| 813         | 813.963    | 0.013     | CHP    | 2          | 813.792    | -39.46      | -13         | Pass   |
| 813.963     | 814        | 0.013     | CHP    | 3          | 813.999    | -38.87      | -20         | Pass   |
| 814         | 815.5      | 0.013     | CHP    | /          | /          | /           | /           | /      |


Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN




Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV



Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV




## Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 5 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 822.5       | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.012    | -40.55      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.039    | -43.21      | -13         | Pass   |
| 825         | 825.5      | 0.1       | CHP    | 3          | 825.443    | -52.87      | -13         | Pass   |

## Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 822.5       | 824        | 0.013     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.013     | CHP    | 1          | 824.027    | -41.19      | -20         | Pass   |
| 824.038     | 825        | 0.013     | CHP    | 2          | 824.051    | -40.33      | -13         | Pass   |
| 825         | 825.5      | 0.1       | CHP    | 3          | 825.059    | -40.54      | -13         | Pass   |


## 6.2.2 B26a\_3MHz




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV



Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 811         | 813        | 0.1       | CHP    | 1          | 812.938    | -38.36      | -13         | Pass   |
| 813         | 813.963    | 0.031     | CHP    | 2          | 813.958    | -32.52      | -13         | Pass   |
| 813.963     | 814        | 0.031     | CHP    | 3          | 813.994    | -27.37      | -20         | Pass   |
| 814         | 817        | 0.031     | CHP    | /          | /          | /           | /           | /      |


Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_1\_0\_NTNV




Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_1\_0\_NTNV




Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_1\_0\_NTNV



Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_1\_0\_NTNV




## Band26a 3MHz QPSK HCH 822.5MHz RB 1 14 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 821         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.001    | -27.50      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.040    | -34.12      | -13         | Pass   |
| 825         | 827        | 0.1       | CHP    | 3          | 825.052    | -52.89      | -13         | Pass   |

## Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 821         | 824        | 0.031     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.031     | CHP    | 1          | 824.006    | -29.76      | -20         | Pass   |
| 824.038     | 825        | 0.031     | CHP    | 2          | 824.042    | -37.12      | -13         | Pass   |
| 825         | 827        | 0.1       | CHP    | 3          | 825.056    | -39.77      | -13         | Pass   |


## Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




## Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a\_3MHz\_16QAM\_LCH\_815.5MHz\_RB\_1\_0\_NTNV



Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTV




Band26a\_3MHz\_16QAM\_LCH\_815.5MHz\_RB\_15\_0\_NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 811         | 813        | 0.1       | CHP    | 1          | 812.944    | -39.12      | -13         | Pass   |
| 813         | 813.963    | 0.031     | CHP    | 2          | 813.958    | -35.52      | -13         | Pass   |
| 813.963     | 814        | 0.031     | CHP    | 3          | 813.994    | -28.74      | -20         | Pass   |
| 814         | 817        | 0.031     | CHP    | /          | /          | /           | /           | /      |


Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a\_3MHz\_16QAM\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV



Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 14 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 821         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.001    | -28.11      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.042    | -34.73      | -13         | Pass   |
| 825         | 827        | 0.1       | CHP    | 3          | 825.052    | -53.17      | -13         | Pass   |

Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 821         | 824        | 0.031     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.031     | CHP    | 1          | 824.006    | -30.33      | -20         | Pass   |
| 824.038     | 825        | 0.031     | CHP    | 2          | 824.042    | -36.34      | -13         | Pass   |
| 825         | 827        | 0.1       | CHP    | 3          | 825.056    | -38.51      | -13         | Pass   |


## 6.2.3 B26a\_5MHz




Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV



Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 809         | 813        | 0.1       | CHP    | 1          | 812.940    | -40.58      | -13         | Pass   |
| 813         | 813.963    | 0.05      | CHP    | 2          | 813.960    | -38.46      | -13         | Pass   |
| 813.963     | 814        | 0.05      | CHP    | 3          | 813.990    | -34.75      | -20         | Pass   |
| 814         | 819        | 0.05      | CHP    | /          | /          | /           | /           | /      |


Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_1\_0\_NTNV




Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_1\_0\_NTNV




Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_1\_0\_NTNV



Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_1\_0\_NTNV




## Band26a 5MHz QPSK HCH 821.5MHz RB 1 24 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 819         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.009    | -36.30      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.039    | -40.37      | -13         | Pass   |
| 825         | 829        | 0.1       | CHP    | 3          | 825.785    | -54.58      | -13         | Pass   |

## Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 819         | 824        | 0.05      | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.05      | CHP    | 1          | 824.010    | -36.60      | -20         | Pass   |
| 824.038     | 825        | 0.05      | CHP    | 2          | 824.040    | -39.30      | -13         | Pass   |
| 825         | 829        | 0.1       | CHP    | 3          | 825.090    | -40.30      | -13         | Pass   |


## Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




## Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV



Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTV




Band26a\_5MHz\_16QAM\_LCH\_816.5MHz\_RB\_25\_0\_NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 809         | 813        | 0.1       | CHP    | 1          | 812.940    | -39.89      | -13         | Pass   |
| 813         | 813.963    | 0.051     | CHP    | 2          | 813.960    | -37.40      | -13         | Pass   |
| 813.963     | 814        | 0.051     | CHP    | 3          | 813.990    | -35.74      | -20         | Pass   |
| 814         | 819        | 0.051     | CHP    | /          | /          | /           | /           | /      |


Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV



Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 24 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 819         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.003    | -35.47      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.038    | -41.12      | -13         | Pass   |
| 825         | 829        | 0.1       | CHP    | 3          | 825.776    | -55.11      | -13         | Pass   |


Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 819         | 824        | 0.05      | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.05      | CHP    | 1          | 824.010    | -37.21      | -20         | Pass   |
| 824.038     | 825        | 0.05      | CHP    | 2          | 824.040    | -39.14      | -13         | Pass   |
| 825         | 829        | 0.1       | CHP    | 3          | 825.070    | -40.95      | -13         | Pass   |

## 6.2.4 B26a\_10MHz


Band26a\_10MHz\_QPSK\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_10MHz\_QPSK\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV




Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV



Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV




Band26a 10MHz QPSK LCH 819MHz RB 50 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 804         | 813        | 0.1       | /      | 1          | 812.880    | -41.97      | -13         | Pass   |
| 813         | 813.963    | 0.1       | /      | 2          | 813.960    | -38.90      | -13         | Pass   |
| 813.963     | 814        | 0.1       | /      | 3          | 813.980    | -38.40      | -20         | Pass   |
| 814         | 824        | 0.1       | /      | /          | /          | /           | /           | /      |

## Band26a\_10MHz\_QPSK\_HCH\_819MHz\_RB\_1\_49\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 814         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.013    | -40.59      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.040    | -42.61      | -13         | Pass   |
| 825         | 834        | 0.1       | CHP    | 3          | 827.803    | -52.34      | -13         | Pass   |

## Band26a\_10MHz\_QPSK\_HCH\_819MHz\_RB\_50\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 814         | 824        | 0.1       | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.1       | /      | 1          | 824.020    | -37.28      | -20         | Pass   |
| 824.038     | 825        | 0.1       | /      | 2          | 824.040    | -37.83      | -13         | Pass   |
| 825         | 834        | 0.1       | /      | 3          | 825.400    | -41.36      | -13         | Pass   |

## Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 804         | 813        | 0.1       | CHP    | 1          | 810.205    | -51.41      | -13         | Pass   |
| 813         | 813.963    | 0.003     | /      | 2          | 813.957    | -42.25      | -13         | Pass   |
| 813.963     | 814        | 0.003     | /      | 3          | 813.987    | -41.10      | -20         | Pass   |
| 814         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |


## Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV



Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_50\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 804         | 813        | 0.1       | /      | 1          | 812.680    | -41.24      | -13         | Pass   |
| 813         | 813.963    | 0.1       | /      | 2          | 813.880    | -38.64      | -13         | Pass   |
| 813.963     | 814        | 0.1       | /      | 3          | 813.980    | -39.82      | -20         | Pass   |
| 814         | 824        | 0.1       | /      | /          | /          | /           | /           | /      |

## Band26a 10MHz 16QAM HCH 819MHz RB 1 49 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 814         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.028    | -41.54      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.043    | -43.06      | -13         | Pass   |
| 825         | 834        | 0.1       | CHP    | 3          | 827.790    | -53.84      | -13         | Pass   |

## Band26a 10MHz 16QAM HCH 819MHz RB 50 0 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 814         | 824        | 0.1       | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.1       | /      | 1          | 824.020    | -35.29      | -20         | Pass   |
| 824.038     | 825        | 0.1       | /      | 2          | 824.040    | -37.22      | -13         | Pass   |
| 825         | 834        | 0.1       | /      | 3          | 825.220    | -41.74      | -13         | Pass   |