



11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.5	-25	45.5	Pass	401
0.15	30	0.01	RMS	0.16	-69.76	-25	44.76	Pass	2986
30	1000	0.1	RMS	893.129	-63.99	-25	38.99	Pass	9701
1000	2495	1	RMS	2493	-50.85	-25	25.85	Pass	1496
2495	2575	1	RMS	2532.8	24.31	60	35.69	Pass	401
2575	3000	1	RMS	2875	-48.14	-25	23.14	Pass	426
3000	12000	1	RMS	7599	-60.86	-25	35.86	Pass	9002
12000	26000	1	RMS	25851	-41.42	-25	16.42	Pass	14002




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.42	-25	44.42	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-25	44.82	Pass	2986
30	1000	0.1	RMS	875.818	-63.8	-25	38.8	Pass	9701
1000	2495	1	RMS	2495	-50.9	-25	25.9	Pass	1496
2495	2575	1	RMS	2532.8	23.45	60	36.55	Pass	401
2575	3000	1	RMS	2875	-48.18	-25	23.18	Pass	426
3000	12000	1	RMS	7598	-61.62	-25	36.62	Pass	9002
12000	26000	1	RMS	25893	-41.36	-25	16.36	Pass	14002




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-25	45.37	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-25	45.09	Pass	2986
30	1000	0.1	RMS	882.822	-63.97	-25	38.97	Pass	9701
1000	2495	1	RMS	2494	-50.87	-25	25.87	Pass	1496
2495	2575	1	RMS	2565.2	24.42	60	35.58	Pass	401
2575	3000	1	RMS	2575	-41.62	-25	16.62	Pass	426
3000	12000	1	RMS	7696	-61.16	-25	36.16	Pass	9002
12000	26000	1	RMS	25903	-41.47	-25	16.47	Pass	14002




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.09	-25	46.09	Pass	401
0.15	30	0.01	RMS	0.17	-70.05	-25	45.05	Pass	2986
30	1000	0.1	RMS	879.62	-63.75	-25	38.75	Pass	9701
1000	2495	1	RMS	2490	-50.86	-25	25.86	Pass	1496
2495	2575	1	RMS	2565.2	23.56	60	36.44	Pass	401
2575	3000	1	RMS	2575	-43.56	-25	18.56	Pass	426
3000	12000	1	RMS	7696	-61.61	-25	36.61	Pass	9002
12000	26000	1	RMS	25840	-41.41	-25	16.41	Pass	14002




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.13	-25	44.13	Pass	401
0.15	30	0.01	RMS	0.15	-69.86	-25	44.86	Pass	2986
30	1000	0.1	RMS	879.42	-63.94	-25	38.94	Pass	9701
1000	2490	1	RMS	2483	-38.78	-25	13.78	Pass	1491
2490	2580	1	RMS	2500.575	24.2	60	35.8	Pass	401
2580	3000	1	RMS	2870	-48.21	-25	23.21	Pass	421
3000	12000	1	RMS	7502	-62.7	-25	37.7	Pass	9002
12000	26000	1	RMS	25870	-41.39	-25	16.39	Pass	14002




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.69	-25	44.69	Pass	401
0.15	30	0.01	RMS	0.17	-69.86	-25	44.86	Pass	2986
30	1000	0.1	RMS	876.318	-63.94	-25	38.94	Pass	9701
1000	2490	1	RMS	2483	-42.29	-25	17.29	Pass	1491
2490	2580	1	RMS	2500.575	23.3	60	36.7	Pass	401
2580	3000	1	RMS	2873	-48.2	-25	23.2	Pass	421
3000	12000	1	RMS	11953	-62.75	-25	37.75	Pass	9002
12000	26000	1	RMS	25890	-41.47	-25	16.47	Pass	14002



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.68	-25	45.68	Pass	401
0.15	30	0.01	RMS	0.2	-70.66	-25	45.66	Pass	2986
30	1000	0.1	RMS	875.818	-64	-25	39	Pass	9701
1000	2490	1	RMS	2489	-50.8	-25	25.8	Pass	1491
2490	2580	1	RMS	2530.5	24.38	60	35.62	Pass	401
2580	3000	1	RMS	2872	-48.2	-25	23.2	Pass	421
3000	12000	1	RMS	7592	-60.9	-25	35.9	Pass	9002
12000	26000	1	RMS	25899	-41.42	-25	16.42	Pass	14002



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.55	-25	45.55	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-25	44.92	Pass	2986
30	1000	0.1	RMS	869.113	-63.75	-25	38.75	Pass	9701
1000	2490	1	RMS	2489	-50.93	-25	25.93	Pass	1491
2490	2580	1	RMS	2530.5	23.39	60	36.61	Pass	401
2580	3000	1	RMS	2872	-48.17	-25	23.17	Pass	421
3000	12000	1	RMS	7592	-61.44	-25	36.44	Pass	9002
12000	26000	1	RMS	25896	-41.42	-25	16.42	Pass	14002



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.79	-25	44.79	Pass	401
0.15	30	0.01	RMS	0.19	-71.29	-25	46.29	Pass	2986
30	1000	0.1	RMS	872.315	-64.07	-25	39.07	Pass	9701
1000	2490	1	RMS	2489	-50.89	-25	25.89	Pass	1491
2490	2580	1	RMS	2560.425	24.52	60	35.48	Pass	401
2580	3000	1	RMS	2871	-48.16	-25	23.16	Pass	421
3000	12000	1	RMS	7682	-60.87	-25	35.87	Pass	9002
12000	26000	1	RMS	25879	-41.41	-25	16.41	Pass	14002



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.63	-25	44.63	Pass	401
0.15	30	0.01	RMS	0.15	-70.06	-25	45.06	Pass	2986
30	1000	0.1	RMS	882.822	-63.87	-25	38.87	Pass	9701
1000	2490	1	RMS	2490	-50.93	-25	25.93	Pass	1491
2490	2580	1	RMS	2560.425	23.53	60	36.47	Pass	401
2580	3000	1	RMS	2876	-48.18	-25	23.18	Pass	421
3000	12000	1	RMS	7682	-61.32	-25	36.32	Pass	9002
12000	26000	1	RMS	25861	-41.5	-25	16.5	Pass	14002



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.61	-25	44.61	Pass	401
0.15	30	0.01	RMS	0.18	-69.8	-25	44.8	Pass	2986
30	1000	0.1	RMS	885.624	-63.95	-25	38.95	Pass	9701
1000	2485	1	RMS	2474	-49.85	-25	24.85	Pass	1486
2485	2585	1	RMS	2500.75	24.18	60	35.82	Pass	401
2585	3000	1	RMS	2873	-48.18	-25	23.18	Pass	416
3000	12000	1	RMS	11957	-62.69	-25	37.69	Pass	9002
12000	26000	1	RMS	25864	-41.4	-25	16.4	Pass	14002



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.7	-25	44.7	Pass	401
0.15	30	0.01	RMS	0.15	-69.01	-25	44.01	Pass	2986
30	1000	0.1	RMS	879.82	-63.98	-25	38.98	Pass	9701
1000	2485	1	RMS	2485	-50	-25	25	Pass	1486
2485	2585	1	RMS	2500.75	23.29	60	36.71	Pass	401
2585	3000	1	RMS	2875	-48.16	-25	23.16	Pass	416
3000	12000	1	RMS	11952	-62.69	-25	37.69	Pass	9002
12000	26000	1	RMS	25826	-41.51	-25	16.51	Pass	14002



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-25	45.49	Pass	401
0.15	30	0.01	RMS	0.15	-69.36	-25	44.36	Pass	2986
30	1000	0.1	RMS	860.207	-64.03	-25	39.03	Pass	9701
1000	2485	1	RMS	2479	-51.05	-25	26.05	Pass	1486
2485	2585	1	RMS	2528.25	24.31	60	35.69	Pass	401
2585	3000	1	RMS	2874	-48.15	-25	23.15	Pass	416
3000	12000	1	RMS	7585	-61.75	-25	36.75	Pass	9002
12000	26000	1	RMS	25869	-41.48	-25	16.48	Pass	14002



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.33	-25	45.33	Pass	401
0.15	30	0.01	RMS	0.17	-69.82	-25	44.82	Pass	2986
30	1000	0.1	RMS	881.321	-63.94	-25	38.94	Pass	9701
1000	2485	1	RMS	2485	-51	-25	26	Pass	1486
2485	2585	1	RMS	2528.25	23.34	60	36.66	Pass	401
2585	3000	1	RMS	2869	-48.2	-25	23.2	Pass	416
3000	12000	1	RMS	7585	-62.13	-25	37.13	Pass	9002
12000	26000	1	RMS	25896	-41.43	-25	16.43	Pass	14002



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.7	-25	44.7	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-25	45.17	Pass	2986
30	1000	0.1	RMS	866.011	-63.87	-25	38.87	Pass	9701
1000	2485	1	RMS	2485	-51.02	-25	26.02	Pass	1486
2485	2585	1	RMS	2555.75	24.4	60	35.6	Pass	401
2585	3000	1	RMS	2874	-48.17	-25	23.17	Pass	416
3000	12000	1	RMS	7668	-61.61	-25	36.61	Pass	9002
12000	26000	1	RMS	25882	-41.38	-25	16.38	Pass	14002



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.04	-25	46.04	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-25	45.6	Pass	2986
30	1000	0.1	RMS	862.009	-63.88	-25	38.88	Pass	9701
1000	2485	1	RMS	2484	-51.06	-25	26.06	Pass	1486
2485	2585	1	RMS	2555.75	23.53	60	36.47	Pass	401
2585	3000	1	RMS	2871	-48.19	-25	23.19	Pass	416
3000	12000	1	RMS	7668	-61.97	-25	36.97	Pass	9002
12000	26000	1	RMS	25899	-41.42	-25	16.42	Pass	14002



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.4	-25	45.4	Pass	401
0.15	30	0.01	RMS	0.16	-70.01	-25	45.01	Pass	2986
30	1000	0.1	RMS	877.819	-63.74	-25	38.74	Pass	9701
1000	2480	1	RMS	2480	-50.9	-25	25.9	Pass	1481
2480	2590	1	RMS	2500.9	24.05	60	35.95	Pass	401
2590	3000	1	RMS	2876	-48.19	-25	23.19	Pass	411
3000	12000	1	RMS	7503	-62.5	-25	37.5	Pass	9002
12000	26000	1	RMS	25866	-41.37	-25	16.37	Pass	14002



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.75	-25	45.75	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-25	45.22	Pass	2986
30	1000	0.1	RMS	883.423	-63.99	-25	38.99	Pass	9701
1000	2480	1	RMS	2480	-51.03	-25	26.03	Pass	1481
2480	2590	1	RMS	2500.9	23.16	60	36.84	Pass	401
2590	3000	1	RMS	2871	-48.19	-25	23.19	Pass	411
3000	12000	1	RMS	7550	-62.71	-25	37.71	Pass	9002
12000	26000	1	RMS	25902	-41.47	-25	16.47	Pass	14002



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.27	-25	45.27	Pass	401
0.15	30	0.01	RMS	0.17	-69.9	-25	44.9	Pass	2986
30	1000	0.1	RMS	877.519	-63.98	-25	38.98	Pass	9701
1000	2480	1	RMS	2479	-51.11	-25	26.11	Pass	1481
2480	2590	1	RMS	2525.925	24.12	60	35.88	Pass	401
2590	3000	1	RMS	2875	-48.22	-25	23.22	Pass	411
3000	12000	1	RMS	7550	-62.62	-25	37.62	Pass	9002
12000	26000	1	RMS	25875	-41.45	-25	16.45	Pass	14002



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.29	-25	45.29	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-25	44.92	Pass	2986
30	1000	0.1	RMS	877.719	-63.88	-25	38.88	Pass	9701
1000	2480	1	RMS	2475	-51.07	-25	26.07	Pass	1481
2480	2590	1	RMS	2525.925	23.16	60	36.84	Pass	401
2590	3000	1	RMS	2874	-48.15	-25	23.15	Pass	411
3000	12000	1	RMS	7554	-62.71	-25	37.71	Pass	9002
12000	26000	1	RMS	25891	-41.43	-25	16.43	Pass	14002



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.53	-25	45.53	Pass	401
0.15	30	0.01	RMS	0.15	-70.01	-25	45.01	Pass	2986
30	1000	0.1	RMS	870.114	-63.91	-25	38.91	Pass	9701
1000	2480	1	RMS	2478	-51.09	-25	26.09	Pass	1481
2480	2590	1	RMS	2550.95	24.18	60	35.82	Pass	401
2590	3000	1	RMS	2874	-48.19	-25	23.19	Pass	411
3000	12000	1	RMS	5102	-60.47	-25	35.47	Pass	9002
12000	26000	1	RMS	25897	-41.41	-25	16.41	Pass	14002



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.61	-25	44.61	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-25	44.76	Pass	2986
30	1000	0.1	RMS	884.223	-63.96	-25	38.96	Pass	9701
1000	2480	1	RMS	2480	-51.09	-25	26.09	Pass	1481
2480	2590	1	RMS	2550.95	23.12	60	36.88	Pass	401
2590	3000	1	RMS	2868	-48.18	-25	23.18	Pass	411
3000	12000	1	RMS	5102	-61.16	-25	36.16	Pass	9002
12000	26000	1	RMS	25860	-41.47	-25	16.47	Pass	14002



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	0.15	-69.13	-13	56.13	Pass	2986
30	689	0.1	RMS	468.7	-65	-13	52	Pass	6591
689	726	0.1	RMS	699.268	20.94	60	39.06	Pass	401
726	1000	0.1	RMS	874.3	-63.66	-13	50.66	Pass	2741
1000	3000	1	RMS	1398	-46.69	-13	33.69	Pass	2001
3000	10000	1	RMS	7451	-43.01	-13	30.01	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	0.15	-67.81	-13	54.81	Pass	2986
30	689	0.1	RMS	469.7	-64.97	-13	51.97	Pass	6591
689	726	0.1	RMS	699.268	19.79	60	40.21	Pass	401
726	1000	0.1	RMS	887.8	-63.86	-13	50.86	Pass	2741
1000	3000	1	RMS	1398	-47.8	-13	34.8	Pass	2001
3000	10000	1	RMS	7448	-43.02	-13	30.02	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-13	55.3	Pass	2986
30	689	0.1	RMS	478.8	-65.01	-13	52.01	Pass	6591
689	726	0.1	RMS	707.038	21.04	60	38.96	Pass	401
726	1000	0.1	RMS	886.1	-63.71	-13	50.71	Pass	2741
1000	3000	1	RMS	1414	-47.16	-13	34.16	Pass	2001
3000	10000	1	RMS	7451	-43.04	-13	30.04	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.56	-13	55.56	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-13	56.82	Pass	2986
30	689	0.1	RMS	644.9	-65.11	-13	52.11	Pass	6591
689	726	0.1	RMS	707.038	19.88	60	40.12	Pass	401
726	1000	0.1	RMS	999.5	-63.86	-13	50.86	Pass	2741
1000	3000	1	RMS	2869	-48.17	-13	35.17	Pass	2001
3000	10000	1	RMS	7443	-43.04	-13	30.04	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-13	56.92	Pass	2986
30	689	0.1	RMS	470.1	-64.89	-13	51.89	Pass	6591
689	726	0.1	RMS	714.808	20.59	60	39.41	Pass	401
726	1000	0.1	RMS	878.3	-63.78	-13	50.78	Pass	2741
1000	3000	1	RMS	1429	-45.29	-13	32.29	Pass	2001
3000	10000	1	RMS	7451	-43.06	-13	30.06	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.15	-69.18	-13	56.18	Pass	2986
30	689	0.1	RMS	471.5	-65.04	-13	52.04	Pass	6591
689	726	0.1	RMS	714.808	19.41	60	40.59	Pass	401
726	1000	0.1	RMS	871.9	-63.72	-13	50.72	Pass	2741
1000	3000	1	RMS	1429	-47.09	-13	34.09	Pass	2001
3000	10000	1	RMS	7449	-43.04	-13	30.04	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.04	-13	56.04	Pass	401
0.15	30	0.01	RMS	0.16	-68.46	-13	55.46	Pass	2986
30	689	0.1	RMS	472	-64.95	-13	51.95	Pass	6591
689	726	0.1	RMS	699.268	20.86	60	39.14	Pass	401
726	1000	0.1	RMS	868.3	-63.78	-13	50.78	Pass	2741
1000	3000	1	RMS	1398	-46.4	-13	33.4	Pass	2001
3000	10000	1	RMS	7447	-43.05	-13	30.05	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.62	-13	56.62	Pass	401
0.15	30	0.01	RMS	0.16	-68.59	-13	55.59	Pass	2986
30	689	0.1	RMS	476.2	-64.89	-13	51.89	Pass	6591
689	726	0.1	RMS	699.268	19.88	60	40.12	Pass	401
726	1000	0.1	RMS	878.7	-63.61	-13	50.61	Pass	2741
1000	3000	1	RMS	1398	-47.64	-13	34.64	Pass	2001
3000	10000	1	RMS	7452	-42.98	-13	29.98	Pass	7001



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	0.16	-69.75	-13	56.75	Pass	2986
30	689	0.1	RMS	473.6	-64.97	-13	51.97	Pass	6591
689	726	0.1	RMS	706.205	20.75	60	39.25	Pass	401
726	1000	0.1	RMS	881.1	-63.71	-13	50.71	Pass	2741
1000	3000	1	RMS	1412	-46.59	-13	33.59	Pass	2001
3000	10000	1	RMS	7447	-43.02	-13	30.02	Pass	7001



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.92	-13	55.92	Pass	401
0.15	30	0.01	RMS	0.15	-69	-13	56	Pass	2986
30	689	0.1	RMS	472.8	-64.99	-13	51.99	Pass	6591
689	726	0.1	RMS	706.205	19.6	60	40.4	Pass	401
726	1000	0.1	RMS	877.1	-63.74	-13	50.74	Pass	2741
1000	3000	1	RMS	1412	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	7445	-43.05	-13	30.05	Pass	7001



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.52	-13	56.52	Pass	401
0.15	30	0.01	RMS	0.15	-68.67	-13	55.67	Pass	2986
30	689	0.1	RMS	656.3	-64.97	-13	51.97	Pass	6591
689	726	0.1	RMS	713.235	21.12	60	38.88	Pass	401
726	1000	0.1	RMS	872.1	-63.81	-13	50.81	Pass	2741
1000	3000	1	RMS	1426	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	7444	-43.06	-13	30.06	Pass	7001



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.58	-13	55.58	Pass	401
0.15	30	0.01	RMS	0.17	-69.78	-13	56.78	Pass	2986
30	689	0.1	RMS	469	-64.98	-13	51.98	Pass	6591
689	726	0.1	RMS	713.235	20.08	60	39.92	Pass	401
726	1000	0.1	RMS	878.9	-63.74	-13	50.74	Pass	2741
1000	3000	1	RMS	1426	-46.79	-13	33.79	Pass	2001
3000	10000	1	RMS	7443	-42.97	-13	29.97	Pass	7001



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.9	-13	55.9	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-13	55.32	Pass	2986
30	689	0.1	RMS	480	-65.04	-13	52.04	Pass	6591
689	726	0.1	RMS	699.36	20.69	60	39.31	Pass	401
726	1000	0.1	RMS	898.2	-63.72	-13	50.72	Pass	2741
1000	3000	1	RMS	1398	-46.8	-13	33.8	Pass	2001
3000	10000	1	RMS	7446	-43.06	-13	30.06	Pass	7001



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.24	-13	56.24	Pass	401
0.15	30	0.01	RMS	0.15	-69.41	-13	56.41	Pass	2986
30	689	0.1	RMS	623.5	-64.96	-13	51.96	Pass	6591
689	726	0.1	RMS	699.36	19.83	60	40.17	Pass	401
726	1000	0.1	RMS	875.7	-63.55	-13	50.55	Pass	2741
1000	3000	1	RMS	1398	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	7450	-43.03	-13	30.03	Pass	7001



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.86	-13	56.86	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-13	56.29	Pass	2986
30	689	0.1	RMS	494.9	-65	-13	52	Pass	6591
689	726	0.1	RMS	705.373	20.68	60	39.32	Pass	401
726	1000	0.1	RMS	867.2	-63.85	-13	50.85	Pass	2741
1000	3000	1	RMS	1410	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	7449	-42.94	-13	29.94	Pass	7001



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	0.15	-69.18	-13	56.18	Pass	2986
30	689	0.1	RMS	468.4	-64.98	-13	51.98	Pass	6591
689	726	0.1	RMS	705.373	19.68	60	40.32	Pass	401
726	1000	0.1	RMS	889.7	-63.71	-13	50.71	Pass	2741
1000	3000	1	RMS	2874	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	7446	-43	-13	30	Pass	7001



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.45	-13	56.45	Pass	401
0.15	30	0.01	RMS	0.15	-69.04	-13	56.04	Pass	2986
30	689	0.1	RMS	486.8	-64.97	-13	51.97	Pass	6591
689	726	0.1	RMS	711.293	20.37	60	39.63	Pass	401
726	1000	0.1	RMS	872.8	-63.67	-13	50.67	Pass	2741
1000	3000	1	RMS	1422	-44.75	-13	31.75	Pass	2001
3000	10000	1	RMS	7452	-43.06	-13	30.06	Pass	7001



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.23	-13	57.23	Pass	401
0.15	30	0.01	RMS	0.17	-68.35	-13	55.35	Pass	2986
30	689	0.1	RMS	469.2	-64.98	-13	51.98	Pass	6591
689	726	0.1	RMS	711.293	19.52	60	40.48	Pass	401
726	1000	0.1	RMS	867.4	-63.69	-13	50.69	Pass	2741
1000	3000	1	RMS	1422	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7454	-43.01	-13	30.01	Pass	7001



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.88	-13	56.88	Pass	401
0.15	30	0.01	RMS	0.15	-68.59	-13	55.59	Pass	2986
30	689	0.1	RMS	470.5	-64.99	-13	51.99	Pass	6591
689	726	0.1	RMS	699.545	20.42	60	39.58	Pass	401
726	1000	0.1	RMS	872.4	-63.74	-13	50.74	Pass	2741
1000	3000	1	RMS	1399	-47.06	-13	34.06	Pass	2001
3000	10000	1	RMS	7450	-43.04	-13	30.04	Pass	7001



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.9	-13	55.9	Pass	401
0.15	30	0.01	RMS	0.16	-68.76	-13	55.76	Pass	2986
30	689	0.1	RMS	611.6	-65.04	-13	52.04	Pass	6591
689	726	0.1	RMS	699.545	19.49	60	40.51	Pass	401
726	1000	0.1	RMS	874.3	-63.67	-13	50.67	Pass	2741
1000	3000	1	RMS	1399	-48.1	-13	35.1	Pass	2001
3000	10000	1	RMS	7442	-43.11	-13	30.11	Pass	7001



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-13	56.29	Pass	2986
30	689	0.1	RMS	613.4	-65.07	-13	52.07	Pass	6591
689	726	0.1	RMS	703.06	20.84	60	39.16	Pass	401
726	1000	0.1	RMS	880.1	-63.65	-13	50.65	Pass	2741
1000	3000	1	RMS	2875	-48.13	-13	35.13	Pass	2001
3000	10000	1	RMS	7457	-43.06	-13	30.06	Pass	7001



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.41	-13	55.41	Pass	401
0.15	30	0.01	RMS	0.16	-68.69	-13	55.69	Pass	2986
30	689	0.1	RMS	661.2	-64.99	-13	51.99	Pass	6591
689	726	0.1	RMS	703.06	19.69	60	40.31	Pass	401
726	1000	0.1	RMS	885.7	-63.65	-13	50.65	Pass	2741
1000	3000	1	RMS	2873	-48.14	-13	35.14	Pass	2001
3000	10000	1	RMS	7451	-43	-13	30	Pass	7001



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.06	-13	57.06	Pass	401
0.15	30	0.01	RMS	0.16	-69.38	-13	56.38	Pass	2986
30	689	0.1	RMS	464.1	-64.98	-13	51.98	Pass	6591
689	726	0.1	RMS	706.575	21.04	60	38.96	Pass	401
726	1000	0.1	RMS	877.5	-63.9	-13	50.9	Pass	2741
1000	3000	1	RMS	1413	-47.15	-13	34.15	Pass	2001
3000	10000	1	RMS	7447	-43.04	-13	30.04	Pass	7001



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.44	-13	56.44	Pass	401
0.15	30	0.01	RMS	0.16	-69.81	-13	56.81	Pass	2986
30	689	0.1	RMS	686.8	-65.03	-13	52.03	Pass	6591
689	726	0.1	RMS	706.575	19.94	60	40.06	Pass	401
726	1000	0.1	RMS	881.9	-63.7	-13	50.7	Pass	2741
1000	3000	1	RMS	2868	-48.18	-13	35.18	Pass	2001
3000	10000	1	RMS	7450	-43.02	-13	30.02	Pass	7001



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.14	-13	57.14	Pass	401
0.15	30	0.01	RMS	0.15	-68.69	-13	55.69	Pass	2986
30	694	0.1	RMS	458.3	-64.93	-13	51.93	Pass	6641
694	726	0.1	RMS	704.32	20.82	60	39.18	Pass	401
726	1000	0.1	RMS	873	-63.84	-13	50.84	Pass	2741
1000	3000	1	RMS	1408	-47.62	-13	34.62	Pass	2001
3000	10000	1	RMS	7447	-43.03	-13	30.03	Pass	7001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.27	-13	56.27	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-13	55.58	Pass	2986
30	694	0.1	RMS	471.3	-65.01	-13	52.01	Pass	6641
694	726	0.1	RMS	704.32	19.85	60	40.15	Pass	401
726	1000	0.1	RMS	870	-63.71	-13	50.71	Pass	2741
1000	3000	1	RMS	2874	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	7446	-43.03	-13	30.03	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	0.15	-68.81	-13	55.81	Pass	2986
30	694	0.1	RMS	469.4	-64.99	-13	51.99	Pass	6641
694	726	0.1	RMS	707.84	21.04	60	38.96	Pass	401
726	1000	0.1	RMS	865	-63.66	-13	50.66	Pass	2741
1000	3000	1	RMS	1415	-45.57	-13	32.57	Pass	2001
3000	10000	1	RMS	7447	-43.05	-13	30.05	Pass	7001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.81	-13	56.81	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-13	56.09	Pass	2986
30	694	0.1	RMS	463.9	-64.96	-13	51.96	Pass	6641
694	726	0.1	RMS	707.84	20.08	60	39.92	Pass	401
726	1000	0.1	RMS	880.9	-63.6	-13	50.6	Pass	2741
1000	3000	1	RMS	1415	-46.57	-13	33.57	Pass	2001
3000	10000	1	RMS	7447	-43.05	-13	30.05	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-13	55.45	Pass	2986
30	694	0.1	RMS	470.7	-64.86	-13	51.86	Pass	6641
694	726	0.1	RMS	711.36	20.69	60	39.31	Pass	401
726	1000	0.1	RMS	875.7	-63.74	-13	50.74	Pass	2741
1000	3000	1	RMS	1422	-44.79	-13	31.79	Pass	2001
3000	10000	1	RMS	7449	-43.01	-13	30.01	Pass	7001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.04	-13	57.04	Pass	401
0.15	30	0.01	RMS	0.16	-69.05	-13	56.05	Pass	2986
30	694	0.1	RMS	475.7	-65	-13	52	Pass	6641
694	726	0.1	RMS	711.36	20.05	60	39.95	Pass	401
726	1000	0.1	RMS	880.3	-63.83	-13	50.83	Pass	2741
1000	3000	1	RMS	1422	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7443	-43.05	-13	30.05	Pass	7001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	0.16	-69.2	-13	56.2	Pass	2986
30	694	0.1	RMS	693.9	-63.22	-13	50.22	Pass	6641
694	726	0.1	RMS	704.56	20.82	60	39.18	Pass	401
726	1000	0.1	RMS	875.7	-63.74	-13	50.74	Pass	2741
1000	3000	1	RMS	1409	-47.62	-13	34.62	Pass	2001
3000	10000	1	RMS	7447	-43.01	-13	30.01	Pass	7001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.63	-13	56.63	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-13	55.42	Pass	2986
30	694	0.1	RMS	694	-63.43	-13	50.43	Pass	6641
694	726	0.1	RMS	704.56	19.82	60	40.18	Pass	401
726	1000	0.1	RMS	873.9	-63.77	-13	50.77	Pass	2741
1000	3000	1	RMS	2875	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	7452	-43.05	-13	30.05	Pass	7001



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.75	-13	56.75	Pass	401
0.15	30	0.01	RMS	0.17	-69.21	-13	56.21	Pass	2986
30	694	0.1	RMS	692.4	-63.63	-13	50.63	Pass	6641
694	726	0.1	RMS	705.6	21.15	60	38.85	Pass	401
726	1000	0.1	RMS	881.4	-63.71	-13	50.71	Pass	2741
1000	3000	1	RMS	1411	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	7450	-43.04	-13	30.04	Pass	7001



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.54	-13	57.54	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-13	57.17	Pass	2986
30	694	0.1	RMS	693.8	-64.44	-13	51.44	Pass	6641
694	726	0.1	RMS	705.6	19.96	60	40.04	Pass	401
726	1000	0.1	RMS	888.1	-63.86	-13	50.86	Pass	2741
1000	3000	1	RMS	2870	-48.18	-13	35.18	Pass	2001
3000	10000	1	RMS	7458	-42.94	-13	29.94	Pass	7001



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-13	55.33	Pass	2986
30	694	0.1	RMS	693.4	-63.51	-13	50.51	Pass	6641
694	726	0.1	RMS	706.56	20.86	60	39.14	Pass	401
726	1000	0.1	RMS	880.1	-63.61	-13	50.61	Pass	2741
1000	3000	1	RMS	1413	-47.25	-13	34.25	Pass	2001
3000	10000	1	RMS	7452	-42.98	-13	29.98	Pass	7001



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.76	-13	56.76	Pass	401
0.15	30	0.01	RMS	0.16	-69.63	-13	56.63	Pass	2986
30	694	0.1	RMS	693.4	-64.23	-13	51.23	Pass	6641
694	726	0.1	RMS	706.56	19.75	60	40.25	Pass	401
726	1000	0.1	RMS	875.9	-63.54	-13	50.54	Pass	2741
1000	3000	1	RMS	2871	-48.15	-13	35.15	Pass	2001
3000	10000	1	RMS	7454	-42.96	-13	29.96	Pass	7001



14. LTE_Band38

14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.04	-25	41.04	Pass	401
0.15	30	0.01	RMS	0.15	-66.12	-25	41.12	Pass	2986
30	1000	0.1	RMS	997.198	-59.8	-25	34.8	Pass	9701
1000	2565	1	RMS	2561	-36.5	-25	11.5	Pass	1566
2565	2625	1	RMS	2570.4	25.57	60	34.43	Pass	401
2625	3000	1	RMS	2872.5	-44.8	-25	19.8	Pass	401
3000	12000	1	RMS	7711	-56.36	-25	31.36	Pass	9002
12000	26500	1	RMS	25900	-46.73	-25	21.73	Pass	14502



14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.53	-25	41.53	Pass	401
0.15	30	0.01	RMS	0.15	-66.04	-25	41.04	Pass	2986
30	1000	0.1	RMS	878.82	-59.87	-25	34.87	Pass	9701
1000	2565	1	RMS	2565	-35.22	-25	10.22	Pass	1566
2565	2625	1	RMS	2570.25	24.52	60	35.48	Pass	401
2625	3000	1	RMS	2872.5	-44.76	-25	19.76	Pass	401
3000	12000	1	RMS	11894	-56.69	-25	31.69	Pass	9002
12000	26500	1	RMS	25898	-46.68	-25	21.68	Pass	14502

