



**10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 715.663         | 19.84       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -26.99      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -27.94      | -13         | Pass    | 401         |




**10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 713.175         | 4.95        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.006         | -33.05      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -31.04      | -13         | Pass    | 401         |




**10.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -36.81      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 704             | -36.42      | -13         | Pass    | 401         |
| 704                   | 714                  | 0.1       | RMS      | 704.6           | 20.28       | 30          | Pass    | 401         |




10.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -35.9       | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 703.992         | -37.9       | -13         | Pass    | 401         |
| 704                   | 714                  | 0.1       | RMS      | 708.225         | 3.37        | 30          | Pass    | 401         |




**10.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -38.08      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 703.999         | -37.9       | -13         | Pass    | 401         |
| 704                   | 714                  | 0.1       | RMS      | 704.6           | 19.66       | 30          | Pass    | 401         |




**10.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -35.15      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 703.986         | -38.71      | -13         | Pass    | 401         |
| 704                   | 714                  | 0.1       | RMS      | 707.775         | 2.27        | 30          | Pass    | 401         |



**10.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.4           | 20.23       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -36.11      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -37.8       | -13         | Pass    | 401         |



10.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 708.175         | 3.31        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.007         | -36.55      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -32.33      | -13         | Pass    | 401         |





10.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.425         | 19.38       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -38.74      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -39.83      | -13         | Pass    | 401         |



**10.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 708.525         | 2.32        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.018         | -37.25      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.211         | -33.51      | -13         | Pass    | 401         |



## 11. LTE\_Band26(part22)


### 11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -52.1       | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.995         | -35.46      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.265         | 21.46       | 30          | Pass    | 401         |




**11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.84          | -34.36      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.948         | -34.48      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.31          | 13.06       | 30          | Pass    | 401         |




**11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.94          | -50.28      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.993         | -29.94      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.225         | 20.38       | 30          | Pass    | 401         |




**11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.78          | -37.95      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.973         | -36.38      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 825.12          | 12.04       | 30          | Pass    | 401         |




11.5. LTE Band Edge(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.745         | 21.36       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.005         | -35.14      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -51.56      | -13         | Pass    | 401         |



**11.6. LTE Band Edge(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.445         | 12.96       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.04          | -40.24      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.175         | -38.25      | -13         | Pass    | 401         |






**11.7. LTE Band Edge(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.745         | 20.42       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849             | -34.63      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -52.4       | -13         | Pass    | 401         |




**11.8. LTE Band Edge(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.32          | 11.99       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.003         | -39.31      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.125         | -37.82      | -13         | Pass    | 401         |




**11.9. LTE Band Edge(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -50.69      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 823.998         | -19.65      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 824.248         | 21.57       | 30          | Pass    | 401         |




**11.10. LTE Band Edge(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.92          | -33.17      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -26.21      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 825.793         | 9.28        | 30          | Pass    | 401         |




**11.11. LTE Band Edge(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -51.09      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -21.46      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 824.255         | 20.74       | 30          | Pass    | 401         |




**11.12. LTE Band Edge(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.86          | -31.79      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -27.6       | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 825.215         | 8.42        | 30          | Pass    | 401         |




**11.13. LTE Band Edge(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.753         | 21.54       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -19.58      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -50.2       | -13         | Pass    | 401         |



**11.14. LTE Band Edge(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 847.095         | 9.31        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849.003         | -28.39      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 851.025         | -39.87      | -13         | Pass    | 401         |






**11.15. LTE Band Edge(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.745         | 20.61       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -21.3       | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -50.75      | -13         | Pass    | 401         |




**11.16. LTE Band Edge(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 846.668         | 8.22        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849.005         | -28.88      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.075         | -39.02      | -13         | Pass    | 401         |




**11.17. LTE Band Edge(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.98          | -51.28      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -22.87      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 824.338         | 21.33       | 30          | Pass    | 401         |




**11.18. LTE Band Edge(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.8           | -38.89      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -30.35      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 825.675         | 7.38        | 30          | Pass    | 401         |




**11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -49.06      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -23.09      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 824.338         | 20.67       | 30          | Pass    | 401         |




**11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.82          | -38.46      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -31.2       | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 825.7           | 6.31        | 30          | Pass    | 401         |




**11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 848.663         | 21.39       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -23.19      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -51.13      | -13         | Pass    | 401         |



**11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 845.813         | 7.11        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -30.9       | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.425         | -39.69      | -13         | Pass    | 401         |






**11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 848.663         | 20.63       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -23.38      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -49.13      | -13         | Pass    | 401         |




11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 844.675         | 6.21        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849.003         | -31.88      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.2           | -40.16      | -13         | Pass    | 401         |




**11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 818.34          | -51.5       | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 823.998         | -31.68      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 824.575         | 21.45       | 30          | Pass    | 401         |




**11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.86          | -35.31      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 823.993         | -31.85      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 825.925         | 4.6         | 30          | Pass    | 401         |




**11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -53.39      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 824             | -32.99      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 824.6           | 20.69       | 30          | Pass    | 401         |




**11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.94          | -36.11      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 823.993         | -33.26      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 825.45          | 3.59        | 30          | Pass    | 401         |



11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 848.4           | 21.43       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849             | -31.51      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -52.74      | -13         | Pass    | 401         |



**11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 841.45          | 4.34        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849             | -35.17      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.975         | -39.34      | -13         | Pass    | 401         |





**11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 848.425         | 20.47       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849             | -34.02      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -53.95      | -13         | Pass    | 401         |




**11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 841.5           | 3.38        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849             | -36.26      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.35          | -39.03      | -13         | Pass    | 401         |




**11.33. LTE Band Edge(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 818.48          | -54.58      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 824             | -30.15      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 824.825         | 21.23       | 30          | Pass    | 401         |




**11.34. LTE Band Edge(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.82          | -31.98      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 823.063         | -30.34      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 825.313         | 2.7         | 30          | Pass    | 401         |




**11.35. LTE Band Edge(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.98          | -53.29      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 824             | -30.87      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 824.825         | 20.5        | 30          | Pass    | 401         |




**11.36. LTE Band Edge(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 820.92          | -33.88      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 823.18          | -31.98      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 826.025         | 1.81        | 30          | Pass    | 401         |




**11.37. LTE Band Edge(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 848.175         | 21.13       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849.003         | -30.85      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -54.37      | -13         | Pass    | 401         |



**11.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 840.825         | 2.45        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849.005         | -33.37      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.25          | -35.48      | -13         | Pass    | 401         |






**11.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 848.175         | 20.12       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849             | -30.66      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -52.99      | -13         | Pass    | 401         |




**11.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 842.625         | 1.41        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849.368         | -34.44      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.175         | -36.54      | -13         | Pass    | 401         |




## 12. LTE\_Band26(part90)


12.1. LTE Band Edge\_in-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**12.2. LTE Band Edge\_in-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**




**12.3. LTE Band Edge\_in-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**12.4. LTE Band Edge\_in-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**



**12.5. LTE Band Edge\_in-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**12.6. LTE Band Edge\_in-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**







**12.7. LTE Band Edge\_in-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**12.8. LTE Band Edge\_in-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**




**12.9. LTE Band Edge\_in-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**12.10. LTE Band Edge\_in-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**




**12.11. LTE Band Edge\_in-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**12.12. LTE Band Edge\_in-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**



**12.13. LTE Band Edge\_in-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**12.14. LTE Band Edge\_in-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**







**12.15. LTE Band Edge\_in-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**12.16. LTE Band Edge\_in-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**




**12.17. LTE Band Edge\_in-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**12.18. LTE Band Edge\_in-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**




**12.19. LTE Band Edge\_in-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**12.20. LTE Band Edge\_in-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**



**12.21. LTE Band Edge\_in-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**12.22. LTE Band Edge\_in-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**







**12.23. LTE Band Edge\_in-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**12.24. LTE Band Edge\_in-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**




**12.25. LTE Band Edge\_in-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**12.26. LTE Band Edge\_in-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




**12.27. LTE Band Edge\_in-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**12.28. LTE Band Edge\_in-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**



**12.29. LTE Band Edge\_in-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**12.30. LTE Band Edge\_in-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**






**12.31. LTE Band Edge\_in-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**12.32. LTE Band Edge\_in-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**




### 13. LTE\_Band26(part90)


13.1. LTE Band Edge\_out-of-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**13.2. LTE Band Edge\_out-of-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**




**13.3. LTE Band Edge\_out-of-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**13.4. LTE Band Edge\_out-of-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**



**13.5. LTE Band Edge\_out-of-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**13.6. LTE Band Edge\_out-of-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**







**13.7. LTE Band Edge\_out-of-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**13.8. LTE Band Edge\_out-of-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**




**13.9. LTE Band Edge\_out-of-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**13.10. LTE Band Edge\_out-of-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**




**13.11. LTE Band Edge\_out-of-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**13.12. LTE Band Edge\_out-of-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**



**13.13. LTE Band Edge\_out-of-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**13.14. LTE Band Edge\_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**







**13.15. LTE Band Edge\_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**13.16. LTE Band Edge\_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**




**13.17. LTE Band Edge\_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**13.18. LTE Band Edge\_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**




**13.19. LTE Band Edge\_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**13.20. LTE Band Edge\_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**



**13.21. LTE Band Edge\_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**13.22. LTE Band Edge\_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**







**13.23. LTE Band Edge\_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**13.24. LTE Band Edge\_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**




**13.25. LTE Band Edge\_out-of-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**13.26. LTE Band Edge\_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




**13.27. LTE Band Edge\_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**13.28. LTE Band Edge\_out-of-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**



**13.29. LTE Band Edge\_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**13.30. LTE Band Edge\_out-of-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**






**13.31. LTE Band Edge\_out-of-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**13.32. LTE Band Edge\_out-of-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**



## 14. LTE\_Band38


### 14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2564                 | 1         | RMS      | 2564            | -38.72      | -25         | Pass    | 401         |
| 2564                  | 2565                 | 1         | RMS      | 2564.508        | -38.14      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -27.55      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.1       | RMS      | 2570            | -16.19      | -10         | Pass    | 401         |
| 2570                  | 2575                 | 0.1       | RMS      | 2570.338        | 20.39       | 30          | Pass    | 401         |




**14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2564                 | 1         | RMS      | 2563.763        | -38.12      | -25         | Pass    | 401         |
| 2564                  | 2565                 | 1         | RMS      | 2564.998        | -37.54      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -29.31      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.1       | RMS      | 2570            | -26.82      | -10         | Pass    | 401         |
| 2570                  | 2575                 | 0.1       | RMS      | 2574.263        | 6.2         | 30          | Pass    | 401         |




**14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2564                 | 1         | RMS      | 2563.953        | -39.11      | -25         | Pass    | 401         |
| 2564                  | 2565                 | 1         | RMS      | 2564            | -39.23      | -13         | Pass    | 2           |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -27.97      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.1       | RMS      | 2570            | -18.47      | -10         | Pass    | 401         |
| 2570                  | 2575                 | 0.1       | RMS      | 2570.35         | 19.9        | 30          | Pass    | 401         |




**14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2564                 | 1         | RMS      | 2563.953        | -38.24      | -25         | Pass    | 401         |
| 2564                  | 2565                 | 1         | RMS      | 2564.92         | -36.96      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -29.82      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.1       | RMS      | 2570            | -29.01      | -10         | Pass    | 401         |
| 2570                  | 2575                 | 0.1       | RMS      | 2573.063        | 4.95        | 30          | Pass    | 401         |




**14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2615                  | 2620                 | 0.1       | RMS      | 2619.675        | 20.12       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.1       | RMS      | 2620            | -16.33      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -27.1       | -10         | Pass    | 5           |
| 2625                  | 2626                 | 1         | RMS      | 2625.65         | -37         | -13         | Pass    | 401         |
| 2626                  | 2645                 | 1         | RMS      | 2626            | -37.86      | -25         | Pass    | 401         |



**14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2615                  | 2620                 | 0.1       | RMS      | 2616.688        | 5.97        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.1       | RMS      | 2620            | -26.64      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -29.37      | -10         | Pass    | 5           |
| 2625                  | 2626                 | 1         | RMS      | 2625.093        | -35.76      | -13         | Pass    | 401         |
| 2626                  | 2645                 | 1         | RMS      | 2627.093        | -36.27      | -25         | Pass    | 401         |





**14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2615                  | 2620                 | 0.1       | RMS      | 2619.675        | 19.72       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.1       | RMS      | 2620            | -17.11      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -26.79      | -10         | Pass    | 5           |
| 2625                  | 2626                 | 1         | RMS      | 2625.63         | -37.16      | -13         | Pass    | 401         |
| 2626                  | 2645                 | 1         | RMS      | 2626            | -38.06      | -25         | Pass    | 401         |




**14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2615                  | 2620                 | 0.1       | RMS      | 2618.663        | 5.08        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.1       | RMS      | 2620            | -27.31      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -28.17      | -10         | Pass    | 5           |
| 2625                  | 2626                 | 1         | RMS      | 2625.015        | -34.54      | -13         | Pass    | 401         |
| 2626                  | 2645                 | 1         | RMS      | 2626.048        | -35.72      | -25         | Pass    | 401         |




**14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2560                 | 1         | RMS      | 2559.925        | -42.96      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.638        | -36.81      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -28.32      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS      | 2569.998        | -22.46      | -10         | Pass    | 401         |
| 2570                  | 2580                 | 0.1       | RMS      | 2570.6          | 20.25       | 30          | Pass    | 401         |




**14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2560                 | 1         | RMS      | 2554.938        | -39.71      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.963        | -34.49      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -30.65      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS      | 2570            | -29.97      | -10         | Pass    | 401         |
| 2570                  | 2580                 | 0.1       | RMS      | 2573.35         | 3.11        | 30          | Pass    | 401         |




**14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2560                 | 1         | RMS      | 2559.925        | -42.79      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.738        | -36.96      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -28.45      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS      | 2569.998        | -23.07      | -10         | Pass    | 401         |
| 2570                  | 2580                 | 0.1       | RMS      | 2570.6          | 19.64       | 30          | Pass    | 401         |




**14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2560                 | 1         | RMS      | 2559.625        | -40.37      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.9          | -34.98      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -32.92      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.2       | RMS      | 2570            | -31.98      | -10         | Pass    | 401         |
| 2570                  | 2580                 | 0.1       | RMS      | 2571.325        | 2.11        | 30          | Pass    | 401         |



**14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2610                  | 2620                 | 0.1       | RMS      | 2619.425        | 20.43       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.2       | RMS      | 2620.003        | -21.42      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -28.15      | -10         | Pass    | 5           |
| 2625                  | 2630                 | 1         | RMS      | 2625.363        | -35.46      | -13         | Pass    | 401         |
| 2630                  | 2645                 | 1         | RMS      | 2630            | -42.55      | -25         | Pass    | 401         |



**14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2610                  | 2620                 | 0.1       | RMS      | 2617.525        | 3.23        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.2       | RMS      | 2620            | -30.31      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -30.59      | -10         | Pass    | 5           |
| 2625                  | 2630                 | 1         | RMS      | 2625.013        | -33.27      | -13         | Pass    | 401         |
| 2630                  | 2645                 | 1         | RMS      | 2634.65         | -37.35      | -25         | Pass    | 401         |





**14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2610                  | 2620                 | 0.1       | RMS      | 2619.4          | 19.42       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.2       | RMS      | 2620.003        | -23.44      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -30.32      | -10         | Pass    | 5           |
| 2625                  | 2630                 | 1         | RMS      | 2625.375        | -36.97      | -13         | Pass    | 401         |
| 2630                  | 2645                 | 1         | RMS      | 2630            | -44.1       | -25         | Pass    | 401         |




**14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2610                  | 2620                 | 0.1       | RMS      | 2618.775        | 2.05        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.2       | RMS      | 2620            | -31.52      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -31.07      | -10         | Pass    | 5           |
| 2625                  | 2630                 | 1         | RMS      | 2625.013        | -32.55      | -13         | Pass    | 401         |
| 2630                  | 2645                 | 1         | RMS      | 2630.113        | -37.83      | -25         | Pass    | 401         |




**14.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2555                 | 1         | RMS      | 2554.9          | -45         | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2565            | -35.47      | -13         | Pass    | 11          |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -28.95      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.3       | RMS      | 2569.998        | -22.76      | -10         | Pass    | 401         |
| 2570                  | 2585                 | 0.1       | RMS      | 2570.825        | 20.01       | 30          | Pass    | 401         |




**14.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2555                 | 1         | RMS      | 2550.725        | -41.34      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2558.875        | -37.35      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -34.05      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.3       | RMS      | 2570            | -32.04      | -10         | Pass    | 401         |
| 2570                  | 2585                 | 0.1       | RMS      | 2573.6          | 1.29        | 30          | Pass    | 401         |




**14.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2555                 | 1         | RMS      | 2554.95         | -44.75      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2565            | -35.77      | -13         | Pass    | 11          |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -29.07      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.3       | RMS      | 2570            | -23.36      | -10         | Pass    | 401         |
| 2570                  | 2585                 | 0.1       | RMS      | 2570.825        | 19.3        | 30          | Pass    | 401         |




**14.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2555                 | 1         | RMS      | 2554.95         | -40.69      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2563.675        | -36.55      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -34.84      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.3       | RMS      | 2570            | -33.57      | -10         | Pass    | 401         |
| 2570                  | 2585                 | 0.1       | RMS      | 2574.988        | 0.25        | 30          | Pass    | 401         |




**14.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2605                  | 2620                 | 0.1       | RMS      | 2619.175        | 20.07       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.3       | RMS      | 2620            | -22.83      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -29.07      | -10         | Pass    | 5           |
| 2625                  | 2635                 | 1         | RMS      | 2625            | -33.41      | -13         | Pass    | 11          |
| 2635                  | 2645                 | 1         | RMS      | 2635            | -44.35      | -25         | Pass    | 401         |



**14.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2605                  | 2620                 | 0.1       | RMS      | 2618.725        | 1.35        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.3       | RMS      | 2620.008        | -31.16      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -33.52      | -10         | Pass    | 5           |
| 2625                  | 2635                 | 1         | RMS      | 2628.5          | -36.09      | -13         | Pass    | 401         |
| 2635                  | 2645                 | 1         | RMS      | 2639.2          | -38.28      | -25         | Pass    | 401         |






**14.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2605                  | 2620                 | 0.1       | RMS      | 2619.175        | 18.99       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.3       | RMS      | 2620            | -24.19      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -31.17      | -10         | Pass    | 5           |
| 2625                  | 2635                 | 1         | RMS      | 2625            | -34.54      | -13         | Pass    | 11          |
| 2635                  | 2645                 | 1         | RMS      | 2637.05         | -45.36      | -25         | Pass    | 401         |




**14.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2605                  | 2620                 | 0.1       | RMS      | 2618.088        | 0.28        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.3       | RMS      | 2620            | -32.73      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -33.02      | -10         | Pass    | 5           |
| 2625                  | 2635                 | 1         | RMS      | 2625.775        | -34.96      | -13         | Pass    | 401         |
| 2635                  | 2645                 | 1         | RMS      | 2635.2          | -37.63      | -25         | Pass    | 401         |




**14.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2550                 | 1         | RMS      | 2549.975        | -45.29      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS      | 2565            | -34.87      | -13         | Pass    | 16          |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -28.13      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.51      | RMS      | 2570            | -20.47      | -10         | Pass    | 401         |
| 2570                  | 2590                 | 0.1       | RMS      | 2571.1          | 20.22       | 30          | Pass    | 401         |




**14.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2550                 | 1         | RMS      | 2547.775        | -42.59      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS      | 2564.438        | -37.04      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -34.9       | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.51      | RMS      | 2569.998        | -31.63      | -10         | Pass    | 401         |
| 2570                  | 2590                 | 0.1       | RMS      | 2579            | -0.01       | 30          | Pass    | 401         |




**14.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2550                 | 1         | RMS      | 2549.975        | -45.31      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS      | 2565            | -35.25      | -13         | Pass    | 16          |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -28.26      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.51      | RMS      | 2570            | -19.95      | -10         | Pass    | 401         |
| 2570                  | 2590                 | 0.1       | RMS      | 2571.1          | 19.28       | 30          | Pass    | 401         |




**14.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2550                 | 1         | RMS      | 2549.988        | -42.03      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS      | 2563.988        | -36.82      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -35.97      | -10         | Pass    | 5           |
| 2569                  | 2570                 | 0.51      | RMS      | 2569.993        | -32.95      | -10         | Pass    | 401         |
| 2570                  | 2590                 | 0.1       | RMS      | 2579.25         | -1.01       | 30          | Pass    | 401         |




**14.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2600                  | 2620                 | 0.1       | RMS      | 2618.9          | 19.82       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.51      | RMS      | 2620            | -21.48      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -30.42      | -10         | Pass    | 5           |
| 2625                  | 2640                 | 1         | RMS      | 2625            | -33.38      | -13         | Pass    | 16          |
| 2640                  | 2645                 | 1         | RMS      | 2640.013        | -45.42      | -25         | Pass    | 401         |



**14.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2600                  | 2620                 | 0.1       | RMS      | 2614.7          | 0.06        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.51      | RMS      | 2620.01         | -30.97      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -33.04      | -10         | Pass    | 5           |
| 2625                  | 2640                 | 1         | RMS      | 2625.113        | -34.92      | -13         | Pass    | 401         |
| 2640                  | 2645                 | 1         | RMS      | 2644.55         | -39.51      | -25         | Pass    | 401         |






**14.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2600                  | 2620                 | 0.1       | RMS      | 2618.9          | 18.95       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.51      | RMS      | 2620.003        | -21.4       | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -29.58      | -10         | Pass    | 5           |
| 2625                  | 2640                 | 1         | RMS      | 2625            | -33.94      | -13         | Pass    | 16          |
| 2640                  | 2645                 | 1         | RMS      | 2640.013        | -45.23      | -25         | Pass    | 401         |



**14.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2600                  | 2620                 | 0.1       | RMS      | 2612.85         | -1.06       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.51      | RMS      | 2620.02         | -31.39      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -32.68      | -10         | Pass    | 5           |
| 2625                  | 2640                 | 1         | RMS      | 2625.675        | -34.54      | -13         | Pass    | 401         |
| 2640                  | 2645                 | 1         | RMS      | 2640.9          | -39         | -25         | Pass    | 401         |



## 15. LTE\_Band41 full


### 15.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2490            | -38.85      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -23.17      | -13         | Pass    | 6           |
| 2495                  | 2495.95              | 0.1       | RMS      | 2495.95         | -18.98      | -13         | Pass    | 401         |
| 2496                  | 2501                 | 0.1       | RMS      | 2496.35         | 22.51       | 30          | Pass    | 401         |



**15.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.963        | -31.66      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -21.89      | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -27.76      | -13         | Pass    | 401         |
| 2496                  | 2501                 | 0.1       | RMS      | 2496.575        | 10.98       | 30          | Pass    | 401         |



**15.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.963        | -38.96      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -23.1       | -13         | Pass    | 6           |
| 2495                  | 2496                 | 0.1       | RMS      | 2496            | -16.26      | -13         | Pass    | 401         |
| 2496                  | 2501                 | 0.1       | RMS      | 2496.363        | 22.09       | 30          | Pass    | 401         |

