



Appendix B

E-UTRA BAND 41



CONTENT

1.	EFFECTIVE (ISOTROPIC) RADIATED POWER.....	3
1.1.	Test Result.....	3
2.	PEAK-TO-AVERAGE RATIO(CCDF).....	10
2.1.	Test Result.....	10
2.2.	Test Plots.....	10
3.	MODULATION CHARACTERISTICS	14
3.1.	Test BAND = LTE BAND41	14
3.1.1.	Test Mode = LTE /TM1 20MHz.....	14
3.1.1.1.	Test Channel = MCH.....	14
3.1.2.	Test Mode = LTE /TM2 20MHz.....	15
3.1.2.1.	Test Channel = MCH.....	15
3.1.1.	Test Mode = LTE /TM3 20MHz.....	16
3.1.1.1.	Test Channel = MCH.....	16
4.	26dB BANDWIDTH AND OCCUPIED BANDWIDTH	17
4.1.	Test Result.....	17
4.2.	Test Plots.....	18
5.	BAND EDGE COMPLIANCE	31
5.1.	Test Plots.....	31
6.	SPURIOUS EMISSION AT ANTENNA TERMINAL	48
6.1.	Test Plots.....	48
7.	FIELD STRENGTH OF SPURIOUS RADIATION	55
7.1.	Test BAND = LTE BAND 41	55
7.1.1.	Test Mode =LTE/TM1 20MHz	55
7.1.1.1.	Test Channel = LCH.....	55
7.1.1.2.	Test Channel = MCH.....	55
7.1.1.3.	Test Channel = HCH.....	56
8.	FREQUENCY STABILITY	57
8.1.	Frequency Vs Voltage.....	57
8.2.	Frequency Vs Temperature	58



1. Effective (Isotropic) Radiated Power

1.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
BAND41	5MHz	QPSK	39715	1RB#0	23.46	27.46	33.00	PASS
BAND41	5MHz	QPSK	39715	1RB#12	23.52	27.52	33.00	PASS
BAND41	5MHz	QPSK	39715	1RB#24	23.39	27.39	33.00	PASS
BAND41	5MHz	QPSK	39715	12RB#0	22.51	26.51	33.00	PASS
BAND41	5MHz	QPSK	39715	12RB#6	22.61	26.61	33.00	PASS
BAND41	5MHz	QPSK	39715	12RB#13	22.61	26.61	33.00	PASS
BAND41	5MHz	QPSK	39715	25RB#0	22.61	26.61	33.00	PASS
BAND41	5MHz	QPSK	40640	1RB#0	23.15	27.15	33.00	PASS
BAND41	5MHz	QPSK	40640	1RB#12	23.11	27.11	33.00	PASS
BAND41	5MHz	QPSK	40640	1RB#24	23.22	27.22	33.00	PASS
BAND41	5MHz	QPSK	40640	12RB#0	22.22	26.22	33.00	PASS
BAND41	5MHz	QPSK	40640	12RB#6	22.21	26.21	33.00	PASS
BAND41	5MHz	QPSK	40640	12RB#13	22.21	26.21	33.00	PASS
BAND41	5MHz	QPSK	40640	25RB#0	22.22	26.22	33.00	PASS
BAND41	5MHz	QPSK	41565	1RB#0	24.09	28.09	33.00	PASS
BAND41	5MHz	QPSK	41565	1RB#12	24.02	28.02	33.00	PASS
BAND41	5MHz	QPSK	41565	1RB#24	24.07	28.07	33.00	PASS
BAND41	5MHz	QPSK	41565	12RB#0	23.14	27.14	33.00	PASS
BAND41	5MHz	QPSK	41565	12RB#6	23.12	27.12	33.00	PASS
BAND41	5MHz	QPSK	41565	12RB#13	23.11	27.11	33.00	PASS
BAND41	5MHz	QPSK	41565	25RB#0	23.12	27.12	33.00	PASS
BAND41	5MHz	64QAM	39715	1RB#0	21.71	25.71	33.00	PASS
BAND41	5MHz	64QAM	39715	1RB#12	22.63	26.63	33.00	PASS
BAND41	5MHz	64QAM	39715	1RB#24	21.62	25.62	33.00	PASS
BAND41	5MHz	64QAM	39715	12RB#0	20.55	24.55	33.00	PASS
BAND41	5MHz	64QAM	39715	12RB#6	20.51	24.51	33.00	PASS
BAND41	5MHz	64QAM	39715	12RB#13	20.58	24.58	33.00	PASS
BAND41	5MHz	64QAM	39715	25RB#0	20.56	24.56	33.00	PASS
BAND41	5MHz	64QAM	40640	1RB#0	21.27	25.27	33.00	PASS
BAND41	5MHz	64QAM	40640	1RB#12	21.28	25.28	33.00	PASS
BAND41	5MHz	64QAM	40640	1RB#24	21.34	25.34	33.00	PASS
BAND41	5MHz	64QAM	40640	12RB#0	20.21	24.21	33.00	PASS
BAND41	5MHz	64QAM	40640	12RB#6	20.17	24.17	33.00	PASS
BAND41	5MHz	64QAM	40640	12RB#13	20.18	24.18	33.00	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: ZR/2018/A000801

Page: 4 of 59

BAND41	5MHz	64QAM	40640	25RB#0	20.21	24.21	33.00	PASS
BAND41	5MHz	64QAM	41565	1RB#0	22.28	26.28	33.00	PASS
BAND41	5MHz	64QAM	41565	1RB#12	22.15	26.15	33.00	PASS
BAND41	5MHz	64QAM	41565	1RB#24	22.16	26.16	33.00	PASS
BAND41	5MHz	64QAM	41565	12RB#0	21.14	25.14	33.00	PASS
BAND41	5MHz	64QAM	41565	12RB#6	21.07	25.07	33.00	PASS
BAND41	5MHz	64QAM	41565	12RB#13	21.06	25.06	33.00	PASS
BAND41	5MHz	64QAM	41565	25RB#0	21.10	25.10	33.00	PASS
BAND41	5MHz	16QAM	39715	1RB#0	22.69	26.69	33.00	PASS
BAND41	5MHz	16QAM	39715	1RB#12	22.73	26.73	33.00	PASS
BAND41	5MHz	16QAM	39715	1RB#24	22.70	26.70	33.00	PASS
BAND41	5MHz	16QAM	39715	12RB#0	21.51	25.51	33.00	PASS
BAND41	5MHz	16QAM	39715	12RB#6	21.45	25.45	33.00	PASS
BAND41	5MHz	16QAM	39715	12RB#13	21.52	25.52	33.00	PASS
BAND41	5MHz	16QAM	39715	25RB#0	21.53	25.53	33.00	PASS
BAND41	5MHz	16QAM	40640	1RB#0	22.18	26.18	33.00	PASS
BAND41	5MHz	16QAM	40640	1RB#12	22.33	26.33	33.00	PASS
BAND41	5MHz	16QAM	40640	1RB#24	22.15	26.15	33.00	PASS
BAND41	5MHz	16QAM	40640	12RB#0	21.18	25.18	33.00	PASS
BAND41	5MHz	16QAM	40640	12RB#6	21.15	25.15	33.00	PASS
BAND41	5MHz	16QAM	40640	12RB#13	21.14	25.14	33.00	PASS
BAND41	5MHz	16QAM	40640	25RB#0	21.14	25.14	33.00	PASS
BAND41	5MHz	16QAM	41565	1RB#0	23.00	27.00	33.00	PASS
BAND41	5MHz	16QAM	41565	1RB#12	23.21	27.21	33.00	PASS
BAND41	5MHz	16QAM	41565	1RB#24	23.18	27.18	33.00	PASS
BAND41	5MHz	16QAM	41565	12RB#0	22.08	26.08	33.00	PASS
BAND41	5MHz	16QAM	41565	12RB#6	22.06	26.06	33.00	PASS
BAND41	5MHz	16QAM	41565	12RB#13	22.01	26.01	33.00	PASS
BAND41	5MHz	16QAM	41565	25RB#0	22.06	26.06	33.00	PASS
BAND41	10MHz	QPSK	39740	1RB#0	23.59	27.59	33.00	PASS
BAND41	10MHz	QPSK	39740	1RB#24	23.52	27.52	33.00	PASS
BAND41	10MHz	QPSK	39740	1RB#49	23.52	27.52	33.00	PASS
BAND41	10MHz	QPSK	39740	25RB#0	22.69	26.69	33.00	PASS
BAND41	10MHz	QPSK	39740	25RB#12	22.62	26.62	33.00	PASS
BAND41	10MHz	QPSK	39740	25RB#25	22.61	26.61	33.00	PASS
BAND41	10MHz	QPSK	39740	50RB#0	22.57	26.57	33.00	PASS
BAND41	10MHz	QPSK	40640	1RB#0	23.21	27.21	33.00	PASS
BAND41	10MHz	QPSK	40640	1RB#24	23.17	27.17	33.00	PASS
BAND41	10MHz	QPSK	40640	1RB#49	23.18	27.18	33.00	PASS
BAND41	10MHz	QPSK	40640	25RB#0	22.22	26.22	33.00	PASS
BAND41	10MHz	QPSK	40640	25RB#12	22.26	26.26	33.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: ZR/2018/A000801

Page: 5 of 59

BAND41	10MHz	QPSK	40640	25RB#25	22.31	26.31	33.00	PASS
BAND41	10MHz	QPSK	40640	50RB#0	22.20	26.20	33.00	PASS
BAND41	10MHz	QPSK	41540	1RB#0	24.08	28.08	33.00	PASS
BAND41	10MHz	QPSK	41540	1RB#24	24.00	28.00	33.00	PASS
BAND41	10MHz	QPSK	41540	1RB#49	24.10	28.10	33.00	PASS
BAND41	10MHz	QPSK	41540	25RB#0	23.18	27.18	33.00	PASS
BAND41	10MHz	QPSK	41540	25RB#12	23.15	27.15	33.00	PASS
BAND41	10MHz	QPSK	41540	25RB#25	23.14	27.14	33.00	PASS
BAND41	10MHz	QPSK	41540	50RB#0	23.09	27.09	33.00	PASS
BAND41	10MHz	64QAM	39740	1RB#0	21.76	25.76	33.00	PASS
BAND41	10MHz	64QAM	39740	1RB#24	21.63	25.63	33.00	PASS
BAND41	10MHz	64QAM	39740	1RB#49	21.62	25.62	33.00	PASS
BAND41	10MHz	64QAM	39740	25RB#0	20.68	24.68	33.00	PASS
BAND41	10MHz	64QAM	39740	25RB#12	20.66	24.66	33.00	PASS
BAND41	10MHz	64QAM	39740	25RB#25	20.60	24.60	33.00	PASS
BAND41	10MHz	64QAM	39740	50RB#0	20.60	24.60	33.00	PASS
BAND41	10MHz	64QAM	40640	1RB#0	21.18	25.18	33.00	PASS
BAND41	10MHz	64QAM	40640	1RB#24	21.16	25.16	33.00	PASS
BAND41	10MHz	64QAM	40640	1RB#49	21.37	25.37	33.00	PASS
BAND41	10MHz	64QAM	40640	25RB#0	20.22	24.22	33.00	PASS
BAND41	10MHz	64QAM	40640	25RB#12	20.26	24.26	33.00	PASS
BAND41	10MHz	64QAM	40640	25RB#25	20.29	24.29	33.00	PASS
BAND41	10MHz	64QAM	40640	50RB#0	20.23	24.23	33.00	PASS
BAND41	10MHz	64QAM	41540	1RB#0	22.13	26.13	33.00	PASS
BAND41	10MHz	64QAM	41540	1RB#24	22.06	26.06	33.00	PASS
BAND41	10MHz	64QAM	41540	1RB#49	22.20	26.20	33.00	PASS
BAND41	10MHz	64QAM	41540	25RB#0	21.13	25.13	33.00	PASS
BAND41	10MHz	64QAM	41540	25RB#12	21.19	25.19	33.00	PASS
BAND41	10MHz	64QAM	41540	25RB#25	21.20	25.20	33.00	PASS
BAND41	10MHz	64QAM	41540	50RB#0	21.14	25.14	33.00	PASS
BAND41	10MHz	16QAM	39740	1RB#0	22.68	26.68	33.00	PASS
BAND41	10MHz	16QAM	39740	1RB#24	22.60	26.60	33.00	PASS
BAND41	10MHz	16QAM	39740	1RB#49	22.53	26.53	33.00	PASS
BAND41	10MHz	16QAM	39740	25RB#0	21.63	25.63	33.00	PASS
BAND41	10MHz	16QAM	39740	25RB#12	21.54	25.54	33.00	PASS
BAND41	10MHz	16QAM	39740	25RB#25	21.57	25.57	33.00	PASS
BAND41	10MHz	16QAM	39740	50RB#0	21.51	25.51	33.00	PASS
BAND41	10MHz	16QAM	40640	1RB#0	22.25	26.25	33.00	PASS
BAND41	10MHz	16QAM	40640	1RB#24	22.28	26.28	33.00	PASS
BAND41	10MHz	16QAM	40640	1RB#49	22.39	26.39	33.00	PASS
BAND41	10MHz	16QAM	40640	25RB#0	21.17	25.17	33.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: ZR/2018/A000801

Page: 6 of 59

BAND41	10MHz	16QAM	40640	25RB#12	21.26	25.26	33.00	PASS
BAND41	10MHz	16QAM	40640	25RB#25	21.31	25.31	33.00	PASS
BAND41	10MHz	16QAM	40640	50RB#0	21.18	25.18	33.00	PASS
BAND41	10MHz	16QAM	41540	1RB#0	23.44	27.44	33.00	PASS
BAND41	10MHz	16QAM	41540	1RB#24	23.28	27.28	33.00	PASS
BAND41	10MHz	16QAM	41540	1RB#49	23.04	27.04	33.00	PASS
BAND41	10MHz	16QAM	41540	25RB#0	22.13	26.13	33.00	PASS
BAND41	10MHz	16QAM	41540	25RB#12	22.09	26.09	33.00	PASS
BAND41	10MHz	16QAM	41540	25RB#25	22.06	26.06	33.00	PASS
BAND41	10MHz	16QAM	41540	50RB#0	22.05	26.05	33.00	PASS
BAND41	15MHz	QPSK	39765	1RB#0	23.56	27.56	33.00	PASS
BAND41	15MHz	QPSK	39765	1RB#38	23.48	27.48	33.00	PASS
BAND41	15MHz	QPSK	39765	1RB#74	23.37	27.37	33.00	PASS
BAND41	15MHz	QPSK	39765	36RB#0	22.67	26.67	33.00	PASS
BAND41	15MHz	QPSK	39765	36RB#18	22.59	26.59	33.00	PASS
BAND41	15MHz	QPSK	39765	36RB#39	22.51	26.51	33.00	PASS
BAND41	15MHz	QPSK	39765	75RB#0	22.57	26.57	33.00	PASS
BAND41	15MHz	QPSK	40640	1RB#0	23.15	27.15	33.00	PASS
BAND41	15MHz	QPSK	40640	1RB#38	23.22	27.22	33.00	PASS
BAND41	15MHz	QPSK	40640	1RB#74	23.24	27.24	33.00	PASS
BAND41	15MHz	QPSK	40640	36RB#0	22.19	26.19	33.00	PASS
BAND41	15MHz	QPSK	40640	36RB#18	22.23	26.23	33.00	PASS
BAND41	15MHz	QPSK	40640	36RB#39	22.26	26.26	33.00	PASS
BAND41	15MHz	QPSK	40640	75RB#0	22.21	26.21	33.00	PASS
BAND41	15MHz	QPSK	41515	1RB#0	24.10	28.10	33.00	PASS
BAND41	15MHz	QPSK	41515	1RB#38	24.07	28.07	33.00	PASS
BAND41	15MHz	QPSK	41515	1RB#74	24.05	28.05	33.00	PASS
BAND41	15MHz	QPSK	41515	36RB#0	23.14	27.14	33.00	PASS
BAND41	15MHz	QPSK	41515	36RB#18	23.12	27.12	33.00	PASS
BAND41	15MHz	QPSK	41515	36RB#39	23.09	27.09	33.00	PASS
BAND41	15MHz	QPSK	41515	75RB#0	23.09	27.09	33.00	PASS
BAND41	15MHz	64QAM	39765	1RB#0	21.47	25.47	33.00	PASS
BAND41	15MHz	64QAM	39765	1RB#38	21.56	25.56	33.00	PASS
BAND41	15MHz	64QAM	39765	1RB#74	21.61	25.61	33.00	PASS
BAND41	15MHz	64QAM	39765	36RB#0	20.63	24.63	33.00	PASS
BAND41	15MHz	64QAM	39765	36RB#18	20.59	24.59	33.00	PASS
BAND41	15MHz	64QAM	39765	36RB#39	20.53	24.53	33.00	PASS
BAND41	15MHz	64QAM	39765	75RB#0	20.53	24.53	33.00	PASS
BAND41	15MHz	64QAM	40640	1RB#0	21.18	25.18	33.00	PASS
BAND41	15MHz	64QAM	40640	1RB#38	21.28	25.28	33.00	PASS
BAND41	15MHz	64QAM	40640	1RB#74	21.33	25.33	33.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: ZR/2018/A000801

Page: 7 of 59

BAND41	15MHz	64QAM	40640	36RB#0	20.20	24.20	33.00	PASS
BAND41	15MHz	64QAM	40640	36RB#18	20.25	24.25	33.00	PASS
BAND41	15MHz	64QAM	40640	36RB#39	20.28	24.28	33.00	PASS
BAND41	15MHz	64QAM	40640	75RB#0	20.19	24.19	33.00	PASS
BAND41	15MHz	64QAM	41515	1RB#0	22.37	26.37	33.00	PASS
BAND41	15MHz	64QAM	41515	1RB#38	22.18	26.18	33.00	PASS
BAND41	15MHz	64QAM	41515	1RB#74	22.10	26.10	33.00	PASS
BAND41	15MHz	64QAM	41515	36RB#0	21.15	25.15	33.00	PASS
BAND41	15MHz	64QAM	41515	36RB#18	21.12	25.12	33.00	PASS
BAND41	15MHz	64QAM	41515	36RB#39	21.09	25.09	33.00	PASS
BAND41	15MHz	64QAM	41515	75RB#0	21.07	25.07	33.00	PASS
BAND41	15MHz	16QAM	39765	1RB#0	22.76	26.76	33.00	PASS
BAND41	15MHz	16QAM	39765	1RB#38	22.69	26.69	33.00	PASS
BAND41	15MHz	16QAM	39765	1RB#74	22.64	26.64	33.00	PASS
BAND41	15MHz	16QAM	39765	36RB#0	21.62	25.62	33.00	PASS
BAND41	15MHz	16QAM	39765	36RB#18	21.59	25.59	33.00	PASS
BAND41	15MHz	16QAM	39765	36RB#39	21.51	25.51	33.00	PASS
BAND41	15MHz	16QAM	39765	75RB#0	21.51	25.51	33.00	PASS
BAND41	15MHz	16QAM	40640	1RB#0	22.10	26.10	33.00	PASS
BAND41	15MHz	16QAM	40640	1RB#38	22.26	26.26	33.00	PASS
BAND41	15MHz	16QAM	40640	1RB#74	22.33	26.33	33.00	PASS
BAND41	15MHz	16QAM	40640	36RB#0	21.17	25.17	33.00	PASS
BAND41	15MHz	16QAM	40640	36RB#18	21.23	25.23	33.00	PASS
BAND41	15MHz	16QAM	40640	36RB#39	21.27	25.27	33.00	PASS
BAND41	15MHz	16QAM	40640	75RB#0	21.16	25.16	33.00	PASS
BAND41	15MHz	16QAM	41515	1RB#0	23.12	27.12	33.00	PASS
BAND41	15MHz	16QAM	41515	1RB#38	23.24	27.24	33.00	PASS
BAND41	15MHz	16QAM	41515	1RB#74	23.16	27.16	33.00	PASS
BAND41	15MHz	16QAM	41515	36RB#0	22.09	26.09	33.00	PASS
BAND41	15MHz	16QAM	41515	36RB#18	22.11	26.11	33.00	PASS
BAND41	15MHz	16QAM	41515	36RB#39	22.08	26.08	33.00	PASS
BAND41	15MHz	16QAM	41515	75RB#0	22.02	26.02	33.00	PASS
BAND41	20MHz	QPSK	39790	1RB#0	23.63	27.63	33.00	PASS
BAND41	20MHz	QPSK	39790	1RB#49	23.47	27.47	33.00	PASS
BAND41	20MHz	QPSK	39790	1RB#99	23.39	27.39	33.00	PASS
BAND41	20MHz	QPSK	39790	50RB#0	22.60	26.60	33.00	PASS
BAND41	20MHz	QPSK	39790	50RB#25	22.51	26.51	33.00	PASS
BAND41	20MHz	QPSK	39790	50RB#50	22.45	26.45	33.00	PASS
BAND41	20MHz	QPSK	39790	100RB#0	22.54	26.54	33.00	PASS
BAND41	20MHz	QPSK	40640	1RB#0	23.14	27.14	33.00	PASS
BAND41	20MHz	QPSK	40640	1RB#49	23.13	27.13	33.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: ZR/2018/A000801

Page: 8 of 59

BAND41	20MHz	QPSK	40640	1RB#99	23.42	27.42	33.00	PASS
BAND41	20MHz	QPSK	40640	50RB#0	22.19	26.19	33.00	PASS
BAND41	20MHz	QPSK	40640	50RB#25	22.21	26.21	33.00	PASS
BAND41	20MHz	QPSK	40640	50RB#50	22.25	26.25	33.00	PASS
BAND41	20MHz	QPSK	40640	100RB#0	22.23	26.23	33.00	PASS
BAND41	20MHz	QPSK	41490	1RB#0	24.14	28.14	33.00	PASS
BAND41	20MHz	QPSK	41490	1RB#49	24.04	28.04	33.00	PASS
BAND41	20MHz	QPSK	41490	1RB#99	24.05	28.05	33.00	PASS
BAND41	20MHz	QPSK	41490	50RB#0	23.13	27.13	33.00	PASS
BAND41	20MHz	QPSK	41490	50RB#25	23.09	27.09	33.00	PASS
BAND41	20MHz	QPSK	41490	50RB#50	23.09	27.09	33.00	PASS
BAND41	20MHz	QPSK	41490	100RB#0	23.11	27.11	33.00	PASS
BAND41	20MHz	64QAM	39790	1RB#0	21.76	25.76	33.00	PASS
BAND41	20MHz	64QAM	39790	1RB#49	21.80	25.80	33.00	PASS
BAND41	20MHz	64QAM	39790	1RB#99	21.76	25.76	33.00	PASS
BAND41	20MHz	64QAM	39790	50RB#0	20.58	24.58	33.00	PASS
BAND41	20MHz	64QAM	39790	50RB#25	20.50	24.50	33.00	PASS
BAND41	20MHz	64QAM	39790	50RB#50	20.51	24.51	33.00	PASS
BAND41	20MHz	64QAM	39790	100RB#0	20.49	24.49	33.00	PASS
BAND41	20MHz	64QAM	40640	1RB#0	21.15	25.15	33.00	PASS
BAND41	20MHz	64QAM	40640	1RB#49	21.24	25.24	33.00	PASS
BAND41	20MHz	64QAM	40640	1RB#99	21.48	25.48	33.00	PASS
BAND41	20MHz	64QAM	40640	50RB#0	20.24	24.24	33.00	PASS
BAND41	20MHz	64QAM	40640	50RB#25	20.21	24.21	33.00	PASS
BAND41	20MHz	64QAM	40640	50RB#50	20.26	24.26	33.00	PASS
BAND41	20MHz	64QAM	40640	100RB#0	20.21	24.21	33.00	PASS
BAND41	20MHz	64QAM	41490	1RB#0	22.36	26.36	33.00	PASS
BAND41	20MHz	64QAM	41490	1RB#49	22.18	26.18	33.00	PASS
BAND41	20MHz	64QAM	41490	1RB#99	22.14	26.14	33.00	PASS
BAND41	20MHz	64QAM	41490	50RB#0	21.17	25.17	33.00	PASS
BAND41	20MHz	64QAM	41490	50RB#25	21.12	25.12	33.00	PASS
BAND41	20MHz	64QAM	41490	50RB#50	21.08	25.08	33.00	PASS
BAND41	20MHz	64QAM	41490	100RB#0	21.07	25.07	33.00	PASS
BAND41	20MHz	16QAM	39790	1RB#0	22.70	26.70	33.00	PASS
BAND41	20MHz	16QAM	39790	1RB#49	22.54	26.54	33.00	PASS
BAND41	20MHz	16QAM	39790	1RB#99	22.54	26.54	33.00	PASS
BAND41	20MHz	16QAM	39790	50RB#0	21.56	25.56	33.00	PASS
BAND41	20MHz	16QAM	39790	50RB#25	21.47	25.47	33.00	PASS
BAND41	20MHz	16QAM	39790	50RB#50	21.40	25.40	33.00	PASS
BAND41	20MHz	16QAM	39790	100RB#0	21.47	25.47	33.00	PASS
BAND41	20MHz	16QAM	40640	1RB#0	22.29	26.29	33.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: ZR/2018/A000801

Page: 9 of 59

BAND41	20MHz	16QAM	40640	1RB#49	22.35	26.35	33.00	PASS
BAND41	20MHz	16QAM	40640	1RB#99	22.28	26.28	33.00	PASS
BAND41	20MHz	16QAM	40640	50RB#0	21.15	25.15	33.00	PASS
BAND41	20MHz	16QAM	40640	50RB#25	21.19	25.19	33.00	PASS
BAND41	20MHz	16QAM	40640	50RB#50	21.22	25.22	33.00	PASS
BAND41	20MHz	16QAM	40640	100RB#0	21.19	25.19	33.00	PASS
BAND41	20MHz	16QAM	41490	1RB#0	23.29	27.29	33.00	PASS
BAND41	20MHz	16QAM	41490	1RB#49	23.20	27.20	33.00	PASS
BAND41	20MHz	16QAM	41490	1RB#99	23.41	27.41	33.00	PASS
BAND41	20MHz	16QAM	41490	50RB#0	22.10	26.10	33.00	PASS
BAND41	20MHz	16QAM	41490	50RB#25	22.02	26.02	33.00	PASS
BAND41	20MHz	16QAM	41490	50RB#50	22.06	26.06	33.00	PASS
BAND41	20MHz	16QAM	41490	100RB#0	22.05	26.05	33.00	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBd]}$$

$$\text{EIRP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBi]}$$

b: SGP=Signal Generator Level




2. Peak-to-Average Ratio(CCDFF)

2.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
BAND41	20MHz	QPSK	39790	100RB#0	5.45	13	PASS
BAND41	20MHz	QPSK	40640	100RB#0	7.01	13	PASS
BAND41	20MHz	QPSK	41490	100RB#0	6.67	13	PASS
BAND41	20MHz	64QAM	39790	100RB#0	6.43	13	PASS
BAND41	20MHz	64QAM	40640	100RB#0	6.52	13	PASS
BAND41	20MHz	64QAM	41490	100RB#0	6.35	13	PASS
BAND41	20MHz	16QAM	39790	100RB#0	6.26	13	PASS
BAND41	20MHz	16QAM	40640	100RB#0	7.74	13	PASS
BAND41	20MHz	16QAM	41490	100RB#0	6.17	13	PASS

2.2. Test Plots





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2018/A000801


Page: 11 of 59

BAND41_20MHz_QPSK_40640_100RB#0



Date: 22.OCT.2018 10:33:58

BAND41_20MHz_QPSK_41490_100RB#0



Date: 22.OCT.2018 10:36:09

BAND41_20MHz_64QAM_39790_100RB#0



Date: 22.OCT.2018 10:32:51




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2018/A000801


Page: 12 of 59

BAND41_20MHz_64QAM_40640_100RB#0




Date: 22.OCT.2018 10:33:45

BAND41_20MHz_64QAM_41490_100RB#0



Date: 22.OCT.2018 10:35:51

BAND41_20MHz_16QAM_39790_100RB#0



Date: 22.OCT.2018 10:33:04




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: ZR/2018/A000801

Page: 13 of 59

BAND41_20MHz_16QAM_40640_100RB#0



BAND41_20MHz_16QAM_41490_100RB#0






3. Modulation Characteristics

3.1. Test BAND = LTE BAND41

3.1.1. Test Mode = LTE /TM1 20MHz


3.1.1.1. Test Channel = MCH





3.1.2. Test Mode = LTE /TM2 20MHz


3.1.2.1. Test Channel = MCH





3.1.1. Test Mode = LTE /TM3 20MHz

3.1.1.1. Test Channel = MCH





4. 26dB Bandwidth and Occupied Bandwidth

4.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
BAND41	5MHz	QPSK	39715	25RB#0	4.48	4.89	PASS
BAND41	5MHz	QPSK	40640	25RB#0	4.48	4.90	PASS
BAND41	5MHz	QPSK	41565	25RB#0	4.49	4.91	PASS
BAND41	5MHz	64QAM	39715	25RB#0	4.49	4.96	PASS
BAND41	5MHz	64QAM	40640	25RB#0	4.48	4.90	PASS
BAND41	5MHz	64QAM	41565	25RB#0	4.49	4.90	PASS
BAND41	5MHz	16QAM	39715	25RB#0	4.48	4.84	PASS
BAND41	5MHz	16QAM	40640	25RB#0	4.48	4.84	PASS
BAND41	5MHz	16QAM	41565	25RB#0	4.48	4.83	PASS
BAND41	10MHz	QPSK	39740	50RB#0	8.97	10.33	PASS
BAND41	10MHz	QPSK	40640	50RB#0	8.97	10.39	PASS
BAND41	10MHz	QPSK	41540	50RB#0	8.97	10.35	PASS
BAND41	10MHz	64QAM	39740	50RB#0	8.95	10.21	PASS
BAND41	10MHz	64QAM	40640	50RB#0	8.97	10.33	PASS
BAND41	10MHz	64QAM	41540	50RB#0	8.95	10.19	PASS
BAND41	10MHz	16QAM	39740	50RB#0	8.99	10.29	PASS
BAND41	10MHz	16QAM	40640	50RB#0	8.95	10.37	PASS
BAND41	10MHz	16QAM	41540	50RB#0	8.95	10.25	PASS
BAND41	15MHz	QPSK	39765	75RB#0	13.55	15.47	PASS
BAND41	15MHz	QPSK	40640	75RB#0	13.55	15.55	PASS
BAND41	15MHz	QPSK	41515	75RB#0	13.55	15.47	PASS
BAND41	15MHz	64QAM	39765	75RB#0	13.52	15.50	PASS
BAND41	15MHz	64QAM	40640	75RB#0	13.52	15.47	PASS
BAND41	15MHz	64QAM	41515	75RB#0	13.52	15.64	PASS
BAND41	15MHz	16QAM	39765	75RB#0	13.55	15.35	PASS
BAND41	15MHz	16QAM	40640	75RB#0	13.52	15.47	PASS
BAND41	15MHz	16QAM	41515	75RB#0	13.55	15.85	PASS
BAND41	20MHz	QPSK	39790	100RB#0	17.94	19.90	PASS
BAND41	20MHz	QPSK	40640	100RB#0	17.90	19.78	PASS
BAND41	20MHz	QPSK	41490	100RB#0	17.94	19.74	PASS
BAND41	20MHz	64QAM	39790	100RB#0	17.94	19.74	PASS
BAND41	20MHz	64QAM	40640	100RB#0	17.98	19.90	PASS
BAND41	20MHz	64QAM	41490	100RB#0	17.94	19.54	PASS




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2018/A000801

Page: 18 of 59

BAND41	20MHz	16QAM	39790	100RB#0	17.94	19.74	PASS
BAND41	20MHz	16QAM	40640	100RB#0	17.90	19.86	PASS
BAND41	20MHz	16QAM	41490	100RB#0	17.90	19.74	PASS

4.2. Test Plots






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: ZR/2018/A000801

Page: 19 of 59


BAND41_5MHz_QPSK_41565_25RB#0



BAND41_5MHz_64QAM_39715_25RB#0



BAND41_5MHz_64QAM_40640_25RB#0






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: ZR/2018/A000801

Page: 20 of 59


BAND41_5MHz_64QAM_41565_25RB#0



BAND41_5MHz_16QAM_39715_25RB#0



BAND41_5MHz_16QAM_40640_25RB#0






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: ZR/2018/A000801

Page: 21 of 59


BAND41_5MHz_16QAM_41565_25RB#0



BAND41_10MHz_QPSK_39740_50RB#0



BAND41_10MHz_QPSK_40640_50RB#0






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: ZR/2018/A000801

Page: 22 of 59


BAND41_10MHz_QPSK_41540_50RB#0




BAND41_10MHz_64QAM_39740_50RB#0




BAND41_10MHz_64QAM_40640_50RB#0




BAND41_10MHz_64QAM_41540_50RB#0



BAND41_10MHz_16QAM_39740_50RB#0



BAND41_10MHz_16QAM_40640_50RB#0






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: ZR/2018/A000801

Page: 24 of 59

BAND41_10MHz_16QAM_41540_50RB#0



BAND41_15MHz_QPSK_39765_75RB#0



BAND41_15MHz_QPSK_40640_75RB#0

