



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
11a20_20MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.39G	AV	5.14906G	6.00	-52.74	-52.74	-46.74	-41.20	-5.54
5180MHz	Pass	5.11G	5.39G	AV	5.3648G	6.00	-53.19	-53.19	-47.19	-41.20	-5.99
5180MHz	Pass	5.11G	5.39G	PK	5.14752G	6.00	-42.14	-42.14	-36.14	-21.20	-14.94
5180MHz	Pass	5.11G	5.39G	PK	5.37726G	6.00	-41.50	-41.50	-35.50	-21.20	-14.30
5200MHz	Pass	5.11G	5.39G	AV	5.1478G	6.00	-54.12	-54.12	-48.12	-41.20	-6.92
5200MHz	Pass	5.11G	5.39G	AV	5.38874G	6.00	-52.89	-52.89	-46.89	-41.20	-5.69
5200MHz	Pass	5.11G	5.39G	PK	5.13002G	6.00	-42.35	-42.35	-36.35	-21.20	-15.15
5200MHz	Pass	5.11G	5.39G	PK	5.38692G	6.00	-41.74	-41.74	-35.74	-21.20	-14.54
5240MHz	Pass	5.11G	5.39G	AV	5.14906G	6.00	-54.01	-54.01	-48.01	-41.20	-6.81
5240MHz	Pass	5.11G	5.39G	AV	5.38034G	6.00	-53.04	-53.04	-47.04	-41.20	-5.84
5240MHz	Pass	5.11G	5.39G	PK	5.14738G	6.00	-42.53	-42.53	-36.53	-21.20	-15.33
5240MHz	Pass	5.11G	5.39G	PK	5.37082G	6.00	-41.39	-41.39	-35.39	-21.20	-14.19
5260MHz	Pass	5.11G	5.39G	AV	5.12862G	6.00	-54.25	-54.25	-48.25	-41.20	-7.05
5260MHz	Pass	5.11G	5.39G	AV	5.35794G	6.00	-53.05	-53.05	-47.05	-41.20	-5.85
5260MHz	Pass	5.11G	5.39G	PK	5.14178G	6.00	-42.74	-42.74	-36.74	-21.20	-15.54
5260MHz	Pass	5.11G	5.39G	PK	5.3837G	6.00	-41.48	-41.48	-35.48	-21.20	-14.28
5300MHz	Pass	5.11G	5.39G	AV	5.11378G	6.00	-53.91	-53.91	-47.91	-41.20	-6.71
5300MHz	Pass	5.11G	5.39G	AV	5.38818G	6.00	-52.99	-52.99	-46.99	-41.20	-5.79
5300MHz	Pass	5.11G	5.39G	PK	5.11266G	6.00	-42.38	-42.38	-36.38	-21.20	-15.18
5300MHz	Pass	5.11G	5.39G	PK	5.37082G	6.00	-41.66	-41.66	-35.66	-21.20	-14.46
5320MHz	Pass	5.11G	5.39G	AV	5.13324G	6.00	-53.60	-53.60	-47.60	-41.20	-6.40
5320MHz	Pass	5.11G	5.39G	AV	5.35024G	6.00	-51.86	-51.86	-45.86	-41.20	-4.66
5320MHz	Pass	5.11G	5.39G	PK	5.1289G	6.00	-42.49	-42.49	-36.49	-21.20	-15.29
5320MHz	Pass	5.11G	5.39G	PK	5.35024G	6.00	-40.00	-40.00	-34.00	-21.20	-12.80
5500MHz	Pass	5.43G	5.765G	AV	5.4501G	6.00	-53.18	-53.18	-47.18	-41.20	-5.98
5500MHz	Pass	5.43G	5.765G	PK	5.45261G	6.00	-42.21	-42.21	-36.21	-21.20	-15.01
5500MHz	Pass	5.43G	5.765G	PK	5.46702G	6.00	-41.08	-41.08	-35.08	-27.00	-8.08
5500MHz	Pass	5.43G	5.765G	PK	5.7583G	6.00	-42.66	-42.66	-36.66	-27.00	-9.66
5580MHz	Pass	5.43G	5.765G	AV	5.44524G	6.00	-53.32	-53.32	-47.32	-41.20	-6.12
5580MHz	Pass	5.43G	5.765G	PK	5.43201G	6.00	-41.37	-41.37	-35.37	-21.20	-14.17
5580MHz	Pass	5.43G	5.765G	PK	5.46702G	6.00	-42.62	-42.62	-36.62	-27.00	-9.62
5580MHz	Pass	5.43G	5.765G	PK	5.73854G	6.00	-41.56	-41.56	-35.56	-27.00	-8.56
5700MHz	Pass	5.43G	5.765G	AV	5.45931G	6.00	-53.19	-53.19	-47.19	-41.20	-5.99
5700MHz	Pass	5.43G	5.765G	PK	5.45563G	6.00	-41.95	-41.95	-35.95	-21.20	-14.75
5700MHz	Pass	5.43G	5.765G	PK	5.46869G	6.00	-42.76	-42.76	-36.76	-27.00	-9.76
5700MHz	Pass	5.43G	5.765G	PK	5.7253G	6.00	-41.16	-41.16	-35.16	-27.00	-8.16
5700MHz	Pass	5.43G	5.765G	PK	5.72966G	6.00	-41.16	-41.16	-35.16	-27.00	-8.16
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.45806G	6.00	-53.40	-53.40	-47.40	-41.20	-6.20
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.4415G	6.00	-42.17	-42.17	-36.17	-21.20	-14.97
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46013G	6.00	-41.76	-41.76	-35.76	-27.00	-8.76
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.87068G	6.00	-41.05	-41.05	-35.05	-27.00	-8.05
5745MHz	Pass	5.685G	5.89G	PK	5.68521G	6.00	-42.94	-42.94	-36.94	-0.95	-35.99
5745MHz	Pass	5.685G	5.89G	PK	5.88918G	6.00	-40.11	-40.11	-34.11	-0.49	-33.62
5785MHz	Pass	5.685G	5.89G	PK	5.6851G	6.00	-44.11	-44.11	-38.11	-1.02	-37.09
5785MHz	Pass	5.685G	5.89G	PK	5.89G	6.00	-42.48	-42.48	-36.48	-1.10	-35.38
5825MHz	Pass	5.685G	5.89G	PK	5.68541G	6.00	-42.89	-42.89	-36.89	-0.80	-36.09
5825MHz	Pass	5.685G	5.89G	PK	5.89G	6.00	-42.69	-42.69	-36.69	-1.10	-35.59
11a40_40MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.43G	AV	5.14434G	6.00	-53.68	-53.68	-47.68	-41.20	-6.48
5190MHz	Pass	5.07G	5.43G	AV	5.41344G	6.00	-52.88	-52.88	-46.88	-41.20	-5.68
5190MHz	Pass	5.07G	5.43G	PK	5.07612G	6.00	-41.88	-41.88	-35.88	-21.20	-14.68
5190MHz	Pass	5.07G	5.43G	PK	5.43G	6.00	-41.51	-41.51	-35.51	-21.20	-14.31
5230MHz	Pass	5.07G	5.43G	AV	5.1456G	6.00	-51.97	-51.97	-45.97	-41.20	-4.77
5230MHz	Pass	5.07G	5.43G	AV	5.38662G	6.00	-53.04	-53.04	-47.04	-41.20	-5.84
5230MHz	Pass	5.07G	5.43G	PK	5.14992G	6.00	-38.56	-38.56	-32.56	-21.20	-11.36
5230MHz	Pass	5.07G	5.43G	PK	5.38986G	6.00	-41.19	-41.19	-35.19	-21.20	-13.99
5270MHz	Pass	5.07G	5.43G	AV	5.14578G	6.00	-53.91	-53.91	-47.91	-41.20	-6.71
5270MHz	Pass	5.07G	5.43G	AV	5.35242G	6.00	-50.85	-50.85	-44.85	-41.20	-3.65
5270MHz	Pass	5.07G	5.43G	PK	5.1429G	6.00	-42.66	-42.66	-36.66	-21.20	-15.46
5270MHz	Pass	5.07G	5.43G	PK	5.35026G	6.00	-38.26	-38.26	-32.26	-21.20	-11.06
5310MHz	Pass	5.07G	5.43G	AV	5.14488G	6.00	-53.94	-53.94	-47.94	-41.20	-6.74
5310MHz	Pass	5.07G	5.43G	AV	5.38986G	6.00	-52.81	-52.81	-46.81	-41.20	-5.61
5310MHz	Pass	5.07G	5.43G	PK	5.12426G	6.00	-42.99	-42.99	-36.99	-21.20	-15.79
5310MHz	Pass	5.07G	5.43G	PK	5.35764G	6.00	-40.78	-40.78	-34.78	-21.20	-13.58
5510MHz	Pass	5.39G	5.805G	AV	5.40888G	6.00	-53.17	-53.17	-47.17	-41.20	-5.97
5510MHz	Pass	5.39G	5.805G	PK	5.44852G	6.00	-41.26	-41.26	-35.26	-21.20	-14.06
5510MHz	Pass	5.39G	5.805G	PK	5.46532G	6.00	-42.13	-42.13	-36.13	-27.00	-9.13
5510MHz	Pass	5.39G	5.805G	PK	5.7855G	6.00	-40.68	-40.68	-34.68	-27.00	-7.68

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5550MHz	Pass	5.39G	5.805G	AV	5.45827G	6.00	-52.48	-52.48	-46.48	-41.20	-5.28
5550MHz	Pass	5.39G	5.805G	PK	5.45951G	6.00	-40.97	-40.97	-34.97	-21.20	-13.77
5550MHz	Pass	5.39G	5.805G	PK	5.46968G	6.00	-37.85	-37.85	-31.85	-27.00	-4.85
5550MHz	Pass	5.39G	5.805G	PK	5.79546G	6.00	-41.55	-41.55	-35.55	-27.00	-8.55
5670MHz	Pass	5.39G	5.805G	AV	5.44706G	6.00	-53.22	-53.22	-47.22	-41.20	-6.02
5670MHz	Pass	5.39G	5.805G	PK	5.4508G	6.00	-42.01	-42.01	-36.01	-21.20	-14.81
5670MHz	Pass	5.39G	5.805G	PK	5.46636G	6.00	-41.30	-41.30	-35.30	-27.00	-8.30
5670MHz	Pass	5.39G	5.805G	PK	5.72677G	6.00	-35.60	-35.60	-29.60	-27.00	-2.60
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.4386G	6.00	-53.38	-53.38	-47.38	-41.20	-6.18
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.3981G	6.00	-41.59	-41.59	-35.59	-21.20	-14.39
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.46587G	6.00	-42.72	-42.72	-36.72	-27.00	-9.72
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.92271G	6.00	-40.87	-40.87	-34.87	-27.00	-7.87
5755MHz	Pass	5.645G	5.93G	PK	5.645G	6.00	-42.19	-42.19	-36.19	-27.00	-9.19
5755MHz	Pass	5.645G	5.93G	PK	5.92644G	6.00	-42.05	-42.05	-36.05	-27.00	-9.05
5795MHz	Pass	5.645G	5.93G	PK	5.64514G	6.00	-43.14	-43.14	-37.14	-27.00	-10.14
5795MHz	Pass	5.645G	5.93G	PK	5.92687G	6.00	-42.25	-42.25	-36.25	-27.00	-9.25
11a80_80MHz_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.13586G	6.00	-52.56	-52.56	-46.56	-41.20	-5.36
5210MHz	Pass	4.99G	5.51G	AV	5.40912G	6.00	-52.63	-52.63	-46.63	-41.20	-5.43
5210MHz	Pass	4.99G	5.51G	PK	5.13716G	6.00	-41.59	-41.59	-35.59	-21.20	-14.39
5210MHz	Pass	4.99G	5.51G	PK	5.42602G	6.00	-40.92	-40.92	-34.92	-21.20	-13.72
5210MHz	Pass	4.99G	5.51G	PK	5.50896G	6.00	-41.16	-41.16	-35.16	-27.00	-8.16
5290MHz	Pass	4.99G	5.51G	AV	5.042G	6.00	-53.37	-53.37	-47.37	-41.20	-6.17
5290MHz	Pass	4.99G	5.51G	AV	5.35712G	6.00	-52.43	-52.43	-46.43	-41.20	-5.23
5290MHz	Pass	4.99G	5.51G	PK	5.04668G	6.00	-41.66	-41.66	-35.66	-21.20	-14.46
5290MHz	Pass	4.99G	5.51G	PK	5.40106G	6.00	-40.57	-40.57	-34.57	-21.20	-13.37
5290MHz	Pass	4.99G	5.51G	PK	5.4775G	6.00	-41.15	-41.15	-35.15	-27.00	-8.15
5530MHz	Pass	5.31G	5.885G	AV	5.4365G	6.00	-52.77	-52.77	-46.77	-41.20	-5.57
5530MHz	Pass	5.31G	5.885G	AV	5.43823G	6.00	-52.77	-52.77	-46.77	-41.20	-5.57
5530MHz	Pass	5.31G	5.885G	PK	5.32725G	6.00	-41.91	-41.91	-35.91	-27.00	-8.91
5530MHz	Pass	5.31G	5.885G	PK	5.43276G	6.00	-40.81	-40.81	-34.81	-21.20	-13.61
5530MHz	Pass	5.31G	5.885G	PK	5.46353G	6.00	-41.40	-41.40	-35.40	-27.00	-8.40
5530MHz	Pass	5.31G	5.885G	PK	5.88069G	6.00	-41.62	-41.62	-35.62	-27.00	-8.62
5610MHz	Pass	5.31G	5.885G	AV	5.45231G	6.00	-52.66	-52.66	-46.66	-41.20	-5.46
5610MHz	Pass	5.31G	5.885G	PK	5.31058G	6.00	-42.15	-42.15	-36.15	-27.00	-9.15
5610MHz	Pass	5.31G	5.885G	PK	5.45893G	6.00	-40.51	-40.51	-34.51	-21.20	-13.31
5610MHz	Pass	5.31G	5.885G	PK	5.46439G	6.00	-41.33	-41.33	-35.33	-27.00	-8.33
5610MHz	Pass	5.31G	5.885G	PK	5.72601G	6.00	-39.04	-39.04	-33.04	-27.00	-6.04
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4276G	6.00	-53.35	-53.35	-47.35	-41.20	-6.15
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3268G	6.00	-42.34	-42.34	-36.34	-27.00	-9.34
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3751G	6.00	-41.11	-41.11	-35.11	-21.20	-13.91
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4633G	6.00	-41.72	-41.72	-35.72	-27.00	-8.72
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.9561G	6.00	-41.01	-41.01	-35.01	-27.00	-8.01
5775MHz	Pass	5.565G	6.01G	PK	5.64911G	6.00	-40.60	-40.60	-34.60	-27.00	-7.60
5775MHz	Pass	5.565G	6.01G	PK	5.94036G	6.00	-39.80	-39.80	-33.80	-27.00	-6.80
11a160_160MHz_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.14584G	6.00	-53.11	-53.11	-47.11	-41.20	-5.91
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.35374G	6.00	-50.97	-50.97	-44.97	-41.20	-3.77
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.1429G	6.00	-41.93	-41.93	-35.93	-21.20	-14.73
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.35542G	6.00	-40.66	-40.66	-34.66	-21.20	-13.46
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.57382G	6.00	-41.41	-41.41	-35.41	-27.00	-8.41
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.03832G	6.00	-53.14	-53.14	-47.14	-41.20	-5.94
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.36298G	6.00	-51.06	-51.06	-45.06	-41.20	-3.86
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.14374G	6.00	-42.35	-42.35	-36.35	-21.20	-15.15
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.36592G	6.00	-40.78	-40.78	-34.78	-21.20	-13.58
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46882G	6.00	-40.82	-40.82	-34.82	-27.00	-7.82
5570MHz	Pass	5.15G	6.045G	AV	5.15G	6.00	-54.65	-54.65	-48.65	-41.20	-7.45
5570MHz	Pass	5.15G	6.045G	AV	5.45922G	6.00	-51.17	-51.17	-45.17	-41.20	-3.97
5570MHz	Pass	5.15G	6.045G	PK	5.33929G	6.00	-42.05	-42.05	-36.05	-27.00	-9.05
5570MHz	Pass	5.15G	6.045G	PK	5.45699G	6.00	-40.10	-40.10	-34.10	-21.20	-12.90
5570MHz	Pass	5.15G	6.045G	PK	5.46683G	6.00	-40.67	-40.67	-34.67	-27.00	-7.67
5570MHz	Pass	5.15G	6.045G	PK	5.93134G	6.00	-41.09	-41.09	-35.09	-27.00	-8.09
802.11ax HEW20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.39G	AV	5.1499G	6.00	-50.17	-50.17	-44.17	-41.20	-2.97
5180MHz	Pass	5.11G	5.39G	AV	5.36704G	6.00	-52.84	-52.84	-46.84	-41.20	-5.64
5180MHz	Pass	5.11G	5.39G	PK	5.14976G	6.00	-37.40	-37.40	-31.40	-21.20	-10.20
5180MHz	Pass	5.11G	5.39G	PK	5.3872G	6.00	-41.18	-41.18	-35.18	-21.20	-13.98
5200MHz	Pass	5.11G	5.39G	AV	5.14976G	6.00	-53.91	-53.91	-47.91	-41.20	-6.71
5200MHz	Pass	5.11G	5.39G	AV	5.37866G	6.00	-53.18	-53.18	-47.18	-41.20	-5.98
5200MHz	Pass	5.11G	5.39G	PK	5.13114G	6.00	-42.34	-42.34	-36.34	-21.20	-15.14



CSE Bandedge_Non-Beamforming_Scanning Radio_1T1S

Appendix E.14

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5200MHz	Pass	5.11G	5.39G	PK	5.37838G	6.00	-42.03	-42.03	-36.03	-21.20	-14.83
5240MHz	Pass	5.11G	5.39G	AV	5.14724G	6.00	-53.75	-53.75	-47.75	-41.20	-6.55
5240MHz	Pass	5.11G	5.39G	AV	5.36872G	6.00	-53.04	-53.04	-47.04	-41.20	-5.84
5240MHz	Pass	5.11G	5.39G	PK	5.14234G	6.00	-42.66	-42.66	-36.66	-21.20	-15.46
5240MHz	Pass	5.11G	5.39G	PK	5.3774G	6.00	-40.40	-40.40	-34.40	-21.20	-13.20
5260MHz	Pass	5.11G	5.39G	AV	5.1247G	6.00	-54.12	-54.12	-48.12	-41.20	-6.92
5260MHz	Pass	5.11G	5.39G	AV	5.36004G	6.00	-52.97	-52.97	-46.97	-41.20	-5.77
5260MHz	Pass	5.11G	5.39G	PK	5.12988G	6.00	-42.03	-42.03	-36.03	-21.20	-14.83
5260MHz	Pass	5.11G	5.39G	PK	5.38958G	6.00	-41.03	-41.03	-35.03	-21.20	-13.83
5300MHz	Pass	5.11G	5.39G	AV	5.1163G	6.00	-53.86	-53.86	-47.86	-41.20	-6.66
5300MHz	Pass	5.11G	5.39G	AV	5.38916G	6.00	-52.95	-52.95	-46.95	-41.20	-5.75
5300MHz	Pass	5.11G	5.39G	PK	5.11196G	6.00	-42.42	-42.42	-36.42	-21.20	-15.22
5300MHz	Pass	5.11G	5.39G	PK	5.38928G	6.00	-41.50	-41.50	-35.50	-21.20	-14.30
5320MHz	Pass	5.11G	5.39G	AV	5.1366G	6.00	-53.79	-53.79	-47.79	-41.20	-6.59
5320MHz	Pass	5.11G	5.39G	AV	5.3501G	6.00	-48.86	-48.86	-42.86	-41.20	-1.66
5320MHz	Pass	5.11G	5.39G	PK	5.1303G	6.00	-42.49	-42.49	-36.49	-21.20	-15.29
5320MHz	Pass	5.11G	5.39G	PK	5.3515G	6.00	-35.68	-35.68	-29.68	-21.20	-8.48
5500MHz	Pass	5.43G	5.765G	AV	5.45982G	6.00	-52.83	-52.83	-46.83	-41.20	-5.63
5500MHz	Pass	5.43G	5.765G	PK	5.45831G	6.00	-41.89	-41.89	-35.89	-21.20	-14.69
5500MHz	Pass	5.43G	5.765G	PK	5.46936G	6.00	-37.30	-37.30	-31.30	-27.00	-4.30
5500MHz	Pass	5.43G	5.765G	PK	5.73117G	6.00	-41.66	-41.66	-35.66	-27.00	-8.66
5580MHz	Pass	5.43G	5.765G	AV	5.43335G	6.00	-53.36	-53.36	-47.36	-41.20	-6.16
5580MHz	Pass	5.43G	5.765G	AV	5.44742G	6.00	-53.36	-53.36	-47.36	-41.20	-6.16
5580MHz	Pass	5.43G	5.765G	PK	5.44893G	6.00	-41.99	-41.99	-35.99	-21.20	-14.79
5580MHz	Pass	5.43G	5.765G	PK	5.46451G	6.00	-42.31	-42.31	-36.31	-27.00	-9.31
5580MHz	Pass	5.43G	5.765G	PK	5.72782G	6.00	-42.15	-42.15	-36.15	-27.00	-9.15
5700MHz	Pass	5.43G	5.765G	AV	5.43804G	6.00	-53.28	-53.28	-47.28	-41.20	-6.08
5700MHz	Pass	5.43G	5.765G	PK	5.44591G	6.00	-41.67	-41.67	-35.67	-21.20	-14.47
5700MHz	Pass	5.43G	5.765G	PK	5.46752G	6.00	-42.58	-42.58	-36.58	-27.00	-9.58
5700MHz	Pass	5.43G	5.765G	PK	5.74658G	6.00	-41.39	-41.39	-35.39	-27.00	-8.39
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.4484G	6.00	-53.46	-53.46	-47.46	-41.20	-6.26
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43713G	6.00	-42.61	-42.61	-36.61	-21.20	-15.41
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46795G	6.00	-42.34	-42.34	-36.34	-27.00	-9.34
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.86033G	6.00	-41.56	-41.56	-35.56	-27.00	-8.56
5745MHz	Pass	5.685G	5.89G	PK	5.68562G	6.00	-43.43	-43.43	-37.43	-0.64	-36.79
5745MHz	Pass	5.685G	5.89G	PK	5.88968G	6.00	-43.41	-43.41	-37.41	-0.87	-36.54
5785MHz	Pass	5.685G	5.89G	PK	5.68541G	6.00	-43.20	-43.20	-37.20	-0.80	-36.40
5785MHz	Pass	5.685G	5.89G	PK	5.8899G	6.00	-43.15	-43.15	-37.15	-1.02	-36.13
5825MHz	Pass	5.685G	5.89G	PK	5.6851G	6.00	-43.91	-43.91	-37.91	-1.02	-36.89
5825MHz	Pass	5.685G	5.89G	PK	5.89G	6.00	-43.68	-43.68	-37.68	-1.10	-36.58
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.43G	AV	5.1492G	6.00	-53.24	-53.24	-47.24	-41.20	-6.04
5190MHz	Pass	5.07G	5.43G	AV	5.40858G	6.00	-52.96	-52.96	-46.96	-41.20	-5.76
5190MHz	Pass	5.07G	5.43G	PK	5.1483G	6.00	-41.96	-41.96	-35.96	-21.20	-14.76
5190MHz	Pass	5.07G	5.43G	PK	5.36088G	6.00	-42.04	-42.04	-36.04	-21.20	-14.84
5230MHz	Pass	5.07G	5.43G	AV	5.14902G	6.00	-53.31	-53.31	-47.31	-41.20	-6.11
5230MHz	Pass	5.07G	5.43G	AV	5.39634G	6.00	-52.84	-52.84	-46.84	-41.20	-5.64
5230MHz	Pass	5.07G	5.43G	PK	5.13786G	6.00	-42.00	-42.00	-36.00	-21.20	-14.80
5230MHz	Pass	5.07G	5.43G	PK	5.38896G	6.00	-41.92	-41.92	-35.92	-21.20	-14.72
5270MHz	Pass	5.07G	5.43G	AV	5.14902G	6.00	-54.09	-54.09	-48.09	-41.20	-6.89
5270MHz	Pass	5.07G	5.43G	AV	5.35026G	6.00	-52.68	-52.68	-46.68	-41.20	-5.48
5270MHz	Pass	5.07G	5.43G	PK	5.10762G	6.00	-42.66	-42.66	-36.66	-21.20	-15.46
5270MHz	Pass	5.07G	5.43G	PK	5.40048G	6.00	-41.64	-41.64	-35.64	-21.20	-14.44
5310MHz	Pass	5.07G	5.43G	AV	5.1312G	6.00	-54.08	-54.08	-48.08	-41.20	-6.88
5310MHz	Pass	5.07G	5.43G	AV	5.35494G	6.00	-52.49	-52.49	-46.49	-41.20	-5.29
5310MHz	Pass	5.07G	5.43G	PK	5.11878G	6.00	-42.21	-42.21	-36.21	-21.20	-15.01
5310MHz	Pass	5.07G	5.43G	PK	5.38286G	6.00	-41.62	-41.62	-35.62	-21.20	-14.42
5510MHz	Pass	5.39G	5.805G	AV	5.45931G	6.00	-52.88	-52.88	-46.88	-41.20	-5.68
5510MHz	Pass	5.39G	5.805G	PK	5.4454G	6.00	-42.12	-42.12	-36.12	-21.20	-14.92
5510MHz	Pass	5.39G	5.805G	PK	5.46242G	6.00	-42.03	-42.03	-36.03	-27.00	-9.03
5510MHz	Pass	5.39G	5.805G	PK	5.78819G	6.00	-41.55	-41.55	-35.55	-27.00	-8.55
5550MHz	Pass	5.39G	5.805G	AV	5.43648G	6.00	-53.02	-53.02	-47.02	-41.20	-5.82
5550MHz	Pass	5.39G	5.805G	PK	5.45993G	6.00	-42.04	-42.04	-36.04	-21.20	-14.84
5550MHz	Pass	5.39G	5.805G	PK	5.46636G	6.00	-42.17	-42.17	-36.17	-27.00	-9.17
5550MHz	Pass	5.39G	5.805G	PK	5.75043G	6.00	-41.82	-41.82	-35.82	-27.00	-8.82
5670MHz	Pass	5.39G	5.805G	AV	5.45993G	6.00	-53.28	-53.28	-47.28	-41.20	-6.08
5670MHz	Pass	5.39G	5.805G	PK	5.40141G	6.00	-42.36	-42.36	-36.36	-21.20	-15.16
5670MHz	Pass	5.39G	5.805G	PK	5.46636G	6.00	-41.55	-41.55	-35.55	-27.00	-8.55
5670MHz	Pass	5.39G	5.805G	PK	5.72719G	6.00	-36.77	-36.77	-30.77	-27.00	-3.77
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.41538G	6.00	-53.36	-53.36	-47.36	-41.20	-6.16

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.43023G	6.00	-41.76	-41.76	-35.76	-21.20	-14.56
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.46128G	6.00	-43.42	-43.42	-37.42	-27.00	-10.42
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.90705G	6.00	-41.31	-41.31	-35.31	-27.00	-8.31
5755MHz	Pass	5.645G	5.93G	PK	5.64657G	6.00	-41.76	-41.76	-35.76	-27.00	-8.76
5755MHz	Pass	5.645G	5.93G	PK	5.92387G	6.00	-40.36	-40.36	-34.36	-26.17	-8.19
5795MHz	Pass	5.645G	5.93G	PK	5.64557G	6.00	-42.56	-42.56	-36.56	-27.00	-9.56
5795MHz	Pass	5.645G	5.93G	PK	5.92943G	6.00	-42.15	-42.15	-36.15	-27.00	-9.15
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.14808G	6.00	-52.63	-52.63	-46.63	-41.20	-5.43
5210MHz	Pass	4.99G	5.51G	AV	5.4151G	6.00	-52.66	-52.66	-46.66	-41.20	-5.46
5210MHz	Pass	4.99G	5.51G	PK	5.1382G	6.00	-42.09	-42.09	-36.09	-21.20	-14.89
5210MHz	Pass	4.99G	5.51G	PK	5.35374G	6.00	-40.53	-40.53	-34.53	-21.20	-13.33
5210MHz	Pass	4.99G	5.51G	PK	5.47984G	6.00	-41.28	-41.28	-35.28	-27.00	-8.28
5290MHz	Pass	4.99G	5.51G	AV	5.02718G	6.00	-53.53	-53.53	-47.53	-41.20	-6.33
5290MHz	Pass	4.99G	5.51G	AV	5.35452G	6.00	-52.19	-52.19	-46.19	-41.20	-4.99
5290MHz	Pass	4.99G	5.51G	AV	5.36284G	6.00	-52.19	-52.19	-46.19	-41.20	-4.99
5290MHz	Pass	4.99G	5.51G	PK	5.09738G	6.00	-41.97	-41.97	-35.97	-21.20	-14.77
5290MHz	Pass	4.99G	5.51G	PK	5.41978G	6.00	-40.78	-40.78	-34.78	-21.20	-13.58
5290MHz	Pass	4.99G	5.51G	PK	5.49726G	6.00	-41.80	-41.80	-35.80	-27.00	-8.80
5530MHz	Pass	5.31G	5.885G	AV	5.4595G	6.00	-52.90	-52.90	-46.90	-41.20	-5.70
5530MHz	Pass	5.31G	5.885G	PK	5.31144G	6.00	-42.54	-42.54	-36.54	-27.00	-9.54
5530MHz	Pass	5.31G	5.885G	PK	5.36376G	6.00	-41.97	-41.97	-35.97	-21.20	-14.77
5530MHz	Pass	5.31G	5.885G	PK	5.46065G	6.00	-41.93	-41.93	-35.93	-27.00	-8.93
5530MHz	Pass	5.31G	5.885G	PK	5.85654G	6.00	-41.05	-41.05	-35.05	-27.00	-8.05
5610MHz	Pass	5.31G	5.885G	AV	5.45001G	6.00	-52.99	-52.99	-46.99	-41.20	-5.79
5610MHz	Pass	5.31G	5.885G	PK	5.34939G	6.00	-42.70	-42.70	-36.70	-27.00	-9.70
5610MHz	Pass	5.31G	5.885G	PK	5.40804G	6.00	-41.79	-41.79	-35.79	-21.20	-14.59
5610MHz	Pass	5.31G	5.885G	PK	5.46669G	6.00	-41.93	-41.93	-35.93	-27.00	-8.93
5610MHz	Pass	5.31G	5.885G	PK	5.72745G	6.00	-39.68	-39.68	-33.68	-27.00	-6.68
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.44615G	6.00	-53.42	-53.42	-47.42	-41.20	-6.22
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.34465G	6.00	-42.73	-42.73	-36.73	-27.00	-9.73
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.4346G	6.00	-41.60	-41.60	-35.60	-21.20	-14.40
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46365G	6.00	-42.42	-42.42	-36.42	-27.00	-9.42
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.87175G	6.00	-41.01	-41.01	-35.01	-27.00	-8.01
5775MHz	Pass	5.565G	6.01G	PK	5.64466G	6.00	-40.50	-40.50	-34.50	-27.00	-7.50
5775MHz	Pass	5.565G	6.01G	PK	5.9546G	6.00	-40.01	-40.01	-34.01	-27.00	-7.01
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.14122G	6.00	-53.10	-53.10	-47.10	-41.20	-5.90
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.35038G	6.00	-51.88	-51.88	-45.88	-41.20	-4.68
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.04252G	6.00	-42.31	-42.31	-36.31	-21.20	-15.11
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.44236G	6.00	-40.83	-40.83	-34.83	-21.20	-13.63
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.6112G	6.00	-41.38	-41.38	-35.38	-27.00	-8.38
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.14626G	6.00	-53.30	-53.30	-47.30	-41.20	-6.10
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35122G	6.00	-51.99	-51.99	-45.99	-41.20	-4.79
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.01396G	6.00	-41.42	-41.42	-35.42	-21.20	-14.22
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35626G	6.00	-40.90	-40.90	-34.90	-21.20	-13.70
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.52258G	6.00	-40.04	-40.04	-34.04	-27.00	-7.04
5570MHz	Pass	5.15G	6.045G	AV	5.15G	6.00	-54.58	-54.58	-48.58	-41.20	-7.38
5570MHz	Pass	5.15G	6.045G	AV	5.45206G	6.00	-52.37	-52.37	-46.37	-41.20	-5.17
5570MHz	Pass	5.15G	6.045G	PK	5.33034G	6.00	-41.46	-41.46	-35.46	-27.00	-8.46
5570MHz	Pass	5.15G	6.045G	PK	5.36749G	6.00	-41.44	-41.44	-35.44	-21.20	-14.24
5570MHz	Pass	5.15G	6.045G	PK	5.46728G	6.00	-42.14	-42.14	-36.14	-27.00	-9.14
5570MHz	Pass	5.15G	6.045G	PK	5.94834G	6.00	-41.31	-41.31	-35.31	-27.00	-8.31
5570MHz	Pass	5.15G	6.045G	PK	6.00428G	6.00	-40.57	-40.57	-34.57	-27.00	-7.57


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5180MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14752G	-36.14	-21.20	-14.94	6.00	0.00	-42.14	-42.14
5.11G	5.39G	1M	PK	5.37726G	-35.50	-21.20	-14.30	6.00	0.00	-41.50	-41.50

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5180MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14906G	-46.74	-41.20	-5.54	6.00	0.00	-52.74	-52.74
5.11G	5.39G	1M	AV	5.3648G	-47.19	-41.20	-5.99	6.00	0.00	-53.19	-53.19

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5200MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.13002G	-36.35	-21.20	-15.15	6.00	0.00	-42.35	-42.35
5.11G	5.39G	1M	PK	5.38692G	-35.74	-21.20	-14.54	6.00	0.00	-41.74	-41.74

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5200MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.1478G	-48.12	-41.20	-6.92	6.00	0.00	-54.12	-54.12
5.11G	5.39G	1M	AV	5.38874G	-46.89	-41.20	-5.69	6.00	0.00	-52.89	-52.89

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5240MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14738G	-36.53	-21.20	-15.33	6.00	0.00	-42.53	-42.53
5.11G	5.39G	1M	PK	5.37082G	-35.39	-21.20	-14.19	6.00	0.00	-41.39	-41.39

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5240MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14906G	-46.01	-41.20	-6.81	6.00	0.00	-54.01	-54.01
5.11G	5.39G	1M	AV	5.38034G	-47.04	-41.20	-5.84	6.00	0.00	-53.04	-53.04

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5260MHz

17/05/2023




5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5260MHz

17/05/2023




5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5300MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.11266G	-36.38	-21.20	-15.18	6.00	0.00	-42.38	-42.38
5.11G	5.39G	1M	PK	5.37082G	-35.66	-21.20	-14.46	6.00	0.00	-41.66	-41.66

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5300MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.11378G	-47.91	-41.20	-6.71	6.00	0.00	-53.91	-53.91
5.11G	5.39G	1M	AV	5.38818G	-46.99	-41.20	-5.79	6.00	0.00	-52.99	-52.99

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5320MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.1289G	-36.49	-21.20	-15.29	6.00	0.00	-42.49	-42.49
5.11G	5.39G	1M	PK	5.35024G	-34.00	-21.20	-12.80	6.00	0.00	-40.00	-40.00

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5320MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.13324G	-47.60	-41.20	-6.40	6.00	0.00	-53.60	-53.60
5.11G	5.39G	1M	AV	5.35024G	-45.86	-41.20	-4.66	6.00	0.00	-51.86	-51.86

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5500MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.45261G	-36.21	-21.20	-15.01	6.00	0.00	-42.21	-42.21
5.43G	5.765G	1M	PK	5.46702G	-35.08	-27.00	-8.08	6.00	0.00	-41.08	-41.08
5.43G	5.765G	1M	PK	5.7583G	-36.66	-27.00	-9.66	6.00	0.00	-42.66	-42.66

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5500MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.4501G	-47.18	-41.20	-5.98	6.00	0.00	-53.18	-53.18

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5580MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.43201G	-35.37	-21.20	-14.17	6.00	0.00	-41.37	-41.37
5.43G	5.765G	1M	PK	5.46702G	-36.62	-27.00	-9.62	6.00	0.00	-42.62	-42.62
5.43G	5.765G	1M	PK	5.73854G	-35.56	-27.00	-8.56	6.00	0.00	-41.56	-41.56

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5580MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.44524G	-47.32	-41.20	-6.12	6.00	0.00	-53.32	-53.32

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5700MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.45563G	-35.95	-21.20	-14.75	6.00	0.00	-41.95	-41.95
5.43G	5.765G	1M	PK	5.46869G	-36.76	-27.00	-9.76	6.00	0.00	-42.76	-42.76
5.43G	5.765G	1M	PK	5.7253G	-35.16	-27.00	-8.16	6.00	0.00	-41.16	-41.16
5.43G	5.765G	1M	PK	5.72966G	-35.16	-27.00	-8.16	6.00	0.00	-41.16	-41.16

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5700MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.45931G	-47.19	-41.20	-5.99	6.00	0.00	-53.19	-53.19

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	PK	5.4415G	-36.17	-21.20	-14.97	6.00	0.00	-42.17	-42.17
5.43G	5.89G	1M	PK	5.46013G	-35.76	-27.00	-8.76	6.00	0.00	-41.76	-41.76
5.43G	5.89G	1M	PK	5.67066G	-35.05	-27.00	-8.05	6.00	0.00	-41.05	-41.05

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	AV	5.45806G	-47.40	-41.20	-6.20	6.00	0.00	-53.40	-53.40

5.725-5.85GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5745MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.68521G	-36.94	-0.95	-35.99	6.00	0.00	-42.94	-42.94
5.685G	5.89G	1M	PK	5.88918G	-34.11	-0.49	-33.62	6.00	0.00	-40.11	-40.11

5.725-5.85GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5785MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.6851G	-38.11	-1.02	-37.09	6.00	0.00	-44.11	-44.11
5.685G	5.89G	1M	PK	5.889G	-36.48	-1.10	-35.38	6.00	0.00	-42.48	-42.48

5.725-5.85GHz_11a20_20MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5825MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.68541G	-36.89	-0.80	-36.09	6.00	0.00	-42.89	-42.89
5.685G	5.89G	1M	PK	5.89G	-36.69	-1.10	-35.59	6.00	0.00	-42.69	-42.69

5.15-5.25GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5190MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.07612G	-35.88	-21.20	-14.68	6.00	0.00	-41.88	-41.88
5.07G	5.43G	1M	PK	5.43G	-35.51	-21.20	-14.31	6.00	0.00	-41.51	-41.51

5.15-5.25GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5190MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.14434G	-47.68	-41.20	-6.48	6.00	0.00	-53.68	-53.68
5.07G	5.43G	1M	AV	5.41344G	-46.88	-41.20	-5.68	6.00	0.00	-52.88	-52.88

5.15-5.25GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5230MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.14992G	-32.56	-21.20	-11.36	6.00	0.00	-38.56	-38.56
5.07G	5.43G	1M	PK	5.38986G	-35.19	-21.20	-13.99	6.00	0.00	-41.19	-41.19

5.15-5.25GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5230MHz

17/05/2023




5.25-5.35GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5270MHz

17/05/2023




5.25-5.35GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5270MHz

17/05/2023




5.25-5.35GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5310MHz

24/05/2023




5.25-5.35GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5310MHz

24/05/2023




5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5510MHz

24/05/2023




5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5510MHz

24/05/2023



Limit:AV
EIRP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psun(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.40888G	-47.17	-41.20	-5.97	6.00	0.00	-53.17	-53.17

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5550MHz

17/05/2023



Limit:PK
EIRP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psun(dBm)	P1(dBm)
5.39G	5.805G	1M	PK	5.45951G	-34.97	-21.20	-13.77	6.00	0.00	-40.97	-40.97
5.39G	5.805G	1M	PK	5.46966G	-31.85	-27.00	-4.85	6.00	0.00	-37.85	-37.85
5.39G	5.805G	1M	PK	5.79546G	-35.55	-27.00	-8.55	6.00	0.00	-41.55	-41.55

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5550MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.45827G	-46.48	-41.20	-5.28	6.00	0.00	-52.48	-52.48

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5670MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	PK	5.4508G	-36.01	-21.20	-14.81	6.00	0.00	-42.01	-42.01
5.39G	5.805G	1M	PK	5.46636G	-35.30	-27.00	-8.30	6.00	0.00	-41.30	-41.30
5.39G	5.805G	1M	PK	5.72677G	-29.60	-27.00	-2.60	6.00	0.00	-35.60	-35.60

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5670MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.44706G	-47.22	-41.20	-6.02	6.00	0.00	-53.22	-53.22

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.93G	1M	PK	5.3981G	-35.59	-21.20	-14.39	6.00	0.00	-41.59	-41.59
5.39G	5.93G	1M	PK	5.46587G	-36.72	-27.00	-9.72	6.00	0.00	-42.72	-42.72
5.39G	5.93G	1M	PK	5.92271G	-34.87	-27.00	-7.87	6.00	0.00	-40.87	-40.87

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.93G	1M	AV	5.4386G	-47.38	-41.20	-6.18	6.00	0.00	-53.38	-53.38

5.725-5.85GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5755MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.645G	5.93G	1M	PK	5.645G	-36.19	-27.00	-9.19	6.00	0.00	-42.19	-42.19
5.645G	5.93G	1M	PK	5.92644G	-36.05	-27.00	-9.05	6.00	0.00	-42.05	-42.05

5.725-5.85GHz_11a40_40MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5795MHz

17/05/2023




5.15-5.25GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5210MHz

24/05/2023




5.15-5.25GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5210MHz

24/05/2023




5.25-5.35GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5290MHz

24/05/2023




5.25-5.35GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5290MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.042G	-47.37	-41.20	-6.17	6.00	0.00	-53.37	-53.37
4.99G	5.51G	1M	AV	5.35712G	-46.43	-41.20	-5.23	6.00	0.00	-52.43	-52.43

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5530MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.32725G	-35.91	-27.00	-8.91	6.00	0.00	-41.91	-41.91
5.31G	5.885G	1M	PK	5.43276G	-34.81	-21.20	-13.61	6.00	0.00	-40.81	-40.81
5.31G	5.885G	1M	PK	5.46353G	-35.40	-27.00	-8.40	6.00	0.00	-41.40	-41.40
5.31G	5.885G	1M	PK	5.88069G	-35.62	-27.00	-8.62	6.00	0.00	-41.62	-41.62

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5530MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.4365G	-46.77	-41.20	-5.57	6.00	0.00	-52.77	-52.77
5.31G	5.885G	1M	AV	5.43823G	-46.77	-41.20	-5.57	6.00	0.00	-52.77	-52.77

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5610MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.31058G	-36.15	-27.00	-9.15	6.00	0.00	-42.15	-42.15
5.31G	5.885G	1M	PK	5.45893G	-34.51	-21.20	-13.31	6.00	0.00	-40.51	-40.51
5.31G	5.885G	1M	PK	5.46439G	-35.33	-27.00	-8.33	6.00	0.00	-41.33	-41.33
5.31G	5.885G	1M	PK	5.72601G	-33.04	-27.00	-6.04	6.00	0.00	-39.04	-39.04

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5610MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.45231G	-46.66	-41.20	-5.46	6.00	0.00	-52.66	-52.66

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.31G	6.01G	1M	PK	5.3268G	-36.34	-27.00	-9.34	6.00	0.00	-42.34	-42.34
5.31G	6.01G	1M	PK	5.3751G	-35.11	-21.20	-13.91	6.00	0.00	-41.11	-41.11
5.31G	6.01G	1M	PK	5.4633G	-35.72	-27.00	-8.72	6.00	0.00	-41.72	-41.72
5.31G	6.01G	1M	PK	5.9561G	-35.01	-27.00	-8.01	6.00	0.00	-41.01	-41.01

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

17/05/2023



Limit:AV
EIRP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.31G	6.01G	1M	AV	5.4276G	-47.35	-41.20	-6.15	6.00	0.00	-53.35	-53.35

5.725-5.85GHz_11a80_80MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5775MHz

17/05/2023



Limit:PK
EIRP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.565G	6.01G	1M	PK	5.64911G	-34.60	-27.00	-7.60	6.00	0.00	-40.60	-40.60
5.565G	6.01G	1M	PK	5.94036G	-33.80	-27.00	-6.80	6.00	0.00	-39.80	-39.80

5.15-5.25GHz_11a160_160MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.1429G	-35.93	-21.20	-14.73	6.00	0.00	-41.93	-41.93
4.83G	5.67G	1M	PK	5.35542G	-34.66	-21.20	-13.46	6.00	0.00	-40.66	-40.66
4.83G	5.67G	1M	PK	5.57362G	-35.41	-27.00	-8.41	6.00	0.00	-41.41	-41.41

5.15-5.25GHz_11a160_160MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.14584G	-47.11	-41.20	-5.91	6.00	0.00	-53.11	-53.11
4.83G	5.67G	1M	AV	5.35374G	-44.97	-41.20	-3.77	6.00	0.00	-50.97	-50.97

5.25-5.35GHz_11a160_160MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.14374G	-36.35	-21.20	-15.15	6.00	0.00	-42.35	-42.35
4.83G	5.67G	1M	PK	5.36592G	-34.78	-21.20	-13.58	6.00	0.00	-40.78	-40.78
4.83G	5.67G	1M	PK	5.46862G	-34.82	-27.00	-7.82	6.00	0.00	-40.82	-40.82

5.25-5.35GHz_11a160_160MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.03832G	-47.14	-41.20	-5.94	6.00	0.00	-53.14	-53.14
4.83G	5.67G	1M	AV	5.36298G	-45.06	-41.20	-3.86	6.00	0.00	-51.06	-51.06

5.47-5.725GHz_11a160_160MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5570MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	PK	5.33929G	-36.05	-27.00	-9.05	6.00	0.00	-42.05	-42.05
5.15G	6.045G	1M	PK	5.45699G	-34.10	-21.20	-12.90	6.00	0.00	-40.10	-40.10
5.15G	6.045G	1M	PK	5.46683G	-34.67	-27.00	-7.67	6.00	0.00	-40.67	-40.67
5.15G	6.045G	1M	PK	5.93134G	-35.09	-27.00	-8.09	6.00	0.00	-41.09	-41.09

5.47-5.725GHz_11a160_160MHz_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5570MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	AV	5.15G	-48.65	-41.20	-7.45	6.00	0.00	-54.65	-54.65
5.15G	6.045G	1M	AV	5.45922G	-45.17	-41.20	-3.97	6.00	0.00	-51.17	-51.17

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5180MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14976G	-31.40	-21.20	-10.20	6.00	0.00	-37.40	-37.40
5.11G	5.39G	1M	PK	5.3872G	-35.18	-21.20	-13.98	6.00	0.00	-41.18	-41.18

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5180MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.1499G	-44.17	-41.20	-2.97	6.00	0.00	-50.17	-50.17
5.11G	5.39G	1M	AV	5.36704G	-46.84	-41.20	-5.64	6.00	0.00	-52.84	-52.84

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5200MHz

17/05/2023




5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5200MHz

17/05/2023




5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5240MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14234G	-36.66	-21.20	-15.46	6.00	0.00	-42.66	-42.66
5.11G	5.39G	1M	PK	5.3774G	-34.40	-21.20	-13.20	6.00	0.00	-40.40	-40.40

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5240MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14724G	-47.75	-41.20	-6.55	6.00	0.00	-53.75	-53.75
5.11G	5.39G	1M	AV	5.36872G	-47.04	-41.20	-5.84	6.00	0.00	-53.04	-53.04

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5260MHz

17/05/2023




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5260MHz

17/05/2023




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5300MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.11196G	-36.42	-21.20	-15.22	6.00	0.00	-42.42	-42.42
5.11G	5.39G	1M	PK	5.36928G	-35.50	-21.20	-14.30	6.00	0.00	-41.50	-41.50

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5300MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.1163G	-47.86	-41.20	-6.66	6.00	0.00	-53.86	-53.86
5.11G	5.39G	1M	AV	5.38916G	-46.95	-41.20	-5.75	6.00	0.00	-52.95	-52.95

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5320MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.1303G	-36.49	-21.20	-15.29	6.00	0.00	-42.49	-42.49
5.11G	5.39G	1M	PK	5.3515G	-29.68	-21.20	-8.48	6.00	0.00	-35.68	-35.68

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5320MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.1366G	-47.79	-41.20	-6.59	6.00	0.00	-53.79	-53.79
5.11G	5.39G	1M	AV	5.3501G	-42.86	-41.20	-1.66	6.00	0.00	-48.86	-48.86

5.47-5.725GHz_802.11ax_HEW20_Nss1_(MCS0)_1TX

CSE Bandedge [PK]

5500MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psu(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.45831G	-35.89	-21.20	-14.69	6.00	0.00	-41.89	-41.89
5.43G	5.765G	1M	PK	5.46936G	-31.30	-27.00	-4.30	6.00	0.00	-37.30	-37.30
5.43G	5.765G	1M	PK	5.73117G	-35.66	-27.00	-8.66	6.00	0.00	-41.66	-41.66

5.47-5.725GHz_802.11ax_HEW20_Nss1_(MCS0)_1TX

CSE Bandedge [AV]

5500MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psu(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.45982G	-46.83	-41.20	-5.63	6.00	0.00	-52.83	-52.83

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5580MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.44893G	-35.99	-21.20	-14.79	6.00	0.00	-41.99	-41.99
5.43G	5.765G	1M	PK	5.46451G	-36.31	-27.00	-9.31	6.00	0.00	-42.31	-42.31
5.43G	5.765G	1M	PK	5.72762G	-36.15	-27.00	-9.15	6.00	0.00	-42.15	-42.15

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5580MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.43335G	-47.36	-41.20	-6.16	6.00	0.00	-53.36	-53.36
5.43G	5.765G	1M	AV	5.44742G	-47.36	-41.20	-6.16	6.00	0.00	-53.36	-53.36

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5700MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	PK	5.44591G	-35.67	-21.20	-14.47	6.00	0.00	-41.67	-41.67
5.43G	5.765G	1M	PK	5.46752G	-36.58	-27.00	-9.58	6.00	0.00	-42.58	-42.58
5.43G	5.765G	1M	PK	5.74656G	-35.39	-27.00	-8.39	6.00	0.00	-41.39	-41.39

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5700MHz

24/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.765G	1M	AV	5.43804G	-47.28	-41.20	-6.08	6.00	0.00	-53.28	-53.28

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

17/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	PK	5.43713G	-36.61	-21.20	-15.41	6.00	0.00	-42.61	-42.61
5.43G	5.89G	1M	PK	5.46795G	-36.34	-27.00	-9.34	6.00	0.00	-42.34	-42.34
5.43G	5.89G	1M	PK	5.86033G	-35.56	-27.00	-8.56	6.00	0.00	-41.56	-41.56

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.43G	5.89G	1M	AV	5.4484G	-47.46	-41.20	-6.26	6.00	0.00	-53.46	-53.46

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5745MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.68562G	-37.43	-0.64	-36.79	6.00	0.00	-43.43	-43.43
5.685G	5.89G	1M	PK	5.88969G	-37.41	-0.87	-36.54	6.00	0.00	-43.41	-43.41

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5785MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.68541G	-37.20	-0.80	-36.40	6.00	0.00	-43.20	-43.20
5.685G	5.89G	1M	PK	5.8899G	-37.15	-1.02	-36.13	6.00	0.00	-43.15	-43.15

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5825MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.6851G	-37.91	-1.02	-36.89	6.00	0.00	-43.91	-43.91
5.685G	5.89G	1M	PK	5.89G	-37.68	-1.10	-36.58	6.00	0.00	-43.68	-43.68

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5190MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.1483G	-35.96	-21.20	-14.76	6.00	0.00	-41.96	-41.96
5.07G	5.43G	1M	PK	5.3608G	-36.04	-21.20	-14.84	6.00	0.00	-42.04	-42.04

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5190MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.1492G	-47.24	-41.20	-6.04	6.00	0.00	-53.24	-53.24
5.07G	5.43G	1M	AV	5.40858G	-46.96	-41.20	-5.76	6.00	0.00	-52.96	-52.96

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5230MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.13786G	-36.00	-21.20	-14.80	6.00	0.00	-42.00	-42.00
5.07G	5.43G	1M	PK	5.38896G	-35.92	-21.20	-14.72	6.00	0.00	-41.92	-41.92

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5230MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.14902G	-47.31	-41.20	-6.11	6.00	0.00	-53.31	-53.31
5.07G	5.43G	1M	AV	5.39634G	-46.84	-41.20	-5.64	6.00	0.00	-52.84	-52.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5270MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.10762G	-36.66	-21.20	-15.46	6.00	0.00	-42.66	-42.66
5.07G	5.43G	1M	PK	5.40048G	-35.64	-21.20	-14.44	6.00	0.00	-41.64	-41.64

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5270MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.14902G	-48.09	-41.20	-6.89	6.00	0.00	-54.09	-54.09
5.07G	5.43G	1M	AV	5.35026G	-46.68	-41.20	-5.48	6.00	0.00	-52.68	-52.68

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5310MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.11878G	-36.21	-21.20	-15.01	6.00	0.00	-42.21	-42.21
5.07G	5.43G	1M	PK	5.36286G	-35.62	-21.20	-14.42	6.00	0.00	-41.62	-41.62

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5310MHz

24/05/2023




5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5510MHz

24/05/2023




5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5510MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psu(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.45931G	-46.88	-41.20	-5.68	6.00	0.00	-52.88	-52.88

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5550MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psu(dBm)	P1(dBm)
5.39G	5.805G	1M	PK	5.45993G	-36.04	-21.20	-14.84	6.00	0.00	-42.04	-42.04
5.39G	5.805G	1M	PK	5.46636G	-36.17	-27.00	-9.17	6.00	0.00	-42.17	-42.17
5.39G	5.805G	1M	PK	5.75043G	-35.82	-27.00	-8.82	6.00	0.00	-41.82	-41.82

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5550MHz

17/05/2023



Limit:AV
EIRP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.43648G	-47.02	-41.20	-5.82	6.00	0.00	-53.02	-53.02

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5670MHz

17/05/2023



Limit:PK
EIRP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	PK	5.40141G	-36.36	-21.20	-15.16	6.00	0.00	-42.36	-42.36
5.39G	5.805G	1M	PK	5.46636G	-35.55	-27.00	-8.55	6.00	0.00	-41.55	-41.55
5.39G	5.805G	1M	PK	5.72719G	-36.77	-27.00	-9.77	6.00	0.00	-36.77	-36.77

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5670MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.45993G	-47.28	-41.20	-6.08	6.00	0.00	-53.28	-53.28

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.93G	1M	PK	5.43023G	-35.76	-21.20	-14.56	6.00	0.00	-41.76	-41.76
5.39G	5.93G	1M	PK	5.46128G	-37.42	-27.00	-10.42	6.00	0.00	-43.42	-43.42
5.39G	5.93G	1M	PK	5.90705G	-35.31	-27.00	-8.31	6.00	0.00	-41.31	-41.31

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.93G	1M	AV	5.41538G	-47.36	-41.20	-6.16	6.00	0.00	-53.36	-53.36

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5755MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.645G	5.93G	1M	PK	5.64657G	-35.76	-27.00	-8.76	6.00	0.00	-41.76	-41.76
5.645G	5.93G	1M	PK	5.92387G	-34.36	-26.17	-8.19	6.00	0.00	-40.36	-40.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5795MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.645G	5.93G	1M	PK	5.64557G	-36.56	-27.00	-9.56	6.00	0.00	-42.56	-42.56
5.645G	5.93G	1M	PK	5.92943G	-36.15	-27.00	-9.15	6.00	0.00	-42.15	-42.15

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5210MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.1382G	-36.09	-21.20	-14.89	6.00	0.00	-42.09	-42.09
4.99G	5.51G	1M	PK	5.35374G	-34.53	-21.20	-13.33	6.00	0.00	-40.53	-40.53
4.99G	5.51G	1M	PK	5.47984G	-35.28	-27.00	-8.28	6.00	0.00	-41.28	-41.28

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5210MHz

24/05/2023




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5290MHz

24/05/2023




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5290MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.31G	1M	AV	5.02718G	-47.53	-41.20	-6.33	6.00	0.00	-53.53	-53.53
4.99G	5.31G	1M	AV	5.35452G	-46.19	-41.20	-4.99	6.00	0.00	-52.19	-52.19
4.99G	5.31G	1M	AV	5.36284G	-46.19	-41.20	-4.99	6.00	0.00	-52.19	-52.19

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5530MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.31144G	-36.54	-27.00	-9.54	6.00	0.00	-42.54	-42.54
5.31G	5.885G	1M	PK	5.36376G	-35.97	-21.20	-14.77	6.00	0.00	-41.97	-41.97
5.31G	5.885G	1M	PK	5.46065G	-35.93	-27.00	-8.93	6.00	0.00	-41.93	-41.93
5.31G	5.885G	1M	PK	5.85654G	-35.05	-27.00	-8.05	6.00	0.00	-41.05	-41.05

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5530MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.4595G	-46.90	-41.20	-5.70	6.00	0.00	-52.90	-52.90

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5610MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.34939G	-36.70	-27.00	-9.70	6.00	0.00	-42.70	-42.70
5.31G	5.885G	1M	PK	5.40804G	-35.79	-21.20	-14.59	6.00	0.00	-41.79	-41.79
5.31G	5.885G	1M	PK	5.46669G	-35.93	-27.00	-8.93	6.00	0.00	-41.93	-41.93
5.31G	5.885G	1M	PK	5.72745G	-33.68	-27.00	-6.68	6.00	0.00	-39.68	-39.68

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5610MHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.45001G	-46.99	-41.20	-5.79	6.00	0.00	-52.99	-52.99

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

17/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.31G	6.01G	1M	PK	5.34465G	-36.73	-27.00	-9.73	6.00	0.00	-42.73	-42.73
5.31G	6.01G	1M	PK	5.4346G	-35.60	-21.20	-14.40	6.00	0.00	-41.60	-41.60
5.31G	6.01G	1M	PK	5.46365G	-36.42	-27.00	-9.42	6.00	0.00	-42.42	-42.42
5.31G	6.01G	1M	PK	5.87175G	-35.01	-27.00	-8.01	6.00	0.00	-41.01	-41.01

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

17/05/2023



Limit:AV
EIRP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.31G	6.01G	1M	AV	5.44615G	-47.42	-41.20	-6.22	6.00	0.00	-53.42	-53.42

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5775MHz

17/05/2023



Limit:PK
EIRP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.565G	6.01G	1M	PK	5.64466G	-34.50	-27.00	-7.50	6.00	0.00	-40.50	-40.50
5.565G	6.01G	1M	PK	5.9546G	-34.01	-27.00	-7.01	6.00	0.00	-40.01	-40.01

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.04252G	-36.31	-21.20	-15.11	6.00	0.00	-42.31	-42.31
4.83G	5.67G	1M	PK	5.44236G	-34.83	-21.20	-13.63	6.00	0.00	-40.83	-40.83
4.83G	5.67G	1M	PK	5.6112G	-35.38	-27.00	-8.38	6.00	0.00	-41.38	-41.38

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.14122G	-47.10	-41.20	-5.90	6.00	0.00	-53.10	-53.10
4.83G	5.67G	1M	AV	5.35038G	-45.88	-41.20	-4.68	6.00	0.00	-51.88	-51.88

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.01396G	-35.42	-21.20	-14.22	6.00	0.00	-41.42	-41.42
4.83G	5.67G	1M	PK	5.35626G	-34.90	-21.20	-13.70	6.00	0.00	-40.90	-40.90
4.83G	5.67G	1M	PK	5.52256G	-34.04	-27.00	-7.04	6.00	0.00	-40.04	-40.04

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.14626G	-47.30	-41.20	-6.10	6.00	0.00	-53.30	-53.30
4.83G	5.67G	1M	AV	5.35122G	-45.99	-41.20	-4.79	6.00	0.00	-51.99	-51.99

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5570MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	PK	5.33034G	-35.46	-27.00	-8.46	6.00	0.00	-41.46	-41.46
5.15G	6.045G	1M	PK	5.36749G	-35.44	-21.20	-14.24	6.00	0.00	-41.44	-41.44
5.15G	6.045G	1M	PK	5.46720G	-36.14	-27.00	-9.14	6.00	0.00	-42.14	-42.14
5.15G	6.045G	1M	PK	5.94834G	-35.31	-27.00	-8.31	6.00	0.00	-41.31	-41.31
5.15G	6.045G	1M	PK	6.00428G	-34.57	-27.00	-7.57	6.00	0.00	-40.57	-40.57

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5570MHz

24/05/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	AV	5.15G	-48.58	-41.20	-7.38	6.00	0.00	-54.58	-54.58
5.15G	6.045G	1M	AV	5.45206G	-46.37	-41.20	-5.17	6.00	0.00	-52.37	-52.37

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	5.11G	5.39G	AV	5.1499G	9.01	-56.78	-55.90	-53.31	-44.30	-41.20	-3.10
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	5.07G	5.43G	AV	5.1474G	9.01	-56.71	-56.62	-53.65	-44.64	-41.20	-3.44
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	4.99G	5.51G	AV	5.1499G	9.01	-58.39	-58.15	-55.26	-46.25	-41.20	-5.05
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	4.83G	5.67G	AV	5.3529G	9.01	-55.64	-56.50	-53.04	-44.03	-41.20	-2.83
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.11G	5.39G	AV	5.1499G	9.01	-56.40	-56.68	-53.01	-44.00	-41.20	-2.80
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.07G	5.43G	AV	5.14992G	9.01	-56.94	-56.12	-53.50	-44.49	-41.20	-3.29
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	4.99G	5.51G	AV	5.1499G	9.01	-58.78	-58.50	-55.63	-46.62	-41.20	-5.42
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	4.83G	5.67G	AV	5.35374G	9.01	-58.06	-58.00	-55.02	-46.01	-41.20	-4.81
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	5.11G	5.39G	AV	5.3501G	9.01	-57.07	-56.82	-53.93	-44.92	-41.20	-3.72
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	5.07G	5.43G	AV	5.35404G	9.01	-56.33	-55.71	-53.00	-43.99	-41.20	-2.79
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	4.99G	5.51G	AV	5.35608G	9.01	-58.09	-58.29	-55.18	-46.17	-41.20	-4.97
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	4.83G	5.67G	AV	5.355G	9.01	-55.42	-56.74	-53.02	-44.01	-41.20	-2.81
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.11G	5.39G	AV	5.35024G	9.01	-56.93	-56.93	-53.92	-44.91	-41.20	-3.71
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.07G	5.43G	AV	5.35008G	9.01	-56.49	-55.07	-52.71	-43.70	-41.20	-2.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	4.99G	5.51G	AV	5.35062G	9.01	-57.67	-57.73	-54.69	-45.68	-41.20	-4.48
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	4.83G	5.67G	AV	5.35458G	9.01	-57.94	-57.97	-54.94	-45.93	-41.20	-4.73
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	5.43G	5.765G	AV	5.45647G	9.01	-59.41	-59.17	-56.28	-47.27	-41.20	-6.07
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	5.39G	5.805G	PK	5.46968G	9.01	-42.93	-43.32	-40.11	-31.10	-27.00	-4.10
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	5.31G	5.885G	AV	5.43391G	9.01	-58.43	-57.73	-55.06	-46.05	-41.20	-4.85
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	5.15G	6.045G	AV	5.45833G	9.01	-55.66	-55.77	-52.70	-43.69	-41.20	-2.49
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.43G	5.765G	AV	5.45998G	9.01	-59.21	-59.30	-56.24	-47.23	-41.20	-6.03
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.39G	5.805G	AV	5.45889G	9.01	-58.25	-57.80	-55.01	-46.00	-41.20	-4.80
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.31G	5.885G	PK	5.72544G	9.01	-43.00	-43.49	-40.23	-31.22	-27.00	-4.22
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	5.15G	6.045G	AV	5.44267G	9.01	-57.63	-57.17	-54.38	-45.37	-41.20	-4.17
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	5.685G	5.89G	PK	5.88949G	9.01	-47.25	-49.25	-45.13	-36.12	-0.72	-35.40
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	5.645G	5.93G	PK	5.64671G	9.01	-47.57	-45.48	-43.39	-34.38	-27.00	-7.38
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	5.565G	6.01G	PK	5.6451G	9.01	-47.85	-47.46	-44.64	-35.63	-27.00	-8.63
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.685G	5.89G	PK	5.88918G	9.01	-48.24	-45.90	-43.90	-34.89	-0.49	-34.40
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.645G	5.93G	PK	5.64928G	9.01	-48.60	-46.63	-44.49	-35.48	-27.00	-8.48
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.565G	6.01G	PK	5.95482G	9.01	-46.83	-48.35	-44.51	-35.50	-27.00	-8.50

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
11a20_20MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.39G	AV	5.1499G	9.01	-56.78	-55.90	-53.31	-44.30	-41.20	-3.10
5180MHz	Pass	5.11G	5.39G	AV	5.36578G	9.01	-58.81	-58.98	-55.88	-46.87	-41.20	-5.67
5180MHz	Pass	5.11G	5.39G	PK	5.14962G	9.01	-46.66	-43.72	-41.94	-32.93	-21.20	-11.73
5180MHz	Pass	5.11G	5.39G	PK	5.35892G	9.01	-46.84	-49.61	-45.00	-35.99	-21.20	-14.79
5200MHz	Pass	5.11G	5.39G	AV	5.11154G	9.01	-59.56	-58.49	-55.98	-46.97	-41.20	-5.77
5200MHz	Pass	5.11G	5.39G	AV	5.35052G	9.01	-58.94	-58.88	-55.90	-46.89	-41.20	-5.69
5200MHz	Pass	5.11G	5.39G	PK	5.14738G	9.01	-48.07	-48.08	-45.06	-36.05	-21.20	-14.85
5200MHz	Pass	5.11G	5.39G	PK	5.37488G	9.01	-47.09	-49.49	-45.12	-36.11	-21.20	-14.91
5240MHz	Pass	5.11G	5.39G	AV	5.1373G	9.01	-58.55	-58.24	-55.38	-46.37	-41.20	-5.17
5240MHz	Pass	5.11G	5.39G	AV	5.38818G	9.01	-58.73	-58.66	-55.68	-46.67	-41.20	-5.47
5240MHz	Pass	5.11G	5.39G	PK	5.1415G	9.01	-48.90	-47.51	-45.14	-36.13	-21.20	-14.93
5240MHz	Pass	5.11G	5.39G	PK	5.35458G	9.01	-48.62	-46.81	-44.61	-35.60	-21.20	-14.40
5260MHz	Pass	5.11G	5.39G	AV	5.14808G	9.01	-59.69	-59.83	-56.75	-47.74	-41.20	-6.54
5260MHz	Pass	5.11G	5.39G	AV	5.3613G	9.01	-58.19	-57.63	-54.89	-45.88	-41.20	-4.68
5260MHz	Pass	5.11G	5.39G	PK	5.1205G	9.01	-48.52	-49.08	-45.78	-36.77	-21.20	-15.57
5260MHz	Pass	5.11G	5.39G	PK	5.35416G	9.01	-49.13	-46.49	-44.60	-35.59	-21.20	-14.39
5300MHz	Pass	5.11G	5.39G	AV	5.11462G	9.01	-58.36	-57.41	-54.85	-45.84	-41.20	-4.64
5300MHz	Pass	5.11G	5.39G	AV	5.38888G	9.01	-58.00	-57.54	-54.75	-45.74	-41.20	-4.54
5300MHz	Pass	5.11G	5.39G	PK	5.11518G	9.01	-49.90	-46.20	-44.66	-35.65	-21.20	-14.45
5300MHz	Pass	5.11G	5.39G	PK	5.3893G	9.01	-48.34	-46.87	-44.53	-35.52	-21.20	-14.32
5320MHz	Pass	5.11G	5.39G	AV	5.13422G	9.01	-57.93	-58.24	-55.07	-46.06	-41.20	-4.86
5320MHz	Pass	5.11G	5.39G	AV	5.3501G	9.01	-57.07	-56.82	-53.93	-44.92	-41.20	-3.72
5320MHz	Pass	5.11G	5.39G	PK	5.13464G	9.01	-48.49	-47.06	-44.71	-35.70	-21.20	-14.50
5320MHz	Pass	5.11G	5.39G	PK	5.35052G	9.01	-46.09	-46.55	-43.30	-34.29	-21.20	-13.09
5500MHz	Pass	5.43G	5.765G	AV	5.45647G	9.01	-59.41	-59.17	-56.28	-47.27	-41.20	-6.07
5500MHz	Pass	5.43G	5.765G	PK	5.44307G	9.01	-49.00	-48.34	-45.65	-36.64	-21.20	-15.44
5500MHz	Pass	5.43G	5.765G	PK	5.46936G	9.01	-48.12	-46.84	-44.42	-35.41	-27.00	-8.41
5500MHz	Pass	5.43G	5.765G	PK	5.74356G	9.01	-48.32	-49.88	-46.02	-37.01	-27.00	-10.01
5580MHz	Pass	5.43G	5.765G	AV	5.43838G	9.01	-59.86	-59.71	-56.77	-47.76	-41.20	-6.56
5580MHz	Pass	5.43G	5.765G	PK	5.43921G	9.01	-49.32	-48.65	-45.96	-36.95	-21.20	-15.75
5580MHz	Pass	5.43G	5.765G	PK	5.46417G	9.01	-48.46	-50.40	-46.31	-37.30	-27.00	-10.30
5580MHz	Pass	5.43G	5.765G	PK	5.73334G	9.01	-48.48	-49.18	-45.81	-36.80	-27.00	-9.80
5700MHz	Pass	5.43G	5.765G	AV	5.45127G	9.01	-60.13	-60.40	-57.25	-48.24	-41.20	-7.04
5700MHz	Pass	5.43G	5.765G	PK	5.43452G	9.01	-48.89	-50.03	-46.41	-37.40	-21.20	-16.20
5700MHz	Pass	5.43G	5.765G	PK	5.46384G	9.01	-50.41	-48.58	-46.39	-37.38	-27.00	-10.38
5700MHz	Pass	5.43G	5.765G	PK	5.72681G	9.01	-46.55	-44.41	-42.34	-33.33	-27.00	-6.33
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43667G	9.01	-59.99	-60.35	-57.16	-48.15	-41.20	-6.95
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.43897G	9.01	-49.05	-49.65	-46.33	-37.32	-21.20	-16.12
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46611G	9.01	-49.98	-49.94	-46.95	-37.94	-27.00	-10.94
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.85182G	9.01	-49.37	-47.90	-45.56	-36.55	-27.00	-9.55
5745MHz	Pass	5.685G	5.89G	PK	5.68531G	9.01	-48.57	-50.96	-46.59	-37.58	-0.87	-36.71
5745MHz	Pass	5.685G	5.89G	PK	5.88949G	9.01	-47.25	-49.25	-45.13	-36.12	-0.72	-35.40
5785MHz	Pass	5.685G	5.89G	PK	5.685G	9.01	-49.78	-49.02	-46.37	-37.36	-1.10	-36.26
5785MHz	Pass	5.685G	5.89G	PK	5.88928G	9.01	-47.84	-48.76	-45.27	-36.26	-0.57	-35.69
5825MHz	Pass	5.685G	5.89G	PK	5.68521G	9.01	-50.86	-49.73	-47.25	-38.24	-0.95	-37.29
5825MHz	Pass	5.685G	5.89G	PK	5.88969G	9.01	-49.08	-50.45	-46.70	-37.69	-0.87	-36.82
11a40_40MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.43G	AV	5.14776G	9.01	-59.33	-58.76	-56.03	-47.02	-41.20	-5.82
5190MHz	Pass	5.07G	5.43G	AV	5.4219G	9.01	-59.30	-58.94	-56.11	-47.10	-41.20	-5.90
5190MHz	Pass	5.07G	5.43G	PK	5.14956G	9.01	-48.85	-45.39	-43.77	-34.76	-21.20	-13.56
5190MHz	Pass	5.07G	5.43G	PK	5.38788G	9.01	-47.46	-48.34	-44.87	-35.86	-21.20	-14.66
5230MHz	Pass	5.07G	5.43G	AV	5.1474G	9.01	-56.71	-56.62	-53.65	-44.64	-41.20	-3.44
5230MHz	Pass	5.07G	5.43G	AV	5.37366G	9.01	-58.35	-58.45	-55.39	-46.38	-41.20	-5.18
5230MHz	Pass	5.07G	5.43G	PK	5.14956G	9.01	-42.05	-41.48	-38.75	-29.74	-21.20	-8.54
5230MHz	Pass	5.07G	5.43G	PK	5.42946G	9.01	-49.29	-45.80	-44.19	-35.18	-21.20	-13.98
5270MHz	Pass	5.07G	5.43G	AV	5.08098G	9.01	-59.67	-58.97	-56.30	-47.29	-41.20	-6.09
5270MHz	Pass	5.07G	5.43G	AV	5.35404G	9.01	-56.33	-55.71	-53.00	-43.99	-41.20	-2.79
5270MHz	Pass	5.07G	5.43G	PK	5.14722G	9.01	-48.96	-48.37	-45.64	-36.63	-21.20	-15.43
5270MHz	Pass	5.07G	5.43G	PK	5.35008G	9.01	-42.55	-40.51	-38.40	-29.39	-21.20	-8.19
5310MHz	Pass	5.07G	5.43G	AV	5.14164G	9.01	-60.16	-60.23	-57.18	-48.17	-41.20	-6.97
5310MHz	Pass	5.07G	5.43G	AV	5.42388G	9.01	-58.93	-59.00	-55.95	-46.94	-41.20	-5.74
5310MHz	Pass	5.07G	5.43G	PK	5.12652G	9.01	-47.91	-49.59	-45.66	-36.65	-21.20	-15.45
5310MHz	Pass	5.07G	5.43G	PK	5.40966G	9.01	-47.52	-48.93	-45.16	-36.15	-21.20	-14.95
5510MHz	Pass	5.39G	5.805G	AV	5.45578G	9.01	-60.03	-60.10	-57.05	-48.04	-41.20	-6.84
5510MHz	Pass	5.39G	5.805G	PK	5.45433G	9.01	-49.29	-48.61	-45.93	-36.92	-21.20	-15.72
5510MHz	Pass	5.39G	5.805G	PK	5.46781G	9.01	-49.79	-49.24	-46.50	-37.49	-27.00	-10.49
5510MHz	Pass	5.39G	5.805G	PK	5.7525G	9.01	-49.28	-49.08	-46.17	-37.16	-27.00	-10.16
5550MHz	Pass	5.39G	5.805G	AV	5.45951G	9.01	-57.91	-57.93	-54.91	-45.90	-41.20	-4.70

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5550MHz	Pass	5.39G	5.805G	PK	5.4591G	9.01	-45.07	-44.84	-41.94	-32.93	-21.20	-11.73
5550MHz	Pass	5.39G	5.805G	PK	5.46968G	9.01	-42.93	-43.32	-40.11	-31.10	-27.00	-4.10
5550MHz	Pass	5.39G	5.805G	PK	5.72947G	9.01	-48.84	-48.00	-45.39	-36.38	-27.00	-9.38
5670MHz	Pass	5.39G	5.805G	AV	5.45993G	9.01	-60.04	-59.85	-56.93	-47.92	-41.20	-6.72
5670MHz	Pass	5.39G	5.805G	PK	5.44125G	9.01	-51.50	-47.94	-46.35	-37.34	-21.20	-16.14
5670MHz	Pass	5.39G	5.805G	PK	5.46283G	9.01	-48.84	-48.63	-45.72	-36.71	-27.00	-9.71
5670MHz	Pass	5.39G	5.805G	PK	5.73321G	9.01	-45.35	-43.24	-41.16	-32.15	-27.00	-5.15
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.39243G	9.01	-60.45	-60.03	-57.22	-48.21	-41.20	-7.01
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.43995G	9.01	-48.58	-50.36	-46.37	-37.36	-21.20	-16.16
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.46587G	9.01	-49.03	-50.00	-46.48	-37.47	-27.00	-10.47
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.85197G	9.01	-49.04	-47.04	-44.92	-35.91	-27.00	-8.91
5755MHz	Pass	5.645G	5.93G	PK	5.64671G	9.01	-47.57	-45.48	-43.39	-34.38	-27.00	-7.38
5755MHz	Pass	5.645G	5.93G	PK	5.92843G	9.01	-46.83	-49.01	-44.77	-35.76	-27.00	-8.76
5795MHz	Pass	5.645G	5.93G	PK	5.64871G	9.01	-50.27	-47.67	-45.77	-36.76	-27.00	-9.76
5795MHz	Pass	5.645G	5.93G	PK	5.92772G	9.01	-48.86	-47.60	-45.17	-36.16	-27.00	-9.16
11a80_80MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.1499G	9.01	-58.39	-58.15	-55.26	-46.25	-41.20	-5.05
5210MHz	Pass	4.99G	5.51G	AV	5.42654G	9.01	-58.99	-58.74	-55.85	-46.84	-41.20	-5.64
5210MHz	Pass	4.99G	5.51G	PK	5.14938G	9.01	-47.31	-46.81	-44.04	-35.03	-21.20	-13.83
5210MHz	Pass	4.99G	5.51G	PK	5.45696G	9.01	-48.04	-48.20	-45.11	-36.10	-21.20	-14.90
5210MHz	Pass	4.99G	5.51G	PK	5.47256G	9.01	-48.72	-48.04	-45.36	-36.35	-27.00	-9.35
5290MHz	Pass	4.99G	5.51G	AV	5.13118G	9.01	-60.04	-59.97	-56.99	-47.98	-41.20	-6.78
5290MHz	Pass	4.99G	5.51G	AV	5.35608G	9.01	-58.09	-58.29	-55.18	-46.17	-41.20	-4.97
5290MHz	Pass	4.99G	5.51G	PK	5.12624G	9.01	-49.52	-48.86	-46.17	-37.16	-21.20	-15.96
5290MHz	Pass	4.99G	5.51G	PK	5.36596G	9.01	-48.74	-46.59	-44.52	-35.51	-21.20	-14.31
5290MHz	Pass	4.99G	5.51G	PK	5.46398G	9.01	-48.90	-47.91	-45.37	-36.36	-27.00	-9.36
5330MHz	Pass	5.31G	5.885G	AV	5.43391G	9.01	-58.43	-57.73	-55.06	-46.05	-41.20	-4.85
5330MHz	Pass	5.31G	5.885G	PK	5.34968G	9.01	-47.86	-51.37	-46.26	-37.25	-27.00	-10.25
5330MHz	Pass	5.31G	5.885G	PK	5.43909G	9.01	-47.12	-47.63	-44.36	-35.35	-21.20	-14.15
5330MHz	Pass	5.31G	5.885G	PK	5.46496G	9.01	-47.93	-48.22	-45.06	-36.05	-27.00	-9.05
5330MHz	Pass	5.31G	5.885G	PK	5.85999G	9.01	-48.71	-48.65	-45.67	-36.66	-27.00	-9.66
5610MHz	Pass	5.31G	5.885G	AV	5.45461G	9.01	-58.89	-58.18	-55.51	-46.50	-41.20	-5.30
5610MHz	Pass	5.31G	5.885G	PK	5.32064G	9.01	-50.58	-48.43	-46.36	-37.35	-27.00	-10.35
5610MHz	Pass	5.31G	5.885G	PK	5.43276G	9.01	-48.06	-47.84	-44.94	-35.93	-21.20	-14.73
5610MHz	Pass	5.31G	5.885G	PK	5.46726G	9.01	-49.53	-47.42	-45.34	-36.33	-27.00	-9.33
5610MHz	Pass	5.31G	5.885G	PK	5.72601G	9.01	-47.08	-46.83	-43.94	-34.93	-27.00	-7.93
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4598G	9.01	-59.85	-59.64	-56.73	-47.72	-41.20	-6.52
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.34605G	9.01	-49.60	-49.84	-46.71	-37.70	-27.00	-10.70
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.43005G	9.01	-50.95	-48.10	-46.28	-37.27	-21.20	-16.07
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.46645G	9.01	-47.48	-49.19	-45.24	-36.23	-27.00	-9.23
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.85425G	9.01	-48.62	-46.31	-44.30	-35.29	-27.00	-8.29
5775MHz	Pass	5.565G	6.01G	PK	5.6451G	9.01	-47.85	-47.46	-44.64	-35.63	-27.00	-8.63
5775MHz	Pass	5.565G	6.01G	PK	5.98886G	9.01	-47.11	-49.44	-45.11	-36.10	-27.00	-9.10
11a160_160MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.14668G	9.01	-58.28	-57.42	-54.82	-45.81	-41.20	-4.61
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.3529G	9.01	-55.64	-56.50	-53.04	-44.03	-41.20	-2.83
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.14164G	9.01	-48.78	-46.48	-44.47	-35.46	-21.20	-14.26
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.3613G	9.01	-44.59	-45.57	-42.04	-33.03	-21.20	-11.83
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.58306G	9.01	-46.23	-48.89	-44.35	-35.34	-27.00	-8.34
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.1471G	9.01	-58.30	-57.52	-54.88	-45.87	-41.20	-4.67
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.355G	9.01	-55.42	-56.74	-53.02	-44.01	-41.20	-2.81
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.07948G	9.01	-50.01	-45.63	-44.28	-35.27	-21.20	-14.07
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35668G	9.01	-45.03	-46.86	-42.84	-33.83	-21.20	-12.63
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.52258G	9.01	-48.91	-46.83	-44.74	-35.73	-27.00	-8.73
5570MHz	Pass	5.15G	6.045G	AV	5.15G	9.01	-60.86	-60.69	-57.76	-48.75	-41.20	-7.55
5570MHz	Pass	5.15G	6.045G	AV	5.45833G	9.01	-55.66	-55.77	-52.70	-43.69	-41.20	-2.49
5570MHz	Pass	5.15G	6.045G	PK	5.34511G	9.01	-47.51	-49.69	-45.45	-36.44	-27.00	-9.44
5570MHz	Pass	5.15G	6.045G	PK	5.4543G	9.01	-46.61	-45.79	-43.17	-34.16	-21.20	-12.96
5570MHz	Pass	5.15G	6.045G	PK	5.46459G	9.01	-45.85	-44.46	-42.09	-33.08	-27.00	-6.08
5570MHz	Pass	5.15G	6.045G	PK	5.73667G	9.01	-48.13	-46.21	-44.05	-35.04	-27.00	-8.04
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.39G	AV	5.1499G	9.01	-56.40	-55.68	-53.01	-44.00	-41.20	-2.80
5180MHz	Pass	5.11G	5.39G	AV	5.36508G	9.01	-58.98	-58.77	-55.86	-46.85	-41.20	-5.65
5180MHz	Pass	5.11G	5.39G	PK	5.14836G	9.01	-45.56	-43.27	-41.26	-32.25	-21.20	-11.05
5180MHz	Pass	5.11G	5.39G	PK	5.3648G	9.01	-47.76	-48.20	-44.96	-35.95	-21.20	-14.75
5200MHz	Pass	5.11G	5.39G	AV	5.14976G	9.01	-57.85	-57.42	-54.62	-45.61	-41.20	-4.41
5200MHz	Pass	5.11G	5.39G	AV	5.3599G	9.01	-58.72	-59.03	-55.86	-46.85	-41.20	-5.65
5200MHz	Pass	5.11G	5.39G	PK	5.1492G	9.01	-46.67	-46.38	-43.51	-34.50	-21.20	-13.30
5200MHz	Pass	5.11G	5.39G	PK	5.36802G	9.01	-48.82	-47.47	-45.08	-36.07	-21.20	-14.87
5240MHz	Pass	5.11G	5.39G	AV	5.13548G	9.01	-59.24	-58.18	-55.67	-46.66	-41.20	-5.46

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5240MHz	Pass	5.11G	5.39G	AV	5.383G	9.01	-58.76	-58.94	-55.84	-46.83	-41.20	-5.63
5240MHz	Pass	5.11G	5.39G	PK	5.14276G	9.01	-49.44	-47.84	-45.56	-36.55	-21.20	-15.35
5240MHz	Pass	5.11G	5.39G	PK	5.37852G	9.01	-49.08	-47.27	-45.07	-36.06	-21.20	-14.86
5260MHz	Pass	5.11G	5.39G	AV	5.11714G	9.01	-60.01	-59.78	-56.88	-47.87	-41.20	-6.67
5260MHz	Pass	5.11G	5.39G	AV	5.36494G	9.01	-58.08	-57.92	-54.99	-45.98	-41.20	-4.78
5260MHz	Pass	5.11G	5.39G	PK	5.11742G	9.01	-50.30	-48.46	-46.27	-37.26	-21.20	-16.06
5260MHz	Pass	5.11G	5.39G	PK	5.35738G	9.01	-47.22	-47.85	-44.51	-35.50	-21.20	-14.30
5300MHz	Pass	5.11G	5.39G	AV	5.11644G	9.01	-58.20	-57.59	-54.87	-45.86	-41.20	-4.66
5300MHz	Pass	5.11G	5.39G	AV	5.38692G	9.01	-58.07	-57.63	-54.83	-45.82	-41.20	-4.62
5300MHz	Pass	5.11G	5.39G	PK	5.11322G	9.01	-49.15	-45.93	-44.24	-35.23	-21.20	-14.03
5300MHz	Pass	5.11G	5.39G	PK	5.38804G	9.01	-47.36	-47.45	-44.39	-35.38	-21.20	-14.18
5320MHz	Pass	5.11G	5.39G	AV	5.13688G	9.01	-58.62	-58.18	-55.38	-46.37	-41.20	-5.17
5320MHz	Pass	5.11G	5.39G	AV	5.35024G	9.01	-56.93	-56.93	-53.92	-44.91	-41.20	-3.71
5320MHz	Pass	5.11G	5.39G	PK	5.12036G	9.01	-47.61	-47.59	-44.59	-35.58	-21.20	-14.38
5320MHz	Pass	5.11G	5.39G	PK	5.35206G	9.01	-47.32	-46.13	-43.67	-34.66	-21.20	-13.46
5500MHz	Pass	5.43G	5.765G	AV	5.45998G	9.01	-59.21	-59.30	-56.24	-47.23	-41.20	-6.03
5500MHz	Pass	5.43G	5.765G	PK	5.4573G	9.01	-48.90	-48.43	-45.65	-36.64	-21.20	-15.44
5500MHz	Pass	5.43G	5.765G	PK	5.4692G	9.01	-46.63	-47.48	-44.02	-35.01	-27.00	-8.01
5500MHz	Pass	5.43G	5.765G	PK	5.76333G	9.01	-48.92	-49.57	-46.22	-37.21	-27.00	-10.21
5580MHz	Pass	5.43G	5.765G	AV	5.43519G	9.01	-59.46	-59.71	-56.57	-47.56	-41.20	-6.36
5580MHz	Pass	5.43G	5.765G	PK	5.43653G	9.01	-50.06	-47.75	-45.74	-36.73	-21.20	-15.53
5580MHz	Pass	5.43G	5.765G	PK	5.46015G	9.01	-49.68	-49.25	-46.45	-37.44	-27.00	-10.44
5580MHz	Pass	5.43G	5.765G	PK	5.73117G	9.01	-48.60	-48.86	-45.72	-36.71	-27.00	-9.71
5700MHz	Pass	5.43G	5.765G	AV	5.43754G	9.01	-60.38	-60.28	-57.32	-48.31	-41.20	-7.11
5700MHz	Pass	5.43G	5.765G	PK	5.4434G	9.01	-48.90	-49.97	-46.39	-37.38	-21.20	-16.18
5700MHz	Pass	5.43G	5.765G	PK	5.46936G	9.01	-48.79	-49.91	-46.30	-37.29	-27.00	-10.29
5700MHz	Pass	5.43G	5.765G	PK	5.76249G	9.01	-49.66	-47.64	-45.52	-36.51	-27.00	-9.51
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	AV	5.43575G	9.01	-60.15	-60.18	-57.15	-48.14	-41.20	-6.94
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.44449G	9.01	-50.23	-48.75	-46.42	-37.41	-21.20	-16.21
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.46542G	9.01	-50.06	-49.67	-46.85	-37.84	-27.00	-10.84
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.89G	PK	5.6785G	9.01	-49.01	-47.98	-45.45	-36.44	-27.00	-9.44
5745MHz	Pass	5.685G	5.89G	PK	5.72016G	9.01	-36.37	-28.85	-28.14	-19.13	15.96	-35.09
5745MHz	Pass	5.685G	5.89G	PK	5.8898G	9.01	-48.61	-49.31	-45.94	-36.93	-0.95	-35.98
5785MHz	Pass	5.685G	5.89G	PK	5.685G	9.01	-48.76	-48.55	-45.64	-36.63	-1.10	-35.53
5785MHz	Pass	5.685G	5.89G	PK	5.88918G	9.01	-48.24	-45.90	-43.90	-34.89	-0.49	-34.40
5825MHz	Pass	5.685G	5.89G	PK	5.6851G	9.01	-49.21	-49.99	-46.57	-37.56	-1.02	-36.54
5825MHz	Pass	5.685G	5.89G	PK	5.8899G	9.01	-50.18	-48.04	-45.97	-36.96	-1.02	-35.94
802.11ax HEW40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.43G	AV	5.14974G	9.01	-58.38	-58.32	-55.34	-46.33	-41.20	-5.13
5190MHz	Pass	5.07G	5.43G	AV	5.36448G	9.01	-59.13	-58.91	-56.01	-47.00	-41.20	-5.80
5190MHz	Pass	5.07G	5.43G	PK	5.14902G	9.01	-48.67	-48.24	-45.44	-36.43	-21.20	-15.23
5190MHz	Pass	5.07G	5.43G	PK	5.3886G	9.01	-49.96	-46.37	-44.79	-35.78	-21.20	-14.58
5230MHz	Pass	5.07G	5.43G	AV	5.14992G	9.01	-56.94	-56.12	-53.50	-44.49	-41.20	-3.29
5230MHz	Pass	5.07G	5.43G	AV	5.38374G	9.01	-58.36	-58.01	-55.17	-46.16	-41.20	-4.96
5230MHz	Pass	5.07G	5.43G	PK	5.14794G	9.01	-45.23	-44.50	-41.84	-32.83	-21.20	-11.63
5230MHz	Pass	5.07G	5.43G	PK	5.38716G	9.01	-47.82	-47.16	-44.47	-35.46	-21.20	-14.26
5270MHz	Pass	5.07G	5.43G	AV	5.0898G	9.01	-58.87	-58.73	-55.79	-46.78	-41.20	-5.58
5270MHz	Pass	5.07G	5.43G	AV	5.35008G	9.01	-56.49	-55.07	-52.71	-43.70	-41.20	-2.50
5270MHz	Pass	5.07G	5.43G	PK	5.11716G	9.01	-49.10	-46.80	-44.79	-35.78	-21.20	-14.58
5270MHz	Pass	5.07G	5.43G	PK	5.35116G	9.01	-46.00	-41.91	-40.48	-31.47	-21.20	-10.27
5310MHz	Pass	5.07G	5.43G	AV	5.12022G	9.01	-60.18	-59.94	-57.05	-48.04	-41.20	-6.84
5310MHz	Pass	5.07G	5.43G	AV	5.35008G	9.01	-58.25	-58.03	-55.13	-46.12	-41.20	-4.92
5310MHz	Pass	5.07G	5.43G	PK	5.1267G	9.01	-50.12	-47.70	-45.73	-36.72	-21.20	-15.52
5310MHz	Pass	5.07G	5.43G	PK	5.35062G	9.01	-47.77	-48.10	-44.92	-35.91	-21.20	-14.71
5510MHz	Pass	5.39G	5.805G	AV	5.45806G	9.01	-59.47	-59.24	-56.34	-47.33	-41.20	-6.13
5510MHz	Pass	5.39G	5.805G	PK	5.41594G	9.01	-48.12	-49.55	-45.77	-36.76	-21.20	-15.56
5510MHz	Pass	5.39G	5.805G	PK	5.46989G	9.01	-48.12	-48.47	-45.28	-36.27	-27.00	-9.27
5510MHz	Pass	5.39G	5.805G	PK	5.7745G	9.01	-47.88	-50.25	-45.89	-36.88	-27.00	-9.88
5550MHz	Pass	5.39G	5.805G	AV	5.45889G	9.01	-58.25	-57.80	-55.01	-46.00	-41.20	-4.80
5550MHz	Pass	5.39G	5.805G	PK	5.45827G	9.01	-44.92	-47.55	-43.03	-34.02	-21.20	-12.82
5550MHz	Pass	5.39G	5.805G	PK	5.46574G	9.01	-45.56	-44.39	-41.93	-32.92	-27.00	-5.92
5550MHz	Pass	5.39G	5.805G	PK	5.7469G	9.01	-48.91	-48.97	-45.93	-36.92	-27.00	-9.92
5670MHz	Pass	5.39G	5.805G	AV	5.45993G	9.01	-59.54	-59.04	-56.27	-47.26	-41.20	-6.06
5670MHz	Pass	5.39G	5.805G	PK	5.45993G	9.01	-50.68	-48.14	-46.22	-37.21	-21.20	-16.01
5670MHz	Pass	5.39G	5.805G	PK	5.4674G	9.01	-49.22	-47.46	-45.24	-36.23	-27.00	-9.23
5670MHz	Pass	5.39G	5.805G	PK	5.72511G	9.01	-48.48	-43.54	-42.33	-33.32	-27.00	-6.32
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	AV	5.43158G	9.01	-60.18	-60.11	-57.13	-48.12	-41.20	-6.92
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.44724G	9.01	-50.20	-48.32	-46.15	-37.14	-21.20	-15.94
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.46425G	9.01	-49.39	-49.56	-46.46	-37.45	-27.00	-10.45
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.93G	PK	5.86088G	9.01	-47.34	-46.96	-44.14	-35.13	-27.00	-8.13

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5755MHz	Pass	5.645G	5.93G	PK	5.64928G	9.01	-48.60	-46.63	-44.49	-35.48	-27.00	-8.48
5755MHz	Pass	5.645G	5.93G	PK	5.92829G	9.01	-47.80	-48.50	-45.13	-36.12	-27.00	-9.12
5795MHz	Pass	5.645G	5.93G	PK	5.64871G	9.01	-49.14	-48.50	-45.80	-36.79	-27.00	-9.79
5795MHz	Pass	5.645G	5.93G	PK	5.92459G	9.01	-48.19	-47.06	-44.58	-35.57	-26.69	-8.88
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.1499G	9.01	-58.78	-58.50	-55.63	-46.62	-41.20	-5.42
5210MHz	Pass	4.99G	5.51G	AV	5.43486G	9.01	-58.82	-59.10	-55.95	-46.94	-41.20	-5.74
5210MHz	Pass	4.99G	5.51G	PK	5.1395G	9.01	-48.68	-48.45	-45.55	-36.54	-21.20	-15.34
5210MHz	Pass	4.99G	5.51G	PK	5.41848G	9.01	-48.53	-47.48	-44.96	-35.95	-21.20	-14.75
5210MHz	Pass	4.99G	5.51G	PK	5.49128G	9.01	-49.59	-47.03	-45.11	-36.10	-27.00	-9.10
5290MHz	Pass	4.99G	5.51G	AV	5.14964G	9.01	-60.04	-60.04	-57.03	-48.02	-41.20	-6.82
5290MHz	Pass	4.99G	5.51G	AV	5.35062G	9.01	-57.67	-57.73	-54.69	-45.68	-41.20	-4.48
5290MHz	Pass	4.99G	5.51G	AV	5.35114G	9.01	-57.73	-57.67	-54.69	-45.68	-41.20	-4.48
5290MHz	Pass	4.99G	5.51G	PK	5.1304G	9.01	-49.32	-48.59	-45.93	-36.92	-21.20	-15.72
5290MHz	Pass	4.99G	5.51G	PK	5.35582G	9.01	-47.67	-45.87	-43.67	-34.66	-21.20	-13.46
5290MHz	Pass	4.99G	5.51G	PK	5.49154G	9.01	-48.61	-47.81	-45.18	-36.17	-27.00	-9.17
5530MHz	Pass	5.31G	5.885G	AV	5.43391G	9.01	-58.73	-58.06	-55.37	-46.36	-41.20	-5.16
5530MHz	Pass	5.31G	5.885G	PK	5.34335G	9.01	-49.08	-50.12	-46.56	-37.55	-27.00	-10.55
5530MHz	Pass	5.31G	5.885G	PK	5.45433G	9.01	-50.09	-46.86	-45.17	-36.16	-21.20	-14.96
5530MHz	Pass	5.31G	5.885G	PK	5.46295G	9.01	-48.37	-47.63	-44.97	-35.96	-27.00	-8.96
5530MHz	Pass	5.31G	5.885G	PK	5.76023G	9.01	-48.93	-48.45	-45.67	-36.66	-27.00	-9.66
5610MHz	Pass	5.31G	5.885G	AV	5.45548G	9.01	-58.39	-58.47	-55.42	-46.41	-41.20	-5.21
5610MHz	Pass	5.31G	5.885G	PK	5.33243G	9.01	-50.05	-48.92	-46.44	-37.43	-27.00	-10.43
5610MHz	Pass	5.31G	5.885G	PK	5.45921G	9.01	-49.39	-46.02	-44.38	-35.37	-21.20	-14.17
5610MHz	Pass	5.31G	5.885G	PK	5.46295G	9.01	-47.86	-47.16	-44.49	-35.48	-27.00	-8.48
5610MHz	Pass	5.31G	5.885G	PK	5.72544G	9.01	-43.00	-43.49	-40.23	-31.22	-27.00	-4.22
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	AV	5.4598G	9.01	-60.01	-59.67	-56.83	-47.82	-41.20	-6.62
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.31315G	9.01	-49.55	-49.27	-46.40	-37.39	-27.00	-10.39
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.3891G	9.01	-50.05	-48.84	-46.39	-37.38	-21.20	-16.18
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.464G	9.01	-48.38	-50.15	-46.17	-37.16	-27.00	-10.16
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	6.01G	PK	5.8504G	9.01	-48.80	-45.68	-43.96	-34.95	-27.00	-7.95
5775MHz	Pass	5.565G	6.01G	PK	5.65G	9.01	-47.90	-47.75	-44.81	-35.80	-27.00	-8.80
5775MHz	Pass	5.565G	6.01G	PK	5.95482G	9.01	-46.83	-48.35	-44.51	-35.50	-27.00	-8.50
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.14626G	9.01	-59.00	-58.63	-55.80	-46.79	-41.20	-5.59
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	AV	5.35374G	9.01	-58.06	-58.00	-55.02	-46.01	-41.20	-4.81
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.13744G	9.01	-48.77	-48.33	-45.53	-36.52	-21.20	-15.32
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.35542G	9.01	-46.19	-48.61	-44.22	-35.21	-21.20	-14.01
5250MHz Straddle 5.15-5.25GHz	Pass	4.83G	5.67G	PK	5.52972G	9.01	-47.63	-48.16	-44.88	-35.87	-27.00	-8.87
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.14836G	9.01	-58.80	-58.92	-55.85	-46.84	-41.20	-5.64
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35458G	9.01	-57.94	-57.97	-54.94	-45.93	-41.20	-4.73
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.13954G	9.01	-47.55	-48.29	-44.89	-35.88	-21.20	-14.68
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.3571G	9.01	-46.66	-47.76	-44.16	-35.15	-21.20	-13.95
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.5755G	9.01	-48.33	-47.85	-45.07	-36.06	-27.00	-9.06
5570MHz	Pass	5.15G	6.045G	AV	5.15G	9.01	-61.01	-60.90	-57.94	-48.93	-41.20	-7.73
5570MHz	Pass	5.15G	6.045G	AV	5.44267G	9.01	-57.63	-57.17	-54.38	-45.37	-41.20	-4.17
5570MHz	Pass	5.15G	6.045G	PK	5.34422G	9.01	-50.36	-47.44	-45.65	-36.64	-27.00	-9.64
5570MHz	Pass	5.15G	6.045G	PK	5.4458G	9.01	-46.79	-46.65	-43.71	-34.70	-21.20	-13.50
5570MHz	Pass	5.15G	6.045G	PK	5.46952G	9.01	-47.47	-46.74	-44.08	-35.07	-27.00	-8.07
5570MHz	Pass	5.15G	6.045G	PK	5.72593G	9.01	-47.89	-46.29	-44.01	-35.00	-27.00	-8.00


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5180MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14962G	-32.93	-21.20	-11.73	9.01	0.00	-41.94	-46.66	-43.72
5.11G	5.39G	1M	PK	5.35892G	-35.99	-21.20	-14.79	9.01	0.00	-45.00	-46.84	-49.61

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5180MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.1499G	-44.30	-41.20	-3.10	9.01	0.00	-53.31	-56.78	-55.90
5.11G	5.39G	1M	AV	5.36578G	-46.87	-41.20	-5.67	9.01	0.00	-55.88	-58.81	-58.98

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5200MHz

15/05/2023




5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5200MHz

15/05/2023




5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5240MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.1415G	-36.13	-21.20	-14.93	9.01	0.00	-45.14	-48.90	-47.51
5.11G	5.39G	1M	PK	5.35458G	-35.60	-21.20	-14.40	9.01	0.00	-44.61	-48.62	-46.81

5.15-5.25GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5240MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.1373G	-46.37	-41.20	-5.17	9.01	0.00	-55.38	-58.55	-58.24
5.11G	5.39G	1M	AV	5.38818G	-46.67	-41.20	-5.47	9.01	0.00	-55.68	-58.73	-58.66

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5260MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.1205G	-36.77	-21.20	-15.57	9.01	0.00	-45.78	-48.52	-49.08
5.11G	5.39G	1M	PK	5.35416G	-35.59	-21.20	-14.39	9.01	0.00	-44.60	-49.13	-46.49

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5260MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14808G	-47.74	-41.20	-6.54	9.01	0.00	-56.75	-59.69	-59.83
5.11G	5.39G	1M	AV	5.3613G	-45.88	-41.20	-4.68	9.01	0.00	-54.89	-58.19	-57.63

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5300MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.11518G	-35.65	-21.20	-14.45	9.01	0.00	-44.66	-49.90	-46.20
5.11G	5.39G	1M	PK	5.3893G	-35.52	-21.20	-14.32	9.01	0.00	-44.53	-48.34	-46.87

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5300MHz

24/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.11462G	-45.84	-41.20	-4.64	9.01	0.00	-54.85	-58.36	-57.41
5.11G	5.39G	1M	AV	5.38888G	-45.74	-41.20	-4.54	9.01	0.00	-54.75	-58.00	-57.54

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5320MHz

24/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.13464G	-35.70	-21.20	-14.50	9.01	0.00	-44.71	-48.49	-47.06
5.11G	5.39G	1M	PK	5.35052G	-34.29	-21.20	-13.09	9.01	0.00	-43.30	-46.09	-46.55

5.25-5.35GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5320MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.13422G	-46.06	-41.20	-4.86	9.01	0.00	-55.07	-57.93	-58.24
5.11G	5.39G	1M	AV	5.3501G	-44.92	-41.20	-3.72	9.01	0.00	-53.93	-57.07	-56.82

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5500MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.44307G	-36.64	-21.20	-15.44	9.01	0.00	-45.65	-49.00	-48.34
5.43G	5.765G	1M	PK	5.46936G	-35.41	-27.00	-8.41	9.01	0.00	-44.42	-48.12	-46.94
5.43G	5.765G	1M	PK	5.74356G	-37.01	-27.00	-10.01	9.01	0.00	-46.02	-48.32	-49.88

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5500MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.45647G	-47.27	-41.20	-6.07	9.01	0.00	-56.28	-59.41	-59.17

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5580MHz

15/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.43921G	-36.95	-21.20	-15.75	9.01	0.00	-45.96	-49.32	-48.65
5.43G	5.765G	1M	PK	5.46417G	-37.30	-27.00	-10.30	9.01	0.00	-46.31	-48.46	-50.40
5.43G	5.765G	1M	PK	5.73334G	-36.80	-27.00	-9.80	9.01	0.00	-45.81	-48.48	-49.18

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5580MHz

15/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.43838G	-47.76	-41.20	-6.56	9.01	0.00	-56.77	-59.86	-59.71

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5700MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.43452G	-37.40	-21.20	-16.20	9.01	0.00	-46.41	-48.89	-50.03
5.43G	5.765G	1M	PK	5.46384G	-37.38	-27.00	-10.38	9.01	0.00	-46.39	-50.41	-48.58
5.43G	5.765G	1M	PK	5.72681G	-33.33	-27.00	-6.33	9.01	0.00	-42.34	-46.55	-44.41

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5700MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.45127G	-48.24	-41.20	-7.04	9.01	0.00	-57.25	-60.13	-60.40

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

15/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.89G	1M	PK	5.43897G	-37.32	-21.20	-16.12	9.01	0.00	-46.33	-49.05	-49.65
5.43G	5.89G	1M	PK	5.46611G	-37.94	-27.00	-10.94	9.01	0.00	-46.95	-49.96	-49.94
5.43G	5.89G	1M	PK	5.85162G	-36.55	-27.00	-9.55	9.01	0.00	-45.56	-49.37	-47.90

5.47-5.725GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

15/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.89G	1M	AV	5.43667G	-48.15	-41.20	-6.95	9.01	0.00	-57.16	-59.99	-60.35

5.725-5.85GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5745MHz

15/05/2023




5.725-5.85GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5785MHz

15/05/2023




5.725-5.85GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5825MHz

15/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.68521G	-38.24	-0.95	-37.29	9.01	0.00	-47.25	-50.86	-49.73
5.685G	5.89G	1M	PK	5.88969G	-37.69	-0.87	-36.82	9.01	0.00	-46.70	-49.08	-50.45

5.15-5.25GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5190MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14956G	-34.76	-21.20	-13.56	9.01	0.00	-43.77	-48.85	-45.39
5.07G	5.43G	1M	PK	5.38788G	-35.86	-21.20	-14.66	9.01	0.00	-44.87	-47.46	-48.34

5.15-5.25GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5190MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14776G	-47.02	-41.20	-5.82	9.01	0.00	-56.03	-59.33	-58.76
5.07G	5.43G	1M	AV	5.4219G	-47.10	-41.20	-5.90	9.01	0.00	-56.11	-59.30	-58.94

5.15-5.25GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5230MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14956G	-29.74	-21.20	-8.54	9.01	0.00	-38.75	-42.05	-41.48
5.07G	5.43G	1M	PK	5.42946G	-35.18	-21.20	-13.98	9.01	0.00	-44.19	-49.29	-45.80

5.15-5.25GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5230MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.1474G	-44.64	-41.20	-3.44	9.01	0.00	-53.65	-56.71	-56.62
5.07G	5.43G	1M	AV	5.37366G	-46.38	-41.20	-5.18	9.01	0.00	-55.39	-58.35	-58.45

5.25-5.35GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5270MHz

15/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14722G	-36.63	-21.20	-15.43	9.01	0.00	-45.64	-48.96	-48.37
5.07G	5.43G	1M	PK	5.35008G	-29.39	-21.20	-8.19	9.01	0.00	-38.40	-42.55	-40.51

5.25-5.35GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5270MHz

15/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.08098G	-47.29	-41.20	-6.09	9.01	0.00	-56.30	-59.67	-58.97
5.07G	5.43G	1M	AV	5.35404G	-43.99	-41.20	-2.79	9.01	0.00	-53.00	-56.33	-55.71

5.25-5.35GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5310MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.12652G	-36.65	-21.20	-15.45	9.01	0.00	-45.66	-47.91	-49.59
5.07G	5.43G	1M	PK	5.40966G	-36.15	-21.20	-14.95	9.01	0.00	-45.16	-47.52	-48.93

5.25-5.35GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5310MHz

24/05/2023




5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5510MHz

24/05/2023





5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5510MHz

24/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45578G	-48.04	-41.20	-6.84	9.01	0.00	-57.05	-60.03	-60.10

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5550MHz

24/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	PK	5.4591G	-32.93	-21.20	-11.73	9.01	0.00	-41.94	-45.07	-44.84
5.39G	5.805G	1M	PK	5.46968G	-31.10	-27.00	-4.10	9.01	0.00	-40.11	-42.93	-43.32
5.39G	5.805G	1M	PK	5.72947G	-36.38	-27.00	-9.38	9.01	0.00	-45.39	-48.84	-48.00

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5550MHz

24/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45951G	-45.90	-41.20	-4.70	9.01	0.00	-54.91	-57.91	-57.93

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5670MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	PK	5.44125G	-37.34	-21.20	-16.14	9.01	0.00	-46.35	-51.50	-47.94
5.39G	5.805G	1M	PK	5.46283G	-36.71	-27.00	-9.71	9.01	0.00	-45.72	-48.94	-48.63
5.39G	5.805G	1M	PK	5.73321G	-32.15	-27.00	-5.15	9.01	0.00	-41.16	-45.35	-43.24

5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5670MHz

24/05/2023




5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

15/05/2023





5.47-5.725GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

15/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.93G	1M	AV	5.39243G	-48.21	-41.20	-7.01	9.01	0.00	-57.22	-60.45	-60.03

5.725-5.85GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5755MHz

15/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.93G	1M	PK	5.64671G	-34.38	-27.00	-7.38	9.01	0.00	-43.39	-47.57	-45.48
5.645G	5.93G	1M	PK	5.92843G	-35.76	-27.00	-8.76	9.01	0.00	-44.77	-46.83	-49.01

5.725-5.85GHz_11a40_40MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5795MHz

15/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.93G	1M	PK	5.64871G	-36.76	-27.00	-9.76	9.01	0.00	-45.77	-50.27	-47.67
5.645G	5.93G	1M	PK	5.92772G	-36.16	-27.00	-9.16	9.01	0.00	-45.17	-48.86	-47.60

5.15-5.25GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5210MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.14938G	-35.03	-21.20	-13.83	9.01	0.00	-44.04	-47.31	-46.81
4.99G	5.51G	1M	PK	5.45696G	-36.10	-21.20	-14.90	9.01	0.00	-45.11	-48.04	-48.20
4.99G	5.51G	1M	PK	5.47256G	-36.35	-27.00	-9.35	9.01	0.00	-45.36	-48.72	-48.04

5.15-5.25GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5210MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.1499G	-46.25	-41.20	-5.05	9.01	0.00	-55.26	-58.39	-58.15
4.99G	5.51G	1M	AV	5.42654G	-46.84	-41.20	-5.64	9.01	0.00	-55.85	-58.99	-58.74

5.25-5.35GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5290MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.12624G	-37.16	-21.20	-15.96	9.01	0.00	-46.17	-49.52	-48.86
4.99G	5.51G	1M	PK	5.36596G	-35.51	-21.20	-14.31	9.01	0.00	-44.52	-48.74	-46.59
4.99G	5.51G	1M	PK	5.46396G	-36.36	-27.00	-9.36	9.01	0.00	-45.37	-48.90	-47.91

5.25-5.35GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5290MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.13118G	-47.98	-41.20	-6.78	9.01	0.00	-56.99	-60.04	-59.97
4.99G	5.51G	1M	AV	5.35608G	-46.17	-41.20	-4.97	9.01	0.00	-55.18	-58.09	-58.29

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5530MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.34968G	-37.25	-27.00	-10.25	9.01	0.00	-46.26	-47.86	-51.37
5.31G	5.885G	1M	PK	5.43909G	-35.35	-21.20	-14.15	9.01	0.00	-44.36	-47.12	-47.63
5.31G	5.885G	1M	PK	5.46496G	-36.05	-27.00	-9.05	9.01	0.00	-45.06	-47.93	-48.22
5.31G	5.885G	1M	PK	5.85999G	-36.66	-27.00	-9.66	9.01	0.00	-45.67	-48.71	-48.65

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5530MHz

24/05/2023



Limit:AV
EIRP:AV
Sum:AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	AV	5.43391G	-46.05	-41.20	-4.85	9.01	0.00	-55.06	-58.43	-57.73

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5610MHz

24/05/2023



Limit:PK
EIRP:PK
Sum:PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.32064G	-37.35	-27.00	-10.35	9.01	0.00	-46.36	-50.58	-48.43
5.31G	5.885G	1M	PK	5.43276G	-35.93	-21.20	-14.73	9.01	0.00	-44.94	-48.06	-47.84
5.31G	5.885G	1M	PK	5.46726G	-36.33	-27.00	-9.33	9.01	0.00	-45.34	-49.53	-47.42
5.31G	5.885G	1M	PK	5.72601G	-34.93	-27.00	-7.93	9.01	0.00	-43.94	-47.08	-46.83

5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5610MHz

24/05/2023




5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

16/05/2023




5.47-5.725GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	6.01G	1M	AV	5.4598G	-47.72	-41.20	-6.52	9.01	0.00	-56.73	-59.85	-59.64

5.725-5.85GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5775MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.565G	6.01G	1M	PK	5.6451G	-35.63	-27.00	-8.63	9.01	0.00	-44.64	-47.85	-47.46
5.565G	6.01G	1M	PK	5.9888G	-36.10	-27.00	-9.10	9.01	0.00	-45.11	-47.11	-49.44

5.15-5.25GHz_11a160_160MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.14164G	-35.46	-21.20	-14.26	9.01	0.00	-44.47	-48.78	-46.48
4.83G	5.67G	1M	PK	5.3613G	-33.03	-21.20	-11.83	9.01	0.00	-42.04	-44.59	-45.57
4.83G	5.67G	1M	PK	5.58306G	-35.34	-27.00	-8.34	9.01	0.00	-44.35	-46.23	-48.89

5.15-5.25GHz_11a160_160MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.14668G	-45.81	-41.20	-4.61	9.01	0.00	-54.82	-58.28	-57.42
4.83G	5.67G	1M	AV	5.3529G	-44.03	-41.20	-2.83	9.01	0.00	-53.04	-55.64	-56.50

5.25-5.35GHz_11a160_160MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.07948G	-35.27	-21.20	-14.07	9.01	0.00	-44.28	-50.01	-45.63
4.83G	5.67G	1M	PK	5.35666G	-33.83	-21.20	-12.63	9.01	0.00	-42.84	-45.03	-46.96
4.83G	5.67G	1M	PK	5.52256G	-35.73	-27.00	-8.73	9.01	0.00	-44.74	-48.91	-46.83

5.25-5.35GHz_11a160_160MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.1471G	-45.87	-41.20	-4.67	9.01	0.00	-54.88	-58.30	-57.52
4.83G	5.67G	1M	AV	5.355G	-44.01	-41.20	-2.81	9.01	0.00	-53.02	-55.42	-56.74

5.47-5.725GHz_11a160_160MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5570MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	PK	5.34511G	-36.44	-27.00	-9.44	9.01	0.00	-45.45	-47.51	-49.69
5.15G	6.045G	1M	PK	5.4543G	-34.16	-21.20	-12.96	9.01	0.00	-43.17	-46.61	-45.79
5.15G	6.045G	1M	PK	5.46459G	-33.08	-27.00	-6.08	9.01	0.00	-42.09	-45.85	-44.46
5.15G	6.045G	1M	PK	5.73667G	-35.04	-27.00	-8.04	9.01	0.00	-44.05	-48.13	-46.21

5.47-5.725GHz_11a160_160MHz_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5570MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	AV	5.15G	-48.75	-41.20	-7.55	9.01	0.00	-57.76	-60.86	-60.69
5.15G	6.045G	1M	AV	5.45833G	-43.69	-41.20	-2.49	9.01	0.00	-52.70	-55.66	-55.77

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5180MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14836G	-32.25	-21.20	-11.05	9.01	0.00	-41.26	-45.56	-43.27
5.11G	5.39G	1M	PK	5.3648G	-35.95	-21.20	-14.75	9.01	0.00	-44.96	-47.76	-48.20

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5180MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.1499G	-44.00	-41.20	-2.80	9.01	0.00	-53.01	-56.40	-55.68
5.11G	5.39G	1M	AV	5.36508G	-46.85	-41.20	-5.65	9.01	0.00	-55.86	-58.98	-58.77

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5200MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.1492G	-34.50	-21.20	-13.30	9.01	0.00	-43.51	-46.67	-46.38
5.11G	5.39G	1M	PK	5.36802G	-36.07	-21.20	-14.87	9.01	0.00	-45.08	-48.82	-47.47

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5200MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14976G	-45.61	-41.20	-4.41	9.01	0.00	-54.62	-57.85	-57.42
5.11G	5.39G	1M	AV	5.3599G	-46.85	-41.20	-5.65	9.01	0.00	-55.86	-58.72	-59.03

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5240MHz

16/05/2023




5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5240MHz

16/05/2023




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5260MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.11742G	-37.26	-21.20	-16.06	9.01	0.00	-46.27	-50.30	-48.46
5.11G	5.39G	1M	PK	5.35738G	-35.50	-21.20	-14.30	9.01	0.00	-44.51	-47.22	-47.85

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5260MHz

16/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.11714G	-47.87	-41.20	-6.67	9.01	0.00	-56.88	-60.01	-59.78
5.11G	5.39G	1M	AV	5.36494G	-45.98	-41.20	-4.78	9.01	0.00	-54.99	-58.08	-57.92

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5300MHz

24/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.11322G	-35.23	-21.20	-14.03	9.01	0.00	-44.24	-49.15	-45.93
5.11G	5.39G	1M	PK	5.38804G	-35.38	-21.20	-14.18	9.01	0.00	-44.39	-47.36	-47.45

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5300MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.11644G	-45.86	-41.20	-4.66	9.01	0.00	-54.87	-58.20	-57.59
5.11G	5.39G	1M	AV	5.38692G	-45.82	-41.20	-4.62	9.01	0.00	-54.83	-58.07	-57.63

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5320MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.12036G	-35.58	-21.20	-14.38	9.01	0.00	-44.59	-47.61	-47.59
5.11G	5.39G	1M	PK	5.35206G	-34.66	-21.20	-13.46	9.01	0.00	-43.67	-47.32	-46.13

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5320MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.13688G	-46.37	-41.20	-5.17	9.01	0.00	-55.38	-58.62	-58.18
5.11G	5.39G	1M	AV	5.35024G	-44.91	-41.20	-3.71	9.01	0.00	-53.92	-56.93	-56.93

5.47-5.725GHz_802.11ax_HEW20_Nss1_(MCS0)_2TX

CSE Bandedge [PK]

5500MHz

24/05/2023



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.4573G	-36.64	-21.20	-15.44	9.01	0.00	-45.65	-48.90	-48.43
5.43G	5.765G	1M	PK	5.4692G	-35.01	-27.00	-8.01	9.01	0.00	-44.02	-46.63	-47.48
5.43G	5.765G	1M	PK	5.7633G	-37.21	-27.00	-10.21	9.01	0.00	-46.22	-48.92	-49.57

5.47-5.725GHz_802.11ax_HEW20_Nss1_(MCS0)_2TX

CSE Bandedge [AV]

5500MHz

24/05/2023



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.45998G	-47.23	-41.20	-6.03	9.01	0.00	-56.24	-59.21	-59.30

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5580MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psu(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.43653G	-36.73	-21.20	-15.53	9.01	0.00	-45.74	-50.06	-47.75
5.43G	5.765G	1M	PK	5.46015G	-37.44	-27.00	-10.44	9.01	0.00	-46.45	-49.66	-49.25
5.43G	5.765G	1M	PK	5.73117G	-36.71	-27.00	-9.71	9.01	0.00	-45.72	-46.60	-48.86

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5580MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psu(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.43519G	-47.56	-41.20	-6.36	9.01	0.00	-56.57	-59.46	-59.71

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5700MHz

24/05/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	PK	5.4434G	-37.38	-21.20	-16.18	9.01	0.00	-46.39	-48.90	-49.97
5.43G	5.765G	1M	PK	5.46936G	-37.29	-27.00	-10.29	9.01	0.00	-46.30	-48.79	-49.91
5.43G	5.765G	1M	PK	5.76249G	-36.51	-27.00	-9.51	9.01	0.00	-45.52	-49.66	-47.64

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5700MHz

24/05/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.765G	1M	AV	5.43754G	-48.31	-41.20	-7.11	9.01	0.00	-57.32	-60.38	-60.28

5.47-5.725GHz_802.11ax_HEW20_Nss1_(MCS0)_2TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

16/05/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.89G	1M	PK	5.44449G	-37.41	-21.20	-16.21	9.01	0.00	-46.42	-50.23	-48.75
5.43G	5.89G	1M	PK	5.46542G	-37.94	-27.00	-10.04	9.01	0.00	-46.85	-50.06	-49.67
5.43G	5.89G	1M	PK	5.6785G	-36.44	-27.00	-9.44	9.01	0.00	-45.45	-49.01	-47.98

5.47-5.725GHz_802.11ax_HEW20_Nss1_(MCS0)_2TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

16/05/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.89G	1M	AV	5.43575G	-48.14	-41.20	-6.94	9.01	0.00	-57.15	-60.15	-60.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5745MHz

16/05/2023




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5785MHz

16/05/2023




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5825MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.6851G	-37.56	-1.02	-36.54	9.01	0.00	-46.57	-49.21	-49.99
5.685G	5.89G	1M	PK	5.8899G	-36.96	-1.02	-35.94	9.01	0.00	-45.97	-50.18	-48.04

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5190MHz

24/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14902G	-36.43	-21.20	-15.23	9.01	0.00	-45.44	-48.67	-48.24
5.07G	5.43G	1M	PK	5.3886G	-35.78	-21.20	-14.58	9.01	0.00	-44.79	-49.96	-46.37

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5190MHz

24/05/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14974G	-46.33	-41.20	-5.13	9.01	0.00	-55.34	-58.38	-58.32
5.07G	5.43G	1M	AV	5.36448G	-47.00	-41.20	-5.80	9.01	0.00	-56.01	-59.13	-58.91

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5230MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14794G	-32.83	-21.20	-11.63	9.01	0.00	-41.84	-45.23	-44.50
5.07G	5.43G	1M	PK	5.38716G	-35.46	-21.20	-14.26	9.01	0.00	-44.47	-47.82	-47.16

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5230MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14992G	-44.49	-41.20	-3.29	9.01	0.00	-53.50	-56.94	-56.12
5.07G	5.43G	1M	AV	5.38374G	-46.16	-41.20	-4.96	9.01	0.00	-55.17	-58.36	-58.01

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5270MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.11716G	-35.78	-21.20	-14.58	9.01	0.00	-44.79	-49.10	-46.80
5.07G	5.43G	1M	PK	5.35116G	-31.47	-21.20	-10.27	9.01	0.00	-40.48	-46.00	-41.91

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5270MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.0898G	-46.78	-41.20	-5.58	9.01	0.00	-55.79	-58.87	-58.73
5.07G	5.43G	1M	AV	5.35008G	-43.70	-41.20	-2.50	9.01	0.00	-52.71	-56.49	-55.07

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5310MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.1267G	-36.72	-21.20	-15.52	9.01	0.00	-45.73	-50.12	-47.70
5.07G	5.43G	1M	PK	5.35062G	-35.91	-21.20	-14.71	9.01	0.00	-44.92	-47.77	-48.10

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5310MHz

24/05/2023




5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5510MHz

24/05/2023




5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5510MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45806G	-47.33	-41.20	-6.13	9.01	0.00	-56.34	-59.47	-59.24

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5550MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	PK	5.45827G	-34.02	-21.20	-12.82	9.01	0.00	-43.03	-44.92	-47.55
5.39G	5.805G	1M	PK	5.46574G	-32.92	-27.00	-5.92	9.01	0.00	-41.93	-45.56	-44.39
5.39G	5.805G	1M	PK	5.7469G	-36.92	-27.00	-9.92	9.01	0.00	-45.93	-48.91	-48.97

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5550MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45889G	-46.00	-41.20	-4.80	9.01	0.00	-55.01	-58.25	-57.80

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5670MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	PK	5.45993G	-37.21	-21.20	-16.01	9.01	0.00	-46.22	-50.68	-48.14
5.39G	5.805G	1M	PK	5.4674G	-36.23	-27.00	-9.23	9.01	0.00	-45.34	-49.22	-47.46
5.39G	5.805G	1M	PK	5.72511G	-33.32	-27.00	-6.32	9.01	0.00	-42.33	-48.48	-43.54

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5670MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.805G	1M	AV	5.45993G	-47.26	-41.20	-6.06	9.01	0.00	-56.27	-59.54	-59.04

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.93G	1M	PK	5.44724G	-37.14	-21.20	-15.94	9.01	0.00	-46.15	-50.20	-48.32
5.39G	5.93G	1M	PK	5.46425G	-37.45	-27.00	-10.45	9.01	0.00	-46.46	-49.39	-49.56
5.39G	5.93G	1M	PK	5.86088G	-35.13	-27.00	-8.13	9.01	0.00	-44.14	-47.34	-46.96

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.93G	1M	AV	5.43158G	-48.12	-41.20	-6.92	9.01	0.00	-57.13	-60.18	-60.11

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5755MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.93G	1M	PK	5.64928G	-35.48	-27.00	-8.48	9.01	0.00	-44.49	-48.60	-46.63
5.645G	5.93G	1M	PK	5.92829G	-36.12	-27.00	-9.12	9.01	0.00	-45.13	-47.80	-48.50

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5795MHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.93G	1M	PK	5.64871G	-36.79	-27.00	-9.79	9.01	0.00	-45.80	-49.14	-48.50
5.645G	5.93G	1M	PK	5.92459G	-35.57	-26.69	-8.88	9.01	0.00	-44.58	-48.19	-47.06

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5210MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.1395G	-36.54	-21.20	-15.34	9.01	0.00	-45.55	-48.68	-48.45
4.99G	5.51G	1M	PK	5.41940G	-35.95	-21.20	-14.75	9.01	0.00	-44.96	-48.53	-47.49
4.99G	5.51G	1M	PK	5.49128G	-36.10	-27.00	-9.10	9.01	0.00	-45.11	-49.59	-47.03

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5210MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.1499G	-46.62	-41.20	-5.42	9.01	0.00	-55.63	-58.78	-58.50
4.99G	5.51G	1M	AV	5.43486G	-46.94	-41.20	-5.74	9.01	0.00	-55.95	-58.82	-59.10

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5290MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.1304G	-36.92	-21.20	-15.72	9.01	0.00	-45.93	-49.32	-48.59
4.99G	5.51G	1M	PK	5.35582G	-34.66	-21.20	-13.46	9.01	0.00	-43.67	-47.67	-45.87
4.99G	5.51G	1M	PK	5.49154G	-36.17	-27.00	-9.17	9.01	0.00	-45.18	-48.61	-47.81

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5290MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.31G	1M	AV	5.14964G	-48.02	-41.20	-6.82	9.01	0.00	-57.03	-60.04	-60.04
4.99G	5.31G	1M	AV	5.35062G	-45.68	-41.20	-4.48	9.01	0.00	-54.69	-57.67	-57.73
4.99G	5.31G	1M	AV	5.35114G	-45.68	-41.20	-4.48	9.01	0.00	-54.69	-57.73	-57.67

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5530MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	PK	5.34335G	-37.55	-27.00	-10.55	9.01	0.00	-46.56	-49.08	-50.12
5.31G	5.885G	1M	PK	5.45433G	-36.16	-21.20	-14.96	9.01	0.00	-45.17	-50.09	-46.86
5.31G	5.885G	1M	PK	5.46295G	-35.96	-27.00	-8.96	9.01	0.00	-44.97	-48.37	-47.63
5.31G	5.885G	1M	PK	5.76023G	-36.66	-27.00	-9.66	9.01	0.00	-45.67	-48.93	-48.45

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5530MHz

24/05/2023




5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5610MHz

24/05/2023




5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5610MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.885G	1M	AV	5.45548G	-46.41	-41.20	-5.21	9.01	0.00	-55.42	-58.39	-58.47

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	6.01G	1M	PK	5.31315G	-37.39	-27.00	-10.39	9.01	0.00	-46.40	-49.55	-49.27
5.31G	6.01G	1M	PK	5.3891G	-37.38	-21.20	-16.18	9.01	0.00	-46.39	-50.05	-48.84
5.31G	6.01G	1M	PK	5.464G	-37.16	-27.00	-10.16	9.01	0.00	-46.17	-48.38	-50.15
5.31G	6.01G	1M	PK	5.8504G	-34.95	-27.00	-7.95	9.01	0.00	-43.96	-48.80	-45.68

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

16/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	6.01G	1M	AV	5.498G	-47.82	-41.20	-6.62	9.01	0.00	-56.83	-60.01	-59.67

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5775MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.565G	6.01G	1M	PK	5.65G	-35.80	-27.00	-8.80	9.01	0.00	-44.81	-47.90	-47.75
5.565G	6.01G	1M	PK	5.95482G	-35.50	-27.00	-8.50	9.01	0.00	-44.51	-46.83	-46.35

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.13744G	-36.52	-21.20	-15.32	9.01	0.00	-45.53	-48.77	-48.33
4.83G	5.67G	1M	PK	5.35542G	-35.21	-21.20	-14.01	9.01	0.00	-44.22	-46.19	-46.61
4.83G	5.67G	1M	PK	5.52972G	-35.87	-27.00	-8.87	9.01	0.00	-44.88	-47.63	-48.16

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.14626G	-46.79	-41.20	-5.59	9.01	0.00	-55.80	-59.00	-58.63
4.83G	5.67G	1M	AV	5.35374G	-46.01	-41.20	-4.81	9.01	0.00	-55.02	-58.06	-58.00

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

24/05/2023



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.13954G	-35.88	-21.20	-14.68	9.01	0.00	-44.89	-47.55	-48.29
4.83G	5.67G	1M	PK	5.35711G	-35.15	-21.20	-13.95	9.01	0.00	-44.16	-46.66	-47.76
4.83G	5.67G	1M	PK	5.15755G	-36.06	-27.00	-9.06	9.01	0.00	-45.07	-48.33	-47.85

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

24/05/2023



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.14836G	-46.84	-41.20	-5.64	9.01	0.00	-55.85	-58.80	-58.92
4.83G	5.67G	1M	AV	5.35458G	-45.93	-41.20	-4.73	9.01	0.00	-54.94	-57.94	-57.97

5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5570MHz

24/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	PK	5.34422G	-36.64	-27.00	-9.64	9.01	0.00	-45.65	-50.36	-47.44
5.15G	6.045G	1M	PK	5.4458G	-34.70	-21.20	-13.50	9.01	0.00	-43.71	-46.79	-46.65
5.15G	6.045G	1M	PK	5.46952G	-35.07	-27.00	-8.07	9.01	0.00	-44.08	-47.47	-46.74
5.15G	6.045G	1M	PK	5.72593G	-35.00	-27.00	-8.00	9.01	0.00	-44.01	-47.89	-46.29

5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5570MHz

24/05/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.15G	6.045G	1M	AV	5.15G	-48.93	-41.20	-7.73	9.01	0.00	-57.94	-61.01	-60.90
5.15G	6.045G	1M	AV	5.44267G	-45.37	-41.20	-4.17	9.01	0.00	-54.38	-57.63	-57.17



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_8TX	Pass	1G	40G	AV	-46.35	-60.38	-69.28	-70.18	-69.57	-69.14	-69.72	-69.00	-69.72	-68.86	-41.20	-5.15	14.03
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	1G	40G	AV	-46.18	-60.21	-69.52	-69.66	-69.52	-68.95	-69.08	-68.81	-69.08	-69.37	-41.20	-4.98	14.03
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	1G	40G	AV	-46.29	-60.32	-69.21	-69.65	-69.50	-68.66	-69.50	-69.21	-69.65	-69.50	-41.20	-5.09	14.03
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	1G	40G	AV	-46.28	-60.31	-68.69	-69.98	-69.53	-69.53	-69.39	-68.96	-69.53	-69.24	-41.20	-5.08	14.03
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	1G	40G	AV	-46.31	-60.34	-69.68	-69.68	-69.83	-69.39	-68.82	-69.53	-68.30	-69.98	-41.20	-5.11	14.03
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	1G	40G	AV	-46.18	-60.21	-69.39	-69.25	-68.83	-69.25	-69.54	-68.97	-69.10	-69.68	-41.20	-4.98	14.03
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	1G	40G	AV	-46.31	-60.34	-68.99	-69.56	-69.71	-68.99	-69.42	-70.02	-68.72	-69.71	-41.20	-5.11	14.03

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Note: This is the worst case that using max setting during the test.



CSE Harmonics_ Non-Beamforming_Serving Radio Dual_8T1S

Appendix E.16

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P2 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
11a20_Nss1_(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	1G	40G	AV	39.98172G	14.03	-68.86	-69.28	-69.28	-69.57	-69.14	-69.72	-69.00	-69.72	-60.38	-46.35	-41.20	-5.15
5180MHz	Pass	1G	40G	PK	10.36G	14.03	-76.17	-79.60	-79.60	-75.34	-77.21	-76.57	-79.46	-76.08	-67.99	-53.96	-27.00	-26.96
5180MHz	Pass	1G	40G	PK	38.31081G	14.03	-66.06	-63.82	-63.82	-68.13	-65.18	-69.31	-69.97	-67.47	-57.87	-43.84	-27.00	-16.84
5200MHz	Pass	1G	40G	AV	4.98551G	14.03	-100.87	-100.46	-100.46	-197.95	-197.95	-197.95	-197.95	-197.95	-96.26	-82.23	-41.20	-41.03
5200MHz	Pass	1G	40G	PK	57.97M	14.03	-97.36	-199.22	-199.22	-199.22	-199.22	-199.22	-199.22	-199.22	-97.36	-78.63	-55.20	-23.43
5200MHz	Pass	1G	40G	PK	10.37681G	14.03	-97.08	-197.74	-197.74	-197.74	-197.74	-197.74	-197.74	-197.74	-97.08	-83.05	-27.00	-56.05
802.11ax HEW20_Nss1_(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	1G	40G	AV	39.95734G	14.03	-69.37	-69.52	-69.52	-69.52	-68.95	-69.08	-68.81	-69.08	-60.21	-46.18	-41.20	-4.98
5180MHz	Pass	1G	40G	PK	10.35147G	14.03	-80.05	-72.31	-72.31	-77.11	-76.79	-80.05	-74.92	-78.91	-67.46	-53.43	-27.00	-26.43
5180MHz	Pass	1G	40G	PK	38.30594G	14.03	-66.46	-68.08	-68.08	-71.36	-65.65	-66.69	-66.35	-68.79	-58.22	-44.19	-27.00	-17.19
802.11ax HEW40_Nss1_(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	1G	40G	AV	39.95125G	14.03	-69.50	-69.21	-69.21	-69.50	-68.66	-69.50	-69.21	-69.65	-60.32	-46.29	-41.20	-5.09
5190MHz	Pass	1G	40G	PK	10.37463G	14.03	-76.66	-76.46	-76.46	-77.76	-76.98	-77.08	-77.53	-77.19	-67.76	-53.73	-27.00	-26.73
5190MHz	Pass	1G	40G	PK	38.29253G	14.03	-64.69	-67.36	-67.36	-65.56	-68.56	-70.05	-68.28	-69.01	-58.39	-44.36	-27.00	-17.36
5270MHz	Pass	1G	40G	AV	39.96466G	14.03	-69.98	-69.68	-69.68	-69.83	-69.39	-68.82	-69.53	-68.30	-60.34	-46.31	-41.20	-5.11
5270MHz	Pass	1G	40G	PK	10.52575G	14.03	-75.82	-79.29	-79.29	-75.61	-75.30	-74.72	-71.81	-74.91	-65.70	-51.67	-27.00	-24.67
5270MHz	Pass	1G	40G	PK	38.33153G	14.03	-66.66	-67.40	-67.40	-68.27	-66.43	-71.58	-68.06	-67.59	-58.57	-44.54	-27.00	-17.54
5510MHz	Pass	1G	40G	AV	11.01934G	14.03	-82.19	-80.88	-80.88	-82.00	-81.06	-82.00	-81.61	-82.19	-72.68	-58.65	-41.20	-17.45
5510MHz	Pass	1G	40G	AV	39.94516G	14.03	-69.68	-69.39	-69.39	-68.83	-69.25	-69.54	-68.97	-69.10	-60.21	-46.18	-41.20	-4.98
5510MHz	Pass	1G	40G	PK	11.03153G	14.03	-78.58	-73.70	-73.70	-77.81	-76.25	-76.77	-80.03	-76.46	-67.88	-53.85	-21.20	-32.65
5510MHz	Pass	1G	40G	PK	38.323G	14.03	-67.11	-68.59	-68.59	-67.62	-68.96	-65.75	-65.44	-68.66	-58.23	-44.20	-27.00	-17.20
5755MHz	Pass	1G	40G	AV	11.50928G	14.03	-81.56	-79.70	-79.70	-80.74	-82.67	-82.48	-82.67	-82.10	-72.45	-58.42	-41.20	-17.22
5755MHz	Pass	1G	40G	AV	39.9415G	14.03	-69.71	-68.99	-68.99	-69.71	-68.99	-69.42	-70.02	-68.72	-60.34	-46.31	-41.20	-5.11
5755MHz	Pass	1G	40G	PK	11.49588G	14.03	-77.87	-77.99	-77.99	-74.34	-76.24	-75.05	-77.49	-75.43	-67.46	-53.43	-21.20	-32.23
5755MHz	Pass	1G	40G	PK	38.57284G	14.03	-70.28	-69.33	-69.33	-66.92	-66.66	-67.41	-68.01	-65.66	-58.29	-44.26	-27.00	-17.26
5795MHz																		
802.11ax HEW80_Nss1_(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	1G	40G	AV	39.96466G	14.03	-69.24	-68.69	-68.69	-69.53	-69.53	-69.39	-68.96	-69.53	-60.31	-46.28	-41.20	-5.08
5210MHz	Pass	1G	40G	PK	10.43313G	14.03	-77.41	-74.85	-74.85	-73.69	-76.50	-76.40	-79.40	-76.40	-67.30	-53.27	-27.00	-26.27
5210MHz	Pass	1G	40G	PK	38.51069G	14.03	-65.41	-67.20	-67.20	-69.54	-68.60	-66.60	-67.91	-66.16	-58.44	-44.41	-27.00	-17.41


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

11a20_Nss1,(6Mbps)_8TX

5180MHz

CSE [PK]

16/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
1G	40G	1M	PK	38.31081G	-53.96	-27.00	-26.96	14.03	0.00	-67.99	-76.17	-79.60	-77.55	-75.34	-77.21	-76.57	-79.46	-76.08
1G	40G	1M	PK	38.31081G	-43.84	-27.00	-16.84	14.03	0.00	-57.87	-66.06	-63.82	-69.39	-68.13	-65.18	-69.31	-69.97	-67.47

11a20_Nss1,(6Mbps)_8TX

5180MHz

CSE [AV]

16/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
1G	40G	1M	AV	39.98172G	-46.35	-41.20	-5.15	14.03	0.00	-60.38	-68.86	-69.28	-70.18	-69.57	-69.14	-69.72	-69.00	-69.72




802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [PK]

5180MHz

16/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
1G	40G	1M	PK	10.35147G	-53.43	-27.00	-26.43	14.03	0.00	-67.46	-80.05	-72.31	-78.15	-77.11	-76.79	-80.05	-74.92	-78.91
1G	40G	1M	PK	38.30594G	-44.19	-27.00	-17.19	14.03	0.00	-58.22	-66.46	-68.08	-66.93	-71.36	-65.65	-66.69	-66.35	-68.79

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [AV]

5180MHz

16/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
1G	40G	1M	AV	39.95734G	-46.18	-41.20	-4.98	14.03	0.00	-60.21	-69.37	-69.52	-69.66	-69.52	-68.95	-69.08	-68.81	-69.08

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [PK]

5190MHz

16/08/2021




802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [AV]

5190MHz

16/08/2021




802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [PK]

5270MHz

16/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
1G	40G	1M	PK	10.52575G	-51.67	-27.00	-24.67	14.03	0.00	-65.70	-75.82	-79.29	-73.75	-75.61	-75.30	-74.72	-71.81	-74.91
1G	40G	1M	PK	38.33153G	-44.54	-27.00	-17.54	14.03	0.00	-58.57	-66.66	-67.40	-66.66	-68.27	-66.43	-71.58	-68.06	-67.59

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [AV]

5270MHz

16/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
1G	40G	1M	AV	39.96466G	-46.31	-41.20	-5.11	14.03	0.00	-60.34	-69.98	-69.68	-69.68	-69.83	-69.39	-68.82	-69.53	-68.30