

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n38	30	10	515000	1@1	DFT_BPSK	22.36	PASS
n38	30	10	515000	24@0	DFT_QPSK	21.59	PASS
n38	30	10	515000	12@6	DFT_QPSK	22.55	PASS
n38	30	10	515000	1@1	DFT_QPSK	22.42	PASS
n38	30	10	515000	1@22	DFT_QPSK	22.62	PASS
n38	30	10	515000	1@1	DFT_QAM16	21.25	PASS
n38	30	10	515000	1@1	DFT_QAM64	19.81	PASS
n38	30	10	515000	1@1	DFT_QAM256	18.26	PASS
n38	30	10	515000	1@1	CP_QPSK	20.98	PASS
n38	30	10	519000	1@1	DFT_BPSK	22.63	PASS
n38	30	10	519000	24@0	DFT_QPSK	21.8	PASS
n38	30	10	519000	12@6	DFT_QPSK	22.79	PASS
n38	30	10	519000	1@1	DFT_QPSK	22.75	PASS
n38	30	10	519000	1@22	DFT_QPSK	22.83	PASS
n38	30	10	519000	1@1	DFT_QAM16	21.49	PASS
n38	30	10	519000	1@1	DFT_QAM64	20.14	PASS
n38	30	10	519000	1@1	DFT_QAM256	18.57	PASS
n38	30	10	519000	1@1	CP_QPSK	21.29	PASS
n38	30	10	523000	1@1	DFT_BPSK	22.7	PASS
n38	30	10	523000	24@0	DFT_QPSK	21.84	PASS
n38	30	10	523000	12@6	DFT_QPSK	22.81	PASS
n38	30	10	523000	1@1	DFT_QPSK	22.83	PASS
n38	30	10	523000	1@22	DFT_QPSK	22.88	PASS
n38	30	10	523000	1@1	DFT_QAM16	21.56	PASS
n38	30	10	523000	1@1	DFT_QAM64	20.2	PASS
n38	30	10	523000	1@1	DFT_QAM256	18.65	PASS
n38	30	10	523000	1@1	CP_QPSK	21.31	PASS
n38	30	15	515500	1@1	DFT_BPSK	22.34	PASS
n38	30	15	515500	36@0	DFT_QPSK	21.67	PASS
n38	30	15	515500	18@9	DFT_QPSK	22.64	PASS
n38	30	15	515500	1@1	DFT_QPSK	22.42	PASS
n38	30	15	515500	1@36	DFT_QPSK	22.74	PASS
n38	30	15	515500	1@1	DFT_QAM16	21.21	PASS
n38	30	15	515500	1@1	DFT_QAM64	19.82	PASS
n38	30	15	515500	1@1	DFT_QAM256	18.27	PASS
n38	30	15	515500	1@1	CP_QPSK	20.97	PASS
n38	30	15	519000	1@1	DFT_BPSK	22.62	PASS
n38	30	15	519000	36@0	DFT_QPSK	21.8	PASS
n38	30	15	519000	18@9	DFT_QPSK	22.75	PASS
n38	30	15	519000	1@1	DFT_QPSK	22.73	PASS
n38	30	15	519000	1@36	DFT_QPSK	22.83	PASS

n38	30	15	519000	1@1	DFT_QAM16	21.53	PASS
n38	30	15	519000	1@1	DFT_QAM64	20.07	PASS
n38	30	15	519000	1@1	DFT_QAM256	18.56	PASS
n38	30	15	519000	1@1	CP_QPSK	21.21	PASS
n38	30	15	522500	1@1	DFT_BPSK	22.65	PASS
n38	30	15	522500	36@0	DFT_QPSK	21.83	PASS
n38	30	15	522500	18@9	DFT_QPSK	22.78	PASS
n38	30	15	522500	1@1	DFT_QPSK	22.78	PASS
n38	30	15	522500	1@36	DFT_QPSK	22.84	PASS
n38	30	15	522500	1@1	DFT_QAM16	21.53	PASS
n38	30	15	522500	1@1	DFT_QAM64	20.15	PASS
n38	30	15	522500	1@1	DFT_QAM256	18.56	PASS
n38	30	15	522500	1@1	CP_QPSK	21.27	PASS
n38	30	20	516000	1@1	DFT_BPSK	22.29	PASS
n38	30	20	516000	50@0	DFT_QPSK	21.66	PASS
n38	30	20	516000	25@12	DFT_QPSK	22.72	PASS
n38	30	20	516000	1@1	DFT_QPSK	22.41	PASS
n38	30	20	516000	1@49	DFT_QPSK	22.76	PASS
n38	30	20	516000	1@1	DFT_QAM16	21.24	PASS
n38	30	20	516000	1@1	DFT_QAM64	19.83	PASS
n38	30	20	516000	1@1	DFT_QAM256	18.2	PASS
n38	30	20	516000	1@1	CP_QPSK	20.93	PASS
n38	30	20	519000	1@1	DFT_BPSK	22.55	PASS
n38	30	20	519000	50@0	DFT_QPSK	21.79	PASS
n38	30	20	519000	25@12	DFT_QPSK	22.79	PASS
n38	30	20	519000	1@1	DFT_QPSK	22.63	PASS
n38	30	20	519000	1@49	DFT_QPSK	22.83	PASS
n38	30	20	519000	1@1	DFT_QAM16	21.39	PASS
n38	30	20	519000	1@1	DFT_QAM64	20.03	PASS
n38	30	20	519000	1@1	DFT_QAM256	18.47	PASS
n38	30	20	519000	1@1	CP_QPSK	21.24	PASS
n38	30	20	522000	1@1	DFT_BPSK	22.58	PASS
n38	30	20	522000	50@0	DFT_QPSK	21.84	PASS
n38	30	20	522000	25@12	DFT_QPSK	22.86	PASS
n38	30	20	522000	1@1	DFT_QPSK	22.74	PASS
n38	30	20	522000	1@49	DFT_QPSK	22.85	PASS
n38	30	20	522000	1@1	DFT_QAM16	21.52	PASS
n38	30	20	522000	1@1	DFT_QAM64	20.14	PASS
n38	30	20	522000	1@1	DFT_QAM256	18.52	PASS
n38	30	20	522000	1@1	CP_QPSK	21.25	PASS
n38	30	30	517000	1@1	DFT_BPSK	22.11	PASS
n38	30	30	517000	75@0	DFT_QPSK	21.61	PASS
n38	30	30	517000	36@18	DFT_QPSK	22.7	PASS
n38	30	30	517000	1@1	DFT_QPSK	22.21	PASS

n38	30	30	517000	1@76	DFT_QPSK	22.61	PASS
n38	30	30	517000	1@1	DFT_QAM16	21.02	PASS
n38	30	30	517000	1@1	DFT_QAM64	19.61	PASS
n38	30	30	517000	1@1	DFT_QAM256	18.04	PASS
n38	30	30	517000	1@1	CP_QPSK	20.77	PASS
n38	30	30	519000	1@1	DFT_BPSK	22.31	PASS
n38	30	30	519000	75@0	DFT_QPSK	21.69	PASS
n38	30	30	519000	36@18	DFT_QPSK	22.78	PASS
n38	30	30	519000	1@1	DFT_QPSK	22.42	PASS
n38	30	30	519000	1@76	DFT_QPSK	22.71	PASS
n38	30	30	519000	1@1	DFT_QAM16	21.28	PASS
n38	30	30	519000	1@1	DFT_QAM64	19.81	PASS
n38	30	30	519000	1@1	DFT_QAM256	18.27	PASS
n38	30	30	519000	1@1	CP_QPSK	20.99	PASS
n38	30	30	521000	1@1	DFT_BPSK	22.36	PASS
n38	30	30	521000	75@0	DFT_QPSK	21.78	PASS
n38	30	30	521000	36@18	DFT_QPSK	22.83	PASS
n38	30	30	521000	1@1	DFT_QPSK	22.46	PASS
n38	30	30	521000	1@76	DFT_QPSK	22.65	PASS
n38	30	30	521000	1@1	DFT_QAM16	21.23	PASS
n38	30	30	521000	1@1	DFT_QAM64	19.85	PASS
n38	30	30	521000	1@1	DFT_QAM256	18.32	PASS
n38	30	30	521000	1@1	CP_QPSK	21	PASS
n38	30	40	518000	1@1	DFT_BPSK	21.87	PASS
n38	30	40	518000	100@0	DFT_QPSK	21.59	PASS
n38	30	40	518000	50@25	DFT_QPSK	22.7	PASS
n38	30	40	518000	1@1	DFT_QPSK	21.94	PASS
n38	30	40	518000	1@104	DFT_QPSK	22.46	PASS
n38	30	40	518000	1@1	DFT_QAM16	20.75	PASS
n38	30	40	518000	1@1	DFT_QAM64	19.37	PASS
n38	30	40	518000	1@1	DFT_QAM256	17.8	PASS
n38	30	40	518000	1@1	CP_QPSK	20.51	PASS
n38	30	40	519000	1@1	DFT_BPSK	22.01	PASS
n38	30	40	519000	100@0	DFT_QPSK	21.69	PASS
n38	30	40	519000	50@25	DFT_QPSK	22.73	PASS
n38	30	40	519000	1@1	DFT_QPSK	22.09	PASS
n38	30	40	519000	1@104	DFT_QPSK	22.48	PASS
n38	30	40	519000	1@1	DFT_QAM16	20.91	PASS
n38	30	40	519000	1@1	DFT_QAM64	19.52	PASS
n38	30	40	519000	1@1	DFT_QAM256	17.94	PASS
n38	30	40	519000	1@1	CP_QPSK	20.72	PASS
n38	30	40	520000	1@1	DFT_BPSK	22.07	PASS
n38	30	40	520000	100@0	DFT_QPSK	21.66	PASS
n38	30	40	520000	50@25	DFT_QPSK	22.8	PASS

n38	30	40	520000	1@1	DFT_QPSK	22.17	PASS
n38	30	40	520000	1@104	DFT_QPSK	22.52	PASS
n38	30	40	520000	1@1	DFT_QAM16	20.97	PASS
n38	30	40	520000	1@1	DFT_QAM64	19.58	PASS
n38	30	40	520000	1@1	DFT_QAM256	18	PASS
n38	30	40	520000	1@1	CP_QPSK	20.68	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_BPSK	21.23	PASS
n77(3450-3550)	30	10	630334	24@0	DFT_QPSK	20.35	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_QPSK	21.36	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_QPSK	21.19	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_QPSK	21.21	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_QAM16	20.25	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_QAM64	18.79	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_QAM256	16.73	PASS
n77(3450-3550)	30	10	630334	1@1	CP_QPSK	19.76	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_BPSK	21.14	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QPSK	20.21	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_QPSK	21.22	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_QPSK	21.13	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_QPSK	21.15	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_QAM16	20.12	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_QAM64	18.92	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_QAM256	16.70	PASS
n77(3450-3550)	30	10	633334	1@1	CP_QPSK	19.72	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_BPSK	21.04	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_QPSK	20.07	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_QPSK	21.07	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_QPSK	21.02	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_QPSK	20.88	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_QAM16	20.06	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_QAM64	18.82	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_QAM256	16.57	PASS
n77(3450-3550)	30	10	636332	1@1	CP_QPSK	19.53	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_BPSK	21.22	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_QPSK	20.36	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_QPSK	21.38	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_QPSK	21.24	PASS
n77(3450-3550)	30	15	630500	1@36	DFT_QPSK	21.32	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_QAM16	20.26	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_QAM64	18.99	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_QAM256	16.73	PASS
n77(3450-3550)	30	15	630500	1@1	CP_QPSK	19.72	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_BPSK	21.10	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QPSK	20.23	PASS

n77(3450-3550)	30	15	633334	18@9	DFT_QPSK	21.21	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_QPSK	21.15	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_QPSK	21.11	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_QAM16	20.21	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_QAM64	18.92	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_QAM256	16.60	PASS
n77(3450-3550)	30	15	633334	1@1	CP_QPSK	19.65	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_BPSK	20.99	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_QPSK	20.05	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_QPSK	21.11	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_QPSK	21.07	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_QPSK	20.97	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_QAM16	20.15	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_QAM64	18.84	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_QAM256	16.50	PASS
n77(3450-3550)	30	15	636166	1@1	CP_QPSK	19.49	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_BPSK	21.20	PASS
n77(3450-3550)	30	20	630668	50@0	DFT_QPSK	20.36	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_QPSK	21.40	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_QPSK	21.27	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_QPSK	21.33	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_QAM16	20.41	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_QAM64	18.92	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_QAM256	16.67	PASS
n77(3450-3550)	30	20	630668	1@1	CP_QPSK	19.70	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_BPSK	21.07	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QPSK	20.21	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_QPSK	21.25	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_QPSK	21.10	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_QPSK	21.06	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_QAM16	20.29	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_QAM64	18.94	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_QAM256	16.56	PASS
n77(3450-3550)	30	20	633334	1@1	CP_QPSK	19.60	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_BPSK	20.94	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_QPSK	20.05	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_QPSK	21.10	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_QPSK	20.94	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_QPSK	20.84	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_QAM16	20.18	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_QAM64	18.70	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_QAM256	16.51	PASS
n77(3450-3550)	30	20	636000	1@1	CP_QPSK	19.43	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_BPSK	20.80	PASS

n77(3450-3550)	30	40	631334	100@0	DFT_QPSK	20.26	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_QPSK	21.41	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_QPSK	20.90	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_QPSK	20.70	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_QAM16	19.99	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_QAM64	18.69	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_QAM256	16.35	PASS
n77(3450-3550)	30	40	631334	1@1	CP_QPSK	19.40	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_BPSK	20.74	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QPSK	20.08	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_QPSK	21.22	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_QPSK	20.75	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_QPSK	20.45	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_QAM16	19.84	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_QAM64	18.48	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_QAM256	16.26	PASS
n77(3450-3550)	30	40	633334	1@1	CP_QPSK	19.27	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_BPSK	20.61	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_QPSK	19.94	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_QPSK	21.02	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_QPSK	20.64	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_QPSK	20.41	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_QAM16	19.74	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_QAM64	18.52	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_QAM256	16.14	PASS
n77(3450-3550)	30	40	635332	1@1	CP_QPSK	19.16	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_BPSK	21.05	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_QPSK	20.25	PASS
n77(3450-3550)	30	50	631668	64@32	DFT_QPSK	21.38	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_QPSK	21.17	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_QPSK	20.97	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_QAM16	20.27	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_QAM64	18.95	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_QAM256	16.64	PASS
n77(3450-3550)	30	50	631668	1@1	CP_QPSK	19.64	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_BPSK	21.06	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QPSK	20.14	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_QPSK	21.23	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_QPSK	21.14	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_QPSK	20.68	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_QAM16	20.27	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_QAM64	18.96	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_QAM256	16.66	PASS
n77(3450-3550)	30	50	633334	1@1	CP_QPSK	19.68	PASS

n77(3450-3550)	30	50	635000	1@1	DFT_BPSK	20.99	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_QPSK	20.03	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_QPSK	21.07	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_QPSK	21.03	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_QPSK	20.66	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_QAM16	20.19	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_QAM64	18.88	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_QAM256	16.54	PASS
n77(3450-3550)	30	50	635000	1@1	CP_QPSK	19.56	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_BPSK	20.98	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_QPSK	20.25	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_QPSK	21.32	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_QPSK	21.09	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_QPSK	20.82	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_QAM16	20.29	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_QAM64	18.78	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_QAM256	16.55	PASS
n77(3450-3550)	30	60	632000	1@1	CP_QPSK	19.62	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_BPSK	21.07	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QPSK	20.09	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_QPSK	21.21	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_QPSK	21.15	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_QPSK	20.63	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_QAM16	20.32	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_QAM64	18.82	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_QAM256	16.71	PASS
n77(3450-3550)	30	60	633334	1@1	CP_QPSK	19.72	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_BPSK	20.88	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_QPSK	20.04	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_QPSK	21.10	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_QPSK	20.94	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_QPSK	20.59	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_QAM16	20.14	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_QAM64	18.63	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_QAM256	16.52	PASS
n77(3450-3550)	30	60	634666	1@1	CP_QPSK	19.46	PASS
n77(3450-3550)	30	70	632334		DFT_BPSK	18.31	PASS
n77(3450-3550)	30	70	632334		DFT_QPSK	18.31	PASS
n77(3450-3550)	30	70	632334		DFT_QPSK	18.31	PASS
n77(3450-3550)	30	70	632334		DFT_QPSK	18.32	PASS
n77(3450-3550)	30	70	632334		DFT_QPSK	18.33	PASS
n77(3450-3550)	30	70	632334		DFT_QAM16	18.33	PASS
n77(3450-3550)	30	70	632334		DFT_QAM64	18.32	PASS
n77(3450-3550)	30	70	632334		DFT_QAM256	18.31	PASS

n77(3450-3550)	30	70	632334		CP_QPSK	18.32	PASS
n77(3450-3550)	30	70	633334		DFT_BPSK	18.26	PASS
n77(3450-3550)	30	70	633334		DFT_QPSK	18.25	PASS
n77(3450-3550)	30	70	633334		DFT_QPSK	18.26	PASS
n77(3450-3550)	30	70	633334		DFT_QPSK	18.26	PASS
n77(3450-3550)	30	70	633334		DFT_QPSK	18.26	PASS
n77(3450-3550)	30	70	633334		DFT_QAM16	18.25	PASS
n77(3450-3550)	30	70	633334		DFT_QAM64	18.26	PASS
n77(3450-3550)	30	70	633334		DFT_QAM256	18.26	PASS
n77(3450-3550)	30	70	633334		CP_QPSK	18.26	PASS
n77(3450-3550)	30	70	634332		DFT_BPSK	18.23	PASS
n77(3450-3550)	30	70	634332		DFT_QPSK	18.21	PASS
n77(3450-3550)	30	70	634332		DFT_QPSK	18.22	PASS
n77(3450-3550)	30	70	634332		DFT_QPSK	18.23	PASS
n77(3450-3550)	30	70	634332		DFT_QPSK	18.23	PASS
n77(3450-3550)	30	70	634332		DFT_QAM16	18.22	PASS
n77(3450-3550)	30	70	634332		DFT_QAM64	18.22	PASS
n77(3450-3550)	30	70	634332		DFT_QAM256	18.22	PASS
n77(3450-3550)	30	70	634332		CP_QPSK	18.22	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_BPSK	20.74	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_QPSK	20.13	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_QPSK	21.31	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_QPSK	20.80	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_QPSK	20.38	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_QAM16	20.07	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_QAM64	18.70	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_QAM256	16.49	PASS
n77(3450-3550)	30	80	632668	1@1	CP_QPSK	19.40	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_BPSK	20.87	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QPSK	20.11	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_QPSK	21.25	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_QPSK	20.93	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_QPSK	20.48	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_QAM16	20.08	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_QAM64	18.82	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_QAM256	16.63	PASS
n77(3450-3550)	30	80	633334	1@1	CP_QPSK	19.52	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_BPSK	20.84	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_QPSK	20.03	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_QPSK	21.20	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_QPSK	20.89	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_QPSK	20.39	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_QAM16	20.06	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_QAM64	18.77	PASS

n77(3450-3550)	30	80	634000	1@1	DFT_QAM256	16.56	PASS
n77(3450-3550)	30	80	634000	1@1	CP_QPSK	19.50	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_BPSK	20.60	PASS
n77(3450-3550)	30	90	633000	240@0	DFT_QPSK	20.12	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_QPSK	21.27	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_QPSK	20.71	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_QPSK	20.27	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_QAM16	19.78	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_QAM64	18.57	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_QAM256	16.37	PASS
n77(3450-3550)	30	90	633000	1@1	CP_QPSK	19.18	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_BPSK	20.64	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_QPSK	20.11	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_QPSK	21.23	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_QPSK	20.63	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_QPSK	20.23	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_QAM16	19.60	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_QAM64	18.56	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_QAM256	16.42	PASS
n77(3450-3550)	30	90	633334	1@1	CP_QPSK	19.21	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_BPSK	20.76	PASS
n77(3450-3550)	30	90	633666	240@0	DFT_QPSK	20.11	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_QPSK	21.25	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_QPSK	20.76	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_QPSK	20.16	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_QAM16	19.85	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_QAM64	18.65	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_QAM256	16.54	PASS
n77(3450-3550)	30	90	633666	1@1	CP_QPSK	19.29	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_BPSK	20.50	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QPSK	20.04	PASS
n77(3450-3550)	30	100	633334	135@67	DFT_QPSK	21.22	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_QPSK	20.44	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_QPSK	19.97	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_QAM16	19.46	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_QAM64	18.27	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_QAM256	17.22	PASS
n77(3450-3550)	30	100	633334	1@1	CP_QPSK	19.00	PASS


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n38	30	10	519000	24@0	DFT_BPSK	4.27	13	PASS


n38	30	10	519000	24@0	DFT_QPSK	5.20	13	PASS
n38	30	10	519000	24@0	DFT_QAM16	6.01	13	PASS
n38	30	10	519000	24@0	DFT_QAM64	6.29	13	PASS
n38	30	10	519000	24@0	DFT_QAM256	6.86	13	PASS
n38	30	15	519000	36@0	DFT_BPSK	4.23	13	PASS
n38	30	15	519000	36@0	DFT_QPSK	5.29	13	PASS
n38	30	15	519000	36@0	DFT_QAM16	6.03	13	PASS
n38	30	15	519000	36@0	DFT_QAM64	6.43	13	PASS
n38	30	15	519000	36@0	DFT_QAM256	6.87	13	PASS
n38	30	20	519000	50@0	DFT_BPSK	4.27	13	PASS
n38	30	20	519000	50@0	DFT_QPSK	5.32	13	PASS
n38	30	20	519000	50@0	DFT_QAM16	6.17	13	PASS
n38	30	20	519000	50@0	DFT_QAM64	6.43	13	PASS
n38	30	20	519000	50@0	DFT_QAM256	6.76	13	PASS
n38	30	30	519000	75@0	DFT_BPSK	3.56	13	PASS
n38	30	30	519000	75@0	DFT_QPSK	5.19	13	PASS
n38	30	30	519000	75@0	DFT_QAM16	6.17	13	PASS
n38	30	30	519000	75@0	DFT_QAM64	6.36	13	PASS
n38	30	30	519000	75@0	DFT_QAM256	6.64	13	PASS
n38	30	40	519000	100@0	DFT_BPSK	3.80	13	PASS
n38	30	40	519000	100@0	DFT_QPSK	5.37	13	PASS
n38	30	40	519000	100@0	DFT_QAM16	6.51	13	PASS
n38	30	40	519000	100@0	DFT_QAM64	6.68	13	PASS
n38	30	40	519000	100@0	DFT_QAM256	6.81	13	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_BPSK	4.20	13	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QPSK	5.33	13	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QAM16	6.05	13	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QAM64	6.34	13	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QAM256	6.34	13	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_BPSK	4.19	13	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QPSK	5.34	13	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QAM16	6.00	13	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QAM64	6.22	13	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QAM256	6.47	13	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_BPSK	4.18	13	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QPSK	5.32	13	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QAM16	6.06	13	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QAM64	6.29	13	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QAM256	6.30	13	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_BPSK	4.15	13	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QPSK	5.26	13	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QAM16	6.02	13	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QAM64	6.30	13	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QAM256	6.49	13	PASS

n77(3450-3550)	30	50	633334	128@0	DFT_BPSK	4.41	13	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QPSK	5.22	13	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QAM16	5.92	13	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QAM64	6.16	13	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QAM256	6.49	13	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_BPSK	4.17	13	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QPSK	5.30	13	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QAM16	6.07	13	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QAM64	6.28	13	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QAM256	6.48	13	PASS
n77(3450-3550)	30	70	633334		DFT_BPSK	6.53	13	PASS
n77(3450-3550)	30	70	633334		DFT_QPSK	6.53	13	PASS
n77(3450-3550)	30	70	633334		DFT_QAM16	6.54	13	PASS
n77(3450-3550)	30	70	633334		DFT_QAM64	6.53	13	PASS
n77(3450-3550)	30	70	633334		DFT_QAM256	6.54	13	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_BPSK	4.81	13	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QPSK	5.45	13	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QAM16	6.15	13	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QAM64	6.31	13	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QAM256	6.50	13	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_BPSK	4.61	13	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_QPSK	5.53	13	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_QAM16	6.16	13	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_QAM64	6.39	13	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_QAM256	6.57	13	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_BPSK	4.91	13	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QPSK	5.46	13	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QAM16	6.23	13	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QAM64	6.38	13	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QAM256	6.56	13	PASS


n38 SCS=30kHz DFT_BPSK BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM16 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM64 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM256 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_BPSK BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QPSK BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM16 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM64 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM256 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_BPSK BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QPSK BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM16 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM64 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM256 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_BPSK BW=30MHz Channel=519000 RB=75@0




n38 SCS=30kHz DFT_QPSK BW=30MHz Channel=519000 RB=75@0




n38 SCS=30kHz DFT_QAM16 BW=30MHz Channel=519000 RB=75@0




n38 SCS=30kHz DFT_QAM64 BW=30MHz Channel=519000 RB=75@0




n38 SCS=30kHz DFT_QAM256 BW=30MHz Channel=519000 RB=75@0




n38 SCS=30kHz DFT_BPSK BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QAM16 BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QAM64 BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QAM256 BW=40MHz Channel=519000 RB=100@0




n77(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=24@0




n77(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz Channel=633334 RB=24@0




n77(3450-3550) SCS=30kHz DFT_QAM16 BW=10MHz Channel=633334 RB=24@0




n77(3450-3550) SCS=30kHz DFT_QAM64 BW=10MHz Channel=633334 RB=24@0




n77(3450-3550) SCS=30kHz DFT_QAM256 BW=10MHz Channel=633334 RB=24@0




n77(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=36@0




n77(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz Channel=633334 RB=36@0




n77(3450-3550) SCS=30kHz DFT_QAM16 BW=15MHz Channel=633334 RB=36@0




n77(3450-3550) SCS=30kHz DFT_QAM64 BW=15MHz Channel=633334 RB=36@0




n77(3450-3550) SCS=30kHz DFT_QAM256 BW=15MHz Channel=633334 RB=36@0




n77(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=30kHz DFT_QAM16 BW=20MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=30kHz DFT_QAM64 BW=20MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=30kHz DFT_QAM256 BW=20MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=30kHz DFT_QAM16 BW=40MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=30kHz DFT_QAM64 BW=40MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=30kHz DFT_QAM256 BW=40MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=6333334 RB=128@0




n77(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz Channel=6333334 RB=128@0




n77(3450-3550) SCS=30kHz DFT_QAM16 BW=50MHz Channel=633334 RB=128@0




n77(3450-3550) SCS=30kHz DFT_QAM64 BW=50MHz Channel=633334 RB=128@0




n77(3450-3550) SCS=30kHz DFT_QAM256 BW=50MHz Channel=633334 RB=128@0




n77(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=162@0




n77(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz Channel=633334 RB=162@0




n77(3450-3550) SCS=30kHz DFT_QAM16 BW=60MHz Channel=633334 RB=162@0




n77(3450-3550) SCS=30kHz DFT_QAM64 BW=60MHz Channel=633334 RB=162@0




n77(3450-3550) SCS=30kHz DFT_QAM256 BW=60MHz Channel=633334 RB=162@0




n77(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=




n77(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz Channel=633334 RB=




n77(3450-3550) SCS=30kHz DFT_QAM16 BW=70MHz Channel=633334 RB=




n77(3450-3550) SCS=30kHz DFT_QAM64 BW=70MHz Channel=633334 RB=




n77(3450-3550) SCS=30kHz DFT_QAM256 BW=70MHz Channel=633334 RB=




n77(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=30kHz DFT_QAM16 BW=80MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=30kHz DFT_QAM64 BW=80MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=30kHz DFT_QAM256 BW=80MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=240@0




n77(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz Channel=633334 RB=240@0




n77(3450-3550) SCS=30kHz DFT_QAM16 BW=90MHz Channel=633334 RB=240@0




n77(3450-3550) SCS=30kHz DFT_QAM64 BW=90MHz Channel=633334 RB=240@0




n77(3450-3550) SCS=30kHz DFT_QAM256 BW=90MHz Channel=633334 RB=240@0




n77(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=270@0




n77(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz Channel=633334 RB=270@0



n77(3450-3550) SCS=30kHz DFT_QAM16 BW=100MHz Channel=633334 RB=270@0



n77(3450-3550) SCS=30kHz DFT_QAM64 BW=100MHz Channel=633334 RB=270@0



n77(3450-3550) SCS=30kHz DFT_QAM256 BW=100MHz Channel=633334 RB=270@0




4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n38	30	10	519000	24@0	DFT_BPSK	8.555	9.433	PASS
n38	30	10	519000	24@0	DFT_QPSK	8.622	9.443	PASS
n38	30	10	519000	24@0	DFT_QAM16	8.641	9.610	PASS
n38	30	10	519000	24@0	DFT_QAM64	8.602	9.474	PASS
n38	30	10	519000	24@0	DFT_QAM256	8.562	9.367	PASS
n38	30	15	519000	36@0	DFT_BPSK	12.976	14.107	PASS
n38	30	15	519000	36@0	DFT_QPSK	12.938	14.157	PASS
n38	30	15	519000	36@0	DFT_QAM16	12.895	13.900	PASS
n38	30	15	519000	36@0	DFT_QAM64	12.920	14.042	PASS
n38	30	15	519000	36@0	DFT_QAM256	12.928	14.104	PASS
n38	30	20	519000	50@0	DFT_BPSK	17.986	19.305	PASS
n38	30	20	519000	50@0	DFT_QPSK	17.963	19.166	PASS
n38	30	20	519000	50@0	DFT_QAM16	17.990	19.543	PASS
n38	30	20	519000	50@0	DFT_QAM64	17.969	19.261	PASS
n38	30	20	519000	50@0	DFT_QAM256	17.977	19.471	PASS
n38	30	30	519000	75@0	DFT_BPSK	26.983	28.896	PASS
n38	30	30	519000	75@0	DFT_QPSK	26.964	28.624	PASS
n38	30	30	519000	75@0	DFT_QAM16	26.950	28.660	PASS
n38	30	30	519000	75@0	DFT_QAM64	26.980	29.502	PASS
n38	30	30	519000	75@0	DFT_QAM256	27.012	28.961	PASS


n38	30	40	519000	100@0	DFT_BPSK	35.850	37.940	PASS
n38	30	40	519000	100@0	DFT_QPSK	35.899	37.996	PASS
n38	30	40	519000	100@0	DFT_QAM16	35.841	37.973	PASS
n38	30	40	519000	100@0	DFT_QAM64	35.845	38.053	PASS
n38	30	40	519000	100@0	DFT_QAM256	35.869	38.085	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_BPSK	8.629	9.535	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QPSK	8.583	9.444	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QAM16	8.613	9.517	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QAM64	8.563	9.441	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QAM256	8.604	9.516	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_BPSK	12.919	14.091	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QPSK	12.934	14.088	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QAM16	12.908	14.213	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QAM64	12.989	14.056	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QAM256	12.943	14.015	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_BPSK	17.958	19.344	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QPSK	17.944	19.208	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QAM16	17.933	19.029	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QAM64	17.967	19.267	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QAM256	17.971	19.251	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_BPSK	35.832	37.901	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QPSK	35.820	37.793	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QAM16	35.811	38.629	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QAM64	35.829	38.105	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QAM256	35.901	38.118	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_BPSK	45.873	48.582	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QPSK	45.819	48.308	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QAM16	45.732	48.658	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QAM64	45.683	48.331	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QAM256	45.910	48.710	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_BPSK	57.949	61.505	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QPSK	57.797	60.981	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QAM16	57.752	61.088	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QAM64	57.873	61.063	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QAM256	57.948	61.565	PASS
n77(3450-3550)	30	70	633334		DFT_BPSK	64.574	69.668	PASS
n77(3450-3550)	30	70	633334		DFT_QPSK	64.669	68.859	PASS
n77(3450-3550)	30	70	633334		DFT_QAM16	64.724	68.834	PASS
n77(3450-3550)	30	70	633334		DFT_QAM64	64.599	69.197	PASS
n77(3450-3550)	30	70	633334		DFT_QAM256	64.490	68.333	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_BPSK	77.230	81.104	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QPSK	77.130	81.057	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QAM16	77.126	81.089	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QAM64	77.161	81.085	PASS

n77(3450-3550)	30	80	633334	216@0	DFT_QAM256	77.111	82.284	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_BPSK	85.872	90.455	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_QPSK	85.913	90.456	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_QAM16	85.694	90.320	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_QAM64	85.781	90.359	PASS
n77(3450-3550)	30	90	633334	240@0	DFT_QAM256	85.669	90.305	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_BPSK	96.658	101.317	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QPSK	96.454	101.496	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QAM16	96.448	101.383	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QAM64	96.187	103.205	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QAM256	96.381	101.502	PASS


n38 SCS=30kHz DFT_BPSK BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM16 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM64 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM256 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_BPSK BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QPSK BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM16 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM64 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM256 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_BPSK BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QPSK BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM16 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM64 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM256 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_BPSK BW=30MHz Channel=519000 RB=75@0




n38 SCS=30kHz DFT_QPSK BW=30MHz Channel=519000 RB=75@0



n38 SCS=30kHz DFT_QAM16 BW=30MHz Channel=519000 RB=75@0



n38 SCS=30kHz DFT_QAM64 BW=30MHz Channel=519000 RB=75@0



n38 SCS=30kHz DFT_QAM256 BW=30MHz Channel=519000 RB=75@0