

APPENDIX B-2:
SAR Distribution Plots
For
Model KE434

SAR Distribution plots for Body Worn Configuration

06/24/03

KE4X4

AMPS ch383 Flat with Belt Clip

Liquid Temp = 22C+/- 1deg C


SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SNI712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.697 mW/g; SAR (10g): 0.487 mW/g; (Worst-case extrapolation)

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.01 dB




Kyocera Wireless Corp.

06/24/03

KE4X4

AMPS ch383 Flat with Belt Clip
 Liquid Temp = 22C +/- 1deg.C
 SAM Phantom; Section; Position.; Frequency: 835 MHz
 Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³
 ;, 0
 Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



Kyocera Wireless Corp.

06/24/03

KE4X4

AMPS ch383 Flat with Leather Case

Liquid Temp = 22C +/- 1deg C


SAM Phantom; Flat Section; Position: (90°, 90°), Frequency: 835 MHz

Probe: ET3DV6 - SN1712; ConvF(6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.545 mW/g, SAR (10g): 0.381 mW/g, (Worst-case extrapolation)

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.20 dB



Kyocera Wireless Corp.

06/24/03

KE4X4

AMPS ch383 Flat with Leather Case


Liquid Temp = 22C +/- 1deg.C

SAM Phantom; Section; Position.; Frequency: 835 MHz

Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³

; 0

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




Kyocera Wireless Corp.

06/24/03

KE4X4

AMPS ch383 Flat with 22.5mm Air Separation
 Liquid Temp = 22C +/- 1deg C
 SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³
 Cube 7x7x7; SAR (1g): 0.583 mW/g; SAR (10g): 0.410 mW/g; (Worst-case extrapolation)
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: -0.00 dB



Kyocera Wireless Corp.

06/24/03

KE4X4

AMPS ch383 Flat with 22.5mm Air Separation


Liquid Temp = 22C +/- 1deg.C

SAM Phantom; Section; Position.; Frequency: 835 MHz

Probe: ET3DV6 - SNI712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³

; 0

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




Kyocera Wireless Corp.

06/24/03

KE4X4

AMPS ch383 Flat with Belt Clip and Backpack Clip
Liquid Temp = 22C +/- 1deg C
SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 835 MHz
Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93 \text{ mho/m}$ $\epsilon_r = 55.2$ $\rho = 1.00 \text{ g/cm}^3$
Cube 7x7x7; SAR (1g): 0.636 mW/g; SAR (10g): 0.443 mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: 0.01 dB



Kyocera Wireless Corp.

06/24/03

KE4X4

CDMA-800 ch383 Flat with Belt Clip

Liquid Temp = 22C +/- 1deg C


SAM Phantom; Flat Section; Position: (90°, 90°), Frequency: 835 MHz

Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.568 mW/g, SAR (10g): 0.396 mW/g, (Worst-case extrapolation)

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.08 dB




Kyocera Wireless Corp.

06/24/03

KE4X4

CDMA-800 ch383 Flat with Belt Clip
 Liquid Temp = 22C $\pm$ 1 Id $\leq$ g.C
 SAM Phantom; Section; Position.; Frequency: 835 MHz
 Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³
 ;, 0
 Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



Kyocera Wireless Corp.

06/24/03

KE4X4

CDMA-800 ch383 Flat with Leather Case

Liquid Temp = 22C +/- 1deg C


SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 83.5 MHz Muscle; $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.530 mW/g, SAR (10g): 0.370 mW/g, (Worst-case extrapolation)

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.03 dB



Kyocera Wireless Corp.

06/24/03

KE4X4

CDMA-800 ch383 Flat with Leather Case


Liquid Temp = 22C +/- 1deg.C

SAM Phantom; Section; Position.; Frequency: 835 MHz

Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³

; 0

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



Kyocera Wireless Corp.

06/24/03

KE4X4

CDMA-800 ch383 Flat with 22.5mm Air Separation

Liquid Temp = 22C+/- 1deg C


SAM Phantom; Flat Section; Position: (90°, 90°), Frequency: 835 MHz

Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.546 mW/g; SAR (10g): 0.384 mW/g, (Worst-case extrapolation)

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.10 dB




Kyocera Wireless Corp.

06/24/03

KE4X4

CDMA-800 ch383 Flat with 22.5mm Air Separation
 Liquid Temp = 22C $\pm$ 1 Id $\leq$ g.C
 SAM Phantom; Section; Position.; Frequency: 835 MHz
 Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³
 ;, 0
 Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



Kyocera Wireless Corp.

06/24/03

KE4X4

CDMA-800 ch383 Flat with Belt Clip and Backpack Clip

Liquid Temp = 22C +/- 1deg C


SAM Phantom; Flat Section; Position: (90°, 90°), Frequency: 835 MHz

Probe: ET3DV6 - SN1712; ConvF(6.30,6.30,6.30); Crest factor: 1.0; 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR (1g): 0.595 mW/g, SAR (10g): 0.415 mW/g, (Worst-case extrapolation)

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.06 dB




Kyocera Wireless Corp.

06/25/03

KE4X4

CDMA-1900 ch25 FLAT with Belt Clip
 Liquid Temp = 22C +/- 1deg C
 SAM Phantom; Flat Section; Position: (90°, 90°), Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.00, 5.00, 5.00); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.57 \text{ mho/m}$, $\epsilon_r = 52.6$, $\rho = 1.00 \text{ g/cm}^3$
 Cube 7x7x7: SAR (1g): 0.557 mW/g, SAR (10g): 0.338 mW/g, (Worst-case extrapolation)
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: -0.14 dB




Kyocera Wireless Corp.

06/25/03

KE4X4

CDMA-1900 ch25 FLAT with Belt Clip
 Liquid Temp = 22C +/- 1deg.C
 SAM Phantom; Section; Position.; Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.00,5.00,5.00); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.57 \text{ mho/m}$ $\epsilon_r = 52.6$ $\rho = 1.00 \text{ g/cm}^3$
 ;, 0
 Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




Kyocera Wireless Corp.

06/25/03

KE4X4

CDMA-1900 ch25 FLAT with Leather Case
Liquid Temp = 22C +/- 1deg C
SAM Phantom; Flat Section; Position: (90°, 90°), Frequency: 1900 MHz
Probe: ET3DV6 - SN1712; ConvF(5.00,5.00,5.00); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.57 \text{ mho/m}$, $\epsilon_r = 52.6$, $\rho = 1.00 \text{ g/cm}^3$
Cube 7x7x7: SAR (1g): 0.441 mW/g, SAR (10g): 0.271 mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.07 dB




Kyocera Wireless Corp.

06/25/03

KE4X4

CDMA-1900 ch25 FLAT with Leather Case
 Liquid Temp = 22C +/- 1deg.C
 SAM Phantom; Section; Position.; Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.00,5.00,5.00); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.57 \text{ mho/m}$ $\epsilon_r = 52.6$ $\rho = 1.00 \text{ g/cm}^3$
 ;, 0
 Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0




Kyocera Wireless Corp.

06/25/03

KE4X4

CDMA-1900 ch25 Flat with 22.5mm Air Separation
Liquid Temp = 22C +/- 1deg C
SAM Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1712; ConvF(5.00,5.00); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.57 \text{ mho/m}$, $\epsilon_r = 52.6$, $\rho = 1.00 \text{ g/cm}^3$
Cube 7x7x7: SAR (1g): 0.563 mW/g, SAR (10g): 0.347 mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.14 dB




Kyocera Wireless Corp.

06/25/03

KE4X4

CDMA-1900 ch25 Flat with 22.5mm Air Separation
 Liquid Temp = 22C +/- 1deg.C
 SAM Phantom; Section; Position.; Frequency: 1900 MHz
 Probe: ET3DV6 - SN1712; ConvF(5.00,5.00,5.00); Crest factor: 1.0; 1900 MHz Muscle: $\sigma = 1.57 \text{ mho/m}$ $\epsilon_r = 52.6$ $\rho = 1.00 \text{ g/cm}^3$
 ;, 0
 Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0



Kyocera Wireless Corp.