

01 Conducted output power


Band	Channel	Frequency (MHz)	Power (dBm)	Verdict
WCDMA Band2	9262	1852.4	22.82	PASS
WCDMA Band2	9400	1880	22.86	PASS
WCDMA Band2	9538	1907.6	22.77	PASS
WCDMA Band4	1312	1712.4	22.76	PASS
WCDMA Band4	1413	1732.6	22.57	PASS
WCDMA Band4	1513	1752.6	22.76	PASS
WCDMA Band5	4132	826.4	22.55	PASS
WCDMA Band5	4182	836.4	22.50	PASS
WCDMA Band5	4233	846.6	22.58	PASS
GSM1900	512	1850.2	29.46	PASS
GSM1900	661	1880	29.63	PASS
GSM1900	810	1909.8	29.70	PASS
GSM850	128	824.2	32.93	PASS
GSM850	189	836.4	32.96	PASS
GSM850	251	848.8	32.85	PASS
CDMA2000 BC0 1xRTT(RC1,SO55)	1013	824.7	23.89	PASS
CDMA2000 BC0 1xRTT(RC1,SO55)	384	836.52	23.95	PASS
CDMA2000 BC0 1xRTT(RC1,SO55)	777	848.31	24.12	PASS
CDMA2000 BC0 1xRTT(RC3,SO55)	1013	824.7	23.91	PASS
CDMA2000 BC0 1xRTT(RC3,SO55)	384	836.52	24.02	PASS
CDMA2000 BC0 1xRTT(RC3,SO55)	777	848.31	24.11	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	1013	824.7	23.92	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	384	836.52	24.03	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	777	848.31	24.18	PASS
CDMA2000 BC0 1xEV-Do Rel.0	1013	824.7	23.88	PASS
CDMA2000 BC0 1xEV-Do Rel.0	384	836.52	23.95	PASS
CDMA2000 BC0 1xEV-Do Rel.0	777	848.31	23.96	PASS
CDMA2000 BC0 1xEV-Do Rel.A	1013	824.7	24.10	PASS
CDMA2000 BC0 1xEV-Do Rel.A	384	836.52	23.87	PASS
CDMA2000 BC0 1xEV-Do Rel.A	777	848.31	23.95	PASS
CDMA2000 BC1 1xRTT(RC1,SO55)	25	1851.25	23.05	PASS
CDMA2000 BC1 1xRTT(RC1,SO55)	600	1880	22.89	PASS
CDMA2000 BC1 1xRTT(RC1,SO55)	1175	1908.75	23.01	PASS
CDMA2000 BC1 1xRTT(RC3,SO55)	25	1851.25	22.87	PASS
CDMA2000 BC1 1xRTT(RC3,SO55)	600	1880	22.89	PASS
CDMA2000 BC1 1xRTT(RC3,SO55)	1175	1908.75	22.96	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	25	1851.25	23.11	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	600	1880	22.99	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	1175	1908.75	23.04	PASS
CDMA2000 BC1 1xEV-Do Rel.0	25	1851.25	22.88	PASS
CDMA2000 BC1 1xEV-Do Rel.0	600	1880	22.79	PASS

CDMA2000 BC1 1xEV-Do Rel.0	1175	1908.75	23.02	PASS
CDMA2000 BC1 1xEV-Do Rel.A	25	1851.25	22.97	PASS
CDMA2000 BC1 1xEV-Do Rel.A	600	1880	22.99	PASS
CDMA2000 BC1 1xEV-Do Rel.A	1175	1908.75	22.77	PASS


03 Peak-to-Average Ratio

Band	Channel	Frequency (MHz)	Result (dB)	high Limit (dB)	Verdict
WCDMA Band2	9262	1852.4	3.12	13	PASS
WCDMA Band2	9400	1880	3.15	13	PASS
WCDMA Band2	9538	1907.6	3.08	13	PASS
WCDMA Band4	1312	1712.4	3.10	13	PASS
WCDMA Band4	1413	1732.6	3.10	13	PASS
WCDMA Band4	1513	1752.6	3.14	13	PASS
WCDMA Band5	4132	826.4	3.11	13	PASS
WCDMA Band5	4182	836.4	3.14	13	PASS
WCDMA Band5	4233	846.6	3.16	13	PASS
GSM1900	512	1850.2	2.63	13	PASS
GSM1900	661	1880	2.63	13	PASS
GSM1900	810	1909.8	2.63	13	PASS
GSM850	128	824.2	2.61	13	PASS
GSM850	189	836.4	2.61	13	PASS
GSM850	251	848.8	2.61	13	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	1013	824.7	3.63	13	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	384	836.52	3.87	13	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	777	848.31	3.47	13	PASS
CDMA2000 BC0 1xEV-Do Rel.A	1013	824.7	3.63	13	PASS
CDMA2000 BC0 1xEV-Do Rel.A	384	836.52	3.86	13	PASS
CDMA2000 BC0 1xEV-Do Rel.A	777	848.31	3.47	13	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	25	1851.25	3.30	13	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	600	1880	3.57	13	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	1175	1908.75	3.30	13	PASS
CDMA2000 BC1 1xEV-Do Rel.A	25	1851.25	3.31	13	PASS
CDMA2000 BC1 1xEV-Do Rel.A	600	1880	3.58	13	PASS
CDMA2000 BC1 1xEV-Do Rel.A	1175	1908.75	3.31	13	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9538




WCDMA Band2 Channel=9400




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1413




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4132




WCDMA Band5 Channel=4233




GSM1900 Channel=661




GSM1900 Channel=512




GSM1900 Channel=810




GSM850 Channel=128




GSM850 Channel=189




GSM850 Channel=251




CDMA2000 BC0 1xRTT Channel=1013




CDMA2000 BC0 1xRTT Channel=384




CDMA2000 BC0 1xRTT Channel=777




CDMA2000 BC0 1xEV-Do Rel.A Channel=1013




CDMA2000 BC0 1xEV-Do Rel.A Channel=384




CDMA2000 BC0 1xEV-Do Rel.A Channel=777




CDMA2000 BC1 1xRTT Channel=25




CDMA2000 BC1 1xRTT Channel=600




CDMA2000 BC1 1xRTT Channel=1175




CDMA2000 BC1 1xEV-Do Rel.A Channel=25



CDMA2000 BC1 1xEV-Do Rel.A Channel=600



CDMA2000 BC1 1xEV-Do Rel.A Channel=1175




04 Occupied bandwidth


Band	Channel	Frequency (MHz)	99% OBW (kHz)	-26dB EBW (kHz)	Verdict
WCDMA Band2	9262	1852.4	4155.264	4688.222	PASS
WCDMA Band2	9400	1880	4129.765	4692.780	PASS
WCDMA Band2	9538	1907.6	4161.039	4691.840	PASS
WCDMA Band4	1312	1712.4	4155.573	4698.066	PASS
WCDMA Band4	1413	1732.6	4150.351	4685.018	PASS
WCDMA Band4	1513	1752.6	4156.208	4675.397	PASS
WCDMA Band5	4132	826.4	4158.425	4669.498	PASS
WCDMA Band5	4182	836.4	4143.500	4705.883	PASS
WCDMA Band5	4233	846.6	4133.193	4659.477	PASS
GSM1900	512	1850.2	241.622	316.083	PASS
GSM1900	661	1880	249.246	318.817	PASS
GSM1900	810	1909.8	247.863	322.884	PASS
GSM850	128	824.2	246.538	321.139	PASS
GSM850	189	836.4	246.831	313.906	PASS
GSM850	251	848.8	242.019	306.904	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	1013	824.7	1264.7	1429	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	384	836.52	1274.7	1422	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	777	848.31	1275.6	1432	PASS
CDMA2000 BC0 1xEV-Do Rel.A	1013	824.7	1270.3	1423	PASS
CDMA2000 BC0 1xEV-Do Rel.A	384	836.52	1272.0	1423	PASS
CDMA2000 BC0 1xEV-Do Rel.A	777	848.31	1269.2	1433	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	25	1851.25	1267.2	1429	PASS

CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	600	1880	1269.1	1422	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	1175	1908.75	1277.8	1431	PASS
CDMA2000 BC1 1xEV-Do Rel.A	25	1851.25	1276.4	1427	PASS
CDMA2000 BC1 1xEV-Do Rel.A	600	1880	1268.9	1429	PASS
CDMA2000 BC1 1xEV-Do Rel.A	1175	1908.75	1271.9	1430	PASS


WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1413




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132




WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233




GSM1900 Channel=661




GSM1900 Channel=512




GSM1900 Channel=810




GSM850 Channel=128




GSM850 Channel=251




GSM850 Channel=189




CDMA2000 BC0 1xRTT Channel=1013




CDMA2000 BC0 1xRTT Channel=384




CDMA2000 BC0 1xRTT Channel=777




CDMA2000 BC0 1xEV-Do Rel.A Channel=1013




CDMA2000 BC0 1xEV-Do Rel.A Channel=384




CDMA2000 BC0 1xEV-Do Rel.A Channel=777




CDMA2000 BC1 1xRTT Channel=25




CDMA2000 BC1 1xRTT Channel=600




CDMA2000 BC1 1xRTT Channel=1175




CDMA2000 BC1 1xEV-Do Rel.A Channel=25



CDMA2000 BC1 1xEV-Do Rel.A Channel=600




CDMA2000 BC1 1xEV-Do Rel.A Channel=1175




Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	1849.85	-22.61	-13	PASS
WCDMA Band2	9538	1907.6	1910.00	-21.94	-13	PASS
WCDMA Band4	1312	1712.4	1710.00	-23.12	-13	PASS
WCDMA Band4	1513	1752.6	1755.00	-24.48	-13	PASS
WCDMA Band5	4132	826.4	824.00	-22.90	-13	PASS
WCDMA Band5	4233	846.6	849.00	-23.68	-13	PASS
GSM1900	512	1850.2	1849.98	-29.25	-13	PASS
GSM1900	810	1909.8	1910.02	-29.31	-13	PASS
GSM850	128	824.2	823.98	-26.83	-13	PASS
GSM850	251	848.8	849.02	-23.83	-13	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	1013	824.7	824		-13	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	777	848.31	849		-13	PASS
CDMA2000 BC0 1xEV-Do Rel.A	1013	824.7	824		-13	PASS
CDMA2000 BC0 1xEV-Do Rel.A	777	848.31	849		-13	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	25	1851.25	1850		-13	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	1175	1908.75	1910		-13	PASS
CDMA2000 BC1 1xEV-Do Rel.A	25	1851.25	1850		-13	PASS
CDMA2000 BC1 1xEV-Do Rel.A	1175	1908.75	1910		-13	PASS

WCDMA Band2 Channel=9538




WCDMA Band2 Channel=9262




WCDMA Band4 Channel=1513



WCDMA Band4 Channel=1312




WCDMA Band5 Channel=4132




WCDMA Band5 Channel=4233




GSM1900 Channel=512




GSM1900 Channel=810




GSM850 Channel=128




GSM850 Channel=251




CDMA2000 BC0 1xRTT Channel=1013




CDMA2000 BC0 1xRTT Channel=777




CDMA2000 BC0 1xEV-Do Rel.A Channel=1013




CDMA2000 BC0 1xEV-Do Rel.A Channel=777




CDMA2000 BC1 1xRTT Channel=25




CDMA2000 BC1 1xRTT Channel=1175



CDMA2000 BC1 1xEV-Do Rel.A Channel=25



CDMA2000 BC1 1xEV-Do Rel.A Channel=1175




06 Out-of-band emissions


Band	Channel	Frequency	Spur Freq	Spur Level	Limit	Verdict
------	---------	-----------	-----------	------------	-------	---------

		(MHz)	(MHz)	(dBm)	(dBm)	
WCDMA Band2	9262	1852.4	18573.14	-23.92	-13	PASS
WCDMA Band2	9400	1880	17032.96	-23.74	-13	PASS
WCDMA Band2	9538	1907.6	19940.09	-23.35	-13	PASS
WCDMA Band4	1312	1712.4	18426.36	-24.06	-13	PASS
WCDMA Band4	1413	1732.6	19495.26	-23.67	-13	PASS
WCDMA Band4	1513	1752.6	19871.19	-23.43	-13	PASS
WCDMA Band5	4132	826.4	3096.77	-29.47	-13	PASS
WCDMA Band5	4182	836.4	7629.13	-29.71	-13	PASS
WCDMA Band5	4233	846.6	3122.44	-29.88	-13	PASS
GSM1900	512	1850.2	19955.57	-23.69	-13	PASS
GSM1900	661	1880	17056.42	-24.13	-13	PASS
GSM1900	810	1909.8	18380.93	-23.39	-13	PASS
GSM850	128	824.2	816.88	-23.75	-13	PASS
GSM850	189	836.4	7528.19	-30.17	-13	PASS
GSM850	251	848.8	3019.50	-29.55	-13	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	1013	824.7	3189.74	-35.761	-13	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	384	836.52	2509.29	-34.054	-13	PASS
CDMA2000 BC0 1xRTT(RC3,SO32(+F-SCH))	777	848.31	3170.80	-36.112	-13	PASS
CDMA2000 BC0 1xEV-Do Rel.A	1013	824.7	2474.39	-35.589	-13	PASS
CDMA2000 BC0 1xEV-Do Rel.A	384	836.52	2509.54	-31.950	-13	PASS
CDMA2000 BC0 1xEV-Do Rel.A	777	848.31	2544.93	-35.459	-13	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	25	1851.25	19041.4	-21.739	-13	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	600	1880	18920.1	-22.415	-13	PASS
CDMA2000 BC1 1xRTT(RC3,SO32(+F-SCH))	1175	1908.75	18556.2	-22.22	-13	PASS
CDMA2000 BC1 1xEV-Do Rel.A	25	1851.25	19780.8	-22.413	-13	PASS
CDMA2000 BC1 1xEV-Do Rel.A	600	1880	19929.6	-21.976	-13	PASS
CDMA2000 BC1 1xEV-Do Rel.A	1175	1908.75	17930.6	-21.945	-13	PASS


WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1413




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4132




WCDMA Band5 Channel=4233




GSM1900 Channel=661




GSM1900 Channel=512




GSM1900 Channel=810




GSM850 Channel=189




GSM850 Channel=128




GSM850 Channel=251




CDMA2000 BC0 1xRTT Channel=1013




CDMA2000 BC0 1xRTT Channel=384




CDMA2000 BC0 1xRTT Channel=777




CDMA2000 BC0 1xEV-Do Rel.A Channel=1013




CDMA2000 BC0 1xEV-Do Rel.A Channel=384




CDMA2000 BC0 1xEV-Do Rel.A Channel=777




CDMA2000 BC1 1xRTT Channel=25




CDMA2000 BC1 1xRTT Channel=600




CDMA2000 BC1 1xRTT Channel=1175




CDMA2000 BC1 1xEV-Do Rel.A Channel=25



CDMA2000 BC1 1xEV-Do Rel.A Channel=600



CDMA2000 BC1 1xEV-Do Rel.A Channel=1175



07 Conducted output power

Band	Channel	Frequency (MHz)	Power (dBm)	Verdict
HSDPA Band2 Subtest1	9262	1852.4	21.80	PASS
HSDPA Band2 Subtest2	9262	1852.4	21.40	PASS
HSDPA Band2 Subtest3	9262	1852.4	20.31	PASS
HSDPA Band2 Subtest4	9262	1852.4	20.38	PASS
HSDPA Band2 Subtest1	9400	1880	21.83	PASS
HSDPA Band2 Subtest2	9400	1880	21.44	PASS
HSDPA Band2 Subtest3	9400	1880	20.06	PASS
HSDPA Band2 Subtest4	9400	1880	19.96	PASS
HSDPA Band2 Subtest1	9538	1907.6	21.76	PASS
HSDPA Band2 Subtest2	9538	1907.6	21.33	PASS
HSDPA Band2 Subtest3	9538	1907.6	20.44	PASS
HSDPA Band2 Subtest4	9538	1907.6	19.97	PASS
HSDPA Band4 Subtest1	1312	1712.4	21.80	PASS
HSDPA Band4 Subtest2	1312	1712.4	21.31	PASS
HSDPA Band4 Subtest3	1312	1712.4	19.97	PASS
HSDPA Band4 Subtest4	1312	1712.4	20.23	PASS
HSDPA Band4 Subtest1	1413	1732.6	21.58	PASS
HSDPA Band4 Subtest2	1413	1732.6	21.18	PASS
HSDPA Band4 Subtest3	1413	1732.6	19.92	PASS
HSDPA Band4 Subtest4	1413	1732.6	20.07	PASS
HSDPA Band4 Subtest1	1513	1752.6	21.79	PASS

HSDPA Band4 Subtest2	1513	1752.6	21.46	PASS
HSDPA Band4 Subtest3	1513	1752.6	20.30	PASS
HSDPA Band4 Subtest4	1513	1752.6	19.96	PASS
HSDPA Band5 Subtest1	4132	826.4	21.54	PASS
HSDPA Band5 Subtest2	4132	826.4	21.13	PASS
HSDPA Band5 Subtest3	4132	826.4	19.71	PASS
HSDPA Band5 Subtest4	4132	826.4	20.10	PASS
HSDPA Band5 Subtest1	4182	836.4	21.46	PASS
HSDPA Band5 Subtest2	4182	836.4	21.16	PASS
HSDPA Band5 Subtest3	4182	836.4	20.21	PASS
HSDPA Band5 Subtest4	4182	836.4	19.87	PASS
HSDPA Band5 Subtest1	4233	846.6	21.57	PASS
HSDPA Band5 Subtest2	4233	846.6	21.32	PASS
HSDPA Band5 Subtest3	4233	846.6	20.11	PASS
HSDPA Band5 Subtest4	4233	846.6	20.10	PASS
GPRS1900 1 Slot	512	1850.2	29.44	PASS
GPRS1900 1 Slot	661	1880	29.62	PASS
GPRS1900 1 Slot	810	1909.8	29.68	PASS
GPRS1900 2 Slot	512	1850.2	28.96	PASS
GPRS1900 2 Slot	661	1880	28.87	PASS
GPRS1900 2 Slot	810	1909.8	28.95	PASS
GPRS1900 3 Slot	512	1850.2	26.94	PASS
GPRS1900 3 Slot	661	1880	27.13	PASS
GPRS1900 3 Slot	810	1909.8	27.20	PASS
GPRS1900 4 Slot	512	1850.2	25.86	PASS
GPRS1900 4 Slot	661	1880	26.05	PASS
GPRS1900 4 Slot	810	1909.8	26.13	PASS
GPRS850 1 Slot	128	824.2	32.94	PASS
GPRS850 1 Slot	189	836.4	32.94	PASS
GPRS850 1 Slot	251	848.8	32.84	PASS
GPRS850 2 Slot	128	824.2	32.20	PASS
GPRS850 2 Slot	189	836.4	32.21	PASS
GPRS850 2 Slot	251	848.8	32.12	PASS
GPRS850 3 Slot	128	824.2	30.42	PASS
GPRS850 3 Slot	189	836.4	30.47	PASS
GPRS850 3 Slot	251	848.8	30.37	PASS
GPRS850 4 Slot	128	824.2	29.33	PASS
GPRS850 4 Slot	189	836.4	29.38	PASS
GPRS850 4 Slot	251	848.8	29.31	PASS

13 Conducted output power

Band	Channel	Frequency (MHz)	Power (dBm)	Verdict
EGPRS1900 1 Slot	512	1850.2	23.84	PASS
EGPRS1900 1 Slot	661	1880	24.15	PASS


EGPRS1900 1 Slot	810	1909.8	24.01	PASS
EGPRS1900 2 Slot	512	1850.2	22.35	PASS
EGPRS1900 2 Slot	661	1880	23.19	PASS
EGPRS1900 2 Slot	810	1909.8	23.07	PASS
EGPRS1900 3 Slot	512	1850.2	20.51	PASS
EGPRS1900 3 Slot	661	1880	20.48	PASS
EGPRS1900 3 Slot	810	1909.8	20.94	PASS
EGPRS1900 4 Slot	512	1850.2	19.00	PASS
EGPRS1900 4 Slot	661	1880	19.08	PASS
EGPRS1900 4 Slot	810	1909.8	19.74	PASS
EGPRS850 1 Slot	128	824.2	25.42	PASS
EGPRS850 1 Slot	189	836.4	25.65	PASS
EGPRS850 1 Slot	251	848.8	26.67	PASS
EGPRS850 2 Slot	128	824.2	24.99	PASS
EGPRS850 2 Slot	189	836.4	25.17	PASS
EGPRS850 2 Slot	251	848.8	25.09	PASS
EGPRS850 3 Slot	128	824.2	22.88	PASS
EGPRS850 3 Slot	189	836.4	23.16	PASS
EGPRS850 3 Slot	251	848.8	23.08	PASS
EGPRS850 4 Slot	128	824.2	22.00	PASS
EGPRS850 4 Slot	189	836.4	21.86	PASS
EGPRS850 4 Slot	251	848.8	22.07	PASS
HSUPA Band2 Subtest1	9262	1852.4	20.28	PASS
HSUPA Band2 Subtest2	9262	1852.4	21.82	PASS
HSUPA Band2 Subtest3	9262	1852.4	19.95	PASS
HSUPA Band2 Subtest4	9262	1852.4	21.80	PASS
HSUPA Band2 Subtest5	9262	1852.4	20.39	PASS
HSUPA Band2 Subtest1	9400	1880	21.69	PASS
HSUPA Band2 Subtest2	9400	1880	21.68	PASS
HSUPA Band2 Subtest3	9400	1880	20.68	PASS
HSUPA Band2 Subtest4	9400	1880	21.85	PASS
HSUPA Band2 Subtest5	9400	1880	21.21	PASS
HSUPA Band2 Subtest1	9538	1907.6	21.67	PASS
HSUPA Band2 Subtest2	9538	1907.6	21.71	PASS
HSUPA Band2 Subtest3	9538	1907.6	20.52	PASS
HSUPA Band2 Subtest4	9538	1907.6	21.77	PASS
HSUPA Band2 Subtest5	9538	1907.6	21.18	PASS
HSUPA Band4 Subtest1	1312	1712.4	20.66	PASS
HSUPA Band4 Subtest2	1312	1712.4	21.78	PASS
HSUPA Band4 Subtest3	1312	1712.4	19.93	PASS
HSUPA Band4 Subtest4	1312	1712.4	21.81	PASS
HSUPA Band4 Subtest5	1312	1712.4	20.50	PASS
HSUPA Band4 Subtest1	1413	1732.6	21.40	PASS
HSUPA Band4 Subtest2	1413	1732.6	21.48	PASS

HSUPA Band4 Subtest3	1413	1732.6	20.30	PASS
HSUPA Band4 Subtest4	1413	1732.6	21.58	PASS
HSUPA Band4 Subtest5	1413	1732.6	20.86	PASS
HSUPA Band4 Subtest1	1513	1752.6	21.64	PASS
HSUPA Band4 Subtest2	1513	1752.6	21.64	PASS
HSUPA Band4 Subtest3	1513	1752.6	20.77	PASS
HSUPA Band4 Subtest4	1513	1752.6	21.77	PASS
HSUPA Band4 Subtest5	1513	1752.6	21.14	PASS
HSUPA Band5 Subtest1	4132	826.4	20.39	PASS
HSUPA Band5 Subtest2	4132	826.4	21.45	PASS
HSUPA Band5 Subtest3	4132	826.4	20.01	PASS
HSUPA Band5 Subtest4	4132	826.4	21.51	PASS
HSUPA Band5 Subtest5	4132	826.4	20.08	PASS
HSUPA Band5 Subtest1	4182	836.4	21.31	PASS
HSUPA Band5 Subtest2	4182	836.4	21.41	PASS
HSUPA Band5 Subtest3	4182	836.4	20.40	PASS
HSUPA Band5 Subtest4	4182	836.4	21.48	PASS
HSUPA Band5 Subtest5	4182	836.4	20.83	PASS
HSUPA Band5 Subtest1	4233	846.6	21.37	PASS
HSUPA Band5 Subtest2	4233	846.6	21.50	PASS
HSUPA Band5 Subtest3	4233	846.6	20.52	PASS
HSUPA Band5 Subtest4	4233	846.6	21.59	PASS
HSUPA Band5 Subtest5	4233	846.6	21.01	PASS


15 Peak-to-Average Ratio

Band	Channel	Frequency (MHz)	Result (dB)	high Limit (dB)	Verdict
EGPRS1900	512	1850.2	8.187466368	13.00	PASS
EGPRS1900	661	1880	8.262223634	13.00	PASS
EGPRS1900	810	1909.8	7.895863874	13.00	PASS
EGPRS850	128	824.2	9.303520408	13.00	PASS
EGPRS850	189	836.4	9.441224087	13.00	PASS
EGPRS850	251	848.8	9.217404113	13.00	PASS


EGPRS1900 Channel=661




EGPRS1900 Channel=512




EGPRS1900 Channel=810




EGPRS850 Channel=128



EGPRS850 Channel=189




EGPRS850 Channel=251




16 Occupied bandwidth

Band	Channel	Frequency (MHz)	99% OBW (kHz)	-26dB EBW (kHz)	Verdict
EGPRS1900	512	1850.2	252.916	340.134	PASS
EGPRS1900	661	1880	253.394	320.585	PASS
EGPRS1900	810	1909.8	246.051	294.993	PASS
EGPRS850	128	824.2	238.793	288.947	PASS
EGPRS850	189	836.4	251.136	306.747	PASS
EGPRS850	251	848.8	254.289	315.140	PASS


EGPRS1900 Channel=512




EGPRS1900 Channel=810




EGPRS1900 Channel=661




EGPRS850 Channel=128



EGPRS850 Channel=189




EGPRS850 Channel=251




17 Band edge

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
EGPRS1900	512	1850.2	1849.98	-38.64	-13	PASS
EGPRS1900	810	1909.8	1910.02	-37.80	-13	PASS
EGPRS850	128	824.2	823.98	-37.20	-13	PASS
EGPRS850	251	848.8	849.01	-33.98	-13	PASS


EGPRS1900 Channel=810




EGPRS1900 Channel=512



EGPRS850 Channel=128




EGPRS850 Channel=251




18 Out-of-band emissions

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
EGPRS1900	512	1850.2	19935.60	-23.28	-13	PASS
EGPRS1900	661	1880	19886.17	-23.51	-13	PASS
EGPRS1900	810	1909.8	18475.79	-22.75	-13	PASS
EGPRS850	128	824.2	173.32	-22.41	-13	PASS
EGPRS850	189	836.4	199.99	-24.81	-13	PASS
EGPRS850	251	848.8	166.84	-23.73	-13	PASS


EGPRS1900 Channel=512




EGPRS1900 Channel=810




EGPRS1900 Channel=661




EGPRS850 Channel=128



EGPRS850 Channel=251




EGPRS850 Channel=189




09 Peak-to-Average Ratio

Band	Channel	Frequency (MHz)	Result (dB)	high Limit (dB)	Verdict
GPRS1900	512	1850.2	2.676641414	13.00	PASS
GPRS1900	661	1880	2.675604641	13.00	PASS
GPRS1900	810	1909.8	2.666834395	13.00	PASS
GPRS850	128	824.2	2.66	13.00	PASS
GPRS850	189	836.4	2.649477389	13.00	PASS
GPRS850	251	848.8	2.646363305	13.00	PASS


GPRS1900 Channel=661




GPRS1900 Channel=512




GPRS1900 Channel=810




GPRS850 Channel=128



GPRS850 Channel=251




GPRS850 Channel=189




10 Occupied bandwidth

Band	Channel	Frequency (MHz)	99% OBW (kHz)	-26dB EBW (kHz)	Verdict
GPRS1900	512	1850.2	251.091	323.966	PASS
GPRS1900	661	1880	245.542	315.028	PASS
GPRS1900	810	1909.8	249.752	308.572	PASS
GPRS850	128	824.2	243.392	307.711	PASS
GPRS850	189	836.4	253.709	322.454	PASS
GPRS850	251	848.8	248.208	309.674	PASS


GPRS1900 Channel=661




GPRS1900 Channel=512




GPRS1900 Channel=810




GPRS850 Channel=128



GPRS850 Channel=251




GPRS850 Channel=189




11 Band edge

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
GPRS1900	512	1850.2	1850.00	-30.54	-13	PASS
GPRS1900	810	1909.8	1910.02	-28.87	-13	PASS
GPRS850	128	824.2	823.98	-27.38	-13	PASS
GPRS850	251	848.8	849.01	-26.69	-13	PASS


GPRS1900 Channel=512




GPRS1900 Channel=810



GPRS850 Channel=251




GPRS850 Channel=128




12 Out-of-band emissions

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
GPRS1900	512	1850.2	19833.75	-23.66	-13	PASS
GPRS1900	661	1880	17152.28	-23.88	-13	PASS
GPRS1900	810	1909.8	19584.12	-23.32	-13	PASS
GPRS850	128	824.2	1648.88	-29.61	-13	PASS
GPRS850	189	836.4	3021.75	-29.02	-13	PASS
GPRS850	251	848.8	3151.61	-30.24	-13	PASS


GPRS1900 Channel=661




GPRS1900 Channel=512




GPRS1900 Channel=810



GPRS850 Channel=189



GPRS850 Channel=128



GPRS850 Channel=251

