


11N20MIMO_Ant1_5785



Date: 10.JAN.2024 04:37:23

11N20MIMO_Ant2_5785




Date: 10.JAN.2024 04:40:11

11N20MIMO_Ant1_5825




Date: 10.JAN.2024 04:40:53

11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5190



11N40MIMO_Ant2_5190



11N40MIMO_Ant1_5230



11N40MIMO_Ant2_5230




Date: 10.JAN.2024 04:57:29

11N40MIMO_Ant1_5270




Date: 10.JAN.2024 04:58:03

11N40MIMO_Ant2_5270




Date: 10.JAN.2024 05:01:21

11N40MIMO_Ant1_5310




11N40MIMO_Ant2_5310




11N40MIMO_Ant1_5510



11N40MIMO_Ant2_5510




11N40MIMO_Ant1_5550



Date: 10.JAN.2024 05:07:27

11N40MIMO_Ant2_5550




Date: 10.JAN.2024 05:08:41

11N40MIMO_Ant1_5670




Date: 10.JAN.2024 05:09:15

11N40MIMO_Ant2_5670




11N40MIMO_Ant1_5710



11N40MIMO_Ant2_5710



11N40MIMO_Ant1_5755



11N40MIMO_Ant2_5755




Date: 10.JAN.2024 05:18:55

11N40MIMO_Ant1_5795




Date: 10.JAN.2024 05:19:38

11N40MIMO_Ant2_5795




Date: 10.JAN.2024 05:20:40


11AC80MIMO_Ant1_5210




11AC80MIMO_Ant2_5210




11AC80MIMO_Ant1_5290




11AC80MIMO_Ant2_5290








11AC80MIMO_Ant1_5690



11AC80MIMO_Ant2_5690



11AC80MIMO_Ant1_5775





11.3. APPENDIX C: MIN EMISSION BANDWIDTH

11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720	16.32	5711.80	5728.12	≥0.5	PASS
	Ant2	5720	16.32	5711.80	5728.12	≥0.5	PASS
	Ant1	5720 UNII-3	3.12	5725	5728.12	≥0.5	PASS
	Ant2	5720 UNII-3	3.12	5725	5728.12	≥0.5	PASS
	Ant1	5745	16.28	5736.84	5753.12	≥0.5	PASS
	Ant2	5745	16.32	5736.80	5753.12	≥0.5	PASS
	Ant1	5785	16.32	5776.80	5793.12	≥0.5	PASS
	Ant2	5785	16.44	5776.72	5793.16	≥0.5	PASS
11N20MIMO	Ant1	5825	16.32	5816.80	5833.12	≥0.5	PASS
	Ant2	5825	16.32	5816.80	5833.12	≥0.5	PASS
	Ant1	5720	17.56	5711.20	5728.76	≥0.5	PASS
	Ant2	5720	17.52	5711.20	5728.72	≥0.5	PASS
	Ant1	5720 UNII-3	3.76	5725	5728.76	≥0.5	PASS
	Ant2	5720 UNII-3	3.72	5725	5728.72	≥0.5	PASS
	Ant1	5745	17.56	5736.20	5753.76	≥0.5	PASS
	Ant2	5745	17.24	5736.48	5753.72	≥0.5	PASS
11N40MIMO	Ant1	5785	17.56	5776.20	5793.76	≥0.5	PASS
	Ant2	5785	17.60	5776.16	5793.76	≥0.5	PASS
	Ant1	5825	17.60	5816.16	5833.76	≥0.5	PASS
	Ant2	5825	17.56	5816.20	5833.76	≥0.5	PASS
	Ant1	5710	35.20	5692.40	5727.60	≥0.5	PASS
	Ant2	5710	35.52	5692.08	5727.60	≥0.5	PASS
	Ant1	5710 UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant2	5710 UNII-3	2.6	5725	5727.60	≥0.5	PASS
11AC80MIMO	Ant1	5755	35.12	5737.40	5772.52	≥0.5	PASS
	Ant2	5755	35.20	5737.40	5772.60	≥0.5	PASS
	Ant1	5795	35.20	5777.40	5812.60	≥0.5	PASS
	Ant2	5795	35.20	5777.40	5812.60	≥0.5	PASS
	Ant1	5690	73.92	5653.68	5727.60	≥0.5	PASS
	Ant2	5690	75.04	5652.40	5727.44	≥0.5	PASS
	Ant1	5690 UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant2	5690 UNII-3	2.44	5725	5727.44	≥0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant2	5775	75.04	5737.40	5812.44	≥0.5	PASS

11.3.2. Test Graphs







11A Ant2 5720




11A Ant1 5745



11A Ant2 5745




11A_Ant1_5785




Date: 9 JAN 2024 03:54:06

11A_Ant2_5785




Date: 8 JAN 2024 12:40:39

11A_Ant1_5825




Date: 9 JAN 2024 03:58:20


11A_Ant2_5825




11N20MIMO_Ant1_5720




11N20MIMO_Ant2_5720



11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




Date: 10.JAN.2024 04:36:36

11N20MIMO_Ant1_5785




Date: 10.JAN.2024 04:37:17

11N20MIMO_Ant2_5785




Date: 10.JAN.2024 04:40:05


11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5710



11N40MIMO_Ant2_5710




11N40MIMO_Ant1_5755




Date: 10.JAN.2024 05:16:59

11N40MIMO_Ant2_5755




Date: 10.JAN.2024 05:18:49

11N40MIMO_Ant1_5795




Date: 10.JAN.2024 05:19:30


11N40MIMO_Ant2_5795




11AC80MIMO_Ant1_5690



11AC80MIMO_Ant2_5690



11AC80MIMO_Ant1_5775



11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	13.71	≤23.98	---	17.72	≤22.21	PASS
	Ant2	5180	14.08	≤23.98	---	17.21	≤22.20	PASS
	Ant1	5200	13.63	≤23.98	---	17.64	≤22.20	PASS
	Ant2	5200	14.39	≤23.98	---	17.52	≤22.20	PASS
	Ant1	5240	13.21	≤23.98	---	17.22	≤22.20	PASS
	Ant2	5240	14.13	≤23.98	---	17.26	≤22.20	PASS
	Ant1	5260	13.45	≤23.64	≤23.20	17.46	≤29.20	PASS
	Ant2	5260	14.86	≤23.65	≤23.22	17.99	≤29.22	PASS
	Ant1	5280	13.94	≤23.65	≤23.20	17.95	≤29.20	PASS
	Ant2	5280	14.74	≤23.66	≤23.21	17.87	≤29.21	PASS
	Ant1	5320	13.83	≤23.66	≤23.20	17.84	≤29.20	PASS
	Ant2	5320	14.41	≤23.67	≤23.21	17.54	≤29.21	PASS
	Ant1	5500	13.96	≤23.69	≤23.21	17.97	≤29.21	PASS
	Ant2	5500	14.30	≤23.65	≤23.20	17.43	≤29.20	PASS
	Ant1	5580	13.89	≤23.72	≤23.26	17.90	≤29.26	PASS
	Ant2	5580	14.59	≤23.66	≤23.21	17.72	≤29.21	PASS
	Ant1	5700	13.98	≤23.66	≤23.21	17.99	≤29.21	PASS
	Ant2	5700	14.09	≤23.64	≤23.20	17.22	≤29.20	PASS
	Ant1	5720 UNII-2C	13.06	≤22.54	≤22.24	17.07	≤28.24	PASS
	Ant2	5720 UNII-2C	12.84	≤22.51	≤22.24	15.97	≤28.24	PASS
	Ant1	5720 UNII-3	5.18	≤30.00	≤30.00	9.19	---	PASS
	Ant2	5720 UNII-3	4.95	≤30.00	≤30.00	8.08	---	PASS
	Ant1	5745	14.44	≤30.00	≤30.00	18.45	---	PASS
	Ant2	5745	14.39	≤30.00	≤30.00	17.52	---	PASS
	Ant1	5785	14.31	≤30.00	≤30.00	18.32	---	PASS
	Ant2	5785	14.47	≤30.00	≤30.00	17.60	---	PASS
	Ant1	5825	13.89	≤30.00	≤30.00	17.90	---	PASS
	Ant2	5825	13.43	≤30.00	≤30.00	16.56	---	PASS
11N20MIMO	Ant1	5180	10.50	≤23.98	---	14.51	≤22.48	PASS
	Ant2	5180	10.77	≤23.98	---	14.78	≤22.47	PASS
	total	5180	13.65	≤23.98	---	17.66	≤22.47	PASS
	Ant1	5200	10.66	≤23.98	---	14.67	≤22.48	PASS
	Ant2	5200	10.59	≤23.98	---	14.60	≤22.48	PASS
	total	5200	13.64	≤23.98	---	17.65	≤22.48	PASS
	Ant1	5240	10.87	≤23.98	---	14.88	≤22.48	PASS
	Ant2	5240	10.83	≤23.98	---	14.84	≤22.49	PASS
	total	5240	13.86	≤23.98	---	17.87	≤22.48	PASS
	Ant1	5260	14.24	≤23.85	≤23.48	18.25	≤29.48	PASS
	Ant2	5260	14.50	≤23.86	≤23.48	18.51	≤29.48	PASS
	total	5260	17.38	≤23.98	≤23.48	21.39	≤29.48	PASS
	Ant1	5280	13.64	≤23.87	≤23.48	17.65	≤29.48	PASS
	Ant2	5280	13.74	≤23.84	≤23.49	17.75	≤29.49	PASS
	total	5280	16.70	≤23.98	≤23.48	20.71	≤29.48	PASS
	Ant1	5320	13.32	≤23.88	≤23.48	17.33	≤29.48	PASS
	Ant2	5320	13.66	≤23.84	≤23.48	17.67	≤29.48	PASS
	total	5320	16.50	≤23.98	≤23.48	20.51	≤29.48	PASS
	Ant1	5500	14.32	≤23.85	≤23.50	18.33	≤29.50	PASS
	Ant2	5500	14.08	≤23.84	≤23.48	18.09	≤29.48	PASS
	total	5500	17.21	≤23.98	≤23.48	21.22	≤29.48	PASS
	Ant1	5580	14.05	≤23.90	≤23.53	18.06	≤29.53	PASS
	Ant2	5580	13.95	≤23.86	≤23.48	17.96	≤29.48	PASS
	total	5580	17.01	≤23.98	≤23.48	21.02	≤29.48	PASS
	Ant1	5700	13.94	≤23.90	≤23.49	17.95	≤29.49	PASS
	Ant2	5700	13.64	≤23.83	≤23.48	17.65	≤29.48	PASS
	total	5700	16.80	≤23.98	≤23.48	20.81	≤29.48	PASS
	Ant1	5720 UNII-2C	12.78	≤22.69	≤22.42	16.79	≤28.42	PASS
	Ant2	5720 UNII-2C	12.33	≤22.67	≤22.42	16.34	≤28.42	PASS


	total	5720 UNII-2C	15.57	≤23.98	≤22.42	19.58	≤28.42	PASS
	Ant1	5720 UNII-3	5.38	≤30.00	≤30.00	9.39	---	PASS
	Ant2	5720 UNII-3	4.89	≤30.00	≤30.00	8.90	---	PASS
	total	5720 UNII-3	8.15	≤30.00	≤30.00	12.16	---	PASS
	Ant1	5745	14.61	≤30.00	≤30.00	18.62	---	PASS
	Ant2	5745	13.93	≤30.00	≤30.00	17.94	---	PASS
	total	5745	17.29	≤30.00	≤30.00	21.30	---	PASS
	Ant1	5785	13.86	≤30.00	≤30.00	17.87	---	PASS
	Ant2	5785	14.03	≤30.00	≤30.00	18.04	---	PASS
	total	5785	16.96	≤30.00	≤30.00	20.97	---	PASS
	Ant1	5825	14.28	≤30.00	≤30.00	18.29	---	PASS
	Ant2	5825	13.72	≤30.00	≤30.00	17.73	---	PASS
11N40MIMO	total	5825	17.02	≤30.00	≤30.00	21.03	---	PASS
	Ant1	5190	13.57	≤23.98	---	17.58	≤23.00	PASS
	Ant2	5190	13.25	≤23.98	---	17.26	≤23.00	PASS
	total	5190	16.42	≤23.98	---	20.43	≤23.00	PASS
	Ant1	5230	13.38	≤23.98	---	17.39	≤23.00	PASS
	Ant2	5230	13.45	≤23.98	---	17.46	≤23.00	PASS
	total	5230	16.43	≤23.98	---	20.44	≤23.00	PASS
	Ant1	5270	14.08	≤23.98	≤23.98	18.09	≤30.00	PASS
	Ant2	5270	14.06	≤23.98	≤23.98	18.07	≤30.00	PASS
	total	5270	17.08	≤23.98	≤23.98	21.09	≤30.00	PASS
	Ant1	5310	13.01	≤23.98	≤23.98	17.02	≤30.00	PASS
	Ant2	5310	13.56	≤23.98	≤23.98	17.57	≤30.00	PASS
	total	5310	16.30	≤23.98	≤23.98	20.31	≤30.00	PASS
	Ant1	5510	12.56	≤23.98	≤23.98	16.57	≤30.00	PASS
	Ant2	5510	12.59	≤23.98	≤23.98	16.60	≤30.00	PASS
	total	5510	15.59	≤23.98	≤23.98	19.60	≤30.00	PASS
	Ant1	5550	14.40	≤23.98	≤23.98	18.41	≤30.00	PASS
	Ant2	5550	14.19	≤23.98	≤23.98	18.20	≤30.00	PASS
	total	5550	17.31	≤23.98	≤23.98	21.32	≤30.00	PASS
	Ant1	5670	14.42	≤23.98	≤23.98	18.43	≤30.00	PASS
	Ant2	5670	13.99	≤23.98	≤23.98	18.00	≤30.00	PASS
	total	5670	17.22	≤23.98	≤23.98	21.23	≤30.00	PASS
	Ant1	5710 UNII-2C	13.69	≤23.98	≤23.98	17.70	≤30.00	PASS
	Ant2	5710 UNII-2C	12.49	≤23.98	≤23.98	16.50	≤30.00	PASS
	total	5710 UNII-2C	16.14	≤23.98	≤23.98	20.15	≤30.00	PASS
	Ant1	5710 UNII-3	-0.67	≤30.00	≤30.00	3.34	---	PASS
	Ant2	5710 UNII-3	-2.01	≤30.00	≤30.00	2.00	---	PASS
	total	5710 UNII-3	1.72	≤30.00	≤30.00	5.73	---	PASS
	Ant1	5755	14.39	≤30.00	≤30.00	18.40	---	PASS
	Ant2	5755	13.92	≤30.00	≤30.00	17.93	---	PASS
	total	5755	17.17	≤30.00	≤30.00	21.18	---	PASS
	Ant1	5795	13.69	≤30.00	≤30.00	17.70	---	PASS
	Ant2	5795	13.17	≤30.00	≤30.00	17.18	---	PASS
	total	5795	16.45	≤30.00	≤30.00	20.46	---	PASS
11AC80MIMO	Ant1	5210	13.54	≤23.98	---	17.55	≤23.00	PASS
	Ant2	5210	13.48	≤23.98	---	17.49	≤23.00	PASS
	total	5210	16.52	≤23.98	---	20.53	≤23.00	PASS
	Ant1	5290	13.23	≤23.98	≤23.98	17.24	≤30.00	PASS
	Ant2	5290	13.58	≤23.98	≤23.98	17.59	≤30.00	PASS
	total	5290	16.42	≤23.98	≤23.98	20.43	≤30.00	PASS
	Ant1	5530	12.42	≤23.98	≤23.98	16.43	≤30.00	PASS
	Ant2	5530	12.09	≤23.98	≤23.98	16.10	≤30.00	PASS
	total	5530	15.27	≤23.98	≤23.98	19.28	≤30.00	PASS
	Ant1	5610	13.16	≤23.98	≤23.98	17.17	≤30.00	PASS
	Ant2	5610	12.88	≤23.98	≤23.98	16.89	≤30.00	PASS
	total	5610	16.03	≤23.98	≤23.98	20.04	≤30.00	PASS
	Ant1	5690 UNII-2C	13.06	≤23.98	≤23.98	17.07	≤30.00	PASS
	Ant2	5690 UNII-2C	12.22	≤23.98	≤23.98	16.23	≤30.00	PASS
	total	5690 UNII-2C	15.67	≤23.98	≤23.98	19.68	≤30.00	PASS
	Ant1	5690 UNII-3	-8.24	≤30.00	≤30.00	-4.23	---	PASS
	Ant2	5690 UNII-3	-9.71	≤30.00	≤30.00	-5.70	---	PASS
	total	5690 UNII-3	-5.90	≤30.00	≤30.00	-1.89	---	PASS


	Ant1	5775	12.94	≤30.00	≤30.00	16.95	---	PASS
	Ant2	5775	13.08	≤30.00	≤30.00	17.09	---	PASS
	total	5775	16.02	≤30.00	≤30.00	20.03	---	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor


2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.4.2. Test Graphs







11A Ant2 5720 UNII-3




11N20MIMO Ant1 5720 UNII-2C




11N20MIMO Ant2 5720 UNII-2C




11N20MIMO_Ant1_5720_UNII-3




11N20MIMO_Ant2_5720_UNII-3



11N40MIMO_Ant1_5710_UNII-2C




11N40MIMO_Ant2_5710_UNII-2C



11N40MIMO Ant1_5710_UNII-3




11N40MIMO Ant2_5710_UNII-3



11AC80MIMO Ant1_5690_UNII-2C





11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	2.48	≤11.00	6.49	≤10.00	PASS
	Ant2	5180	2.75	≤11.00	5.88	≤10.00	PASS
	Ant1	5200	2.52	≤11.00	6.53	≤10.00	PASS
	Ant2	5200	3.28	≤11.00	6.41	≤10.00	PASS
	Ant1	5240	1.90	≤11.00	5.91	≤10.00	PASS
	Ant2	5240	2.85	≤11.00	5.98	≤10.00	PASS
	Ant1	5260	2.22	≤11.00	6.23	---	PASS
	Ant2	5260	3.63	≤11.00	6.76	---	PASS
	Ant1	5280	2.67	≤11.00	6.68	---	PASS
	Ant2	5280	3.65	≤11.00	6.78	---	PASS
	Ant1	5320	2.49	≤11.00	6.50	---	PASS
	Ant2	5320	3.13	≤11.00	6.26	---	PASS
	Ant1	5500	2.70	≤11.00	6.71	---	PASS
	Ant2	5500	3.21	≤11.00	6.34	---	PASS
	Ant1	5580	2.46	≤11.00	6.47	---	PASS
	Ant2	5580	3.28	≤11.00	6.41	---	PASS
	Ant1	5700	2.80	≤11.00	6.81	---	PASS
	Ant2	5700	2.92	≤11.00	6.05	---	PASS
	Ant1	5720_UNII-2C	2.64	≤11.00	6.65	---	PASS
	Ant2	5720_UNII-2C	2.65	≤11.00	5.78	---	PASS
	Ant1	5720_UNII-3	-0.45	≤30.00	3.56	---	PASS
	Ant2	5720_UNII-3	-0.92	≤30.00	2.21	---	PASS
	Ant1	5745	0.42	≤30.00	4.43	---	PASS
	Ant2	5745	0.33	≤30.00	3.46	---	PASS
	Ant1	5785	0.42	≤30.00	4.43	---	PASS
	Ant2	5785	0.28	≤30.00	3.41	---	PASS
	Ant1	5825	-0.29	≤30.00	3.72	---	PASS
	Ant2	5825	-0.53	≤30.00	2.60	---	PASS
11N20MIMO	Ant1	5180	-1.04	≤11.00	2.97	≤10.00	PASS
	Ant2	5180	-0.57	≤11.00	3.44	≤10.00	PASS
	total	5180	2.21	≤9.98	9.23	≤10.00	PASS
	Ant1	5200	-1.00	≤11.00	3.01	≤10.00	PASS
	Ant2	5200	-0.86	≤11.00	3.15	≤10.00	PASS
	total	5200	2.08	≤9.98	9.10	≤10.00	PASS
	Ant1	5240	-0.63	≤11.00	3.38	≤10.00	PASS
	Ant2	5240	-0.59	≤11.00	3.42	≤10.00	PASS
	total	5240	2.40	≤9.98	9.42	≤10.00	PASS
	Ant1	5260	2.69	≤11.00	6.70	---	PASS
	Ant2	5260	3.03	≤11.00	7.04	---	PASS
	total	5260	5.87	≤9.98	12.89	---	PASS
	Ant1	5280	2.08	≤11.00	6.09	---	PASS
	Ant2	5280	2.15	≤11.00	6.16	---	PASS
	total	5280	5.13	≤9.98	12.15	---	PASS
	Ant1	5320	1.75	≤11.00	5.76	---	PASS
	Ant2	5320	2.09	≤11.00	6.10	---	PASS
	total	5320	4.93	≤9.98	11.95	---	PASS
	Ant1	5500	2.72	≤11.00	6.73	---	PASS
	Ant2	5500	2.63	≤11.00	6.64	---	PASS
	total	5500	5.69	≤9.98	12.71	---	PASS
	Ant1	5580	2.50	≤11.00	6.51	---	PASS
	Ant2	5580	2.39	≤11.00	6.40	---	PASS
	total	5580	5.46	≤9.98	12.48	---	PASS
	Ant1	5700	2.27	≤11.00	6.28	---	PASS
	Ant2	5700	2.25	≤11.00	6.26	---	PASS
	total	5700	5.27	≤9.98	12.29	---	PASS
	Ant1	5720_UNII-2C	2.29	≤11.00	6.30	---	PASS
	Ant2	5720_UNII-2C	1.83	≤11.00	5.84	---	PASS
	total	5720_UNII-2C	5.08	≤9.98	12.10	---	PASS


	Ant1	5720 UNII-3	-0.92	≤30.00	3.09	---	PASS
	Ant2	5720 UNII-3	-1.40	≤30.00	2.61	---	PASS
	total	5720 UNII-3	1.86	≤28.98	8.88	---	PASS
	Ant1	5745	0.31	≤30.00	4.32	---	PASS
	Ant2	5745	-0.56	≤30.00	3.45	---	PASS
	total	5745	2.91	≤28.98	9.93	---	PASS
	Ant1	5785	-0.60	≤30.00	3.41	---	PASS
	Ant2	5785	-0.44	≤30.00	3.57	---	PASS
	total	5785	2.49	≤28.98	9.51	---	PASS
	Ant1	5825	-0.16	≤30.00	3.85	---	PASS
	Ant2	5825	-0.65	≤30.00	3.36	---	PASS
	total	5825	2.61	≤28.98	9.63	---	PASS
11N40MIMO	Ant1	5190	-0.36	≤11.00	3.65	≤10.00	PASS
	Ant2	5190	-0.98	≤11.00	3.03	≤10.00	PASS
	total	5190	2.35	≤9.98	9.37	≤10.00	PASS
	Ant1	5230	-0.28	≤11.00	3.73	≤10.00	PASS
	Ant2	5230	-0.22	≤11.00	3.79	≤10.00	PASS
	total	5230	2.76	≤9.98	9.78	≤10.00	PASS
	Ant1	5270	0.11	≤11.00	4.12	---	PASS
	Ant2	5270	-0.19	≤11.00	3.82	---	PASS
	total	5270	2.97	≤9.98	9.99	---	PASS
	Ant1	5310	-0.46	≤11.00	3.55	---	PASS
	Ant2	5310	-0.20	≤11.00	3.81	---	PASS
	total	5310	2.68	≤9.98	9.70	---	PASS
	Ant1	5510	-0.11	≤11.00	3.90	---	PASS
	Ant2	5510	-0.43	≤11.00	3.58	---	PASS
	total	5510	2.74	≤9.98	9.76	---	PASS
	Ant1	5550	0.33	≤11.00	4.34	---	PASS
	Ant2	5550	0.15	≤11.00	4.16	---	PASS
	total	5550	3.25	≤9.98	10.27	---	PASS
	Ant1	5670	0.39	≤11.00	4.40	---	PASS
	Ant2	5670	-0.14	≤11.00	3.87	---	PASS
	total	5670	3.14	≤9.98	10.16	---	PASS
	Ant1	5710 UNII-2C	-0.06	≤11.00	3.95	---	PASS
	Ant2	5710 UNII-2C	-1.50	≤11.00	2.51	---	PASS
	total	5710 UNII-2C	2.29	≤9.98	9.31	---	PASS
	Ant1	5710 UNII-3	-4.99	≤30.00	-0.98	---	PASS
	Ant2	5710 UNII-3	-6.14	≤30.00	-2.13	---	PASS
	total	5710 UNII-3	-2.52	≤28.98	4.50	---	PASS
	Ant1	5755	-2.66	≤30.00	1.35	---	PASS
	Ant2	5755	-3.10	≤30.00	0.91	---	PASS
	total	5755	0.14	≤28.98	7.16	---	PASS
	Ant1	5795	-3.19	≤30.00	0.82	---	PASS
	Ant2	5795	-3.65	≤30.00	0.36	---	PASS
	total	5795	-0.40	≤28.98	6.62	---	PASS
11AC80MIMO	Ant1	5210	-3.58	≤11.00	0.43	≤10.00	PASS
	Ant2	5210	-3.38	≤11.00	0.63	≤10.00	PASS
	total	5210	-0.47	≤9.98	6.55	≤10.00	PASS
	Ant1	5290	-3.55	≤11.00	0.46	---	PASS
	Ant2	5290	-2.92	≤11.00	1.09	---	PASS
	total	5290	-0.21	≤9.98	6.81	---	PASS
	Ant1	5530	-3.40	≤11.00	0.61	---	PASS
	Ant2	5530	-3.55	≤11.00	0.46	---	PASS
	total	5530	-0.46	≤9.98	6.56	---	PASS
	Ant1	5610	-3.94	≤11.00	0.07	---	PASS
	Ant2	5610	-4.34	≤11.00	-0.33	---	PASS
	total	5610	-1.13	≤9.98	5.89	---	PASS
	Ant1	5690 UNII-2C	-3.66	≤11.00	0.35	---	PASS
	Ant2	5690 UNII-2C	-4.63	≤11.00	-0.62	---	PASS
	total	5690 UNII-2C	-1.11	≤9.98	5.91	---	PASS
	Ant1	5690 UNII-3	-11.23	≤30.00	-7.22	---	PASS
	Ant2	5690 UNII-3	-12.11	≤30.00	-8.10	---	PASS
	total	5690 UNII-3	-8.64	≤28.98	-1.62	---	PASS
	Ant1	5775	-6.78	≤30.00	-2.77	---	PASS

	Ant2	5775	-6.07	≤ 30.00	-2.06	---	PASS
	total	5775	-3.40	≤ 28.98	3.62	---	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs





Date: 9 JAN 2024 03:00:34

11A Ant2 5200



Date: 8 JAN 2024 12:22:35

11A Ant1 5240



Date: 9 JAN 2024 03:02:09

11A Ant2 5240



Date: 8 JAN 2024 12:23:55


11A_Ant1_5260



11A_Ant2_5260



11A_Ant1_5280



11A_Ant2_5280



Date: 8 JAN 2024 12:29:13

11A_Ant1_5320



Date: 9 JAN 2024 03:39:44

11A_Ant2_5320



Date: 8 JAN 2024 12:30:52

11A_Ant1_5500



Date: 9 JAN 2024 03:42:00

11A_Ant2_5500




Date: 8 JAN 2024 12:33:16

11A_Ant1_5580



Date: 9 JAN 2024 03:43:17

11A_Ant2_5580



Date: 8 JAN 2024 12:34:13

11A_Ant1_5700



11A Ant2 5700



11A Ant1 5720 UNII-2C




11A Ant2 5720 UNII-2C



11A_Ant1_5720_UNII-3



11A_Ant2_5720_UNII-3



11A_Ant1_5745




11A_Ant2_5745




Date: 8 JAN 2024 12:40:09

11A_Ant1_5785



Date: 9 JAN 2024 03:54:33

11A_Ant2_5785




Date: 8 JAN 2024 12:41:07

11A_Ant1_5825



Date: 9 JAN 2024 03:58:47





11N20MIMO_Ant2_5200




11N20MIMO_Ant1_5240



11N20MIMO_Ant2_5240







Date: 10 JAN 2024 04:14:19

11N20MIMO_Ant1_5320



Date: 10 JAN 2024 04:14:41

11N20MIMO_Ant2_5320




Date: 10 JAN 2024 04:16:29

11N20MIMO_Ant1_5500



Date: 10 JAN 2024 04:18:04





11N20MIMO_Ant2_5700





11N20MIMO_Ant1_5720_UNII-2C



11N20MIMO_Ant2_5720_UNII-2C







11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785



11N20MIMO_Ant1_5825







Date: 10 JAN 2024 04:54:43

11N40MIMO_Ant2_5230



Date: 10 JAN 2024 04:57:50

11N40MIMO_Ant1_5270



Date: 10 JAN 2024 04:58:20

11N40MIMO_Ant2_5270




Date: 10 JAN 2024 05:01:41

11N40MIMO_Ant1_5310



Date: 10 JAN 2024 05:02:16

11N40MIMO_Ant2_5310



Date: 10 JAN 2024 05:05:37

11N40MIMO_Ant1_5510



Date: 10 JAN 2024 05:06:12

11N40MIMO_Ant2_5510



11N40MIMO_Ant1_5550



11N40MIMO_Ant2_5550



11N40MIMO_Ant1_5670




11N40MIMO_Ant2_5670




11N40MIMO_Ant1_5710_UNII-2C



11N40MIMO_Ant2_5710_UNII-2C



11N40MIMO_Ant1_5710_UNII-3



11N40MIMO_Ant2_5710_UNII-3




11N40MIMO_Ant1_5755



11N40MIMO_Ant2_5755







11AC80MIMO_Ant1_5290






11AC80MIMO_Ant2_5290



11AC80MIMO_Ant1_5530









11.6. APPENDIX F: FREQUENCY STABILITY

11.6.1. Test Result

Frequency Error vs. Voltage									
802.11a:5200MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
TN	VL	5199.9931	-1.33	5199.9777	-4.29	5200.0040	0.77	5200.0125	2.39
TN	VN	5199.9971	-0.55	5199.9754	-4.74	5200.0070	1.34	5200.0162	3.12
TN	VH	5200.0046	0.88	5199.9895	-2.02	5200.0084	1.62	5199.9973	-0.52
Frequency Error vs. Temperature									
802.11a:5200MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
70	VN	5199.9865	-2.60	5200.0242	4.65	5199.9774	-4.34	5199.9757	-4.68
60	VN	5200.0152	2.92	5199.9930	-1.35	5199.9817	-3.51	5199.9875	-2.39
50	VN	5199.9915	-1.64	5199.9813	-3.60	5199.9986	-0.27	5200.0196	3.76
40	VN	5200.0127	2.45	5199.9816	-3.54	5200.0013	0.24	5199.9895	-2.01
30	VN	5199.9777	-4.28	5199.9794	-3.96	5199.9761	-4.60	5199.9796	-3.93
20	VN	5200.0128	2.46	5200.0164	3.16	5199.9818	-3.51	5200.0101	1.94
10	VN	5199.9911	-1.72	5199.9847	-2.94	5200.0175	3.37	5200.0195	3.75
0	VN	5199.9957	-0.83	5200.0088	1.69	5200.0081	1.55	5199.9986	-0.26

Note:

1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 7.5 TEST ENVIRONMENT.

11.7. APPENDIX G: DUTY CYCLE

11.7.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11A	1.35	1.85	0.7297	72.97	1.37	0.74	1
11N20MIMO	1.27	1.77	0.7175	71.75	1.44	0.79	1
11N40MIMO	0.62	1.12	0.5536	55.36	2.57	1.61	2
11AC80MIMO	0.31	0.81	0.3827	38.27	4.17	3.23	4

Note:


Duty Cycle Correction Factor = $10 \log (1/x)$.


Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.


11.7.2. Test Graphs





11.8. APPENDIX H: CALIBRATION


Mode	Frequency (MHz)	Type	Result	Verdict
AC80	5530	DFS_FCC_T0	See test Graph	Pass



11.9. APPENDIX I: SHUTDOWN TIME

Mode	Frequency (MHz)	Channel Move Time (s)	Limit Channel Move Time (s)	Close Transmission Time (s)	Limit Close Transmission Time (s)	Close Transmission Time after 200ms(s)	Limit Close Transmission Time after 200ms (s)	Verdict
AC80	5530	0.485	10	0.012	0.26	0.006	0.06	Pass


Note: refer to KDB 905462 D02 table 2, this report only records the widest BW mode test data.



11.10. APPENDIX J: NON-OCCUPANCY

Mode	Frequency (MHz)	Result	Verdict
AC80	5530	See test Graph	Pass

Note: refer to KDB 905462 D02 table 2, this report only records the widest BW mode test data.



END OF REPORT