

Appendix for Band 66

Report No.: BCTC2304073080-2E

Applicant: SEEWORLD Technology Co.,Ltd

Product Name: GPS Tracker

Model/Type
reference: S21L


Tested Date: 2023-05-04 to 2023-05-31

Issued Date: 2023-06-01

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Conducted output power	3
Appendix 2. Frequency stability.....	7
Appendix 3. Peak-to-Average Ratio	16
Appendix 4. Occupied bandwidth	28
Appendix 5. Band edge	40
Appendix 6. Out-of-band emissions	48




Appendix 1. Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	Verdict
Band66	1.4	131979	1	#0	QPSK	21.70	1.2	22.90	PASS
Band66	1.4	131979	1	#Mid	QPSK	21.82	1.2	23.02	PASS
Band66	1.4	131979	1	#Max	QPSK	21.93	1.2	23.13	PASS
Band66	1.4	131979	3	#0	QPSK	21.63	1.2	22.83	PASS
Band66	1.4	131979	3	#Mid	QPSK	21.68	1.2	22.88	PASS
Band66	1.4	131979	3	#Max	QPSK	21.81	1.2	23.01	PASS
Band66	1.4	131979	6	#0	QPSK	20.80	1.2	22.00	PASS
Band66	1.4	131979	1	#0	16QAM	20.92	1.2	22.12	PASS
Band66	1.4	131979	1	#Mid	16QAM	21.05	1.2	22.25	PASS
Band66	1.4	131979	1	#Max	16QAM	21.20	1.2	22.40	PASS
Band66	1.4	131979	3	#0	16QAM	21.05	1.2	22.25	PASS
Band66	1.4	131979	3	#Mid	16QAM	21.01	1.2	22.21	PASS
Band66	1.4	131979	3	#Max	16QAM	21.12	1.2	22.32	PASS
Band66	1.4	131979	6	#0	16QAM	20.18	1.2	21.38	PASS
Band66	1.4	132322	1	#0	QPSK	21.05	1.2	22.25	PASS
Band66	1.4	132322	1	#Mid	QPSK	21.09	1.2	22.29	PASS
Band66	1.4	132322	1	#Max	QPSK	21.13	1.2	22.33	PASS
Band66	1.4	132322	3	#0	QPSK	21.03	1.2	22.23	PASS
Band66	1.4	132322	3	#Mid	QPSK	21.07	1.2	22.27	PASS
Band66	1.4	132322	3	#Max	QPSK	21.09	1.2	22.29	PASS
Band66	1.4	132322	6	#0	QPSK	20.18	1.2	21.38	PASS
Band66	1.4	132322	1	#0	16QAM	20.33	1.2	21.53	PASS
Band66	1.4	132322	1	#Mid	16QAM	20.39	1.2	21.59	PASS
Band66	1.4	132322	1	#Max	16QAM	20.52	1.2	21.72	PASS
Band66	1.4	132322	3	#0	16QAM	20.41	1.2	21.61	PASS
Band66	1.4	132322	3	#Mid	16QAM	20.48	1.2	21.68	PASS
Band66	1.4	132322	3	#Max	16QAM	20.56	1.2	21.76	PASS
Band66	1.4	132322	6	#0	16QAM	19.46	1.2	20.66	PASS
Band66	1.4	132665	1	#0	QPSK	22.04	1.2	23.24	PASS
Band66	1.4	132665	1	#Mid	QPSK	22.04	1.2	23.24	PASS
Band66	1.4	132665	1	#Max	QPSK	21.94	1.2	23.14	PASS
Band66	1.4	132665	3	#0	QPSK	21.94	1.2	23.14	PASS
Band66	1.4	132665	3	#Mid	QPSK	21.91	1.2	23.11	PASS
Band66	1.4	132665	3	#Max	QPSK	21.90	1.2	23.10	PASS
Band66	1.4	132665	6	#0	QPSK	21.05	1.2	22.25	PASS
Band66	1.4	132665	1	#0	16QAM	21.08	1.2	22.28	PASS
Band66	1.4	132665	1	#Mid	16QAM	21.01	1.2	22.21	PASS
Band66	1.4	132665	1	#Max	16QAM	20.99	1.2	22.19	PASS

Band66	1.4	132665	3	#0	16QAM	21.32	1.2	22.52	PASS
Band66	1.4	132665	3	#Mid	16QAM	21.31	1.2	22.51	PASS
Band66	1.4	132665	3	#Max	16QAM	21.32	1.2	22.52	PASS
Band66	1.4	132665	6	#0	16QAM	20.43	1.2	21.63	PASS
Band66	3	131987	1	#0	QPSK	21.77	1.2	22.97	PASS
Band66	3	131987	1	#Mid	QPSK	22.15	1.2	23.35	PASS
Band66	3	131987	1	#Max	QPSK	22.27	1.2	23.47	PASS
Band66	3	131987	8	#0	QPSK	20.97	1.2	22.17	PASS
Band66	3	131987	8	#Mid	QPSK	21.13	1.2	22.33	PASS
Band66	3	131987	8	#Max	QPSK	21.33	1.2	22.53	PASS
Band66	3	131987	15	#0	QPSK	21.14	1.2	22.34	PASS
Band66	3	131987	1	#0	16QAM	21.30	1.2	22.50	PASS
Band66	3	131987	1	#Mid	16QAM	21.68	1.2	22.88	PASS
Band66	3	131987	1	#Max	16QAM	21.83	1.2	23.03	PASS
Band66	3	131987	8	#0	16QAM	20.15	1.2	21.35	PASS
Band66	3	131987	8	#Mid	16QAM	20.36	1.2	21.56	PASS
Band66	3	131987	8	#Max	16QAM	20.47	1.2	21.67	PASS
Band66	3	131987	15	#0	16QAM	20.28	1.2	21.48	PASS
Band66	3	132322	1	#0	QPSK	21.05	1.2	22.25	PASS
Band66	3	132322	1	#Mid	QPSK	21.32	1.2	22.52	PASS
Band66	3	132322	1	#Max	QPSK	21.34	1.2	22.54	PASS
Band66	3	132322	8	#0	QPSK	20.25	1.2	21.45	PASS
Band66	3	132322	8	#Mid	QPSK	20.30	1.2	21.50	PASS
Band66	3	132322	8	#Max	QPSK	20.42	1.2	21.62	PASS
Band66	3	132322	15	#0	QPSK	20.34	1.2	21.54	PASS
Band66	3	132322	1	#0	16QAM	20.44	1.2	21.64	PASS
Band66	3	132322	1	#Mid	16QAM	20.69	1.2	21.89	PASS
Band66	3	132322	1	#Max	16QAM	20.76	1.2	21.96	PASS
Band66	3	132322	8	#0	16QAM	19.40	1.2	20.60	PASS
Band66	3	132322	8	#Mid	16QAM	19.58	1.2	20.78	PASS
Band66	3	132322	8	#Max	16QAM	19.60	1.2	20.80	PASS
Band66	3	132322	15	#0	16QAM	19.45	1.2	20.65	PASS
Band66	3	132657	1	#0	QPSK	22.04	1.2	23.24	PASS
Band66	3	132657	1	#Mid	QPSK	22.23	1.2	23.43	PASS
Band66	3	132657	1	#Max	QPSK	22.06	1.2	23.26	PASS
Band66	3	132657	8	#0	QPSK	21.23	1.2	22.43	PASS
Band66	3	132657	8	#Mid	QPSK	21.25	1.2	22.45	PASS
Band66	3	132657	8	#Max	QPSK	21.24	1.2	22.44	PASS
Band66	3	132657	15	#0	QPSK	21.26	1.2	22.46	PASS
Band66	3	132657	1	#0	16QAM	21.12	1.2	22.32	PASS
Band66	3	132657	1	#Mid	16QAM	21.24	1.2	22.44	PASS
Band66	3	132657	1	#Max	16QAM	21.07	1.2	22.27	PASS
Band66	3	132657	8	#0	16QAM	20.34	1.2	21.54	PASS

Band66	3	132657	8	#Mid	16QAM	20.41	1.2	21.61	PASS
Band66	3	132657	8	#Max	16QAM	20.42	1.2	21.62	PASS
Band66	3	132657	15	#0	16QAM	20.44	1.2	21.64	PASS
Band66	5	131997	1	#0	QPSK	22.45	1.2	23.65	PASS
Band66	5	131997	1	#Mid	QPSK	22.69	1.2	23.89	PASS
Band66	5	131997	1	#Max	QPSK	22.99	1.2	24.19	PASS
Band66	5	131997	12	#0	QPSK	21.49	1.2	22.69	PASS
Band66	5	131997	12	#Mid	QPSK	21.79	1.2	22.99	PASS
Band66	5	131997	12	#Max	QPSK	21.92	1.2	23.12	PASS
Band66	5	131997	25	#0	QPSK	21.73	1.2	22.93	PASS
Band66	5	131997	1	#0	16QAM	21.84	1.2	23.04	PASS
Band66	5	131997	1	#Mid	16QAM	22.34	1.2	23.54	PASS
Band66	5	131997	1	#Max	16QAM	22.68	1.2	23.88	PASS
Band66	5	131997	12	#0	16QAM	20.58	1.2	21.78	PASS
Band66	5	131997	12	#Mid	16QAM	20.90	1.2	22.10	PASS
Band66	5	131997	12	#Max	16QAM	21.13	1.2	22.33	PASS
Band66	5	131997	25	#0	16QAM	20.81	1.2	22.01	PASS
Band66	5	132322	1	#0	QPSK	21.61	1.2	22.81	PASS
Band66	5	132322	1	#Mid	QPSK	21.62	1.2	22.82	PASS
Band66	5	132322	1	#Max	QPSK	22.00	1.2	23.20	PASS
Band66	5	132322	12	#0	QPSK	20.53	1.2	21.73	PASS
Band66	5	132322	12	#Mid	QPSK	20.72	1.2	21.92	PASS
Band66	5	132322	12	#Max	QPSK	20.85	1.2	22.05	PASS
Band66	5	132322	25	#0	QPSK	20.66	1.2	21.86	PASS
Band66	5	132322	1	#0	16QAM	20.88	1.2	22.08	PASS
Band66	5	132322	1	#Mid	16QAM	21.13	1.2	22.33	PASS
Band66	5	132322	1	#Max	16QAM	21.46	1.2	22.66	PASS
Band66	5	132322	12	#0	16QAM	19.61	1.2	20.81	PASS
Band66	5	132322	12	#Mid	16QAM	19.82	1.2	21.02	PASS
Band66	5	132322	12	#Max	16QAM	19.93	1.2	21.13	PASS
Band66	5	132322	25	#0	16QAM	19.77	1.2	20.97	PASS
Band66	5	132647	1	#0	QPSK	21.98	1.2	23.18	PASS
Band66	5	132647	1	#Mid	QPSK	22.28	1.2	23.48	PASS
Band66	5	132647	1	#Max	QPSK	22.23	1.2	23.43	PASS
Band66	5	132647	12	#0	QPSK	21.18	1.2	22.38	PASS
Band66	5	132647	12	#Mid	QPSK	21.40	1.2	22.60	PASS
Band66	5	132647	12	#Max	QPSK	21.40	1.2	22.60	PASS
Band66	5	132647	25	#0	QPSK	21.31	1.2	22.51	PASS
Band66	5	132647	1	#0	16QAM	21.47	1.2	22.67	PASS
Band66	5	132647	1	#Mid	16QAM	21.76	1.2	22.96	PASS
Band66	5	132647	1	#Max	16QAM	21.74	1.2	22.94	PASS
Band66	5	132647	12	#0	16QAM	20.33	1.2	21.53	PASS
Band66	5	132647	12	#Mid	16QAM	20.57	1.2	21.77	PASS

Band66	5	132647	12	#Max	16QAM	20.62	1.2	21.82	PASS
Band66	5	132647	25	#0	16QAM	20.39	1.2	21.59	PASS
Band66	10	132022	1	#0	QPSK	22.49	1.2	23.69	PASS
Band66	10	132022	1	#Mid	QPSK	22.86	1.2	24.06	PASS
Band66	10	132022	1	#Max	QPSK	22.20	1.2	23.40	PASS
Band66	10	132022	25	#0	QPSK	21.58	1.2	22.78	PASS
Band66	10	132022	25	#Mid	QPSK	21.89	1.2	23.09	PASS
Band66	10	132022	25	#Max	QPSK	21.68	1.2	22.88	PASS
Band66	10	132022	50	#0	QPSK	21.64	1.2	22.84	PASS
Band66	10	132322	1	#0	QPSK	21.82	1.2	23.02	PASS
Band66	10	132322	1	#Mid	QPSK	21.51	1.2	22.71	PASS
Band66	10	132322	1	#Max	QPSK	22.13	1.2	23.33	PASS
Band66	10	132322	25	#0	QPSK	20.30	1.2	21.50	PASS
Band66	10	132322	25	#Mid	QPSK	20.60	1.2	21.80	PASS
Band66	10	132322	25	#Max	QPSK	20.86	1.2	22.06	PASS
Band66	10	132322	50	#0	QPSK	20.62	1.2	21.82	PASS
Band66	10	132622	1	#0	QPSK	21.52	1.2	22.72	PASS
Band66	10	132622	1	#Mid	QPSK	21.87	1.2	23.07	PASS
Band66	10	132622	1	#Max	QPSK	22.30	1.2	23.50	PASS
Band66	10	132622	25	#0	QPSK	20.41	1.2	21.61	PASS
Band66	10	132622	25	#Mid	QPSK	20.86	1.2	22.06	PASS
Band66	10	132622	25	#Max	QPSK	21.13	1.2	22.33	PASS
Band66	10	132622	50	#0	QPSK	20.76	1.2	21.96	PASS



Appendix 2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	High Limit (ppm)	Verdict
Band66	1.4	131979	6	#0	QPSK	LV	NT	-15.48	-0.009	-2.5	2.5	PASS
Band66	1.4	131979	6	#0	QPSK	NV	NT	-5.16	-0.003	-2.5	2.5	PASS
Band66	1.4	131979	6	#0	QPSK	HV	NT	-1.03	-0.001	-2.5	2.5	PASS
Band66	1.4	131979	6	#0	16QAM	LV	NT	-7.07	-0.004	-2.5	2.5	PASS
Band66	1.4	131979	6	#0	16QAM	NV	NT	-2.68	-0.002	-2.5	2.5	PASS
Band66	1.4	131979	6	#0	16QAM	HV	NT	-14.72	-0.009	-2.5	2.5	PASS
Band66	1.4	132322	6	#0	QPSK	LV	NT	-3.89	-0.002	-2.5	2.5	PASS
Band66	1.4	132322	6	#0	QPSK	NV	NT	8.63	0.005	-2.5	2.5	PASS
Band66	1.4	132322	6	#0	QPSK	HV	NT	1.73	0.001	-2.5	2.5	PASS
Band66	1.4	132322	6	#0	16QAM	LV	NT	-4.68	-0.003	-2.5	2.5	PASS
Band66	1.4	132322	6	#0	16QAM	NV	NT	1.02	0.001	-2.5	2.5	PASS
Band66	1.4	132322	6	#0	16QAM	HV	NT	3.56	0.002	-2.5	2.5	PASS
Band66	1.4	132665	6	#0	QPSK	LV	NT	-1.09	-0.001	-2.5	2.5	PASS
Band66	1.4	132665	6	#0	QPSK	NV	NT	13.55	0.008	-2.5	2.5	PASS
Band66	1.4	132665	6	#0	QPSK	HV	NT	3.16	0.002	-2.5	2.5	PASS
Band66	1.4	132665	6	#0	16QAM	LV	NT	-1.44	-0.001	-2.5	2.5	PASS
Band66	1.4	132665	6	#0	16QAM	NV	NT	-4.81	-0.003	-2.5	2.5	PASS
Band66	1.4	132665	6	#0	16QAM	HV	NT	-4.68	-0.003	-2.5	2.5	PASS

Band6 6	3	131987	15	#0	QPSK	LV	NT	-12.2 3	-0.00 7	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	QPSK	NV	NT	-6.71	-0.00 4	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	QPSK	HV	NT	0.19	0.000	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	16QAM	LV	NT	-7.74	-0.00 5	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	16QAM	NV	NT	1.83	0.001	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	16QAM	HV	NT	0.39	0.000	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	QPSK	LV	NT	-7.08	-0.00 4	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	QPSK	NV	NT	-6.22	-0.00 4	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	QPSK	HV	NT	-1.29	-0.00 1	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	16QAM	LV	NT	-3.79	-0.00 2	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	16QAM	NV	NT	-3.03	-0.00 2	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	16QAM	HV	NT	-5.05	-0.00 3	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	QPSK	LV	NT	9.20	0.005	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	QPSK	NV	NT	-3.00	-0.00 2	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	QPSK	HV	NT	-2.12	-0.00 1	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	16QAM	LV	NT	8.25	0.005	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	16QAM	NV	NT	-11.04	-0.00 6	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	16QAM	HV	NT	-9.16	-0.00 5	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	QPSK	LV	NT	6.28	0.004	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	QPSK	NV	NT	-7.72	-0.00 5	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	QPSK	HV	NT	1.40	0.001	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	16QAM	LV	NT	-6.29	-0.00	-2.5	2.5	PASS

6									4			
Band6 6	5	131997	25	#0	16QAM	NV	NT	-10.3 9	-0.00 6	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	16QAM	HV	NT	-2.92	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	QPSK	LV	NT	-8.35	-0.00 5	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	QPSK	NV	NT	-2.59	-0.00 1	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	QPSK	HV	NT	-10.6 6	-0.00 6	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	16QAM	LV	NT	-8.40	-0.00 5	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	16QAM	NV	NT	-3.52	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	16QAM	HV	NT	0.33	0.000	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	QPSK	LV	NT	-2.92	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	QPSK	NV	NT	-3.65	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	QPSK	HV	NT	-7.41	-0.00 4	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	16QAM	LV	NT	-8.05	-0.00 5	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	16QAM	NV	NT	-3.23	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	16QAM	HV	NT	-11.24	-0.00 6	-2.5	2.5	PASS
Band6 6	10	132022	50	#0	QPSK	LV	NT	7.54	0.004	-2.5	2.5	PASS
Band6 6	10	132022	50	#0	QPSK	NV	NT	-5.48	-0.00 3	-2.5	2.5	PASS
Band6 6	10	132022	50	#0	QPSK	HV	NT	3.22	0.002	-2.5	2.5	PASS
Band6 6	10	132322	50	#0	QPSK	LV	NT	-11.93	-0.00 7	-2.5	2.5	PASS
Band6 6	10	132322	50	#0	QPSK	NV	NT	-11.84	-0.00 7	-2.5	2.5	PASS
Band6 6	10	132322	50	#0	QPSK	HV	NT	-5.79	-0.00 3	-2.5	2.5	PASS
Band6 6	10	132622	50	#0	QPSK	LV	NT	-2.59	-0.00 1	-2.5	2.5	PASS

Band6 6	10	132622	50	#0	QPSK	NV	NT	-2.02	-0.00 1	-2.5	2.5	PASS
Band6 6	10	132622	50	#0	QPSK	HV	NT	-2.79	-0.00 2	-2.5	2.5	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	High Limit (ppm)	Verdict
Band6 6	1.4	131979	6	#0	QPSK	NV	-30	-10.70	-0.006	-2.5	2.5	PASS
Band6 6	1.4	131979	6	#0	QPSK	NV	-20	-5.36	-0.003	-2.5	2.5	PASS
Band6 6	1.4	131979	6	#0	QPSK	NV	0	2.06	0.001	-2.5	2.5	PASS
Band6 6	1.4	131979	6	#0	QPSK	NV	10	-11.39	-0.007	-2.5	2.5	PASS
Band6 6	1.4	131979	6	#0	QPSK	NV	20	-6.84	-0.004	-2.5	2.5	PASS
Band6 6	1.4	131979	6	#0	16QAM	NV	-30	-4.78	-0.003	-2.5	2.5	PASS
Band6 6	1.4	131979	6	#0	16QAM	NV	-20	-7.94	-0.005	-2.5	2.5	PASS
Band6 6	1.4	131979	6	#0	16QAM	NV	0	-7.77	-0.005	-2.5	2.5	PASS
Band6 6	1.4	131979	6	#0	16QAM	NV	10	-9.03	-0.005	-2.5	2.5	PASS
Band6 6	1.4	131979	6	#0	16QAM	NV	20	-9.78	-0.006	-2.5	2.5	PASS
Band6 6	1.4	132322	6	#0	QPSK	NV	-30	-4.42	-0.003	-2.5	2.5	PASS
Band6 6	1.4	132322	6	#0	QPSK	NV	-20	-11.19	-0.006	-2.5	2.5	PASS
Band6 6	1.4	132322	6	#0	QPSK	NV	0	-0.82	0.000	-2.5	2.5	PASS
Band6 6	1.4	132322	6	#0	QPSK	NV	10	-11.59	-0.007	-2.5	2.5	PASS
Band6 6	1.4	132322	6	#0	QPSK	NV	20	-11.52	-0.007	-2.5	2.5	PASS
Band6 6	1.4	132322	6	#0	16QAM	NV	-30	-13.70	-0.008	-2.5	2.5	PASS
Band6 6	1.4	132322	6	#0	16QAM	NV	-20	-11.83	-0.007	-2.5	2.5	PASS


Band6 6	1.4	132322	6	#0	16QAM	NV	0	-5.08	-0.00 3	-2.5	2.5	PASS
Band6 6	1.4	132322	6	#0	16QAM	NV	10	-9.24	-0.00 5	-2.5	2.5	PASS
Band6 6	1.4	132322	6	#0	16QAM	NV	20	-18.9 8	-0.011	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	QPSK	NV	-30	-4.29	-0.00 2	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	QPSK	NV	-20	-4.02	-0.00 2	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	QPSK	NV	0	-9.51	-0.00 5	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	QPSK	NV	10	-9.53	-0.00 5	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	QPSK	NV	20	-0.39	0.000	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	16QAM	NV	-30	-7.81	-0.00 4	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	16QAM	NV	-20	-13.3 8	-0.00 8	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	16QAM	NV	0	3.19	0.002	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	16QAM	NV	10	-6.84	-0.00 4	-2.5	2.5	PASS
Band6 6	1.4	132665	6	#0	16QAM	NV	20	-11.40	-0.00 6	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	QPSK	NV	-30	-10.7 9	-0.00 6	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	QPSK	NV	-20	-0.33	0.000	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	QPSK	NV	0	-11.19	-0.00 7	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	QPSK	NV	10	6.49	0.004	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	QPSK	NV	20	-5.01	-0.00 3	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	16QAM	NV	-30	1.90	0.001	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	16QAM	NV	-20	3.09	0.002	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	16QAM	NV	0	-5.62	-0.00 3	-2.5	2.5	PASS
Band6 6	3	131987	15	#0	16QAM	NV	10	-4.28	-0.00	-2.5	2.5	PASS

6									3			
Band6 6	3	131987	15	#0	16QAM	NV	20	-10.0 1	-0.00 6	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	QPSK	NV	-30	-17.2 7	-0.01 0	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	QPSK	NV	-20	4.42	0.003	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	QPSK	NV	0	-14.7 6	-0.00 8	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	QPSK	NV	10	-4.32	-0.00 2	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	QPSK	NV	20	-10.4 9	-0.00 6	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	16QAM	NV	-30	-0.64	0.000	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	16QAM	NV	-20	-2.26	-0.00 1	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	16QAM	NV	0	-1.73	-0.00 1	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	16QAM	NV	10	-6.48	-0.00 4	-2.5	2.5	PASS
Band6 6	3	132322	15	#0	16QAM	NV	20	-9.97	-0.00 6	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	QPSK	NV	-30	-4.89	-0.00 3	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	QPSK	NV	-20	-12.5 7	-0.00 7	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	QPSK	NV	0	0.82	0.000	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	QPSK	NV	10	-16.9 4	-0.01 0	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	QPSK	NV	20	-11.43	-0.00 6	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	16QAM	NV	-30	1.32	0.001	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	16QAM	NV	-20	-8.75	-0.00 5	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	16QAM	NV	0	-3.98	-0.00 2	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	16QAM	NV	10	-6.55	-0.00 4	-2.5	2.5	PASS
Band6 6	3	132657	15	#0	16QAM	NV	20	-7.25	-0.00 4	-2.5	2.5	PASS

Band6 6	5	131997	25	#0	QPSK	NV	-30	-8.67	-0.00 5	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	QPSK	NV	-20	0.00	0.000	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	QPSK	NV	0	-11.04	-0.00 6	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	QPSK	NV	10	-8.77	-0.00 5	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	QPSK	NV	20	-16.5 8	-0.01 0	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	16QAM	NV	-30	-12.9 9	-0.00 8	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	16QAM	NV	-20	-8.15	-0.00 5	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	16QAM	NV	0	-3.26	-0.00 2	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	16QAM	NV	10	-3.73	-0.00 2	-2.5	2.5	PASS
Band6 6	5	131997	25	#0	16QAM	NV	20	-4.31	-0.00 3	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	QPSK	NV	-30	-11.92	-0.00 7	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	QPSK	NV	-20	-3.72	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	QPSK	NV	0	-17.6 0	-0.01 0	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	QPSK	NV	10	-12.9 9	-0.00 7	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	QPSK	NV	20	-3.66	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	16QAM	NV	-30	-10.4 3	-0.00 6	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	16QAM	NV	-20	-14.5 9	-0.00 8	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	16QAM	NV	0	-3.96	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	16QAM	NV	10	-2.39	-0.00 1	-2.5	2.5	PASS
Band6 6	5	132322	25	#0	16QAM	NV	20	-3.05	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	QPSK	NV	-30	-2.12	-0.00 1	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	QPSK	NV	-20	-5.25	-0.00	-2.5	2.5	PASS

6									3			
Band6 6	5	132647	25	#0	QPSK	NV	0	1.57	0.001	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	QPSK	NV	10	-3.43	-0.00 2	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	QPSK	NV	20	-13.0 0	-0.00 7	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	16QAM	NV	-30	3.25	0.002	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	16QAM	NV	-20	-10.2 0	-0.00 6	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	16QAM	NV	0	-12.7 6	-0.00 7	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	16QAM	NV	10	10.84	0.006	-2.5	2.5	PASS
Band6 6	5	132647	25	#0	16QAM	NV	20	-7.41	-0.00 4	-2.5	2.5	PASS
Band6 6	10	132022	50	#0	QPSK	NV	-30	-17.7 2	-0.01 0	-2.5	2.5	PASS
Band6 6	10	132022	50	#0	QPSK	NV	-20	-7.67	-0.00 4	-2.5	2.5	PASS
Band6 6	10	132022	50	#0	QPSK	NV	0	-6.21	-0.00 4	-2.5	2.5	PASS
Band6 6	10	132022	50	#0	QPSK	NV	10	-5.38	-0.00 3	-2.5	2.5	PASS
Band6 6	10	132022	50	#0	QPSK	NV	20	-3.09	-0.00 2	-2.5	2.5	PASS
Band6 6	10	132322	50	#0	QPSK	NV	-30	-6.61	-0.00 4	-2.5	2.5	PASS
Band6 6	10	132322	50	#0	QPSK	NV	-20	-7.30	-0.00 4	-2.5	2.5	PASS
Band6 6	10	132322	50	#0	QPSK	NV	0	-9.23	-0.00 5	-2.5	2.5	PASS
Band6 6	10	132322	50	#0	QPSK	NV	10	0.84	0.000	-2.5	2.5	PASS
Band6 6	10	132322	50	#0	QPSK	NV	20	-3.33	-0.00 2	-2.5	2.5	PASS
Band6 6	10	132622	50	#0	QPSK	NV	-30	-3.81	-0.00 2	-2.5	2.5	PASS
Band6 6	10	132622	50	#0	QPSK	NV	-20	-7.28	-0.00 4	-2.5	2.5	PASS
Band6 6	10	132622	50	#0	QPSK	NV	0	-4.09	-0.00 2	-2.5	2.5	PASS


Band6 6	10	132622	50	#0	QPSK	NV	10	-3.40	-0.00 2	-2.5	2.5	PASS
Band6 6	10	132622	50	#0	QPSK	NV	20	-4.33	-0.00 2	-2.5	2.5	PASS




Appendix 3. Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band66	1.4	131979	1	#0	QPSK	5.62	13	PASS
Band66	1.4	131979	1	#0	16QAM	6.55	13	PASS
Band66	1.4	132322	1	#0	QPSK	5.95	13	PASS
Band66	1.4	132322	1	#0	16QAM	7.08	13	PASS
Band66	1.4	132665	1	#0	QPSK	4.57	13	PASS
Band66	1.4	132665	1	#0	16QAM	5.32	13	PASS
Band66	3	131987	1	#0	QPSK	5.57	13	PASS
Band66	3	131987	1	#0	16QAM	6.34	13	PASS
Band66	3	132322	1	#0	QPSK	6.13	13	PASS
Band66	3	132322	1	#0	16QAM	7.09	13	PASS
Band66	3	132657	1	#0	QPSK	5.09	13	PASS
Band66	3	132657	1	#0	16QAM	5.69	13	PASS
Band66	5	131997	1	#0	QPSK	5.45	13	PASS
Band66	5	131997	1	#0	16QAM	6.03	13	PASS
Band66	5	132322	1	#0	QPSK	6.30	13	PASS
Band66	5	132322	1	#0	16QAM	6.92	13	PASS
Band66	5	132647	1	#0	QPSK	6.49	13	PASS
Band66	5	132647	1	#0	16QAM	6.72	13	PASS
Band66	10	132022	1	#0	QPSK	5.48	13	PASS
Band66	10	132322	1	#0	QPSK	6.13	13	PASS
Band66	10	132622	1	#0	QPSK	6.04	13	PASS


Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=1 Position=#0





Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0



Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Appendix 4. Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band66	1.4	131979	6	#0	QPSK	1.093	1.266	PASS
Band66	1.4	131979	6	#0	16QAM	1.096	1.291	PASS
Band66	1.4	132322	6	#0	QPSK	1.102	1.280	PASS
Band66	1.4	132322	6	#0	16QAM	1.098	1.285	PASS
Band66	1.4	132665	6	#0	QPSK	1.093	1.286	PASS
Band66	1.4	132665	6	#0	16QAM	1.098	1.259	PASS
Band66	3	131987	15	#0	QPSK	2.707	2.933	PASS
Band66	3	131987	15	#0	16QAM	2.696	2.903	PASS
Band66	3	132322	15	#0	QPSK	2.718	2.954	PASS
Band66	3	132322	15	#0	16QAM	2.697	2.953	PASS
Band66	3	132657	15	#0	QPSK	2.692	2.961	PASS
Band66	3	132657	15	#0	16QAM	2.693	2.966	PASS
Band66	5	131997	25	#0	QPSK	4.527	4.941	PASS
Band66	5	131997	25	#0	16QAM	4.497	4.874	PASS
Band66	5	132322	25	#0	QPSK	4.511	4.911	PASS
Band66	5	132322	25	#0	16QAM	4.499	4.952	PASS
Band66	5	132647	25	#0	QPSK	4.502	4.897	PASS
Band66	5	132647	25	#0	16QAM	4.496	4.942	PASS
Band66	10	132022	50	#0	QPSK	8.945	9.633	PASS
Band66	10	132322	50	#0	QPSK	8.956	9.742	PASS
Band66	10	132622	50	#0	QPSK	8.995	9.637	PASS


Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Appendix 5. Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band66	1.4	131979	6	#0	QPSK	1709.99	-29.70	-13	PASS
Band66	1.4	131979	6	#0	16QAM	1709.96	-31.25	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.03	-27.82	-13	PASS
Band66	1.4	132665	6	#0	16QAM	1780.01	-28.39	-13	PASS
Band66	3	131987	15	#0	QPSK	1710.00	-29.21	-13	PASS
Band66	3	131987	15	#0	16QAM	1709.92	-31.45	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-29.20	-13	PASS
Band66	3	132657	15	#0	16QAM	1780.00	-31.67	-13	PASS
Band66	5	131997	25	#0	QPSK	1709.99	-30.20	-13	PASS
Band66	5	131997	25	#0	16QAM	1710.00	-31.61	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.00	-30.13	-13	PASS
Band66	5	132647	25	#0	16QAM	1780.00	-30.97	-13	PASS
Band66	10	132022	50	#0	QPSK	1710.00	-31.62	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.06	-33.26	-13	PASS

Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0



Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0



Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Appendix 6. Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band66	1.4	131979	6	#0	QPSK	6096.48	-29.06	-13	PASS
Band66	1.4	131979	6	#0	16QAM	5759.88	-28.36	-13	PASS
Band66	1.4	132322	6	#0	QPSK	5713.08	-29.22	-13	PASS
Band66	1.4	132322	6	#0	16QAM	5637.25	-29.35	-13	PASS
Band66	1.4	132665	6	#0	QPSK	5743.45	-28.52	-13	PASS
Band66	1.4	132665	6	#0	16QAM	5714.43	-28.30	-13	PASS
Band66	3	131987	15	#0	QPSK	2451.93	-28.25	-13	PASS
Band66	3	131987	15	#0	16QAM	2453.50	-26.63	-13	PASS
Band66	3	132322	15	#0	QPSK	2453.28	-23.73	-13	PASS
Band66	3	132322	15	#0	16QAM	2451.48	-28.19	-13	PASS
Band66	3	132657	15	#0	QPSK	2451.93	-27.02	-13	PASS
Band66	3	132657	15	#0	16QAM	2450.80	-25.06	-13	PASS
Band66	5	131997	25	#0	QPSK	2451.93	-28.67	-13	PASS
Band66	5	131997	25	#0	16QAM	2452.38	-26.59	-13	PASS
Band66	5	132322	25	#0	QPSK	2452.15	-27.18	-13	PASS
Band66	5	132322	25	#0	16QAM	5686.3	-28.36	-13	PASS
Band66	5	132647	25	#0	QPSK	2450.13	-28.02	-13	PASS
Band66	5	132647	25	#0	16QAM	2453.73	-25.02	-13	PASS
Band66	10	132022	50	#0	QPSK	2451.48	-27.84	-13	PASS
Band66	10	132322	50	#0	QPSK	5720.05	-28.27	-13	PASS
Band66	10	132622	50	#0	QPSK	2453.05	-24.56	-13	PASS


Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0



Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0



Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0

