

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7001.250000	2.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6995.750000	2.3	0.0	2.3	PASS
6992.750000	2.2	0.1	2.3	PASS
6988.750000	2.2	0.2	2.3	PASS
6989.750000	2.2	0.2	2.3	PASS
7018.750000	2.1	0.2	2.3	PASS
6993.250000	2.1	0.2	2.3	PASS
6994.250000	2.1	0.2	2.3	PASS
6999.750000	2.0	0.3	2.3	PASS
6986.750000	2.0	0.3	2.3	PASS
7008.750000	2.0	0.4	2.3	PASS
6988.250000	2.0	0.4	2.3	PASS
6989.250000	1.9	0.4	2.3	PASS
6991.250000	1.9	0.4	2.3	PASS
7002.750000	1.9	0.4	2.3	PASS
7019.250000	1.9	0.4	2.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7058.250000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7058.250000	3.6	0.0	3.6	PASS
7059.750000	3.4	0.2	3.6	PASS
7056.750000	3.2	0.3	3.6	PASS
7058.750000	3.1	0.4	3.6	PASS
7055.750000	3.1	0.4	3.6	PASS
7057.250000	3.1	0.5	3.6	PASS
7060.750000	3.1	0.5	3.6	PASS
7059.250000	3.0	0.5	3.6	PASS
7060.250000	3.0	0.5	3.6	PASS
7057.750000	2.8	0.7	3.6	PASS
7062.750000	2.8	0.8	3.6	PASS
7046.750000	2.7	0.8	3.6	PASS
7055.250000	2.7	0.8	3.6	PASS
7063.250000	2.7	0.9	3.6	PASS
7062.250000	2.6	0.9	3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6038.500000	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6028.500000	-1.3	0.0	-1.3	PASS
6034.500000	-1.4	0.1	-1.3	PASS
6020.500000	-1.4	0.1	-1.3	PASS
6042.500000	-1.4	0.1	-1.3	PASS
6039.500000	-1.4	0.1	-1.3	PASS
6050.500000	-1.4	0.1	-1.3	PASS
6041.500000	-1.4	0.1	-1.3	PASS
6035.500000	-1.5	0.2	-1.3	PASS
6017.500000	-1.5	0.2	-1.3	PASS
6021.500000	-1.5	0.3	-1.3	PASS
6037.500000	-1.5	0.3	-1.3	PASS
6019.500000	-1.5	0.3	-1.3	PASS
6033.500000	-1.6	0.3	-1.3	PASS
6022.500000	-1.6	0.3	-1.3	PASS
6036.500000	-1.6	0.3	-1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6102.500000	0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6102.500000	0.5	0.0	0.5	PASS
6101.500000	0.3	0.2	0.5	PASS
6100.500000	0.3	0.2	0.5	PASS
6075.500000	0.2	0.3	0.5	PASS
6106.500000	-19.9	0.3	-19.6	PASS
6076.500000	0.0	0.5	0.5	PASS
6077.500000	0.0	0.5	0.5	PASS
6078.500000	-0.2	0.7	0.5	PASS
6099.500000	-0.2	0.7	0.5	PASS
6105.500000	-10.3	0.8	-9.5	PASS
6074.500000	-0.4	0.9	0.5	PASS
6103.500000	-0.4	0.9	0.5	PASS
6072.500000	-0.5	1.0	0.5	PASS
6098.500000	-0.5	1.0	0.5	PASS
6079.500000	-0.5	1.0	0.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5948.500000	0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5948.500000	0.7	0.0	0.7	PASS
5949.500000	0.6	0.1	0.7	PASS
5951.500000	0.2	0.5	0.7	PASS
5947.500000	0.2	0.5	0.7	PASS
5950.500000	0.2	0.5	0.7	PASS
5952.500000	-0.2	0.8	0.7	PASS
5953.500000	-0.3	1.0	0.7	PASS
5954.500000	-0.4	1.1	0.7	PASS
5946.500000	-0.8	1.4	0.7	PASS
5961.500000	-0.8	1.5	0.7	PASS
5959.500000	-0.9	1.6	0.7	PASS
5956.500000	-1.0	1.7	0.7	PASS
5955.500000	-1.0	1.7	0.7	PASS
5962.500000	-1.1	1.7	0.7	PASS
5957.500000	-1.1	1.8	0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6058.500000	1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6068.500000	1.4	0.0	1.4	PASS
6071.500000	1.3	0.1	1.4	PASS
6073.500000	1.3	0.1	1.4	PASS
6060.500000	1.3	0.1	1.4	PASS
6074.500000	1.3	0.1	1.4	PASS
6061.500000	1.3	0.1	1.4	PASS
6056.500000	1.3	0.1	1.4	PASS
6059.500000	1.2	0.2	1.4	PASS
6076.500000	1.2	0.2	1.4	PASS
6057.500000	1.2	0.2	1.4	PASS
6075.500000	1.2	0.2	1.4	PASS
6062.500000	1.1	0.3	1.4	PASS
6070.500000	1.0	0.4	1.4	PASS
6077.500000	1.0	0.4	1.4	PASS
6055.500000	0.9	0.5	1.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6242.500000	-2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6242.500000	-2.0	0.0	-2.0	PASS
6109.500000	-2.1	0.1	-2.0	PASS
6108.500000	-2.1	0.2	-2.0	PASS
6250.500000	-2.2	0.3	-2.0	PASS
6251.500000	-2.3	0.3	-2.0	PASS
6111.500000	-2.3	0.3	-2.0	PASS
6261.500000	-2.3	0.4	-2.0	PASS
6252.500000	-2.4	0.4	-2.0	PASS
6202.500000	-2.5	0.5	-2.0	PASS
6247.500000	-2.5	0.5	-2.0	PASS
6249.500000	-2.5	0.5	-2.0	PASS
6118.500000	-2.5	0.5	-2.0	PASS
6200.500000	-2.5	0.6	-2.0	PASS
6253.500000	-2.5	0.6	-2.0	PASS
6196.500000	-2.5	0.6	-2.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6176.500000	-1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6179.500000	-1.6	0.2	-1.4	PASS
6210.500000	-1.7	0.3	-1.4	PASS
6178.500000	-1.8	0.4	-1.4	PASS
6181.500000	-1.8	0.4	-1.4	PASS
6177.500000	-1.9	0.5	-1.4	PASS
6172.500000	-1.9	0.5	-1.4	PASS
6180.500000	-2.0	0.5	-1.4	PASS
6174.500000	-2.0	0.6	-1.4	PASS
6205.500000	-2.0	0.6	-1.4	PASS
6208.500000	-2.0	0.6	-1.4	PASS
6188.500000	-2.0	0.6	-1.4	PASS
6214.500000	-2.1	0.6	-1.4	PASS
6170.500000	-2.1	0.7	-1.4	PASS
6169.500000	-2.1	0.7	-1.4	PASS
6171.500000	-2.1	0.7	-1.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6226.500000	2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6226.500000	2.0	0.0	2.0	PASS
6227.500000	1.7	0.3	2.0	PASS
6220.500000	0.8	1.2	2.0	PASS
6225.500000	0.8	1.2	2.0	PASS
6221.500000	0.8	1.2	2.0	PASS
6224.500000	0.8	1.2	2.0	PASS
6222.500000	0.7	1.3	2.0	PASS
6237.500000	0.7	1.3	2.0	PASS
6232.500000	0.7	1.3	2.0	PASS
6229.500000	0.7	1.3	2.0	PASS
6230.500000	0.6	1.4	2.0	PASS
6233.500000	0.6	1.4	2.0	PASS
6219.500000	0.6	1.4	2.0	PASS
6231.500000	0.6	1.4	2.0	PASS
6234.500000	0.5	1.5	2.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6111.500000	0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6111.500000	0.9	0.0	0.9	PASS
6107.500000	0.9	0.0	0.9	PASS
6109.500000	0.8	0.1	0.9	PASS
6108.500000	0.8	0.1	0.9	PASS
6113.500000	0.8	0.1	0.9	PASS
6114.500000	0.8	0.2	0.9	PASS
6110.500000	0.5	0.4	0.9	PASS
6116.500000	0.5	0.4	0.9	PASS
6117.500000	0.5	0.4	0.9	PASS
6115.500000	0.2	0.7	0.9	PASS
6112.500000	0.1	0.8	0.9	PASS
6118.500000	-0.1	1.0	0.9	PASS
6106.500000	-0.9	1.8	0.9	PASS
6164.500000	-1.0	1.9	0.9	PASS
6249.500000	-1.1	2.0	0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6382.500000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6380.500000	-0.7	0.0	-0.7	PASS
6378.500000	-0.8	0.1	-0.7	PASS
6383.500000	-0.9	0.2	-0.7	PASS
6381.500000	-1.1	0.4	-0.7	PASS
6387.500000	-1.2	0.5	-0.7	PASS
6389.500000	-1.2	0.5	-0.7	PASS
6377.500000	-1.3	0.6	-0.7	PASS
6386.500000	-1.4	0.7	-0.7	PASS
6388.500000	-1.5	0.7	-0.7	PASS
6379.500000	-1.5	0.8	-0.7	PASS
6376.500000	-1.6	0.9	-0.7	PASS
6385.500000	-1.6	0.9	-0.7	PASS
6384.500000	-1.6	0.9	-0.7	PASS
6391.500000	-1.7	1.0	-0.7	PASS
6390.500000	-1.7	1.0	-0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6292.500000	-0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6293.500000	-0.3	0.1	-0.2	PASS
6338.500000	-0.5	0.3	-0.2	PASS
6283.500000	-0.6	0.5	-0.2	PASS
6288.500000	-0.6	0.5	-0.2	PASS
6339.500000	-0.6	0.5	-0.2	PASS
6282.500000	-0.7	0.5	-0.2	PASS
6291.500000	-0.7	0.5	-0.2	PASS
6290.500000	-0.7	0.5	-0.2	PASS
6281.500000	-0.7	0.6	-0.2	PASS
6342.500000	-0.8	0.6	-0.2	PASS
6336.500000	-0.8	0.6	-0.2	PASS
6340.500000	-0.8	0.7	-0.2	PASS
6337.500000	-0.8	0.7	-0.2	PASS
6295.500000	-0.9	0.7	-0.2	PASS
6294.500000	-0.9	0.7	-0.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6359.500000	2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6358.500000	1.7	0.4	2.1	PASS
6357.500000	1.6	0.5	2.1	PASS
6360.500000	1.6	0.5	2.1	PASS
6415.500000	1.3	0.8	2.1	PASS
6356.500000	1.1	1.0	2.1	PASS
6414.500000	1.0	1.1	2.1	PASS
6361.500000	0.8	1.3	2.1	PASS
6362.500000	0.7	1.4	2.1	PASS
6355.500000	0.6	1.5	2.1	PASS
6416.500000	0.4	1.7	2.1	PASS
6413.500000	0.3	1.8	2.1	PASS
6363.500000	0.3	1.8	2.1	PASS
6417.500000	-0.3	2.4	2.1	PASS
6412.500000	-0.5	2.6	2.1	PASS
6364.500000	-0.7	2.8	2.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6307.500000	-0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6308.500000	-0.6	0.2	-0.4	PASS
6306.500000	-0.7	0.3	-0.4	PASS
6301.500000	-0.8	0.4	-0.4	PASS
6302.500000	-0.8	0.4	-0.4	PASS
6304.500000	-0.9	0.4	-0.4	PASS
6310.500000	-1.0	0.5	-0.4	PASS
6309.500000	-1.0	0.5	-0.4	PASS
6303.500000	-1.0	0.5	-0.4	PASS
6311.500000	-1.0	0.6	-0.4	PASS
6305.500000	-1.2	0.8	-0.4	PASS
6300.500000	-1.3	0.9	-0.4	PASS
6313.500000	-1.5	1.0	-0.4	PASS
6299.500000	-1.5	1.0	-0.4	PASS
6330.500000	-1.5	1.1	-0.4	PASS
6366.500000	-1.5	1.1	-0.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6431.500000	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6430.500000	3.9	0.1	4.0	PASS
6432.500000	3.9	0.1	4.0	PASS
6433.500000	3.7	0.3	4.0	PASS
6434.500000	3.7	0.3	4.0	PASS
6428.500000	3.4	0.5	4.0	PASS
6501.500000	3.4	0.5	4.0	PASS
6435.500000	3.4	0.6	4.0	PASS
6429.500000	3.3	0.7	4.0	PASS
6437.500000	3.2	0.8	4.0	PASS
6436.500000	3.1	0.8	4.0	PASS
6438.500000	3.0	0.9	4.0	PASS
6427.500000	2.9	1.1	4.0	PASS
6502.500000	2.9	1.1	4.0	PASS
6509.500000	2.8	1.1	4.0	PASS
6445.500000	2.8	1.2	4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6447.500000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6472.500000	3.5	0.1	3.6	PASS
6449.500000	3.4	0.2	3.6	PASS
6450.500000	3.3	0.3	3.6	PASS
6443.500000	3.3	0.3	3.6	PASS
6469.500000	3.2	0.4	3.6	PASS
6444.500000	3.2	0.4	3.6	PASS
6453.500000	3.2	0.4	3.6	PASS
6451.500000	3.2	0.5	3.6	PASS
6474.500000	3.1	0.5	3.6	PASS
6448.500000	3.1	0.5	3.6	PASS
6473.500000	3.1	0.5	3.6	PASS
6445.500000	3.0	0.6	3.6	PASS
6471.500000	3.0	0.6	3.6	PASS
6446.500000	2.9	0.7	3.6	PASS
6454.500000	2.9	0.7	3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6444.500000	4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6445.500000	4.4	0.3	4.7	PASS
6443.500000	4.3	0.4	4.7	PASS
6431.500000	3.6	1.2	4.7	PASS
6442.500000	3.5	1.2	4.7	PASS
6541.500000	3.5	1.3	4.7	PASS
6441.500000	3.4	1.3	4.7	PASS
6432.500000	3.3	1.4	4.7	PASS
6430.500000	3.3	1.4	4.7	PASS
6540.500000	3.3	1.5	4.7	PASS
6446.500000	3.3	1.5	4.7	PASS
6551.500000	3.0	1.7	4.7	PASS
6549.500000	2.9	1.9	4.7	PASS
6543.500000	2.7	2.0	4.7	PASS
6542.500000	2.7	2.1	4.7	PASS
6539.500000	2.6	2.1	4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6577.500000	3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6578.500000	2.9	0.1	3.1	PASS
6579.500000	2.8	0.3	3.1	PASS
6573.500000	2.7	0.3	3.1	PASS
6562.500000	2.7	0.4	3.1	PASS
6571.500000	2.7	0.4	3.1	PASS
6580.500000	2.6	0.4	3.1	PASS
6576.500000	2.6	0.4	3.1	PASS
6581.500000	2.5	0.5	3.1	PASS
6582.500000	2.5	0.6	3.1	PASS
6560.500000	2.5	0.6	3.1	PASS
6572.500000	2.4	0.7	3.1	PASS
6575.500000	2.3	0.7	3.1	PASS
6561.500000	2.3	0.7	3.1	PASS
6566.500000	2.3	0.8	3.1	PASS
6585.500000	-7.8	0.8	-6.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6652.500000	3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6660.500000	3.0	0.1	3.1	PASS
6651.500000	3.0	0.1	3.1	PASS
6667.500000	3.0	0.1	3.1	PASS
6655.500000	2.9	0.2	3.1	PASS
6659.500000	2.8	0.3	3.1	PASS
6658.500000	2.8	0.3	3.1	PASS
6656.500000	2.8	0.3	3.1	PASS
6654.500000	2.8	0.3	3.1	PASS
6657.500000	2.8	0.3	3.1	PASS
6650.500000	2.6	0.5	3.1	PASS
6649.500000	2.6	0.5	3.1	PASS
6669.500000	2.5	0.6	3.1	PASS
6668.500000	2.5	0.7	3.1	PASS
6653.500000	2.4	0.7	3.1	PASS
6662.500000	2.4	0.7	3.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6700.500000	1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6700.500000	1.7	0.0	1.7	PASS
6690.500000	1.6	0.0	1.7	PASS
6701.500000	1.6	0.0	1.7	PASS
6707.500000	1.6	0.1	1.7	PASS
6708.500000	1.6	0.1	1.7	PASS
6697.500000	1.5	0.1	1.7	PASS
6692.500000	1.5	0.1	1.7	PASS
6699.500000	1.5	0.2	1.7	PASS
6703.500000	1.4	0.2	1.7	PASS
6687.500000	1.4	0.2	1.7	PASS
6696.500000	1.4	0.2	1.7	PASS
6712.500000	1.4	0.3	1.7	PASS
6694.500000	1.4	0.3	1.7	PASS
6682.500000	1.3	0.3	1.7	PASS
6702.500000	1.3	0.3	1.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6726.500000	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6727.500000	4.0	0.1	4.1	PASS
6724.500000	4.0	0.1	4.1	PASS
6728.500000	4.0	0.1	4.1	PASS
6725.500000	3.9	0.2	4.1	PASS
6723.500000	3.8	0.3	4.1	PASS
6729.500000	3.2	0.9	4.1	PASS
6722.500000	3.0	1.1	4.1	PASS
6730.500000	2.6	1.6	4.1	PASS
6721.500000	2.3	1.8	4.1	PASS
6693.500000	2.1	2.1	4.1	PASS
6702.500000	2.0	2.1	4.1	PASS
6688.500000	2.0	2.1	4.1	PASS
6715.500000	2.0	2.2	4.1	PASS
6690.500000	1.9	2.2	4.1	PASS
6692.500000	1.9	2.2	4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6587.500000	6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6587.500000	6.0	0.0	6.0	PASS
6590.500000	5.8	0.2	6.0	PASS
6588.500000	5.7	0.3	6.0	PASS
6589.500000	5.7	0.4	6.0	PASS
6591.500000	5.6	0.5	6.0	PASS
6593.500000	5.4	0.6	6.0	PASS
6592.500000	5.4	0.7	6.0	PASS
6595.500000	5.4	0.7	6.0	PASS
6594.500000	4.9	1.2	6.0	PASS
6598.500000	4.7	1.3	6.0	PASS
6597.500000	4.7	1.3	6.0	PASS
6586.500000	4.6	1.4	6.0	PASS
6596.500000	4.6	1.5	6.0	PASS
6599.500000	4.5	1.6	6.0	PASS
6600.500000	4.3	1.7	6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6759.500000	2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6760.500000	2.0	0.2	2.2	PASS
6754.500000	1.9	0.3	2.2	PASS
6757.500000	1.9	0.3	2.2	PASS
6763.500000	1.9	0.3	2.2	PASS
6761.500000	1.8	0.3	2.2	PASS
6762.500000	1.8	0.4	2.2	PASS
6753.500000	1.7	0.4	2.2	PASS
6750.500000	1.7	0.5	2.2	PASS
6758.500000	1.7	0.5	2.2	PASS
6755.500000	1.7	0.5	2.2	PASS
6791.500000	1.7	0.5	2.2	PASS
6788.500000	1.5	0.6	2.2	PASS
6756.500000	1.5	0.7	2.2	PASS
6751.500000	1.4	0.7	2.2	PASS
6764.500000	1.4	0.8	2.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6840.500000	1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6840.500000	1.7	0.0	1.7	PASS
6841.500000	1.6	0.1	1.7	PASS
6839.500000	1.4	0.3	1.7	PASS
6838.500000	1.3	0.4	1.7	PASS
6837.500000	1.3	0.4	1.7	PASS
6835.500000	1.2	0.5	1.7	PASS
6846.500000	1.0	0.7	1.7	PASS
6836.500000	1.0	0.7	1.7	PASS
6845.500000	0.9	0.8	1.7	PASS
6772.500000	0.8	0.9	1.7	PASS
6842.500000	0.8	0.9	1.7	PASS
6843.500000	0.8	0.9	1.7	PASS
6844.500000	0.8	0.9	1.7	PASS
6833.500000	0.7	1.0	1.7	PASS
6831.500000	0.7	1.0	1.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6808.500000	2.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6811.500000	2.5	0.2	2.7	PASS
6812.500000	2.4	0.3	2.7	PASS
6828.500000	2.4	0.3	2.7	PASS
6809.500000	2.2	0.5	2.7	PASS
6793.500000	2.2	0.5	2.7	PASS
6827.500000	2.1	0.6	2.7	PASS
6798.500000	2.1	0.6	2.7	PASS
6796.500000	2.1	0.6	2.7	PASS
6807.500000	2.0	0.7	2.7	PASS
6795.500000	2.0	0.7	2.7	PASS
6813.500000	2.0	0.7	2.7	PASS
6829.500000	2.0	0.7	2.7	PASS
6806.500000	2.0	0.7	2.7	PASS
6801.500000	2.0	0.7	2.7	PASS
6810.500000	1.9	0.8	2.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6760.500000	4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6760.500000	4.5	0.0	4.5	PASS
6758.500000	4.4	0.1	4.5	PASS
6757.500000	4.3	0.2	4.5	PASS
6765.500000	4.2	0.3	4.5	PASS
6763.500000	4.2	0.3	4.5	PASS
6762.500000	4.2	0.3	4.5	PASS
6756.500000	4.2	0.3	4.5	PASS
6759.500000	4.0	0.5	4.5	PASS
6761.500000	4.0	0.5	4.5	PASS
6754.500000	3.9	0.6	4.5	PASS
6767.500000	3.9	0.6	4.5	PASS
6764.500000	3.8	0.7	4.5	PASS
6766.500000	3.8	0.7	4.5	PASS
6753.500000	3.8	0.7	4.5	PASS
6755.500000	3.8	0.7	4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6931.500000	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6931.500000	1.2	0.0	1.2	PASS
6929.500000	1.1	0.0	1.2	PASS
6976.500000	1.0	0.2	1.2	PASS
6972.500000	1.0	0.2	1.2	PASS
6968.500000	0.9	0.3	1.2	PASS
6961.500000	0.8	0.4	1.2	PASS
6958.500000	0.8	0.4	1.2	PASS
6960.500000	0.8	0.4	1.2	PASS
6965.500000	0.8	0.4	1.2	PASS
6923.500000	0.8	0.4	1.2	PASS
6956.500000	0.8	0.4	1.2	PASS
6957.500000	0.8	0.4	1.2	PASS
6930.500000	0.8	0.4	1.2	PASS
6937.500000	0.7	0.5	1.2	PASS
6962.500000	0.7	0.5	1.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6908.500000	3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6907.500000	2.9	0.4	3.3	PASS
6912.500000	2.8	0.5	3.3	PASS
6915.500000	2.8	0.5	3.3	PASS
6910.500000	2.7	0.6	3.3	PASS
6909.500000	2.7	0.6	3.3	PASS
6914.500000	2.7	0.6	3.3	PASS
6911.500000	2.6	0.7	3.3	PASS
6913.500000	2.4	0.9	3.3	PASS
6917.500000	2.1	1.2	3.3	PASS
6919.500000	1.9	1.4	3.3	PASS
6916.500000	1.8	1.5	3.3	PASS
6923.500000	1.7	1.6	3.3	PASS
6921.500000	1.7	1.6	3.3	PASS
6918.500000	1.7	1.6	3.3	PASS
6920.500000	1.6	1.7	3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6980.500000	2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6980.500000	2.1	0.0	2.1	PASS
6979.500000	1.9	0.1	2.1	PASS
6982.500000	1.8	0.3	2.1	PASS
6956.500000	1.8	0.3	2.1	PASS
6981.500000	1.7	0.4	2.1	PASS
6973.500000	1.7	0.4	2.1	PASS
6953.500000	1.6	0.4	2.1	PASS
7015.500000	1.6	0.4	2.1	PASS
6989.500000	1.6	0.5	2.1	PASS
6978.500000	1.6	0.5	2.1	PASS
6963.500000	1.5	0.5	2.1	PASS
7014.500000	1.5	0.6	2.1	PASS
7011.500000	1.5	0.6	2.1	PASS
6990.500000	1.5	0.6	2.1	PASS
7009.500000	1.4	0.6	2.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7057.500000	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7057.500000	4.1	0.0	4.1	PASS
7060.500000	3.8	0.3	4.1	PASS
7065.500000	-6.2	0.4	-5.9	PASS
7056.500000	3.7	0.4	4.1	PASS
7058.500000	3.7	0.4	4.1	PASS
7061.500000	3.6	0.5	4.1	PASS
7059.500000	3.5	0.6	4.1	PASS
7062.500000	3.5	0.6	4.1	PASS
7055.500000	3.3	0.8	4.1	PASS
6913.500000	3.3	0.8	4.1	PASS
6907.500000	3.2	0.9	4.1	PASS
7042.500000	3.2	0.9	4.1	PASS
7041.500000	3.1	1.0	4.1	PASS
7054.500000	3.1	1.0	4.1	PASS
7040.500000	3.0	1.1	4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6139.489222	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6139.489222	-1.1	0.0	-1.1	PASS
6140.988754	-1.2	0.1	-1.1	PASS
6137.989691	-1.3	0.3	-1.1	PASS
6142.488285	-1.6	0.5	-1.1	PASS
6128.992502	-1.6	0.5	-1.1	PASS
6130.492034	-1.6	0.6	-1.1	PASS
6127.492971	-1.8	0.7	-1.1	PASS
6136.490159	-1.8	0.7	-1.1	PASS
6131.991565	-1.8	0.8	-1.1	PASS
6124.493908	-1.8	0.8	-1.1	PASS
6121.494845	-1.9	0.8	-1.1	PASS
6122.994377	-1.9	0.8	-1.1	PASS
6125.993440	-2.0	0.9	-1.1	PASS
6133.491097	-2.0	0.9	-1.1	PASS
6134.990628	-2.1	1.0	-1.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6019.526710	0.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6154.484536	-0.2	0.1	0.0	PASS
6021.026242	-0.2	0.2	0.0	PASS
6152.985005	-0.3	0.2	0.0	PASS
6018.027179	-0.3	0.2	0.0	PASS
6155.984067	-0.4	0.3	0.0	PASS
6161.982193	-0.4	0.4	0.0	PASS
6160.482662	-0.5	0.4	0.0	PASS
6157.483599	-0.5	0.5	0.0	PASS
6151.485473	-0.5	0.5	0.0	PASS
6163.481724	-0.5	0.5	0.0	PASS
6016.527648	-0.6	0.5	0.0	PASS
6158.983130	-0.6	0.6	0.0	PASS
6164.981256	-0.8	0.7	0.0	PASS
6149.985942	-0.8	0.7	0.0	PASS
6022.525773	-0.9	0.9	0.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5994.034677	-1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5995.534208	-1.8	0.1	-1.7	PASS
6254.953140	-1.8	0.1	-1.7	PASS
6256.452671	-1.8	0.1	-1.7	PASS
5992.535145	-1.8	0.1	-1.7	PASS
6253.453608	-1.9	0.2	-1.7	PASS
6257.952202	-2.0	0.2	-1.7	PASS
6259.451734	-2.0	0.3	-1.7	PASS
6251.954077	-2.0	0.3	-1.7	PASS
5997.033739	-2.3	0.6	-1.7	PASS
6260.951265	-2.4	0.6	-1.7	PASS
5991.035614	-2.4	0.7	-1.7	PASS
6250.454545	-2.5	0.8	-1.7	PASS
6227.961575	-2.7	0.9	-1.7	PASS
6226.462043	-2.8	1.0	-1.7	PASS
6229.461106	-2.9	1.2	-1.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6030.023430	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6030.023430	-1.3	0.0	-1.3	PASS
6028.523899	-1.3	0.0	-1.3	PASS
5968.542643	-1.6	0.2	-1.3	PASS
5970.042174	-1.6	0.2	-1.3	PASS
6031.522962	-1.7	0.4	-1.3	PASS
6107.999063	-1.9	0.6	-1.3	PASS
6033.022493	-1.9	0.6	-1.3	PASS
6109.498594	-1.9	0.6	-1.3	PASS
5967.043112	-1.9	0.6	-1.3	PASS
5971.541706	-1.9	0.6	-1.3	PASS
6110.998126	-2.1	0.8	-1.3	PASS
6112.497657	-2.2	0.9	-1.3	PASS
6070.510778	-2.2	0.9	-1.3	PASS
5973.041237	-2.3	1.0	-1.3	PASS
6027.024367	-2.3	1.0	-1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6140.538894	-1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6139.039363	-1.8	0.0	-1.8	PASS
6137.539831	-2.0	0.2	-1.8	PASS
6142.038425	-2.3	0.5	-1.8	PASS
6136.040300	-2.4	0.6	-1.8	PASS
6269.498594	-2.5	0.7	-1.8	PASS
6270.998126	-2.6	0.8	-1.8	PASS
6128.542643	-2.6	0.8	-1.8	PASS
6130.042174	-2.6	0.8	-1.8	PASS
6122.544517	-2.6	0.8	-1.8	PASS
6131.541706	-2.7	0.9	-1.8	PASS
6134.540769	-2.7	0.9	-1.8	PASS
6272.497657	-2.7	0.9	-1.8	PASS
6121.044986	-2.7	0.9	-1.8	PASS
6124.044049	-2.7	0.9	-1.8	PASS
6127.043112	-2.8	1.0	-1.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6164.531396	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6164.531396	-0.9	0.0	-0.9	PASS
6163.031865	-0.9	0.0	-0.9	PASS
6160.032802	-0.9	0.0	-0.9	PASS
6158.533271	-1.0	0.1	-0.9	PASS
6161.532334	-1.0	0.1	-0.9	PASS
6166.030928	-1.1	0.3	-0.9	PASS
6154.034677	-1.2	0.3	-0.9	PASS
6155.534208	-1.2	0.3	-0.9	PASS
6157.033739	-1.2	0.3	-0.9	PASS
6152.535145	-1.2	0.3	-0.9	PASS
6151.035614	-1.4	0.5	-0.9	PASS
6149.536082	-1.6	0.8	-0.9	PASS
6167.530459	-1.9	1.0	-0.9	PASS
6330.979381	-1.9	1.0	-0.9	PASS
6332.478913	-2.0	1.1	-0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6253.003749	-2.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6251.504217	-2.8	0.4	-2.4	PASS
6254.503280	-2.8	0.4	-2.4	PASS
6256.002812	-2.9	0.5	-2.4	PASS
6257.502343	-3.0	0.5	-2.4	PASS
6259.001874	-3.1	0.6	-2.4	PASS
6260.501406	-3.2	0.8	-2.4	PASS
6368.467666	-3.2	0.8	-2.4	PASS
6371.466729	-3.2	0.8	-2.4	PASS
6250.004686	-3.3	0.9	-2.4	PASS
6227.511715	-3.3	0.9	-2.4	PASS
6366.968135	-3.4	0.9	-2.4	PASS
6369.967198	-3.4	1.0	-2.4	PASS
6262.000937	-3.4	1.0	-2.4	PASS
6365.468604	-3.5	1.1	-2.4	PASS
6363.969072	-3.5	1.1	-2.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6110.548266	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6202.019681	-1.1	0.0	-1.1	PASS
6284.493908	-1.1	0.1	-1.1	PASS
6199.020619	-1.1	0.1	-1.1	PASS
6109.048735	-1.1	0.1	-1.1	PASS
6282.994377	-1.1	0.1	-1.1	PASS
6200.520150	-1.2	0.1	-1.1	PASS
6112.047798	-1.2	0.1	-1.1	PASS
6197.521087	-1.3	0.3	-1.1	PASS
6113.547329	-1.3	0.3	-1.1	PASS
6285.993440	-1.3	0.3	-1.1	PASS
6203.519213	-1.4	0.4	-1.1	PASS
6196.021556	-1.5	0.5	-1.1	PASS
6281.494845	-1.6	0.5	-1.1	PASS
6206.518276	-1.6	0.5	-1.1	PASS
6205.018744	-1.7	0.6	-1.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6269.048735	3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6269.048735	3.1	0.0	3.1	PASS
6270.548266	3.1	0.0	3.1	PASS
6574.953140	2.7	0.4	3.1	PASS
6272.047798	2.6	0.6	3.1	PASS
6273.547329	2.4	0.7	3.1	PASS
6275.046860	2.4	0.8	3.1	PASS
6281.044986	2.2	1.0	3.1	PASS
6282.544517	2.2	1.0	3.1	PASS
6267.549203	2.1	1.0	3.1	PASS
6576.452671	2.1	1.1	3.1	PASS
6284.044049	2.0	1.2	3.1	PASS
6577.952202	1.9	1.2	3.1	PASS
6276.546392	1.9	1.3	3.1	PASS
6279.545455	1.8	1.3	3.1	PASS
6278.045923	1.8	1.4	3.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6511.972821	2.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6332.029053	2.7	0.2	2.9	PASS
6333.528585	2.7	0.2	2.9	PASS
6513.472352	2.7	0.2	2.9	PASS
6330.529522	2.5	0.4	2.9	PASS
6472.985005	2.5	0.4	2.9	PASS
6514.971884	2.4	0.4	2.9	PASS
6329.029991	2.3	0.6	2.9	PASS
6516.471415	2.2	0.6	2.9	PASS
6510.473290	2.2	0.6	2.9	PASS
6471.485473	2.0	0.9	2.9	PASS
6326.030928	2.0	0.9	2.9	PASS
6327.530459	2.0	0.9	2.9	PASS
6474.484536	1.9	1.0	2.9	PASS
6469.985942	1.6	1.2	2.9	PASS
6517.970947	1.6	1.3	2.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6369.517338	0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6366.518276	0.7	0.2	0.9	PASS
6371.016870	0.6	0.3	0.9	PASS
6372.516401	0.6	0.3	0.9	PASS
6378.514527	0.5	0.4	0.9	PASS
6368.017807	0.4	0.5	0.9	PASS
6365.018744	0.4	0.5	0.9	PASS
6362.019681	0.4	0.6	0.9	PASS
6363.519213	0.2	0.7	0.9	PASS
6374.015933	0.2	0.8	0.9	PASS
6390.510778	0.2	0.8	0.9	PASS
6360.520150	0.1	0.8	0.9	PASS
6393.509841	0.1	0.8	0.9	PASS
6375.515464	0.1	0.9	0.9	PASS
6392.010309	0.0	0.9	0.9	PASS
6377.014995	0.0	0.9	0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6284.044049	2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6284.044049	2.2	0.0	2.2	PASS
6285.543580	2.1	0.1	2.2	PASS
6282.544517	2.0	0.2	2.2	PASS
6353.022493	1.7	0.5	2.2	PASS
6281.044986	1.7	0.5	2.2	PASS
6348.523899	1.6	0.6	2.2	PASS
6354.522024	1.6	0.6	2.2	PASS
6287.043112	1.6	0.6	2.2	PASS
6350.023430	1.5	0.7	2.2	PASS
6279.545455	1.5	0.8	2.2	PASS
6356.021556	1.3	0.9	2.2	PASS
6351.522962	1.3	0.9	2.2	PASS
6288.542643	1.1	1.1	2.2	PASS
6571.954077	0.9	1.3	2.2	PASS
6357.521087	0.9	1.3	2.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6582.000937	3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6582.000937	3.4	0.0	3.4	PASS
6580.501406	3.3	0.1	3.4	PASS
6579.001874	2.6	0.8	3.4	PASS
6583.500469	2.5	0.9	3.4	PASS
6601.494845	2.4	1.0	3.4	PASS
6602.994377	2.3	1.1	3.4	PASS
6604.493908	2.2	1.2	3.4	PASS
6577.502343	2.0	1.4	3.4	PASS
6655.477976	2.0	1.4	3.4	PASS
6599.995314	2.0	1.4	3.4	PASS
6656.977507	1.9	1.5	3.4	PASS
6653.978444	1.7	1.7	3.4	PASS
6605.993440	1.7	1.7	3.4	PASS
6510.023430	1.6	1.8	3.4	PASS
6511.522962	1.6	1.8	3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6718.458294	4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6718.458294	4.7	0.0	4.7	PASS
6716.958763	4.6	0.1	4.7	PASS
6715.459231	4.0	0.7	4.7	PASS
6719.957826	3.9	0.8	4.7	PASS
6513.022493	3.2	1.5	4.7	PASS
6514.522024	3.0	1.7	4.7	PASS
6511.522962	2.9	1.7	4.7	PASS
6647.980319	2.8	1.9	4.7	PASS
6646.480787	2.7	1.9	4.7	PASS
6713.959700	2.7	1.9	4.7	PASS
6516.021556	2.7	2.0	4.7	PASS
6721.457357	2.7	2.0	4.7	PASS
6644.981256	2.3	2.4	4.7	PASS
6510.023430	2.2	2.4	4.7	PASS
6456.040300	2.2	2.5	4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6646.480787	1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6647.980319	1.0	0.1	1.0	PASS
6638.983130	0.9	0.1	1.0	PASS
6640.482662	0.8	0.2	1.0	PASS
6643.481724	0.8	0.2	1.0	PASS
6644.981256	0.8	0.2	1.0	PASS
6641.982193	0.8	0.2	1.0	PASS
6637.483599	0.7	0.4	1.0	PASS
6555.009372	0.3	0.7	1.0	PASS
6553.509841	0.3	0.7	1.0	PASS
6556.508903	0.3	0.7	1.0	PASS
6635.984067	0.3	0.7	1.0	PASS
6558.008435	0.3	0.8	1.0	PASS
6552.010309	0.1	1.0	1.0	PASS
6559.507966	0.0	1.0	1.0	PASS
6550.510778	-0.1	1.1	1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6499.526710	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6499.526710	1.8	0.0	1.8	PASS
6498.027179	1.6	0.2	1.8	PASS
6501.026242	1.6	0.2	1.8	PASS
6484.531396	1.5	0.3	1.8	PASS
6493.528585	1.3	0.5	1.8	PASS
6502.525773	1.3	0.5	1.8	PASS
6492.029053	1.3	0.5	1.8	PASS
6495.028116	1.3	0.5	1.8	PASS
6486.030928	1.2	0.6	1.8	PASS
6483.031865	1.2	0.6	1.8	PASS
6490.529522	1.2	0.6	1.8	PASS
6489.029991	1.2	0.7	1.8	PASS
6487.530459	1.1	0.7	1.8	PASS
6496.527648	1.1	0.7	1.8	PASS
6481.532334	1.0	0.8	1.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6776.490159	2.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6774.990628	2.7	0.0	2.7	PASS
6602.544517	2.7	0.0	2.7	PASS
6773.491097	2.6	0.1	2.7	PASS
6777.989691	2.6	0.1	2.7	PASS
6601.044986	2.5	0.1	2.7	PASS
6604.044049	2.5	0.2	2.7	PASS
6655.028116	2.4	0.3	2.7	PASS
6779.489222	2.3	0.3	2.7	PASS
6656.527648	2.3	0.4	2.7	PASS
6771.991565	2.2	0.4	2.7	PASS
6605.543580	2.2	0.5	2.7	PASS
6707.511715	2.2	0.5	2.7	PASS
6780.988754	2.1	0.6	2.7	PASS
6653.528585	2.1	0.6	2.7	PASS
6599.545455	2.0	0.6	2.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6718.008435	5.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6718.008435	5.5	0.0	5.5	PASS
6716.508903	5.3	0.2	5.5	PASS
6719.507966	5.0	0.5	5.5	PASS
6715.009372	4.4	1.1	5.5	PASS
6721.007498	3.7	1.8	5.5	PASS
6646.030928	3.3	2.2	5.5	PASS
6647.530459	3.3	2.2	5.5	PASS
6713.509841	3.1	2.4	5.5	PASS
6644.531396	2.8	2.7	5.5	PASS
6649.029991	2.2	3.3	5.5	PASS
6722.507029	2.2	3.4	5.5	PASS
6643.031865	2.0	3.5	5.5	PASS
6712.010309	1.7	3.8	5.5	PASS
6641.532334	1.3	4.3	5.5	PASS
6834.971884	0.8	4.7	5.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6749.498594	2.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6750.998126	2.7	0.2	2.8	PASS
6747.999063	2.6	0.3	2.8	PASS
6646.030928	2.5	0.3	2.8	PASS
6644.531396	2.5	0.4	2.8	PASS
6752.497657	2.4	0.5	2.8	PASS
6647.530459	2.3	0.5	2.8	PASS
6643.031865	2.3	0.6	2.8	PASS
6641.532334	2.1	0.7	2.8	PASS
6640.032802	1.9	1.0	2.8	PASS
6753.997188	1.9	1.0	2.8	PASS
6638.533271	1.7	1.2	2.8	PASS
6867.961575	1.4	1.5	2.8	PASS
6755.496720	1.3	1.5	2.8	PASS
6637.033739	1.3	1.6	2.8	PASS
6869.461106	1.2	1.6	2.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6806.480787	2.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6807.980319	2.4	0.0	2.4	PASS
6809.479850	2.4	0.0	2.4	PASS
6804.981256	2.2	0.1	2.4	PASS
6801.982193	2.2	0.2	2.4	PASS
6803.481724	2.2	0.2	2.4	PASS
6810.979381	2.1	0.3	2.4	PASS
6800.482662	2.1	0.3	2.4	PASS
6798.983130	1.7	0.7	2.4	PASS
6812.478913	1.7	0.7	2.4	PASS
6758.495783	1.6	0.7	2.4	PASS
6756.996251	1.5	0.8	2.4	PASS
6759.995314	1.5	0.9	2.4	PASS
6761.494845	1.4	1.0	2.4	PASS
6755.496720	1.3	1.1	2.4	PASS
6668.523899	1.2	1.2	2.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6776.040300	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6777.539831	3.5	0.0	3.6	PASS
6774.540769	3.5	0.1	3.6	PASS
6779.039363	3.4	0.2	3.6	PASS
6773.041237	3.2	0.4	3.6	PASS
6780.538894	3.1	0.5	3.6	PASS
6782.038425	2.7	0.9	3.6	PASS
6771.541706	2.6	0.9	3.6	PASS
6770.042174	2.2	1.3	3.6	PASS
6768.542643	2.1	1.5	3.6	PASS
6783.537957	1.9	1.6	3.6	PASS
6767.043112	1.7	1.8	3.6	PASS
6925.993440	1.5	2.0	3.6	PASS
6927.492971	1.5	2.0	3.6	PASS
6924.493908	1.5	2.1	3.6	PASS
6928.992502	1.3	2.3	3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6891.504217	2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6891.504217	2.1	0.0	2.1	PASS
6836.021556	2.1	0.0	2.1	PASS
6834.522024	2.1	0.0	2.1	PASS
6893.003749	1.9	0.2	2.1	PASS
6890.004686	1.8	0.3	2.1	PASS
6833.022493	1.8	0.3	2.1	PASS
7027.961575	1.7	0.4	2.1	PASS
7026.462043	1.7	0.4	2.1	PASS
6837.521087	1.6	0.5	2.1	PASS
6894.503280	1.4	0.6	2.1	PASS
7024.962512	1.4	0.7	2.1	PASS
7023.462980	1.2	0.9	2.1	PASS
6831.522962	1.1	1.0	2.1	PASS
7029.461106	1.1	1.0	2.1	PASS
6888.505155	1.1	1.0	2.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6749.048735	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6749.048735	4.0	0.0	4.0	PASS
6750.548266	3.9	0.1	4.0	PASS
6752.047798	3.6	0.4	4.0	PASS
6747.549203	3.4	0.6	4.0	PASS
6867.511715	3.2	0.8	4.0	PASS
6869.011246	3.1	0.9	4.0	PASS
6753.547329	3.1	0.9	4.0	PASS
6866.012184	2.6	1.4	4.0	PASS
6909.498594	2.6	1.4	4.0	PASS
6863.013121	2.6	1.4	4.0	PASS
6910.998126	2.5	1.5	4.0	PASS
6861.513590	2.5	1.5	4.0	PASS
6916.996251	2.5	1.5	4.0	PASS
6870.510778	2.5	1.5	4.0	PASS
6755.046860	2.4	1.6	4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6809.029991	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6809.029991	4.1	0.0	4.1	PASS
6807.530459	4.1	0.0	4.1	PASS
6806.030928	4.0	0.1	4.1	PASS
6810.529522	3.9	0.2	4.1	PASS
6804.531396	3.9	0.3	4.1	PASS
6803.031865	3.8	0.3	4.1	PASS
6801.532334	3.8	0.3	4.1	PASS
6800.032802	3.6	0.5	4.1	PASS
6812.029053	3.6	0.5	4.1	PASS
6798.533271	3.2	0.9	4.1	PASS
6813.528585	3.1	1.1	4.1	PASS
6759.545455	2.9	1.3	4.1	PASS
6758.045923	2.9	1.3	4.1	PASS
6761.044986	2.7	1.4	4.1	PASS
6882.507029	2.7	1.4	4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off