

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	699.00	-20.69	-13	PASS
Band12	1.4	23017	1	#Max	QPSK	698.31	-45.79	-13	PASS
Band12	1.4	23017	6	#0	QPSK	698.90	-28.99	-13	PASS
Band12	1.4	23017	1	#0	QAM16	699.00	-21.93	-13	PASS
Band12	1.4	23017	1	#Max	QAM16	698.38	-45.99	-13	PASS
Band12	1.4	23017	6	#0	QAM16	699.00	-28.02	-13	PASS
Band12	1.4	23173	1	#0	QPSK	716.56	-45.69	-13	PASS
Band12	1.4	23173	1	#Max	QPSK	716.02	-19.14	-13	PASS
Band12	1.4	23173	6	#0	QPSK	716.11	-27.81	-13	PASS
Band12	1.4	23173	1	#0	QAM16	716.53	-46.17	-13	PASS
Band12	1.4	23173	1	#Max	QAM16	716.01	-21.17	-13	PASS
Band12	1.4	23173	6	#0	QAM16	716.11	-29.09	-13	PASS
Band12	3	23025	1	#0	QPSK	699.00	-21.12	-13	PASS
Band12	3	23025	1	#Max	QPSK	696.72	-47.87	-13	PASS
Band12	3	23025	15	#0	QPSK	699.00	-31.18	-13	PASS
Band12	3	23025	1	#0	QAM16	699.00	-20.91	-13	PASS
Band12	3	23025	1	#Max	QAM16	696.72	-48.34	-13	PASS
Band12	3	23025	15	#0	QAM16	698.85	-31.65	-13	PASS
Band12	3	23165	1	#0	QPSK	718.30	-48.50	-13	PASS
Band12	3	23165	1	#Max	QPSK	716.00	-19.29	-13	PASS
Band12	3	23165	15	#0	QPSK	716.13	-33.74	-13	PASS
Band12	3	23165	1	#0	QAM16	718.30	-48.86	-13	PASS
Band12	3	23165	1	#Max	QAM16	716.00	-21.96	-13	PASS
Band12	3	23165	15	#0	QAM16	716.00	-34.45	-13	PASS
Band12	5	23035	1	#0	QPSK	698.90	-20.92	-13	PASS
Band12	5	23035	1	#Max	QPSK	695.06	-47.38	-13	PASS
Band12	5	23035	25	#0	QPSK	698.90	-31.12	-13	PASS
Band12	5	23035	1	#0	QAM16	699.00	-21.67	-13	PASS
Band12	5	23035	1	#Max	QAM16	695.11	-49.75	-13	PASS
Band12	5	23035	25	#0	QAM16	698.90	-32.59	-13	PASS
Band12	5	23155	1	#0	QPSK	719.93	-49.32	-13	PASS
Band12	5	23155	1	#Max	QPSK	716.00	-19.02	-13	PASS
Band12	5	23155	25	#0	QPSK	716.16	-34.82	-13	PASS
Band12	5	23155	1	#0	QAM16	716.11	-49.97	-13	PASS
Band12	5	23155	1	#Max	QAM16	716.11	-18.52	-13	PASS
Band12	5	23155	25	#0	QAM16	716.01	-35.41	-13	PASS
Band12	10	23060	1	#0	QPSK	698.88	-26.88	-13	PASS
Band12	10	23060	1	#Max	QPSK	698.85	-50.68	-13	PASS
Band12	10	23060	50	#0	QPSK	698.64	-36.41	-13	PASS
Band12	10	23060	1	#0	QAM16	698.99	-28.55	-13	PASS
Band12	10	23060	1	#Max	QAM16	698.89	-51.52	-13	PASS
Band12	10	23060	50	#0	QAM16	698.83	-36.35	-13	PASS

Band12	10	23130	1	#0	QPSK	716.16	-50.94	-13	PASS
Band12	10	23130	1	#Max	QPSK	716.11	-26.03	-13	PASS
Band12	10	23130	50	#0	QPSK	716.25	-39.56	-13	PASS
Band12	10	23130	1	#0	QAM16	716.15	-51.34	-13	PASS
Band12	10	23130	1	#Max	QAM16	716.11	-25.14	-13	PASS
Band12	10	23130	50	#0	QAM16	716.11	-39.21	-13	PASS
Band17	5	23755	1	#0	QPSK	704.00	-18.51	-13	PASS
Band17	5	23755	1	#Max	QPSK	704.00	-48.35	-13	PASS
Band17	5	23755	25	#0	QPSK	704.00	-29.50	-13	PASS
Band17	5	23755	1	#0	QAM16	704.00	-19.16	-13	PASS
Band17	5	23755	1	#Max	QAM16	704.00	-49.34	-13	PASS
Band17	5	23755	25	#0	QAM16	704.00	-30.29	-13	PASS
Band17	5	23825	1	#0	QPSK	716.00	-49.66	-13	PASS
Band17	5	23825	1	#Max	QPSK	716.00	-18.25	-13	PASS
Band17	5	23825	25	#0	QPSK	716.00	-30.90	-13	PASS
Band17	5	23825	1	#0	QAM16	716.00	-50.17	-13	PASS
Band17	5	23825	1	#Max	QAM16	716.00	-18.66	-13	PASS
Band17	5	23825	25	#0	QAM16	716.00	-33.47	-13	PASS
Band17	10	23780	1	#0	QPSK	704.00	-25.00	-13	PASS
Band17	10	23780	1	#Max	QPSK	695.76	-49.05	-13	PASS
Band17	10	23780	50	#0	QPSK	703.98	-33.86	-13	PASS
Band17	10	23780	1	#0	QAM16	704.00	-24.28	-13	PASS
Band17	10	23780	1	#Max	QAM16	695.76	-50.25	-13	PASS
Band17	10	23780	50	#0	QAM16	703.98	-34.92	-13	PASS
Band17	10	23800	1	#0	QPSK	716.18	-50.69	-13	PASS
Band17	10	23800	1	#Max	QPSK	716.00	-20.27	-13	PASS
Band17	10	23800	50	#0	QPSK	716.04	-35.87	-13	PASS
Band17	10	23800	1	#0	QAM16	716.10	-51.59	-13	PASS
Band17	10	23800	1	#Max	QAM16	716.00	-22.97	-13	PASS
Band17	10	23800	50	#0	QAM16	716.00	-37.97	-13	PASS
Band2	1.4	18607	1	#0	QPSK	1850.00	-24.47	-13	PASS
Band2	1.4	18607	1	#Max	QPSK	1849.38	-39.64	-13	PASS
Band2	1.4	18607	6	#0	QPSK	1850.00	-29.89	-13	PASS
Band2	1.4	18607	1	#0	QAM16	1850.00	-25.11	-13	PASS
Band2	1.4	18607	1	#Max	QAM16	1849.35	-40.89	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1849.99	-30.19	-13	PASS
Band2	1.4	19193	1	#0	QPSK	1910.62	-38.61	-13	PASS
Band2	1.4	19193	1	#Max	QPSK	1910.00	-22.43	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-29.27	-13	PASS
Band2	1.4	19193	1	#0	QAM16	1910.63	-40.45	-13	PASS
Band2	1.4	19193	1	#Max	QAM16	1910.00	-24.52	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.01	-30.06	-13	PASS
Band2	3	18615	1	#0	QPSK	1850.00	-22.08	-13	PASS
Band2	3	18615	1	#Max	QPSK	1847.72	-36.17	-13	PASS

Band2	3	18615	15	#0	QPSK	1849.97	-30.23	-13	PASS
Band2	3	18615	1	#0	QAM16	1850.00	-22.01	-13	PASS
Band2	3	18615	1	#Max	QAM16	1847.69	-37.95	-13	PASS
Band2	3	18615	15	#0	QAM16	1850.00	-31.52	-13	PASS
Band2	3	19185	1	#0	QPSK	1912.27	-38.36	-13	PASS
Band2	3	19185	1	#Max	QPSK	1910.00	-19.94	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.04	-29.85	-13	PASS
Band2	3	19185	1	#0	QAM16	1912.28	-39.61	-13	PASS
Band2	3	19185	1	#Max	QAM16	1910.00	-21.55	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.01	-30.85	-13	PASS
Band2	5	18625	1	#0	QPSK	1849.97	-21.79	-13	PASS
Band2	5	18625	1	#Max	QPSK	1846.01	-34.19	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-30.02	-13	PASS
Band2	5	18625	1	#0	QAM16	1849.94	-22.61	-13	PASS
Band2	5	18625	1	#Max	QAM16	1846.06	-35.83	-13	PASS
Band2	5	18625	25	#0	QAM16	1849.99	-30.05	-13	PASS
Band2	5	19175	1	#0	QPSK	1913.94	-37.29	-13	PASS
Band2	5	19175	1	#Max	QPSK	1910.00	-20.57	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-29.58	-13	PASS
Band2	5	19175	1	#0	QAM16	1913.94	-39.95	-13	PASS
Band2	5	19175	1	#Max	QAM16	1910.00	-19.86	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.00	-29.96	-13	PASS
Band2	10	18650	1	#0	QPSK	1850.00	-23.81	-13	PASS
Band2	10	18650	1	#Max	QPSK	1841.98	-32.49	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-33.45	-13	PASS
Band2	10	18650	1	#0	QAM16	1850.00	-25.57	-13	PASS
Band2	10	18650	1	#Max	QAM16	1841.86	-30.59	-13	PASS
Band2	10	18650	50	#0	QAM16	1850.00	-34.10	-13	PASS
Band2	10	19150	1	#0	QPSK	1918.26	-41.31	-13	PASS
Band2	10	19150	1	#Max	QPSK	1910.00	-24.80	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.18	-32.60	-13	PASS
Band2	10	19150	1	#0	QAM16	1918.18	-43.84	-13	PASS
Band2	10	19150	1	#Max	QAM16	1910.00	-24.85	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.04	-33.59	-13	PASS
Band2	15	18675	1	#0	QPSK	1850.00	-21.19	-13	PASS
Band2	15	18675	1	#Max	QPSK	1837.52	-43.01	-13	PASS
Band2	15	18675	75	#0	QPSK	1850.00	-35.43	-13	PASS
Band2	15	18675	1	#0	QAM16	1849.85	-30.51	-13	PASS
Band2	15	18675	1	#Max	QAM16	1837.46	-42.54	-13	PASS
Band2	15	18675	75	#0	QAM16	1850.00	-34.99	-13	PASS
Band2	15	19125	1	#0	QPSK	1910.00	-49.40	-13	PASS
Band2	15	19125	1	#Max	QPSK	1910.00	-25.16	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.12	-33.60	-13	PASS
Band2	15	19125	1	#0	QAM16	1910.00	-49.51	-13	PASS

Band2	15	19125	1	#Max	QAM16	1910.06	-25.76	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.00	-35.03	-13	PASS
Band2	20	18700	1	#0	QPSK	1850.00	-26.70	-13	PASS
Band2	20	18700	1	#Max	QPSK	1833.32	-48.78	-13	PASS
Band2	20	18700	100	#0	QPSK	1850.00	-36.22	-13	PASS
Band2	20	18700	1	#0	QAM16	1849.80	-34.16	-13	PASS
Band2	20	18700	1	#Max	QAM16	1845.76	-48.48	-13	PASS
Band2	20	18700	100	#0	QAM16	1849.84	-36.38	-13	PASS
Band2	20	19100	1	#0	QPSK	1913.72	-47.85	-13	PASS
Band2	20	19100	1	#Max	QPSK	1910.00	-24.21	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.68	-36.59	-13	PASS
Band2	20	19100	1	#0	QAM16	1910.04	-48.86	-13	PASS
Band2	20	19100	1	#Max	QAM16	1910.00	-27.63	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.00	-36.71	-13	PASS
Band4	1.4	19957	1	#0	QPSK	1710.00	-23.65	-13	PASS
Band4	1.4	19957	1	#Max	QPSK	1709.40	-39.72	-13	PASS
Band4	1.4	19957	6	#0	QPSK	1710.00	-30.60	-13	PASS
Band4	1.4	19957	1	#0	QAM16	1709.99	-25.52	-13	PASS
Band4	1.4	19957	1	#Max	QAM16	1709.34	-41.14	-13	PASS
Band4	1.4	19957	6	#0	QAM16	1710.00	-31.41	-13	PASS
Band4	1.4	20393	1	#0	QPSK	1755.64	-40.18	-13	PASS
Band4	1.4	20393	1	#Max	QPSK	1755.00	-25.20	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1755.00	-30.80	-13	PASS
Band4	1.4	20393	1	#0	QAM16	1755.68	-40.96	-13	PASS
Band4	1.4	20393	1	#Max	QAM16	1755.00	-24.47	-13	PASS
Band4	1.4	20393	6	#0	QAM16	1755.01	-32.11	-13	PASS
Band4	3	19965	1	#0	QPSK	1710.00	-20.64	-13	PASS
Band4	3	19965	1	#Max	QPSK	1707.70	-37.68	-13	PASS
Band4	3	19965	15	#0	QPSK	1709.99	-31.86	-13	PASS
Band4	3	19965	1	#0	QAM16	1709.99	-21.01	-13	PASS
Band4	3	19965	1	#Max	QAM16	1707.77	-38.23	-13	PASS
Band4	3	19965	15	#0	QAM16	1710.00	-34.33	-13	PASS
Band4	3	20385	1	#0	QPSK	1757.27	-38.02	-13	PASS
Band4	3	20385	1	#Max	QPSK	1755.00	-21.31	-13	PASS
Band4	3	20385	15	#0	QPSK	1755.00	-31.08	-13	PASS
Band4	3	20385	1	#0	QAM16	1757.32	-39.39	-13	PASS
Band4	3	20385	1	#Max	QAM16	1755.00	-21.92	-13	PASS
Band4	3	20385	15	#0	QAM16	1755.01	-32.58	-13	PASS
Band4	5	19975	1	#0	QPSK	1710.00	-17.49	-13	PASS
Band4	5	19975	1	#Max	QPSK	1706.02	-35.88	-13	PASS
Band4	5	19975	25	#0	QPSK	1710.00	-30.00	-13	PASS
Band4	5	19975	1	#0	QAM16	1710.00	-19.63	-13	PASS
Band4	5	19975	1	#Max	QAM16	1706.02	-37.32	-13	PASS
Band4	5	19975	25	#0	QAM16	1710.00	-31.31	-13	PASS


Band4	5	20375	1	#0	QPSK	1758.91	-36.50	-13	PASS
Band4	5	20375	1	#Max	QPSK	1755.00	-17.29	-13	PASS
Band4	5	20375	25	#0	QPSK	1755.00	-30.99	-13	PASS
Band4	5	20375	1	#0	QAM16	1759.02	-38.31	-13	PASS
Band4	5	20375	1	#Max	QAM16	1755.00	-18.41	-13	PASS
Band4	5	20375	25	#0	QAM16	1755.02	-31.71	-13	PASS
Band4	10	20000	1	#0	QPSK	1710.00	-20.77	-13	PASS
Band4	10	20000	1	#Max	QPSK	1701.80	-34.96	-13	PASS
Band4	10	20000	50	#0	QPSK	1709.98	-37.04	-13	PASS
Band4	10	20000	1	#0	QAM16	1710.00	-24.36	-13	PASS
Band4	10	20000	1	#Max	QAM16	1701.76	-36.47	-13	PASS
Band4	10	20000	50	#0	QAM16	1710.00	-36.84	-13	PASS
Band4	10	20350	1	#0	QPSK	1763.18	-33.88	-13	PASS
Band4	10	20350	1	#Max	QPSK	1755.00	-21.83	-13	PASS
Band4	10	20350	50	#0	QPSK	1755.00	-34.37	-13	PASS
Band4	10	20350	1	#0	QAM16	1763.18	-35.24	-13	PASS
Band4	10	20350	1	#Max	QAM16	1755.02	-21.05	-13	PASS
Band4	10	20350	50	#0	QAM16	1755.02	-35.44	-13	PASS
Band4	15	20025	1	#0	QPSK	1710.00	-25.88	-13	PASS
Band4	15	20025	1	#Max	QPSK	1697.58	-36.04	-13	PASS
Band4	15	20025	75	#0	QPSK	1709.97	-37.34	-13	PASS
Band4	15	20025	1	#0	QAM16	1709.97	-26.04	-13	PASS
Band4	15	20025	1	#Max	QAM16	1697.55	-36.47	-13	PASS
Band4	15	20025	75	#0	QAM16	1709.82	-40.78	-13	PASS
Band4	15	20325	1	#0	QPSK	1767.45	-32.99	-13	PASS
Band4	15	20325	1	#Max	QPSK	1755.06	-23.95	-13	PASS
Band4	15	20325	75	#0	QPSK	1755.24	-36.16	-13	PASS
Band4	15	20325	1	#0	QAM16	1767.48	-33.25	-13	PASS
Band4	15	20325	1	#Max	QAM16	1755.00	-24.52	-13	PASS
Band4	15	20325	75	#0	QAM16	1755.03	-36.38	-13	PASS
Band4	20	20050	1	#0	QPSK	1710.00	-31.01	-13	PASS
Band4	20	20050	1	#Max	QPSK	1693.32	-38.67	-13	PASS
Band4	20	20050	100	#0	QPSK	1710.00	-39.44	-13	PASS
Band4	20	20050	1	#0	QAM16	1710.00	-29.47	-13	PASS
Band4	20	20050	1	#Max	QAM16	1693.28	-36.64	-13	PASS
Band4	20	20050	100	#0	QAM16	1709.88	-41.53	-13	PASS
Band4	20	20300	1	#0	QPSK	1771.80	-34.85	-13	PASS
Band4	20	20300	1	#Max	QPSK	1755.00	-27.11	-13	PASS
Band4	20	20300	100	#0	QPSK	1755.04	-37.48	-13	PASS
Band4	20	20300	1	#0	QAM16	1771.76	-35.48	-13	PASS
Band4	20	20300	1	#Max	QAM16	1755.04	-24.31	-13	PASS
Band4	20	20300	100	#0	QAM16	1755.00	-37.46	-13	PASS
Band5	1.4	20407	1	#0	QPSK	824.00	-23.10	-13	PASS
Band5	1.4	20407	1	#Max	QPSK	823.54	-50.15	-13	PASS

Band5	1.4	20407	6	#0	QPSK	824.00	-29.85	-13	PASS
Band5	1.4	20407	1	#0	QAM16	824.00	-24.87	-13	PASS
Band5	1.4	20407	1	#Max	QAM16	824.00	-50.33	-13	PASS
Band5	1.4	20407	6	#0	QAM16	824.00	-31.37	-13	PASS
Band5	1.4	20643	1	#0	QPSK	849.00	-51.12	-13	PASS
Band5	1.4	20643	1	#Max	QPSK	849.00	-23.53	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.00	-30.48	-13	PASS
Band5	1.4	20643	1	#0	QAM16	849.01	-51.72	-13	PASS
Band5	1.4	20643	1	#Max	QAM16	849.00	-25.30	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.01	-30.42	-13	PASS
Band5	3	20415	1	#0	QPSK	823.99	-21.51	-13	PASS
Band5	3	20415	1	#Max	QPSK	823.94	-50.17	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-29.46	-13	PASS
Band5	3	20415	1	#0	QAM16	824.00	-22.08	-13	PASS
Band5	3	20415	1	#Max	QAM16	823.95	-50.86	-13	PASS
Band5	3	20415	15	#0	QAM16	824.00	-31.17	-13	PASS
Band5	3	20635	1	#0	QPSK	849.87	-51.80	-13	PASS
Band5	3	20635	1	#Max	QPSK	849.00	-20.95	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-32.47	-13	PASS
Band5	3	20635	1	#0	QAM16	849.04	-53.30	-13	PASS
Band5	3	20635	1	#Max	QAM16	849.00	-22.06	-13	PASS
Band5	3	20635	15	#0	QAM16	849.00	-33.36	-13	PASS
Band5	5	20425	1	#0	QPSK	824.00	-17.94	-13	PASS
Band5	5	20425	1	#Max	QPSK	824.00	-48.38	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-28.28	-13	PASS
Band5	5	20425	1	#0	QAM16	823.96	-20.89	-13	PASS
Band5	5	20425	1	#Max	QAM16	819.98	-49.43	-13	PASS
Band5	5	20425	25	#0	QAM16	823.99	-30.39	-13	PASS
Band5	5	20625	1	#0	QPSK	849.00	-50.35	-13	PASS
Band5	5	20625	1	#Max	QPSK	849.00	-19.56	-13	PASS
Band5	5	20625	25	#0	QPSK	849.02	-32.84	-13	PASS
Band5	5	20625	1	#0	QAM16	849.00	-51.09	-13	PASS
Band5	5	20625	1	#Max	QAM16	849.01	-19.36	-13	PASS
Band5	5	20625	25	#0	QAM16	849.04	-33.55	-13	PASS
Band5	10	20450	1	#0	QPSK	823.92	-25.93	-13	PASS
Band5	10	20450	1	#Max	QPSK	815.74	-47.49	-13	PASS
Band5	10	20450	50	#0	QPSK	823.98	-30.65	-13	PASS
Band5	10	20450	1	#0	QAM16	823.92	-26.52	-13	PASS
Band5	10	20450	1	#Max	QAM16	815.74	-47.43	-13	PASS
Band5	10	20450	50	#0	QAM16	823.92	-33.27	-13	PASS
Band5	10	20600	1	#0	QPSK	849.10	-51.62	-13	PASS
Band5	10	20600	1	#Max	QPSK	849.02	-22.99	-13	PASS
Band5	10	20600	50	#0	QPSK	849.00	-35.88	-13	PASS
Band5	10	20600	1	#0	QAM16	849.18	-52.14	-13	PASS


Band5	10	20600	1	#Max	QAM16	849.00	-20.23	-13	PASS
Band5	10	20600	50	#0	QAM16	849.00	-35.59	-13	PASS
Band7	5	20775	1	#0	QPSK	2499.00	-11.69	-10	PASS
Band7	5	20775	1	#Max	QPSK	2486.29	-40.64	-25	PASS
Band7	5	20775	25	#0	QPSK	2499.00	-25.19	-10	PASS
Band7	5	20775	1	#0	QAM16	2499.00	-12.42	-10	PASS
Band7	5	20775	1	#Max	QAM16	2487.26	-40.54	-25	PASS
Band7	5	20775	25	#0	QAM16	2492.92	-40.50	-25	PASS
Band7	5	21425	1	#0	QPSK	2576.53	-40.40	-25	PASS
Band7	5	21425	1	#Max	QPSK	2571.00	-12.39	-10	PASS
Band7	5	21425	25	#0	QPSK	2577.33	-40.03	-25	PASS
Band7	5	21425	1	#0	QAM16	2594.94	-40.33	-25	PASS
Band7	5	21425	1	#Max	QAM16	2571.00	-12.97	-10	PASS
Band7	5	21425	25	#0	QAM16	2576.06	-40.14	-25	PASS
Band7	10	20800	1	#0	QPSK	2499.00	-22.43	-10	PASS
Band7	10	20800	1	#Max	QPSK	2475.81	-40.69	-25	PASS
Band7	10	20800	50	#0	QPSK	2488.62	-40.66	-25	PASS
Band7	10	20800	1	#0	QAM16	2499.00	-23.73	-10	PASS
Band7	10	20800	1	#Max	QAM16	2475.41	-40.68	-25	PASS
Band7	10	20800	50	#0	QAM16	2488.46	-40.62	-25	PASS
Band7	10	21400	1	#0	QPSK	2594.42	-40.15	-25	PASS
Band7	10	21400	1	#Max	QPSK	2571.00	-23.52	-10	PASS
Band7	10	21400	50	#0	QPSK	2583.41	-40.07	-25	PASS
Band7	10	21400	1	#0	QAM16	2585.33	-40.18	-25	PASS
Band7	10	21400	1	#Max	QAM16	2571.02	-24.35	-10	PASS
Band7	10	21400	50	#0	QAM16	2594.04	-40.06	-25	PASS
Band7	15	20825	1	#0	QPSK	2475.98	-40.55	-25	PASS
Band7	15	20825	1	#Max	QPSK	2475.45	-40.74	-25	PASS
Band7	15	20825	75	#0	QPSK	2483.00	-40.24	-25	PASS
Band7	15	20825	1	#0	QAM16	2482.67	-40.64	-25	PASS
Band7	15	20825	1	#Max	QAM16	2477.80	-40.75	-25	PASS
Band7	15	20825	75	#0	QAM16	2482.75	-40.54	-25	PASS
Band7	15	21375	1	#0	QPSK	2592.77	-40.36	-25	PASS
Band7	15	21375	1	#Max	QPSK	2591.89	-40.28	-25	PASS
Band7	15	21375	75	#0	QPSK	2593.85	-40.24	-25	PASS
Band7	15	21375	1	#0	QAM16	2594.65	-40.27	-25	PASS
Band7	15	21375	1	#Max	QAM16	2591.52	-40.41	-25	PASS
Band7	15	21375	75	#0	QAM16	2589.35	-40.16	-25	PASS
Band7	20	20850	1	#0	QPSK	2477.64	-40.61	-25	PASS
Band7	20	20850	1	#Max	QPSK	2475.96	-40.79	-25	PASS
Band7	20	20850	100	#0	QPSK	2479.83	-40.51	-25	PASS
Band7	20	20850	1	#0	QAM16	2475.70	-40.63	-25	PASS
Band7	20	20850	1	#Max	QAM16	2477.93	-40.66	-25	PASS
Band7	20	20850	100	#0	QAM16	2478.74	-40.71	-25	PASS

Band7	20	21350	1	#0	QPSK	2592.56	-40.21	-25	PASS
Band7	20	21350	1	#Max	QPSK	2592.37	-40.31	-25	PASS
Band7	20	21350	100	#0	QPSK	2590.15	-40.14	-25	PASS
Band7	20	21350	1	#0	QAM16	2591.13	-40.39	-25	PASS
Band7	20	21350	1	#Max	QAM16	2590.64	-40.21	-25	PASS
Band7	20	21350	100	#0	QAM16	2594.58	-40.14	-25	PASS

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-28.99	-13
2	698.9	699	30	698.9979	-29.16	-13

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.306	-45.79	-13
2	698.9	699	30	698.9853	-47.98	-13

Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-25.85	-13
2	698.9	699	30	699	-21.93	-13

Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.3753	-45.99	-13
2	698.9	699	30	698.9807	-48.54	-13

Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-29.27	-13
2	698.9	699	30	698.9997	-28.02	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.012	-47.41	-13
2	716.1	726	100	716.5554	-45.69	-13


Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#Max



Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0193	-48.24	-13
2	716.1	726	100	716.5257	-46.17	-13

Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.005	-21.17	-13
2	716.1	726	100	716.1792	-23.23	-13

Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0054	-29.57	-13
2	716.1	726	100	716.1099	-29.09	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.8703	-25.32	-13
2	698.9	699	30	698.9992	-21.12	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	696.722	-47.87	-13
2	698.9	699	30	698.9603	-50.56	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.801	-32.09	-13
2	698.9	699	30	699	-31.18	-13

Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-24.4	-13
2	698.9	699	30	699	-20.91	-13

Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	696.722	-48.34	-13
2	698.9	699	30	698.948	-50.92	-13


Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0




Band12 QAM16 BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#Max




Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#0



Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#Max




Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-20.92	-13
2	698.9	699	30	698.9954	-21.69	-13

Band12 QAM16 BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.002	-34.45	-13
2	716.1	726	100	716.199	-34.63	-13


Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#Max




Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#0




Band12 QAM16 BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#Max



Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0033	-19.02	-13
2	716.1	726	100	716.1099	-20.4	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0028	-35.35	-13
2	716.1	726	100	716.1594	-34.82	-13

Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0017	-20.01	-13
2	716.1	726	100	716.1099	-18.52	-13

Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0067	-51.07	-13
2	716.1	726	100	716.1099	-49.97	-13


Band12 QAM16 BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#Max




Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QAM16 BW=10MHz Channel=23060 RB Size=1 Position=#Max



Band12 QAM16 BW=10MHz Channel=23060 RB Size=1 Position=#0




Band12 QAM16 BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	686.5	698.9	100	698.8256	-36.35	-13
2	698.9	699	30	698.9485	-40.15	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0166	-26.67	-13
2	716.1	728.5	100	716.1124	-26.03	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.1	-56.43	-13
2	716.1	728.5	100	716.162	-50.94	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0103	-41.31	-13
2	716.1	728.5	100	716.2488	-39.56	-13

Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0141	-56.29	-13
2	716.1	728.5	100	716.1496	-51.34	-13

Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0095	-27.43	-13
2	716.1	728.5	100	716.1124	-25.14	-13


Band12 QAM16 BW=10MHz Channel=23130 RB Size=50 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#Max




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0



Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QAM16 BW=5MHz Channel=23755 RB Size=1 Position=#0



Band17 QAM16 BW=5MHz Channel=23755 RB Size=1 Position=#Max




Band17 QAM16 BW=5MHz Channel=23755 RB Size=25 Position=#0



Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#Max




Band17 QAM16 BW=5MHz Channel=23825 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QAM16 BW=5MHz Channel=23825 RB Size=1 Position=#Max




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0




Band17 QAM16 BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#Max




Band17 QAM16 BW=10MHz Channel=23780 RB Size=1 Position=#0



Band17 QAM16 BW=10MHz Channel=23780 RB Size=50 Position=#0



Band17 QAM16 BW=10MHz Channel=23780 RB Size=1 Position=#Max




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#Max




Band17 QAM16 BW=10MHz Channel=23800 RB Size=1 Position=#Max




Band17 QAM16 BW=10MHz Channel=23800 RB Size=1 Position=#0



Band17 QAM16 BW=10MHz Channel=23800 RB Size=50 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#Max




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#Max



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#Max



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#Max



Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#Max



Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#Max



Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0



Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#Max



Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0



Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#Max