



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 2	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-20.18	-13.00	-7.18	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-16.24	-13.00	-3.24	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-16.03	-13.00	-3.03	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	1.91G	1.911G	100k	300k	RMS	1.91001G	-15.45	-13.00	-2.45	-	-
LTE_15MHz_Nss1,QPSK_1TX	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-14.71	-13.00	-1.71	-	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	1.849G	1.85G	200k	1M	RMS	1.84999G	-17.99	-13.00	-4.99	-	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	20k	50k	RMS	1.91002G	-19.08	-13.00	-6.08	-	-
LTE_3MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-17.00	-13.00	-4.00	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	1.849G	1.85G	50k	200k	RMS	1.84999G	-14.95	-13.00	-1.95	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-15.71	-13.00	-2.71	-	-
LTE_15MHz_Nss1,16QAM_1TX	Pass	1.849G	1.85G	200k	500k	RMS	1.84999G	-14.77	-13.00	-1.77	-	-
LTE_20MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	200k	1M	RMS	1.91002G	-17.79	-13.00	-4.79	-	-
LTE_1.4MHz_Nss1,64QAM_1TX	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-20.44	-13.00	-7.44	-	-
LTE_3MHz_Nss1,64QAM_1TX	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-18.42	-13.00	-5.42	-	-
LTE_5MHz_Nss1,64QAM_1TX	Pass	1.91G	1.911G	50k	200k	RMS	1.91002G	-16.98	-13.00	-3.98	-	-
LTE_10MHz_Nss1,64QAM_1TX	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-15.32	-13.00	-2.32	-	-
LTE_15MHz_Nss1,64QAM_1TX	Pass	1.91G	1.911G	200k	500k	RMS	1.91002G	-15.54	-13.00	-2.54	-	-
LTE_20MHz_Nss1,64QAM_1TX	Pass	1.849G	1.85G	200k	1M	RMS	1.85G	-18.28	-13.00	-5.28	-	-
Band 4	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	1.755G	1.756G	20k	50k	RMS	1.755G	-21.33	-13.00	-8.33	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-15.53	-13.00	-2.53	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	50k	200k	RMS	1.70999G	-15.79	-13.00	-2.79	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	100k	300k	RMS	1.70999G	-15.17	-13.00	-2.17	-	-
LTE_15MHz_Nss1,QPSK_1TX	Pass	1.755G	1.756G	200k	500k	RMS	1.75502G	-14.80	-13.00	-1.80	-	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	200k	1M	RMS	1.70999G	-18.24	-13.00	-5.24	-	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	1.755G	1.756G	20k	50k	RMS	1.755G	-19.62	-13.00	-6.62	-	-
LTE_3MHz_Nss1,16QAM_1TX	Pass	1.755G	1.756G	30k	100k	RMS	1.75501G	-17.34	-13.00	-4.34	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	1.709G	1.71G	50k	200k	RMS	1.70999G	-16.10	-13.00	-3.10	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	1.755G	1.756G	100k	300k	RMS	1.75501G	-15.63	-13.00	-2.63	-	-
LTE_15MHz_Nss1,16QAM_1TX	Pass	1.709G	1.71G	200k	500k	RMS	1.70996G	-15.01	-13.00	-2.01	-	-
LTE_20MHz_Nss1,16QAM_1TX	Pass	1.755G	1.756G	200k	1M	RMS	1.75502G	-18.31	-13.00	-5.31	-	-
LTE_1.4MHz_Nss1,64QAM_1TX	Pass	1.755G	1.756G	20k	50k	RMS	1.755G	-21.41	-13.00	-8.41	-	-
LTE_3MHz_Nss1,64QAM_1TX	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-18.66	-13.00	-5.66	-	-
LTE_5MHz_Nss1,64QAM_1TX	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-16.80	-13.00	-3.80	-	-
LTE_10MHz_Nss1,64QAM_1TX	Pass	1.709G	1.71G	100k	300k	RMS	1.70999G	-15.28	-13.00	-2.28	-	-
LTE_15MHz_Nss1,64QAM_1TX	Pass	1.755G	1.756G	200k	500k	RMS	1.75504G	-15.50	-13.00	-2.50	-	-
LTE_20MHz_Nss1,64QAM_1TX	Pass	1.709G	1.71G	200k	1M	RMS	1.71G	-18.39	-13.00	-5.39	-	-
Band 5	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	849M	849.1M	30k	100k	RMS	849M	-18.88	-13.00	-5.88	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	849M	849.1M	30k	100k	RMS	849M	-16.70	-13.00	-3.70	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	823.9M	824M	30k	100k	RMS	823.99M	-18.09	-13.00	-5.09	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	804M	823.9M	30k	100k	RMS	823.85M	-19.60	-13.00	-6.60	MBW 100k	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	849M	849.1M	30k	100k	RMS	849.01M	-17.86	-13.00	-4.86	-	-
LTE_3MHz_Nss1,16QAM_1TX	Pass	823.9M	824M	30k	100k	RMS	824M	-16.37	-13.00	-3.37	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	823.9M	824M	30k	100k	RMS	824M	-17.42	-13.00	-4.42	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	804M	823.9M	30k	100k	RMS	823.85M	-19.71	-13.00	-6.71	MBW 100k	-
LTE_1.4MHz_Nss1,64QAM_1TX	Pass	849M	849.1M	30k	100k	RMS	849M	-18.77	-13.00	-5.77	-	-
LTE_3MHz_Nss1,64QAM_1TX	Pass	823.9M	824M	30k	100k	RMS	824M	-17.82	-13.00	-4.82	-	-
LTE_5MHz_Nss1,64QAM_1TX	Pass	849M	849.1M	30k	100k	RMS	849M	-18.45	-13.00	-5.45	-	-
LTE_10MHz_Nss1,64QAM_1TX	Pass	804M	823.9M	30k	100k	RMS	823.85M	-19.49	-13.00	-6.49	MBW 100k	-
Band 7	-	-	-	-	-	-	-	-	-	-	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	2.5315G	2.5325G	100k	300k	RMS	2.53249G	-12.97	-10.00	-2.97	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
LTE_10MHz_Nss1,QPSK_1TX	Pass	2.499G	2.5G	200k	1M	RMS	2.49999G	-12.48	-10.00	-2.48	-	-
LTE_15MHz_Nss1,QPSK_1TX	Pass	2.5265G	2.5275G	300k	1M	RMS	2.5275G	-13.53	-10.00	-3.53	-	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	2.524G	2.525G	500k	2M	RMS	2.52499G	-14.19	-10.00	-4.19	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-12.65	-10.00	-2.65	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	2.499G	2.5G	200k	1M	RMS	2.5G	-11.95	-10.00	-1.95	-	-
LTE_15MHz_Nss1,16QAM_1TX	Pass	2.5265G	2.5275G	300k	1M	RMS	2.5275G	-13.80	-10.00	-3.80	-	-
LTE_20MHz_Nss1,16QAM_1TX	Pass	2.524G	2.525G	500k	2M	RMS	2.525G	-14.79	-10.00	-4.79	-	-
LTE_5MHz_Nss1,64QAM_1TX	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-13.36	-10.00	-3.36	-	-
LTE_10MHz_Nss1,64QAM_1TX	Pass	2.499G	2.5G	200k	1M	RMS	2.49999G	-12.47	-10.00	-2.47	-	-
LTE_15MHz_Nss1,64QAM_1TX	Pass	2.5265G	2.5275G	300k	1M	RMS	2.5275G	-14.23	-10.00	-4.23	-	-
LTE_20MHz_Nss1,64QAM_1TX	Pass	2.499G	2.5G	500k	2M	RMS	2.5G	-14.47	-10.00	-4.47	-	-
Band 12	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-18.15	-13.00	-5.15	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-15.87	-13.00	-2.87	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-18.47	-13.00	-5.47	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	716.1M	736M	30k	100k	RMS	716.15M	-19.44	-13.00	-6.44	MBW 100k	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-17.50	-13.00	-4.50	-	-
LTE_3MHz_Nss1,16QAM_1TX	Pass	716M	716.1M	30k	100k	RMS	716.01M	-16.33	-13.00	-3.33	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-18.34	-13.00	-5.34	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	716.1M	736M	30k	100k	RMS	716.15M	-20.02	-13.00	-7.02	MBW 100k	-
LTE_1.4MHz_Nss1,64QAM_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-18.17	-13.00	-5.17	-	-
LTE_3MHz_Nss1,64QAM_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-17.93	-13.00	-4.93	-	-
LTE_5MHz_Nss1,64QAM_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-18.71	-13.00	-5.71	-	-
LTE_10MHz_Nss1,64QAM_1TX	Pass	716.1M	736M	30k	100k	RMS	716.15M	-20.01	-13.00	-7.01	MBW 100k	-
Band 13	-	-	-	-	-	-	-	-	-	-	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.59993G	-40.78	-40.00	-0.78	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.58908G	-40.54	-40.00	-0.54	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.59394G	-40.67	-40.00	-0.67	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.60929G	-40.86	-40.00	-0.86	-	-
LTE_5MHz_Nss1,64QAM_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.59195G	-40.93	-40.00	-0.93	-	-
LTE_10MHz_Nss1,64QAM_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.5773G	-41.13	-40.00	-1.13	-	-



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 2_LTE_1.4MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1850.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	110.626k	-75.16	-13.00	-62.16	-	-
1850.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	657.45k	-65.43	-13.00	-52.43	-	-
1850.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49853G	-51.92	-13.00	-38.92	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.84703G	-38.73	-13.00	-25.73	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-29.35	-13.00	-16.35	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.85G	-27.36	-13.00	-14.36	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91037G	-71.24	-13.00	-58.24	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9123G	-56.28	-13.00	-43.28	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.9699G	-50.24	-13.00	-37.24	-	-
1850.7MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-41.38	-13.00	-28.38	-	-
1850.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.94k	-65.91	-13.00	-52.91	-	-
1850.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.51	-13.00	-50.51	-	-
1850.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.46509G	-52.30	-13.00	-39.30	-	-
1850.7MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.84442G	-39.70	-13.00	-26.70	-	-
1850.7MHz_RB 1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-34.11	-13.00	-21.11	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.85G	-20.55	-13.00	-7.55	-	-
1850.7MHz_RB 1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.91084G	-71.23	-13.00	-58.23	-	-
1850.7MHz_RB 1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9123G	-56.22	-13.00	-43.22	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	4.79316G	-50.29	-13.00	-37.29	-	-
1850.7MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.655G	-41.27	-13.00	-28.27	-	-
1880MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	11.186k	-75.22	-13.00	-62.22	-	-
1880MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	232.088k	-64.17	-13.00	-51.17	-	-
1880MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.37193G	-52.05	-13.00	-39.05	-	-
1880MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.6243G	-50.96	-13.00	-37.96	-	-
1880MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.08	-13.00	-43.08	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84983G	-70.56	-13.00	-57.56	-	-
1880MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91045G	-70.88	-13.00	-57.88	-	-
1880MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.06	-13.00	-43.06	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.95446G	-50.19	-13.00	-37.19	-	-
1880MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.28	-13.00	-28.28	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	83.8k	-64.30	-13.00	-51.30	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.00	-13.00	-54.00	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.38846G	-52.03	-13.00	-39.03	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.64552G	-50.75	-13.00	-37.75	-	-
1880MHz_RB 1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.01	-13.00	-43.01	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.8499G	-70.65	-13.00	-57.65	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.911G	-70.69	-13.00	-57.69	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.00	-13.00	-43.00	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	3.75933G	-48.77	-13.00	-35.77	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.26	-13.00	-28.26	-	-
1909.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	10.269k	-72.65	-13.00	-59.65	-	-
1909.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	552.975k	-60.64	-13.00	-47.64	-	-
1909.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.34767G	-51.96	-13.00	-38.96	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.65077G	-51.11	-13.00	-38.11	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.23	-13.00	-43.23	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84928G	-71.28	-13.00	-58.28	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-27.55	-13.00	-14.55	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-30.46	-13.00	-17.46	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	1.91319G	-42.04	-13.00	-29.04	-	-
1909.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.16	-13.00	-28.16	-	-
1909.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	106.184k	-65.49	-13.00	-52.49	-	-
1909.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.34	-13.00	-48.34	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1909.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	811.49M	-51.27	-13.00	-38.27	-	-
1909.3MHz_RB 1,#RB H	Pass	1.5G	1.8472G	1M	3M	RMS	1.72112G	-50.79	-13.00	-37.79	-	-
1909.3MHz_RB 1,#RB H	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.22	-13.00	-43.22	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.849G	1.85G	20k	50k	RMS	1.84902G	-70.91	-13.00	-57.91	-	-
1909.3MHz_RB 1,#RB H	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-20.18	-13.00	-7.18	-	-
1909.3MHz_RB 1,#RB H	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-33.33	-13.00	-20.33	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-43.19	-13.00	-30.19	-	-
1909.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.26	-13.00	-28.26	-	-
Band 2_LTE_3MHz_Nss1.QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1851.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	13.618k	-75.61	-13.00	-62.61	-	-
1851.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.217M	-66.30	-13.00	-53.30	-	-
1851.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	774.37M	-51.87	-13.00	-38.87	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.844G	-40.36	-13.00	-27.36	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-24.91	-13.00	-11.91	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84999G	-28.36	-13.00	-15.36	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91017G	-69.85	-13.00	-56.85	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-56.31	-13.00	-43.31	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.98882G	-50.16	-13.00	-37.16	-	-
1851.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-41.22	-13.00	-28.22	-	-
1851.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	60.112k	-64.24	-13.00	-51.24	-	-
1851.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-63.96	-13.00	-50.96	-	-
1851.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.31625G	-52.02	-13.00	-39.02	-	-
1851.5MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.84391G	-47.89	-13.00	-34.89	-	-
1851.5MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-33.20	-13.00	-20.20	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.84999G	-17.52	-13.00	-4.52	-	-
1851.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91015G	-69.76	-13.00	-56.76	-	-
1851.5MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-56.21	-13.00	-43.21	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	4.93408G	-50.43	-13.00	-37.43	-	-
1851.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.23	-13.00	-28.23	-	-
1880MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	11.362k	-75.66	-13.00	-62.66	-	-
1880MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.06M	-60.78	-13.00	-47.78	-	-
1880MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.16025G	-51.85	-13.00	-38.85	-	-
1880MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.80448G	-50.89	-13.00	-37.89	-	-
1880MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8465G	-56.02	-13.00	-43.02	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.8499G	-69.23	-13.00	-56.23	-	-
1880MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91074G	-69.62	-13.00	-56.62	-	-
1880MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-55.99	-13.00	-42.99	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.76754G	-50.27	-13.00	-37.27	-	-
1880MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-40.80	-13.00	-27.80	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	106.396k	-64.35	-13.00	-51.35	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.03	-13.00	-49.03	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.40923G	-51.96	-13.00	-38.96	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.79851G	-50.46	-13.00	-37.46	-	-
1880MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8445G	-55.51	-13.00	-42.51	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.84918G	-69.60	-13.00	-56.60	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91084G	-69.39	-13.00	-56.39	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-54.60	-13.00	-41.60	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	3.75753G	-48.20	-13.00	-35.20	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64G	-41.11	-13.00	-28.11	-	-
1908.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9.599k	-74.06	-13.00	-61.06	-	-
1908.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	687.3k	-62.03	-13.00	-49.03	-	-
1908.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.12791G	-52.25	-13.00	-39.25	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.63481G	-51.11	-13.00	-38.11	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8445G	-56.20	-13.00	-43.20	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1908.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84965G	-69.78	-13.00	-56.78	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-29.14	-13.00	-16.14	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-27.57	-13.00	-14.57	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	1.916G	-47.23	-13.00	-34.23	-	-
1908.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.25	-13.00	-28.25	-	-
1908.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	100.685k	-65.36	-13.00	-52.36	-	-
1908.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-61.78	-13.00	-48.78	-	-
1908.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.14187G	-51.60	-13.00	-38.60	-	-
1908.5MHz_RB 1,#RB H	Pass	1.5G	1.844G	1M	3M	RMS	1.78423G	-50.93	-13.00	-37.93	-	-
1908.5MHz_RB 1,#RB H	Pass	1.844G	1.849G	30k	100k	RMS	1.8475G	-56.15	-13.00	-43.15	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	30k	100k	RMS	1.84924G	-69.49	-13.00	-56.49	-	-
1908.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-16.24	-13.00	-3.24	-	-
1908.5MHz_RB 1,#RB H	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-32.85	-13.00	-19.85	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.916G	5G	1M	3M	RMS	3.81998G	-49.24	-13.00	-36.24	-	-
1908.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63063G	-41.29	-13.00	-28.29	-	-
Band 2_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1852.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	14.992k	-74.31	-13.00	-61.31	-	-
1852.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.799M	-63.36	-13.00	-50.36	-	-
1852.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.47281G	-52.12	-13.00	-39.12	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.83966G	-42.01	-13.00	-29.01	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-24.65	-13.00	-11.65	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-28.64	-13.00	-15.64	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91077G	-68.12	-13.00	-55.12	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9195G	-56.30	-13.00	-43.30	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.93417G	-50.26	-13.00	-37.26	-	-
1852.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.40188G	-41.30	-13.00	-28.30	-	-
1852.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.356k	-67.01	-13.00	-54.01	-	-
1852.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.62	-13.00	-53.62	-	-
1852.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.45296G	-51.66	-13.00	-38.66	-	-
1852.5MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.83639G	-50.98	-13.00	-37.98	-	-
1852.5MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-31.34	-13.00	-18.34	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-16.03	-13.00	-3.03	-	-
1852.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91012G	-67.70	-13.00	-54.70	-	-
1852.5MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-56.19	-13.00	-43.19	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	4.99076G	-50.28	-13.00	-37.28	-	-
1852.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.06	-13.00	-28.06	-	-
1880MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	20.315k	-75.98	-13.00	-62.98	-	-
1880MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.62M	-62.73	-13.00	-49.73	-	-
1880MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.47538G	-52.33	-13.00	-39.33	-	-
1880MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.80609G	-49.97	-13.00	-36.97	-	-
1880MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-55.98	-13.00	-42.98	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.8495G	-67.49	-13.00	-54.49	-	-
1880MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91077G	-67.57	-13.00	-54.57	-	-
1880MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-56.02	-13.00	-43.02	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.76284G	-50.32	-13.00	-37.32	-	-
1880MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.05	-13.00	-28.05	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	121.659k	-65.36	-13.00	-52.36	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.17	-13.00	-50.17	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.31919G	-50.59	-13.00	-37.59	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.68301G	-49.96	-13.00	-36.96	-	-
1880MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-55.98	-13.00	-42.98	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.8498G	-67.50	-13.00	-54.50	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91061G	-67.60	-13.00	-54.60	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9125G	-56.09	-13.00	-43.09	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	3.75568G	-48.48	-13.00	-35.48	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.19	-13.00	-28.19	-	-
1907.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.419k	-76.18	-13.00	-63.18	-	-
1907.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.799M	-62.11	-13.00	-49.11	-	-
1907.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	895.28M	-51.60	-13.00	-38.60	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.78535G	-50.80	-13.00	-37.80	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8415G	-56.24	-13.00	-43.24	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84979G	-67.71	-13.00	-54.71	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-29.00	-13.00	-16.00	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-28.07	-13.00	-15.07	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.78633G	-50.30	-13.00	-37.30	-	-
1907.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6325G	-40.94	-13.00	-27.94	-	-
1907.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	106.114k	-65.73	-13.00	-52.73	-	-
1907.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-66.31	-13.00	-53.31	-	-
1907.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.05128G	-51.88	-13.00	-38.88	-	-
1907.5MHz_RB 1,#RB H	Pass	1.5G	1.84G	1M	3M	RMS	1.78284G	-50.97	-13.00	-37.97	-	-
1907.5MHz_RB 1,#RB H	Pass	1.84G	1.849G	50k	200k	RMS	1.8455G	-56.16	-13.00	-43.16	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	50k	200k	RMS	1.84995G	-67.65	-13.00	-54.65	-	-
1907.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-16.47	-13.00	-3.47	-	-
1907.5MHz_RB 1,#RB H	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-31.77	-13.00	-18.77	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.92G	5G	1M	3M	RMS	3.81921G	-49.61	-13.00	-36.61	-	-
1907.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.08	-13.00	-28.08	-	-
Band 2_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1855MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-75.07	-13.00	-62.07	-	-
1855MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.142M	-62.83	-13.00	-49.83	-	-
1855MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.44708G	-52.33	-13.00	-39.33	-	-
1855MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.66327G	-50.88	-13.00	-37.88	-	-
1855MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-26.41	-13.00	-13.41	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84999G	-30.87	-13.00	-17.87	-	-
1855MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91037G	-65.07	-13.00	-52.07	-	-
1855MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9165G	-56.25	-13.00	-43.25	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.96354G	-50.37	-13.00	-37.37	-	-
1855MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.21	-13.00	-28.21	-	-
1855MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.743k	-65.54	-13.00	-52.54	-	-
1855MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.00	-13.00	-47.00	-	-
1855MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.06102G	-51.62	-13.00	-38.62	-	-
1855MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.5441G	-50.72	-13.00	-37.72	-	-
1855MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-32.62	-13.00	-19.62	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84998G	-15.66	-13.00	-2.66	-	-
1855MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91031G	-64.92	-13.00	-51.92	-	-
1855MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9145G	-56.29	-13.00	-43.29	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	4.99463G	-50.30	-13.00	-37.30	-	-
1855MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.13	-13.00	-28.13	-	-
1880MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.106k	-73.83	-13.00	-60.83	-	-
1880MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	4.254M	-61.10	-13.00	-48.10	-	-
1880MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	998.36M	-51.71	-13.00	-38.71	-	-
1880MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.65621G	-50.38	-13.00	-37.38	-	-
1880MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-51.73	-13.00	-38.73	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84978G	-59.20	-13.00	-46.20	-	-
1880MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91013G	-63.70	-13.00	-50.70	-	-
1880MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-55.44	-13.00	-42.44	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.98235G	-50.28	-13.00	-37.28	-	-
1880MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6625G	-41.26	-13.00	-28.26	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	78.302k	-66.50	-13.00	-53.50	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-65.07	-13.00	-52.07	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.12644G	-51.64	-13.00	-38.64	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.63435G	-50.57	-13.00	-37.57	-	-
1880MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8445G	-54.98	-13.00	-41.98	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84958G	-64.10	-13.00	-51.10	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91084G	-64.16	-13.00	-51.16	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9155G	-55.80	-13.00	-42.80	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.75128G	-47.77	-13.00	-34.77	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.13	-13.00	-28.13	-	-
1905MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.494k	-76.32	-13.00	-63.32	-	-
1905MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	6.456M	-71.80	-13.00	-58.80	-	-
1905MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.41713G	-51.80	-13.00	-38.80	-	-
1905MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.81593G	-50.90	-13.00	-37.90	-	-
1905MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8425G	-56.11	-13.00	-43.11	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84992G	-65.03	-13.00	-52.03	-	-
1905MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91002G	-30.46	-13.00	-17.46	-	-
1905MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-29.81	-13.00	-16.81	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.99079G	-50.03	-13.00	-37.03	-	-
1905MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.3925G	-41.20	-13.00	-28.20	-	-
1905MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	116.9k	-65.84	-13.00	-52.84	-	-
1905MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-65.23	-13.00	-52.23	-	-
1905MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	979.8M	-51.82	-13.00	-38.82	-	-
1905MHz_RB 1,#RB H	Pass	1.5G	1.83G	1M	3M	RMS	1.65279G	-50.79	-13.00	-37.79	-	-
1905MHz_RB 1,#RB H	Pass	1.83G	1.849G	100k	300k	RMS	1.8395G	-56.13	-13.00	-43.13	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.849G	1.85G	100k	300k	RMS	1.8496G	-65.18	-13.00	-52.18	-	-
1905MHz_RB 1,#RB H	Pass	1.91G	1.911G	100k	300k	RMS	1.91001G	-15.45	-13.00	-2.45	-	-
1905MHz_RB 1,#RB H	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-32.64	-13.00	-19.64	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.93G	5G	1M	3M	RMS	3.8192G	-49.29	-13.00	-36.29	-	-
1905MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.80313G	-41.15	-13.00	-28.15	-	-
Band 2_LTE_15MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1857.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	10.375k	-76.68	-13.00	-63.68	-	-
1857.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	6.098M	-64.25	-13.00	-51.25	-	-
1857.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.42503G	-52.11	-13.00	-39.11	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.6542G	-50.46	-13.00	-37.46	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-29.25	-13.00	-16.25	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84999G	-29.94	-13.00	-16.94	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91097G	-61.62	-13.00	-48.62	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-55.58	-13.00	-42.58	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.97208G	-50.25	-13.00	-37.25	-	-
1857.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.33	-13.00	-28.33	-	-
1857.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	119.756k	-65.40	-13.00	-52.40	-	-
1857.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-65.31	-13.00	-52.31	-	-
1857.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.48383G	-51.85	-13.00	-38.85	-	-
1857.5MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.78188G	-50.41	-13.00	-37.41	-	-
1857.5MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-24.65	-13.00	-11.65	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-14.71	-13.00	-1.71	-	-
1857.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91059G	-61.68	-13.00	-48.68	-	-
1857.5MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-56.14	-13.00	-43.14	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	4.78657G	-50.33	-13.00	-37.33	-	-
1857.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64G	-41.15	-13.00	-28.15	-	-
1880MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	15.98k	-76.02	-13.00	-63.02	-	-
1880MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	6.232M	-63.40	-13.00	-50.40	-	-
1880MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.44929G	-52.31	-13.00	-39.31	-	-
1880MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.79928G	-51.03	-13.00	-38.03	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-43.88	-13.00	-30.88	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.8496G	-48.06	-13.00	-35.06	-	-
1880MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91004G	-53.87	-13.00	-40.87	-	-
1880MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-49.79	-13.00	-36.79	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.98432G	-50.23	-13.00	-37.23	-	-
1880MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.28	-13.00	-28.28	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	121.624k	-65.23	-13.00	-52.23	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.10	-13.00	-49.10	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.41033G	-51.61	-13.00	-38.61	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.77488G	-50.87	-13.00	-37.87	-	-
1880MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8465G	-47.89	-13.00	-34.89	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84917G	-61.73	-13.00	-48.73	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91072G	-61.99	-13.00	-48.99	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9195G	-55.81	-13.00	-42.81	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.74693G	-47.25	-13.00	-34.25	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.12	-13.00	-28.12	-	-
1902.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-73.22	-13.00	-60.22	-	-
1902.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	4.128M	-68.98	-13.00	-55.98	-	-
1902.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.24165G	-51.94	-13.00	-38.94	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.775G	-50.84	-13.00	-37.84	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-52.67	-13.00	-39.67	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84997G	-58.42	-13.00	-45.42	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91004G	-29.17	-13.00	-16.17	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-31.48	-13.00	-18.48	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.95028G	-50.15	-13.00	-37.15	-	-
1902.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.20	-13.00	-28.20	-	-
1902.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	86.938k	-66.72	-13.00	-53.72	-	-
1902.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.24	-13.00	-47.24	-	-
1902.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	988.07M	-51.33	-13.00	-38.33	-	-
1902.5MHz_RB 1,#RB H	Pass	1.5G	1.82G	1M	3M	RMS	1.52396G	-50.98	-13.00	-37.98	-	-
1902.5MHz_RB 1,#RB H	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-56.07	-13.00	-43.07	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84905G	-61.89	-13.00	-48.89	-	-
1902.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91001G	-14.85	-13.00	-1.85	-	-
1902.5MHz_RB 1,#RB H	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-25.14	-13.00	-12.14	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.94G	5G	1M	3M	RMS	3.81846G	-49.40	-13.00	-36.40	-	-
1902.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.17	-13.00	-28.17	-	-
Band 2_LTE_20MHz_Nss1.QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1860MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	9.494k	-75.59	-13.00	-62.59	-	-
1860MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	9.598M	-59.75	-13.00	-46.75	-	-
1860MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48328G	-51.93	-13.00	-38.93	-	-
1860MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.67213G	-50.57	-13.00	-37.57	-	-
1860MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-31.57	-13.00	-18.57	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84999G	-32.83	-13.00	-19.83	-	-
1860MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91016G	-60.24	-13.00	-47.24	-	-
1860MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-54.34	-13.00	-41.34	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.98818G	-50.19	-13.00	-37.19	-	-
1860MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.67G	-41.41	-13.00	-28.41	-	-
1860MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.869k	-65.21	-13.00	-52.21	-	-
1860MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.06	-13.00	-49.06	-	-
1860MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.04761G	-51.78	-13.00	-38.78	-	-
1860MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.65845G	-50.84	-13.00	-37.84	-	-
1860MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-27.08	-13.00	-14.08	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.84999G	-17.99	-13.00	-4.99	-	-
1860MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91058G	-62.38	-13.00	-49.38	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1860MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9135G	-55.74	-13.00	-42.74	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	4.97751G	-50.41	-13.00	-37.41	-	-
1860MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.06	-13.00	-28.06	-	-
1880MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	10.868k	-77.34	-13.00	-64.34	-	-
1880MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	10.829M	-61.97	-13.00	-48.97	-	-
1880MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48163G	-52.12	-13.00	-39.12	-	-
1880MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.75474G	-51.30	-13.00	-38.30	-	-
1880MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-39.27	-13.00	-26.27	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84953G	-43.88	-13.00	-30.88	-	-
1880MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91047G	-48.51	-13.00	-35.51	-	-
1880MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-43.85	-13.00	-30.85	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.96264G	-50.32	-13.00	-37.32	-	-
1880MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.23	-13.00	-28.23	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	131.952k	-65.65	-13.00	-52.65	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.02	-13.00	-47.02	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.18744G	-51.87	-13.00	-38.87	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.78365G	-51.39	-13.00	-38.39	-	-
1880MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8445G	-52.93	-13.00	-39.93	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.84998G	-60.92	-13.00	-47.92	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91032G	-61.96	-13.00	-48.96	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9155G	-54.96	-13.00	-41.96	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	3.74226G	-46.82	-13.00	-33.82	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.21	-13.00	-28.21	-	-
1900MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	15.239k	-75.96	-13.00	-62.96	-	-
1900MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	9.598M	-61.86	-13.00	-48.86	-	-
1900MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	965.29M	-52.03	-13.00	-39.03	-	-
1900MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.64113G	-50.59	-13.00	-37.59	-	-
1900MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8465G	-48.58	-13.00	-35.58	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.8498G	-54.08	-13.00	-41.08	-	-
1900MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91G	-33.85	-13.00	-20.85	-	-
1900MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-32.93	-13.00	-19.93	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.96683G	-50.28	-13.00	-37.28	-	-
1900MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.3925G	-41.05	-13.00	-28.05	-	-
1900MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	60.183k	-66.18	-13.00	-53.18	-	-
1900MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-62.73	-13.00	-49.73	-	-
1900MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.24385G	-51.71	-13.00	-38.71	-	-
1900MHz_RB 1,#RB H	Pass	1.5G	1.81G	1M	3M	RMS	1.79907G	-51.25	-13.00	-38.25	-	-
1900MHz_RB 1,#RB H	Pass	1.81G	1.849G	200k	1M	RMS	1.8465G	-55.78	-13.00	-42.78	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	1M	RMS	1.84919G	-62.36	-13.00	-49.36	-	-
1900MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	1M	RMS	1.91001G	-18.60	-13.00	-5.60	-	-
1900MHz_RB 1,#RB H	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-27.44	-13.00	-14.44	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.95G	5G	1M	3M	RMS	3.81774G	-49.37	-13.00	-36.37	-	-
1900MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.66063G	-41.15	-13.00	-28.15	-	-
Band 2_LTE_1.4MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1850.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	57.469k	-73.42	-13.00	-60.42	-	-
1850.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	761.925k	-63.23	-13.00	-50.23	-	-
1850.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.34124G	-51.82	-13.00	-38.82	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.84108G	-37.14	-13.00	-24.14	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-30.38	-13.00	-17.38	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84998G	-27.53	-13.00	-14.53	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91028G	-71.07	-13.00	-58.07	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9123G	-56.30	-13.00	-43.30	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.96874G	-50.38	-13.00	-37.38	-	-
1850.7MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.655G	-41.38	-13.00	-28.38	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1850.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	10.375k	-65.67	-13.00	-52.67	-	-
1850.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-64.51	-13.00	-51.51	-	-
1850.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	985.5M	-51.87	-13.00	-38.87	-	-
1850.7MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.84681G	-30.54	-13.00	-17.54	-	-
1850.7MHz_RB 1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-34.21	-13.00	-21.21	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.84999G	-19.45	-13.00	-6.45	-	-
1850.7MHz_RB 1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.91048G	-71.43	-13.00	-58.43	-	-
1850.7MHz_RB 1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9123G	-56.29	-13.00	-43.29	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	4.96836G	-50.34	-13.00	-37.34	-	-
1850.7MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.66438G	-41.12	-13.00	-28.12	-	-
1880MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	12.736k	-73.24	-13.00	-60.24	-	-
1880MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	388.8k	-61.52	-13.00	-48.52	-	-
1880MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02519G	-51.87	-13.00	-38.87	-	-
1880MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.60438G	-49.40	-13.00	-36.40	-	-
1880MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.08	-13.00	-43.08	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84968G	-70.88	-13.00	-57.88	-	-
1880MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91091G	-70.88	-13.00	-57.88	-	-
1880MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.15	-13.00	-43.15	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.92012G	-50.33	-13.00	-37.33	-	-
1880MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.62875G	-41.25	-13.00	-28.25	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	88.418k	-66.36	-13.00	-53.36	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.82	-13.00	-49.82	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.31735G	-52.01	-13.00	-39.01	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.65997G	-51.04	-13.00	-38.04	-	-
1880MHz_RB 1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-55.97	-13.00	-42.97	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.84992G	-71.06	-13.00	-58.06	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.9106G	-71.25	-13.00	-58.25	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.03	-13.00	-43.03	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	3.75933G	-48.13	-13.00	-35.13	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.62313G	-41.51	-13.00	-28.51	-	-
1909.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	74.248k	-72.48	-13.00	-59.48	-	-
1909.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	187.312k	-64.81	-13.00	-51.81	-	-
1909.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.11027G	-51.60	-13.00	-38.60	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.67499G	-51.16	-13.00	-38.16	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.28	-13.00	-43.28	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84975G	-71.37	-13.00	-58.37	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-26.96	-13.00	-13.96	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-32.21	-13.00	-19.21	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-43.11	-13.00	-30.11	-	-
1909.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.625G	-41.42	-13.00	-28.42	-	-
1909.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	33.675k	-63.68	-13.00	-50.68	-	-
1909.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.75	-13.00	-47.75	-	-
1909.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.40666G	-50.84	-13.00	-37.84	-	-
1909.3MHz_RB 1,#RB H	Pass	1.5G	1.8472G	1M	3M	RMS	1.82889G	-50.27	-13.00	-37.27	-	-
1909.3MHz_RB 1,#RB H	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.23	-13.00	-43.23	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.849G	1.85G	20k	50k	RMS	1.84935G	-71.21	-13.00	-58.21	-	-
1909.3MHz_RB 1,#RB H	Pass	1.91G	1.911G	20k	50k	RMS	1.91002G	-19.08	-13.00	-6.08	-	-
1909.3MHz_RB 1,#RB H	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-33.50	-13.00	-20.50	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-43.54	-13.00	-30.54	-	-
1909.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.62875G	-41.36	-13.00	-28.36	-	-
Band 2_LTE_3MHz_Nss1.16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1851.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	11.644k	-74.40	-13.00	-61.40	-	-
1851.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.143M	-67.72	-13.00	-54.72	-	-
1851.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.20912G	-52.31	-13.00	-39.31	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1851.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.84284G	-41.77	-13.00	-28.77	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-24.23	-13.00	-11.23	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84999G	-29.15	-13.00	-16.15	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91039G	-69.87	-13.00	-56.87	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-56.36	-13.00	-43.36	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.77024G	-50.24	-13.00	-37.24	-	-
1851.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63063G	-41.27	-13.00	-28.27	-	-
1851.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	18.729k	-65.54	-13.00	-52.54	-	-
1851.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.65	-13.00	-50.65	-	-
1851.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.49008G	-51.21	-13.00	-38.21	-	-
1851.5MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.84366G	-47.57	-13.00	-34.57	-	-
1851.5MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-33.60	-13.00	-20.60	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-17.11	-13.00	-4.11	-	-
1851.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91014G	-69.50	-13.00	-56.50	-	-
1851.5MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-56.27	-13.00	-43.27	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	4.90401G	-50.50	-13.00	-37.50	-	-
1851.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.30	-13.00	-28.30	-	-
1880MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	13.054k	-73.77	-13.00	-60.77	-	-
1880MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	687.3k	-64.15	-13.00	-51.15	-	-
1880MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.42007G	-51.29	-13.00	-38.29	-	-
1880MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.73715G	-51.17	-13.00	-38.17	-	-
1880MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8465G	-56.03	-13.00	-43.03	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84906G	-69.36	-13.00	-56.36	-	-
1880MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91095G	-69.53	-13.00	-56.53	-	-
1880MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-56.10	-13.00	-43.10	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.92444G	-50.29	-13.00	-37.29	-	-
1880MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-41.02	-13.00	-28.02	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.658k	-63.84	-13.00	-50.84	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.33	-13.00	-53.33	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.28097G	-52.37	-13.00	-39.37	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.78277G	-51.29	-13.00	-38.29	-	-
1880MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8445G	-55.57	-13.00	-42.57	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.84904G	-69.32	-13.00	-56.32	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.9107G	-69.60	-13.00	-56.60	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-54.76	-13.00	-41.76	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	3.75753G	-48.46	-13.00	-35.46	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.19	-13.00	-28.19	-	-
1908.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	10.48k	-74.55	-13.00	-61.55	-	-
1908.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.098M	-68.19	-13.00	-55.19	-	-
1908.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.39453G	-52.28	-13.00	-39.28	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.62956G	-51.09	-13.00	-38.09	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-56.26	-13.00	-43.26	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84963G	-69.90	-13.00	-56.90	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-29.66	-13.00	-16.66	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-27.48	-13.00	-14.48	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	1.916G	-48.73	-13.00	-35.73	-	-
1908.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.21	-13.00	-28.21	-	-
1908.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	81.756k	-64.79	-13.00	-51.79	-	-
1908.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.18	-13.00	-51.18	-	-
1908.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.30945G	-51.14	-13.00	-38.14	-	-
1908.5MHz_RB 1,#RB H	Pass	1.5G	1.844G	1M	3M	RMS	1.66061G	-50.98	-13.00	-37.98	-	-
1908.5MHz_RB 1,#RB H	Pass	1.844G	1.849G	30k	100k	RMS	1.8445G	-56.17	-13.00	-43.17	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	30k	100k	RMS	1.84916G	-69.77	-13.00	-56.77	-	-
1908.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-17.00	-13.00	-4.00	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1908.5MHz_RB 1,#RB H	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-33.76	-13.00	-20.76	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.916G	5G	1M	3M	RMS	3.8196G	-49.03	-13.00	-36.03	-	-
1908.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64563G	-40.91	-13.00	-27.91	-	-
Band 2_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1852.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.551k	-74.46	-13.00	-61.46	-	-
1852.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.419M	-65.71	-13.00	-52.71	-	-
1852.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02299G	-51.79	-13.00	-38.79	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.83962G	-43.78	-13.00	-30.78	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-23.96	-13.00	-10.96	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84999G	-29.67	-13.00	-16.67	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91034G	-67.97	-13.00	-54.97	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9125G	-56.34	-13.00	-43.34	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.97228G	-50.30	-13.00	-37.30	-	-
1852.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.36	-13.00	-28.36	-	-
1852.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	10.551k	-65.71	-13.00	-52.71	-	-
1852.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-68.18	-13.00	-55.18	-	-
1852.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.45204G	-51.89	-13.00	-38.89	-	-
1852.5MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.64565G	-50.05	-13.00	-37.05	-	-
1852.5MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-31.71	-13.00	-18.71	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84999G	-14.95	-13.00	-1.95	-	-
1852.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91054G	-67.83	-13.00	-54.83	-	-
1852.5MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-56.21	-13.00	-43.21	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	4.96766G	-50.15	-13.00	-37.15	-	-
1852.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.655G	-41.31	-13.00	-28.31	-	-
1880MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	16.861k	-76.05	-13.00	-63.05	-	-
1880MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.456M	-69.58	-13.00	-56.58	-	-
1880MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03622G	-51.64	-13.00	-38.64	-	-
1880MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.79342G	-50.80	-13.00	-37.80	-	-
1880MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8475G	-56.09	-13.00	-43.09	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84913G	-67.66	-13.00	-54.66	-	-
1880MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91059G	-67.76	-13.00	-54.76	-	-
1880MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-56.15	-13.00	-43.15	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.73974G	-50.25	-13.00	-37.25	-	-
1880MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.40	-13.00	-28.40	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	73.86k	-66.25	-13.00	-53.25	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.39	-13.00	-48.39	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.38442G	-50.55	-13.00	-37.55	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.79448G	-50.57	-13.00	-37.57	-	-
1880MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8415G	-56.01	-13.00	-43.01	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84972G	-67.28	-13.00	-54.28	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91051G	-67.78	-13.00	-54.78	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-56.11	-13.00	-43.11	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	3.75568G	-48.55	-13.00	-35.55	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.655G	-41.23	-13.00	-28.23	-	-
1907.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.692k	-76.71	-13.00	-63.71	-	-
1907.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	470.888k	-69.23	-13.00	-56.23	-	-
1907.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	940.67M	-51.57	-13.00	-38.57	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.83397G	-50.43	-13.00	-37.43	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8415G	-56.19	-13.00	-43.19	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84972G	-67.72	-13.00	-54.72	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91001G	-29.85	-13.00	-16.85	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-28.31	-13.00	-15.31	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.96689G	-50.26	-13.00	-37.26	-	-
1907.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-41.00	-13.00	-28.00	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1907.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	73.472k	-65.21	-13.00	-52.21	-	-
1907.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-66.17	-13.00	-53.17	-	-
1907.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.05036G	-51.55	-13.00	-38.55	-	-
1907.5MHz_RB 1,#RB H	Pass	1.5G	1.84G	1M	3M	RMS	1.79576G	-50.84	-13.00	-37.84	-	-
1907.5MHz_RB 1,#RB H	Pass	1.84G	1.849G	50k	200k	RMS	1.8405G	-56.14	-13.00	-43.14	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	50k	200k	RMS	1.84986G	-67.86	-13.00	-54.86	-	-
1907.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-16.37	-13.00	-3.37	-	-
1907.5MHz_RB 1,#RB H	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-32.32	-13.00	-19.32	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.92G	5G	1M	3M	RMS	3.81959G	-49.31	-13.00	-36.31	-	-
1907.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.12	-13.00	-28.12	-	-
Band 2_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1855MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.798k	-76.54	-13.00	-63.54	-	-
1855MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	4.725M	-62.37	-13.00	-49.37	-	-
1855MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48071G	-52.25	-13.00	-39.25	-	-
1855MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.78091G	-50.62	-13.00	-37.62	-	-
1855MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-26.06	-13.00	-13.06	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84997G	-31.05	-13.00	-18.05	-	-
1855MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91002G	-65.08	-13.00	-52.08	-	-
1855MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9155G	-56.32	-13.00	-43.32	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.94129G	-50.42	-13.00	-37.42	-	-
1855MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6325G	-41.35	-13.00	-28.35	-	-
1855MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	61.875k	-66.08	-13.00	-53.08	-	-
1855MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.97	-13.00	-49.97	-	-
1855MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.07701G	-52.53	-13.00	-39.53	-	-
1855MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.66174G	-50.08	-13.00	-37.08	-	-
1855MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-31.13	-13.00	-18.13	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84998G	-15.75	-13.00	-2.75	-	-
1855MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91082G	-65.23	-13.00	-52.23	-	-
1855MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9125G	-56.27	-13.00	-43.27	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	4.94896G	-50.39	-13.00	-37.39	-	-
1855MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.39	-13.00	-28.39	-	-
1880MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	20.21k	-76.61	-13.00	-63.61	-	-
1880MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	6.963M	-69.46	-13.00	-56.46	-	-
1880MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.14628G	-52.14	-13.00	-39.14	-	-
1880MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.80665G	-50.88	-13.00	-37.88	-	-
1880MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-51.91	-13.00	-38.91	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84999G	-59.89	-13.00	-46.89	-	-
1880MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91094G	-63.76	-13.00	-50.76	-	-
1880MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-55.36	-13.00	-42.36	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.98273G	-49.98	-13.00	-36.98	-	-
1880MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.13	-13.00	-28.13	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	31.595k	-65.56	-13.00	-52.56	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-66.74	-13.00	-53.74	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.47575G	-52.16	-13.00	-39.16	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.74795G	-50.91	-13.00	-37.91	-	-
1880MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8445G	-55.25	-13.00	-42.25	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84956G	-63.69	-13.00	-50.69	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91086G	-64.14	-13.00	-51.14	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-55.86	-13.00	-42.86	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.75128G	-48.21	-13.00	-35.21	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.16	-13.00	-28.16	-	-
1905MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.74k	-73.89	-13.00	-60.89	-	-
1905MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	7.411M	-68.94	-13.00	-55.94	-	-
1905MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00075G	-52.06	-13.00	-39.06	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1905MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.70716G	-50.79	-13.00	-37.79	-	-
1905MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8425G	-56.15	-13.00	-43.15	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84968G	-65.18	-13.00	-52.18	-	-
1905MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91002G	-30.56	-13.00	-17.56	-	-
1905MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-30.82	-13.00	-17.82	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.97698G	-50.17	-13.00	-37.17	-	-
1905MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6775G	-41.40	-13.00	-28.40	-	-
1905MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	14.111k	-64.63	-13.00	-51.63	-	-
1905MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-63.54	-13.00	-50.54	-	-
1905MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.0206G	-51.02	-13.00	-38.02	-	-
1905MHz_RB 1,#RB H	Pass	1.5G	1.83G	1M	3M	RMS	1.67185G	-50.87	-13.00	-37.87	-	-
1905MHz_RB 1,#RB H	Pass	1.83G	1.849G	100k	300k	RMS	1.8435G	-56.12	-13.00	-43.12	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.849G	1.85G	100k	300k	RMS	1.8493G	-65.11	-13.00	-52.11	-	-
1905MHz_RB 1,#RB H	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-15.71	-13.00	-2.71	-	-
1905MHz_RB 1,#RB H	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-32.16	-13.00	-19.16	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.93G	5G	1M	3M	RMS	3.8192G	-49.82	-13.00	-36.82	-	-
1905MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.22	-13.00	-28.22	-	-
Band 2_LTE_15MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1857.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	9.106k	-76.84	-13.00	-63.84	-	-
1857.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	4.904M	-71.99	-13.00	-58.99	-	-
1857.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49798G	-51.97	-13.00	-38.97	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.62912G	-50.18	-13.00	-37.18	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-28.59	-13.00	-15.59	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84998G	-29.78	-13.00	-16.78	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91079G	-61.87	-13.00	-48.87	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-55.76	-13.00	-42.76	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.94836G	-50.20	-13.00	-37.20	-	-
1857.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.12	-13.00	-28.12	-	-
1857.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.829k	-66.21	-13.00	-53.21	-	-
1857.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-69.33	-13.00	-56.33	-	-
1857.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.38405G	-52.37	-13.00	-39.37	-	-
1857.5MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.644G	-50.43	-13.00	-37.43	-	-
1857.5MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-25.21	-13.00	-12.21	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84999G	-14.77	-13.00	-1.77	-	-
1857.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91095G	-61.63	-13.00	-48.63	-	-
1857.5MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-56.11	-13.00	-43.11	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	4.98279G	-50.09	-13.00	-37.09	-	-
1857.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.20	-13.00	-28.20	-	-
1880MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	18.553k	-77.66	-13.00	-64.66	-	-
1880MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	7.195M	-62.52	-13.00	-49.52	-	-
1880MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.44488G	-51.75	-13.00	-38.75	-	-
1880MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.67576G	-50.63	-13.00	-37.63	-	-
1880MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-45.67	-13.00	-32.67	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84946G	-50.30	-13.00	-37.30	-	-
1880MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91004G	-56.34	-13.00	-43.34	-	-
1880MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-51.17	-13.00	-38.17	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.74373G	-49.97	-13.00	-36.97	-	-
1880MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.16	-13.00	-28.16	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	81.932k	-66.55	-13.00	-53.55	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-64.13	-13.00	-51.13	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.3157G	-51.39	-13.00	-38.39	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.70192G	-50.59	-13.00	-37.59	-	-
1880MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8465G	-45.04	-13.00	-32.04	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84986G	-59.18	-13.00	-46.18	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.9104G	-60.19	-13.00	-47.19	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9135G	-55.56	-13.00	-42.56	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.74693G	-47.79	-13.00	-34.79	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.33	-13.00	-28.33	-	-
1902.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	10.269k	-77.28	-13.00	-64.28	-	-
1902.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	9.351M	-66.32	-13.00	-53.32	-	-
1902.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.47832G	-52.09	-13.00	-39.09	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.72804G	-50.55	-13.00	-37.55	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-54.13	-13.00	-41.13	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84953G	-59.82	-13.00	-46.82	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91003G	-30.21	-13.00	-17.21	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-31.53	-13.00	-18.53	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.73531G	-50.24	-13.00	-37.24	-	-
1902.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65125G	-40.99	-13.00	-27.99	-	-
1902.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	57.539k	-65.81	-13.00	-52.81	-	-
1902.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.12	-13.00	-52.12	-	-
1902.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	812.96M	-51.44	-13.00	-38.44	-	-
1902.5MHz_RB 1,#RB H	Pass	1.5G	1.82G	1M	3M	RMS	1.7312G	-50.77	-13.00	-37.77	-	-
1902.5MHz_RB 1,#RB H	Pass	1.82G	1.849G	200k	500k	RMS	1.8445G	-56.13	-13.00	-43.13	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84933G	-61.99	-13.00	-48.99	-	-
1902.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91001G	-15.74	-13.00	-2.74	-	-
1902.5MHz_RB 1,#RB H	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-25.22	-13.00	-12.22	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.94G	5G	1M	3M	RMS	3.81846G	-49.78	-13.00	-36.78	-	-
1902.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.66063G	-41.15	-13.00	-28.15	-	-
Band 2_LTE_20MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1860MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	10.762k	-75.73	-13.00	-62.73	-	-
1860MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	8.292M	-63.03	-13.00	-50.03	-	-
1860MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.47666G	-51.79	-13.00	-38.79	-	-
1860MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.74211G	-51.29	-13.00	-38.29	-	-
1860MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-30.52	-13.00	-17.52	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84995G	-32.93	-13.00	-19.93	-	-
1860MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91015G	-60.84	-13.00	-47.84	-	-
1860MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9125G	-54.91	-13.00	-41.91	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.76706G	-50.18	-13.00	-37.18	-	-
1860MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.18	-13.00	-28.18	-	-
1860MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	27.189k	-65.96	-13.00	-52.96	-	-
1860MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-68.02	-13.00	-55.02	-	-
1860MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.26168G	-51.24	-13.00	-38.24	-	-
1860MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.76114G	-51.11	-13.00	-38.11	-	-
1860MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-27.51	-13.00	-14.51	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.84999G	-18.77	-13.00	-5.77	-	-
1860MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91067G	-62.30	-13.00	-49.30	-	-
1860MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9135G	-55.82	-13.00	-42.82	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	4.98018G	-50.25	-13.00	-37.25	-	-
1860MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.15	-13.00	-28.15	-	-
1880MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	9.176k	-76.02	-13.00	-63.02	-	-
1880MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	13.814M	-71.06	-13.00	-58.06	-	-
1880MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.29255G	-52.05	-13.00	-39.05	-	-
1880MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.64535G	-49.93	-13.00	-36.93	-	-
1880MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-39.46	-13.00	-26.46	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84962G	-44.16	-13.00	-31.16	-	-
1880MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91004G	-51.06	-13.00	-38.06	-	-
1880MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-46.05	-13.00	-33.05	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.96454G	-50.18	-13.00	-37.18	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 100, #RB 0	Pass	5G	20G	1M	3M	RMS	19.66063G	-41.33	-13.00	-28.33	-	-
1880MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	18.835k	-65.84	-13.00	-52.84	-	-
1880MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.18	-13.00	-53.18	-	-
1880MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.19112G	-52.26	-13.00	-39.26	-	-
1880MHz_RB 1, #RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.65299G	-50.30	-13.00	-37.30	-	-
1880MHz_RB 1, #RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8455G	-49.21	-13.00	-36.21	MBW 1M	-
1880MHz_RB 1, #RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.84999G	-41.40	-13.00	-28.40	-	-
1880MHz_RB 1, #RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91003G	-59.29	-13.00	-46.29	-	-
1880MHz_RB 1, #RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-54.67	-13.00	-41.67	MBW 1M	-
1880MHz_RB 1, #RB L	Pass	1.95G	5G	1M	3M	RMS	3.74226G	-47.83	-13.00	-34.83	-	-
1880MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.11	-13.00	-28.11	-	-
1900MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	9.106k	-76.16	-13.00	-63.16	-	-
1900MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	9.598M	-63.25	-13.00	-50.25	-	-
1900MHz_RB 100, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.32342G	-51.48	-13.00	-38.48	-	-
1900MHz_RB 100, #RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.67678G	-50.71	-13.00	-37.71	-	-
1900MHz_RB 100, #RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-49.96	-13.00	-36.96	MBW 1M	-
1900MHz_RB 100, #RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.8498G	-54.71	-13.00	-41.71	-	-
1900MHz_RB 100, #RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91001G	-34.04	-13.00	-21.04	-	-
1900MHz_RB 100, #RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-33.88	-13.00	-20.88	MBW 1M	-
1900MHz_RB 100, #RB 0	Pass	1.95G	5G	1M	3M	RMS	4.78917G	-50.33	-13.00	-37.33	-	-
1900MHz_RB 100, #RB 0	Pass	5G	20G	1M	3M	RMS	19.6325G	-41.09	-13.00	-28.09	-	-
1900MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	55.671k	-64.64	-13.00	-51.64	-	-
1900MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	150k	-67.28	-13.00	-54.28	-	-
1900MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.16447G	-51.84	-13.00	-38.84	-	-
1900MHz_RB 1, #RB H	Pass	1.5G	1.81G	1M	3M	RMS	1.80179G	-50.36	-13.00	-37.36	-	-
1900MHz_RB 1, #RB H	Pass	1.81G	1.849G	200k	1M	RMS	1.8465G	-55.84	-13.00	-42.84	MBW 1M	-
1900MHz_RB 1, #RB H	Pass	1.849G	1.85G	200k	1M	RMS	1.84949G	-62.36	-13.00	-49.36	-	-
1900MHz_RB 1, #RB H	Pass	1.91G	1.911G	200k	1M	RMS	1.91002G	-17.79	-13.00	-4.79	-	-
1900MHz_RB 1, #RB H	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-27.45	-13.00	-14.45	MBW 1M	-
1900MHz_RB 1, #RB H	Pass	1.95G	5G	1M	3M	RMS	3.81813G	-49.21	-13.00	-36.21	-	-
1900MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.64G	-40.95	-13.00	-27.95	-	-
Band 2_LTE_1.4MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1850.7MHz_RB 6, #RB 0	Pass	9k	150k	1k	3k	RMS	112.529k	-74.39	-13.00	-61.39	-	-
1850.7MHz_RB 6, #RB 0	Pass	150k	30M	10k	30k	RMS	866.4k	-64.62	-13.00	-51.62	-	-
1850.7MHz_RB 6, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.18505G	-51.42	-13.00	-38.42	-	-
1850.7MHz_RB 6, #RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.84698G	-37.22	-13.00	-24.22	-	-
1850.7MHz_RB 6, #RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-30.68	-13.00	-17.68	MBW 1M	-
1850.7MHz_RB 6, #RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84999G	-28.13	-13.00	-15.13	-	-
1850.7MHz_RB 6, #RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91071G	-71.15	-13.00	-58.15	-	-
1850.7MHz_RB 6, #RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.35	-13.00	-43.35	MBW 1M	-
1850.7MHz_RB 6, #RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.99614G	-50.27	-13.00	-37.27	-	-
1850.7MHz_RB 6, #RB 0	Pass	5G	20G	1M	3M	RMS	19.37938G	-41.14	-13.00	-28.14	-	-
1850.7MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	21.866k	-65.02	-13.00	-52.02	-	-
1850.7MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.39	-13.00	-49.39	-	-
1850.7MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.06102G	-52.12	-13.00	-39.12	-	-
1850.7MHz_RB 1, #RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.84711G	-40.76	-13.00	-27.76	-	-
1850.7MHz_RB 1, #RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-35.28	-13.00	-22.28	MBW 1M	-
1850.7MHz_RB 1, #RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.85G	-21.93	-13.00	-8.93	-	-
1850.7MHz_RB 1, #RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.91012G	-71.13	-13.00	-58.13	-	-
1850.7MHz_RB 1, #RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.24	-13.00	-43.24	MBW 1M	-
1850.7MHz_RB 1, #RB L	Pass	1.9128G	5G	1M	3M	RMS	4.96373G	-50.20	-13.00	-37.20	-	-
1850.7MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.6325G	-41.28	-13.00	-28.28	-	-
1880MHz_RB 6, #RB 0	Pass	9k	150k	1k	3k	RMS	14.605k	-74.07	-13.00	-61.07	-	-
1880MHz_RB 6, #RB 0	Pass	150k	30M	10k	30k	RMS	567.9k	-65.57	-13.00	-52.57	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.47924G	-51.97	-13.00	-38.97	-	-
1880MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.78935G	-51.48	-13.00	-38.48	-	-
1880MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.15	-13.00	-43.15	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84993G	-70.82	-13.00	-57.82	-	-
1880MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91087G	-71.28	-13.00	-58.28	-	-
1880MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.16	-13.00	-43.16	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.94173G	-50.21	-13.00	-37.21	-	-
1880MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.48	-13.00	-28.48	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	21.972k	-64.79	-13.00	-51.79	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.43	-13.00	-48.43	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.31129G	-51.97	-13.00	-38.97	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.84625G	-51.19	-13.00	-38.19	-	-
1880MHz_RB 1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.02	-13.00	-43.02	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.84994G	-71.04	-13.00	-58.04	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.9102G	-70.93	-13.00	-57.93	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9123G	-56.08	-13.00	-43.08	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	3.75895G	-49.26	-13.00	-36.26	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.20	-13.00	-28.20	-	-
1909.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	13.829k	-73.51	-13.00	-60.51	-	-
1909.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	545.512k	-63.48	-13.00	-50.48	-	-
1909.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.06341G	-52.20	-13.00	-39.20	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.57183G	-51.53	-13.00	-38.53	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.29	-13.00	-43.29	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84922G	-71.24	-13.00	-58.24	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-27.94	-13.00	-14.94	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-32.56	-13.00	-19.56	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-43.87	-13.00	-30.87	-	-
1909.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.06	-13.00	-28.06	-	-
1909.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	73.261k	-64.44	-13.00	-51.44	-	-
1909.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-62.06	-13.00	-49.06	-	-
1909.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.09226G	-51.92	-13.00	-38.92	-	-
1909.3MHz_RB 1,#RB H	Pass	1.5G	1.8472G	1M	3M	RMS	1.619G	-50.52	-13.00	-37.52	-	-
1909.3MHz_RB 1,#RB H	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.22	-13.00	-43.22	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.849G	1.85G	20k	50k	RMS	1.84986G	-71.02	-13.00	-58.02	-	-
1909.3MHz_RB 1,#RB H	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-20.44	-13.00	-7.44	-	-
1909.3MHz_RB 1,#RB H	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-34.64	-13.00	-21.64	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.9128G	5G	1M	3M	RMS	1.91357G	-41.72	-13.00	-28.72	-	-
1909.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.36	-13.00	-28.36	-	-
Band 2_LTE_3MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1851.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.44	-13.00	-61.44	-	-
1851.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.113M	-65.78	-13.00	-52.78	-	-
1851.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.41584G	-51.94	-13.00	-38.94	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.84353G	-40.18	-13.00	-27.18	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-24.03	-13.00	-11.03	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84999G	-29.45	-13.00	-16.45	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91081G	-69.68	-13.00	-56.68	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-56.34	-13.00	-43.34	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.98574G	-50.32	-13.00	-37.32	-	-
1851.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.66438G	-41.43	-13.00	-28.43	-	-
1851.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.925k	-65.88	-13.00	-52.88	-	-
1851.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.07	-13.00	-53.07	-	-
1851.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.20784G	-51.91	-13.00	-38.91	-	-
1851.5MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.8437G	-47.36	-13.00	-34.36	-	-
1851.5MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-33.89	-13.00	-20.89	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1851.5MHz_RB 1, #RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-18.67	-13.00	-5.67	-	-
1851.5MHz_RB 1, #RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91043G	-69.84	-13.00	-56.84	-	-
1851.5MHz_RB 1, #RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-56.26	-13.00	-43.26	MBW 1M	-
1851.5MHz_RB 1, #RB L	Pass	1.916G	5G	1M	3M	RMS	4.77602G	-50.31	-13.00	-37.31	-	-
1851.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.22	-13.00	-28.22	-	-
1880MHz_RB 15, #RB 0	Pass	9k	150k	1k	3k	RMS	13.618k	-74.21	-13.00	-61.21	-	-
1880MHz_RB 15, #RB 0	Pass	150k	30M	10k	30k	RMS	1.568M	-63.37	-13.00	-50.37	-	-
1880MHz_RB 15, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49155G	-51.90	-13.00	-38.90	-	-
1880MHz_RB 15, #RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.80904G	-51.17	-13.00	-38.17	-	-
1880MHz_RB 15, #RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8465G	-56.08	-13.00	-43.08	MBW 1M	-
1880MHz_RB 15, #RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.8495G	-69.36	-13.00	-56.36	-	-
1880MHz_RB 15, #RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91078G	-69.71	-13.00	-56.71	-	-
1880MHz_RB 15, #RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-56.01	-13.00	-43.01	MBW 1M	-
1880MHz_RB 15, #RB 0	Pass	1.916G	5G	1M	3M	RMS	4.96839G	-50.12	-13.00	-37.12	-	-
1880MHz_RB 15, #RB 0	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.30	-13.00	-28.30	-	-
1880MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	112.106k	-66.01	-13.00	-53.01	-	-
1880MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.49	-13.00	-54.49	-	-
1880MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	786.5M	-52.20	-13.00	-39.20	-	-
1880MHz_RB 1, #RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.84357G	-50.24	-13.00	-37.24	-	-
1880MHz_RB 1, #RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8445G	-55.62	-13.00	-42.62	MBW 1M	-
1880MHz_RB 1, #RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.84977G	-69.35	-13.00	-56.35	-	-
1880MHz_RB 1, #RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91003G	-69.69	-13.00	-56.69	-	-
1880MHz_RB 1, #RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-54.83	-13.00	-41.83	MBW 1M	-
1880MHz_RB 1, #RB L	Pass	1.916G	5G	1M	3M	RMS	3.75753G	-48.76	-13.00	-35.76	-	-
1880MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.63063G	-41.30	-13.00	-28.30	-	-
1908.5MHz_RB 15, #RB 0	Pass	9k	150k	1k	3k	RMS	9k	-76.18	-13.00	-63.18	-	-
1908.5MHz_RB 15, #RB 0	Pass	150k	30M	10k	30k	RMS	552.975k	-67.43	-13.00	-54.43	-	-
1908.5MHz_RB 15, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.43661G	-52.48	-13.00	-39.48	-	-
1908.5MHz_RB 15, #RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.63395G	-50.90	-13.00	-37.90	-	-
1908.5MHz_RB 15, #RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-56.23	-13.00	-43.23	MBW 1M	-
1908.5MHz_RB 15, #RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.8491G	-69.39	-13.00	-56.39	-	-
1908.5MHz_RB 15, #RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91001G	-29.42	-13.00	-16.42	-	-
1908.5MHz_RB 15, #RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-28.08	-13.00	-15.08	MBW 1M	-
1908.5MHz_RB 15, #RB 0	Pass	1.916G	5G	1M	3M	RMS	1.91677G	-49.01	-13.00	-36.01	-	-
1908.5MHz_RB 15, #RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.31	-13.00	-28.31	-	-
1908.5MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	22.184k	-65.89	-13.00	-52.89	-	-
1908.5MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	150k	-63.51	-13.00	-50.51	-	-
1908.5MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.32544G	-52.17	-13.00	-39.17	-	-
1908.5MHz_RB 1, #RB H	Pass	1.5G	1.844G	1M	3M	RMS	1.84004G	-51.03	-13.00	-38.03	-	-
1908.5MHz_RB 1, #RB H	Pass	1.844G	1.849G	30k	100k	RMS	1.8475G	-56.17	-13.00	-43.17	MBW 1M	-
1908.5MHz_RB 1, #RB H	Pass	1.849G	1.85G	30k	100k	RMS	1.84932G	-69.86	-13.00	-56.86	-	-
1908.5MHz_RB 1, #RB H	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-18.42	-13.00	-5.42	-	-
1908.5MHz_RB 1, #RB H	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-34.30	-13.00	-21.30	MBW 1M	-
1908.5MHz_RB 1, #RB H	Pass	1.916G	5G	1M	3M	RMS	3.8196G	-48.59	-13.00	-35.59	-	-
1908.5MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.33	-13.00	-28.33	-	-
Band 2_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1852.5MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.07	-13.00	-61.07	-	-
1852.5MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	2.799M	-64.60	-13.00	-51.60	-	-
1852.5MHz_RB 25, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.33077G	-51.09	-13.00	-38.09	-	-
1852.5MHz_RB 25, #RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.83958G	-42.96	-13.00	-29.96	-	-
1852.5MHz_RB 25, #RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-24.01	-13.00	-11.01	MBW 1M	-
1852.5MHz_RB 25, #RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84999G	-29.79	-13.00	-16.79	-	-
1852.5MHz_RB 25, #RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.9109G	-67.82	-13.00	-54.82	-	-
1852.5MHz_RB 25, #RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9135G	-56.36	-13.00	-43.36	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1852.5MHz_RB 25, #RB 0	Pass	1.92G	5G	1M	3M	RMS	4.97998G	-50.35	-13.00	-37.35	-	-
1852.5MHz_RB 25, #RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.35	-13.00	-28.35	-	-
1852.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	112.212k	-67.69	-13.00	-54.69	-	-
1852.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.77	-13.00	-52.77	-	-
1852.5MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	987.34M	-52.11	-13.00	-39.11	-	-
1852.5MHz_RB 1, #RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.83822G	-49.98	-13.00	-36.98	-	-
1852.5MHz_RB 1, #RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-32.16	-13.00	-19.16	MBW 1M	-
1852.5MHz_RB 1, #RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84999G	-17.04	-13.00	-4.04	-	-
1852.5MHz_RB 1, #RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91034G	-67.95	-13.00	-54.95	-	-
1852.5MHz_RB 1, #RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9185G	-56.28	-13.00	-43.28	MBW 1M	-
1852.5MHz_RB 1, #RB L	Pass	1.92G	5G	1M	3M	RMS	4.98999G	-50.38	-13.00	-37.38	-	-
1852.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.08	-13.00	-28.08	-	-
1880MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	9.67k	-75.46	-13.00	-62.46	-	-
1880MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	799.238k	-68.31	-13.00	-55.31	-	-
1880MHz_RB 25, #RB 0	Pass	30M	1.5G	1M	3M	RMS	922.47M	-52.44	-13.00	-39.44	-	-
1880MHz_RB 25, #RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.80783G	-49.99	-13.00	-36.99	-	-
1880MHz_RB 25, #RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8425G	-56.10	-13.00	-43.10	MBW 1M	-
1880MHz_RB 25, #RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84939G	-67.72	-13.00	-54.72	-	-
1880MHz_RB 25, #RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91071G	-67.56	-13.00	-54.56	-	-
1880MHz_RB 25, #RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-56.13	-13.00	-43.13	MBW 1M	-
1880MHz_RB 25, #RB 0	Pass	1.92G	5G	1M	3M	RMS	4.96458G	-50.38	-13.00	-37.38	-	-
1880MHz_RB 25, #RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.07	-13.00	-28.07	-	-
1880MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	13.23k	-64.82	-13.00	-51.82	-	-
1880MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-63.12	-13.00	-50.12	-	-
1880MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.12423G	-52.28	-13.00	-39.28	-	-
1880MHz_RB 1, #RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.81004G	-50.98	-13.00	-37.98	-	-
1880MHz_RB 1, #RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8445G	-56.02	-13.00	-43.02	MBW 1M	-
1880MHz_RB 1, #RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84915G	-67.46	-13.00	-54.46	-	-
1880MHz_RB 1, #RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91039G	-67.67	-13.00	-54.67	-	-
1880MHz_RB 1, #RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9135G	-56.15	-13.00	-43.15	MBW 1M	-
1880MHz_RB 1, #RB L	Pass	1.92G	5G	1M	3M	RMS	3.75568G	-49.22	-13.00	-36.22	-	-
1880MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.24	-13.00	-28.24	-	-
1907.5MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	9k	-75.64	-13.00	-62.64	-	-
1907.5MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	3.463M	-67.95	-13.00	-54.95	-	-
1907.5MHz_RB 25, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49927G	-52.22	-13.00	-39.22	-	-
1907.5MHz_RB 25, #RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.59503G	-51.16	-13.00	-38.16	-	-
1907.5MHz_RB 25, #RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8465G	-56.21	-13.00	-43.21	MBW 1M	-
1907.5MHz_RB 25, #RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84974G	-67.84	-13.00	-54.84	-	-
1907.5MHz_RB 25, #RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-30.42	-13.00	-17.42	-	-
1907.5MHz_RB 25, #RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-28.49	-13.00	-15.49	MBW 1M	-
1907.5MHz_RB 25, #RB 0	Pass	1.92G	5G	1M	3M	RMS	4.95034G	-50.41	-13.00	-37.41	-	-
1907.5MHz_RB 25, #RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.30	-13.00	-28.30	-	-
1907.5MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	45.872k	-66.52	-13.00	-53.52	-	-
1907.5MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-67.91	-13.00	-54.91	-	-
1907.5MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.48548G	-51.93	-13.00	-38.93	-	-
1907.5MHz_RB 1, #RB H	Pass	1.5G	1.84G	1M	3M	RMS	1.82619G	-50.62	-13.00	-37.62	-	-
1907.5MHz_RB 1, #RB H	Pass	1.84G	1.849G	50k	200k	RMS	1.8415G	-56.14	-13.00	-43.14	MBW 1M	-
1907.5MHz_RB 1, #RB H	Pass	1.849G	1.85G	50k	200k	RMS	1.84985G	-67.95	-13.00	-54.95	-	-
1907.5MHz_RB 1, #RB H	Pass	1.91G	1.911G	50k	200k	RMS	1.91002G	-16.98	-13.00	-3.98	-	-
1907.5MHz_RB 1, #RB H	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-32.67	-13.00	-19.67	MBW 1M	-
1907.5MHz_RB 1, #RB H	Pass	1.92G	5G	1M	3M	RMS	4.98807G	-50.44	-13.00	-37.44	-	-
1907.5MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.66438G	-41.15	-13.00	-28.15	-	-
Band 2_LTE_10MHz_Nss1_64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1855MHz_RB 50, #RB 0	Pass	9k	150k	1k	3k	RMS	11.961k	-75.68	-13.00	-62.68	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1855MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	2.531M	-69.71	-13.00	-56.71	-	-
1855MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	873.6M	-52.15	-13.00	-39.15	-	-
1855MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.75686G	-50.53	-13.00	-37.53	-	-
1855MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-26.14	-13.00	-13.14	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84999G	-30.83	-13.00	-17.83	-	-
1855MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91096G	-65.21	-13.00	-52.21	-	-
1855MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9125G	-56.30	-13.00	-43.30	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.98503G	-50.26	-13.00	-37.26	-	-
1855MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.31	-13.00	-28.31	-	-
1855MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	19.716k	-66.21	-13.00	-53.21	-	-
1855MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.90	-13.00	-52.90	-	-
1855MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.39012G	-51.78	-13.00	-38.78	-	-
1855MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.81857G	-50.73	-13.00	-37.73	-	-
1855MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-32.52	-13.00	-19.52	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-15.32	-13.00	-2.32	-	-
1855MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.9107G	-65.17	-13.00	-52.17	-	-
1855MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9145G	-56.29	-13.00	-43.29	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	4.95856G	-50.02	-13.00	-37.02	-	-
1855MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.20	-13.00	-28.20	-	-
1880MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.009k	-74.51	-13.00	-61.51	-	-
1880MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	1.053M	-70.71	-13.00	-57.71	-	-
1880MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.47722G	-52.32	-13.00	-39.32	-	-
1880MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.81222G	-50.87	-13.00	-37.87	-	-
1880MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-51.87	-13.00	-38.87	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84999G	-60.12	-13.00	-47.12	-	-
1880MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91011G	-64.11	-13.00	-51.11	-	-
1880MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-55.30	-13.00	-42.30	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.99117G	-50.31	-13.00	-37.31	-	-
1880MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.31	-13.00	-28.31	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	28.388k	-66.16	-13.00	-53.16	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.62	-13.00	-49.62	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	827.84M	-52.29	-13.00	-39.29	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.7487G	-50.47	-13.00	-37.47	-	-
1880MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8445G	-55.26	-13.00	-42.26	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84962G	-64.18	-13.00	-51.18	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.9109G	-64.55	-13.00	-51.55	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-55.89	-13.00	-42.89	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.75128G	-48.66	-13.00	-35.66	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.13	-13.00	-28.13	-	-
1905MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.326k	-76.86	-13.00	-63.86	-	-
1905MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	150k	-71.30	-13.00	-58.30	-	-
1905MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	893.63M	-52.10	-13.00	-39.10	-	-
1905MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.6572G	-50.50	-13.00	-37.50	-	-
1905MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8475G	-56.16	-13.00	-43.16	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84999G	-65.12	-13.00	-52.12	-	-
1905MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-30.33	-13.00	-17.33	-	-
1905MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-30.85	-13.00	-17.85	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.97122G	-50.20	-13.00	-37.20	-	-
1905MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.23	-13.00	-28.23	-	-
1905MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	73.261k	-65.17	-13.00	-52.17	-	-
1905MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-62.49	-13.00	-49.49	-	-
1905MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.35171G	-50.54	-13.00	-37.54	-	-
1905MHz_RB 1,#RB H	Pass	1.5G	1.83G	1M	3M	RMS	1.77803G	-51.39	-13.00	-38.39	-	-
1905MHz_RB 1,#RB H	Pass	1.83G	1.849G	100k	300k	RMS	1.8435G	-56.14	-13.00	-43.14	MBW 1M	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1905MHz_RB 1,#RB H	Pass	1.849G	1.85G	100k	300k	RMS	1.84915G	-65.25	-13.00	-52.25	-	-
1905MHz_RB 1,#RB H	Pass	1.91G	1.911G	100k	300k	RMS	1.91001G	-16.44	-13.00	-3.44	-	-
1905MHz_RB 1,#RB H	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-33.46	-13.00	-20.46	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.93G	5G	1M	3M	RMS	3.8192G	-49.83	-13.00	-36.83	-	-
1905MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64G	-41.11	-13.00	-28.11	-	-
Band 2_LTE_15MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1857.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	12.067k	-74.87	-13.00	-61.87	-	-
1857.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	6.105M	-71.64	-13.00	-58.64	-	-
1857.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.12423G	-51.39	-13.00	-38.39	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.6588G	-50.82	-13.00	-37.82	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-28.63	-13.00	-15.63	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-29.75	-13.00	-16.75	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91054G	-62.04	-13.00	-49.04	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-55.86	-13.00	-42.86	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.9629G	-50.12	-13.00	-37.12	-	-
1857.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.22	-13.00	-28.22	-	-
1857.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	46.259k	-66.28	-13.00	-53.28	-	-
1857.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.76	-13.00	-52.76	-	-
1857.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.19957G	-51.87	-13.00	-38.87	-	-
1857.5MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.64148G	-50.53	-13.00	-37.53	-	-
1857.5MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-25.86	-13.00	-12.86	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84997G	-15.56	-13.00	-2.56	-	-
1857.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91084G	-61.97	-13.00	-48.97	-	-
1857.5MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9395G	-56.15	-13.00	-43.15	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	4.93306G	-50.26	-13.00	-37.26	-	-
1857.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.62688G	-41.17	-13.00	-28.17	-	-
1880MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	15.98k	-73.70	-13.00	-60.70	-	-
1880MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	5.023M	-70.86	-13.00	-57.86	-	-
1880MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	764.08M	-51.60	-13.00	-38.60	-	-
1880MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.8106G	-50.70	-13.00	-37.70	-	-
1880MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-45.62	-13.00	-32.62	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84947G	-50.47	-13.00	-37.47	-	-
1880MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91001G	-55.95	-13.00	-42.95	-	-
1880MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-50.88	-13.00	-37.88	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.9476G	-50.33	-13.00	-37.33	-	-
1880MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.21	-13.00	-28.21	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	46.294k	-65.97	-13.00	-52.97	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.12	-13.00	-50.12	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.33867G	-51.71	-13.00	-38.71	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.7572G	-50.76	-13.00	-37.76	-	-
1880MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8465G	-49.00	-13.00	-36.00	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84932G	-61.80	-13.00	-48.80	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91009G	-62.26	-13.00	-49.26	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9195G	-55.94	-13.00	-42.94	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.74693G	-47.68	-13.00	-34.68	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64G	-41.10	-13.00	-28.10	-	-
1902.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	20.597k	-76.44	-13.00	-63.44	-	-
1902.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	7.068M	-64.07	-13.00	-51.07	-	-
1902.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.39912G	-52.34	-13.00	-39.34	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.80304G	-51.19	-13.00	-38.19	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-54.15	-13.00	-41.15	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-59.96	-13.00	-46.96	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91002G	-30.62	-13.00	-17.62	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-31.74	-13.00	-18.74	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1902.5MHz_RB_75, #RB 0	Pass	1.94G	5G	1M	3M	RMS	4.96213G	-50.40	-13.00	-37.40	-	-
1902.5MHz_RB_75, #RB 0	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.09	-13.00	-28.09	-	-
1902.5MHz_RB_1, #RB H	Pass	9k	150k	1k	3k	RMS	11.432k	-66.40	-13.00	-53.40	-	-
1902.5MHz_RB_1, #RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-67.75	-13.00	-54.75	-	-
1902.5MHz_RB_1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.20067G	-51.96	-13.00	-38.96	-	-
1902.5MHz_RB_1, #RB H	Pass	1.5G	1.82G	1M	3M	RMS	1.79092G	-51.00	-13.00	-38.00	-	-
1902.5MHz_RB_1, #RB H	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-56.03	-13.00	-43.03	MBW 1M	-
1902.5MHz_RB_1, #RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84927G	-62.04	-13.00	-49.04	-	-
1902.5MHz_RB_1, #RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91002G	-15.54	-13.00	-2.54	-	-
1902.5MHz_RB_1, #RB H	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-24.72	-13.00	-11.72	MBW 1M	-
1902.5MHz_RB_1, #RB H	Pass	1.94G	5G	1M	3M	RMS	3.81846G	-49.44	-13.00	-36.44	-	-
1902.5MHz_RB_1, #RB H	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.22	-13.00	-28.22	-	-
Band 2_LTE_20MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1860MHz_RB_100, #RB 0	Pass	9k	150k	1k	3k	RMS	9k	-76.41	-13.00	-63.41	-	-
1860MHz_RB_100, #RB 0	Pass	150k	30M	10k	30k	RMS	11.777M	-65.13	-13.00	-52.13	-	-
1860MHz_RB_100, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.47832G	-52.03	-13.00	-39.03	-	-
1860MHz_RB_100, #RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.80481G	-50.44	-13.00	-37.44	-	-
1860MHz_RB_100, #RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-30.65	-13.00	-17.65	MBW 1M	-
1860MHz_RB_100, #RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84999G	-32.77	-13.00	-19.77	-	-
1860MHz_RB_100, #RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91007G	-60.82	-13.00	-47.82	-	-
1860MHz_RB_100, #RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-54.87	-13.00	-41.87	MBW 1M	-
1860MHz_RB_100, #RB 0	Pass	1.95G	5G	1M	3M	RMS	4.96493G	-50.14	-13.00	-37.14	-	-
1860MHz_RB_100, #RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.38	-13.00	-28.38	-	-
1860MHz_RB_1, #RB L	Pass	9k	150k	1k	3k	RMS	46.33k	-65.71	-13.00	-52.71	-	-
1860MHz_RB_1, #RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-62.35	-13.00	-49.35	-	-
1860MHz_RB_1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.2139G	-52.00	-13.00	-39.00	-	-
1860MHz_RB_1, #RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.66535G	-50.92	-13.00	-37.92	-	-
1860MHz_RB_1, #RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-27.28	-13.00	-14.28	MBW 1M	-
1860MHz_RB_1, #RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.85G	-18.28	-13.00	-5.28	-	-
1860MHz_RB_1, #RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91085G	-62.34	-13.00	-49.34	-	-
1860MHz_RB_1, #RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9135G	-55.65	-13.00	-42.65	MBW 1M	-
1860MHz_RB_1, #RB L	Pass	1.95G	5G	1M	3M	RMS	4.94777G	-50.39	-13.00	-37.39	-	-
1860MHz_RB_1, #RB L	Pass	5G	20G	1M	3M	RMS	19.64G	-41.22	-13.00	-28.22	-	-
1880MHz_RB_100, #RB 0	Pass	9k	150k	1k	3k	RMS	9.247k	-76.05	-13.00	-63.05	-	-
1880MHz_RB_100, #RB 0	Pass	150k	30M	10k	30k	RMS	1.299M	-70.46	-13.00	-57.46	-	-
1880MHz_RB_100, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.36109G	-51.88	-13.00	-38.88	-	-
1880MHz_RB_100, #RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.59629G	-50.84	-13.00	-37.84	-	-
1880MHz_RB_100, #RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-39.68	-13.00	-26.68	MBW 1M	-
1880MHz_RB_100, #RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84951G	-44.43	-13.00	-31.43	-	-
1880MHz_RB_100, #RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91029G	-51.31	-13.00	-38.31	-	-
1880MHz_RB_100, #RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-46.16	-13.00	-33.16	MBW 1M	-
1880MHz_RB_100, #RB 0	Pass	1.95G	5G	1M	3M	RMS	4.86618G	-50.14	-13.00	-37.14	-	-
1880MHz_RB_100, #RB 0	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.16	-13.00	-28.16	-	-
1880MHz_RB_1, #RB L	Pass	9k	150k	1k	3k	RMS	27.964k	-65.08	-13.00	-52.08	-	-
1880MHz_RB_1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.95	-13.00	-51.95	-	-
1880MHz_RB_1, #RB L	Pass	30M	1.5G	1M	3M	RMS	975.76M	-52.06	-13.00	-39.06	-	-
1880MHz_RB_1, #RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.75432G	-51.29	-13.00	-38.29	-	-
1880MHz_RB_1, #RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8445G	-53.36	-13.00	-40.36	MBW 1M	-
1880MHz_RB_1, #RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.84978G	-59.80	-13.00	-46.80	-	-
1880MHz_RB_1, #RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.9102G	-62.17	-13.00	-49.17	-	-
1880MHz_RB_1, #RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9155G	-55.10	-13.00	-42.10	MBW 1M	-
1880MHz_RB_1, #RB L	Pass	1.95G	5G	1M	3M	RMS	3.74226G	-47.39	-13.00	-34.39	-	-
1880MHz_RB_1, #RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.02	-13.00	-28.02	-	-
1900MHz_RB_100, #RB 0	Pass	9k	150k	1k	3k	RMS	15.98k	-75.34	-13.00	-62.34	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1900MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	4.075M	-67.66	-13.00	-54.66	-	-
1900MHz_RB 100, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.21445G	-51.93	-13.00	-38.93	-	-
1900MHz_RB 100, #RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.51182G	-51.46	-13.00	-38.46	-	-
1900MHz_RB 100, #RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-50.07	-13.00	-37.07	MBW 1M	-
1900MHz_RB 100, #RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84965G	-54.94	-13.00	-41.94	-	-
1900MHz_RB 100, #RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91004G	-33.64	-13.00	-20.64	-	-
1900MHz_RB 100, #RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-33.99	-13.00	-20.99	MBW 1M	-
1900MHz_RB 100, #RB 0	Pass	1.95G	5G	1M	3M	RMS	4.98551G	-50.22	-13.00	-37.22	-	-
1900MHz_RB 100, #RB 0	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.03	-13.00	-28.03	-	-
1900MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	88.418k	-65.87	-13.00	-52.87	-	-
1900MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	150k	-66.56	-13.00	-53.56	-	-
1900MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.32636G	-51.91	-13.00	-38.91	-	-
1900MHz_RB 1, #RB H	Pass	1.5G	1.81G	1M	3M	RMS	1.64078G	-50.88	-13.00	-37.88	-	-
1900MHz_RB 1, #RB H	Pass	1.81G	1.849G	200k	1M	RMS	1.8465G	-55.72	-13.00	-42.72	MBW 1M	-
1900MHz_RB 1, #RB H	Pass	1.849G	1.85G	200k	1M	RMS	1.84947G	-62.29	-13.00	-49.29	-	-
1900MHz_RB 1, #RB H	Pass	1.91G	1.911G	200k	1M	RMS	1.91002G	-19.14	-13.00	-6.14	-	-
1900MHz_RB 1, #RB H	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-28.46	-13.00	-15.46	MBW 1M	-
1900MHz_RB 1, #RB H	Pass	1.95G	5G	1M	3M	RMS	3.81774G	-49.07	-13.00	-36.07	-	-
1900MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.31	-13.00	-28.31	-	-
Band 4_LTE_1.4MHz_Nss1,QPSK_ITX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6, #RB 0	Pass	9k	150k	1k	3k	RMS	11.044k	-75.76	-13.00	-62.76	-	-
1710.7MHz_RB 6, #RB 0	Pass	150k	30M	10k	30k	RMS	418.65k	-65.70	-13.00	-52.70	-	-
1710.7MHz_RB 6, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49302G	-51.18	-13.00	-38.18	-	-
1710.7MHz_RB 6, #RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.70663G	-38.90	-13.00	-25.90	-	-
1710.7MHz_RB 6, #RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-30.91	-13.00	-17.91	MBW 1M	-
1710.7MHz_RB 6, #RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70999G	-26.55	-13.00	-13.55	-	-
1710.7MHz_RB 6, #RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75512G	-70.78	-13.00	-57.78	-	-
1710.7MHz_RB 6, #RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.26	-13.00	-43.26	MBW 1M	-
1710.7MHz_RB 6, #RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.42145G	-44.35	-13.00	-31.35	-	-
1710.7MHz_RB 6, #RB 0	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.24	-13.00	-28.24	-	-
1710.7MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	60.218k	-63.44	-13.00	-50.44	-	-
1710.7MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	202.238k	-71.52	-13.00	-58.52	-	-
1710.7MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.18156G	-51.24	-13.00	-38.24	-	-
1710.7MHz_RB 1, #RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.70715G	-41.34	-13.00	-28.34	-	-
1710.7MHz_RB 1, #RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-36.28	-13.00	-23.28	MBW 1M	-
1710.7MHz_RB 1, #RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.70999G	-21.53	-13.00	-8.53	-	-
1710.7MHz_RB 1, #RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75567G	-71.25	-13.00	-58.25	-	-
1710.7MHz_RB 1, #RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7573G	-56.18	-13.00	-43.18	MBW 1M	-
1710.7MHz_RB 1, #RB L	Pass	1.7578G	5G	1M	3M	RMS	3.42024G	-41.10	-13.00	-28.10	-	-
1710.7MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-40.79	-13.00	-27.79	-	-
1732.5MHz_RB 6, #RB 0	Pass	9k	150k	1k	3k	RMS	134.807k	-75.41	-13.00	-62.41	-	-
1732.5MHz_RB 6, #RB 0	Pass	150k	30M	10k	30k	RMS	552.975k	-60.18	-13.00	-47.18	-	-
1732.5MHz_RB 6, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.45204G	-52.39	-13.00	-39.39	-	-
1732.5MHz_RB 6, #RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.50021G	-50.41	-13.00	-37.41	-	-
1732.5MHz_RB 6, #RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7077G	-56.27	-13.00	-43.27	MBW 1M	-
1732.5MHz_RB 6, #RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.709G	-70.85	-13.00	-57.85	-	-
1732.5MHz_RB 6, #RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75549G	-70.92	-13.00	-57.92	-	-
1732.5MHz_RB 6, #RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-55.94	-13.00	-42.94	MBW 1M	-
1732.5MHz_RB 6, #RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.46522G	-49.48	-13.00	-36.48	-	-
1732.5MHz_RB 6, #RB 0	Pass	5G	20G	1M	3M	RMS	19.66625G	-41.34	-13.00	-28.34	-	-
1732.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	87.89k	-64.08	-13.00	-51.08	-	-
1732.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.55	-13.00	-48.55	-	-
1732.5MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.18799G	-50.90	-13.00	-37.90	-	-
1732.5MHz_RB 1, #RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.59814G	-50.72	-13.00	-37.72	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.16	-13.00	-43.16	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.70975G	-71.05	-13.00	-58.05	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75504G	-70.79	-13.00	-57.79	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-55.92	-13.00	-42.92	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.46441G	-46.34	-13.00	-33.34	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.20	-13.00	-28.20	-	-
1754.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	121.624k	-75.16	-13.00	-62.16	-	-
1754.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	396.262k	-61.26	-13.00	-48.26	-	-
1754.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	941.22M	-52.24	-13.00	-39.24	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.60443G	-51.41	-13.00	-38.41	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.54	-13.00	-43.54	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70957G	-71.48	-13.00	-58.48	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75501G	-27.56	-13.00	-14.56	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-31.32	-13.00	-18.32	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-43.98	-13.00	-30.98	-	-
1754.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.20	-13.00	-28.20	-	-
1754.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	87.079k	-61.95	-13.00	-48.95	-	-
1754.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-59.92	-13.00	-46.92	-	-
1754.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.42907G	-52.00	-13.00	-39.00	-	-
1754.3MHz_RB 1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.60111G	-50.17	-13.00	-37.17	-	-
1754.3MHz_RB 1,#RB H	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.48	-13.00	-43.48	MBW 1M	-
1754.3MHz_RB 1,#RB H	Pass	1.709G	1.71G	20k	50k	RMS	1.70984G	-71.20	-13.00	-58.20	-	-
1754.3MHz_RB 1,#RB H	Pass	1.755G	1.756G	20k	50k	RMS	1.755G	-21.33	-13.00	-8.33	-	-
1754.3MHz_RB 1,#RB H	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-34.99	-13.00	-21.99	MBW 1M	-
1754.3MHz_RB 1,#RB H	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-43.59	-13.00	-30.59	-	-
1754.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.4G	-41.10	-13.00	-28.10	-	-
Band 4_LTE_3MHz_Nss1.QPSK_ITX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	27.964k	-75.06	-13.00	-62.06	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.105M	-62.95	-13.00	-49.95	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.43403G	-52.25	-13.00	-39.25	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.70359G	-36.34	-13.00	-23.34	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-22.96	-13.00	-9.96	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-27.95	-13.00	-14.95	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75576G	-69.79	-13.00	-56.79	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-56.24	-13.00	-43.24	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.42342G	-46.96	-13.00	-33.96	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.655G	-41.38	-13.00	-28.38	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	134.384k	-64.59	-13.00	-51.59	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.64	-13.00	-51.64	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.42448G	-52.01	-13.00	-39.01	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.704G	-42.59	-13.00	-29.59	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-32.73	-13.00	-19.73	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-17.51	-13.00	-4.51	-	-
1711.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75597G	-69.72	-13.00	-56.72	-	-
1711.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7605G	-56.17	-13.00	-43.17	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.42058G	-40.74	-13.00	-27.74	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.12	-13.00	-28.12	-	-
1732.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-75.29	-13.00	-62.29	-	-
1732.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.12M	-66.50	-13.00	-53.50	-	-
1732.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48934G	-52.35	-13.00	-39.35	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.65609G	-50.81	-13.00	-37.81	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-56.20	-13.00	-43.20	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70991G	-69.63	-13.00	-56.63	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75528G	-69.22	-13.00	-56.22	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7585G	-55.95	-13.00	-42.95	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	4.76436G	-50.25	-13.00	-37.25	-	-
1732.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.18	-13.00	-28.18	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	71.71k	-64.04	-13.00	-51.04	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.56	-13.00	-53.56	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.42356G	-51.33	-13.00	-38.33	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.61207G	-50.46	-13.00	-37.46	-	-
1732.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7055G	-55.90	-13.00	-42.90	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70927G	-69.53	-13.00	-56.53	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75559G	-69.32	-13.00	-56.32	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7575G	-55.41	-13.00	-42.41	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.46269G	-46.29	-13.00	-33.29	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.23	-13.00	-28.23	-	-
1753.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	27.859k	-75.23	-13.00	-62.23	-	-
1753.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.12M	-66.22	-13.00	-53.22	-	-
1753.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	816.08M	-51.80	-13.00	-38.80	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.61064G	-51.36	-13.00	-38.36	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7055G	-56.46	-13.00	-43.46	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.7092G	-70.24	-13.00	-57.24	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75501G	-28.52	-13.00	-15.52	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-26.10	-13.00	-13.10	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	1.76181G	-47.12	-13.00	-34.12	-	-
1753.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.13	-13.00	-28.13	-	-
1753.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	107.488k	-63.20	-13.00	-50.20	-	-
1753.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-62.49	-13.00	-49.49	-	-
1753.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	972.82M	-51.79	-13.00	-38.79	-	-
1753.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.67598G	-50.75	-13.00	-37.75	-	-
1753.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7065G	-56.44	-13.00	-43.44	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.7096G	-70.11	-13.00	-57.11	-	-
1753.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-15.53	-13.00	-2.53	-	-
1753.5MHz_RB 1,#RB H	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-33.62	-13.00	-20.62	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.761G	5G	1M	3M	RMS	3.50925G	-45.92	-13.00	-32.92	-	-
1753.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.13	-13.00	-28.13	-	-
Band 4_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.349k	-76.87	-13.00	-63.87	-	-
1712.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.963M	-62.33	-13.00	-49.33	-	-
1712.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.45682G	-52.22	-13.00	-39.22	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6993G	-45.05	-13.00	-32.05	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-22.23	-13.00	-9.23	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-27.33	-13.00	-14.33	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75532G	-67.71	-13.00	-54.71	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-56.24	-13.00	-43.24	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.42456G	-48.09	-13.00	-35.09	-	-
1712.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.25	-13.00	-28.25	-	-
1712.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	81.721k	-64.98	-13.00	-51.98	-	-
1712.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-59.16	-13.00	-46.16	-	-
1712.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.2591G	-52.27	-13.00	-39.27	-	-
1712.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.69908G	-50.34	-13.00	-37.34	-	-
1712.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-30.44	-13.00	-17.44	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70999G	-15.79	-13.00	-2.79	-	-
1712.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75514G	-67.64	-13.00	-54.64	-	-
1712.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-56.18	-13.00	-43.18	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.42051G	-41.62	-13.00	-28.62	-	-
1712.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.18	-13.00	-28.18	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-72.31	-13.00	-59.31	-	-
1732.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	530.588k	-67.95	-13.00	-54.95	-	-
1732.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.19075G	-51.68	-13.00	-38.68	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.59713G	-50.89	-13.00	-37.89	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7075G	-56.02	-13.00	-43.02	MBW 1M	-
1732.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70976G	-67.32	-13.00	-54.32	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75599G	-67.19	-13.00	-54.19	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-55.81	-13.00	-42.81	MBW 1M	-
1732.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	4.72462G	-50.06	-13.00	-37.06	-	-
1732.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.14	-13.00	-28.14	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	100.192k	-65.64	-13.00	-52.64	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.09	-13.00	-48.09	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.38681G	-51.04	-13.00	-38.04	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.616G	-50.66	-13.00	-37.66	-	-
1732.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7045G	-55.79	-13.00	-42.79	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70999G	-67.55	-13.00	-54.55	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75548G	-67.49	-13.00	-54.49	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-55.39	-13.00	-42.39	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.46095G	-46.86	-13.00	-33.86	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.32	-13.00	-28.32	-	-
1752.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.948k	-72.62	-13.00	-59.62	-	-
1752.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.583M	-68.29	-13.00	-55.29	-	-
1752.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.31276G	-51.37	-13.00	-38.37	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.68348G	-50.69	-13.00	-37.69	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7075G	-56.52	-13.00	-43.52	MBW 1M	-
1752.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70933G	-67.90	-13.00	-54.90	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75501G	-28.78	-13.00	-15.78	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-25.96	-13.00	-12.96	MBW 1M	-
1752.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	1.7654G	-50.06	-13.00	-37.06	-	-
1752.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.29	-13.00	-28.29	-	-
1752.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	107.383k	-65.22	-13.00	-52.22	-	-
1752.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.36	-13.00	-47.36	-	-
1752.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.23007G	-52.22	-13.00	-39.22	-	-
1752.5MHz_RB 1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.5103G	-50.68	-13.00	-37.68	-	-
1752.5MHz_RB 1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7025G	-56.43	-13.00	-43.43	MBW 1M	-
1752.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70998G	-68.01	-13.00	-55.01	-	-
1752.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-16.33	-13.00	-3.33	-	-
1752.5MHz_RB 1,#RB H	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-32.07	-13.00	-19.07	MBW 1M	-
1752.5MHz_RB 1,#RB H	Pass	1.765G	5G	1M	3M	RMS	3.50947G	-45.65	-13.00	-32.65	-	-
1752.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.33	-13.00	-28.33	-	-
Band 4_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.494k	-77.07	-13.00	-64.07	-	-
1715MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	4.717M	-61.66	-13.00	-48.66	-	-
1715MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.22419G	-51.41	-13.00	-38.41	-	-
1715MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.60951G	-50.80	-13.00	-37.80	-	-
1715MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-23.07	-13.00	-10.07	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70999G	-28.60	-13.00	-15.60	-	-
1715MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75571G	-64.26	-13.00	-51.26	-	-
1715MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-55.72	-13.00	-42.72	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.78917G	-50.21	-13.00	-37.21	-	-
1715MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6325G	-41.08	-13.00	-28.08	-	-
1715MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	76.01k	-65.13	-13.00	-52.13	-	-
1715MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.79	-13.00	-49.79	-	-
1715MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.4276G	-51.56	-13.00	-38.56	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1715MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.62462G	-50.47	-13.00	-37.47	-	-
1715MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-32.55	-13.00	-19.55	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70999G	-15.17	-13.00	-2.17	-	-
1715MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75521G	-64.92	-13.00	-51.92	-	-
1715MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7595G	-55.98	-13.00	-42.98	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.42136G	-41.28	-13.00	-28.28	-	-
1715MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.37	-13.00	-28.37	-	-
1732.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	13.16k	-75.40	-13.00	-62.40	-	-
1732.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.225M	-65.53	-13.00	-52.53	-	-
1732.5MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.15731G	-51.71	-13.00	-38.71	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.6325G	-51.30	-13.00	-38.30	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-49.15	-13.00	-36.15	MBW 1M	-
1732.5MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70967G	-56.49	-13.00	-43.49	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75532G	-59.41	-13.00	-46.41	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-51.73	-13.00	-38.73	MBW 1M	-
1732.5MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.99315G	-50.33	-13.00	-37.33	-	-
1732.5MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6625G	-41.17	-13.00	-28.17	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	136.076k	-65.19	-13.00	-52.19	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.32	-13.00	-49.32	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.4649G	-52.49	-13.00	-39.49	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.58581G	-50.50	-13.00	-37.50	-	-
1732.5MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7065G	-55.06	-13.00	-42.06	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70999G	-60.77	-13.00	-47.77	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75556G	-64.72	-13.00	-51.72	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7585G	-54.86	-13.00	-41.86	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.45643G	-47.77	-13.00	-34.77	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.7975G	-41.16	-13.00	-28.16	-	-
1750MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.468k	-77.40	-13.00	-64.40	-	-
1750MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.277M	-60.37	-13.00	-47.37	-	-
1750MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.47336G	-52.18	-13.00	-39.18	-	-
1750MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.50069G	-50.72	-13.00	-37.72	-	-
1750MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-55.92	-13.00	-42.92	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70982G	-64.79	-13.00	-51.79	-	-
1750MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75501G	-29.40	-13.00	-16.40	-	-
1750MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-28.55	-13.00	-15.55	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.75047G	-50.24	-13.00	-37.24	-	-
1750MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6625G	-40.97	-13.00	-27.97	-	-
1750MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	81.439k	-64.20	-13.00	-51.20	-	-
1750MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-62.20	-13.00	-49.20	-	-
1750MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.4537G	-51.31	-13.00	-38.31	-	-
1750MHz_RB 1,#RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.53173G	-51.02	-13.00	-38.02	-	-
1750MHz_RB 1,#RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.7055G	-56.41	-13.00	-43.41	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70945G	-65.17	-13.00	-52.17	-	-
1750MHz_RB 1,#RB H	Pass	1.755G	1.756G	100k	300k	RMS	1.75501G	-15.56	-13.00	-2.56	-	-
1750MHz_RB 1,#RB H	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-33.23	-13.00	-20.23	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.775G	5G	1M	3M	RMS	3.50924G	-45.30	-13.00	-32.30	-	-
1750MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63625G	-40.95	-13.00	-27.95	-	-
Band 4_LTE_15MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-76.18	-13.00	-63.18	-	-
1717.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	1.851M	-71.26	-13.00	-58.26	-	-
1717.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.43183G	-51.73	-13.00	-38.73	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.67521G	-51.02	-13.00	-38.02	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-24.20	-13.00	-11.20	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70998G	-27.44	-13.00	-14.44	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1717.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75589G	-57.76	-13.00	-44.76	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-51.98	-13.00	-38.98	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.73235G	-50.35	-13.00	-37.35	-	-
1717.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-41.24	-13.00	-28.24	-	-
1717.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	134.384k	-66.59	-13.00	-53.59	-	-
1717.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-63.76	-13.00	-50.76	-	-
1717.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.48016G	-52.07	-13.00	-39.07	-	-
1717.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.66999G	-50.67	-13.00	-37.67	-	-
1717.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-25.09	-13.00	-12.09	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70998G	-15.04	-13.00	-2.04	-	-
1717.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75591G	-61.96	-13.00	-48.96	-	-
1717.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7575G	-54.86	-13.00	-41.86	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	3.42184G	-41.65	-13.00	-28.65	-	-
1717.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-40.93	-13.00	-27.93	-	-
1732.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	15.098k	-76.82	-13.00	-63.82	-	-
1732.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	7.202M	-64.02	-13.00	-51.02	-	-
1732.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.44083G	-51.73	-13.00	-38.73	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.67564G	-50.89	-13.00	-37.89	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-39.96	-13.00	-26.96	MBW 1M	-
1732.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70977G	-45.05	-13.00	-32.05	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75541G	-47.03	-13.00	-34.03	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-42.37	-13.00	-29.37	MBW 1M	-
1732.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.96624G	-50.26	-13.00	-37.26	-	-
1732.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.13	-13.00	-28.13	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.446k	-63.52	-13.00	-50.52	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.04	-13.00	-48.04	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.44047G	-51.15	-13.00	-38.15	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.63055G	-51.20	-13.00	-38.20	-	-
1732.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6995G	-45.60	-13.00	-32.60	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70969G	-60.25	-13.00	-47.25	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.7552G	-61.66	-13.00	-48.66	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7595G	-54.33	-13.00	-41.33	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	3.45158G	-47.89	-13.00	-34.89	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.15	-13.00	-28.15	-	-
1747.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	18.8k	-76.28	-13.00	-63.28	-	-
1747.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	6.881M	-59.76	-13.00	-46.76	-	-
1747.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	832.44M	-52.18	-13.00	-39.18	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.65152G	-51.05	-13.00	-38.05	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7075G	-49.97	-13.00	-36.97	MBW 1M	-
1747.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70923G	-55.59	-13.00	-42.59	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75502G	-28.49	-13.00	-15.49	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-30.03	-13.00	-17.03	MBW 1M	-
1747.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.99598G	-50.31	-13.00	-37.31	-	-
1747.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.39	-13.00	-28.39	-	-
1747.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	103.012k	-64.75	-13.00	-51.75	-	-
1747.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-61.97	-13.00	-48.97	-	-
1747.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.44892G	-52.51	-13.00	-39.51	-	-
1747.5MHz_RB 1,#RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.67719G	-49.92	-13.00	-36.92	-	-
1747.5MHz_RB 1,#RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7075G	-55.41	-13.00	-42.41	MBW 1M	-
1747.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70974G	-62.52	-13.00	-49.52	-	-
1747.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.75502G	-14.80	-13.00	-1.80	-	-
1747.5MHz_RB 1,#RB H	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-25.57	-13.00	-12.57	MBW 1M	-
1747.5MHz_RB 1,#RB H	Pass	1.785G	5G	1M	3M	RMS	3.50864G	-46.62	-13.00	-33.62	-	-
1747.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.27	-13.00	-28.27	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 4_LTE_20MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	10.234k	-75.59	-13.00	-62.59	-	-
1720MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	8.292M	-64.84	-13.00	-51.84	-	-
1720MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.29861G	-51.85	-13.00	-38.85	-	-
1720MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.60776G	-51.00	-13.00	-38.00	-	-
1720MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-24.67	-13.00	-11.67	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70999G	-28.88	-13.00	-15.88	-	-
1720MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75599G	-49.04	-13.00	-36.04	-	-
1720MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-44.06	-13.00	-31.06	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.97917G	-50.19	-13.00	-37.19	-	-
1720MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.655G	-41.08	-13.00	-28.08	-	-
1720MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	59.337k	-65.62	-13.00	-52.62	-	-
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.58	-13.00	-51.58	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.28336G	-51.63	-13.00	-38.63	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.5149G	-51.22	-13.00	-38.22	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-27.15	-13.00	-14.15	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.70999G	-18.24	-13.00	-5.24	-	-
1720MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.7556G	-59.68	-13.00	-46.68	-	-
1720MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7735G	-55.58	-13.00	-42.58	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.42234G	-41.99	-13.00	-28.99	-	-
1720MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.10	-13.00	-28.10	-	-
1732.5MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	28.67k	-77.88	-13.00	-64.88	-	-
1732.5MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	15.851M	-70.33	-13.00	-57.33	-	-
1732.5MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49927G	-51.89	-13.00	-38.89	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.63555G	-50.67	-13.00	-37.67	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-31.75	-13.00	-18.75	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70995G	-35.82	-13.00	-22.82	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75547G	-44.90	-13.00	-31.90	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-39.37	-13.00	-26.37	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.94752G	-50.19	-13.00	-37.19	-	-
1732.5MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.07	-13.00	-28.07	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	102.448k	-66.02	-13.00	-53.02	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.32	-13.00	-50.32	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.42926G	-51.81	-13.00	-38.81	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.60147G	-50.94	-13.00	-37.94	-	-
1732.5MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7055G	-42.22	-13.00	-29.22	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.70946G	-53.09	-13.00	-40.09	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.75579G	-61.97	-13.00	-48.97	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7595G	-28.48	-13.00	-15.48	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.44718G	-46.44	-13.00	-33.44	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.23	-13.00	-28.23	-	-
1745MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	9.599k	-74.62	-13.00	-61.62	-	-
1745MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	4.971M	-69.56	-13.00	-56.56	-	-
1745MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	870.29M	-52.15	-13.00	-39.15	-	-
1745MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.52299G	-51.33	-13.00	-38.33	-	-
1745MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-42.49	-13.00	-29.49	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70999G	-47.64	-13.00	-34.64	-	-
1745MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75502G	-32.40	-13.00	-19.40	-	-
1745MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-31.26	-13.00	-18.26	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.96114G	-50.20	-13.00	-37.20	-	-
1745MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.10	-13.00	-28.10	-	-
1745MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	83.8k	-65.92	-13.00	-52.92	-	-
1745MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.01	-13.00	-51.01	-	-
1745MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.38883G	-51.41	-13.00	-38.41	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1745MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.66173G	-50.82	-13.00	-37.82	-	-
1745MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-56.29	-13.00	-43.29	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	1M	RMS	1.70932G	-59.53	-13.00	-46.53	-	-
1745MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	1M	RMS	1.75502G	-18.93	-13.00	-5.93	-	-
1745MHz_RB 1,#RB H	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-27.59	-13.00	-14.59	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.795G	5G	1M	3M	RMS	3.50767G	-46.07	-13.00	-33.07	-	-
1745MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.28	-13.00	-28.28	-	-
Band 4_LTE_1.4MHz_Nss1.16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	11.468k	-71.06	-13.00	-58.06	-	-
1710.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	396.262k	-64.24	-13.00	-51.24	-	-
1710.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.46931G	-51.00	-13.00	-38.00	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.70715G	-41.56	-13.00	-28.56	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-32.79	-13.00	-19.79	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-27.05	-13.00	-14.05	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75524G	-71.37	-13.00	-58.37	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.22	-13.00	-43.22	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.42186G	-45.00	-13.00	-32.00	-	-
1710.7MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.31	-13.00	-28.31	-	-
1710.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	88.594k	-64.65	-13.00	-51.65	-	-
1710.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-58.98	-13.00	-45.98	-	-
1710.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	694.44M	-52.19	-13.00	-39.19	-	-
1710.7MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.70712G	-41.28	-13.00	-28.28	-	-
1710.7MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-35.72	-13.00	-22.72	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-19.97	-13.00	-6.97	-	-
1710.7MHz_RB 1,#RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75542G	-71.04	-13.00	-58.04	-	-
1710.7MHz_RB 1,#RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.23	-13.00	-43.23	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.42064G	-42.58	-13.00	-29.58	-	-
1710.7MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.655G	-41.08	-13.00	-28.08	-	-
1732.5MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	106.29k	-72.50	-13.00	-59.50	-	-
1732.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	388.8k	-62.46	-13.00	-49.46	-	-
1732.5MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.16741G	-51.74	-13.00	-38.74	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.69296G	-51.06	-13.00	-38.06	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.27	-13.00	-43.27	MBW 1M	-
1732.5MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70908G	-71.31	-13.00	-58.31	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75563G	-70.76	-13.00	-57.76	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.05	-13.00	-43.05	MBW 1M	-
1732.5MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	4.74225G	-50.26	-13.00	-37.26	-	-
1732.5MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.29	-13.00	-28.29	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	29.551k	-65.35	-13.00	-52.35	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.31	-13.00	-51.31	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.17605G	-52.23	-13.00	-39.23	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.69798G	-49.99	-13.00	-36.99	-	-
1732.5MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7077G	-56.22	-13.00	-43.22	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.70978G	-70.78	-13.00	-57.78	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75527G	-70.96	-13.00	-57.96	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-55.95	-13.00	-42.95	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.46401G	-45.83	-13.00	-32.83	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.38	-13.00	-28.38	-	-
1754.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	106.114k	-73.55	-13.00	-60.55	-	-
1754.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	388.8k	-61.16	-13.00	-48.16	-	-
1754.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.46399G	-51.72	-13.00	-38.72	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.60109G	-50.82	-13.00	-37.82	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7077G	-56.51	-13.00	-43.51	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70994G	-71.69	-13.00	-58.69	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1754.3MHz_RB_6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75501G	-27.40	-13.00	-14.40	-	-
1754.3MHz_RB_6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-34.11	-13.00	-21.11	MBW 1M	-
1754.3MHz_RB_6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-45.36	-13.00	-32.36	-	-
1754.3MHz_RB_6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65875G	-41.17	-13.00	-28.17	-	-
1754.3MHz_RB_1,#RB H	Pass	9k	150k	1k	3k	RMS	22.853k	-65.02	-13.00	-52.02	-	-
1754.3MHz_RB_1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-66.80	-13.00	-53.80	-	-
1754.3MHz_RB_1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.37046G	-51.93	-13.00	-38.93	-	-
1754.3MHz_RB_1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.50347G	-51.32	-13.00	-38.32	-	-
1754.3MHz_RB_1,#RB H	Pass	1.7072G	1.709G	20k	50k	RMS	1.7077G	-56.48	-13.00	-43.48	MBW 1M	-
1754.3MHz_RB_1,#RB H	Pass	1.709G	1.71G	20k	50k	RMS	1.70954G	-70.86	-13.00	-57.86	-	-
1754.3MHz_RB_1,#RB H	Pass	1.755G	1.756G	20k	50k	RMS	1.755G	-19.62	-13.00	-6.62	-	-
1754.3MHz_RB_1,#RB H	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-35.61	-13.00	-22.61	MBW 1M	-
1754.3MHz_RB_1,#RB H	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-44.61	-13.00	-31.61	-	-
1754.3MHz_RB_1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.25	-13.00	-28.25	-	-
Band 4_LTE_3MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB_15,#RB 0	Pass	9k	150k	1k	3k	RMS	11.75k	-74.76	-13.00	-61.76	-	-
1711.5MHz_RB_15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.06M	-61.86	-13.00	-48.86	-	-
1711.5MHz_RB_15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.05404G	-51.84	-13.00	-38.84	-	-
1711.5MHz_RB_15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.70369G	-40.52	-13.00	-27.52	-	-
1711.5MHz_RB_15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-23.73	-13.00	-10.73	MBW 1M	-
1711.5MHz_RB_15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70999G	-29.00	-13.00	-16.00	-	-
1711.5MHz_RB_15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75506G	-69.38	-13.00	-56.38	-	-
1711.5MHz_RB_15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-56.25	-13.00	-43.25	MBW 1M	-
1711.5MHz_RB_15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.42261G	-47.28	-13.00	-34.28	-	-
1711.5MHz_RB_15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.66063G	-41.39	-13.00	-28.39	-	-
1711.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	13.794k	-64.20	-13.00	-51.20	-	-
1711.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-66.11	-13.00	-53.11	-	-
1711.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.39343G	-51.90	-13.00	-38.90	-	-
1711.5MHz_RB_1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.70084G	-47.04	-13.00	-34.04	-	-
1711.5MHz_RB_1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-33.18	-13.00	-20.18	MBW 1M	-
1711.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70999G	-17.82	-13.00	-4.82	-	-
1711.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75552G	-69.73	-13.00	-56.73	-	-
1711.5MHz_RB_1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7585G	-56.07	-13.00	-43.07	MBW 1M	-
1711.5MHz_RB_1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.42018G	-41.64	-13.00	-28.64	-	-
1711.5MHz_RB_1,#RB L	Pass	5G	20G	1M	3M	RMS	19.62313G	-41.32	-13.00	-28.32	-	-
1732.5MHz_RB_15,#RB 0	Pass	9k	150k	1k	3k	RMS	13.935k	-74.45	-13.00	-61.45	-	-
1732.5MHz_RB_15,#RB 0	Pass	150k	30M	10k	30k	RMS	672.375k	-68.36	-13.00	-55.36	-	-
1732.5MHz_RB_15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.17109G	-51.86	-13.00	-38.86	-	-
1732.5MHz_RB_15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.68814G	-50.45	-13.00	-37.45	-	-
1732.5MHz_RB_15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-56.29	-13.00	-43.29	MBW 1M	-
1732.5MHz_RB_15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70923G	-69.89	-13.00	-56.89	-	-
1732.5MHz_RB_15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75549G	-69.31	-13.00	-56.31	-	-
1732.5MHz_RB_15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7585G	-56.03	-13.00	-43.03	MBW 1M	-
1732.5MHz_RB_15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	4.99352G	-50.32	-13.00	-37.32	-	-
1732.5MHz_RB_15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.14	-13.00	-28.14	-	-
1732.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	29.374k	-65.39	-13.00	-52.39	-	-
1732.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-61.09	-13.00	-48.09	-	-
1732.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.46582G	-51.35	-13.00	-38.35	-	-
1732.5MHz_RB_1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.70349G	-50.25	-13.00	-37.25	-	-
1732.5MHz_RB_1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7055G	-55.91	-13.00	-42.91	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70927G	-69.05	-13.00	-56.05	-	-
1732.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75576G	-69.23	-13.00	-56.23	-	-
1732.5MHz_RB_1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7575G	-55.52	-13.00	-42.52	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.46269G	-45.90	-13.00	-32.90	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.08	-13.00	-28.08	-	-
1753.5MHz_RB 15, #RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-72.60	-13.00	-59.60	-	-
1753.5MHz_RB 15, #RB 0	Pass	150k	30M	10k	30k	RMS	702.225k	-66.27	-13.00	-53.27	-	-
1753.5MHz_RB 15, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48714G	-52.20	-13.00	-39.20	-	-
1753.5MHz_RB 15, #RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.69059G	-49.79	-13.00	-36.79	-	-
1753.5MHz_RB 15, #RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-56.44	-13.00	-43.44	MBW 1M	-
1753.5MHz_RB 15, #RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70925G	-70.24	-13.00	-57.24	-	-
1753.5MHz_RB 15, #RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-28.97	-13.00	-15.97	-	-
1753.5MHz_RB 15, #RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-26.38	-13.00	-13.38	MBW 1M	-
1753.5MHz_RB 15, #RB 0	Pass	1.761G	5G	1M	3M	RMS	1.761G	-49.66	-13.00	-36.66	-	-
1753.5MHz_RB 15, #RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.16	-13.00	-28.16	-	-
1753.5MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	73.648k	-64.00	-13.00	-51.00	-	-
1753.5MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-68.54	-13.00	-55.54	-	-
1753.5MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.42595G	-51.38	-13.00	-38.38	-	-
1753.5MHz_RB 1, #RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.59626G	-50.38	-13.00	-37.38	-	-
1753.5MHz_RB 1, #RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7065G	-56.44	-13.00	-43.44	MBW 1M	-
1753.5MHz_RB 1, #RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70902G	-69.85	-13.00	-56.85	-	-
1753.5MHz_RB 1, #RB H	Pass	1.755G	1.756G	30k	100k	RMS	1.75501G	-17.34	-13.00	-4.34	-	-
1753.5MHz_RB 1, #RB H	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-34.62	-13.00	-21.62	MBW 1M	-
1753.5MHz_RB 1, #RB H	Pass	1.761G	5G	1M	3M	RMS	3.50966G	-46.23	-13.00	-33.23	-	-
1753.5MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.6625G	-41.40	-13.00	-28.40	-	-
Band 4_LTE_5MHz_Nss1, 16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	38.504k	-77.27	-13.00	-64.27	-	-
1712.5MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	1.948M	-67.34	-13.00	-54.34	-	-
1712.5MHz_RB 25, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.2874G	-51.94	-13.00	-38.94	-	-
1712.5MHz_RB 25, #RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.69973G	-46.25	-13.00	-33.25	-	-
1712.5MHz_RB 25, #RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-22.53	-13.00	-9.53	MBW 1M	-
1712.5MHz_RB 25, #RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70999G	-28.54	-13.00	-15.54	-	-
1712.5MHz_RB 25, #RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75582G	-67.73	-13.00	-54.73	-	-
1712.5MHz_RB 25, #RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7635G	-56.27	-13.00	-43.27	MBW 1M	-
1712.5MHz_RB 25, #RB 0	Pass	1.765G	5G	1M	3M	RMS	3.42496G	-48.59	-13.00	-35.59	-	-
1712.5MHz_RB 25, #RB 0	Pass	5G	20G	1M	3M	RMS	19.6625G	-41.13	-13.00	-28.13	-	-
1712.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	61.135k	-63.69	-13.00	-50.69	-	-
1712.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.18	-13.00	-48.18	-	-
1712.5MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.22768G	-51.13	-13.00	-38.13	-	-
1712.5MHz_RB 1, #RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.698G	-50.85	-13.00	-37.85	-	-
1712.5MHz_RB 1, #RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-31.48	-13.00	-18.48	MBW 1M	-
1712.5MHz_RB 1, #RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70999G	-16.10	-13.00	-3.10	-	-
1712.5MHz_RB 1, #RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.7551G	-67.69	-13.00	-54.69	-	-
1712.5MHz_RB 1, #RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7625G	-56.16	-13.00	-43.16	MBW 1M	-
1712.5MHz_RB 1, #RB L	Pass	1.765G	5G	1M	3M	RMS	3.42051G	-41.55	-13.00	-28.55	-	-
1712.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.01	-13.00	-28.01	-	-
1732.5MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	35.649k	-75.37	-13.00	-62.37	-	-
1732.5MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	1.583M	-63.14	-13.00	-50.14	-	-
1732.5MHz_RB 25, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49908G	-51.60	-13.00	-38.60	-	-
1732.5MHz_RB 25, #RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6527G	-51.02	-13.00	-38.02	-	-
1732.5MHz_RB 25, #RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-56.11	-13.00	-43.11	MBW 1M	-
1732.5MHz_RB 25, #RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70938G	-67.73	-13.00	-54.73	-	-
1732.5MHz_RB 25, #RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75561G	-67.31	-13.00	-54.31	-	-
1732.5MHz_RB 25, #RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-55.85	-13.00	-42.85	MBW 1M	-
1732.5MHz_RB 25, #RB 0	Pass	1.765G	5G	1M	3M	RMS	4.99757G	-50.34	-13.00	-37.34	-	-
1732.5MHz_RB 25, #RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.12	-13.00	-28.12	-	-
1732.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	44.673k	-64.45	-13.00	-51.45	-	-
1732.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-62.58	-13.00	-49.58	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.46049G	-52.14	-13.00	-39.14	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.62655G	-51.30	-13.00	-38.30	-	-
1732.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7045G	-56.10	-13.00	-43.10	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.7099G	-67.66	-13.00	-54.66	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75531G	-67.55	-13.00	-54.55	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-55.56	-13.00	-42.56	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.46054G	-48.89	-13.00	-35.89	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-40.98	-13.00	-27.98	-	-
1752.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	19.998k	-76.89	-13.00	-63.89	-	-
1752.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.963M	-62.45	-13.00	-49.45	-	-
1752.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.42724G	-51.99	-13.00	-38.99	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.57135G	-51.24	-13.00	-38.24	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7025G	-56.51	-13.00	-43.51	MBW 1M	-
1752.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70965G	-68.16	-13.00	-55.16	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75501G	-30.00	-13.00	-17.00	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-26.46	-13.00	-13.46	MBW 1M	-
1752.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	4.98463G	-50.25	-13.00	-37.25	-	-
1752.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-41.07	-13.00	-28.07	-	-
1752.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	57.469k	-64.61	-13.00	-51.61	-	-
1752.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.00	-13.00	-48.00	-	-
1752.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.15767G	-51.82	-13.00	-38.82	-	-
1752.5MHz_RB 1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.61063G	-50.67	-13.00	-37.67	-	-
1752.5MHz_RB 1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7025G	-56.39	-13.00	-43.39	MBW 1M	-
1752.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70919G	-68.15	-13.00	-55.15	-	-
1752.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	50k	200k	RMS	1.75501G	-17.04	-13.00	-4.04	-	-
1752.5MHz_RB 1,#RB H	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-32.80	-13.00	-19.80	MBW 1M	-
1752.5MHz_RB 1,#RB H	Pass	1.765G	5G	1M	3M	RMS	3.50947G	-47.11	-13.00	-34.11	-	-
1752.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63625G	-40.78	-13.00	-27.78	-	-
Band 4_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.881k	-76.44	-13.00	-63.44	-	-
1715MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.822M	-69.29	-13.00	-56.29	-	-
1715MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.15271G	-52.31	-13.00	-39.31	-	-
1715MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.68791G	-51.23	-13.00	-38.23	-	-
1715MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-23.58	-13.00	-10.58	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-29.26	-13.00	-16.26	-	-
1715MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75519G	-64.85	-13.00	-51.85	-	-
1715MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7575G	-56.10	-13.00	-43.10	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.92502G	-50.32	-13.00	-37.32	-	-
1715MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.26	-13.00	-28.26	-	-
1715MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.512k	-64.94	-13.00	-51.94	-	-
1715MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-61.18	-13.00	-48.18	-	-
1715MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.08528G	-52.06	-13.00	-39.06	-	-
1715MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.62319G	-50.79	-13.00	-37.79	-	-
1715MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-31.41	-13.00	-18.41	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70998G	-15.72	-13.00	-2.72	-	-
1715MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75551G	-65.18	-13.00	-52.18	-	-
1715MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7595G	-56.08	-13.00	-43.08	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.42136G	-41.86	-13.00	-28.86	-	-
1715MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-40.98	-13.00	-27.98	-	-
1732.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	12.243k	-76.73	-13.00	-63.73	-	-
1732.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	4.717M	-69.82	-13.00	-56.82	-	-
1732.5MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.2931G	-51.15	-13.00	-38.15	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.56712G	-50.74	-13.00	-37.74	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-49.48	-13.00	-36.48	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 50, #RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70969G	-56.57	-13.00	-43.57	-	-
1732.5MHz_RB 50, #RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75507G	-59.61	-13.00	-46.61	-	-
1732.5MHz_RB 50, #RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-52.16	-13.00	-39.16	MBW 1M	-
1732.5MHz_RB 50, #RB 0	Pass	1.775G	5G	1M	3M	RMS	4.80287G	-50.26	-13.00	-37.26	-	-
1732.5MHz_RB 50, #RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.23	-13.00	-28.23	-	-
1732.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	13.9k	-62.84	-13.00	-49.84	-	-
1732.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.51	-13.00	-48.51	-	-
1732.5MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.02133G	-52.42	-13.00	-39.42	-	-
1732.5MHz_RB 1, #RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.67789G	-50.39	-13.00	-37.39	-	-
1732.5MHz_RB 1, #RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7055G	-54.93	-13.00	-41.93	MBW 1M	-
1732.5MHz_RB 1, #RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70998G	-58.89	-13.00	-45.89	-	-
1732.5MHz_RB 1, #RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75563G	-64.60	-13.00	-51.60	-	-
1732.5MHz_RB 1, #RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7585G	-54.98	-13.00	-41.98	MBW 1M	-
1732.5MHz_RB 1, #RB L	Pass	1.775G	5G	1M	3M	RMS	3.45643G	-46.54	-13.00	-33.54	-	-
1732.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.24	-13.00	-28.24	-	-
1750MHz_RB 50, #RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-74.07	-13.00	-61.07	-	-
1750MHz_RB 50, #RB 0	Pass	150k	30M	10k	30k	RMS	1.889M	-67.72	-13.00	-54.72	-	-
1750MHz_RB 50, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.06543G	-52.31	-13.00	-39.31	-	-
1750MHz_RB 50, #RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.67998G	-51.23	-13.00	-38.23	-	-
1750MHz_RB 50, #RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-56.17	-13.00	-43.17	MBW 1M	-
1750MHz_RB 50, #RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70964G	-64.94	-13.00	-51.94	-	-
1750MHz_RB 50, #RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75501G	-30.73	-13.00	-17.73	-	-
1750MHz_RB 50, #RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-29.39	-13.00	-16.39	MBW 1M	-
1750MHz_RB 50, #RB 0	Pass	1.775G	5G	1M	3M	RMS	4.95001G	-50.35	-13.00	-37.35	-	-
1750MHz_RB 50, #RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.29	-13.00	-28.29	-	-
1750MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	33.569k	-63.00	-13.00	-50.00	-	-
1750MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.85	-13.00	-51.85	-	-
1750MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.49522G	-51.24	-13.00	-38.24	-	-
1750MHz_RB 1, #RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.5864G	-51.06	-13.00	-38.06	-	-
1750MHz_RB 1, #RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.7035G	-56.41	-13.00	-43.41	MBW 1M	-
1750MHz_RB 1, #RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70938G	-65.39	-13.00	-52.39	-	-
1750MHz_RB 1, #RB H	Pass	1.755G	1.756G	100k	300k	RMS	1.75501G	-15.63	-13.00	-2.63	-	-
1750MHz_RB 1, #RB H	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-31.81	-13.00	-18.81	MBW 1M	-
1750MHz_RB 1, #RB H	Pass	1.775G	5G	1M	3M	RMS	3.50884G	-46.44	-13.00	-33.44	-	-
1750MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.26	-13.00	-28.26	-	-
Band 4_LTE_15MHz_Nss1, 16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB 75, #RB 0	Pass	9k	150k	1k	3k	RMS	16.861k	-76.96	-13.00	-63.96	-	-
1717.5MHz_RB 75, #RB 0	Pass	150k	30M	10k	30k	RMS	6.426M	-68.75	-13.00	-55.75	-	-
1717.5MHz_RB 75, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.46711G	-51.72	-13.00	-38.72	-	-
1717.5MHz_RB 75, #RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.59353G	-51.13	-13.00	-38.13	-	-
1717.5MHz_RB 75, #RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-24.86	-13.00	-11.86	MBW 1M	-
1717.5MHz_RB 75, #RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70998G	-27.85	-13.00	-14.85	-	-
1717.5MHz_RB 75, #RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.7559G	-59.12	-13.00	-46.12	-	-
1717.5MHz_RB 75, #RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-53.67	-13.00	-40.67	MBW 1M	-
1717.5MHz_RB 75, #RB 0	Pass	1.785G	5G	1M	3M	RMS	4.58205G	-50.32	-13.00	-37.32	-	-
1717.5MHz_RB 75, #RB 0	Pass	5G	20G	1M	3M	RMS	19.655G	-41.37	-13.00	-28.37	-	-
1717.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	44.779k	-64.20	-13.00	-51.20	-	-
1717.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.23	-13.00	-53.23	-	-
1717.5MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.01655G	-51.49	-13.00	-38.49	-	-
1717.5MHz_RB 1, #RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.54437G	-50.59	-13.00	-37.59	-	-
1717.5MHz_RB 1, #RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-25.18	-13.00	-12.18	MBW 1M	-
1717.5MHz_RB 1, #RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70996G	-15.01	-13.00	-2.01	-	-
1717.5MHz_RB 1, #RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75584G	-62.22	-13.00	-49.22	-	-
1717.5MHz_RB 1, #RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7575G	-55.24	-13.00	-42.24	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1717.5MHz_RB 1, #RB L	Pass	1.785G	5G	1M	3M	RMS	3.42184G	-42.31	-13.00	-29.31	-	-
1717.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-40.88	-13.00	-27.88	-	-
1732.5MHz_RB 75, #RB 0	Pass	9k	150k	1k	3k	RMS	17.143k	-75.93	-13.00	-62.93	-	-
1732.5MHz_RB 75, #RB 0	Pass	150k	30M	10k	30k	RMS	8.389M	-71.36	-13.00	-58.36	-	-
1732.5MHz_RB 75, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49155G	-51.64	-13.00	-38.64	-	-
1732.5MHz_RB 75, #RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.64704G	-50.79	-13.00	-37.79	-	-
1732.5MHz_RB 75, #RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-41.33	-13.00	-28.33	MBW 1M	-
1732.5MHz_RB 75, #RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70993G	-46.18	-13.00	-33.18	-	-
1732.5MHz_RB 75, #RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75504G	-48.93	-13.00	-35.93	-	-
1732.5MHz_RB 75, #RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-44.52	-13.00	-31.52	MBW 1M	-
1732.5MHz_RB 75, #RB 0	Pass	1.785G	5G	1M	3M	RMS	4.99277G	-50.05	-13.00	-37.05	-	-
1732.5MHz_RB 75, #RB 0	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.26	-13.00	-28.26	-	-
1732.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	73.578k	-63.85	-13.00	-50.85	-	-
1732.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.92	-13.00	-52.92	-	-
1732.5MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.07223G	-51.26	-13.00	-38.26	-	-
1732.5MHz_RB 1, #RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.52156G	-51.19	-13.00	-38.19	-	-
1732.5MHz_RB 1, #RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6995G	-45.91	-13.00	-32.91	MBW 1M	-
1732.5MHz_RB 1, #RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70977G	-60.62	-13.00	-47.62	-	-
1732.5MHz_RB 1, #RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75527G	-61.96	-13.00	-48.96	-	-
1732.5MHz_RB 1, #RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7595G	-54.42	-13.00	-41.42	MBW 1M	-
1732.5MHz_RB 1, #RB L	Pass	1.785G	5G	1M	3M	RMS	3.45198G	-46.62	-13.00	-33.62	-	-
1732.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.65125G	-40.87	-13.00	-27.87	-	-
1747.5MHz_RB 75, #RB 0	Pass	9k	150k	1k	3k	RMS	9.212k	-75.37	-13.00	-62.37	-	-
1747.5MHz_RB 75, #RB 0	Pass	150k	30M	10k	30k	RMS	6.881M	-65.04	-13.00	-52.04	-	-
1747.5MHz_RB 75, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.32452G	-51.64	-13.00	-38.64	-	-
1747.5MHz_RB 75, #RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.64182G	-50.77	-13.00	-37.77	-	-
1747.5MHz_RB 75, #RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-51.50	-13.00	-38.50	MBW 1M	-
1747.5MHz_RB 75, #RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70917G	-56.82	-13.00	-43.82	-	-
1747.5MHz_RB 75, #RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75501G	-30.09	-13.00	-17.09	-	-
1747.5MHz_RB 75, #RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-31.19	-13.00	-18.19	MBW 1M	-
1747.5MHz_RB 75, #RB 0	Pass	1.785G	5G	1M	3M	RMS	4.98312G	-50.33	-13.00	-37.33	-	-
1747.5MHz_RB 75, #RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.06	-13.00	-28.06	-	-
1747.5MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	22.677k	-64.36	-13.00	-51.36	-	-
1747.5MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.98	-13.00	-48.98	-	-
1747.5MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	988.05M	-51.64	-13.00	-38.64	-	-
1747.5MHz_RB 1, #RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.65548G	-50.57	-13.00	-37.57	-	-
1747.5MHz_RB 1, #RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7075G	-55.85	-13.00	-42.85	MBW 1M	-
1747.5MHz_RB 1, #RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.7095G	-62.61	-13.00	-49.61	-	-
1747.5MHz_RB 1, #RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.75504G	-16.25	-13.00	-3.25	-	-
1747.5MHz_RB 1, #RB H	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-25.77	-13.00	-12.77	MBW 1M	-
1747.5MHz_RB 1, #RB H	Pass	1.785G	5G	1M	3M	RMS	3.50824G	-46.28	-13.00	-33.28	-	-
1747.5MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.14	-13.00	-28.14	-	-
Band 4_LTE_20MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	51.864k	-76.76	-13.00	-63.76	-	-
1720MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	9.598M	-63.36	-13.00	-50.36	-	-
1720MHz_RB 100, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.38773G	-51.47	-13.00	-38.47	-	-
1720MHz_RB 100, #RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.65372G	-50.81	-13.00	-37.81	-	-
1720MHz_RB 100, #RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-25.85	-13.00	-12.85	MBW 1M	-
1720MHz_RB 100, #RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70996G	-29.70	-13.00	-16.70	-	-
1720MHz_RB 100, #RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75556G	-52.23	-13.00	-39.23	-	-
1720MHz_RB 100, #RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-47.21	-13.00	-34.21	MBW 1M	-
1720MHz_RB 100, #RB 0	Pass	1.795G	5G	1M	3M	RMS	4.96434G	-50.23	-13.00	-37.23	-	-
1720MHz_RB 100, #RB 0	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.24	-13.00	-28.24	-	-
1720MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	13.688k	-64.73	-13.00	-51.73	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-64.42	-13.00	-51.42	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.41015G	-51.83	-13.00	-38.83	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.66059G	-50.99	-13.00	-37.99	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-27.49	-13.00	-14.49	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.70999G	-18.69	-13.00	-5.69	-	-
1720MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.75511G	-60.06	-13.00	-47.06	-	-
1720MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7735G	-55.78	-13.00	-42.78	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.42234G	-42.76	-13.00	-29.76	-	-
1720MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.07	-13.00	-28.07	-	-
1732.5MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	18.729k	-77.78	-13.00	-64.78	-	-
1732.5MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	9.598M	-62.60	-13.00	-49.60	-	-
1732.5MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.36678G	-52.26	-13.00	-39.26	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.5792G	-51.26	-13.00	-38.26	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-34.08	-13.00	-21.08	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70996G	-37.92	-13.00	-24.92	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.755G	-45.78	-13.00	-32.78	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-41.06	-13.00	-28.06	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.98558G	-49.94	-13.00	-36.94	-	-
1732.5MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.16	-13.00	-28.16	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	10.586k	-66.07	-13.00	-53.07	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.87	-13.00	-50.87	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.49798G	-52.09	-13.00	-39.09	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.62861G	-50.61	-13.00	-37.61	-	-
1732.5MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7055G	-43.26	-13.00	-30.26	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.70903G	-40.65	-13.00	-27.65	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.75509G	-54.72	-13.00	-41.72	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7595G	-29.77	-13.00	-16.77	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.44718G	-47.70	-13.00	-34.70	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.28	-13.00	-28.28	-	-
1745MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	20.774k	-76.44	-13.00	-63.44	-	-
1745MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	6.993M	-70.05	-13.00	-57.05	-	-
1745MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.31846G	-51.11	-13.00	-38.11	-	-
1745MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.66203G	-50.27	-13.00	-37.27	-	-
1745MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-44.26	-13.00	-31.26	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70919G	-48.88	-13.00	-35.88	-	-
1745MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75501G	-32.89	-13.00	-19.89	-	-
1745MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-32.51	-13.00	-19.51	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.97636G	-49.90	-13.00	-36.90	-	-
1745MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.66063G	-41.30	-13.00	-28.30	-	-
1745MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	13.724k	-64.43	-13.00	-51.43	-	-
1745MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-66.40	-13.00	-53.40	-	-
1745MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.44929G	-51.66	-13.00	-38.66	-	-
1745MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.64297G	-50.94	-13.00	-37.94	-	-
1745MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-56.35	-13.00	-43.35	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	1M	RMS	1.70934G	-59.94	-13.00	-46.94	-	-
1745MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	1M	RMS	1.75502G	-18.31	-13.00	-5.31	-	-
1745MHz_RB 1,#RB H	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-27.57	-13.00	-14.57	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.795G	5G	1M	3M	RMS	3.50807G	-46.76	-13.00	-33.76	-	-
1745MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.19	-13.00	-28.19	-	-
Band 4_LTE_1.4MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	14.71k	-70.85	-13.00	-57.85	-	-
1710.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	381.338k	-64.76	-13.00	-51.76	-	-
1710.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.38332G	-51.86	-13.00	-38.86	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.70658G	-39.30	-13.00	-26.30	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1710.7MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-33.29	-13.00	-20.29	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-27.05	-13.00	-14.05	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.7555G	-70.91	-13.00	-57.91	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.33	-13.00	-43.33	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.42186G	-45.27	-13.00	-32.27	-	-
1710.7MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.10	-13.00	-28.10	-	-
1710.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	10.868k	-64.44	-13.00	-51.44	-	-
1710.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.41	-13.00	-52.41	-	-
1710.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.40684G	-51.45	-13.00	-38.45	-	-
1710.7MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.70629G	-35.74	-13.00	-22.74	-	-
1710.7MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-37.20	-13.00	-24.20	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-21.49	-13.00	-8.49	-	-
1710.7MHz_RB 1,#RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75524G	-71.35	-13.00	-58.35	-	-
1710.7MHz_RB 1,#RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.23	-13.00	-43.23	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.42024G	-41.83	-13.00	-28.83	-	-
1710.7MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.25	-13.00	-28.25	-	-
1732.5MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	14.605k	-72.20	-13.00	-59.20	-	-
1732.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	597.75k	-63.61	-13.00	-50.61	-	-
1732.5MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49155G	-52.21	-13.00	-39.21	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.6777G	-49.93	-13.00	-36.93	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.26	-13.00	-43.26	MBW 1M	-
1732.5MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70903G	-70.73	-13.00	-57.73	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75596G	-70.94	-13.00	-57.94	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.07	-13.00	-43.07	MBW 1M	-
1732.5MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	4.99108G	-50.25	-13.00	-37.25	-	-
1732.5MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-41.28	-13.00	-28.28	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	88.312k	-63.60	-13.00	-50.60	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.33	-13.00	-49.33	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.11468G	-51.64	-13.00	-38.64	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.60013G	-51.19	-13.00	-38.19	-	-
1732.5MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.19	-13.00	-43.19	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.70987G	-71.07	-13.00	-58.07	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75561G	-70.88	-13.00	-57.88	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-55.94	-13.00	-42.94	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.46401G	-46.89	-13.00	-33.89	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.17	-13.00	-28.17	-	-
1754.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	13.23k	-71.15	-13.00	-58.15	-	-
1754.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	164.925k	-62.59	-13.00	-49.59	-	-
1754.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02354G	-52.24	-13.00	-39.24	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.62745G	-50.84	-13.00	-37.84	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7077G	-56.59	-13.00	-43.59	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70958G	-71.46	-13.00	-58.46	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.755G	-27.61	-13.00	-14.61	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-34.53	-13.00	-21.53	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-45.27	-13.00	-32.27	-	-
1754.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.40	-13.00	-28.40	-	-
1754.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	25.004k	-64.47	-13.00	-51.47	-	-
1754.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-62.21	-13.00	-49.21	-	-
1754.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.37082G	-50.72	-13.00	-37.72	-	-
1754.3MHz_RB 1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.70443G	-51.02	-13.00	-38.02	-	-
1754.3MHz_RB 1,#RB H	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.50	-13.00	-43.50	MBW 1M	-
1754.3MHz_RB 1,#RB H	Pass	1.709G	1.71G	20k	50k	RMS	1.70972G	-71.65	-13.00	-58.65	-	-
1754.3MHz_RB 1,#RB H	Pass	1.755G	1.756G	20k	50k	RMS	1.755G	-21.41	-13.00	-8.41	-	-
1754.3MHz_RB 1,#RB H	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-36.67	-13.00	-23.67	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1754.3MHz_RB 1,#RB H	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-44.28	-13.00	-31.28	-	-
1754.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.02	-13.00	-28.02	-	-
Band 4_LTE_3MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	17.848k	-74.53	-13.00	-61.53	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	866.4k	-66.26	-13.00	-53.26	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01288G	-52.46	-13.00	-39.46	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.70364G	-44.70	-13.00	-31.70	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-23.79	-13.00	-10.79	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70999G	-28.75	-13.00	-15.75	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75566G	-69.82	-13.00	-56.82	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7575G	-56.24	-13.00	-43.24	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.42342G	-47.84	-13.00	-34.84	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64938G	-40.96	-13.00	-27.96	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	21.902k	-64.68	-13.00	-51.68	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.03	-13.00	-49.03	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	989.36M	-51.49	-13.00	-38.49	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.70122G	-44.01	-13.00	-31.01	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-34.06	-13.00	-21.06	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-18.79	-13.00	-5.79	-	-
1711.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75536G	-69.69	-13.00	-56.69	-	-
1711.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7595G	-56.18	-13.00	-43.18	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.42058G	-42.14	-13.00	-29.14	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65125G	-40.92	-13.00	-27.92	-	-
1732.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.90	-13.00	-61.90	-	-
1732.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.628M	-61.69	-13.00	-48.69	-	-
1732.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.43238G	-52.15	-13.00	-39.15	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.5448G	-51.33	-13.00	-38.33	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7065G	-56.27	-13.00	-43.27	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70977G	-69.88	-13.00	-56.88	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75529G	-69.72	-13.00	-56.72	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7585G	-56.02	-13.00	-43.02	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	4.97652G	-50.29	-13.00	-37.29	-	-
1732.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.66063G	-41.26	-13.00	-28.26	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	10.762k	-63.87	-13.00	-50.87	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-67.46	-13.00	-54.46	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.48861G	-51.37	-13.00	-38.37	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.70339G	-50.62	-13.00	-37.62	-	-
1732.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7055G	-56.00	-13.00	-43.00	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70954G	-69.33	-13.00	-56.33	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75577G	-69.50	-13.00	-56.50	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7575G	-55.55	-13.00	-42.55	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.46269G	-46.74	-13.00	-33.74	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.02	-13.00	-28.02	-	-
1753.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.32	-13.00	-61.32	-	-
1753.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.046M	-66.48	-13.00	-53.48	-	-
1753.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.43183G	-51.69	-13.00	-38.69	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.67386G	-50.79	-13.00	-37.79	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-56.41	-13.00	-43.41	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70959G	-69.56	-13.00	-56.56	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75501G	-28.97	-13.00	-15.97	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-26.64	-13.00	-13.64	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	1.761G	-49.19	-13.00	-36.19	-	-
1753.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.20	-13.00	-28.20	-	-
1753.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	88.7k	-63.65	-13.00	-50.65	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1753.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-58.40	-13.00	-45.40	-	-
1753.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.33775G	-51.69	-13.00	-38.69	-	-
1753.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.64586G	-50.88	-13.00	-37.88	-	-
1753.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7065G	-56.43	-13.00	-43.43	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70957G	-70.01	-13.00	-57.01	-	-
1753.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-18.66	-13.00	-5.66	-	-
1753.5MHz_RB 1,#RB H	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-34.58	-13.00	-21.58	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.761G	5G	1M	3M	RMS	3.50966G	-47.22	-13.00	-34.22	-	-
1753.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.14	-13.00	-28.14	-	-
Band 4_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.243k	-75.43	-13.00	-62.43	-	-
1712.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.366M	-65.36	-13.00	-52.36	-	-
1712.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	825.82M	-51.61	-13.00	-38.61	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6986G	-48.05	-13.00	-35.05	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-22.58	-13.00	-9.58	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-28.65	-13.00	-15.65	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.7554G	-67.77	-13.00	-54.77	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-56.29	-13.00	-43.29	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.42456G	-49.02	-13.00	-36.02	-	-
1712.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.655G	-41.07	-13.00	-28.07	-	-
1712.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	45.942k	-64.78	-13.00	-51.78	-	-
1712.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.08	-13.00	-49.08	-	-
1712.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.4469G	-52.18	-13.00	-39.18	-	-
1712.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.63678G	-50.59	-13.00	-37.59	-	-
1712.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-31.84	-13.00	-18.84	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70999G	-17.25	-13.00	-4.25	-	-
1712.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75523G	-67.87	-13.00	-54.87	-	-
1712.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-56.18	-13.00	-43.18	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.42092G	-42.76	-13.00	-29.76	-	-
1712.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-41.20	-13.00	-28.20	-	-
1732.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.618k	-75.33	-13.00	-62.33	-	-
1732.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.777M	-65.66	-13.00	-52.66	-	-
1732.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.40022G	-52.42	-13.00	-39.42	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6441G	-51.08	-13.00	-38.08	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-56.11	-13.00	-43.11	MBW 1M	-
1732.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70989G	-67.72	-13.00	-54.72	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75502G	-67.49	-13.00	-54.49	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-55.91	-13.00	-42.91	MBW 1M	-
1732.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	4.97938G	-50.33	-13.00	-37.33	-	-
1732.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.27	-13.00	-28.27	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	88.454k	-65.07	-13.00	-52.07	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.54	-13.00	-47.54	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.45645G	-52.02	-13.00	-39.02	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.6294G	-50.02	-13.00	-37.02	-	-
1732.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7045G	-56.11	-13.00	-43.11	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70984G	-67.60	-13.00	-54.60	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75546G	-67.50	-13.00	-54.50	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-55.55	-13.00	-42.55	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.46095G	-47.67	-13.00	-34.67	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.74875G	-41.26	-13.00	-28.26	-	-
1752.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.798k	-74.49	-13.00	-61.49	-	-
1752.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	150k	-67.83	-13.00	-54.83	-	-
1752.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.42411G	-52.49	-13.00	-39.49	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.64983G	-49.76	-13.00	-36.76	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1752.5MHz_RB 25, #RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7045G	-56.53	-13.00	-43.53	MBW 1M	-
1752.5MHz_RB 25, #RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70938G	-67.96	-13.00	-54.96	-	-
1752.5MHz_RB 25, #RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-29.95	-13.00	-16.95	-	-
1752.5MHz_RB 25, #RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-26.37	-13.00	-13.37	MBW 1M	-
1752.5MHz_RB 25, #RB 0	Pass	1.765G	5G	1M	3M	RMS	4.90578G	-50.22	-13.00	-37.22	-	-
1752.5MHz_RB 25, #RB 0	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.20	-13.00	-28.20	-	-
1752.5MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	19.892k	-65.36	-13.00	-52.36	-	-
1752.5MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-63.40	-13.00	-50.40	-	-
1752.5MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.05882G	-52.11	-13.00	-39.11	-	-
1752.5MHz_RB 1, #RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.65325G	-50.42	-13.00	-37.42	-	-
1752.5MHz_RB 1, #RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7025G	-56.39	-13.00	-43.39	MBW 1M	-
1752.5MHz_RB 1, #RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70982G	-68.13	-13.00	-55.13	-	-
1752.5MHz_RB 1, #RB H	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-16.80	-13.00	-3.80	-	-
1752.5MHz_RB 1, #RB H	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-32.88	-13.00	-19.88	MBW 1M	-
1752.5MHz_RB 1, #RB H	Pass	1.765G	5G	1M	3M	RMS	3.50947G	-47.36	-13.00	-34.36	-	-
1752.5MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.655G	-41.11	-13.00	-28.11	-	-
Band 4_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB 50, #RB 0	Pass	9k	150k	1k	3k	RMS	11.188k	-77.68	-13.00	-64.68	-	-
1715MHz_RB 50, #RB 0	Pass	150k	30M	10k	30k	RMS	7.411M	-67.60	-13.00	-54.60	-	-
1715MHz_RB 50, #RB 0	Pass	30M	1.5G	1M	3M	RMS	668.16M	-52.50	-13.00	-39.50	-	-
1715MHz_RB 50, #RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.6809G	-51.23	-13.00	-38.23	-	-
1715MHz_RB 50, #RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-23.63	-13.00	-10.63	MBW 1M	-
1715MHz_RB 50, #RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-28.96	-13.00	-15.96	-	-
1715MHz_RB 50, #RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75503G	-63.69	-13.00	-50.69	-	-
1715MHz_RB 50, #RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-55.85	-13.00	-42.85	MBW 1M	-
1715MHz_RB 50, #RB 0	Pass	1.775G	5G	1M	3M	RMS	4.94921G	-50.02	-13.00	-37.02	-	-
1715MHz_RB 50, #RB 0	Pass	5G	20G	1M	3M	RMS	19.66438G	-41.24	-13.00	-28.24	-	-
1715MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	43.898k	-64.95	-13.00	-51.95	-	-
1715MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-70.27	-13.00	-57.27	-	-
1715MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.06102G	-52.35	-13.00	-39.35	-	-
1715MHz_RB 1, #RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.50195G	-51.01	-13.00	-38.01	-	-
1715MHz_RB 1, #RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-32.67	-13.00	-19.67	MBW 1M	-
1715MHz_RB 1, #RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70999G	-15.28	-13.00	-2.28	-	-
1715MHz_RB 1, #RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75573G	-63.80	-13.00	-50.80	-	-
1715MHz_RB 1, #RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7595G	-55.96	-13.00	-42.96	MBW 1M	-
1715MHz_RB 1, #RB L	Pass	1.775G	5G	1M	3M	RMS	3.42136G	-42.52	-13.00	-29.52	-	-
1715MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.03	-13.00	-28.03	-	-
1732.5MHz_RB 50, #RB 0	Pass	9k	150k	1k	3k	RMS	12.983k	-75.42	-13.00	-62.42	-	-
1732.5MHz_RB 50, #RB 0	Pass	150k	30M	10k	30k	RMS	2.262M	-70.58	-13.00	-57.58	-	-
1732.5MHz_RB 50, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48714G	-51.04	-13.00	-38.04	-	-
1732.5MHz_RB 50, #RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.6833G	-51.14	-13.00	-38.14	-	-
1732.5MHz_RB 50, #RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-49.40	-13.00	-36.40	MBW 1M	-
1732.5MHz_RB 50, #RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70916G	-57.05	-13.00	-44.05	-	-
1732.5MHz_RB 50, #RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75532G	-59.24	-13.00	-46.24	-	-
1732.5MHz_RB 50, #RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-52.05	-13.00	-39.05	MBW 1M	-
1732.5MHz_RB 50, #RB 0	Pass	1.775G	5G	1M	3M	RMS	4.73595G	-49.87	-13.00	-36.87	-	-
1732.5MHz_RB 50, #RB 0	Pass	5G	20G	1M	3M	RMS	19.655G	-40.98	-13.00	-27.98	-	-
1732.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	9.987k	-63.68	-13.00	-50.68	-	-
1732.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.08	-13.00	-48.08	-	-
1732.5MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.30284G	-51.73	-13.00	-38.73	-	-
1732.5MHz_RB 1, #RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.64906G	-51.07	-13.00	-38.07	-	-
1732.5MHz_RB 1, #RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7065G	-55.39	-13.00	-42.39	MBW 1M	-
1732.5MHz_RB 1, #RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70999G	-63.34	-13.00	-50.34	-	-
1732.5MHz_RB 1, #RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75544G	-64.71	-13.00	-51.71	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1, #RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7585G	-54.99	-13.00	-41.99	MBW 1M	-
1732.5MHz_RB 1, #RB L	Pass	1.775G	5G	1M	3M	RMS	3.45643G	-48.02	-13.00	-35.02	-	-
1732.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.64G	-41.31	-13.00	-28.31	-	-
1750MHz_RB 50, #RB 0	Pass	9k	150k	1k	3k	RMS	14.323k	-75.68	-13.00	-62.68	-	-
1750MHz_RB 50, #RB 0	Pass	150k	30M	10k	30k	RMS	3.702M	-62.59	-13.00	-49.59	-	-
1750MHz_RB 50, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49394G	-51.71	-13.00	-38.71	-	-
1750MHz_RB 50, #RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.52092G	-50.63	-13.00	-37.63	-	-
1750MHz_RB 50, #RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-56.20	-13.00	-43.20	MBW 1M	-
1750MHz_RB 50, #RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70998G	-65.02	-13.00	-52.02	-	-
1750MHz_RB 50, #RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75501G	-30.37	-13.00	-17.37	-	-
1750MHz_RB 50, #RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-29.60	-13.00	-16.60	MBW 1M	-
1750MHz_RB 50, #RB 0	Pass	1.775G	5G	1M	3M	RMS	4.97863G	-50.32	-13.00	-37.32	-	-
1750MHz_RB 50, #RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.29	-13.00	-28.29	-	-
1750MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	43.792k	-64.59	-13.00	-51.59	-	-
1750MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.55	-13.00	-52.55	-	-
1750MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.33518G	-51.08	-13.00	-38.08	-	-
1750MHz_RB 1, #RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.65461G	-50.73	-13.00	-37.73	-	-
1750MHz_RB 1, #RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.7065G	-56.39	-13.00	-43.39	MBW 1M	-
1750MHz_RB 1, #RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70929G	-65.23	-13.00	-52.23	-	-
1750MHz_RB 1, #RB H	Pass	1.755G	1.756G	100k	300k	RMS	1.75502G	-16.51	-13.00	-3.51	-	-
1750MHz_RB 1, #RB H	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-33.66	-13.00	-20.66	MBW 1M	-
1750MHz_RB 1, #RB H	Pass	1.775G	5G	1M	3M	RMS	3.50884G	-46.60	-13.00	-33.60	-	-
1750MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.67188G	-41.22	-13.00	-28.22	-	-
Band 4_LTE_15MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB 75, #RB 0	Pass	9k	150k	1k	3k	RMS	18.447k	-74.67	-13.00	-61.67	-	-
1717.5MHz_RB 75, #RB 0	Pass	150k	30M	10k	30k	RMS	508.2k	-70.87	-13.00	-57.87	-	-
1717.5MHz_RB 75, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.39967G	-51.56	-13.00	-38.56	-	-
1717.5MHz_RB 75, #RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.58406G	-50.90	-13.00	-37.90	-	-
1717.5MHz_RB 75, #RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-24.90	-13.00	-11.90	MBW 1M	-
1717.5MHz_RB 75, #RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70997G	-27.83	-13.00	-14.83	-	-
1717.5MHz_RB 75, #RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75584G	-59.04	-13.00	-46.04	-	-
1717.5MHz_RB 75, #RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-53.66	-13.00	-40.66	MBW 1M	-
1717.5MHz_RB 75, #RB 0	Pass	1.785G	5G	1M	3M	RMS	4.95901G	-50.33	-13.00	-37.33	-	-
1717.5MHz_RB 75, #RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.16	-13.00	-28.16	-	-
1717.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	43.474k	-64.01	-13.00	-51.01	-	-
1717.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.94	-13.00	-52.94	-	-
1717.5MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.49853G	-52.21	-13.00	-39.21	-	-
1717.5MHz_RB 1, #RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.50092G	-51.00	-13.00	-38.00	-	-
1717.5MHz_RB 1, #RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-25.63	-13.00	-12.63	MBW 1M	-
1717.5MHz_RB 1, #RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70999G	-15.86	-13.00	-2.86	-	-
1717.5MHz_RB 1, #RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75582G	-62.31	-13.00	-49.31	-	-
1717.5MHz_RB 1, #RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7575G	-54.99	-13.00	-41.99	MBW 1M	-
1717.5MHz_RB 1, #RB L	Pass	1.785G	5G	1M	3M	RMS	3.42184G	-41.27	-13.00	-28.27	-	-
1717.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.655G	-41.23	-13.00	-28.23	-	-
1732.5MHz_RB 75, #RB 0	Pass	9k	150k	1k	3k	RMS	25.92k	-77.15	-13.00	-64.15	-	-
1732.5MHz_RB 75, #RB 0	Pass	150k	30M	10k	30k	RMS	4.784M	-62.39	-13.00	-49.39	-	-
1732.5MHz_RB 75, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.33113G	-51.56	-13.00	-38.56	-	-
1732.5MHz_RB 75, #RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.50601G	-50.64	-13.00	-37.64	-	-
1732.5MHz_RB 75, #RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-41.20	-13.00	-28.20	MBW 1M	-
1732.5MHz_RB 75, #RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70997G	-45.43	-13.00	-32.43	-	-
1732.5MHz_RB 75, #RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75554G	-48.96	-13.00	-35.96	-	-
1732.5MHz_RB 75, #RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-44.26	-13.00	-31.26	MBW 1M	-
1732.5MHz_RB 75, #RB 0	Pass	1.785G	5G	1M	3M	RMS	4.98232G	-50.27	-13.00	-37.27	-	-
1732.5MHz_RB 75, #RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.08	-13.00	-28.08	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	54.402k	-65.23	-13.00	-52.23	-	-
1732.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.49	-13.00	-48.49	-	-
1732.5MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.46399G	-51.83	-13.00	-38.83	-	-
1732.5MHz_RB 1, #RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.64429G	-50.39	-13.00	-37.39	-	-
1732.5MHz_RB 1, #RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6995G	-46.64	-13.00	-33.64	MBW 1M	-
1732.5MHz_RB 1, #RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70976G	-60.50	-13.00	-47.50	-	-
1732.5MHz_RB 1, #RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.7551G	-61.90	-13.00	-48.90	-	-
1732.5MHz_RB 1, #RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7595G	-54.47	-13.00	-41.47	MBW 1M	-
1732.5MHz_RB 1, #RB L	Pass	1.785G	5G	1M	3M	RMS	3.45158G	-46.92	-13.00	-33.92	-	-
1732.5MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.39063G	-41.32	-13.00	-28.32	-	-
1747.5MHz_RB 75, #RB 0	Pass	9k	150k	1k	3k	RMS	27.189k	-76.09	-13.00	-63.09	-	-
1747.5MHz_RB 75, #RB 0	Pass	150k	30M	10k	30k	RMS	6.881M	-62.71	-13.00	-49.71	-	-
1747.5MHz_RB 75, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.14444G	-51.84	-13.00	-38.84	-	-
1747.5MHz_RB 75, #RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.59005G	-51.16	-13.00	-38.16	-	-
1747.5MHz_RB 75, #RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-51.28	-13.00	-38.28	MBW 1M	-
1747.5MHz_RB 75, #RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70917G	-56.64	-13.00	-43.64	-	-
1747.5MHz_RB 75, #RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-30.10	-13.00	-17.10	-	-
1747.5MHz_RB 75, #RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-30.95	-13.00	-17.95	MBW 1M	-
1747.5MHz_RB 75, #RB 0	Pass	1.785G	5G	1M	3M	RMS	4.79504G	-50.30	-13.00	-37.30	-	-
1747.5MHz_RB 75, #RB 0	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.16	-13.00	-28.16	-	-
1747.5MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	108.969k	-65.73	-13.00	-52.73	-	-
1747.5MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-64.30	-13.00	-51.30	-	-
1747.5MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	1.03364G	-52.05	-13.00	-39.05	-	-
1747.5MHz_RB 1, #RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.60539G	-50.57	-13.00	-37.57	-	-
1747.5MHz_RB 1, #RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7075G	-55.70	-13.00	-42.70	MBW 1M	-
1747.5MHz_RB 1, #RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70961G	-62.43	-13.00	-49.43	-	-
1747.5MHz_RB 1, #RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.75504G	-15.50	-13.00	-2.50	-	-
1747.5MHz_RB 1, #RB H	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-24.95	-13.00	-11.95	MBW 1M	-
1747.5MHz_RB 1, #RB H	Pass	1.785G	5G	1M	3M	RMS	3.50824G	-46.21	-13.00	-33.21	-	-
1747.5MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.22	-13.00	-28.22	-	-
Band 4_LTE_20MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	15.31k	-74.38	-13.00	-61.38	-	-
1720MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	1.008M	-71.59	-13.00	-58.59	-	-
1720MHz_RB 100, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.47924G	-52.12	-13.00	-39.12	-	-
1720MHz_RB 100, #RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.61677G	-51.40	-13.00	-38.40	-	-
1720MHz_RB 100, #RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-25.87	-13.00	-12.87	MBW 1M	-
1720MHz_RB 100, #RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70997G	-30.09	-13.00	-17.09	-	-
1720MHz_RB 100, #RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75555G	-52.20	-13.00	-39.20	-	-
1720MHz_RB 100, #RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-47.16	-13.00	-34.16	MBW 1M	-
1720MHz_RB 100, #RB 0	Pass	1.795G	5G	1M	3M	RMS	4.99519G	-50.04	-13.00	-37.04	-	-
1720MHz_RB 100, #RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.04	-13.00	-28.04	-	-
1720MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	88.806k	-64.66	-13.00	-51.66	-	-
1720MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.27	-13.00	-53.27	-	-
1720MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	1.26315G	-51.72	-13.00	-38.72	-	-
1720MHz_RB 1, #RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.6075G	-50.88	-13.00	-37.88	-	-
1720MHz_RB 1, #RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-27.24	-13.00	-14.24	MBW 1M	-
1720MHz_RB 1, #RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.71G	-18.39	-13.00	-5.39	-	-
1720MHz_RB 1, #RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.75561G	-60.35	-13.00	-47.35	-	-
1720MHz_RB 1, #RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7735G	-55.85	-13.00	-42.85	MBW 1M	-
1720MHz_RB 1, #RB L	Pass	1.795G	5G	1M	3M	RMS	3.42194G	-43.11	-13.00	-30.11	-	-
1720MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.25	-13.00	-28.25	-	-
1732.5MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	12.208k	-74.63	-13.00	-61.63	-	-
1732.5MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	13.814M	-67.98	-13.00	-54.98	-	-
1732.5MHz_RB 100, #RB 0	Pass	30M	1.5G	1M	3M	RMS	880.58M	-51.78	-13.00	-38.78	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.58281G	-49.21	-13.00	-36.21	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-34.08	-13.00	-21.08	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70991G	-37.67	-13.00	-24.67	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75502G	-45.68	-13.00	-32.68	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-40.87	-13.00	-27.87	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.90625G	-50.28	-13.00	-37.28	-	-
1732.5MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.27	-13.00	-28.27	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	14.217k	-66.62	-13.00	-53.62	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.44	-13.00	-52.44	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.32544G	-52.08	-13.00	-39.08	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.66622G	-50.22	-13.00	-37.22	-	-
1732.5MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7055G	-44.12	-13.00	-31.12	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.70944G	-54.13	-13.00	-41.13	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.75595G	-61.97	-13.00	-48.97	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7595G	-31.28	-13.00	-18.28	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.44718G	-48.15	-13.00	-35.15	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64G	-41.21	-13.00	-28.21	-	-
1745MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	12.454k	-74.63	-13.00	-61.63	-	-
1745MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	4.075M	-66.71	-13.00	-53.71	-	-
1745MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.28299G	-51.76	-13.00	-38.76	-	-
1745MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.54885G	-51.06	-13.00	-38.06	-	-
1745MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-44.05	-13.00	-31.05	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.7092G	-49.03	-13.00	-36.03	-	-
1745MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75505G	-32.75	-13.00	-19.75	-	-
1745MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-32.49	-13.00	-19.49	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.94552G	-50.41	-13.00	-37.41	-	-
1745MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.22	-13.00	-28.22	-	-
1745MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	11.397k	-66.13	-13.00	-53.13	-	-
1745MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-68.58	-13.00	-55.58	-	-
1745MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	856.88M	-52.31	-13.00	-39.31	-	-
1745MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.54407G	-50.13	-13.00	-37.13	-	-
1745MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-56.36	-13.00	-43.36	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	1M	RMS	1.70928G	-60.24	-13.00	-47.24	-	-
1745MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	1M	RMS	1.75504G	-19.48	-13.00	-6.48	-	-
1745MHz_RB 1,#RB H	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-28.44	-13.00	-15.44	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.795G	5G	1M	3M	RMS	3.50767G	-45.58	-13.00	-32.58	-	-
1745MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.6325G	-41.33	-13.00	-28.33	-	-
Band 5_LTE_1.4MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
824.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	13.23k	-72.38	-13.00	-59.38	-	-
824.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	150k	-63.40	-13.00	-50.40	-	-
824.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	293.2M	-62.69	-13.00	-49.69	-	-
824.7MHz_RB 6,#RB 0	Pass	500M	821.2M	100k	300k	RMS	820.72M	-48.77	-13.00	-35.77	-	-
824.7MHz_RB 6,#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-26.81	-13.00	-13.81	MBW 100k	-
824.7MHz_RB 6,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-24.53	-13.00	-11.53	-	-
824.7MHz_RB 6,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.09M	-70.53	-13.00	-57.53	-	-
824.7MHz_RB 6,#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	849.95M	-67.05	-13.00	-54.05	MBW 100k	-
824.7MHz_RB 6,#RB 0	Pass	851.8M	2G	100k	300k	RMS	1.64922G	-56.61	-13.00	-43.61	-	-
824.7MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.181G	-54.94	-13.00	-41.94	-	-
824.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	94.693k	-62.02	-13.00	-49.02	-	-
824.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.33	-13.00	-48.33	-	-
824.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	336.79M	-63.21	-13.00	-50.21	-	-
824.7MHz_RB 1,#RB L	Pass	500M	821.2M	100k	300k	RMS	821.2M	-52.23	-13.00	-39.23	-	-
824.7MHz_RB 1,#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-28.30	-13.00	-15.30	MBW 100k	-
824.7MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-19.00	-13.00	-6.00	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
824.7MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.01M	-70.28	-13.00	-57.28	-	-
824.7MHz_RB 1,#RB L	Pass	849.1M	851.8M	30k	100k	RMS	850.25M	-66.42	-13.00	-53.42	MBW 100k	-
824.7MHz_RB 1,#RB L	Pass	851.8M	2G	100k	300k	RMS	1.64865G	-49.28	-13.00	-36.28	-	-
824.7MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.197G	-54.87	-13.00	-41.87	-	-
836.5MHz_RB 6,#RB O	Pass	9k	150k	1k	3k	RMS	14.499k	-74.19	-13.00	-61.19	-	-
836.5MHz_RB 6,#RB O	Pass	150k	30M	10k	30k	RMS	276.862k	-61.18	-13.00	-48.18	-	-
836.5MHz_RB 6,#RB O	Pass	30M	500M	100k	300k	RMS	431.85M	-62.55	-13.00	-49.55	-	-
836.5MHz_RB 6,#RB O	Pass	500M	821.2M	100k	300k	RMS	686.94M	-61.11	-13.00	-48.11	-	-
836.5MHz_RB 6,#RB O	Pass	821.2M	823.9M	30k	100k	RMS	823.75M	-65.09	-13.00	-52.09	MBW 100k	-
836.5MHz_RB 6,#RB O	Pass	823.9M	824M	30k	100k	RMS	823.93M	-67.20	-13.00	-54.20	-	-
836.5MHz_RB 6,#RB O	Pass	849M	849.1M	30k	100k	RMS	849M	-67.84	-13.00	-54.84	-	-
836.5MHz_RB 6,#RB O	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-65.08	-13.00	-52.08	MBW 100k	-
836.5MHz_RB 6,#RB O	Pass	851.8M	2G	100k	300k	RMS	1.67334G	-57.45	-13.00	-44.45	-	-
836.5MHz_RB 6,#RB O	Pass	2G	10G	100k	300k	RMS	9.171G	-55.51	-13.00	-42.51	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	106.114k	-61.78	-13.00	-48.78	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-61.02	-13.00	-48.02	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	280.51M	-62.63	-13.00	-49.63	-	-
836.5MHz_RB 1,#RB L	Pass	500M	821.2M	100k	300k	RMS	517.1M	-61.10	-13.00	-48.10	-	-
836.5MHz_RB 1,#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-64.74	-13.00	-51.74	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.94M	-65.89	-13.00	-52.89	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.04M	-69.13	-13.00	-56.13	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	851.8M	30k	100k	RMS	850.15M	-65.53	-13.00	-52.53	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	851.8M	2G	100k	300k	RMS	1.67219G	-51.07	-13.00	-38.07	-	-
836.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.174G	-55.74	-13.00	-42.74	-	-
848.3MHz_RB 6,#RB O	Pass	9k	150k	1k	3k	RMS	13.794k	-73.16	-13.00	-60.16	-	-
848.3MHz_RB 6,#RB O	Pass	150k	30M	10k	30k	RMS	388.8k	-61.51	-13.00	-48.51	-	-
848.3MHz_RB 6,#RB O	Pass	30M	500M	100k	300k	RMS	337.62M	-62.69	-13.00	-49.69	-	-
848.3MHz_RB 6,#RB O	Pass	500M	821.2M	100k	300k	RMS	630.01M	-61.56	-13.00	-48.56	-	-
848.3MHz_RB 6,#RB O	Pass	821.2M	823.9M	30k	100k	RMS	822.35M	-67.21	-13.00	-54.21	MBW 100k	-
848.3MHz_RB 6,#RB O	Pass	823.9M	824M	30k	100k	RMS	823.92M	-70.26	-13.00	-57.26	-	-
848.3MHz_RB 6,#RB O	Pass	849M	849.1M	30k	100k	RMS	849M	-24.57	-13.00	-11.57	-	-
848.3MHz_RB 6,#RB O	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-24.13	-13.00	-11.13	MBW 100k	-
848.3MHz_RB 6,#RB O	Pass	851.8M	2G	100k	300k	RMS	851.8M	-54.42	-13.00	-41.42	-	-
848.3MHz_RB 6,#RB O	Pass	2G	10G	100k	300k	RMS	9.207G	-55.54	-13.00	-42.54	-	-
848.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	80.452k	-61.97	-13.00	-48.97	-	-
848.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.01	-13.00	-48.01	-	-
848.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	377.1M	-61.87	-13.00	-48.87	-	-
848.3MHz_RB 1,#RB H	Pass	500M	821.2M	100k	300k	RMS	782.09M	-60.11	-13.00	-47.11	-	-
848.3MHz_RB 1,#RB H	Pass	821.2M	823.9M	30k	100k	RMS	822.75M	-66.70	-13.00	-53.70	MBW 100k	-
848.3MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.98M	-70.62	-13.00	-57.62	-	-
848.3MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-18.88	-13.00	-5.88	-	-
848.3MHz_RB 1,#RB H	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-27.40	-13.00	-14.40	MBW 100k	-
848.3MHz_RB 1,#RB H	Pass	851.8M	2G	100k	300k	RMS	1.69745G	-52.87	-13.00	-39.87	-	-
848.3MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.207G	-55.36	-13.00	-42.36	-	-
Band 5_LTE_3MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
825.5MHz_RB 15,#RB O	Pass	9k	150k	1k	3k	RMS	27.964k	-74.14	-13.00	-61.14	-	-
825.5MHz_RB 15,#RB O	Pass	150k	30M	10k	30k	RMS	1.157M	-64.88	-13.00	-51.88	-	-
825.5MHz_RB 15,#RB O	Pass	30M	500M	100k	300k	RMS	344.31M	-63.03	-13.00	-50.03	-	-
825.5MHz_RB 15,#RB O	Pass	500M	818M	100k	300k	RMS	817.6M	-55.13	-13.00	-42.13	-	-
825.5MHz_RB 15,#RB O	Pass	818M	823.9M	30k	100k	RMS	823.85M	-27.79	-13.00	-14.79	MBW 100k	-
825.5MHz_RB 15,#RB O	Pass	823.9M	824M	30k	100k	RMS	824M	-27.82	-13.00	-14.82	-	-
825.5MHz_RB 15,#RB O	Pass	849M	849.1M	30k	100k	RMS	849M	-69.98	-13.00	-56.98	-	-
825.5MHz_RB 15,#RB O	Pass	849.1M	855M	30k	100k	RMS	849.65M	-66.83	-13.00	-53.83	MBW 100k	-
825.5MHz_RB 15,#RB O	Pass	855M	2G	100k	300k	RMS	1.65106G	-59.30	-13.00	-46.30	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
825.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.167G	-55.64	-13.00	-42.64	-	-
825.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	62.968k	-61.40	-13.00	-48.40	-	-
825.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-60.20	-13.00	-47.20	-	-
825.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	306.71M	-62.90	-13.00	-49.90	-	-
825.5MHz_RB 1,#RB L	Pass	500M	818M	100k	300k	RMS	818M	-60.50	-13.00	-47.50	-	-
825.5MHz_RB 1,#RB L	Pass	818M	823.9M	30k	100k	RMS	823.85M	-24.81	-13.00	-11.81	MBW 100k	-
825.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-17.01	-13.00	-4.01	-	-
825.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.05M	-70.30	-13.00	-57.30	-	-
825.5MHz_RB 1,#RB L	Pass	849.1M	855M	30k	100k	RMS	850.15M	-66.40	-13.00	-53.40	MBW 100k	-
825.5MHz_RB 1,#RB L	Pass	855M	2G	100k	300k	RMS	1.64849G	-49.69	-13.00	-36.69	-	-
825.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.185G	-55.13	-13.00	-42.13	-	-
836.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	28k	-74.96	-13.00	-61.96	-	-
836.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.993M	-60.40	-13.00	-47.40	-	-
836.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	359.12M	-63.52	-13.00	-50.52	-	-
836.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	816.09M	-61.64	-13.00	-48.64	-	-
836.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.75M	-61.62	-13.00	-48.62	MBW 100k	-
836.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.98M	-65.12	-13.00	-52.12	-	-
836.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.01M	-66.87	-13.00	-53.87	-	-
836.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.25M	-64.08	-13.00	-51.08	MBW 100k	-
836.5MHz_RB 15,#RB 0	Pass	855M	2G	100k	300k	RMS	1.67396G	-59.77	-13.00	-46.77	-	-
836.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.179G	-54.84	-13.00	-41.84	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.552k	-61.72	-13.00	-48.72	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-60.22	-13.00	-47.22	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	321.99M	-62.71	-13.00	-49.71	-	-
836.5MHz_RB 1,#RB L	Pass	500M	818M	100k	300k	RMS	721.49M	-60.62	-13.00	-47.62	-	-
836.5MHz_RB 1,#RB L	Pass	818M	823.9M	30k	100k	RMS	823.15M	-62.85	-13.00	-49.85	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.98M	-67.42	-13.00	-54.42	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.02M	-67.05	-13.00	-54.05	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	855M	30k	100k	RMS	851.35M	-62.70	-13.00	-49.70	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	855M	2G	100k	300k	RMS	1.67053G	-50.14	-13.00	-37.14	-	-
836.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.224G	-55.35	-13.00	-42.35	-	-
847.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	55.988k	-73.63	-13.00	-60.63	-	-
847.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.128M	-64.46	-13.00	-51.46	-	-
847.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	376.04M	-62.49	-13.00	-49.49	-	-
847.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	766.17M	-61.09	-13.00	-48.09	-	-
847.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	822.85M	-66.80	-13.00	-53.80	MBW 100k	-
847.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.93M	-70.77	-13.00	-57.77	-	-
847.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-27.18	-13.00	-14.18	-	-
847.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-26.71	-13.00	-13.71	MBW 100k	-
847.5MHz_RB 15,#RB 0	Pass	855M	2G	100k	300k	RMS	855.29M	-54.49	-13.00	-41.49	-	-
847.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.175G	-55.67	-13.00	-42.67	-	-
847.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	118.275k	-63.48	-13.00	-50.48	-	-
847.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-57.95	-13.00	-44.95	-	-
847.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	266.76M	-62.80	-13.00	-49.80	-	-
847.5MHz_RB 1,#RB H	Pass	500M	818M	100k	300k	RMS	697.24M	-61.93	-13.00	-48.93	-	-
847.5MHz_RB 1,#RB H	Pass	818M	823.9M	30k	100k	RMS	822.75M	-66.76	-13.00	-53.76	MBW 100k	-
847.5MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.95M	-70.70	-13.00	-57.70	-	-
847.5MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-16.70	-13.00	-3.70	-	-
847.5MHz_RB 1,#RB H	Pass	849.1M	855M	30k	100k	RMS	849.15M	-24.27	-13.00	-11.27	MBW 100k	-
847.5MHz_RB 1,#RB H	Pass	855M	2G	100k	300k	RMS	1.69772G	-52.61	-13.00	-39.61	-	-
847.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.158G	-55.75	-13.00	-42.75	-	-
Band 5_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
826.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.362k	-74.60	-13.00	-61.60	-	-
826.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.59M	-65.30	-13.00	-52.30	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
826.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	287.91M	-62.49	-13.00	-49.49	-	-
826.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	675.53M	-61.04	-13.00	-48.04	-	-
826.5MHz_RB 25,#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.85M	-30.18	-13.00	-17.18	MBW 100k	-
826.5MHz_RB 25,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-30.70	-13.00	-17.70	-	-
826.5MHz_RB 25,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.08M	-69.95	-13.00	-56.95	-	-
826.5MHz_RB 25,#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.65M	-66.36	-13.00	-53.36	MBW 100k	-
826.5MHz_RB 25,#RB 0	Pass	859M	2G	100k	300k	RMS	1.65371G	-61.87	-13.00	-48.87	-	-
826.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.226G	-55.27	-13.00	-42.27	-	-
826.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	136.076k	-62.45	-13.00	-49.45	-	-
826.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-64.99	-13.00	-51.99	-	-
826.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	422.57M	-62.81	-13.00	-49.81	-	-
826.5MHz_RB 1,#RB L	Pass	500M	814M	100k	300k	RMS	680.31M	-60.84	-13.00	-47.84	-	-
826.5MHz_RB 1,#RB L	Pass	814M	823.9M	30k	100k	RMS	823.85M	-23.28	-13.00	-10.28	MBW 100k	-
826.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.99M	-18.09	-13.00	-5.09	-	-
826.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.03M	-70.23	-13.00	-57.23	-	-
826.5MHz_RB 1,#RB L	Pass	849.1M	859M	30k	100k	RMS	850.75M	-66.74	-13.00	-53.74	MBW 100k	-
826.5MHz_RB 1,#RB L	Pass	859M	2G	100k	300k	RMS	1.64886G	-50.81	-13.00	-37.81	-	-
826.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.247G	-55.54	-13.00	-42.54	-	-
836.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	17.46k	-77.59	-13.00	-64.59	-	-
836.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.807M	-60.70	-13.00	-47.70	-	-
836.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	475.56M	-62.02	-13.00	-49.02	-	-
836.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	807.56M	-61.49	-13.00	-48.49	-	-
836.5MHz_RB 25,#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.75M	-54.88	-13.00	-41.88	MBW 100k	-
836.5MHz_RB 25,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-59.50	-13.00	-46.50	-	-
836.5MHz_RB 25,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.04M	-59.06	-13.00	-46.06	-	-
836.5MHz_RB 25,#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.35M	-55.04	-13.00	-42.04	MBW 100k	-
836.5MHz_RB 25,#RB 0	Pass	859M	2G	100k	300k	RMS	1.67453G	-61.94	-13.00	-48.94	-	-
836.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.201G	-55.29	-13.00	-42.29	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	72.203k	-62.78	-13.00	-49.78	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-59.48	-13.00	-46.48	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	196.03M	-62.73	-13.00	-49.73	-	-
836.5MHz_RB 1,#RB L	Pass	500M	814M	100k	300k	RMS	718.47M	-62.25	-13.00	-49.25	-	-
836.5MHz_RB 1,#RB L	Pass	814M	823.9M	30k	100k	RMS	823.55M	-62.94	-13.00	-49.94	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.95M	-68.08	-13.00	-55.08	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.1M	-68.00	-13.00	-55.00	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	859M	30k	100k	RMS	849.45M	-62.15	-13.00	-49.15	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	859M	2G	100k	300k	RMS	1.66882G	-50.90	-13.00	-37.90	-	-
836.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.158G	-55.10	-13.00	-42.10	-	-
846.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	18.835k	-76.54	-13.00	-63.54	-	-
846.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.613M	-66.05	-13.00	-53.05	-	-
846.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	128.58M	-62.44	-13.00	-49.44	-	-
846.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	725.61M	-60.68	-13.00	-47.68	-	-
846.5MHz_RB 25,#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.45M	-64.81	-13.00	-51.81	MBW 100k	-
846.5MHz_RB 25,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.92M	-67.80	-13.00	-54.80	-	-
846.5MHz_RB 25,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-29.67	-13.00	-16.67	-	-
846.5MHz_RB 25,#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.15M	-29.27	-13.00	-16.27	MBW 100k	-
846.5MHz_RB 25,#RB 0	Pass	859M	2G	100k	300k	RMS	859M	-61.49	-13.00	-48.49	-	-
846.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.193G	-55.25	-13.00	-42.25	-	-
846.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	102.589k	-63.73	-13.00	-50.73	-	-
846.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.17	-13.00	-48.17	-	-
846.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	498.24M	-62.03	-13.00	-49.03	-	-
846.5MHz_RB 1,#RB H	Pass	500M	814M	100k	300k	RMS	695.31M	-61.67	-13.00	-48.67	-	-
846.5MHz_RB 1,#RB H	Pass	814M	823.9M	30k	100k	RMS	822.65M	-66.57	-13.00	-53.57	MBW 100k	-
846.5MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.96M	-70.64	-13.00	-57.64	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
846.5MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-18.65	-13.00	-5.65	-	-
846.5MHz_RB 1,#RB H	Pass	849.1M	859M	30k	100k	RMS	849.15M	-22.74	-13.00	-9.74	MBW 100k	-
846.5MHz_RB 1,#RB H	Pass	859M	2G	100k	300k	RMS	1.69735G	-50.75	-13.00	-37.75	-	-
846.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.172G	-55.51	-13.00	-42.51	-	-
Band 5_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.868k	-77.68	-13.00	-64.68	-	-
829MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.15M	-61.35	-13.00	-48.35	-	-
829MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	202.96M	-62.82	-13.00	-49.82	-	-
829MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	756.42M	-61.26	-13.00	-48.26	-	-
829MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.85M	-33.04	-13.00	-20.04	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.93M	-34.95	-13.00	-21.95	-	-
829MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-54.31	-13.00	-41.31	-	-
829MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.75M	-51.25	-13.00	-38.25	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	1.6542G	-62.36	-13.00	-49.36	-	-
829MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.164G	-55.48	-13.00	-42.48	-	-
829MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.044k	-59.83	-13.00	-46.83	-	-
829MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-61.61	-13.00	-48.61	-	-
829MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	373.1M	-61.77	-13.00	-48.77	-	-
829MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	776.64M	-60.52	-13.00	-47.52	-	-
829MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	823.85M	-19.60	-13.00	-6.60	MBW 100k	-
829MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-20.51	-13.00	-7.51	-	-
829MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.06M	-70.15	-13.00	-57.15	-	-
829MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	850.55M	-65.02	-13.00	-52.02	MBW 100k	-
829MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	1.64911G	-51.37	-13.00	-38.37	-	-
829MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.194G	-55.74	-13.00	-42.74	-	-
836.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.599k	-76.02	-13.00	-63.02	-	-
836.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	2.023M	-67.83	-13.00	-54.83	-	-
836.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	405.18M	-62.57	-13.00	-49.57	-	-
836.5MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	629.5M	-61.31	-13.00	-48.31	-	-
836.5MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.25M	-45.30	-13.00	-32.30	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.94M	-48.96	-13.00	-35.96	-	-
836.5MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.06M	-43.80	-13.00	-30.80	-	-
836.5MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.25M	-40.58	-13.00	-27.58	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	1.67314G	-62.89	-13.00	-49.89	-	-
836.5MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.21G	-55.72	-13.00	-42.72	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	86.938k	-62.32	-13.00	-49.32	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-59.37	-13.00	-46.37	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	396.72M	-63.28	-13.00	-50.28	-	-
836.5MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	534.2M	-62.10	-13.00	-49.10	-	-
836.5MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	823.25M	-57.25	-13.00	-44.25	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.99M	-62.81	-13.00	-49.81	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.07M	-63.40	-13.00	-50.40	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	849.75M	-34.12	-13.00	-21.12	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	1.66438G	-52.09	-13.00	-39.09	-	-
836.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.852G	-55.51	-13.00	-42.51	-	-
844MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.48k	-76.74	-13.00	-63.74	-	-
844MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.695M	-60.91	-13.00	-47.91	-	-
844MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	492.36M	-61.02	-13.00	-48.02	-	-
844MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	796.1M	-61.39	-13.00	-48.39	-	-
844MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.85M	-48.35	-13.00	-35.35	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-52.45	-13.00	-39.45	-	-
844MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-32.46	-13.00	-19.46	-	-
844MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.15M	-29.86	-13.00	-16.86	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	1.69209G	-62.74	-13.00	-49.74	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
844MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.172G	-55.02	-13.00	-42.02	-	-
844MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	87.079k	-62.73	-13.00	-49.73	-	-
844MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-65.00	-13.00	-52.00	-	-
844MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	300.96M	-62.30	-13.00	-49.30	-	-
844MHz_RB 1,#RB H	Pass	500M	804M	100k	300k	RMS	714.55M	-61.42	-13.00	-48.42	-	-
844MHz_RB 1,#RB H	Pass	804M	823.9M	30k	100k	RMS	822.45M	-65.45	-13.00	-52.45	MBW 100k	-
844MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.93M	-70.21	-13.00	-57.21	-	-
844MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-20.30	-13.00	-7.30	-	-
844MHz_RB 1,#RB H	Pass	849.1M	869M	30k	100k	RMS	849.15M	-19.86	-13.00	-6.86	MBW 100k	-
844MHz_RB 1,#RB H	Pass	869M	2G	100k	300k	RMS	1.69689G	-50.78	-13.00	-37.78	-	-
844MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.176G	-55.59	-13.00	-42.59	-	-
Band 5_LTE_1.4MHz_Nss1.16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
824.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	104.14k	-71.71	-13.00	-58.71	-	-
824.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	403.725k	-63.04	-13.00	-50.04	-	-
824.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	314.59M	-62.75	-13.00	-49.75	-	-
824.7MHz_RB 6,#RB 0	Pass	500M	821.2M	100k	300k	RMS	820.56M	-52.64	-13.00	-39.64	-	-
824.7MHz_RB 6,#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-27.22	-13.00	-14.22	MBW 100k	-
824.7MHz_RB 6,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-25.94	-13.00	-12.94	-	-
824.7MHz_RB 6,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.1M	-70.82	-13.00	-57.82	-	-
824.7MHz_RB 6,#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	850.85M	-66.93	-13.00	-53.93	MBW 100k	-
824.7MHz_RB 6,#RB 0	Pass	851.8M	2G	100k	300k	RMS	1.64951G	-57.99	-13.00	-44.99	-	-
824.7MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.181G	-55.25	-13.00	-42.25	-	-
824.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	33.569k	-61.04	-13.00	-48.04	-	-
824.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-63.36	-13.00	-50.36	-	-
824.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	337.15M	-62.78	-13.00	-49.78	-	-
824.7MHz_RB 1,#RB L	Pass	500M	821.2M	100k	300k	RMS	820.88M	-55.36	-13.00	-42.36	-	-
824.7MHz_RB 1,#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-29.06	-13.00	-16.06	MBW 100k	-
824.7MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-18.58	-13.00	-5.58	-	-
824.7MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.04M	-70.65	-13.00	-57.65	-	-
824.7MHz_RB 1,#RB L	Pass	849.1M	851.8M	30k	100k	RMS	850.25M	-66.69	-13.00	-53.69	MBW 100k	-
824.7MHz_RB 1,#RB L	Pass	851.8M	2G	100k	300k	RMS	1.64865G	-52.42	-13.00	-39.42	-	-
824.7MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.168G	-54.68	-13.00	-41.68	-	-
836.5MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	72.168k	-71.22	-13.00	-58.22	-	-
836.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	418.65k	-61.43	-13.00	-48.43	-	-
836.5MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	282.63M	-63.48	-13.00	-50.48	-	-
836.5MHz_RB 6,#RB 0	Pass	500M	821.2M	100k	300k	RMS	769.09M	-61.55	-13.00	-48.55	-	-
836.5MHz_RB 6,#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-65.46	-13.00	-52.46	MBW 100k	-
836.5MHz_RB 6,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.98M	-68.34	-13.00	-55.34	-	-
836.5MHz_RB 6,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.05M	-68.52	-13.00	-55.52	-	-
836.5MHz_RB 6,#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-65.55	-13.00	-52.55	MBW 100k	-
836.5MHz_RB 6,#RB 0	Pass	851.8M	2G	100k	300k	RMS	1.67305G	-57.70	-13.00	-44.70	-	-
836.5MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.227G	-55.34	-13.00	-42.34	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	14.006k	-61.68	-13.00	-48.68	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.16	-13.00	-48.16	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	451.83M	-63.03	-13.00	-50.03	-	-
836.5MHz_RB 1,#RB L	Pass	500M	821.2M	100k	300k	RMS	698.66M	-61.95	-13.00	-48.95	-	-
836.5MHz_RB 1,#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-65.03	-13.00	-52.03	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-66.20	-13.00	-53.20	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849M	-69.50	-13.00	-56.50	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	851.8M	30k	100k	RMS	850.15M	-65.63	-13.00	-52.63	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	851.8M	2G	100k	300k	RMS	1.67219G	-51.21	-13.00	-38.21	-	-
836.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.175G	-55.33	-13.00	-42.33	-	-
848.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	34.274k	-72.71	-13.00	-59.71	-	-
848.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	217.162k	-61.98	-13.00	-48.98	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
848.3MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	245.85M	-61.90	-13.00	-48.90	-	-
848.3MHz_RB 6,#RB 0	Pass	500M	821.2M	100k	300k	RMS	757.92M	-61.58	-13.00	-48.58	-	-
848.3MHz_RB 6,#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.45M	-67.19	-13.00	-54.19	MBW 100k	-
848.3MHz_RB 6,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-70.53	-13.00	-57.53	-	-
848.3MHz_RB 6,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-24.80	-13.00	-11.80	-	-
848.3MHz_RB 6,#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-25.00	-13.00	-12.00	MBW 100k	-
848.3MHz_RB 6,#RB 0	Pass	851.8M	2G	100k	300k	RMS	851.8M	-55.28	-13.00	-42.28	-	-
848.3MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.173G	-55.35	-13.00	-42.35	-	-
848.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	73.613k	-63.39	-13.00	-50.39	-	-
848.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.53	-13.00	-48.53	-	-
848.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	301.43M	-63.13	-13.00	-50.13	-	-
848.3MHz_RB 1,#RB H	Pass	500M	821.2M	100k	300k	RMS	802.97M	-61.92	-13.00	-48.92	-	-
848.3MHz_RB 1,#RB H	Pass	821.2M	823.9M	30k	100k	RMS	822.75M	-66.75	-13.00	-53.75	MBW 100k	-
848.3MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.92M	-70.93	-13.00	-57.93	-	-
848.3MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849.01M	-17.86	-13.00	-4.86	-	-
848.3MHz_RB 1,#RB H	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-28.27	-13.00	-15.27	MBW 100k	-
848.3MHz_RB 1,#RB H	Pass	851.8M	2G	100k	300k	RMS	1.69745G	-51.33	-13.00	-38.33	-	-
848.3MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.168G	-55.19	-13.00	-42.19	-	-
Band 5_LTE_3MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
825.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	29.445k	-73.75	-13.00	-60.75	-	-
825.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.62M	-60.29	-13.00	-47.29	-	-
825.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	378.62M	-63.51	-13.00	-50.51	-	-
825.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	817.92M	-55.34	-13.00	-42.34	-	-
825.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.85M	-29.00	-13.00	-16.00	MBW 100k	-
825.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.99M	-28.96	-13.00	-15.96	-	-
825.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.02M	-70.54	-13.00	-57.54	-	-
825.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	851.95M	-67.02	-13.00	-54.02	MBW 100k	-
825.5MHz_RB 15,#RB 0	Pass	855M	2G	100k	300k	RMS	1.65106G	-60.00	-13.00	-47.00	-	-
825.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.188G	-55.19	-13.00	-42.19	-	-
825.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	61.593k	-60.60	-13.00	-47.60	-	-
825.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-58.42	-13.00	-45.42	-	-
825.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	202.37M	-62.35	-13.00	-49.35	-	-
825.5MHz_RB 1,#RB L	Pass	500M	818M	100k	300k	RMS	771.81M	-61.59	-13.00	-48.59	-	-
825.5MHz_RB 1,#RB L	Pass	818M	823.9M	30k	100k	RMS	823.75M	-24.70	-13.00	-11.70	MBW 100k	-
825.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-16.37	-13.00	-3.37	-	-
825.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.05M	-70.55	-13.00	-57.55	-	-
825.5MHz_RB 1,#RB L	Pass	849.1M	855M	30k	100k	RMS	850.25M	-66.67	-13.00	-53.67	MBW 100k	-
825.5MHz_RB 1,#RB L	Pass	855M	2G	100k	300k	RMS	1.64849G	-49.53	-13.00	-36.53	-	-
825.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.238G	-55.74	-13.00	-42.74	-	-
836.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	139.989k	-74.18	-13.00	-61.18	-	-
836.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.038M	-64.08	-13.00	-51.08	-	-
836.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	387.08M	-63.14	-13.00	-50.14	-	-
836.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	558.27M	-61.68	-13.00	-48.68	-	-
836.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.85M	-63.10	-13.00	-50.10	MBW 100k	-
836.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-66.76	-13.00	-53.76	-	-
836.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.07M	-68.40	-13.00	-55.40	-	-
836.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.35M	-64.92	-13.00	-51.92	MBW 100k	-
836.5MHz_RB 15,#RB 0	Pass	855M	2G	100k	300k	RMS	1.6731G	-60.00	-13.00	-47.00	-	-
836.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.184G	-55.41	-13.00	-42.41	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	31.63k	-61.84	-13.00	-48.84	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-57.96	-13.00	-44.96	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	345.37M	-62.89	-13.00	-49.89	-	-
836.5MHz_RB 1,#RB L	Pass	500M	818M	100k	300k	RMS	680.47M	-61.47	-13.00	-48.47	-	-
836.5MHz_RB 1,#RB L	Pass	818M	823.9M	30k	100k	RMS	823.65M	-63.15	-13.00	-50.15	MBW 100k	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
836.5MHz_RB 1, #RB L	Pass	823.9M	824M	30k	100k	RMS	823.97M	-68.42	-13.00	-55.42	-	-
836.5MHz_RB 1, #RB L	Pass	849M	849.1M	30k	100k	RMS	849.08M	-68.08	-13.00	-55.08	-	-
836.5MHz_RB 1, #RB L	Pass	849.1M	855M	30k	100k	RMS	851.35M	-63.61	-13.00	-50.61	MBW 100k	-
836.5MHz_RB 1, #RB L	Pass	855M	2G	100k	300k	RMS	1.67053G	-50.83	-13.00	-37.83	-	-
836.5MHz_RB 1, #RB L	Pass	2G	10G	100k	300k	RMS	9.172G	-55.48	-13.00	-42.48	-	-
847.5MHz_RB 15, #RB 0	Pass	9k	150k	1k	3k	RMS	18.447k	-71.36	-13.00	-58.36	-	-
847.5MHz_RB 15, #RB 0	Pass	150k	30M	10k	30k	RMS	552.975k	-66.11	-13.00	-53.11	-	-
847.5MHz_RB 15, #RB 0	Pass	30M	500M	100k	300k	RMS	325.28M	-62.43	-13.00	-49.43	-	-
847.5MHz_RB 15, #RB 0	Pass	500M	818M	100k	300k	RMS	603.59M	-62.13	-13.00	-49.13	-	-
847.5MHz_RB 15, #RB 0	Pass	818M	823.9M	30k	100k	RMS	823.05M	-67.10	-13.00	-54.10	MBW 100k	-
847.5MHz_RB 15, #RB 0	Pass	823.9M	824M	30k	100k	RMS	823.91M	-70.87	-13.00	-57.87	-	-
847.5MHz_RB 15, #RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-27.92	-13.00	-14.92	-	-
847.5MHz_RB 15, #RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-27.82	-13.00	-14.82	MBW 100k	-
847.5MHz_RB 15, #RB 0	Pass	855M	2G	100k	300k	RMS	855.29M	-58.85	-13.00	-45.85	-	-
847.5MHz_RB 15, #RB 0	Pass	2G	10G	100k	300k	RMS	9.209G	-54.79	-13.00	-41.79	-	-
847.5MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	33.569k	-61.91	-13.00	-48.91	-	-
847.5MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-58.97	-13.00	-45.97	-	-
847.5MHz_RB 1, #RB H	Pass	30M	500M	100k	300k	RMS	300.49M	-62.48	-13.00	-49.48	-	-
847.5MHz_RB 1, #RB H	Pass	500M	818M	100k	300k	RMS	785.88M	-61.89	-13.00	-48.89	-	-
847.5MHz_RB 1, #RB H	Pass	818M	823.9M	30k	100k	RMS	822.75M	-66.78	-13.00	-53.78	MBW 100k	-
847.5MHz_RB 1, #RB H	Pass	823.9M	824M	30k	100k	RMS	823.98M	-70.79	-13.00	-57.79	-	-
847.5MHz_RB 1, #RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-16.88	-13.00	-3.88	-	-
847.5MHz_RB 1, #RB H	Pass	849.1M	855M	30k	100k	RMS	849.15M	-24.33	-13.00	-11.33	MBW 100k	-
847.5MHz_RB 1, #RB H	Pass	855M	2G	100k	300k	RMS	1.69743G	-53.36	-13.00	-40.36	-	-
847.5MHz_RB 1, #RB H	Pass	2G	10G	100k	300k	RMS	9.228G	-55.61	-13.00	-42.61	-	-
Band 5_LTE_5MHz_Nss1, 16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
826.5MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	12.807k	-72.49	-13.00	-59.49	-	-
826.5MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	1.21M	-62.63	-13.00	-49.63	-	-
826.5MHz_RB 25, #RB 0	Pass	30M	500M	100k	300k	RMS	364.99M	-62.59	-13.00	-49.59	-	-
826.5MHz_RB 25, #RB 0	Pass	500M	814M	100k	300k	RMS	649.46M	-61.14	-13.00	-48.14	-	-
826.5MHz_RB 25, #RB 0	Pass	814M	823.9M	30k	100k	RMS	823.85M	-32.01	-13.00	-19.01	MBW 100k	-
826.5MHz_RB 25, #RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-32.13	-13.00	-19.13	-	-
826.5MHz_RB 25, #RB 0	Pass	849M	849.1M	30k	100k	RMS	849.03M	-70.56	-13.00	-57.56	-	-
826.5MHz_RB 25, #RB 0	Pass	849.1M	859M	30k	100k	RMS	849.25M	-66.77	-13.00	-53.77	MBW 100k	-
826.5MHz_RB 25, #RB 0	Pass	859M	2G	100k	300k	RMS	1.65342G	-61.19	-13.00	-48.19	-	-
826.5MHz_RB 25, #RB 0	Pass	2G	10G	100k	300k	RMS	9.184G	-55.15	-13.00	-42.15	-	-
826.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	61.487k	-62.53	-13.00	-49.53	-	-
826.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-60.29	-13.00	-47.29	-	-
826.5MHz_RB 1, #RB L	Pass	30M	500M	100k	300k	RMS	342.32M	-62.69	-13.00	-49.69	-	-
826.5MHz_RB 1, #RB L	Pass	500M	814M	100k	300k	RMS	687.54M	-60.93	-13.00	-47.93	-	-
826.5MHz_RB 1, #RB L	Pass	814M	823.9M	30k	100k	RMS	823.85M	-22.85	-13.00	-9.85	MBW 100k	-
826.5MHz_RB 1, #RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-17.42	-13.00	-4.42	-	-
826.5MHz_RB 1, #RB L	Pass	849M	849.1M	30k	100k	RMS	849.01M	-69.56	-13.00	-56.56	-	-
826.5MHz_RB 1, #RB L	Pass	849.1M	859M	30k	100k	RMS	850.35M	-66.10	-13.00	-53.10	MBW 100k	-
826.5MHz_RB 1, #RB L	Pass	859M	2G	100k	300k	RMS	1.64857G	-52.13	-13.00	-39.13	-	-
826.5MHz_RB 1, #RB L	Pass	2G	10G	100k	300k	RMS	2.473G	-52.27	-13.00	-39.27	-	-
836.5MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	11.644k	-72.97	-13.00	-59.97	-	-
836.5MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	3.172M	-63.87	-13.00	-50.87	-	-
836.5MHz_RB 25, #RB 0	Pass	30M	500M	100k	300k	RMS	422.57M	-62.83	-13.00	-49.83	-	-
836.5MHz_RB 25, #RB 0	Pass	500M	814M	100k	300k	RMS	722.08M	-60.94	-13.00	-47.94	-	-
836.5MHz_RB 25, #RB 0	Pass	814M	823.9M	30k	100k	RMS	823.85M	-56.17	-13.00	-43.17	MBW 100k	-
836.5MHz_RB 25, #RB 0	Pass	823.9M	824M	30k	100k	RMS	823.94M	-60.26	-13.00	-47.26	-	-
836.5MHz_RB 25, #RB 0	Pass	849M	849.1M	30k	100k	RMS	849.05M	-60.55	-13.00	-47.55	-	-
836.5MHz_RB 25, #RB 0	Pass	849.1M	859M	30k	100k	RMS	849.25M	-57.51	-13.00	-44.51	MBW 100k	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
836.5MHz_RB 25,#RB 0	Pass	859M	2G	100k	300k	RMS	1.67396G	-62.22	-13.00	-49.22	-	-
836.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.217G	-55.42	-13.00	-42.42	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	103.258k	-63.74	-13.00	-50.74	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-59.73	-13.00	-46.73	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	424.33M	-63.05	-13.00	-50.05	-	-
836.5MHz_RB 1,#RB L	Pass	500M	814M	100k	300k	RMS	719.72M	-61.68	-13.00	-48.68	-	-
836.5MHz_RB 1,#RB L	Pass	814M	823.9M	30k	100k	RMS	823.65M	-63.56	-13.00	-50.56	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.93M	-68.42	-13.00	-55.42	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.08M	-68.53	-13.00	-55.53	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	859M	30k	100k	RMS	849.45M	-63.09	-13.00	-50.09	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	859M	2G	100k	300k	RMS	1.66882G	-54.55	-13.00	-41.55	-	-
836.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.258G	-54.87	-13.00	-41.87	-	-
846.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.586k	-74.04	-13.00	-61.04	-	-
846.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.165M	-68.01	-13.00	-55.01	-	-
846.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	487.66M	-61.63	-13.00	-48.63	-	-
846.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	630.31M	-61.60	-13.00	-48.60	-	-
846.5MHz_RB 25,#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.35M	-65.72	-13.00	-52.72	MBW 100k	-
846.5MHz_RB 25,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.94M	-69.39	-13.00	-56.39	-	-
846.5MHz_RB 25,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-31.38	-13.00	-18.38	-	-
846.5MHz_RB 25,#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.15M	-30.01	-13.00	-17.01	MBW 100k	-
846.5MHz_RB 25,#RB 0	Pass	859M	2G	100k	300k	RMS	1.69279G	-62.74	-13.00	-49.74	-	-
846.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.183G	-55.49	-13.00	-42.49	-	-
846.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	107.101k	-63.53	-13.00	-50.53	-	-
846.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-58.32	-13.00	-45.32	-	-
846.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	402.59M	-62.86	-13.00	-49.86	-	-
846.5MHz_RB 1,#RB H	Pass	500M	814M	100k	300k	RMS	799.63M	-61.69	-13.00	-48.69	-	-
846.5MHz_RB 1,#RB H	Pass	814M	823.9M	30k	100k	RMS	823.15M	-66.67	-13.00	-53.67	MBW 100k	-
846.5MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.95M	-70.62	-13.00	-57.62	-	-
846.5MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-18.81	-13.00	-5.81	-	-
846.5MHz_RB 1,#RB H	Pass	849.1M	859M	30k	100k	RMS	849.15M	-23.63	-13.00	-10.63	MBW 100k	-
846.5MHz_RB 1,#RB H	Pass	859M	2G	100k	300k	RMS	1.69735G	-52.17	-13.00	-39.17	-	-
846.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.167G	-55.33	-13.00	-42.33	-	-
Band 5_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	52.64k	-76.68	-13.00	-63.68	-	-
829MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	2.098M	-66.30	-13.00	-53.30	-	-
829MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	492.13M	-62.11	-13.00	-49.11	-	-
829MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	625.4M	-61.69	-13.00	-48.69	-	-
829MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.85M	-33.19	-13.00	-20.19	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-35.76	-13.00	-22.76	-	-
829MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.04M	-57.48	-13.00	-44.48	-	-
829MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.35M	-54.21	-13.00	-41.21	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	1.65646G	-62.52	-13.00	-49.52	-	-
829MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.232G	-55.06	-13.00	-42.06	-	-
829MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.829k	-61.90	-13.00	-48.90	-	-
829MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-57.85	-13.00	-44.85	-	-
829MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	211.42M	-62.61	-13.00	-49.61	-	-
829MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	754.9M	-61.20	-13.00	-48.20	-	-
829MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	823.85M	-19.71	-13.00	-6.71	MBW 100k	-
829MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-20.47	-13.00	-7.47	-	-
829MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.06M	-66.33	-13.00	-53.33	-	-
829MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	850.55M	-64.27	-13.00	-51.27	MBW 100k	-
829MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	1.64911G	-50.83	-13.00	-37.83	-	-
829MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.187G	-55.78	-13.00	-42.78	-	-
836.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	28.528k	-75.73	-13.00	-62.73	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
836.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	217.162k	-66.86	-13.00	-53.86	-	-
836.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	198.97M	-62.72	-13.00	-49.72	-	-
836.5MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	763.42M	-60.95	-13.00	-47.95	-	-
836.5MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.35M	-46.79	-13.00	-33.79	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-49.72	-13.00	-36.72	-	-
836.5MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.03M	-45.89	-13.00	-32.89	-	-
836.5MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.25M	-43.25	-13.00	-30.25	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	1.67738G	-63.11	-13.00	-50.11	-	-
836.5MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.197G	-55.58	-13.00	-42.58	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	14.111k	-63.25	-13.00	-50.25	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-60.95	-13.00	-47.95	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	490.72M	-62.04	-13.00	-49.04	-	-
836.5MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	763.42M	-62.08	-13.00	-49.08	-	-
836.5MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	823.15M	-44.20	-13.00	-31.20	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.94M	-55.06	-13.00	-42.06	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.07M	-59.91	-13.00	-46.91	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	849.75M	-34.39	-13.00	-21.39	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	1.66409G	-52.95	-13.00	-39.95	-	-
836.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.193G	-55.63	-13.00	-42.63	-	-
844MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-76.47	-13.00	-63.47	-	-
844MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	7.411M	-65.07	-13.00	-52.07	-	-
844MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	48.8M	-62.25	-13.00	-49.25	-	-
844MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	779.53M	-60.95	-13.00	-47.95	-	-
844MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.45M	-51.20	-13.00	-38.20	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.98M	-54.96	-13.00	-41.96	-	-
844MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.01M	-33.42	-13.00	-20.42	-	-
844MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.15M	-30.50	-13.00	-17.50	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	1.68926G	-62.52	-13.00	-49.52	-	-
844MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.162G	-54.66	-13.00	-41.66	-	-
844MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	61.487k	-62.35	-13.00	-49.35	-	-
844MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-67.15	-13.00	-54.15	-	-
844MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	316.7M	-62.22	-13.00	-49.22	-	-
844MHz_RB 1,#RB H	Pass	500M	804M	100k	300k	RMS	697.83M	-61.19	-13.00	-48.19	-	-
844MHz_RB 1,#RB H	Pass	804M	823.9M	30k	100k	RMS	823.75M	-65.57	-13.00	-52.57	MBW 100k	-
844MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.93M	-67.67	-13.00	-54.67	-	-
844MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-19.72	-13.00	-6.72	-	-
844MHz_RB 1,#RB H	Pass	849.1M	869M	30k	100k	RMS	849.15M	-20.00	-13.00	-7.00	MBW 100k	-
844MHz_RB 1,#RB H	Pass	869M	2G	100k	300k	RMS	1.69689G	-51.30	-13.00	-38.30	-	-
844MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.165G	-55.53	-13.00	-42.53	-	-
Band 5_LTE_1.4MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
824.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	16.191k	-71.85	-13.00	-58.85	-	-
824.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	232.088k	-64.13	-13.00	-51.13	-	-
824.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	348.43M	-62.41	-13.00	-49.41	-	-
824.7MHz_RB 6,#RB 0	Pass	500M	821.2M	100k	300k	RMS	820.88M	-53.08	-13.00	-40.08	-	-
824.7MHz_RB 6,#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-27.32	-13.00	-14.32	MBW 100k	-
824.7MHz_RB 6,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-25.86	-13.00	-12.86	-	-
824.7MHz_RB 6,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.06M	-70.86	-13.00	-57.86	-	-
824.7MHz_RB 6,#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	850.75M	-66.98	-13.00	-53.98	MBW 100k	-
824.7MHz_RB 6,#RB 0	Pass	851.8M	2G	100k	300k	RMS	1.64951G	-58.56	-13.00	-45.56	-	-
824.7MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.988G	-55.54	-13.00	-42.54	-	-
824.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	71.886k	-63.04	-13.00	-50.04	-	-
824.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.04	-13.00	-47.04	-	-
824.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	282.98M	-62.19	-13.00	-49.19	-	-
824.7MHz_RB 1,#RB L	Pass	500M	821.2M	100k	300k	RMS	821.2M	-55.20	-13.00	-42.20	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
824.7MHz_RB 1,#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-29.45	-13.00	-16.45	MBW 100k	-
824.7MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-19.39	-13.00	-6.39	-	-
824.7MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.02M	-70.62	-13.00	-57.62	-	-
824.7MHz_RB 1,#RB L	Pass	849.1M	851.8M	30k	100k	RMS	850.25M	-66.64	-13.00	-53.64	MBW 100k	-
824.7MHz_RB 1,#RB L	Pass	851.8M	2G	100k	300k	RMS	1.64865G	-51.39	-13.00	-38.39	-	-
824.7MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.271G	-55.06	-13.00	-42.06	-	-
836.5MHz_RB 6,#RB O	Pass	9k	150k	1k	3k	RMS	84.788k	-71.31	-13.00	-58.31	-	-
836.5MHz_RB 6,#RB O	Pass	150k	30M	10k	30k	RMS	217.162k	-62.55	-13.00	-49.55	-	-
836.5MHz_RB 6,#RB O	Pass	30M	500M	100k	300k	RMS	221.29M	-62.26	-13.00	-49.26	-	-
836.5MHz_RB 6,#RB O	Pass	500M	821.2M	100k	300k	RMS	820.56M	-60.72	-13.00	-47.72	-	-
836.5MHz_RB 6,#RB O	Pass	821.2M	823.9M	30k	100k	RMS	823.75M	-65.42	-13.00	-52.42	MBW 100k	-
836.5MHz_RB 6,#RB O	Pass	823.9M	824M	30k	100k	RMS	823.98M	-68.73	-13.00	-55.73	-	-
836.5MHz_RB 6,#RB O	Pass	849M	849.1M	30k	100k	RMS	849.03M	-68.50	-13.00	-55.50	-	-
836.5MHz_RB 6,#RB O	Pass	849.1M	851.8M	30k	100k	RMS	849.25M	-65.61	-13.00	-52.61	MBW 100k	-
836.5MHz_RB 6,#RB O	Pass	851.8M	2G	100k	300k	RMS	1.67305G	-59.06	-13.00	-46.06	-	-
836.5MHz_RB 6,#RB O	Pass	2G	10G	100k	300k	RMS	9.232G	-55.03	-13.00	-42.03	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	16.367k	-62.19	-13.00	-49.19	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.85	-13.00	-50.85	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	216M	-62.72	-13.00	-49.72	-	-
836.5MHz_RB 1,#RB L	Pass	500M	821.2M	100k	300k	RMS	621.01M	-61.51	-13.00	-48.51	-	-
836.5MHz_RB 1,#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-64.62	-13.00	-51.62	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.97M	-66.53	-13.00	-53.53	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.05M	-69.48	-13.00	-56.48	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	851.8M	30k	100k	RMS	850.15M	-65.76	-13.00	-52.76	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	851.8M	2G	100k	300k	RMS	1.67219G	-49.67	-13.00	-36.67	-	-
836.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.205G	-55.07	-13.00	-42.07	-	-
848.3MHz_RB 6,#RB O	Pass	9k	150k	1k	3k	RMS	10.375k	-72.69	-13.00	-59.69	-	-
848.3MHz_RB 6,#RB O	Pass	150k	30M	10k	30k	RMS	187.312k	-64.29	-13.00	-51.29	-	-
848.3MHz_RB 6,#RB O	Pass	30M	500M	100k	300k	RMS	417.99M	-62.18	-13.00	-49.18	-	-
848.3MHz_RB 6,#RB O	Pass	500M	821.2M	100k	300k	RMS	525.62M	-61.76	-13.00	-48.76	-	-
848.3MHz_RB 6,#RB O	Pass	821.2M	823.9M	30k	100k	RMS	823.45M	-67.23	-13.00	-54.23	MBW 100k	-
848.3MHz_RB 6,#RB O	Pass	823.9M	824M	30k	100k	RMS	823.96M	-70.82	-13.00	-57.82	-	-
848.3MHz_RB 6,#RB O	Pass	849M	849.1M	30k	100k	RMS	849M	-25.25	-13.00	-12.25	-	-
848.3MHz_RB 6,#RB O	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-25.71	-13.00	-12.71	MBW 100k	-
848.3MHz_RB 6,#RB O	Pass	851.8M	2G	100k	300k	RMS	852.09M	-55.51	-13.00	-42.51	-	-
848.3MHz_RB 6,#RB O	Pass	2G	10G	100k	300k	RMS	9.214G	-55.75	-13.00	-42.75	-	-
848.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	43.862k	-62.01	-13.00	-49.01	-	-
848.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-62.50	-13.00	-49.50	-	-
848.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	252.43M	-62.04	-13.00	-49.04	-	-
848.3MHz_RB 1,#RB H	Pass	500M	821.2M	100k	300k	RMS	668.87M	-61.60	-13.00	-48.60	-	-
848.3MHz_RB 1,#RB H	Pass	821.2M	823.9M	30k	100k	RMS	822.75M	-66.72	-13.00	-53.72	MBW 100k	-
848.3MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.99M	-70.78	-13.00	-57.78	-	-
848.3MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-18.77	-13.00	-5.77	-	-
848.3MHz_RB 1,#RB H	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-28.78	-13.00	-15.78	MBW 100k	-
848.3MHz_RB 1,#RB H	Pass	851.8M	2G	100k	300k	RMS	1.69745G	-54.08	-13.00	-41.08	-	-
848.3MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.173G	-55.61	-13.00	-42.61	-	-
Band 5_LTE_3MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
825.5MHz_RB 15,#RB O	Pass	9k	150k	1k	3k	RMS	10.093k	-73.82	-13.00	-60.82	-	-
825.5MHz_RB 15,#RB O	Pass	150k	30M	10k	30k	RMS	687.3k	-61.46	-13.00	-48.46	-	-
825.5MHz_RB 15,#RB O	Pass	30M	500M	100k	300k	RMS	281.33M	-62.19	-13.00	-49.19	-	-
825.5MHz_RB 15,#RB O	Pass	500M	818M	100k	300k	RMS	817.92M	-57.73	-13.00	-44.73	-	-
825.5MHz_RB 15,#RB O	Pass	818M	823.9M	30k	100k	RMS	823.85M	-28.59	-13.00	-15.59	MBW 100k	-
825.5MHz_RB 15,#RB O	Pass	823.9M	824M	30k	100k	RMS	824M	-28.36	-13.00	-15.36	-	-
825.5MHz_RB 15,#RB O	Pass	849M	849.1M	30k	100k	RMS	849.07M	-70.76	-13.00	-57.76	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
825.5MHz_RB_15,#RB_0	Pass	849.1M	855M	30k	100k	RMS	849.75M	-66.95	-13.00	-53.95	MBW 100k	-
825.5MHz_RB_15,#RB_0	Pass	855M	2G	100k	300k	RMS	1.65078G	-60.22	-13.00	-47.22	-	-
825.5MHz_RB_15,#RB_0	Pass	2G	10G	100k	300k	RMS	9.261G	-55.68	-13.00	-42.68	-	-
825.5MHz_RB_1,#RB_L	Pass	9k	150k	1k	3k	RMS	44.109k	-62.41	-13.00	-49.41	-	-
825.5MHz_RB_1,#RB_L	Pass	150k	30M	10k	30k	RMS	164.925k	-64.52	-13.00	-51.52	-	-
825.5MHz_RB_1,#RB_L	Pass	30M	500M	100k	300k	RMS	264.77M	-62.46	-13.00	-49.46	-	-
825.5MHz_RB_1,#RB_L	Pass	500M	818M	100k	300k	RMS	817.92M	-61.49	-13.00	-48.49	-	-
825.5MHz_RB_1,#RB_L	Pass	818M	823.9M	30k	100k	RMS	823.75M	-24.80	-13.00	-11.80	MBW 100k	-
825.5MHz_RB_1,#RB_L	Pass	823.9M	824M	30k	100k	RMS	824M	-17.82	-13.00	-4.82	-	-
825.5MHz_RB_1,#RB_L	Pass	849M	849.1M	30k	100k	RMS	849.08M	-70.52	-13.00	-57.52	-	-
825.5MHz_RB_1,#RB_L	Pass	849.1M	855M	30k	100k	RMS	850.25M	-66.55	-13.00	-53.55	MBW 100k	-
825.5MHz_RB_1,#RB_L	Pass	855M	2G	100k	300k	RMS	1.64849G	-49.99	-13.00	-36.99	-	-
825.5MHz_RB_1,#RB_L	Pass	2G	10G	100k	300k	RMS	9.218G	-54.99	-13.00	-41.99	-	-
836.5MHz_RB_15,#RB_0	Pass	9k	150k	1k	3k	RMS	11.08k	-74.37	-13.00	-61.37	-	-
836.5MHz_RB_15,#RB_0	Pass	150k	30M	10k	30k	RMS	1.568M	-59.88	-13.00	-46.88	-	-
836.5MHz_RB_15,#RB_0	Pass	30M	500M	100k	300k	RMS	401.77M	-63.21	-13.00	-50.21	-	-
836.5MHz_RB_15,#RB_0	Pass	500M	818M	100k	300k	RMS	564.71M	-61.39	-13.00	-48.39	-	-
836.5MHz_RB_15,#RB_0	Pass	818M	823.9M	30k	100k	RMS	823.85M	-63.09	-13.00	-50.09	MBW 100k	-
836.5MHz_RB_15,#RB_0	Pass	823.9M	824M	30k	100k	RMS	823.95M	-65.63	-13.00	-52.63	-	-
836.5MHz_RB_15,#RB_0	Pass	849M	849.1M	30k	100k	RMS	849.09M	-66.28	-13.00	-53.28	-	-
836.5MHz_RB_15,#RB_0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-64.53	-13.00	-51.53	MBW 100k	-
836.5MHz_RB_15,#RB_0	Pass	855M	2G	100k	300k	RMS	1.67253G	-60.61	-13.00	-47.61	-	-
836.5MHz_RB_15,#RB_0	Pass	2G	10G	100k	300k	RMS	9.195G	-55.41	-13.00	-42.41	-	-
836.5MHz_RB_1,#RB_L	Pass	9k	150k	1k	3k	RMS	28.67k	-62.85	-13.00	-49.85	-	-
836.5MHz_RB_1,#RB_L	Pass	150k	30M	10k	30k	RMS	150k	-64.20	-13.00	-51.20	-	-
836.5MHz_RB_1,#RB_L	Pass	30M	500M	100k	300k	RMS	498.83M	-62.81	-13.00	-49.81	-	-
836.5MHz_RB_1,#RB_L	Pass	500M	818M	100k	300k	RMS	570.83M	-62.36	-13.00	-49.36	-	-
836.5MHz_RB_1,#RB_L	Pass	818M	823.9M	30k	100k	RMS	823.65M	-63.19	-13.00	-50.19	MBW 100k	-
836.5MHz_RB_1,#RB_L	Pass	823.9M	824M	30k	100k	RMS	824M	-68.80	-13.00	-55.80	-	-
836.5MHz_RB_1,#RB_L	Pass	849M	849.1M	30k	100k	RMS	849.09M	-68.13	-13.00	-55.13	-	-
836.5MHz_RB_1,#RB_L	Pass	849.1M	855M	30k	100k	RMS	851.35M	-63.34	-13.00	-50.34	MBW 100k	-
836.5MHz_RB_1,#RB_L	Pass	855M	2G	100k	300k	RMS	1.67053G	-51.63	-13.00	-38.63	-	-
836.5MHz_RB_1,#RB_L	Pass	2G	10G	100k	300k	RMS	9.191G	-55.35	-13.00	-42.35	-	-
847.5MHz_RB_15,#RB_0	Pass	9k	150k	1k	3k	RMS	16.684k	-73.20	-13.00	-60.20	-	-
847.5MHz_RB_15,#RB_0	Pass	150k	30M	10k	30k	RMS	1.568M	-59.60	-13.00	-46.60	-	-
847.5MHz_RB_15,#RB_0	Pass	30M	500M	100k	300k	RMS	489.66M	-62.72	-13.00	-49.72	-	-
847.5MHz_RB_15,#RB_0	Pass	500M	818M	100k	300k	RMS	762.43M	-60.91	-13.00	-47.91	-	-
847.5MHz_RB_15,#RB_0	Pass	818M	823.9M	30k	100k	RMS	823.65M	-67.14	-13.00	-54.14	MBW 100k	-
847.5MHz_RB_15,#RB_0	Pass	823.9M	824M	30k	100k	RMS	823.96M	-71.01	-13.00	-58.01	-	-
847.5MHz_RB_15,#RB_0	Pass	849M	849.1M	30k	100k	RMS	849M	-28.31	-13.00	-15.31	-	-
847.5MHz_RB_15,#RB_0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-27.66	-13.00	-14.66	MBW 100k	-
847.5MHz_RB_15,#RB_0	Pass	855M	2G	100k	300k	RMS	855.29M	-56.77	-13.00	-43.77	-	-
847.5MHz_RB_15,#RB_0	Pass	2G	10G	100k	300k	RMS	9.22G	-55.26	-13.00	-42.26	-	-
847.5MHz_RB_1,#RB_H	Pass	9k	150k	1k	3k	RMS	46.154k	-62.58	-13.00	-49.58	-	-
847.5MHz_RB_1,#RB_H	Pass	150k	30M	10k	30k	RMS	150k	-66.79	-13.00	-53.79	-	-
847.5MHz_RB_1,#RB_H	Pass	30M	500M	100k	300k	RMS	455.47M	-63.25	-13.00	-50.25	-	-
847.5MHz_RB_1,#RB_H	Pass	500M	818M	100k	300k	RMS	817.52M	-61.76	-13.00	-48.76	-	-
847.5MHz_RB_1,#RB_H	Pass	818M	823.9M	30k	100k	RMS	822.75M	-66.52	-13.00	-53.52	MBW 100k	-
847.5MHz_RB_1,#RB_H	Pass	823.9M	824M	30k	100k	RMS	823.97M	-70.91	-13.00	-57.91	-	-
847.5MHz_RB_1,#RB_H	Pass	849M	849.1M	30k	100k	RMS	849M	-18.33	-13.00	-5.33	-	-
847.5MHz_RB_1,#RB_H	Pass	849.1M	855M	30k	100k	RMS	849.15M	-25.21	-13.00	-12.21	MBW 100k	-
847.5MHz_RB_1,#RB_H	Pass	855M	2G	100k	300k	RMS	1.69772G	-53.87	-13.00	-40.87	-	-
847.5MHz_RB_1,#RB_H	Pass	2G	10G	100k	300k	RMS	9.207G	-55.41	-13.00	-42.41	-	-
Band 5_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
826.5MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.198k	-75.58	-13.00	-62.58	-	-
826.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.21M	-62.07	-13.00	-49.07	-	-
826.5MHz_RB_25,#RB 0	Pass	30M	500M	100k	300k	RMS	172.41M	-62.40	-13.00	-49.40	-	-
826.5MHz_RB_25,#RB 0	Pass	500M	814M	100k	300k	RMS	813.53M	-60.80	-13.00	-47.80	-	-
826.5MHz_RB_25,#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.85M	-31.45	-13.00	-18.45	MBW 100k	-
826.5MHz_RB_25,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-31.94	-13.00	-18.94	-	-
826.5MHz_RB_25,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.02M	-70.43	-13.00	-57.43	-	-
826.5MHz_RB_25,#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.25M	-66.67	-13.00	-53.67	MBW 100k	-
826.5MHz_RB_25,#RB 0	Pass	859M	2G	100k	300k	RMS	1.65342G	-61.41	-13.00	-48.41	-	-
826.5MHz_RB_25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.202G	-55.66	-13.00	-42.66	-	-
826.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	11.644k	-62.34	-13.00	-49.34	-	-
826.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-60.41	-13.00	-47.41	-	-
826.5MHz_RB_1,#RB L	Pass	30M	500M	100k	300k	RMS	258.77M	-63.27	-13.00	-50.27	-	-
826.5MHz_RB_1,#RB L	Pass	500M	814M	100k	300k	RMS	544.98M	-61.27	-13.00	-48.27	-	-
826.5MHz_RB_1,#RB L	Pass	814M	823.9M	30k	100k	RMS	823.85M	-23.86	-13.00	-10.86	MBW 100k	-
826.5MHz_RB_1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-18.80	-13.00	-5.80	-	-
826.5MHz_RB_1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.02M	-69.25	-13.00	-56.25	-	-
826.5MHz_RB_1,#RB L	Pass	849.1M	859M	30k	100k	RMS	849.85M	-66.44	-13.00	-53.44	MBW 100k	-
826.5MHz_RB_1,#RB L	Pass	859M	2G	100k	300k	RMS	1.64886G	-52.07	-13.00	-39.07	-	-
826.5MHz_RB_1,#RB L	Pass	2G	10G	100k	300k	RMS	9.24G	-55.49	-13.00	-42.49	-	-
836.5MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.32	-13.00	-61.32	-	-
836.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.62M	-62.24	-13.00	-49.24	-	-
836.5MHz_RB_25,#RB 0	Pass	30M	500M	100k	300k	RMS	355.48M	-62.47	-13.00	-49.47	-	-
836.5MHz_RB_25,#RB 0	Pass	500M	814M	100k	300k	RMS	620.81M	-61.64	-13.00	-48.64	-	-
836.5MHz_RB_25,#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.85M	-56.66	-13.00	-43.66	MBW 100k	-
836.5MHz_RB_25,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.93M	-59.97	-13.00	-46.97	-	-
836.5MHz_RB_25,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.07M	-60.80	-13.00	-47.80	-	-
836.5MHz_RB_25,#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.25M	-57.41	-13.00	-44.41	MBW 100k	-
836.5MHz_RB_25,#RB 0	Pass	859M	2G	100k	300k	RMS	1.67282G	-62.09	-13.00	-49.09	-	-
836.5MHz_RB_25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.176G	-55.64	-13.00	-42.64	-	-
836.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	45.766k	-62.35	-13.00	-49.35	-	-
836.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.18	-13.00	-48.18	-	-
836.5MHz_RB_1,#RB L	Pass	30M	500M	100k	300k	RMS	415.75M	-61.13	-13.00	-48.13	-	-
836.5MHz_RB_1,#RB L	Pass	500M	814M	100k	300k	RMS	643.66M	-62.05	-13.00	-49.05	-	-
836.5MHz_RB_1,#RB L	Pass	814M	823.9M	30k	100k	RMS	822.25M	-63.84	-13.00	-50.84	MBW 100k	-
836.5MHz_RB_1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.93M	-68.40	-13.00	-55.40	-	-
836.5MHz_RB_1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.1M	-68.65	-13.00	-55.65	-	-
836.5MHz_RB_1,#RB L	Pass	849.1M	859M	30k	100k	RMS	849.35M	-62.98	-13.00	-49.98	MBW 100k	-
836.5MHz_RB_1,#RB L	Pass	859M	2G	100k	300k	RMS	1.66882G	-52.58	-13.00	-39.58	-	-
836.5MHz_RB_1,#RB L	Pass	2G	10G	100k	300k	RMS	9.238G	-55.41	-13.00	-42.41	-	-
846.5MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.089k	-74.18	-13.00	-61.18	-	-
846.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	590.288k	-68.39	-13.00	-55.39	-	-
846.5MHz_RB_25,#RB 0	Pass	30M	500M	100k	300k	RMS	264.06M	-62.79	-13.00	-49.79	-	-
846.5MHz_RB_25,#RB 0	Pass	500M	814M	100k	300k	RMS	563.51M	-61.86	-13.00	-48.86	-	-
846.5MHz_RB_25,#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.75M	-65.86	-13.00	-52.86	MBW 100k	-
846.5MHz_RB_25,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.91M	-69.44	-13.00	-56.44	-	-
846.5MHz_RB_25,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-31.62	-13.00	-18.62	-	-
846.5MHz_RB_25,#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.15M	-30.21	-13.00	-17.21	MBW 100k	-
846.5MHz_RB_25,#RB 0	Pass	859M	2G	100k	300k	RMS	1.69364G	-62.65	-13.00	-49.65	-	-
846.5MHz_RB_25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.748G	-54.71	-13.00	-41.71	-	-
846.5MHz_RB_1,#RB H	Pass	9k	150k	1k	3k	RMS	27.859k	-63.64	-13.00	-50.64	-	-
846.5MHz_RB_1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.30	-13.00	-47.30	-	-
846.5MHz_RB_1,#RB H	Pass	30M	500M	100k	300k	RMS	409.06M	-62.63	-13.00	-49.63	-	-
846.5MHz_RB_1,#RB H	Pass	500M	814M	100k	300k	RMS	712.03M	-61.97	-13.00	-48.97	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
846.5MHz_RB 1,#RB H	Pass	814M	823.9M	30k	100k	RMS	822.75M	-67.05	-13.00	-54.05	MBW 100k	-
846.5MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.92M	-70.86	-13.00	-57.86	-	-
846.5MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-18.45	-13.00	-5.45	-	-
846.5MHz_RB 1,#RB H	Pass	849.1M	859M	30k	100k	RMS	849.15M	-23.40	-13.00	-10.40	MBW 100k	-
846.5MHz_RB 1,#RB H	Pass	859M	2G	100k	300k	RMS	1.69735G	-53.90	-13.00	-40.90	-	-
846.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.174G	-54.90	-13.00	-41.90	-	-
Band 5_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	34.063k	-76.93	-13.00	-63.93	-	-
829MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.142M	-67.12	-13.00	-54.12	-	-
829MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	375.33M	-62.78	-13.00	-49.78	-	-
829MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	624.49M	-61.51	-13.00	-48.51	-	-
829MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.85M	-34.00	-13.00	-21.00	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.99M	-36.28	-13.00	-23.28	-	-
829MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.02M	-57.78	-13.00	-44.78	-	-
829MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.35M	-54.45	-13.00	-41.45	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	1.65731G	-62.28	-13.00	-49.28	-	-
829MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.181G	-55.33	-13.00	-42.33	-	-
829MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	45.131k	-62.30	-13.00	-49.30	-	-
829MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.13	-13.00	-49.13	-	-
829MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	338.79M	-62.32	-13.00	-49.32	-	-
829MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	674.57M	-61.66	-13.00	-48.66	-	-
829MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	823.85M	-19.49	-13.00	-6.49	MBW 100k	-
829MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-20.11	-13.00	-7.11	-	-
829MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.01M	-67.54	-13.00	-54.54	-	-
829MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	850.55M	-64.87	-13.00	-51.87	MBW 100k	-
829MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	1.64911G	-51.73	-13.00	-38.73	-	-
829MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.765G	-55.67	-13.00	-42.67	-	-
836.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.71k	-75.91	-13.00	-62.91	-	-
836.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.702M	-65.59	-13.00	-52.59	-	-
836.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	347.6M	-62.13	-13.00	-49.13	-	-
836.5MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	744.57M	-59.48	-13.00	-46.48	-	-
836.5MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.85M	-47.19	-13.00	-34.19	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-50.62	-13.00	-37.62	-	-
836.5MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.02M	-46.13	-13.00	-33.13	-	-
836.5MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.15M	-42.64	-13.00	-29.64	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	1.67314G	-63.22	-13.00	-50.22	-	-
836.5MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.271G	-55.39	-13.00	-42.39	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	46.436k	-62.70	-13.00	-49.70	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-59.53	-13.00	-46.53	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	358.88M	-63.03	-13.00	-50.03	-	-
836.5MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	667.28M	-62.05	-13.00	-49.05	-	-
836.5MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	823.75M	-58.86	-13.00	-45.86	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-61.92	-13.00	-48.92	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.08M	-63.15	-13.00	-50.15	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	849.75M	-34.12	-13.00	-21.12	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	1.66409G	-53.55	-13.00	-40.55	-	-
836.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.756G	-55.65	-13.00	-42.65	-	-
844MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.71k	-76.58	-13.00	-63.58	-	-
844MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	150k	-68.38	-13.00	-55.38	-	-
844MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	187.69M	-62.43	-13.00	-49.43	-	-
844MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	746.85M	-61.47	-13.00	-48.47	-	-
844MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.65M	-51.00	-13.00	-38.00	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.9M	-54.65	-13.00	-41.65	-	-
844MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-33.60	-13.00	-20.60	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
844MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.15M	-30.73	-13.00	-17.73	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	1.68445G	-62.92	-13.00	-49.92	-	-
844MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.266G	-55.40	-13.00	-42.40	-	-
844MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	46.471k	-62.10	-13.00	-49.10	-	-
844MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.72	-13.00	-47.72	-	-
844MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	340.44M	-62.77	-13.00	-49.77	-	-
844MHz_RB 1,#RB H	Pass	500M	804M	100k	300k	RMS	699.8M	-61.29	-13.00	-48.29	-	-
844MHz_RB 1,#RB H	Pass	804M	823.9M	30k	100k	RMS	817.55M	-66.21	-13.00	-53.21	MBW 100k	-
844MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.99M	-70.56	-13.00	-57.56	-	-
844MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849.01M	-21.16	-13.00	-8.16	-	-
844MHz_RB 1,#RB H	Pass	849.1M	869M	30k	100k	RMS	849.15M	-20.05	-13.00	-7.05	MBW 100k	-
844MHz_RB 1,#RB H	Pass	869M	2G	100k	300k	RMS	1.69689G	-51.29	-13.00	-38.29	-	-
844MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.192G	-55.66	-13.00	-42.66	-	-
Band 7_LTE_5MHz_Nss1.QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2502.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-76.96	-25.00	-51.96	-	-
2502.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	284.325k	-72.07	-25.00	-47.07	-	-
2502.5MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.80741G	-50.82	-25.00	-25.82	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.3G	2.49G	1M	3M	RMS	2.48877G	-48.26	-25.00	-23.26	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.49G	2.499G	100k	300k	RMS	2.4985G	-23.40	-10.00	-13.40	MBW 1M	-
2502.5MHz_RB 25,#RB 0	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-25.08	-10.00	-15.08	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.505G	2.506G	100k	300k	RMS	2.505G	-25.50	-10.00	-15.50	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.506G	2.515G	100k	300k	RMS	2.5065G	-25.11	-10.00	-15.11	MBW 1M	-
2502.5MHz_RB 25,#RB 0	Pass	2.515G	6G	1M	3M	RMS	5.00503G	-46.96	-25.00	-21.96	-	-
2502.5MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.46188G	-41.08	-25.00	-16.08	-	-
2502.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.044k	-72.61	-25.00	-47.61	-	-
2502.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	194.775k	-71.25	-25.00	-46.25	-	-
2502.5MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.27304G	-50.62	-25.00	-25.62	-	-
2502.5MHz_RB 1,#RB L	Pass	2.3G	2.49G	1M	3M	RMS	2.48858G	-49.90	-25.00	-24.90	-	-
2502.5MHz_RB 1,#RB L	Pass	2.49G	2.499G	100k	300k	RMS	2.4985G	-31.60	-10.00	-21.60	MBW 1M	-
2502.5MHz_RB 1,#RB L	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-13.22	-10.00	-3.22	-	-
2502.5MHz_RB 1,#RB L	Pass	2.505G	2.506G	100k	300k	RMS	2.50514G	-34.44	-10.00	-24.44	-	-
2502.5MHz_RB 1,#RB L	Pass	2.506G	2.515G	100k	300k	RMS	2.5085G	-28.25	-10.00	-18.25	MBW 1M	-
2502.5MHz_RB 1,#RB L	Pass	2.515G	6G	1M	3M	RMS	5.00068G	-40.88	-25.00	-15.88	-	-
2502.5MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.454G	-40.91	-25.00	-15.91	-	-
2535MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	38.716k	-76.10	-25.00	-51.10	-	-
2535MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	202.238k	-72.58	-25.00	-47.58	-	-
2535MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.10506G	-48.80	-25.00	-23.80	-	-
2535MHz_RB 25,#RB 0	Pass	2.3G	2.5225G	1M	3M	RMS	2.52161G	-46.14	-25.00	-21.14	-	-
2535MHz_RB 25,#RB 0	Pass	2.5225G	2.5315G	100k	300k	RMS	2.531G	-23.35	-10.00	-13.35	MBW 1M	-
2535MHz_RB 25,#RB 0	Pass	2.5315G	2.5325G	100k	300k	RMS	2.5325G	-23.90	-10.00	-13.90	-	-
2535MHz_RB 25,#RB 0	Pass	2.5375G	2.5385G	100k	300k	RMS	2.5375G	-24.98	-10.00	-14.98	-	-
2535MHz_RB 25,#RB 0	Pass	2.5385G	2.5475G	100k	300k	RMS	2.539G	-24.29	-10.00	-14.29	MBW 1M	-
2535MHz_RB 25,#RB 0	Pass	2.5475G	6G	1M	3M	RMS	5.06955G	-49.62	-25.00	-24.62	-	-
2535MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.55113G	-41.02	-25.00	-16.02	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	46.365k	-74.93	-25.00	-49.93	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-71.37	-25.00	-46.37	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.1323G	-50.73	-25.00	-25.73	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.5225G	1M	3M	RMS	2.45736G	-49.20	-25.00	-24.20	-	-
2535MHz_RB 1,#RB L	Pass	2.5225G	2.5315G	100k	300k	RMS	2.531G	-31.23	-10.00	-21.23	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5315G	2.5325G	100k	300k	RMS	2.53249G	-12.97	-10.00	-2.97	-	-
2535MHz_RB 1,#RB L	Pass	2.5375G	2.5385G	100k	300k	RMS	2.53762G	-34.44	-10.00	-24.44	-	-
2535MHz_RB 1,#RB L	Pass	2.5385G	2.5475G	100k	300k	RMS	2.541G	-28.71	-10.00	-18.71	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5475G	6G	1M	3M	RMS	5.0661G	-44.29	-25.00	-19.29	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.4405G	-41.07	-25.00	-16.07	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2567.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-73.98	-25.00	-48.98	-	-
2567.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	20.717M	-72.49	-25.00	-47.49	-	-
2567.5MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.88317G	-50.69	-25.00	-25.69	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.3G	2.555G	1M	3M	RMS	2.5536G	-43.43	-25.00	-18.43	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.555G	2.564G	100k	300k	RMS	2.5635G	-24.57	-10.00	-14.57	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.564G	2.565G	100k	300k	RMS	2.565G	-25.21	-10.00	-15.21	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.57G	2.571G	100k	300k	RMS	2.57G	-25.98	-10.00	-15.98	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.571G	2.58G	100k	300k	RMS	2.5715G	-24.79	-10.00	-14.79	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.58G	6G	1M	3M	RMS	5.62722G	-49.75	-25.00	-24.75	-	-
2567.5MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.51963G	-41.07	-25.00	-16.07	-	-
2567.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	9.705k	-74.55	-25.00	-49.55	-	-
2567.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	15.956M	-72.67	-25.00	-47.67	-	-
2567.5MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.27702G	-50.34	-25.00	-25.34	-	-
2567.5MHz_RB 1,#RB H	Pass	2.3G	2.555G	1M	3M	RMS	2.51675G	-49.65	-25.00	-24.65	-	-
2567.5MHz_RB 1,#RB H	Pass	2.555G	2.564G	100k	300k	RMS	2.5615G	-28.16	-10.00	-18.16	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.564G	2.565G	100k	300k	RMS	2.56487G	-34.10	-10.00	-24.10	-	-
2567.5MHz_RB 1,#RB H	Pass	2.57G	2.571G	100k	300k	RMS	2.57G	-13.72	-10.00	-3.72	-	-
2567.5MHz_RB 1,#RB H	Pass	2.571G	2.58G	100k	300k	RMS	2.5715G	-31.92	-10.00	-21.92	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.58G	6G	1M	3M	RMS	5.13987G	-48.84	-25.00	-23.84	-	-
2567.5MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	26.51175G	-40.97	-25.00	-15.97	-	-
Band 7_LTE_10MHz_Nss1.QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2505MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.388k	-77.14	-25.00	-52.14	-	-
2505MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	18.582M	-71.85	-25.00	-46.85	-	-
2505MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.29972G	-50.86	-25.00	-25.86	-	-
2505MHz_RB 50,#RB 0	Pass	2.3G	2.48G	1M	3M	RMS	2.47316G	-50.17	-25.00	-25.17	-	-
2505MHz_RB 50,#RB 0	Pass	2.48G	2.499G	200k	1M	RMS	2.4985G	-23.12	-10.00	-13.12	MBW 1M	-
2505MHz_RB 50,#RB 0	Pass	2.499G	2.5G	200k	1M	RMS	2.5G	-25.72	-10.00	-15.72	-	-
2505MHz_RB 50,#RB 0	Pass	2.51G	2.511G	200k	1M	RMS	2.51002G	-26.13	-10.00	-16.13	-	-
2505MHz_RB 50,#RB 0	Pass	2.511G	2.53G	200k	1M	RMS	2.5115G	-25.25	-10.00	-15.25	MBW 1M	-
2505MHz_RB 50,#RB 0	Pass	2.53G	6G	1M	3M	RMS	5.00845G	-48.80	-25.00	-23.80	-	-
2505MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	26.496G	-40.71	-25.00	-15.71	-	-
2505MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	16.861k	-73.02	-25.00	-48.02	-	-
2505MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-68.49	-25.00	-43.49	-	-
2505MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.14564G	-50.83	-25.00	-25.83	-	-
2505MHz_RB 1,#RB L	Pass	2.3G	2.48G	1M	3M	RMS	2.38928G	-50.30	-25.00	-25.30	-	-
2505MHz_RB 1,#RB L	Pass	2.48G	2.499G	200k	1M	RMS	2.4985G	-31.78	-10.00	-21.78	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.499G	2.5G	200k	1M	RMS	2.49999G	-12.48	-10.00	-2.48	-	-
2505MHz_RB 1,#RB L	Pass	2.51G	2.511G	200k	1M	RMS	2.51003G	-36.01	-10.00	-26.01	-	-
2505MHz_RB 1,#RB L	Pass	2.511G	2.53G	200k	1M	RMS	2.5185G	-24.42	-13.00	-11.42	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.53G	6G	1M	3M	RMS	5.00151G	-40.45	-25.00	-15.45	-	-
2505MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.40375G	-40.71	-25.00	-15.71	-	-
2535MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.776k	-76.52	-25.00	-51.52	-	-
2535MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	21.03M	-72.63	-25.00	-47.63	-	-
2535MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.07896G	-50.51	-25.00	-25.51	-	-
2535MHz_RB 50,#RB 0	Pass	2.3G	2.51G	1M	3M	RMS	2.50612G	-47.94	-25.00	-22.94	-	-
2535MHz_RB 50,#RB 0	Pass	2.51G	2.529G	200k	1M	RMS	2.5285G	-24.44	-10.00	-14.44	MBW 1M	-
2535MHz_RB 50,#RB 0	Pass	2.529G	2.53G	200k	1M	RMS	2.53G	-26.18	-10.00	-16.18	-	-
2535MHz_RB 50,#RB 0	Pass	2.54G	2.541G	200k	1M	RMS	2.54003G	-26.42	-10.00	-16.42	-	-
2535MHz_RB 50,#RB 0	Pass	2.541G	2.56G	200k	1M	RMS	2.5415G	-25.02	-10.00	-15.02	MBW 1M	-
2535MHz_RB 50,#RB 0	Pass	2.56G	6G	1M	3M	RMS	5.68782G	-49.57	-25.00	-24.57	-	-
2535MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	19.64213G	-41.01	-25.00	-16.01	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.512k	-75.15	-25.00	-50.15	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	358.95k	-72.68	-25.00	-47.68	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.28269G	-51.03	-25.00	-26.03	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2535MHz_RB 1,#RB L	Pass	2.3G	2.51G	1M	3M	RMS	2.46018G	-48.58	-25.00	-23.58	-	-
2535MHz_RB 1,#RB L	Pass	2.51G	2.529G	200k	1M	RMS	2.5285G	-31.84	-10.00	-21.84	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.529G	2.53G	200k	1M	RMS	2.53G	-12.52	-10.00	-2.52	-	-
2535MHz_RB 1,#RB L	Pass	2.54G	2.541G	200k	1M	RMS	2.54006G	-37.15	-10.00	-27.15	-	-
2535MHz_RB 1,#RB L	Pass	2.541G	2.56G	200k	1M	RMS	2.5485G	-27.23	-13.00	-14.23	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.56G	6G	1M	3M	RMS	5.06088G	-45.74	-25.00	-20.74	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.49338G	-40.91	-25.00	-15.91	-	-
2565MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.657k	-75.12	-25.00	-50.12	-	-
2565MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	12.172M	-72.31	-25.00	-47.31	-	-
2565MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.16295G	-50.65	-25.00	-25.65	-	-
2565MHz_RB 50,#RB 0	Pass	2.3G	2.54G	1M	3M	RMS	2.53646G	-46.05	-25.00	-21.05	-	-
2565MHz_RB 50,#RB 0	Pass	2.54G	2.559G	200k	1M	RMS	2.5585G	-26.04	-10.00	-16.04	MBW 1M	-
2565MHz_RB 50,#RB 0	Pass	2.559G	2.56G	200k	1M	RMS	2.56G	-26.70	-10.00	-16.70	-	-
2565MHz_RB 50,#RB 0	Pass	2.57G	2.571G	200k	1M	RMS	2.57G	-26.20	-10.00	-16.20	-	-
2565MHz_RB 50,#RB 0	Pass	2.571G	2.59G	200k	1M	RMS	2.5715G	-25.46	-10.00	-15.46	MBW 1M	-
2565MHz_RB 50,#RB 0	Pass	2.59G	6G	1M	3M	RMS	5.6428G	-49.58	-25.00	-24.58	-	-
2565MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	26.41725G	-40.81	-25.00	-15.81	-	-
2565MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	38.68k	-74.06	-25.00	-49.06	-	-
2565MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	209.7k	-70.43	-25.00	-45.43	-	-
2565MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.04746G	-50.54	-25.00	-25.54	-	-
2565MHz_RB 1,#RB H	Pass	2.3G	2.54G	1M	3M	RMS	2.51852G	-48.99	-25.00	-23.99	-	-
2565MHz_RB 1,#RB H	Pass	2.54G	2.559G	200k	1M	RMS	2.5515G	-25.41	-13.00	-12.41	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.559G	2.56G	200k	1M	RMS	2.55997G	-36.46	-10.00	-26.46	-	-
2565MHz_RB 1,#RB H	Pass	2.57G	2.571G	200k	1M	RMS	2.57002G	-12.63	-10.00	-2.63	-	-
2565MHz_RB 1,#RB H	Pass	2.571G	2.59G	200k	1M	RMS	2.5715G	-32.05	-10.00	-22.05	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.59G	6G	1M	3M	RMS	5.13898G	-48.80	-25.00	-23.80	-	-
2565MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	26.57213G	-40.82	-25.00	-15.82	-	-
Band 7_LTE_15MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2507.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	22.853k	-76.85	-25.00	-51.85	-	-
2507.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	20.254M	-72.47	-25.00	-47.47	-	-
2507.5MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.24893G	-50.42	-25.00	-25.42	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.3G	2.47G	1M	3M	RMS	2.41292G	-49.98	-25.00	-24.98	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.47G	2.499G	300k	1M	RMS	2.4985G	-24.01	-10.00	-14.01	MBW 1M	-
2507.5MHz_RB 75,#RB 0	Pass	2.499G	2.5G	300k	1M	RMS	2.49999G	-25.95	-10.00	-15.95	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.515G	2.516G	300k	1M	RMS	2.515G	-25.96	-10.00	-15.96	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.516G	2.545G	300k	1M	RMS	2.5165G	-26.12	-10.00	-16.12	MBW 1M	-
2507.5MHz_RB 75,#RB 0	Pass	2.545G	6G	1M	3M	RMS	5.01446G	-49.38	-25.00	-24.38	-	-
2507.5MHz_RB 75,#RB 0	Pass	6G	27G	1M	3M	RMS	26.44088G	-40.79	-25.00	-15.79	-	-
2507.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	10.551k	-72.54	-25.00	-47.54	-	-
2507.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	172.388k	-71.04	-25.00	-46.04	-	-
2507.5MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.13372G	-50.32	-25.00	-25.32	-	-
2507.5MHz_RB 1,#RB L	Pass	2.3G	2.47G	1M	3M	RMS	2.3635G	-50.28	-25.00	-25.28	-	-
2507.5MHz_RB 1,#RB L	Pass	2.47G	2.499G	300k	1M	RMS	2.4985G	-24.84	-10.00	-14.84	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.499G	2.5G	300k	1M	RMS	2.5G	-13.84	-10.00	-3.84	-	-
2507.5MHz_RB 1,#RB L	Pass	2.515G	2.516G	300k	1M	RMS	2.51501G	-36.14	-10.00	-26.14	-	-
2507.5MHz_RB 1,#RB L	Pass	2.516G	2.545G	300k	1M	RMS	2.5275G	-25.06	-13.00	-12.06	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.545G	6G	1M	3M	RMS	5.00151G	-42.01	-25.00	-17.01	-	-
2507.5MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.409G	-41.07	-25.00	-16.07	-	-
2535MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	15.31k	-76.47	-25.00	-51.47	-	-
2535MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	157.462k	-71.95	-25.00	-46.95	-	-
2535MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.16976G	-51.08	-25.00	-26.08	-	-
2535MHz_RB 75,#RB 0	Pass	2.3G	2.4975G	1M	3M	RMS	2.49745G	-49.30	-25.00	-24.30	-	-
2535MHz_RB 75,#RB 0	Pass	2.4975G	2.5265G	300k	1M	RMS	2.526G	-25.55	-10.00	-15.55	MBW 1M	-
2535MHz_RB 75,#RB 0	Pass	2.5265G	2.5275G	300k	1M	RMS	2.52749G	-26.08	-10.00	-16.08	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2535MHz_RB 75, #RB 0	Pass	2.5425G	2.5435G	300k	1M	RMS	2.54251G	-26.72	-10.00	-16.72	-	-
2535MHz_RB 75, #RB 0	Pass	2.5435G	2.5725G	300k	1M	RMS	2.544G	-26.08	-10.00	-16.08	MBW 1M	-
2535MHz_RB 75, #RB 0	Pass	2.5725G	6G	1M	3M	RMS	5.62469G	-49.70	-25.00	-24.70	-	-
2535MHz_RB 75, #RB 0	Pass	6G	27G	1M	3M	RMS	26.49863G	-40.91	-25.00	-15.91	-	-
2535MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	10.939k	-74.39	-25.00	-49.39	-	-
2535MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	911.175k	-73.29	-25.00	-48.29	-	-
2535MHz_RB 1, #RB L	Pass	30M	2.3G	1M	3M	RMS	2.20636G	-50.62	-25.00	-25.62	-	-
2535MHz_RB 1, #RB L	Pass	2.3G	2.4975G	1M	3M	RMS	2.32958G	-49.70	-25.00	-24.70	-	-
2535MHz_RB 1, #RB L	Pass	2.4975G	2.5265G	300k	1M	RMS	2.526G	-25.11	-10.00	-15.11	MBW 1M	-
2535MHz_RB 1, #RB L	Pass	2.5265G	2.5275G	300k	1M	RMS	2.5275G	-13.53	-10.00	-3.53	-	-
2535MHz_RB 1, #RB L	Pass	2.5425G	2.5435G	300k	1M	RMS	2.54252G	-38.67	-10.00	-28.67	-	-
2535MHz_RB 1, #RB L	Pass	2.5435G	2.5725G	300k	1M	RMS	2.555G	-26.61	-13.00	-13.61	MBW 1M	-
2535MHz_RB 1, #RB L	Pass	2.5725G	6G	1M	3M	RMS	5.05658G	-46.05	-25.00	-21.05	-	-
2535MHz_RB 1, #RB L	Pass	6G	27G	1M	3M	RMS	26.5485G	-40.83	-25.00	-15.83	-	-
2562.5MHz_RB 75, #RB 0	Pass	9k	150k	1k	3k	RMS	9.987k	-76.80	-25.00	-51.80	-	-
2562.5MHz_RB 75, #RB 0	Pass	150k	30M	10k	30k	RMS	202.238k	-72.32	-25.00	-47.32	-	-
2562.5MHz_RB 75, #RB 0	Pass	30M	2.3G	1M	3M	RMS	2.1533G	-49.56	-25.00	-24.56	-	-
2562.5MHz_RB 75, #RB 0	Pass	2.3G	2.525G	1M	3M	RMS	2.52365G	-47.31	-25.00	-22.31	-	-
2562.5MHz_RB 75, #RB 0	Pass	2.525G	2.554G	300k	1M	RMS	2.5535G	-27.03	-10.00	-17.03	MBW 1M	-
2562.5MHz_RB 75, #RB 0	Pass	2.554G	2.555G	300k	1M	RMS	2.555G	-27.15	-10.00	-17.15	-	-
2562.5MHz_RB 75, #RB 0	Pass	2.57G	2.571G	300k	1M	RMS	2.57001G	-26.53	-10.00	-16.53	-	-
2562.5MHz_RB 75, #RB 0	Pass	2.571G	2.6G	300k	1M	RMS	2.5715G	-26.85	-10.00	-16.85	MBW 1M	-
2562.5MHz_RB 75, #RB 0	Pass	2.6G	6G	1M	3M	RMS	5.6702G	-49.75	-25.00	-24.75	-	-
2562.5MHz_RB 75, #RB 0	Pass	6G	27G	1M	3M	RMS	26.45138G	-40.82	-25.00	-15.82	-	-
2562.5MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	9k	-76.74	-25.00	-51.74	-	-
2562.5MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	329.1k	-72.86	-25.00	-47.86	-	-
2562.5MHz_RB 1, #RB H	Pass	30M	2.3G	1M	3M	RMS	2.17543G	-50.35	-25.00	-25.35	-	-
2562.5MHz_RB 1, #RB H	Pass	2.3G	2.525G	1M	3M	RMS	2.52084G	-46.66	-25.00	-21.66	-	-
2562.5MHz_RB 1, #RB H	Pass	2.525G	2.554G	300k	1M	RMS	2.5425G	-25.85	-13.00	-12.85	MBW 1M	-
2562.5MHz_RB 1, #RB H	Pass	2.554G	2.555G	300k	1M	RMS	2.55497G	-38.13	-10.00	-28.13	-	-
2562.5MHz_RB 1, #RB H	Pass	2.57G	2.571G	300k	1M	RMS	2.57003G	-14.53	-10.00	-4.53	-	-
2562.5MHz_RB 1, #RB H	Pass	2.571G	2.6G	300k	1M	RMS	2.5715G	-25.86	-10.00	-15.86	MBW 1M	-
2562.5MHz_RB 1, #RB H	Pass	2.6G	6G	1M	3M	RMS	5.13895G	-49.40	-25.00	-24.40	-	-
2562.5MHz_RB 1, #RB H	Pass	6G	27G	1M	3M	RMS	26.54588G	-41.02	-25.00	-16.02	-	-
Band 7_LTE_20MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2510MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	15.768k	-77.08	-25.00	-52.08	-	-
2510MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	1.172M	-72.59	-25.00	-47.59	-	-
2510MHz_RB 100, #RB 0	Pass	30M	2.3G	1M	3M	RMS	2.13628G	-50.55	-25.00	-25.55	-	-
2510MHz_RB 100, #RB 0	Pass	2.3G	2.46G	1M	3M	RMS	2.397G	-50.23	-25.00	-25.23	-	-
2510MHz_RB 100, #RB 0	Pass	2.46G	2.499G	500k	2M	RMS	2.4985G	-25.48	-10.00	-15.48	MBW 1M	-
2510MHz_RB 100, #RB 0	Pass	2.499G	2.5G	500k	2M	RMS	2.5G	-25.90	-10.00	-15.90	-	-
2510MHz_RB 100, #RB 0	Pass	2.52G	2.521G	500k	2M	RMS	2.52G	-25.85	-10.00	-15.85	-	-
2510MHz_RB 100, #RB 0	Pass	2.521G	2.56G	500k	2M	RMS	2.5215G	-27.23	-10.00	-17.23	MBW 1M	-
2510MHz_RB 100, #RB 0	Pass	2.56G	6G	1M	3M	RMS	5.67664G	-49.61	-25.00	-24.61	-	-
2510MHz_RB 100, #RB 0	Pass	6G	27G	1M	3M	RMS	26.54588G	-40.95	-25.00	-15.95	-	-
2510MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	13.829k	-72.94	-25.00	-47.94	-	-
2510MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	20.299M	-71.91	-25.00	-46.91	-	-
2510MHz_RB 1, #RB L	Pass	30M	2.3G	1M	3M	RMS	2.17799G	-51.07	-25.00	-26.07	-	-
2510MHz_RB 1, #RB L	Pass	2.3G	2.46G	1M	3M	RMS	2.457G	-50.24	-25.00	-25.24	-	-
2510MHz_RB 1, #RB L	Pass	2.46G	2.499G	500k	2M	RMS	2.4985G	-27.06	-10.00	-17.06	MBW 1M	-
2510MHz_RB 1, #RB L	Pass	2.499G	2.5G	500k	2M	RMS	2.5G	-14.52	-10.00	-4.52	-	-
2510MHz_RB 1, #RB L	Pass	2.52G	2.521G	500k	2M	RMS	2.52G	-34.74	-10.00	-24.74	-	-
2510MHz_RB 1, #RB L	Pass	2.521G	2.56G	500k	2M	RMS	2.5365G	-27.53	-13.00	-14.53	MBW 1M	-
2510MHz_RB 1, #RB L	Pass	2.56G	6G	1M	3M	RMS	5.0024G	-41.85	-25.00	-16.85	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2510MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.48025G	-40.87	-25.00	-15.87	-	-
2535MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	9.141k	-75.75	-25.00	-50.75	-	-
2535MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	16.53M	-72.59	-25.00	-47.59	-	-
2535MHz_RB 100,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.99979G	-50.94	-25.00	-25.94	-	-
2535MHz_RB 100,#RB 0	Pass	2.3G	2.485G	1M	3M	RMS	2.43542G	-50.38	-25.00	-25.38	-	-
2535MHz_RB 100,#RB 0	Pass	2.485G	2.524G	500k	2M	RMS	2.5235G	-27.06	-10.00	-17.06	MBW 1M	-
2535MHz_RB 100,#RB 0	Pass	2.524G	2.525G	500k	2M	RMS	2.525G	-26.18	-10.00	-16.18	-	-
2535MHz_RB 100,#RB 0	Pass	2.545G	2.546G	500k	2M	RMS	2.54501G	-27.08	-10.00	-17.08	-	-
2535MHz_RB 100,#RB 0	Pass	2.546G	2.585G	500k	2M	RMS	2.5465G	-27.04	-10.00	-17.04	MBW 1M	-
2535MHz_RB 100,#RB 0	Pass	2.585G	6G	1M	3M	RMS	5.69009G	-49.64	-25.00	-24.64	-	-
2535MHz_RB 100,#RB 0	Pass	6G	27G	1M	3M	RMS	26.45663G	-40.78	-25.00	-15.78	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	51.441k	-75.00	-25.00	-50.00	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	411.188k	-72.79	-25.00	-47.79	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.06874G	-50.68	-25.00	-25.68	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.485G	1M	3M	RMS	2.45776G	-50.18	-25.00	-25.18	-	-
2535MHz_RB 1,#RB L	Pass	2.485G	2.524G	500k	2M	RMS	2.5235G	-27.27	-10.00	-17.27	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.524G	2.525G	500k	2M	RMS	2.52499G	-14.19	-10.00	-4.19	-	-
2535MHz_RB 1,#RB L	Pass	2.545G	2.546G	500k	2M	RMS	2.545G	-38.13	-10.00	-28.13	-	-
2535MHz_RB 1,#RB L	Pass	2.546G	2.585G	500k	2M	RMS	2.5615G	-28.31	-13.00	-15.31	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.585G	6G	1M	3M	RMS	5.05234G	-46.25	-25.00	-21.25	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.50388G	-40.79	-25.00	-15.79	-	-
2560MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	10.269k	-76.62	-25.00	-51.62	-	-
2560MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	232.088k	-72.49	-25.00	-47.49	-	-
2560MHz_RB 100,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.14564G	-50.34	-25.00	-25.34	-	-
2560MHz_RB 100,#RB 0	Pass	2.3G	2.51G	1M	3M	RMS	2.50974G	-48.10	-25.00	-23.10	-	-
2560MHz_RB 100,#RB 0	Pass	2.51G	2.549G	500k	2M	RMS	2.5485G	-27.48	-10.00	-17.48	MBW 1M	-
2560MHz_RB 100,#RB 0	Pass	2.549G	2.55G	500k	2M	RMS	2.54999G	-27.04	-10.00	-17.04	-	-
2560MHz_RB 100,#RB 0	Pass	2.57G	2.571G	500k	2M	RMS	2.57004G	-27.28	-10.00	-17.28	-	-
2560MHz_RB 100,#RB 0	Pass	2.571G	2.61G	500k	2M	RMS	2.5715G	-27.95	-10.00	-17.95	MBW 1M	-
2560MHz_RB 100,#RB 0	Pass	2.61G	6G	1M	3M	RMS	5.63388G	-49.69	-25.00	-24.69	-	-
2560MHz_RB 100,#RB 0	Pass	6G	27G	1M	3M	RMS	26.5065G	-40.95	-25.00	-15.95	-	-
2560MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	12.948k	-76.35	-25.00	-51.35	-	-
2560MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	448.5k	-72.64	-25.00	-47.64	-	-
2560MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.11556G	-51.00	-25.00	-26.00	-	-
2560MHz_RB 1,#RB H	Pass	2.3G	2.51G	1M	3M	RMS	2.36704G	-49.86	-25.00	-24.86	-	-
2560MHz_RB 1,#RB H	Pass	2.51G	2.549G	500k	2M	RMS	2.5335G	-25.84	-13.00	-12.84	MBW 1M	-
2560MHz_RB 1,#RB H	Pass	2.549G	2.55G	500k	2M	RMS	2.54999G	-37.46	-10.00	-27.46	-	-
2560MHz_RB 1,#RB H	Pass	2.57G	2.571G	500k	2M	RMS	2.57003G	-14.44	-10.00	-4.44	-	-
2560MHz_RB 1,#RB H	Pass	2.571G	2.61G	500k	2M	RMS	2.5715G	-27.83	-10.00	-17.83	MBW 1M	-
2560MHz_RB 1,#RB H	Pass	2.61G	6G	1M	3M	RMS	5.61524G	-49.71	-25.00	-24.71	-	-
2560MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	26.40938G	-40.98	-25.00	-15.98	-	-
Band 7_LTE_5MHz_Nss1.16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2502.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.243k	-75.00	-25.00	-50.00	-	-
2502.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	16.03M	-72.14	-25.00	-47.14	-	-
2502.5MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.17373G	-50.40	-25.00	-25.40	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.3G	2.49G	1M	3M	RMS	2.35895G	-48.83	-25.00	-23.83	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.49G	2.499G	100k	300k	RMS	2.4985G	-23.69	-10.00	-13.69	MBW 1M	-
2502.5MHz_RB 25,#RB 0	Pass	2.499G	2.5G	100k	300k	RMS	2.49999G	-25.92	-10.00	-15.92	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.505G	2.506G	100k	300k	RMS	2.50501G	-25.71	-10.00	-15.71	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.506G	2.515G	100k	300k	RMS	2.5065G	-24.91	-10.00	-14.91	MBW 1M	-
2502.5MHz_RB 25,#RB 0	Pass	2.515G	6G	1M	3M	RMS	5.00503G	-47.82	-25.00	-22.82	-	-
2502.5MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.3595G	-41.01	-25.00	-16.01	-	-
2502.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	56.059k	-73.33	-25.00	-48.33	-	-
2502.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-68.92	-25.00	-43.92	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2502.5MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	1.89083G	-50.22	-25.00	-25.22	-	-
2502.5MHz_RB 1,#RB L	Pass	2.3G	2.49G	1M	3M	RMS	2.44697G	-49.10	-25.00	-24.10	-	-
2502.5MHz_RB 1,#RB L	Pass	2.49G	2.499G	100k	300k	RMS	2.4985G	-31.74	-10.00	-21.74	MBW 1M	-
2502.5MHz_RB 1,#RB L	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-12.65	-10.00	-2.65	-	-
2502.5MHz_RB 1,#RB L	Pass	2.505G	2.506G	100k	300k	RMS	2.50508G	-33.91	-10.00	-23.91	-	-
2502.5MHz_RB 1,#RB L	Pass	2.506G	2.515G	100k	300k	RMS	2.5085G	-29.69	-10.00	-19.69	MBW 1M	-
2502.5MHz_RB 1,#RB L	Pass	2.515G	6G	1M	3M	RMS	5.00068G	-41.25	-25.00	-16.25	-	-
2502.5MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.41425G	-40.98	-25.00	-15.98	-	-
2535MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.881k	-74.59	-25.00	-49.59	-	-
2535MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	388.8k	-71.16	-25.00	-46.16	-	-
2535MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.91552G	-51.21	-25.00	-26.21	-	-
2535MHz_RB 25,#RB 0	Pass	2.3G	2.5225G	1M	3M	RMS	2.52139G	-46.36	-25.00	-21.36	-	-
2535MHz_RB 25,#RB 0	Pass	2.5225G	2.5315G	100k	300k	RMS	2.531G	-23.72	-10.00	-13.72	MBW 1M	-
2535MHz_RB 25,#RB 0	Pass	2.5315G	2.5325G	100k	300k	RMS	2.5325G	-26.05	-10.00	-16.05	-	-
2535MHz_RB 25,#RB 0	Pass	2.5375G	2.5385G	100k	300k	RMS	2.5375G	-25.84	-10.00	-15.84	-	-
2535MHz_RB 25,#RB 0	Pass	2.5385G	2.5475G	100k	300k	RMS	2.539G	-24.69	-10.00	-14.69	MBW 1M	-
2535MHz_RB 25,#RB 0	Pass	2.5475G	6G	1M	3M	RMS	5.70826G	-49.67	-25.00	-24.67	-	-
2535MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.412G	-40.90	-25.00	-15.90	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	32.194k	-72.97	-25.00	-47.97	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-71.36	-25.00	-46.36	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.02391G	-50.26	-25.00	-25.26	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.5225G	1M	3M	RMS	2.51738G	-42.21	-25.00	-17.21	-	-
2535MHz_RB 1,#RB L	Pass	2.5225G	2.5315G	100k	300k	RMS	2.531G	-31.67	-10.00	-21.67	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5315G	2.5325G	100k	300k	RMS	2.5325G	-12.66	-10.00	-2.66	-	-
2535MHz_RB 1,#RB L	Pass	2.5375G	2.5385G	100k	300k	RMS	2.53757G	-33.50	-10.00	-23.50	-	-
2535MHz_RB 1,#RB L	Pass	2.5385G	2.5475G	100k	300k	RMS	2.541G	-29.74	-10.00	-19.74	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5475G	6G	1M	3M	RMS	5.0661G	-45.31	-25.00	-20.31	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.53275G	-41.01	-25.00	-16.01	-	-
2567.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.47	-25.00	-49.47	-	-
2567.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	164.925k	-72.19	-25.00	-47.19	-	-
2567.5MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.9351G	-50.97	-25.00	-25.97	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.3G	2.555G	1M	3M	RMS	2.55481G	-46.32	-25.00	-21.32	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.555G	2.564G	100k	300k	RMS	2.5635G	-24.89	-10.00	-14.89	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.564G	2.565G	100k	300k	RMS	2.56499G	-26.73	-10.00	-16.73	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.57G	2.571G	100k	300k	RMS	2.57002G	-26.59	-10.00	-16.59	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.571G	2.58G	100k	300k	RMS	2.5715G	-25.40	-10.00	-15.40	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.58G	6G	1M	3M	RMS	5.68109G	-49.78	-25.00	-24.78	-	-
2567.5MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.43563G	-40.93	-25.00	-15.93	-	-
2567.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	11.044k	-74.08	-25.00	-49.08	-	-
2567.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	9.859M	-72.31	-25.00	-47.31	-	-
2567.5MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.05825G	-50.56	-25.00	-25.56	-	-
2567.5MHz_RB 1,#RB H	Pass	2.3G	2.555G	1M	3M	RMS	2.542G	-49.59	-25.00	-24.59	-	-
2567.5MHz_RB 1,#RB H	Pass	2.555G	2.564G	100k	300k	RMS	2.5615G	-28.13	-10.00	-18.13	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.564G	2.565G	100k	300k	RMS	2.56487G	-34.23	-10.00	-24.23	-	-
2567.5MHz_RB 1,#RB H	Pass	2.57G	2.571G	100k	300k	RMS	2.57001G	-13.62	-10.00	-3.62	-	-
2567.5MHz_RB 1,#RB H	Pass	2.571G	2.58G	100k	300k	RMS	2.5715G	-32.40	-10.00	-22.40	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.58G	6G	1M	3M	RMS	5.13902G	-48.83	-25.00	-23.83	-	-
2567.5MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	26.54588G	-41.03	-25.00	-16.03	-	-
Band 7_LTE_10MHz_Nss1.16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2505MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	13.336k	-78.60	-25.00	-53.60	-	-
2505MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	172.388k	-71.72	-25.00	-46.72	-	-
2505MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.16721G	-49.59	-25.00	-24.59	-	-
2505MHz_RB 50,#RB 0	Pass	2.3G	2.48G	1M	3M	RMS	2.43091G	-49.66	-25.00	-24.66	-	-
2505MHz_RB 50,#RB 0	Pass	2.48G	2.499G	200k	1M	RMS	2.4985G	-23.62	-10.00	-13.62	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2505MHz_RB 50,#RB 0	Pass	2.499G	2.5G	200k	1M	RMS	2.5G	-26.32	-10.00	-16.32	-	-
2505MHz_RB 50,#RB 0	Pass	2.51G	2.511G	200k	1M	RMS	2.51G	-26.27	-10.00	-16.27	-	-
2505MHz_RB 50,#RB 0	Pass	2.511G	2.53G	200k	1M	RMS	2.5115G	-25.30	-10.00	-15.30	MBW 1M	-
2505MHz_RB 50,#RB 0	Pass	2.53G	6G	1M	3M	RMS	5.01105G	-48.80	-25.00	-23.80	-	-
2505MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	23.40638G	-40.93	-25.00	-15.93	-	-
2505MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	10.762k	-72.93	-25.00	-47.93	-	-
2505MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	18.978M	-73.04	-25.00	-48.04	-	-
2505MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.28695G	-50.05	-25.00	-25.05	-	-
2505MHz_RB 1,#RB L	Pass	2.3G	2.48G	1M	3M	RMS	2.33366G	-50.10	-25.00	-25.10	-	-
2505MHz_RB 1,#RB L	Pass	2.48G	2.499G	200k	1M	RMS	2.4985G	-31.51	-10.00	-21.51	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.499G	2.5G	200k	1M	RMS	2.5G	-11.95	-10.00	-1.95	-	-
2505MHz_RB 1,#RB L	Pass	2.51G	2.511G	200k	1M	RMS	2.51017G	-32.57	-10.00	-22.57	-	-
2505MHz_RB 1,#RB L	Pass	2.511G	2.53G	200k	1M	RMS	2.5185G	-25.49	-13.00	-12.49	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.53G	6G	1M	3M	RMS	5.00151G	-40.47	-25.00	-15.47	-	-
2505MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.53538G	-40.94	-25.00	-15.94	-	-
2535MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.82k	-76.92	-25.00	-51.92	-	-
2535MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	202.238k	-72.11	-25.00	-47.11	-	-
2535MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.85168G	-50.96	-25.00	-25.96	-	-
2535MHz_RB 50,#RB 0	Pass	2.3G	2.51G	1M	3M	RMS	2.50963G	-48.83	-25.00	-23.83	-	-
2535MHz_RB 50,#RB 0	Pass	2.51G	2.529G	200k	1M	RMS	2.5285G	-25.11	-10.00	-15.11	MBW 1M	-
2535MHz_RB 50,#RB 0	Pass	2.529G	2.53G	200k	1M	RMS	2.52999G	-26.97	-10.00	-16.97	-	-
2535MHz_RB 50,#RB 0	Pass	2.54G	2.541G	200k	1M	RMS	2.54001G	-27.10	-10.00	-17.10	-	-
2535MHz_RB 50,#RB 0	Pass	2.541G	2.56G	200k	1M	RMS	2.5415G	-25.71	-10.00	-15.71	MBW 1M	-
2535MHz_RB 50,#RB 0	Pass	2.56G	6G	1M	3M	RMS	5.61472G	-49.67	-25.00	-24.67	-	-
2535MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	26.44875G	-41.08	-25.00	-16.08	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.547k	-72.81	-25.00	-47.81	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-69.98	-25.00	-44.98	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.16607G	-50.63	-25.00	-25.63	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.51G	1M	3M	RMS	2.50622G	-43.81	-25.00	-18.81	-	-
2535MHz_RB 1,#RB L	Pass	2.51G	2.529G	200k	1M	RMS	2.5285G	-31.06	-10.00	-21.06	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.529G	2.53G	200k	1M	RMS	2.53G	-12.65	-10.00	-2.65	-	-
2535MHz_RB 1,#RB L	Pass	2.54G	2.541G	200k	1M	RMS	2.54G	-33.96	-10.00	-23.96	-	-
2535MHz_RB 1,#RB L	Pass	2.541G	2.56G	200k	1M	RMS	2.5485G	-27.20	-13.00	-14.20	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.56G	6G	1M	3M	RMS	5.06174G	-46.99	-25.00	-21.99	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.5485G	-41.05	-25.00	-16.05	-	-
2565MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.362k	-76.73	-25.00	-51.73	-	-
2565MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	21.209M	-72.45	-25.00	-47.45	-	-
2565MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.79578G	-50.84	-25.00	-25.84	-	-
2565MHz_RB 50,#RB 0	Pass	2.3G	2.54G	1M	3M	RMS	2.51372G	-47.63	-25.00	-22.63	-	-
2565MHz_RB 50,#RB 0	Pass	2.54G	2.559G	200k	1M	RMS	2.5585G	-26.42	-10.00	-16.42	MBW 1M	-
2565MHz_RB 50,#RB 0	Pass	2.559G	2.56G	200k	1M	RMS	2.56G	-27.66	-10.00	-17.66	-	-
2565MHz_RB 50,#RB 0	Pass	2.57G	2.571G	200k	1M	RMS	2.57G	-26.82	-10.00	-16.82	-	-
2565MHz_RB 50,#RB 0	Pass	2.571G	2.59G	200k	1M	RMS	2.5715G	-26.30	-10.00	-16.30	MBW 1M	-
2565MHz_RB 50,#RB 0	Pass	2.59G	6G	1M	3M	RMS	5.71782G	-49.67	-25.00	-24.67	-	-
2565MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	26.4645G	-40.99	-25.00	-15.99	-	-
2565MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	12.913k	-72.64	-25.00	-47.64	-	-
2565MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	21.09M	-71.85	-25.00	-46.85	-	-
2565MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.176G	-50.62	-25.00	-25.62	-	-
2565MHz_RB 1,#RB H	Pass	2.3G	2.54G	1M	3M	RMS	2.39864G	-49.75	-25.00	-24.75	-	-
2565MHz_RB 1,#RB H	Pass	2.54G	2.559G	200k	1M	RMS	2.5515G	-25.96	-13.00	-12.96	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.559G	2.56G	200k	1M	RMS	2.55999G	-32.81	-10.00	-22.81	-	-
2565MHz_RB 1,#RB H	Pass	2.57G	2.571G	200k	1M	RMS	2.57002G	-12.61	-10.00	-2.61	-	-
2565MHz_RB 1,#RB H	Pass	2.571G	2.59G	200k	1M	RMS	2.5715G	-31.93	-10.00	-21.93	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.59G	6G	1M	3M	RMS	5.13898G	-48.61	-25.00	-23.61	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2565MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	23.42738G	-40.92	-25.00	-15.92	-	-
Band 7_LTE_15MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2507.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-75.94	-25.00	-50.94	-	-
2507.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	2.769M	-72.55	-25.00	-47.55	-	-
2507.5MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.58438G	-51.09	-25.00	-26.09	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.3G	2.47G	1M	3M	RMS	2.31772G	-49.42	-25.00	-24.42	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.47G	2.499G	300k	1M	RMS	2.4985G	-24.37	-10.00	-14.37	MBW 1M	-
2507.5MHz_RB 75,#RB 0	Pass	2.499G	2.5G	300k	1M	RMS	2.49997G	-25.76	-10.00	-15.76	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.515G	2.516G	300k	1M	RMS	2.51504G	-26.59	-10.00	-16.59	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.516G	2.545G	300k	1M	RMS	2.5165G	-25.66	-10.00	-15.66	MBW 1M	-
2507.5MHz_RB 75,#RB 0	Pass	2.545G	6G	1M	3M	RMS	5.01619G	-49.46	-25.00	-24.46	-	-
2507.5MHz_RB 75,#RB 0	Pass	6G	27G	1M	3M	RMS	26.559G	-40.97	-25.00	-15.97	-	-
2507.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	11.926k	-73.12	-25.00	-48.12	-	-
2507.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-70.78	-25.00	-45.78	-	-
2507.5MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.2756G	-50.49	-25.00	-25.49	-	-
2507.5MHz_RB 1,#RB L	Pass	2.3G	2.47G	1M	3M	RMS	2.46218G	-49.52	-25.00	-24.52	-	-
2507.5MHz_RB 1,#RB L	Pass	2.47G	2.499G	300k	1M	RMS	2.4985G	-25.36	-10.00	-15.36	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.499G	2.5G	300k	1M	RMS	2.49999G	-14.13	-10.00	-4.13	-	-
2507.5MHz_RB 1,#RB L	Pass	2.515G	2.516G	300k	1M	RMS	2.51503G	-37.04	-10.00	-27.04	-	-
2507.5MHz_RB 1,#RB L	Pass	2.516G	2.545G	300k	1M	RMS	2.5275G	-26.41	-13.00	-13.41	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.545G	6G	1M	3M	RMS	5.00151G	-41.83	-25.00	-16.83	-	-
2507.5MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.409G	-40.84	-25.00	-15.84	-	-
2535MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	16.367k	-75.52	-25.00	-50.52	-	-
2535MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	329.1k	-71.50	-25.00	-46.50	-	-
2535MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.22169G	-50.78	-25.00	-25.78	-	-
2535MHz_RB 75,#RB 0	Pass	2.3G	2.4975G	1M	3M	RMS	2.49646G	-48.81	-25.00	-23.81	-	-
2535MHz_RB 75,#RB 0	Pass	2.4975G	2.5265G	300k	1M	RMS	2.526G	-26.48	-10.00	-16.48	MBW 1M	-
2535MHz_RB 75,#RB 0	Pass	2.5265G	2.5275G	300k	1M	RMS	2.52749G	-26.56	-10.00	-16.56	-	-
2535MHz_RB 75,#RB 0	Pass	2.5425G	2.5435G	300k	1M	RMS	2.5425G	-27.76	-10.00	-17.76	-	-
2535MHz_RB 75,#RB 0	Pass	2.5435G	2.5725G	300k	1M	RMS	2.544G	-27.09	-10.00	-17.09	MBW 1M	-
2535MHz_RB 75,#RB 0	Pass	2.5725G	6G	1M	3M	RMS	5.97858G	-49.79	-25.00	-24.79	-	-
2535MHz_RB 75,#RB 0	Pass	6G	27G	1M	3M	RMS	19.63425G	-40.87	-25.00	-15.87	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	12.137k	-72.77	-25.00	-47.77	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-70.61	-25.00	-45.61	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.28269G	-50.87	-25.00	-25.87	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.4975G	1M	3M	RMS	2.45736G	-50.11	-25.00	-25.11	-	-
2535MHz_RB 1,#RB L	Pass	2.4975G	2.5265G	300k	1M	RMS	2.526G	-25.08	-10.00	-15.08	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5265G	2.5275G	300k	1M	RMS	2.5275G	-13.80	-10.00	-3.80	-	-
2535MHz_RB 1,#RB L	Pass	2.5425G	2.5435G	300k	1M	RMS	2.54256G	-39.33	-10.00	-29.33	-	-
2535MHz_RB 1,#RB L	Pass	2.5435G	2.5725G	300k	1M	RMS	2.555G	-27.66	-13.00	-14.66	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5725G	6G	1M	3M	RMS	5.05658G	-46.08	-25.00	-21.08	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.55113G	-41.09	-25.00	-16.09	-	-
2562.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	15.98k	-77.05	-25.00	-52.05	-	-
2562.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	20.463M	-71.13	-25.00	-46.13	-	-
2562.5MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.2651G	-50.91	-25.00	-25.91	-	-
2562.5MHz_RB 75,#RB 0	Pass	2.3G	2.525G	1M	3M	RMS	2.52028G	-48.09	-25.00	-23.09	-	-
2562.5MHz_RB 75,#RB 0	Pass	2.525G	2.554G	300k	1M	RMS	2.5535G	-27.30	-10.00	-17.30	MBW 1M	-
2562.5MHz_RB 75,#RB 0	Pass	2.554G	2.555G	300k	1M	RMS	2.555G	-27.09	-10.00	-17.09	-	-
2562.5MHz_RB 75,#RB 0	Pass	2.57G	2.571G	300k	1M	RMS	2.57003G	-27.74	-10.00	-17.74	-	-
2562.5MHz_RB 75,#RB 0	Pass	2.571G	2.6G	300k	1M	RMS	2.5715G	-27.46	-10.00	-17.46	MBW 1M	-
2562.5MHz_RB 75,#RB 0	Pass	2.6G	6G	1M	3M	RMS	5.7025G	-49.70	-25.00	-24.70	-	-
2562.5MHz_RB 75,#RB 0	Pass	6G	27G	1M	3M	RMS	26.475G	-40.95	-25.00	-15.95	-	-
2562.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	9k	-72.73	-25.00	-47.73	-	-
2562.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	478.35k	-72.24	-25.00	-47.24	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2562.5MHz_RB 1, #RB H	Pass	30M	2.3G	1M	3M	RMS	2.12578G	-50.58	-25.00	-25.58	-	-
2562.5MHz_RB 1, #RB H	Pass	2.3G	2.525G	1M	3M	RMS	2.51572G	-48.86	-25.00	-23.86	-	-
2562.5MHz_RB 1, #RB H	Pass	2.525G	2.554G	300k	1M	RMS	2.5425G	-25.83	-13.00	-12.83	MBW 1M	-
2562.5MHz_RB 1, #RB H	Pass	2.554G	2.555G	300k	1M	RMS	2.55497G	-38.57	-10.00	-28.57	-	-
2562.5MHz_RB 1, #RB H	Pass	2.57G	2.571G	300k	1M	RMS	2.57005G	-14.78	-10.00	-4.78	-	-
2562.5MHz_RB 1, #RB H	Pass	2.571G	2.6G	300k	1M	RMS	2.5715G	-26.21	-10.00	-16.21	MBW 1M	-
2562.5MHz_RB 1, #RB H	Pass	2.6G	6G	1M	3M	RMS	6G	-49.68	-25.00	-24.68	-	-
2562.5MHz_RB 1, #RB H	Pass	6G	27G	1M	3M	RMS	23.43G	-40.79	-25.00	-15.79	-	-
Band 7_LTE_20MHz_Nss1.16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2510MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	13.018k	-77.07	-25.00	-52.07	-	-
2510MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	150k	-71.55	-25.00	-46.55	-	-
2510MHz_RB 100, #RB 0	Pass	30M	2.3G	1M	3M	RMS	2.24524G	-49.33	-25.00	-24.33	-	-
2510MHz_RB 100, #RB 0	Pass	2.3G	2.46G	1M	3M	RMS	2.37044G	-50.01	-25.00	-25.01	-	-
2510MHz_RB 100, #RB 0	Pass	2.46G	2.499G	500k	2M	RMS	2.4985G	-25.74	-10.00	-15.74	MBW 1M	-
2510MHz_RB 100, #RB 0	Pass	2.499G	2.5G	500k	2M	RMS	2.49999G	-26.75	-10.00	-16.75	-	-
2510MHz_RB 100, #RB 0	Pass	2.52G	2.521G	500k	2M	RMS	2.52002G	-26.63	-10.00	-16.63	-	-
2510MHz_RB 100, #RB 0	Pass	2.521G	2.56G	500k	2M	RMS	2.5215G	-26.95	-10.00	-16.95	MBW 1M	-
2510MHz_RB 100, #RB 0	Pass	2.56G	6G	1M	3M	RMS	5.72566G	-49.71	-25.00	-24.71	-	-
2510MHz_RB 100, #RB 0	Pass	6G	27G	1M	3M	RMS	26.54063G	-40.83	-25.00	-15.83	-	-
2510MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	9.67k	-73.97	-25.00	-48.97	-	-
2510MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-70.62	-25.00	-45.62	-	-
2510MHz_RB 1, #RB L	Pass	30M	2.3G	1M	3M	RMS	2.26396G	-50.87	-25.00	-25.87	-	-
2510MHz_RB 1, #RB L	Pass	2.3G	2.46G	1M	3M	RMS	2.35952G	-49.06	-25.00	-24.06	-	-
2510MHz_RB 1, #RB L	Pass	2.46G	2.499G	500k	2M	RMS	2.4985G	-27.28	-10.00	-17.28	MBW 1M	-
2510MHz_RB 1, #RB L	Pass	2.499G	2.5G	500k	2M	RMS	2.5G	-14.80	-10.00	-4.80	-	-
2510MHz_RB 1, #RB L	Pass	2.52G	2.521G	500k	2M	RMS	2.52058G	-23.80	-10.00	-13.80	-	-
2510MHz_RB 1, #RB L	Pass	2.521G	2.56G	500k	2M	RMS	2.5365G	-26.95	-13.00	-13.95	MBW 1M	-
2510MHz_RB 1, #RB L	Pass	2.56G	6G	1M	3M	RMS	5.0024G	-42.37	-25.00	-17.37	-	-
2510MHz_RB 1, #RB L	Pass	6G	27G	1M	3M	RMS	26.43825G	-41.07	-25.00	-16.07	-	-
2535MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.46	-25.00	-49.46	-	-
2535MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	933.562k	-72.11	-25.00	-47.11	-	-
2535MHz_RB 100, #RB 0	Pass	30M	2.3G	1M	3M	RMS	2.21771G	-50.44	-25.00	-25.44	-	-
2535MHz_RB 100, #RB 0	Pass	2.3G	2.485G	1M	3M	RMS	2.46627G	-50.02	-25.00	-25.02	-	-
2535MHz_RB 100, #RB 0	Pass	2.485G	2.524G	500k	2M	RMS	2.5235G	-27.85	-10.00	-17.85	MBW 1M	-
2535MHz_RB 100, #RB 0	Pass	2.524G	2.525G	500k	2M	RMS	2.525G	-27.26	-10.00	-17.26	-	-
2535MHz_RB 100, #RB 0	Pass	2.545G	2.546G	500k	2M	RMS	2.54501G	-28.04	-10.00	-18.04	-	-
2535MHz_RB 100, #RB 0	Pass	2.546G	2.585G	500k	2M	RMS	2.5465G	-28.09	-10.00	-18.09	MBW 1M	-
2535MHz_RB 100, #RB 0	Pass	2.585G	6G	1M	3M	RMS	5.69009G	-49.56	-25.00	-24.56	-	-
2535MHz_RB 100, #RB 0	Pass	6G	27G	1M	3M	RMS	26.44088G	-40.87	-25.00	-15.87	-	-
2535MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	29.516k	-74.67	-25.00	-49.67	-	-
2535MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	179.85k	-72.36	-25.00	-47.36	-	-
2535MHz_RB 1, #RB L	Pass	30M	2.3G	1M	3M	RMS	2.2966G	-50.09	-25.00	-25.09	-	-
2535MHz_RB 1, #RB L	Pass	2.3G	2.485G	1M	3M	RMS	2.36124G	-49.68	-25.00	-24.68	-	-
2535MHz_RB 1, #RB L	Pass	2.485G	2.524G	500k	2M	RMS	2.5235G	-27.55	-10.00	-17.55	MBW 1M	-
2535MHz_RB 1, #RB L	Pass	2.524G	2.525G	500k	2M	RMS	2.525G	-14.79	-10.00	-4.79	-	-
2535MHz_RB 1, #RB L	Pass	2.545G	2.546G	500k	2M	RMS	2.54558G	-26.16	-10.00	-16.16	-	-
2535MHz_RB 1, #RB L	Pass	2.546G	2.585G	500k	2M	RMS	2.5615G	-29.56	-13.00	-16.56	MBW 1M	-
2535MHz_RB 1, #RB L	Pass	2.585G	6G	1M	3M	RMS	5.05234G	-46.55	-25.00	-21.55	-	-
2535MHz_RB 1, #RB L	Pass	6G	27G	1M	3M	RMS	26.54325G	-40.89	-25.00	-15.89	-	-
2560MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	11.15k	-74.57	-25.00	-49.57	-	-
2560MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	20.59M	-71.85	-25.00	-46.85	-	-
2560MHz_RB 100, #RB 0	Pass	30M	2.3G	1M	3M	RMS	2.25574G	-50.33	-25.00	-25.33	-	-
2560MHz_RB 100, #RB 0	Pass	2.3G	2.51G	1M	3M	RMS	2.34793G	-49.30	-25.00	-24.30	-	-
2560MHz_RB 100, #RB 0	Pass	2.51G	2.549G	500k	2M	RMS	2.5485G	-27.98	-10.00	-17.98	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2560MHz_RB 100, #RB 0	Pass	2.549G	2.55G	500k	2M	RMS	2.55G	-27.73	-10.00	-17.73	-	-
2560MHz_RB 100, #RB 0	Pass	2.57G	2.571G	500k	2M	RMS	2.57001G	-28.03	-10.00	-18.03	-	-
2560MHz_RB 100, #RB 0	Pass	2.571G	2.61G	500k	2M	RMS	2.5715G	-28.63	-10.00	-18.63	MBW 1M	-
2560MHz_RB 100, #RB 0	Pass	2.61G	6G	1M	3M	RMS	5.68727G	-49.80	-25.00	-24.80	-	-
2560MHz_RB 100, #RB 0	Pass	6G	27G	1M	3M	RMS	26.4855G	-40.75	-25.00	-15.75	-	-
2560MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	14.041k	-74.69	-25.00	-49.69	-	-
2560MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	16.351M	-72.34	-25.00	-47.34	-	-
2560MHz_RB 1, #RB H	Pass	30M	2.3G	1M	3M	RMS	1.34149G	-50.59	-25.00	-25.59	-	-
2560MHz_RB 1, #RB H	Pass	2.3G	2.51G	1M	3M	RMS	2.50076G	-49.52	-25.00	-24.52	-	-
2560MHz_RB 1, #RB H	Pass	2.51G	2.549G	500k	2M	RMS	2.5335G	-27.22	-13.00	-14.22	MBW 1M	-
2560MHz_RB 1, #RB H	Pass	2.549G	2.55G	500k	2M	RMS	2.5492G	-25.23	-10.00	-15.23	-	-
2560MHz_RB 1, #RB H	Pass	2.57G	2.571G	500k	2M	RMS	2.57005G	-14.92	-10.00	-4.92	-	-
2560MHz_RB 1, #RB H	Pass	2.571G	2.61G	500k	2M	RMS	2.5715G	-27.69	-10.00	-17.69	MBW 1M	-
2560MHz_RB 1, #RB H	Pass	2.61G	6G	1M	3M	RMS	5.58557G	-49.64	-25.00	-24.64	-	-
2560MHz_RB 1, #RB H	Pass	6G	27G	1M	3M	RMS	26.52225G	-40.93	-25.00	-15.93	-	-
Band 7_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2502.5MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	15.31k	-76.92	-25.00	-51.92	-	-
2502.5MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	1.956M	-72.70	-25.00	-47.70	-	-
2502.5MHz_RB 25, #RB 0	Pass	30M	2.3G	1M	3M	RMS	2.07045G	-50.47	-25.00	-25.47	-	-
2502.5MHz_RB 25, #RB 0	Pass	2.3G	2.49G	1M	3M	RMS	2.47043G	-49.90	-25.00	-24.90	-	-
2502.5MHz_RB 25, #RB 0	Pass	2.49G	2.499G	100k	300k	RMS	2.4985G	-23.70	-10.00	-13.70	MBW 1M	-
2502.5MHz_RB 25, #RB 0	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-25.51	-10.00	-15.51	-	-
2502.5MHz_RB 25, #RB 0	Pass	2.505G	2.506G	100k	300k	RMS	2.505G	-26.57	-10.00	-16.57	-	-
2502.5MHz_RB 25, #RB 0	Pass	2.506G	2.515G	100k	300k	RMS	2.5065G	-24.98	-10.00	-14.98	MBW 1M	-
2502.5MHz_RB 25, #RB 0	Pass	2.515G	6G	1M	3M	RMS	5.00503G	-47.95	-25.00	-22.95	-	-
2502.5MHz_RB 25, #RB 0	Pass	6G	27G	1M	3M	RMS	26.46975G	-41.03	-25.00	-16.03	-	-
2502.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	21.972k	-73.08	-25.00	-48.08	-	-
2502.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-70.54	-25.00	-45.54	-	-
2502.5MHz_RB 1, #RB L	Pass	30M	2.3G	1M	3M	RMS	1.80826G	-50.72	-25.00	-25.72	-	-
2502.5MHz_RB 1, #RB L	Pass	2.3G	2.49G	1M	3M	RMS	2.32579G	-48.93	-25.00	-23.93	-	-
2502.5MHz_RB 1, #RB L	Pass	2.49G	2.499G	100k	300k	RMS	2.4985G	-32.41	-10.00	-22.41	MBW 1M	-
2502.5MHz_RB 1, #RB L	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-13.36	-10.00	-3.36	-	-
2502.5MHz_RB 1, #RB L	Pass	2.505G	2.506G	100k	300k	RMS	2.50515G	-35.09	-10.00	-25.09	-	-
2502.5MHz_RB 1, #RB L	Pass	2.506G	2.515G	100k	300k	RMS	2.5085G	-29.69	-10.00	-19.69	MBW 1M	-
2502.5MHz_RB 1, #RB L	Pass	2.515G	6G	1M	3M	RMS	5.00068G	-41.31	-25.00	-16.31	-	-
2502.5MHz_RB 1, #RB L	Pass	6G	27G	1M	3M	RMS	26.48813G	-40.98	-25.00	-15.98	-	-
2535MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	9.776k	-78.07	-25.00	-53.07	-	-
2535MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	336.562k	-71.12	-25.00	-46.12	-	-
2535MHz_RB 25, #RB 0	Pass	30M	2.3G	1M	3M	RMS	1.81904G	-50.72	-25.00	-25.72	-	-
2535MHz_RB 25, #RB 0	Pass	2.3G	2.5225G	1M	3M	RMS	2.52028G	-45.99	-25.00	-20.99	-	-
2535MHz_RB 25, #RB 0	Pass	2.5225G	2.5315G	100k	300k	RMS	2.531G	-23.77	-10.00	-13.77	MBW 1M	-
2535MHz_RB 25, #RB 0	Pass	2.5315G	2.5325G	100k	300k	RMS	2.53249G	-25.90	-10.00	-15.90	-	-
2535MHz_RB 25, #RB 0	Pass	2.5375G	2.5385G	100k	300k	RMS	2.5375G	-26.46	-10.00	-16.46	-	-
2535MHz_RB 25, #RB 0	Pass	2.5385G	2.5475G	100k	300k	RMS	2.539G	-24.71	-10.00	-14.71	MBW 1M	-
2535MHz_RB 25, #RB 0	Pass	2.5475G	6G	1M	3M	RMS	5.61764G	-49.70	-25.00	-24.70	-	-
2535MHz_RB 25, #RB 0	Pass	6G	27G	1M	3M	RMS	26.4435G	-41.04	-25.00	-16.04	-	-
2535MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	14.57k	-73.15	-25.00	-48.15	-	-
2535MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	605.212k	-72.40	-25.00	-47.40	-	-
2535MHz_RB 1, #RB L	Pass	30M	2.3G	1M	3M	RMS	2.17799G	-50.85	-25.00	-25.85	-	-
2535MHz_RB 1, #RB L	Pass	2.3G	2.5225G	1M	3M	RMS	2.51799G	-47.65	-25.00	-22.65	-	-
2535MHz_RB 1, #RB L	Pass	2.5225G	2.5315G	100k	300k	RMS	2.531G	-32.27	-10.00	-22.27	MBW 1M	-
2535MHz_RB 1, #RB L	Pass	2.5315G	2.5325G	100k	300k	RMS	2.53249G	-13.64	-10.00	-3.64	-	-
2535MHz_RB 1, #RB L	Pass	2.5375G	2.5385G	100k	300k	RMS	2.53766G	-34.46	-10.00	-24.46	-	-
2535MHz_RB 1, #RB L	Pass	2.5385G	2.5475G	100k	300k	RMS	2.541G	-30.30	-10.00	-20.30	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2535MHz_RB 1,#RB L	Pass	2.5475G	6G	1M	3M	RMS	5.0661G	-46.22	-25.00	-21.22	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.41463G	-40.96	-25.00	-15.96	-	-
2567.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.724k	-76.30	-25.00	-51.30	-	-
2567.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	724.612k	-71.43	-25.00	-46.43	-	-
2567.5MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.14053G	-50.85	-25.00	-25.85	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.3G	2.555G	1M	3M	RMS	2.55373G	-46.33	-25.00	-21.33	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.555G	2.564G	100k	300k	RMS	2.5635G	-24.95	-10.00	-14.95	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.564G	2.565G	100k	300k	RMS	2.565G	-26.70	-10.00	-16.70	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.57G	2.571G	100k	300k	RMS	2.57G	-26.91	-10.00	-16.91	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.571G	2.58G	100k	300k	RMS	2.5715G	-25.48	-10.00	-15.48	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.58G	6G	1M	3M	RMS	5.6751G	-49.50	-25.00	-24.50	-	-
2567.5MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.5275G	-40.81	-25.00	-15.81	-	-
2567.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	9k	-73.07	-25.00	-48.07	-	-
2567.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	20.545M	-72.73	-25.00	-47.73	-	-
2567.5MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.15586G	-50.81	-25.00	-25.81	-	-
2567.5MHz_RB 1,#RB H	Pass	2.3G	2.555G	1M	3M	RMS	2.52249G	-49.75	-25.00	-24.75	-	-
2567.5MHz_RB 1,#RB H	Pass	2.555G	2.564G	100k	300k	RMS	2.5615G	-29.45	-10.00	-19.45	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.564G	2.565G	100k	300k	RMS	2.56487G	-34.31	-10.00	-24.31	-	-
2567.5MHz_RB 1,#RB H	Pass	2.57G	2.571G	100k	300k	RMS	2.57G	-13.59	-10.00	-3.59	-	-
2567.5MHz_RB 1,#RB H	Pass	2.571G	2.58G	100k	300k	RMS	2.5715G	-32.60	-10.00	-22.60	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.58G	6G	1M	3M	RMS	5.13902G	-49.27	-25.00	-24.27	-	-
2567.5MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	26.4435G	-41.02	-25.00	-16.02	-	-
Band 7_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2505MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.586k	-75.12	-25.00	-50.12	-	-
2505MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	336.562k	-71.81	-25.00	-46.81	-	-
2505MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.9822G	-50.37	-25.00	-25.37	-	-
2505MHz_RB 50,#RB 0	Pass	2.3G	2.48G	1M	3M	RMS	2.45282G	-49.69	-25.00	-24.69	-	-
2505MHz_RB 50,#RB 0	Pass	2.48G	2.499G	200k	1M	RMS	2.4985G	-23.71	-10.00	-13.71	MBW 1M	-
2505MHz_RB 50,#RB 0	Pass	2.499G	2.5G	200k	1M	RMS	2.49999G	-26.35	-10.00	-16.35	-	-
2505MHz_RB 50,#RB 0	Pass	2.51G	2.511G	200k	1M	RMS	2.51001G	-27.04	-10.00	-17.04	-	-
2505MHz_RB 50,#RB 0	Pass	2.511G	2.53G	200k	1M	RMS	2.5115G	-25.33	-10.00	-15.33	MBW 1M	-
2505MHz_RB 50,#RB 0	Pass	2.53G	6G	1M	3M	RMS	5.01018G	-49.14	-25.00	-24.14	-	-
2505MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	23.43263G	-40.95	-25.00	-15.95	-	-
2505MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	28.07k	-72.50	-25.00	-47.50	-	-
2505MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-70.80	-25.00	-45.80	-	-
2505MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.27929G	-50.68	-25.00	-25.68	-	-
2505MHz_RB 1,#RB L	Pass	2.3G	2.48G	1M	3M	RMS	2.35616G	-50.25	-25.00	-25.25	-	-
2505MHz_RB 1,#RB L	Pass	2.48G	2.499G	200k	1M	RMS	2.4985G	-32.18	-10.00	-22.18	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.499G	2.5G	200k	1M	RMS	2.49999G	-12.47	-10.00	-2.47	-	-
2505MHz_RB 1,#RB L	Pass	2.51G	2.511G	200k	1M	RMS	2.51005G	-36.75	-10.00	-26.75	-	-
2505MHz_RB 1,#RB L	Pass	2.511G	2.53G	200k	1M	RMS	2.5185G	-25.85	-13.00	-12.85	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.53G	6G	1M	3M	RMS	5.00151G	-42.22	-25.00	-17.22	-	-
2505MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.48813G	-41.03	-25.00	-16.03	-	-
2535MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	15.416k	-74.55	-25.00	-49.55	-	-
2535MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	202.238k	-72.27	-25.00	-47.27	-	-
2535MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.9839G	-50.31	-25.00	-25.31	-	-
2535MHz_RB 50,#RB 0	Pass	2.3G	2.51G	1M	3M	RMS	2.50816G	-49.29	-25.00	-24.29	-	-
2535MHz_RB 50,#RB 0	Pass	2.51G	2.529G	200k	1M	RMS	2.5285G	-25.21	-10.00	-15.21	MBW 1M	-
2535MHz_RB 50,#RB 0	Pass	2.529G	2.53G	200k	1M	RMS	2.52999G	-26.45	-10.00	-16.45	-	-
2535MHz_RB 50,#RB 0	Pass	2.54G	2.541G	200k	1M	RMS	2.54001G	-27.48	-10.00	-17.48	-	-
2535MHz_RB 50,#RB 0	Pass	2.541G	2.56G	200k	1M	RMS	2.5415G	-25.88	-10.00	-15.88	MBW 1M	-
2535MHz_RB 50,#RB 0	Pass	2.56G	6G	1M	3M	RMS	5.66288G	-49.68	-25.00	-24.68	-	-
2535MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	26.45663G	-40.94	-25.00	-15.94	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	21.373k	-74.91	-25.00	-49.91	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-70.74	-25.00	-45.74	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.00263G	-51.00	-25.00	-26.00	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.51G	1M	3M	RMS	2.43792G	-49.31	-25.00	-24.31	-	-
2535MHz_RB 1,#RB L	Pass	2.51G	2.529G	200k	1M	RMS	2.5285G	-32.08	-10.00	-22.08	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.529G	2.53G	200k	1M	RMS	2.52997G	-12.76	-10.00	-2.76	-	-
2535MHz_RB 1,#RB L	Pass	2.54G	2.541G	200k	1M	RMS	2.54004G	-37.80	-10.00	-27.80	-	-
2535MHz_RB 1,#RB L	Pass	2.541G	2.56G	200k	1M	RMS	2.5485G	-27.88	-13.00	-14.88	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.56G	6G	1M	3M	RMS	5.06088G	-46.41	-25.00	-21.41	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.45663G	-40.81	-25.00	-15.81	-	-
2565MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	41.853k	-76.26	-25.00	-51.26	-	-
2565MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	164.925k	-72.08	-25.00	-47.08	-	-
2565MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.22282G	-50.92	-25.00	-25.92	-	-
2565MHz_RB 50,#RB 0	Pass	2.3G	2.54G	1M	3M	RMS	2.5385G	-48.29	-25.00	-23.29	-	-
2565MHz_RB 50,#RB 0	Pass	2.54G	2.559G	200k	1M	RMS	2.5585G	-26.51	-10.00	-16.51	MBW 1M	-
2565MHz_RB 50,#RB 0	Pass	2.559G	2.56G	200k	1M	RMS	2.55999G	-27.32	-10.00	-17.32	-	-
2565MHz_RB 50,#RB 0	Pass	2.57G	2.571G	200k	1M	RMS	2.57001G	-27.25	-10.00	-17.25	-	-
2565MHz_RB 50,#RB 0	Pass	2.571G	2.59G	200k	1M	RMS	2.5715G	-26.46	-10.00	-16.46	MBW 1M	-
2565MHz_RB 50,#RB 0	Pass	2.59G	6G	1M	3M	RMS	5.60359G	-49.58	-25.00	-24.58	-	-
2565MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	26.475G	-41.12	-25.00	-16.12	-	-
2565MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	24.158k	-76.37	-25.00	-51.37	-	-
2565MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	247.012k	-71.92	-25.00	-46.92	-	-
2565MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.08009G	-50.39	-25.00	-25.39	-	-
2565MHz_RB 1,#RB H	Pass	2.3G	2.54G	1M	3M	RMS	2.51672G	-49.63	-25.00	-24.63	-	-
2565MHz_RB 1,#RB H	Pass	2.54G	2.559G	200k	1M	RMS	2.5515G	-26.99	-13.00	-13.99	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.559G	2.56G	200k	1M	RMS	2.55994G	-37.09	-10.00	-27.09	-	-
2565MHz_RB 1,#RB H	Pass	2.57G	2.571G	200k	1M	RMS	2.57004G	-13.78	-10.00	-3.78	-	-
2565MHz_RB 1,#RB H	Pass	2.571G	2.59G	200k	1M	RMS	2.5715G	-33.03	-10.00	-23.03	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.59G	6G	1M	3M	RMS	5.13898G	-49.45	-25.00	-24.45	-	-
2565MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	23.44838G	-40.91	-25.00	-15.91	-	-
Band 7_LTE_15MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2507.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	20.597k	-76.15	-25.00	-51.15	-	-
2507.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	17.284M	-72.06	-25.00	-47.06	-	-
2507.5MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.0188G	-50.69	-25.00	-25.69	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.3G	2.47G	1M	3M	RMS	2.45317G	-49.63	-25.00	-24.63	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.47G	2.499G	300k	1M	RMS	2.4985G	-24.44	-10.00	-14.44	MBW 1M	-
2507.5MHz_RB 75,#RB 0	Pass	2.499G	2.5G	300k	1M	RMS	2.49999G	-26.23	-10.00	-16.23	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.515G	2.516G	300k	1M	RMS	2.51501G	-27.01	-10.00	-17.01	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.516G	2.545G	300k	1M	RMS	2.5165G	-25.76	-10.00	-15.76	MBW 1M	-
2507.5MHz_RB 75,#RB 0	Pass	2.545G	6G	1M	3M	RMS	5.67437G	-49.60	-25.00	-24.60	-	-
2507.5MHz_RB 75,#RB 0	Pass	6G	27G	1M	3M	RMS	26.53013G	-40.93	-25.00	-15.93	-	-
2507.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	28.952k	-73.90	-25.00	-48.90	-	-
2507.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	20.373M	-71.93	-25.00	-46.93	-	-
2507.5MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.21261G	-50.69	-25.00	-25.69	-	-
2507.5MHz_RB 1,#RB L	Pass	2.3G	2.47G	1M	3M	RMS	2.47G	-50.25	-25.00	-25.25	-	-
2507.5MHz_RB 1,#RB L	Pass	2.47G	2.499G	300k	1M	RMS	2.4985G	-25.88	-10.00	-15.88	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.499G	2.5G	300k	1M	RMS	2.49999G	-14.63	-10.00	-4.63	-	-
2507.5MHz_RB 1,#RB L	Pass	2.515G	2.516G	300k	1M	RMS	2.51503G	-37.00	-10.00	-27.00	-	-
2507.5MHz_RB 1,#RB L	Pass	2.516G	2.545G	300k	1M	RMS	2.5275G	-26.68	-13.00	-13.68	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.545G	6G	1M	3M	RMS	5.00151G	-43.37	-25.00	-18.37	-	-
2507.5MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.4195G	-40.88	-25.00	-15.88	-	-
2535MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	40.337k	-75.92	-25.00	-50.92	-	-
2535MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	12.433M	-73.04	-25.00	-48.04	-	-
2535MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.12776G	-51.06	-25.00	-26.06	-	-
2535MHz_RB 75,#RB 0	Pass	2.3G	2.4975G	1M	3M	RMS	2.49617G	-49.62	-25.00	-24.62	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2535MHz_RB 75, #RB 0	Pass	2.4975G	2.5265G	300k	1M	RMS	2.526G	-26.55	-10.00	-16.55	MBW 1M	-
2535MHz_RB 75, #RB 0	Pass	2.5265G	2.5275G	300k	1M	RMS	2.5275G	-26.21	-10.00	-16.21	-	-
2535MHz_RB 75, #RB 0	Pass	2.5425G	2.5435G	300k	1M	RMS	2.54251G	-28.08	-10.00	-18.08	-	-
2535MHz_RB 75, #RB 0	Pass	2.5435G	2.5725G	300k	1M	RMS	2.544G	-27.02	-10.00	-17.02	MBW 1M	-
2535MHz_RB 75, #RB 0	Pass	2.5725G	6G	1M	3M	RMS	5.62383G	-49.64	-25.00	-24.64	-	-
2535MHz_RB 75, #RB 0	Pass	6G	27G	1M	3M	RMS	26.46713G	-40.89	-25.00	-15.89	-	-
2535MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	12.842k	-73.15	-25.00	-48.15	-	-
2535MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	11.724M	-71.23	-25.00	-46.23	-	-
2535MHz_RB 1, #RB L	Pass	30M	2.3G	1M	3M	RMS	2.16181G	-50.87	-25.00	-25.87	-	-
2535MHz_RB 1, #RB L	Pass	2.3G	2.4975G	1M	3M	RMS	2.46343G	-49.57	-25.00	-24.57	-	-
2535MHz_RB 1, #RB L	Pass	2.4975G	2.5265G	300k	1M	RMS	2.526G	-25.98	-10.00	-15.98	MBW 1M	-
2535MHz_RB 1, #RB L	Pass	2.5265G	2.5275G	300k	1M	RMS	2.5275G	-14.23	-10.00	-4.23	-	-
2535MHz_RB 1, #RB L	Pass	2.5425G	2.5435G	300k	1M	RMS	2.54254G	-39.47	-10.00	-29.47	-	-
2535MHz_RB 1, #RB L	Pass	2.5435G	2.5725G	300k	1M	RMS	2.555G	-27.97	-13.00	-14.97	MBW 1M	-
2535MHz_RB 1, #RB L	Pass	2.5725G	6G	1M	3M	RMS	5.05658G	-46.95	-25.00	-21.95	-	-
2535MHz_RB 1, #RB L	Pass	6G	27G	1M	3M	RMS	26.55113G	-40.98	-25.00	-15.98	-	-
2562.5MHz_RB 75, #RB 0	Pass	9k	150k	1k	3k	RMS	9.106k	-74.98	-25.00	-49.98	-	-
2562.5MHz_RB 75, #RB 0	Pass	150k	30M	10k	30k	RMS	20.53M	-72.28	-25.00	-47.28	-	-
2562.5MHz_RB 75, #RB 0	Pass	30M	2.3G	1M	3M	RMS	2.15756G	-50.69	-25.00	-25.69	-	-
2562.5MHz_RB 75, #RB 0	Pass	2.3G	2.525G	1M	3M	RMS	2.52281G	-48.82	-25.00	-23.82	-	-
2562.5MHz_RB 75, #RB 0	Pass	2.525G	2.554G	300k	1M	RMS	2.5535G	-27.39	-10.00	-17.39	MBW 1M	-
2562.5MHz_RB 75, #RB 0	Pass	2.554G	2.555G	300k	1M	RMS	2.55498G	-27.63	-10.00	-17.63	-	-
2562.5MHz_RB 75, #RB 0	Pass	2.57G	2.571G	300k	1M	RMS	2.57G	-27.84	-10.00	-17.84	-	-
2562.5MHz_RB 75, #RB 0	Pass	2.571G	2.6G	300k	1M	RMS	2.5715G	-27.49	-10.00	-17.49	MBW 1M	-
2562.5MHz_RB 75, #RB 0	Pass	2.6G	6G	1M	3M	RMS	5.60815G	-49.65	-25.00	-24.65	-	-
2562.5MHz_RB 75, #RB 0	Pass	6G	27G	1M	3M	RMS	19.6395G	-40.78	-25.00	-15.78	-	-
2562.5MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	12.948k	-75.12	-25.00	-50.12	-	-
2562.5MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	179.85k	-72.75	-25.00	-47.75	-	-
2562.5MHz_RB 1, #RB H	Pass	30M	2.3G	1M	3M	RMS	1.91353G	-51.09	-25.00	-26.09	-	-
2562.5MHz_RB 1, #RB H	Pass	2.3G	2.525G	1M	3M	RMS	2.43129G	-49.89	-25.00	-24.89	-	-
2562.5MHz_RB 1, #RB H	Pass	2.525G	2.554G	300k	1M	RMS	2.5425G	-26.33	-13.00	-13.33	MBW 1M	-
2562.5MHz_RB 1, #RB H	Pass	2.554G	2.555G	300k	1M	RMS	2.55499G	-38.77	-10.00	-28.77	-	-
2562.5MHz_RB 1, #RB H	Pass	2.57G	2.571G	300k	1M	RMS	2.57G	-14.38	-10.00	-4.38	-	-
2562.5MHz_RB 1, #RB H	Pass	2.571G	2.6G	300k	1M	RMS	2.5715G	-25.67	-10.00	-15.67	MBW 1M	-
2562.5MHz_RB 1, #RB H	Pass	2.6G	6G	1M	3M	RMS	5.6974G	-49.70	-25.00	-24.70	-	-
2562.5MHz_RB 1, #RB H	Pass	6G	27G	1M	3M	RMS	26.43038G	-41.06	-25.00	-16.06	-	-
Band 7_LTE_20MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2510MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	11.855k	-76.41	-25.00	-51.41	-	-
2510MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	150k	-71.38	-25.00	-46.38	-	-
2510MHz_RB 100, #RB 0	Pass	30M	2.3G	1M	3M	RMS	2.13429G	-50.08	-25.00	-25.08	-	-
2510MHz_RB 100, #RB 0	Pass	2.3G	2.46G	1M	3M	RMS	2.3934G	-49.92	-25.00	-24.92	-	-
2510MHz_RB 100, #RB 0	Pass	2.46G	2.499G	500k	2M	RMS	2.4985G	-25.82	-10.00	-15.82	MBW 1M	-
2510MHz_RB 100, #RB 0	Pass	2.499G	2.5G	500k	2M	RMS	2.5G	-26.35	-10.00	-16.35	-	-
2510MHz_RB 100, #RB 0	Pass	2.52G	2.521G	500k	2M	RMS	2.52002G	-26.26	-10.00	-16.26	-	-
2510MHz_RB 100, #RB 0	Pass	2.521G	2.56G	500k	2M	RMS	2.5215G	-26.96	-10.00	-16.96	MBW 1M	-
2510MHz_RB 100, #RB 0	Pass	2.56G	6G	1M	3M	RMS	5.72652G	-49.67	-25.00	-24.67	-	-
2510MHz_RB 100, #RB 0	Pass	6G	27G	1M	3M	RMS	26.53538G	-40.95	-25.00	-15.95	-	-
2510MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	52.851k	-72.68	-25.00	-47.68	-	-
2510MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	254.475k	-72.07	-25.00	-47.07	-	-
2510MHz_RB 1, #RB L	Pass	30M	2.3G	1M	3M	RMS	1.90133G	-50.74	-25.00	-25.74	-	-
2510MHz_RB 1, #RB L	Pass	2.3G	2.46G	1M	3M	RMS	2.4522G	-48.65	-25.00	-23.65	-	-
2510MHz_RB 1, #RB L	Pass	2.46G	2.499G	500k	2M	RMS	2.4985G	-26.79	-10.00	-16.79	MBW 1M	-
2510MHz_RB 1, #RB L	Pass	2.499G	2.5G	500k	2M	RMS	2.5G	-14.47	-10.00	-4.47	-	-
2510MHz_RB 1, #RB L	Pass	2.52G	2.521G	500k	2M	RMS	2.52001G	-35.52	-10.00	-25.52	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2510MHz_RB 1,#RB L	Pass	2.521G	2.56G	500k	2M	RMS	2.5365G	-28.05	-13.00	-15.05	MBW 1M	-
2510MHz_RB 1,#RB L	Pass	2.56G	6G	1M	3M	RMS	5.0024G	-41.98	-25.00	-16.98	-	-
2510MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.50388G	-40.82	-25.00	-15.82	-	-
2535MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-75.75	-25.00	-50.75	-	-
2535MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	538.05k	-71.96	-25.00	-46.96	-	-
2535MHz_RB 100,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.01483G	-50.07	-25.00	-25.07	-	-
2535MHz_RB 100,#RB 0	Pass	2.3G	2.485G	1M	3M	RMS	2.39403G	-50.09	-25.00	-25.09	-	-
2535MHz_RB 100,#RB 0	Pass	2.485G	2.524G	500k	2M	RMS	2.5235G	-27.95	-10.00	-17.95	MBW 1M	-
2535MHz_RB 100,#RB 0	Pass	2.524G	2.525G	500k	2M	RMS	2.52498G	-27.14	-10.00	-17.14	-	-
2535MHz_RB 100,#RB 0	Pass	2.545G	2.546G	500k	2M	RMS	2.54502G	-28.10	-10.00	-18.10	-	-
2535MHz_RB 100,#RB 0	Pass	2.546G	2.585G	500k	2M	RMS	2.5465G	-28.15	-10.00	-18.15	MBW 1M	-
2535MHz_RB 100,#RB 0	Pass	2.585G	6G	1M	3M	RMS	5.63374G	-49.70	-25.00	-24.70	-	-
2535MHz_RB 100,#RB 0	Pass	6G	27G	1M	3M	RMS	23.42475G	-40.82	-25.00	-15.82	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	43.686k	-73.03	-25.00	-48.03	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-72.11	-25.00	-47.11	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.28638G	-51.02	-25.00	-26.02	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.485G	1M	3M	RMS	2.3197G	-49.80	-25.00	-24.80	-	-
2535MHz_RB 1,#RB L	Pass	2.485G	2.524G	500k	2M	RMS	2.5235G	-27.34	-10.00	-17.34	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.524G	2.525G	500k	2M	RMS	2.52499G	-14.75	-10.00	-4.75	-	-
2535MHz_RB 1,#RB L	Pass	2.545G	2.546G	500k	2M	RMS	2.54503G	-38.98	-10.00	-28.98	-	-
2535MHz_RB 1,#RB L	Pass	2.546G	2.585G	500k	2M	RMS	2.5615G	-29.86	-13.00	-16.86	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.585G	6G	1M	3M	RMS	5.05234G	-47.05	-25.00	-22.05	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.52488G	-40.89	-25.00	-15.89	-	-
2560MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	15.486k	-76.83	-25.00	-51.83	-	-
2560MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	9.538M	-72.60	-25.00	-47.60	-	-
2560MHz_RB 100,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.17004G	-50.86	-25.00	-25.86	-	-
2560MHz_RB 100,#RB 0	Pass	2.3G	2.51G	1M	3M	RMS	2.50559G	-49.11	-25.00	-24.11	-	-
2560MHz_RB 100,#RB 0	Pass	2.51G	2.549G	500k	2M	RMS	2.5485G	-28.01	-10.00	-18.01	MBW 1M	-
2560MHz_RB 100,#RB 0	Pass	2.549G	2.55G	500k	2M	RMS	2.54999G	-27.51	-10.00	-17.51	-	-
2560MHz_RB 100,#RB 0	Pass	2.57G	2.571G	500k	2M	RMS	2.57G	-27.68	-10.00	-17.68	-	-
2560MHz_RB 100,#RB 0	Pass	2.571G	2.61G	500k	2M	RMS	2.5715G	-28.64	-10.00	-18.64	MBW 1M	-
2560MHz_RB 100,#RB 0	Pass	2.61G	6G	1M	3M	RMS	5.69829G	-49.61	-25.00	-24.61	-	-
2560MHz_RB 100,#RB 0	Pass	6G	27G	1M	3M	RMS	26.55113G	-41.05	-25.00	-16.05	-	-
2560MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	13.724k	-74.13	-25.00	-49.13	-	-
2560MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	13.277M	-72.71	-25.00	-47.71	-	-
2560MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.28581G	-49.91	-25.00	-24.91	-	-
2560MHz_RB 1,#RB H	Pass	2.3G	2.51G	1M	3M	RMS	2.31402G	-49.50	-25.00	-24.50	-	-
2560MHz_RB 1,#RB H	Pass	2.51G	2.549G	500k	2M	RMS	2.5335G	-27.74	-13.00	-14.74	MBW 1M	-
2560MHz_RB 1,#RB H	Pass	2.549G	2.55G	500k	2M	RMS	2.54997G	-38.37	-10.00	-28.37	-	-
2560MHz_RB 1,#RB H	Pass	2.57G	2.571G	500k	2M	RMS	2.57001G	-15.78	-10.00	-5.78	-	-
2560MHz_RB 1,#RB H	Pass	2.571G	2.61G	500k	2M	RMS	2.5715G	-28.49	-10.00	-18.49	MBW 1M	-
2560MHz_RB 1,#RB H	Pass	2.61G	6G	1M	3M	RMS	5.67371G	-49.70	-25.00	-24.70	-	-
2560MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	26.49863G	-40.95	-25.00	-15.95	-	-
Band 12_LTE_1.4MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
699.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	10.163k	-73.77	-13.00	-60.77	-	-
699.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	523.125k	-64.26	-13.00	-51.26	-	-
699.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	330.8M	-62.35	-13.00	-49.35	-	-
699.7MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	695.2M	-53.39	-13.00	-40.39	-	-
699.7MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-39.83	-13.00	-26.83	MBW 100k	-
699.7MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-41.40	-13.00	-28.40	-	-
699.7MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.04M	-69.32	-13.00	-56.32	-	-
699.7MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.25M	-65.80	-13.00	-52.80	MBW 100k	-
699.7MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	1.39944G	-53.79	-13.00	-40.79	-	-
699.7MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.189G	-55.22	-13.00	-42.22	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
699.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.044k	-61.20	-13.00	-48.20	-	-
699.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-61.73	-13.00	-48.73	-	-
699.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	273.11M	-62.59	-13.00	-49.59	-	-
699.7MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	695.2M	-53.58	-13.00	-40.58	-	-
699.7MHz_RB 1,#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.75M	-47.01	-13.00	-34.01	MBW 100k	-
699.7MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.93M	-47.40	-13.00	-34.40	-	-
699.7MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.04M	-69.97	-13.00	-56.97	-	-
699.7MHz_RB 1,#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.55M	-66.25	-13.00	-53.25	MBW 100k	-
699.7MHz_RB 1,#RB L	Pass	718.8M	2G	100k	300k	RMS	1.39848G	-48.21	-13.00	-35.21	-	-
699.7MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.199G	-55.19	-13.00	-42.19	-	-
707.5MHz_RB 6,#RB O	Pass	9k	150k	1k	3k	RMS	9k	-74.24	-13.00	-61.24	-	-
707.5MHz_RB 6,#RB O	Pass	150k	30M	10k	30k	RMS	672.375k	-59.05	-13.00	-46.05	-	-
707.5MHz_RB 6,#RB O	Pass	30M	500M	100k	300k	RMS	411.41M	-62.44	-13.00	-49.44	-	-
707.5MHz_RB 6,#RB O	Pass	500M	695.2M	100k	300k	RMS	555.39M	-61.24	-13.00	-48.24	-	-
707.5MHz_RB 6,#RB O	Pass	695.2M	697.9M	30k	100k	RMS	695.35M	-65.10	-13.00	-52.10	MBW 100k	-
707.5MHz_RB 6,#RB O	Pass	697.9M	698M	30k	100k	RMS	697.99M	-68.64	-13.00	-55.64	-	-
707.5MHz_RB 6,#RB O	Pass	716M	716.1M	30k	100k	RMS	716.02M	-64.71	-13.00	-51.71	-	-
707.5MHz_RB 6,#RB O	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-63.49	-13.00	-50.49	MBW 100k	-
707.5MHz_RB 6,#RB O	Pass	718.8M	2G	100k	300k	RMS	1.41513G	-56.88	-13.00	-43.88	-	-
707.5MHz_RB 6,#RB O	Pass	2G	10G	100k	300k	RMS	9.217G	-55.55	-13.00	-42.55	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	107.665k	-62.65	-13.00	-49.65	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.83	-13.00	-47.83	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	329.98M	-62.83	-13.00	-49.83	-	-
707.5MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	694.42M	-60.32	-13.00	-47.32	-	-
707.5MHz_RB 1,#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.75M	-64.59	-13.00	-51.59	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-68.13	-13.00	-55.13	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.02M	-67.23	-13.00	-54.23	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.35M	-64.57	-13.00	-51.57	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	718.8M	2G	100k	300k	RMS	1.41417G	-49.65	-13.00	-36.65	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.165G	-55.48	-13.00	-42.48	-	-
715.3MHz_RB 6,#RB O	Pass	9k	150k	1k	3k	RMS	14.006k	-73.83	-13.00	-60.83	-	-
715.3MHz_RB 6,#RB O	Pass	150k	30M	10k	30k	RMS	717.15k	-64.06	-13.00	-51.06	-	-
715.3MHz_RB 6,#RB O	Pass	30M	500M	100k	300k	RMS	295.2M	-62.07	-13.00	-49.07	-	-
715.3MHz_RB 6,#RB O	Pass	500M	695.2M	100k	300k	RMS	694.71M	-60.56	-13.00	-47.56	-	-
715.3MHz_RB 6,#RB O	Pass	695.2M	697.9M	30k	100k	RMS	697.35M	-66.69	-13.00	-53.69	MBW 100k	-
715.3MHz_RB 6,#RB O	Pass	697.9M	698M	30k	100k	RMS	697.93M	-70.32	-13.00	-57.32	-	-
715.3MHz_RB 6,#RB O	Pass	716M	716.1M	30k	100k	RMS	716.03M	-22.62	-13.00	-9.62	-	-
715.3MHz_RB 6,#RB O	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-20.85	-13.00	-7.85	MBW 100k	-
715.3MHz_RB 6,#RB O	Pass	718.8M	2G	100k	300k	RMS	718.8M	-55.18	-13.00	-42.18	-	-
715.3MHz_RB 6,#RB O	Pass	2G	10G	100k	300k	RMS	9.759G	-55.59	-13.00	-42.59	-	-
715.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	75.129k	-63.28	-13.00	-50.28	-	-
715.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-59.49	-13.00	-46.49	-	-
715.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	359.59M	-62.66	-13.00	-49.66	-	-
715.3MHz_RB 1,#RB H	Pass	500M	695.2M	100k	300k	RMS	670.6M	-62.01	-13.00	-49.01	-	-
715.3MHz_RB 1,#RB H	Pass	695.2M	697.9M	30k	100k	RMS	695.65M	-65.94	-13.00	-52.94	MBW 100k	-
715.3MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.98M	-69.94	-13.00	-56.94	-	-
715.3MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-18.15	-13.00	-5.15	-	-
715.3MHz_RB 1,#RB H	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-27.75	-13.00	-14.75	MBW 100k	-
715.3MHz_RB 1,#RB H	Pass	718.8M	2G	100k	300k	RMS	1.43147G	-48.77	-13.00	-35.77	-	-
715.3MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.18G	-54.96	-13.00	-41.96	-	-
Band 12_LTE_3MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
700.5MHz_RB 15,#RB O	Pass	9k	150k	1k	3k	RMS	13.9k	-73.91	-13.00	-60.91	-	-
700.5MHz_RB 15,#RB O	Pass	150k	30M	10k	30k	RMS	2.128M	-62.94	-13.00	-49.94	-	-
700.5MHz_RB 15,#RB O	Pass	30M	500M	100k	300k	RMS	466.4M	-62.40	-13.00	-49.40	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
700.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	604.16M	-61.28	-13.00	-48.28	-	-
700.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-39.06	-13.00	-26.06	MBW 100k	-
700.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-42.48	-13.00	-29.48	-	-
700.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-68.14	-13.00	-55.14	-	-
700.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-65.14	-13.00	-52.14	MBW 100k	-
700.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	1.40094G	-58.41	-13.00	-45.41	-	-
700.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.182G	-55.23	-13.00	-42.23	-	-
700.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.517k	-62.04	-13.00	-49.04	-	-
700.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-58.93	-13.00	-45.93	-	-
700.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	280.28M	-62.08	-13.00	-49.08	-	-
700.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	690.85M	-60.84	-13.00	-47.84	-	-
700.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	697.85M	-41.47	-13.00	-28.47	MBW 100k	-
700.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-40.63	-13.00	-27.63	-	-
700.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.03M	-69.56	-13.00	-56.56	-	-
700.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	716.15M	-66.15	-13.00	-53.15	MBW 100k	-
700.5MHz_RB 1,#RB L	Pass	722M	2G	100k	300k	RMS	1.39838G	-49.82	-13.00	-36.82	-	-
700.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.174G	-55.46	-13.00	-42.46	-	-
707.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	139.813k	-76.80	-13.00	-63.80	-	-
707.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	552.975k	-61.33	-13.00	-48.33	-	-
707.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	457.94M	-63.04	-13.00	-50.04	-	-
707.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	532.35M	-62.03	-13.00	-49.03	-	-
707.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-61.06	-13.00	-48.06	MBW 100k	-
707.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-64.14	-13.00	-51.14	-	-
707.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-61.53	-13.00	-48.53	-	-
707.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-59.04	-13.00	-46.04	MBW 100k	-
707.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	1.41436G	-60.58	-13.00	-47.58	-	-
707.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.22G	-55.46	-13.00	-42.46	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	94.693k	-61.07	-13.00	-48.07	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-63.33	-13.00	-50.33	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	377.21M	-62.59	-13.00	-49.59	-	-
707.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	600.94M	-61.44	-13.00	-48.44	-	-
707.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	697.75M	-59.46	-13.00	-46.46	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.9M	-66.69	-13.00	-53.69	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.04M	-66.65	-13.00	-53.65	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	717.75M	-59.83	-13.00	-46.83	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	722M	2G	100k	300k	RMS	1.41244G	-50.25	-13.00	-37.25	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.269G	-55.13	-13.00	-42.13	-	-
714.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	14.252k	-73.83	-13.00	-60.83	-	-
714.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.06M	-63.11	-13.00	-50.11	-	-
714.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	290.26M	-62.86	-13.00	-49.86	-	-
714.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	542.29M	-61.29	-13.00	-48.29	-	-
714.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.55M	-65.68	-13.00	-52.68	MBW 100k	-
714.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-68.93	-13.00	-55.93	-	-
714.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-26.90	-13.00	-13.90	-	-
714.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-25.28	-13.00	-12.28	MBW 100k	-
714.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	1.42905G	-58.58	-13.00	-45.58	-	-
714.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.146G	-55.43	-13.00	-42.43	-	-
714.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	123.422k	-62.35	-13.00	-49.35	-	-
714.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-62.66	-13.00	-49.66	-	-
714.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	399.89M	-62.37	-13.00	-49.37	-	-
714.5MHz_RB 1,#RB H	Pass	500M	692M	100k	300k	RMS	663.25M	-61.38	-13.00	-48.38	-	-
714.5MHz_RB 1,#RB H	Pass	692M	697.9M	30k	100k	RMS	695.65M	-66.07	-13.00	-53.07	MBW 100k	-
714.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.95M	-69.51	-13.00	-56.51	-	-
714.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-15.87	-13.00	-2.87	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
714.5MHz_RB 1,#RB H	Pass	716.1M	722M	30k	100k	RMS	716.15M	-24.65	-13.00	-11.65	MBW 100k	-
714.5MHz_RB 1,#RB H	Pass	722M	2G	100k	300k	RMS	1.43161G	-48.47	-13.00	-35.47	-	-
714.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.152G	-55.42	-13.00	-42.42	-	-
Band 12_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.317k	-74.44	-13.00	-61.44	-	-
701.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.613M	-65.41	-13.00	-52.41	-	-
701.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	53.03M	-62.38	-13.00	-49.38	-	-
701.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	620.09M	-61.33	-13.00	-48.33	-	-
701.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-38.17	-13.00	-25.17	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-40.73	-13.00	-27.73	-	-
701.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-63.65	-13.00	-50.65	-	-
701.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-60.61	-13.00	-47.61	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	1.40472G	-60.28	-13.00	-47.28	-	-
701.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.142G	-55.41	-13.00	-42.41	-	-
701.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	100.685k	-62.76	-13.00	-49.76	-	-
701.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-59.05	-13.00	-46.05	-	-
701.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	358.06M	-63.19	-13.00	-50.19	-	-
701.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	539.86M	-61.40	-13.00	-48.40	-	-
701.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	697.25M	-41.22	-13.00	-28.22	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-41.97	-13.00	-28.97	-	-
701.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.05M	-69.57	-13.00	-56.57	-	-
701.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.65M	-64.32	-13.00	-51.32	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	1.39867G	-49.37	-13.00	-36.37	-	-
701.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.188G	-55.14	-13.00	-42.14	-	-
707.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.419k	-73.11	-13.00	-60.11	-	-
707.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.963M	-67.56	-13.00	-54.56	-	-
707.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	395.66M	-62.70	-13.00	-49.70	-	-
707.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	651.67M	-61.86	-13.00	-48.86	-	-
707.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-52.28	-13.00	-39.28	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.96M	-55.42	-13.00	-42.42	-	-
707.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.04M	-52.94	-13.00	-39.94	-	-
707.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.25M	-49.73	-13.00	-36.73	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	1.41492G	-61.24	-13.00	-48.24	-	-
707.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.182G	-55.03	-13.00	-42.03	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.044k	-62.47	-13.00	-49.47	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-62.59	-13.00	-49.59	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	357.47M	-62.47	-13.00	-49.47	-	-
707.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	502.91M	-60.95	-13.00	-47.95	-	-
707.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	696.75M	-49.85	-13.00	-36.85	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-66.21	-13.00	-53.21	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-57.73	-13.00	-44.73	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.15M	-55.09	-13.00	-42.09	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	1.41078G	-50.83	-13.00	-37.83	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.187G	-55.72	-13.00	-42.72	-	-
713.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	14.041k	-74.48	-13.00	-61.48	-	-
713.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.075M	-65.60	-13.00	-52.60	-	-
713.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	196.5M	-62.97	-13.00	-49.97	-	-
713.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	684.24M	-62.43	-13.00	-49.43	-	-
713.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.45M	-61.11	-13.00	-48.11	MBW 100k	-
713.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-64.15	-13.00	-51.15	-	-
713.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-29.86	-13.00	-16.86	-	-
713.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-29.48	-13.00	-16.48	MBW 100k	-
713.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	1.42734G	-60.54	-13.00	-47.54	-	-
713.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.228G	-55.19	-13.00	-42.19	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
713.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	119.474k	-64.77	-13.00	-51.77	-	-
713.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-58.81	-13.00	-45.81	-	-
713.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	348.31M	-63.48	-13.00	-50.48	-	-
713.5MHz_RB 1,#RB H	Pass	500M	688M	100k	300k	RMS	587.89M	-62.07	-13.00	-49.07	-	-
713.5MHz_RB 1,#RB H	Pass	688M	697.9M	30k	100k	RMS	696.15M	-65.69	-13.00	-52.69	MBW 100k	-
713.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.99M	-69.56	-13.00	-56.56	-	-
713.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-18.47	-13.00	-5.47	-	-
713.5MHz_RB 1,#RB H	Pass	716.1M	726M	30k	100k	RMS	716.15M	-22.78	-13.00	-9.78	MBW 100k	-
713.5MHz_RB 1,#RB H	Pass	726M	2G	100k	300k	RMS	1.43148G	-51.31	-13.00	-38.31	-	-
713.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.182G	-55.41	-13.00	-42.41	-	-
Band 12_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	21.69k	-77.62	-13.00	-64.62	-	-
704MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.65M	-70.63	-13.00	-57.63	-	-
704MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	486.72M	-62.41	-13.00	-49.41	-	-
704MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	661.71M	-62.00	-13.00	-49.00	-	-
704MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.75M	-40.77	-13.00	-27.77	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.9M	-44.34	-13.00	-31.34	-	-
704MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-45.18	-13.00	-32.18	-	-
704MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-41.52	-13.00	-28.52	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	1.40371G	-61.97	-13.00	-48.97	-	-
704MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	8.839G	-55.22	-13.00	-42.22	-	-
704MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	94.693k	-61.46	-13.00	-48.46	-	-
704MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-65.04	-13.00	-52.04	-	-
704MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	331.62M	-61.33	-13.00	-48.33	-	-
704MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	638.62M	-61.94	-13.00	-48.94	-	-
704MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	694.85M	-38.59	-13.00	-25.59	MBW 100k	-
704MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-42.18	-13.00	-29.18	-	-
704MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.09M	-57.65	-13.00	-44.65	-	-
704MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	717.15M	-42.63	-13.00	-29.63	MBW 100k	-
704MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	1.39928G	-48.95	-13.00	-35.95	-	-
704MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.172G	-55.21	-13.00	-42.21	-	-
707.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	15.274k	-76.20	-13.00	-63.20	-	-
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.754M	-62.28	-13.00	-49.28	-	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	255.48M	-62.80	-13.00	-49.80	-	-
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	592.56M	-61.83	-13.00	-48.83	-	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.65M	-41.23	-13.00	-28.23	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-44.37	-13.00	-31.37	-	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.08M	-39.88	-13.00	-26.88	-	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.35M	-35.78	-13.00	-22.78	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	1.9861G	-63.19	-13.00	-50.19	-	-
707.5MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.26G	-55.39	-13.00	-42.39	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	94.798k	-63.30	-13.00	-50.30	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.09	-13.00	-50.09	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	247.49M	-62.41	-13.00	-49.41	-	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	624.64M	-60.70	-13.00	-47.70	-	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	696.95M	-54.86	-13.00	-41.86	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.97M	-61.73	-13.00	-48.73	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.04M	-60.08	-13.00	-47.08	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	717.25M	-47.00	-13.00	-34.00	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	1.40624G	-48.09	-13.00	-35.09	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.232G	-55.88	-13.00	-42.88	-	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.939k	-75.75	-13.00	-62.75	-	-
711MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	4.725M	-60.18	-13.00	-47.18	-	-
711MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	492.36M	-61.24	-13.00	-48.24	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
711MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	631.05M	-61.84	-13.00	-48.84	-	-
711MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.75M	-42.37	-13.00	-29.37	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.97M	-45.36	-13.00	-32.36	-	-
711MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-32.71	-13.00	-19.71	-	-
711MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-29.72	-13.00	-16.72	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	1.4214G	-62.58	-13.00	-49.58	-	-
711MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.752G	-55.41	-13.00	-42.41	-	-
711MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	51.617k	-64.56	-13.00	-51.56	-	-
711MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-62.25	-13.00	-49.25	-	-
711MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	76.3M	-63.00	-13.00	-50.00	-	-
711MHz_RB 1,#RB H	Pass	500M	678M	100k	300k	RMS	675.6M	-61.31	-13.00	-48.31	-	-
711MHz_RB 1,#RB H	Pass	678M	697.9M	30k	100k	RMS	697.75M	-40.35	-13.00	-27.35	MBW 100k	-
711MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.9M	-47.99	-13.00	-34.99	-	-
711MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-20.15	-13.00	-7.15	-	-
711MHz_RB 1,#RB H	Pass	716.1M	736M	30k	100k	RMS	716.15M	-19.44	-13.00	-6.44	MBW 100k	-
711MHz_RB 1,#RB H	Pass	736M	2G	100k	300k	RMS	1.43088G	-48.78	-13.00	-35.78	-	-
711MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.179G	-55.46	-13.00	-42.46	-	-
Band 12_LTE_1.4MHz_Nss1.16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
699.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	90.286k	-71.71	-13.00	-58.71	-	-
699.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	672.375k	-58.88	-13.00	-45.88	-	-
699.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	340.2M	-62.39	-13.00	-49.39	-	-
699.7MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	695.2M	-52.91	-13.00	-39.91	-	-
699.7MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-42.30	-13.00	-29.30	MBW 100k	-
699.7MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.97M	-43.76	-13.00	-30.76	-	-
699.7MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.09M	-69.59	-13.00	-56.59	-	-
699.7MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-66.13	-13.00	-53.13	MBW 100k	-
699.7MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	1.39944G	-56.55	-13.00	-43.55	-	-
699.7MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.234G	-55.78	-13.00	-42.78	-	-
699.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	33.005k	-63.95	-13.00	-50.95	-	-
699.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.71	-13.00	-51.71	-	-
699.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	42.46M	-62.80	-13.00	-49.80	-	-
699.7MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	695.2M	-50.32	-13.00	-37.32	-	-
699.7MHz_RB 1,#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-47.41	-13.00	-34.41	MBW 100k	-
699.7MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.94M	-49.19	-13.00	-36.19	-	-
699.7MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.05M	-69.46	-13.00	-56.46	-	-
699.7MHz_RB 1,#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-66.47	-13.00	-53.47	MBW 100k	-
699.7MHz_RB 1,#RB L	Pass	718.8M	2G	100k	300k	RMS	1.39848G	-50.24	-13.00	-37.24	-	-
699.7MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.209G	-55.46	-13.00	-42.46	-	-
707.5MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	60.712k	-71.67	-13.00	-58.67	-	-
707.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	403.725k	-62.98	-13.00	-49.98	-	-
707.5MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	111.9M	-63.07	-13.00	-50.07	-	-
707.5MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	627.12M	-61.96	-13.00	-48.96	-	-
707.5MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	695.85M	-65.34	-13.00	-52.34	MBW 100k	-
707.5MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-68.96	-13.00	-55.96	-	-
707.5MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.02M	-65.47	-13.00	-52.47	-	-
707.5MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-63.96	-13.00	-50.96	MBW 100k	-
707.5MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	1.41513G	-57.69	-13.00	-44.69	-	-
707.5MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.192G	-55.49	-13.00	-42.49	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	18.588k	-61.40	-13.00	-48.40	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-64.05	-13.00	-51.05	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	260.54M	-63.07	-13.00	-50.07	-	-
707.5MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	694.61M	-61.09	-13.00	-48.09	-	-
707.5MHz_RB 1,#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.75M	-65.12	-13.00	-52.12	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-67.95	-13.00	-54.95	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716M	-67.59	-13.00	-54.59	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.35M	-64.70	-13.00	-51.70	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	718.8M	2G	100k	300k	RMS	1.41417G	-50.53	-13.00	-37.53	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.227G	-55.24	-13.00	-42.24	-	-
715.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	22.677k	-74.06	-13.00	-61.06	-	-
715.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	687.3k	-64.81	-13.00	-51.81	-	-
715.3MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	249.26M	-62.84	-13.00	-49.84	-	-
715.3MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	563.73M	-61.69	-13.00	-48.69	-	-
715.3MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.75M	-66.97	-13.00	-53.97	MBW 100k	-
715.3MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.91M	-70.44	-13.00	-57.44	-	-
715.3MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-23.25	-13.00	-10.25	-	-
715.3MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-23.02	-13.00	-10.02	MBW 100k	-
715.3MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	718.8M	-56.88	-13.00	-43.88	-	-
715.3MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.163G	-55.44	-13.00	-42.44	-	-
715.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	22.853k	-62.97	-13.00	-49.97	-	-
715.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.39	-13.00	-52.39	-	-
715.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	98.27M	-63.16	-13.00	-50.16	-	-
715.3MHz_RB 1,#RB H	Pass	500M	695.2M	100k	300k	RMS	616.05M	-61.74	-13.00	-48.74	-	-
715.3MHz_RB 1,#RB H	Pass	695.2M	697.9M	30k	100k	RMS	695.65M	-66.28	-13.00	-53.28	MBW 100k	-
715.3MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.96M	-70.10	-13.00	-57.10	-	-
715.3MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-17.50	-13.00	-4.50	-	-
715.3MHz_RB 1,#RB H	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-28.15	-13.00	-15.15	MBW 100k	-
715.3MHz_RB 1,#RB H	Pass	718.8M	2G	100k	300k	RMS	1.43147G	-49.43	-13.00	-36.43	-	-
715.3MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.188G	-55.16	-13.00	-42.16	-	-
Band 12_LTE_3MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
700.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	125.678k	-73.57	-13.00	-60.57	-	-
700.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.62M	-61.54	-13.00	-48.54	-	-
700.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	387.32M	-63.14	-13.00	-50.14	-	-
700.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	691.86M	-60.54	-13.00	-47.54	-	-
700.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.75M	-38.34	-13.00	-25.34	MBW 100k	-
700.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.94M	-41.24	-13.00	-28.24	-	-
700.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.03M	-69.19	-13.00	-56.19	-	-
700.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-65.81	-13.00	-52.81	MBW 100k	-
700.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	1.40126G	-58.99	-13.00	-45.99	-	-
700.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.207G	-55.61	-13.00	-42.61	-	-
700.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.9k	-62.20	-13.00	-49.20	-	-
700.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-57.28	-13.00	-44.28	-	-
700.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	323.05M	-63.18	-13.00	-50.18	-	-
700.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	691.28M	-59.77	-13.00	-46.77	-	-
700.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	697.85M	-42.04	-13.00	-29.04	MBW 100k	-
700.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.93M	-43.41	-13.00	-30.41	-	-
700.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.04M	-69.82	-13.00	-56.82	-	-
700.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	716.55M	-66.41	-13.00	-53.41	MBW 100k	-
700.5MHz_RB 1,#RB L	Pass	722M	2G	100k	300k	RMS	1.39838G	-50.60	-13.00	-37.60	-	-
700.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.269G	-56.02	-13.00	-43.02	-	-
707.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	132.833k	-72.22	-13.00	-59.22	-	-
707.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.545M	-66.50	-13.00	-53.50	-	-
707.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	58.44M	-62.28	-13.00	-49.28	-	-
707.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	656.82M	-61.49	-13.00	-48.49	-	-
707.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-61.42	-13.00	-48.42	MBW 100k	-
707.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-64.73	-13.00	-51.73	-	-
707.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-63.37	-13.00	-50.37	-	-
707.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-60.19	-13.00	-47.19	MBW 100k	-
707.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	1.41532G	-60.58	-13.00	-47.58	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.755G	-55.52	-13.00	-42.52	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	33.569k	-61.61	-13.00	-48.61	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-57.32	-13.00	-44.32	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	350.89M	-62.90	-13.00	-49.90	-	-
707.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	578.67M	-61.62	-13.00	-48.62	-	-
707.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	697.75M	-59.50	-13.00	-46.50	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.9M	-66.54	-13.00	-53.54	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-67.35	-13.00	-54.35	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	717.75M	-60.07	-13.00	-47.07	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	722M	2G	100k	300k	RMS	1.41244G	-49.42	-13.00	-36.42	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.229G	-55.47	-13.00	-42.47	-	-
714.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	14.428k	-73.10	-13.00	-60.10	-	-
714.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	523.125k	-63.35	-13.00	-50.35	-	-
714.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	329.16M	-62.78	-13.00	-49.78	-	-
714.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	672.85M	-60.62	-13.00	-47.62	-	-
714.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-66.19	-13.00	-53.19	MBW 100k	-
714.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.97M	-69.43	-13.00	-56.43	-	-
714.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-27.71	-13.00	-14.71	-	-
714.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-26.81	-13.00	-13.81	MBW 100k	-
714.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	1.42905G	-58.23	-13.00	-45.23	-	-
714.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.203G	-55.69	-13.00	-42.69	-	-
714.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	37.694k	-64.98	-13.00	-51.98	-	-
714.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.35	-13.00	-48.35	-	-
714.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	428.91M	-62.22	-13.00	-49.22	-	-
714.5MHz_RB 1,#RB H	Pass	500M	692M	100k	300k	RMS	567.82M	-60.88	-13.00	-47.88	-	-
714.5MHz_RB 1,#RB H	Pass	692M	697.9M	30k	100k	RMS	695.65M	-65.89	-13.00	-52.89	MBW 100k	-
714.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.93M	-69.85	-13.00	-56.85	-	-
714.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716.01M	-16.33	-13.00	-3.33	-	-
714.5MHz_RB 1,#RB H	Pass	716.1M	722M	30k	100k	RMS	716.15M	-24.49	-13.00	-11.49	MBW 100k	-
714.5MHz_RB 1,#RB H	Pass	722M	2G	100k	300k	RMS	1.43161G	-50.18	-13.00	-37.18	-	-
714.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.22G	-55.24	-13.00	-42.24	-	-
Band 12_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.141k	-74.92	-13.00	-61.92	-	-
701.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.314M	-66.50	-13.00	-53.50	-	-
701.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	357.71M	-62.34	-13.00	-49.34	-	-
701.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	515.51M	-62.42	-13.00	-49.42	-	-
701.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-38.73	-13.00	-25.73	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.96M	-41.38	-13.00	-28.38	-	-
701.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.09M	-65.68	-13.00	-52.68	-	-
701.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.25M	-62.38	-13.00	-49.38	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	1.40409G	-60.88	-13.00	-47.88	-	-
701.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.178G	-55.50	-13.00	-42.50	-	-
701.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.9k	-62.80	-13.00	-49.80	-	-
701.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-59.18	-13.00	-46.18	-	-
701.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	383.91M	-62.93	-13.00	-49.93	-	-
701.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	530.69M	-61.60	-13.00	-48.60	-	-
701.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	697.15M	-42.11	-13.00	-29.11	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-41.34	-13.00	-28.34	-	-
701.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.08M	-69.69	-13.00	-56.69	-	-
701.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.65M	-64.32	-13.00	-51.32	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	1.39867G	-50.30	-13.00	-37.30	-	-
701.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.178G	-55.76	-13.00	-42.76	-	-
707.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	16.966k	-76.33	-13.00	-63.33	-	-
707.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	560.438k	-67.59	-13.00	-54.59	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	486.61M	-62.44	-13.00	-49.44	-	-
707.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	681.56M	-61.99	-13.00	-48.99	-	-
707.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-53.64	-13.00	-40.64	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.91M	-57.02	-13.00	-44.02	-	-
707.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.08M	-55.04	-13.00	-42.04	-	-
707.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.25M	-51.77	-13.00	-38.77	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	1.41587G	-62.73	-13.00	-49.73	-	-
707.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.154G	-55.44	-13.00	-42.44	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	55.882k	-61.11	-13.00	-48.11	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-67.09	-13.00	-54.09	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	491.54M	-62.49	-13.00	-49.49	-	-
707.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	525.99M	-62.19	-13.00	-49.19	-	-
707.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	696.75M	-50.90	-13.00	-37.90	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-66.84	-13.00	-53.84	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.09M	-60.03	-13.00	-47.03	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.15M	-56.09	-13.00	-43.09	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	1.41078G	-52.60	-13.00	-39.60	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.216G	-55.14	-13.00	-42.14	-	-
713.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.08k	-75.55	-13.00	-62.55	-	-
713.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.21M	-62.71	-13.00	-49.71	-	-
713.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	374.16M	-63.16	-13.00	-50.16	-	-
713.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	603.54M	-61.65	-13.00	-48.65	-	-
713.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.65M	-61.53	-13.00	-48.53	MBW 100k	-
713.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.95M	-65.16	-13.00	-52.16	-	-
713.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-32.05	-13.00	-19.05	-	-
713.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-30.72	-13.00	-17.72	MBW 100k	-
713.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	1.42766G	-61.02	-13.00	-48.02	-	-
713.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.179G	-55.61	-13.00	-42.61	-	-
713.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	61.593k	-62.03	-13.00	-49.03	-	-
713.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.55	-13.00	-48.55	-	-
713.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	351.6M	-63.06	-13.00	-50.06	-	-
713.5MHz_RB 1,#RB H	Pass	500M	688M	100k	300k	RMS	592.64M	-62.00	-13.00	-49.00	-	-
713.5MHz_RB 1,#RB H	Pass	688M	697.9M	30k	100k	RMS	695.55M	-66.34	-13.00	-53.34	MBW 100k	-
713.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.92M	-69.83	-13.00	-56.83	-	-
713.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-18.34	-13.00	-5.34	-	-
713.5MHz_RB 1,#RB H	Pass	716.1M	726M	30k	100k	RMS	716.15M	-23.44	-13.00	-10.44	MBW 100k	-
713.5MHz_RB 1,#RB H	Pass	726M	2G	100k	300k	RMS	1.43148G	-52.48	-13.00	-39.48	-	-
713.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.175G	-55.28	-13.00	-42.28	-	-
Band 12_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-75.55	-13.00	-62.55	-	-
704MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.225M	-61.03	-13.00	-48.03	-	-
704MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	266.65M	-62.97	-13.00	-49.97	-	-
704MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	641.55M	-62.18	-13.00	-49.18	-	-
704MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.55M	-41.23	-13.00	-28.23	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.95M	-44.49	-13.00	-31.49	-	-
704MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.05M	-47.74	-13.00	-34.74	-	-
704MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-43.78	-13.00	-30.78	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	1.41003G	-63.27	-13.00	-50.27	-	-
704MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.161G	-54.94	-13.00	-41.94	-	-
704MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	88.489k	-61.48	-13.00	-48.48	-	-
704MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.39	-13.00	-52.39	-	-
704MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	419.98M	-62.25	-13.00	-49.25	-	-
704MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	660.47M	-61.07	-13.00	-48.07	-	-
704MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	694.85M	-39.62	-13.00	-26.62	MBW 100k	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
704MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-38.94	-13.00	-25.94	-	-
704MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.09M	-55.03	-13.00	-42.03	-	-
704MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	717.25M	-43.45	-13.00	-30.45	MBW 100k	-
704MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	1.39928G	-50.16	-13.00	-37.16	-	-
704MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.208G	-55.60	-13.00	-42.60	-	-
707.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	16.614k	-76.10	-13.00	-63.10	-	-
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	6.299M	-66.15	-13.00	-53.15	-	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	329.16M	-62.36	-13.00	-49.36	-	-
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	632.61M	-61.28	-13.00	-48.28	-	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.65M	-42.69	-13.00	-29.69	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.95M	-45.56	-13.00	-32.56	-	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.09M	-40.67	-13.00	-27.67	-	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.25M	-37.03	-13.00	-24.03	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	1.41414G	-63.41	-13.00	-50.41	-	-
707.5MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.176G	-55.23	-13.00	-42.23	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	61.593k	-62.80	-13.00	-49.80	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-64.13	-13.00	-51.13	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	333.5M	-63.14	-13.00	-50.14	-	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	644.63M	-61.55	-13.00	-48.55	-	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	696.65M	-40.74	-13.00	-27.74	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-51.24	-13.00	-38.24	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.03M	-47.64	-13.00	-34.64	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	718.45M	-37.46	-13.00	-24.46	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	1.40624G	-48.75	-13.00	-35.75	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.192G	-55.53	-13.00	-42.53	-	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	43.298k	-76.19	-13.00	-63.19	-	-
711MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	1.18M	-69.97	-13.00	-56.97	-	-
711MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	227.17M	-62.56	-13.00	-49.56	-	-
711MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	634.52M	-62.24	-13.00	-49.24	-	-
711MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.75M	-45.19	-13.00	-32.19	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-48.87	-13.00	-35.87	-	-
711MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-33.80	-13.00	-20.80	-	-
711MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-31.14	-13.00	-18.14	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	1.4233G	-63.12	-13.00	-50.12	-	-
711MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.21G	-55.37	-13.00	-42.37	-	-
711MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	13.9k	-62.46	-13.00	-49.46	-	-
711MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.06	-13.00	-52.06	-	-
711MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	253.72M	-62.20	-13.00	-49.20	-	-
711MHz_RB 1,#RB H	Pass	500M	678M	100k	300k	RMS	675.42M	-61.73	-13.00	-48.73	-	-
711MHz_RB 1,#RB H	Pass	678M	697.9M	30k	100k	RMS	697.75M	-42.21	-13.00	-29.21	MBW 100k	-
711MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.9M	-47.95	-13.00	-34.95	-	-
711MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-20.45	-13.00	-7.45	-	-
711MHz_RB 1,#RB H	Pass	716.1M	736M	30k	100k	RMS	716.15M	-20.02	-13.00	-7.02	MBW 100k	-
711MHz_RB 1,#RB H	Pass	736M	2G	100k	300k	RMS	1.43088G	-49.03	-13.00	-36.03	-	-
711MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.209G	-55.48	-13.00	-42.48	-	-
Band 12_LTE_1.4MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
699.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	16.861k	-70.42	-13.00	-57.42	-	-
699.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	314.175k	-62.43	-13.00	-49.43	-	-
699.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	366.05M	-62.65	-13.00	-49.65	-	-
699.7MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	694.27M	-54.98	-13.00	-41.98	-	-
699.7MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-42.69	-13.00	-29.69	MBW 100k	-
699.7MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.99M	-44.48	-13.00	-31.48	-	-
699.7MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.03M	-69.50	-13.00	-56.50	-	-
699.7MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-65.93	-13.00	-52.93	MBW 100k	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
699.7MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	1.39976G	-56.29	-13.00	-43.29	-	-
699.7MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	8.844G	-55.69	-13.00	-42.69	-	-
699.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	51.97k	-61.31	-13.00	-48.31	-	-
699.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-66.64	-13.00	-53.64	-	-
699.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	499.53M	-61.93	-13.00	-48.93	-	-
699.7MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	695.2M	-54.37	-13.00	-41.37	-	-
699.7MHz_RB 1,#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-47.56	-13.00	-34.56	MBW 100k	-
699.7MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-49.75	-13.00	-36.75	-	-
699.7MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.01M	-70.05	-13.00	-57.05	-	-
699.7MHz_RB 1,#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-66.34	-13.00	-53.34	MBW 100k	-
699.7MHz_RB 1,#RB L	Pass	718.8M	2G	100k	300k	RMS	1.39848G	-51.85	-13.00	-38.85	-	-
699.7MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.188G	-55.33	-13.00	-42.33	-	-
707.5MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	19.328k	-72.24	-13.00	-59.24	-	-
707.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	291.788k	-63.15	-13.00	-50.15	-	-
707.5MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	346.55M	-61.73	-13.00	-48.73	-	-
707.5MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	644.84M	-61.62	-13.00	-48.62	-	-
707.5MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	695.85M	-65.47	-13.00	-52.47	MBW 100k	-
707.5MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-68.90	-13.00	-55.90	-	-
707.5MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.02M	-65.64	-13.00	-52.64	-	-
707.5MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-63.77	-13.00	-50.77	MBW 100k	-
707.5MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	1.41513G	-58.77	-13.00	-45.77	-	-
707.5MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.187G	-55.24	-13.00	-42.24	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	21.866k	-61.62	-13.00	-48.62	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.99	-13.00	-48.99	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	382.27M	-62.71	-13.00	-49.71	-	-
707.5MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	661.97M	-62.05	-13.00	-49.05	-	-
707.5MHz_RB 1,#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.75M	-65.05	-13.00	-52.05	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.97M	-68.48	-13.00	-55.48	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716M	-67.40	-13.00	-54.40	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.35M	-64.66	-13.00	-51.66	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	718.8M	2G	100k	300k	RMS	1.41417G	-50.35	-13.00	-37.35	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.207G	-55.47	-13.00	-42.47	-	-
715.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	62.368k	-72.02	-13.00	-59.02	-	-
715.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	448.5k	-64.64	-13.00	-51.64	-	-
715.3MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	397.54M	-62.26	-13.00	-49.26	-	-
715.3MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	677.97M	-60.91	-13.00	-47.91	-	-
715.3MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	696.85M	-67.09	-13.00	-54.09	MBW 100k	-
715.3MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-70.64	-13.00	-57.64	-	-
715.3MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-24.39	-13.00	-11.39	-	-
715.3MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-24.46	-13.00	-11.46	MBW 100k	-
715.3MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	718.8M	-56.88	-13.00	-43.88	-	-
715.3MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	9.203G	-55.09	-13.00	-42.09	-	-
715.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	45.977k	-62.66	-13.00	-49.66	-	-
715.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.21	-13.00	-47.21	-	-
715.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	235.86M	-63.07	-13.00	-50.07	-	-
715.3MHz_RB 1,#RB H	Pass	500M	695.2M	100k	300k	RMS	695.1M	-61.78	-13.00	-48.78	-	-
715.3MHz_RB 1,#RB H	Pass	695.2M	697.9M	30k	100k	RMS	695.65M	-66.26	-13.00	-53.26	MBW 100k	-
715.3MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.92M	-70.25	-13.00	-57.25	-	-
715.3MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-18.17	-13.00	-5.17	-	-
715.3MHz_RB 1,#RB H	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-29.21	-13.00	-16.21	MBW 100k	-
715.3MHz_RB 1,#RB H	Pass	718.8M	2G	100k	300k	RMS	1.43147G	-48.43	-13.00	-35.43	-	-
715.3MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.233G	-55.73	-13.00	-42.73	-	-
Band 12_LTE_3MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
700.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	112k	-73.69	-13.00	-60.69	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
700.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	455.962k	-63.14	-13.00	-50.14	-	-
700.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	475.09M	-62.25	-13.00	-49.25	-	-
700.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	691.86M	-59.24	-13.00	-46.24	-	-
700.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.75M	-38.47	-13.00	-25.47	MBW 100k	-
700.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-42.01	-13.00	-29.01	-	-
700.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.05M	-69.29	-13.00	-56.29	-	-
700.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.35M	-65.93	-13.00	-52.93	MBW 100k	-
700.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	1.40062G	-59.68	-13.00	-46.68	-	-
700.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.166G	-55.53	-13.00	-42.53	-	-
700.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	21.76k	-62.52	-13.00	-49.52	-	-
700.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-64.91	-13.00	-51.91	-	-
700.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	405.3M	-62.87	-13.00	-49.87	-	-
700.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	691.23M	-60.71	-13.00	-47.71	-	-
700.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	697.85M	-42.34	-13.00	-29.34	MBW 100k	-
700.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-42.82	-13.00	-29.82	-	-
700.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.05M	-69.83	-13.00	-56.83	-	-
700.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	716.45M	-66.32	-13.00	-53.32	MBW 100k	-
700.5MHz_RB 1,#RB L	Pass	722M	2G	100k	300k	RMS	1.39838G	-50.71	-13.00	-37.71	-	-
700.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.2G	-55.45	-13.00	-42.45	-	-
707.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	12.948k	-74.35	-13.00	-61.35	-	-
707.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	582.825k	-65.02	-13.00	-52.02	-	-
707.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	499.41M	-62.32	-13.00	-49.32	-	-
707.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	585.34M	-61.44	-13.00	-48.44	-	-
707.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-61.55	-13.00	-48.55	MBW 100k	-
707.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.99M	-64.45	-13.00	-51.45	-	-
707.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-63.19	-13.00	-50.19	-	-
707.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.25M	-60.64	-13.00	-47.64	MBW 100k	-
707.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	1.41436G	-60.63	-13.00	-47.63	-	-
707.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.181G	-55.55	-13.00	-42.55	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	43.721k	-61.50	-13.00	-48.50	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.99	-13.00	-52.99	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	429.03M	-62.85	-13.00	-49.85	-	-
707.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	672.7M	-61.95	-13.00	-48.95	-	-
707.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	697.75M	-59.72	-13.00	-46.72	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.91M	-66.58	-13.00	-53.58	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.02M	-67.14	-13.00	-54.14	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	717.75M	-60.27	-13.00	-47.27	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	722M	2G	100k	300k	RMS	1.41244G	-50.82	-13.00	-37.82	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.157G	-55.42	-13.00	-42.42	-	-
714.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	20.21k	-72.87	-13.00	-59.87	-	-
714.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	567.9k	-66.09	-13.00	-53.09	-	-
714.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	230.81M	-61.82	-13.00	-48.82	-	-
714.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	587.6M	-61.77	-13.00	-48.77	-	-
714.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.35M	-66.04	-13.00	-53.04	MBW 100k	-
714.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.99M	-69.77	-13.00	-56.77	-	-
714.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-28.42	-13.00	-15.42	-	-
714.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-28.03	-13.00	-15.03	MBW 100k	-
714.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	1.42746G	-59.77	-13.00	-46.77	-	-
714.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.133G	-55.51	-13.00	-42.51	-	-
714.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	92.331k	-64.06	-13.00	-51.06	-	-
714.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.42	-13.00	-51.42	-	-
714.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	130.11M	-62.69	-13.00	-49.69	-	-
714.5MHz_RB 1,#RB H	Pass	500M	692M	100k	300k	RMS	532.93M	-61.54	-13.00	-48.54	-	-
714.5MHz_RB 1,#RB H	Pass	692M	697.9M	30k	100k	RMS	695.65M	-66.01	-13.00	-53.01	MBW 100k	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
714.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	698M	-69.72	-13.00	-56.72	-	-
714.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-17.93	-13.00	-4.93	-	-
714.5MHz_RB 1,#RB H	Pass	716.1M	722M	30k	100k	RMS	716.15M	-25.18	-13.00	-12.18	MBW 100k	-
714.5MHz_RB 1,#RB H	Pass	722M	2G	100k	300k	RMS	1.43161G	-49.97	-13.00	-36.97	-	-
714.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.244G	-55.38	-13.00	-42.38	-	-
Band 12_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.881k	-74.58	-13.00	-61.58	-	-
701.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.135M	-67.14	-13.00	-54.14	-	-
701.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	252.08M	-62.80	-13.00	-49.80	-	-
701.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	503.9M	-61.91	-13.00	-48.91	-	-
701.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-38.55	-13.00	-25.55	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.99M	-41.81	-13.00	-28.81	-	-
701.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.04M	-65.88	-13.00	-52.88	-	-
701.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-62.21	-13.00	-49.21	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	1.40441G	-61.94	-13.00	-48.94	-	-
701.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.155G	-55.63	-13.00	-42.63	-	-
701.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	16.755k	-63.49	-13.00	-50.49	-	-
701.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.31	-13.00	-53.31	-	-
701.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	474.5M	-62.73	-13.00	-49.73	-	-
701.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	687.62M	-61.17	-13.00	-48.17	-	-
701.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	697.25M	-42.34	-13.00	-29.34	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-42.38	-13.00	-29.38	-	-
701.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.09M	-69.90	-13.00	-56.90	-	-
701.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.65M	-64.55	-13.00	-51.55	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	1.39867G	-49.55	-13.00	-36.55	-	-
701.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.166G	-55.26	-13.00	-42.26	-	-
707.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	44.285k	-75.58	-13.00	-62.58	-	-
707.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.62M	-59.97	-13.00	-46.97	-	-
707.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	287.91M	-62.57	-13.00	-49.57	-	-
707.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	661.07M	-62.02	-13.00	-49.02	-	-
707.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-54.17	-13.00	-41.17	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-56.81	-13.00	-43.81	-	-
707.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.04M	-55.12	-13.00	-42.12	-	-
707.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.25M	-51.89	-13.00	-38.89	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	1.41587G	-62.55	-13.00	-49.55	-	-
707.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.167G	-54.94	-13.00	-41.94	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	90.886k	-62.36	-13.00	-49.36	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.32	-13.00	-51.32	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	296.73M	-61.62	-13.00	-48.62	-	-
707.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	615.39M	-62.57	-13.00	-49.57	-	-
707.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	696.75M	-51.68	-13.00	-38.68	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-66.53	-13.00	-53.53	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-59.73	-13.00	-46.73	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.15M	-56.65	-13.00	-43.65	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	1.41078G	-52.43	-13.00	-39.43	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.187G	-54.51	-13.00	-41.51	-	-
713.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	14.323k	-73.50	-13.00	-60.50	-	-
713.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	217.162k	-68.94	-13.00	-55.94	-	-
713.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	485.78M	-62.57	-13.00	-49.57	-	-
713.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	620.46M	-61.48	-13.00	-48.48	-	-
713.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.65M	-61.63	-13.00	-48.63	MBW 100k	-
713.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-65.23	-13.00	-52.23	-	-
713.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-31.41	-13.00	-18.41	-	-
713.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-31.13	-13.00	-18.13	MBW 100k	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
713.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	1.42702G	-60.61	-13.00	-47.61	-	-
713.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.231G	-55.03	-13.00	-42.03	-	-
713.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	73.366k	-63.02	-13.00	-50.02	-	-
713.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.85	-13.00	-51.85	-	-
713.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	365.23M	-62.83	-13.00	-49.83	-	-
713.5MHz_RB 1,#RB H	Pass	500M	688M	100k	300k	RMS	649.27M	-61.76	-13.00	-48.76	-	-
713.5MHz_RB 1,#RB H	Pass	688M	697.9M	30k	100k	RMS	695.55M	-66.10	-13.00	-53.10	MBW 100k	-
713.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.95M	-69.89	-13.00	-56.89	-	-
713.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-18.71	-13.00	-5.71	-	-
713.5MHz_RB 1,#RB H	Pass	716.1M	726M	30k	100k	RMS	716.15M	-22.92	-13.00	-9.92	MBW 100k	-
713.5MHz_RB 1,#RB H	Pass	726M	2G	100k	300k	RMS	1.43148G	-51.87	-13.00	-38.87	-	-
713.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.179G	-55.74	-13.00	-42.74	-	-
Band 12_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-75.40	-13.00	-62.40	-	-
704MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	4.717M	-68.00	-13.00	-55.00	-	-
704MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	465.1M	-62.75	-13.00	-49.75	-	-
704MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	658.29M	-62.19	-13.00	-49.19	-	-
704MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.45M	-41.54	-13.00	-28.54	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-45.28	-13.00	-32.28	-	-
704MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-47.28	-13.00	-34.28	-	-
704MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.35M	-44.64	-13.00	-31.64	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	1.40876G	-63.04	-13.00	-50.04	-	-
704MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.257G	-55.43	-13.00	-42.43	-	-
704MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	44.779k	-63.29	-13.00	-50.29	-	-
704MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.44	-13.00	-50.44	-	-
704MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	364.64M	-62.54	-13.00	-49.54	-	-
704MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	650.77M	-61.39	-13.00	-48.39	-	-
704MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	694.85M	-39.85	-13.00	-26.85	MBW 100k	-
704MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-42.40	-13.00	-29.40	-	-
704MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.07M	-58.21	-13.00	-45.21	-	-
704MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	717.15M	-43.95	-13.00	-30.95	MBW 100k	-
704MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	1.39928G	-51.61	-13.00	-38.61	-	-
704MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.189G	-55.71	-13.00	-42.71	-	-
707.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.282k	-74.50	-13.00	-61.50	-	-
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	1.344M	-65.32	-13.00	-52.32	-	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	335.03M	-62.12	-13.00	-49.12	-	-
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	672.35M	-61.74	-13.00	-48.74	-	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.65M	-42.64	-13.00	-29.64	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.99M	-46.20	-13.00	-33.20	-	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.02M	-41.24	-13.00	-28.24	-	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.25M	-37.31	-13.00	-24.31	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	1.51336G	-63.76	-13.00	-50.76	-	-
707.5MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.253G	-55.61	-13.00	-42.61	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	28.564k	-63.13	-13.00	-50.13	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.42	-13.00	-48.42	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	407.06M	-63.05	-13.00	-50.05	-	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	590.87M	-62.41	-13.00	-49.41	-	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	696.95M	-54.71	-13.00	-41.71	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.97M	-62.01	-13.00	-49.01	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.06M	-51.62	-13.00	-38.62	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	717.25M	-47.56	-13.00	-34.56	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	1.40624G	-50.02	-13.00	-37.02	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.753G	-55.60	-13.00	-42.60	-	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.428k	-73.89	-13.00	-60.89	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
711MHz_RB 50, #RB 0	Pass	150k	30M	10k	30k	RMS	5.754M	-64.31	-13.00	-51.31	-	-
711MHz_RB 50, #RB 0	Pass	30M	500M	100k	300k	RMS	485.9M	-61.80	-13.00	-48.80	-	-
711MHz_RB 50, #RB 0	Pass	500M	678M	100k	300k	RMS	612.18M	-59.96	-13.00	-46.96	-	-
711MHz_RB 50, #RB 0	Pass	678M	697.9M	30k	100k	RMS	697.75M	-45.82	-13.00	-32.82	MBW 100k	-
711MHz_RB 50, #RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-48.04	-13.00	-35.04	-	-
711MHz_RB 50, #RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-33.77	-13.00	-20.77	-	-
711MHz_RB 50, #RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-31.68	-13.00	-18.68	MBW 100k	-
711MHz_RB 50, #RB 0	Pass	736M	2G	100k	300k	RMS	1.4233G	-63.13	-13.00	-50.13	-	-
711MHz_RB 50, #RB 0	Pass	2G	10G	100k	300k	RMS	9.169G	-56.01	-13.00	-43.01	-	-
711MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	44.497k	-63.86	-13.00	-50.86	-	-
711MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.99	-13.00	-48.99	-	-
711MHz_RB 1, #RB H	Pass	30M	500M	100k	300k	RMS	487.55M	-63.25	-13.00	-50.25	-	-
711MHz_RB 1, #RB H	Pass	500M	678M	100k	300k	RMS	609.83M	-61.82	-13.00	-48.82	-	-
711MHz_RB 1, #RB H	Pass	678M	697.9M	30k	100k	RMS	697.75M	-42.01	-13.00	-29.01	MBW 100k	-
711MHz_RB 1, #RB H	Pass	697.9M	698M	30k	100k	RMS	697.9M	-48.63	-13.00	-35.63	-	-
711MHz_RB 1, #RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-21.01	-13.00	-8.01	-	-
711MHz_RB 1, #RB H	Pass	716.1M	736M	30k	100k	RMS	716.15M	-20.01	-13.00	-7.01	MBW 100k	-
711MHz_RB 1, #RB H	Pass	736M	2G	100k	300k	RMS	1.43088G	-48.44	-13.00	-35.44	-	-
711MHz_RB 1, #RB H	Pass	2G	10G	100k	300k	RMS	9.186G	-55.69	-13.00	-42.69	-	-
Band 13_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
779.5MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	11.644k	-77.75	-13.00	-64.75	-	-
779.5MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	1.583M	-63.93	-13.00	-50.93	-	-
779.5MHz_RB 25, #RB 0	Pass	30M	500M	100k	300k	RMS	347.84M	-62.79	-13.00	-49.79	-	-
779.5MHz_RB 25, #RB 0	Pass	500M	766M	100k	300k	RMS	746.58M	-61.99	-13.00	-48.99	-	-
779.5MHz_RB 25, #RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-41.57	-13.00	-28.57	MBW 100k	-
779.5MHz_RB 25, #RB 0	Pass	775.9M	776M	30k	100k	RMS	776M	-43.54	-13.00	-30.54	-	-
779.5MHz_RB 25, #RB 0	Pass	787M	787.1M	30k	100k	RMS	787.03M	-49.11	-13.00	-36.11	-	-
779.5MHz_RB 25, #RB 0	Pass	787.1M	797M	30k	100k	RMS	788.55M	-44.65	-13.00	-31.65	MBW 100k	-
779.5MHz_RB 25, #RB 0	Pass	797M	2G	100k	300k	RMS	1.56181G	-61.35	-13.00	-48.35	-	-
779.5MHz_RB 25, #RB 0	Pass	2G	10G	100k	300k	RMS	9.182G	-55.28	-13.00	-42.28	-	-
779.5MHz_RB 25, #RB 0	Pass	763M	775M	10k	10k	RMS	774.96M	-52.75	-35.00	-17.75	-	-
779.5MHz_RB 25, #RB 0	Pass	793M	806M	10k	10k	RMS	795.73M	-62.28	-35.00	-27.28	-	-
779.5MHz_RB 25, #RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.60161G	-40.98	-40.00	-0.98	-	-
779.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	94.904k	-64.62	-13.00	-51.62	-	-
779.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.70	-13.00	-47.70	-	-
779.5MHz_RB 1, #RB L	Pass	30M	500M	100k	300k	RMS	357.59M	-61.93	-13.00	-48.93	-	-
779.5MHz_RB 1, #RB L	Pass	500M	766M	100k	300k	RMS	740.93M	-61.48	-13.00	-48.48	-	-
779.5MHz_RB 1, #RB L	Pass	766M	775.9M	30k	100k	RMS	775.15M	-50.74	-13.00	-37.74	MBW 100k	-
779.5MHz_RB 1, #RB L	Pass	775.9M	776M	30k	100k	RMS	775.99M	-46.67	-13.00	-33.67	-	-
779.5MHz_RB 1, #RB L	Pass	787M	787.1M	30k	100k	RMS	787.1M	-60.50	-13.00	-47.50	-	-
779.5MHz_RB 1, #RB L	Pass	787.1M	797M	30k	100k	RMS	788.15M	-51.05	-13.00	-38.05	MBW 100k	-
779.5MHz_RB 1, #RB L	Pass	797M	2G	100k	300k	RMS	1.55459G	-52.41	-13.00	-39.41	-	-
779.5MHz_RB 1, #RB L	Pass	2G	10G	100k	300k	RMS	9.166G	-55.43	-13.00	-42.43	-	-
779.5MHz_RB 1, #RB L	Pass	763M	775M	10k	10k	RMS	772.79M	-61.52	-35.00	-26.52	-	-
779.5MHz_RB 1, #RB L	Pass	793M	806M	10k	10k	RMS	793.1M	-61.70	-35.00	-26.70	-	-
779.5MHz_RB 1, #RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.56216G	-41.76	-40.00	-1.76	-	-
782MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	13.9k	-75.98	-13.00	-62.98	-	-
782MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	1.21M	-64.28	-13.00	-51.28	-	-
782MHz_RB 25, #RB 0	Pass	30M	500M	100k	300k	RMS	463.22M	-62.09	-13.00	-49.09	-	-
782MHz_RB 25, #RB 0	Pass	500M	766M	100k	300k	RMS	545.15M	-61.52	-13.00	-48.52	-	-
782MHz_RB 25, #RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-64.93	-13.00	-51.93	MBW 100k	-
782MHz_RB 25, #RB 0	Pass	775.9M	776M	30k	100k	RMS	775.97M	-66.30	-13.00	-53.30	-	-
782MHz_RB 25, #RB 0	Pass	787M	787.1M	30k	100k	RMS	787.05M	-39.80	-13.00	-26.80	-	-
782MHz_RB 25, #RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-35.93	-13.00	-22.93	MBW 100k	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
782MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.56421G	-59.94	-13.00	-46.94	-	-
782MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.268G	-55.16	-13.00	-42.16	-	-
782MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	765.02M	-61.23	-35.00	-26.23	-	-
782MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	802.82M	-60.49	-35.00	-25.49	-	-
782MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.59343G	-41.12	-40.00	-1.12	-	-
782MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	81.439k	-62.13	-13.00	-49.13	-	-
782MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.09	-13.00	-47.09	-	-
782MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	396.84M	-62.88	-13.00	-49.88	-	-
782MHz_RB 1,#RB L	Pass	500M	766M	100k	300k	RMS	679.88M	-61.33	-13.00	-48.33	-	-
782MHz_RB 1,#RB L	Pass	766M	775.9M	30k	100k	RMS	775.85M	-64.21	-13.00	-51.21	MBW 100k	-
782MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.91M	-67.72	-13.00	-54.72	-	-
782MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.08M	-58.31	-13.00	-45.31	-	-
782MHz_RB 1,#RB L	Pass	787.1M	797M	30k	100k	RMS	788.45M	-30.90	-13.00	-17.90	MBW 100k	-
782MHz_RB 1,#RB L	Pass	797M	2G	100k	300k	RMS	1.5597G	-48.82	-13.00	-35.82	-	-
782MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.254G	-54.80	-13.00	-41.80	-	-
782MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	768.67M	-61.28	-35.00	-26.28	-	-
782MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	798.77M	-60.24	-35.00	-25.24	-	-
782MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.59993G	-40.78	-40.00	-0.78	-	-
784.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.829k	-75.88	-13.00	-62.88	-	-
784.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.426M	-57.56	-13.00	-44.56	-	-
784.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	464.63M	-63.01	-13.00	-50.01	-	-
784.5MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	729.62M	-62.10	-13.00	-49.10	-	-
784.5MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-65.81	-13.00	-52.81	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.98M	-67.52	-13.00	-54.52	-	-
784.5MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.03M	-30.64	-13.00	-17.64	-	-
784.5MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-29.75	-13.00	-16.75	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.56782G	-61.01	-13.00	-48.01	-	-
784.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.187G	-55.54	-13.00	-42.54	-	-
784.5MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	763.39M	-62.16	-35.00	-27.16	-	-
784.5MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	793.59M	-62.14	-35.00	-27.14	-	-
784.5MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.59529G	-41.44	-40.00	-1.44	-	-
784.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	103.153k	-64.68	-13.00	-51.68	-	-
784.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-57.40	-13.00	-44.40	-	-
784.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	249.73M	-62.44	-13.00	-49.44	-	-
784.5MHz_RB 1,#RB H	Pass	500M	766M	100k	300k	RMS	760.15M	-61.81	-13.00	-48.81	-	-
784.5MHz_RB 1,#RB H	Pass	766M	775.9M	30k	100k	RMS	775.85M	-66.66	-13.00	-53.66	MBW 100k	-
784.5MHz_RB 1,#RB H	Pass	775.9M	776M	30k	100k	RMS	776M	-68.70	-13.00	-55.70	-	-
784.5MHz_RB 1,#RB H	Pass	787M	787.1M	30k	100k	RMS	787M	-17.92	-13.00	-4.92	-	-
784.5MHz_RB 1,#RB H	Pass	787.1M	797M	30k	100k	RMS	787.15M	-21.87	-13.00	-8.87	MBW 100k	-
784.5MHz_RB 1,#RB H	Pass	797M	2G	100k	300k	RMS	1.57324G	-50.21	-13.00	-37.21	-	-
784.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.253G	-55.06	-13.00	-42.06	-	-
784.5MHz_RB 1,#RB H	Pass	763M	775M	10k	10k	RMS	766.17M	-61.58	-35.00	-26.58	-	-
784.5MHz_RB 1,#RB H	Pass	793M	806M	10k	10k	RMS	803.87M	-59.85	-35.00	-24.85	-	-
784.5MHz_RB 1,#RB H	Pass	1.559G	1.61G	1M	3M	RMS	1.59314G	-41.47	-40.00	-1.47	-	-
Band 13_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
782MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.388k	-75.68	-13.00	-62.68	-	-
782MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.829M	-64.25	-13.00	-51.25	-	-
782MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	456.06M	-62.55	-13.00	-49.55	-	-
782MHz_RB 50,#RB 0	Pass	500M	756M	100k	300k	RMS	709.92M	-61.84	-13.00	-48.84	-	-
782MHz_RB 50,#RB 0	Pass	756M	775.9M	30k	100k	RMS	775.85M	-51.00	-13.00	-38.00	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.98M	-52.49	-13.00	-39.49	-	-
782MHz_RB 50,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.01M	-33.32	-13.00	-20.32	-	-
782MHz_RB 50,#RB 0	Pass	787.1M	807M	30k	100k	RMS	787.15M	-30.52	-13.00	-17.52	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	807M	2G	100k	300k	RMS	1.56187G	-62.11	-13.00	-49.11	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
782MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.176G	-55.00	-13.00	-42.00	-	-
782MHz_RB 50,#RB 0	Pass	763M	775M	10k	10k	RMS	774.36M	-60.70	-35.00	-25.70	-	-
782MHz_RB 50,#RB 0	Pass	793M	806M	10k	10k	RMS	793.57M	-61.52	-35.00	-26.52	-	-
782MHz_RB 50,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.58908G	-40.54	-40.00	-0.54	-	-
782MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	118.98k	-65.31	-13.00	-52.31	-	-
782MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.64	-13.00	-53.64	-	-
782MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	145.5M	-62.42	-13.00	-49.42	-	-
782MHz_RB 1,#RB L	Pass	500M	756M	100k	300k	RMS	751.26M	-61.86	-13.00	-48.86	-	-
782MHz_RB 1,#RB L	Pass	756M	775.9M	30k	100k	RMS	775.85M	-51.68	-13.00	-38.68	MBW 100k	-
782MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	776M	-47.84	-13.00	-34.84	-	-
782MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.04M	-40.87	-13.00	-27.87	-	-
782MHz_RB 1,#RB L	Pass	787.1M	807M	30k	100k	RMS	787.15M	-39.59	-13.00	-26.59	MBW 100k	-
782MHz_RB 1,#RB L	Pass	807M	2G	100k	300k	RMS	1.55531G	-51.31	-13.00	-38.31	-	-
782MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.17G	-55.40	-13.00	-42.40	-	-
782MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	772.3M	-62.05	-35.00	-27.05	-	-
782MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	795.56M	-61.22	-35.00	-26.22	-	-
782MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.58751G	-41.32	-40.00	-1.32	-	-
Band 13_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
779.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.406k	-74.16	-13.00	-61.16	-	-
779.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.172M	-64.46	-13.00	-51.46	-	-
779.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	226.23M	-62.67	-13.00	-49.67	-	-
779.5MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	621.03M	-62.07	-13.00	-49.07	-	-
779.5MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-42.70	-13.00	-29.70	MBW 100k	-
779.5MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	776M	-44.83	-13.00	-31.83	-	-
779.5MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.06M	-48.67	-13.00	-35.67	-	-
779.5MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-45.19	-13.00	-32.19	MBW 100k	-
779.5MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.5597G	-60.78	-13.00	-47.78	-	-
779.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.175G	-55.48	-13.00	-42.48	-	-
779.5MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	774.69M	-57.46	-35.00	-22.46	-	-
779.5MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	803.2M	-60.93	-35.00	-25.93	-	-
779.5MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.57309G	-41.54	-40.00	-1.54	-	-
779.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	74.354k	-64.47	-13.00	-51.47	-	-
779.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.66	-13.00	-49.66	-	-
779.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	390.84M	-62.77	-13.00	-49.77	-	-
779.5MHz_RB 1,#RB L	Pass	500M	766M	100k	300k	RMS	728.29M	-61.37	-13.00	-48.37	-	-
779.5MHz_RB 1,#RB L	Pass	766M	775.9M	30k	100k	RMS	775.85M	-50.58	-13.00	-37.58	MBW 100k	-
779.5MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.99M	-46.51	-13.00	-33.51	-	-
779.5MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.03M	-61.56	-13.00	-48.56	-	-
779.5MHz_RB 1,#RB L	Pass	787.1M	797M	30k	100k	RMS	788.15M	-52.15	-13.00	-39.15	MBW 100k	-
779.5MHz_RB 1,#RB L	Pass	797M	2G	100k	300k	RMS	1.55459G	-53.06	-13.00	-40.06	-	-
779.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.216G	-55.12	-13.00	-42.12	-	-
779.5MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	764.41M	-59.76	-35.00	-24.76	-	-
779.5MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	796.22M	-61.49	-35.00	-26.49	-	-
779.5MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.57314G	-41.21	-40.00	-1.21	-	-
782MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.48k	-71.98	-13.00	-58.98	-	-
782MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	903.712k	-68.14	-13.00	-55.14	-	-
782MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	367.46M	-62.53	-13.00	-49.53	-	-
782MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	523.54M	-60.88	-13.00	-47.88	-	-
782MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-65.21	-13.00	-52.21	MBW 100k	-
782MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.99M	-66.89	-13.00	-53.89	-	-
782MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.1M	-40.77	-13.00	-27.77	-	-
782MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-37.62	-13.00	-24.62	MBW 100k	-
782MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.56451G	-61.36	-13.00	-48.36	-	-
782MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.839G	-55.60	-13.00	-42.60	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
782MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	772.58M	-61.93	-35.00	-26.93	-	-
782MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	796.94M	-61.73	-35.00	-26.73	-	-
782MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.59394G	-40.67	-40.00	-0.67	-	-
782MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.567k	-63.14	-13.00	-50.14	-	-
782MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-58.64	-13.00	-45.64	-	-
782MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	259.24M	-62.93	-13.00	-49.93	-	-
782MHz_RB 1,#RB L	Pass	500M	766M	100k	300k	RMS	605.87M	-60.83	-13.00	-47.83	-	-
782MHz_RB 1,#RB L	Pass	766M	775.9M	30k	100k	RMS	775.85M	-64.19	-13.00	-51.19	MBW 100k	-
782MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.9M	-67.67	-13.00	-54.67	-	-
782MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.1M	-59.00	-13.00	-46.00	-	-
782MHz_RB 1,#RB L	Pass	787.1M	797M	30k	100k	RMS	788.45M	-31.35	-13.00	-18.35	MBW 100k	-
782MHz_RB 1,#RB L	Pass	797M	2G	100k	300k	RMS	1.5597G	-48.30	-13.00	-35.30	-	-
782MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.199G	-55.14	-13.00	-42.14	-	-
782MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	769.82M	-62.32	-35.00	-27.32	-	-
782MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	801.59M	-60.48	-35.00	-25.48	-	-
782MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.58714G	-40.98	-40.00	-0.98	-	-
784.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	24.016k	-76.43	-13.00	-63.43	-	-
784.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.963M	-60.23	-13.00	-47.23	-	-
784.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	363.47M	-62.42	-13.00	-49.42	-	-
784.5MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	695.38M	-61.63	-13.00	-48.63	-	-
784.5MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-66.24	-13.00	-53.24	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.99M	-68.03	-13.00	-55.03	-	-
784.5MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787M	-31.47	-13.00	-18.47	-	-
784.5MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-30.56	-13.00	-17.56	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.56993G	-62.04	-13.00	-49.04	-	-
784.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.169G	-55.51	-13.00	-42.51	-	-
784.5MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	773.6M	-61.14	-35.00	-26.14	-	-
784.5MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	795.58M	-61.91	-35.00	-26.91	-	-
784.5MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.58319G	-40.85	-40.00	-0.85	-	-
784.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	61.699k	-63.61	-13.00	-50.61	-	-
784.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-60.05	-13.00	-47.05	-	-
784.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	366.05M	-61.89	-13.00	-48.89	-	-
784.5MHz_RB 1,#RB H	Pass	500M	766M	100k	300k	RMS	751.44M	-61.72	-13.00	-48.72	-	-
784.5MHz_RB 1,#RB H	Pass	766M	775.9M	30k	100k	RMS	775.85M	-67.35	-13.00	-54.35	MBW 100k	-
784.5MHz_RB 1,#RB H	Pass	775.9M	776M	30k	100k	RMS	776M	-69.85	-13.00	-56.85	-	-
784.5MHz_RB 1,#RB H	Pass	787M	787.1M	30k	100k	RMS	787.01M	-18.14	-13.00	-5.14	-	-
784.5MHz_RB 1,#RB H	Pass	787.1M	797M	30k	100k	RMS	787.15M	-22.97	-13.00	-9.97	MBW 100k	-
784.5MHz_RB 1,#RB H	Pass	797M	2G	100k	300k	RMS	1.57324G	-51.31	-13.00	-38.31	-	-
784.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.26G	-54.80	-13.00	-41.80	-	-
784.5MHz_RB 1,#RB H	Pass	763M	775M	10k	10k	RMS	767.82M	-60.71	-35.00	-25.71	-	-
784.5MHz_RB 1,#RB H	Pass	793M	806M	10k	10k	RMS	805.18M	-61.43	-35.00	-26.43	-	-
784.5MHz_RB 1,#RB H	Pass	1.559G	1.61G	1M	3M	RMS	1.60792G	-41.00	-40.00	-1.00	-	-
Band 13_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
782MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	17.848k	-75.94	-13.00	-62.94	-	-
782MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.702M	-63.40	-13.00	-50.40	-	-
782MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	477.56M	-62.82	-13.00	-49.82	-	-
782MHz_RB 50,#RB 0	Pass	500M	756M	100k	300k	RMS	615.84M	-61.86	-13.00	-48.86	-	-
782MHz_RB 50,#RB 0	Pass	756M	775.9M	30k	100k	RMS	775.85M	-52.03	-13.00	-39.03	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	775.9M	776M	30k	100k	RMS	776M	-53.86	-13.00	-40.86	-	-
782MHz_RB 50,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.01M	-33.65	-13.00	-20.65	-	-
782MHz_RB 50,#RB 0	Pass	787.1M	807M	30k	100k	RMS	787.15M	-31.23	-13.00	-18.23	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	807M	2G	100k	300k	RMS	1.56396G	-62.95	-13.00	-49.95	-	-
782MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.186G	-55.01	-13.00	-42.01	-	-
782MHz_RB 50,#RB 0	Pass	763M	775M	10k	10k	RMS	774.88M	-61.58	-35.00	-26.58	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
782MHz_RB 50, #RB 0	Pass	793M	806M	10k	10k	RMS	793.39M	-61.29	-35.00	-26.29	-	-
782MHz_RB 50, #RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.56372G	-41.35	-40.00	-1.35	-	-
782MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	13.724k	-65.01	-13.00	-52.01	-	-
782MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.75	-13.00	-50.75	-	-
782MHz_RB 1, #RB L	Pass	30M	500M	100k	300k	RMS	346.43M	-62.95	-13.00	-49.95	-	-
782MHz_RB 1, #RB L	Pass	500M	756M	100k	300k	RMS	684.9M	-61.65	-13.00	-48.65	-	-
782MHz_RB 1, #RB L	Pass	756M	775.9M	30k	100k	RMS	775.85M	-49.76	-13.00	-36.76	MBW 100k	-
782MHz_RB 1, #RB L	Pass	775.9M	776M	30k	100k	RMS	776M	-47.11	-13.00	-34.11	-	-
782MHz_RB 1, #RB L	Pass	787M	787.1M	30k	100k	RMS	787.1M	-38.12	-13.00	-25.12	-	-
782MHz_RB 1, #RB L	Pass	787.1M	807M	30k	100k	RMS	787.15M	-40.84	-13.00	-27.84	MBW 100k	-
782MHz_RB 1, #RB L	Pass	807M	2G	100k	300k	RMS	1.55531G	-50.04	-13.00	-37.04	-	-
782MHz_RB 1, #RB L	Pass	2G	10G	100k	300k	RMS	9.159G	-55.34	-13.00	-42.34	-	-
782MHz_RB 1, #RB L	Pass	763M	775M	10k	10k	RMS	774.91M	-60.81	-35.00	-25.81	-	-
782MHz_RB 1, #RB L	Pass	793M	806M	10k	10k	RMS	799.91M	-61.74	-35.00	-26.74	-	-
782MHz_RB 1, #RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.60929G	-40.86	-40.00	-0.86	-	-
Band 13_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
779.5MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	9k	-73.87	-13.00	-60.87	-	-
779.5MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	150k	-67.19	-13.00	-54.19	-	-
779.5MHz_RB 25, #RB 0	Pass	30M	500M	100k	300k	RMS	134.34M	-62.11	-13.00	-49.11	-	-
779.5MHz_RB 25, #RB 0	Pass	500M	766M	100k	300k	RMS	726.63M	-62.05	-13.00	-49.05	-	-
779.5MHz_RB 25, #RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-42.32	-13.00	-29.32	MBW 100k	-
779.5MHz_RB 25, #RB 0	Pass	775.9M	776M	30k	100k	RMS	776M	-45.01	-13.00	-32.01	-	-
779.5MHz_RB 25, #RB 0	Pass	787M	787.1M	30k	100k	RMS	787.06M	-48.68	-13.00	-35.68	-	-
779.5MHz_RB 25, #RB 0	Pass	787.1M	797M	30k	100k	RMS	787.25M	-45.48	-13.00	-32.48	MBW 100k	-
779.5MHz_RB 25, #RB 0	Pass	797M	2G	100k	300k	RMS	1.5588G	-61.98	-13.00	-48.98	-	-
779.5MHz_RB 25, #RB 0	Pass	2G	10G	100k	300k	RMS	9.203G	-55.56	-13.00	-42.56	-	-
779.5MHz_RB 25, #RB 0	Pass	763M	775M	10k	10k	RMS	774.99M	-54.79	-35.00	-19.79	-	-
779.5MHz_RB 25, #RB 0	Pass	793M	806M	10k	10k	RMS	804.91M	-59.72	-35.00	-24.72	-	-
779.5MHz_RB 25, #RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.58695G	-41.69	-40.00	-1.69	-	-
779.5MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	48.515k	-64.84	-13.00	-51.84	-	-
779.5MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.40	-13.00	-52.40	-	-
779.5MHz_RB 1, #RB L	Pass	30M	500M	100k	300k	RMS	378.51M	-62.57	-13.00	-49.57	-	-
779.5MHz_RB 1, #RB L	Pass	500M	766M	100k	300k	RMS	758.42M	-61.45	-13.00	-48.45	-	-
779.5MHz_RB 1, #RB L	Pass	766M	775.9M	30k	100k	RMS	775.25M	-51.82	-13.00	-38.82	MBW 100k	-
779.5MHz_RB 1, #RB L	Pass	775.9M	776M	30k	100k	RMS	776M	-47.49	-13.00	-34.49	-	-
779.5MHz_RB 1, #RB L	Pass	787M	787.1M	30k	100k	RMS	787.09M	-61.79	-13.00	-48.79	-	-
779.5MHz_RB 1, #RB L	Pass	787.1M	797M	30k	100k	RMS	788.05M	-52.65	-13.00	-39.65	MBW 100k	-
779.5MHz_RB 1, #RB L	Pass	797M	2G	100k	300k	RMS	1.55459G	-52.87	-13.00	-39.87	-	-
779.5MHz_RB 1, #RB L	Pass	2G	10G	100k	300k	RMS	9.18G	-55.01	-13.00	-42.01	-	-
779.5MHz_RB 1, #RB L	Pass	763M	775M	10k	10k	RMS	767.12M	-61.62	-35.00	-26.62	-	-
779.5MHz_RB 1, #RB L	Pass	793M	806M	10k	10k	RMS	803.35M	-61.69	-35.00	-26.69	-	-
779.5MHz_RB 1, #RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.60176G	-41.24	-40.00	-1.24	-	-
782MHz_RB 25, #RB 0	Pass	9k	150k	1k	3k	RMS	37.376k	-75.75	-13.00	-62.75	-	-
782MHz_RB 25, #RB 0	Pass	150k	30M	10k	30k	RMS	2.434M	-61.28	-13.00	-48.28	-	-
782MHz_RB 25, #RB 0	Pass	30M	500M	100k	300k	RMS	467.34M	-62.13	-13.00	-49.13	-	-
782MHz_RB 25, #RB 0	Pass	500M	766M	100k	300k	RMS	667.11M	-61.47	-13.00	-48.47	-	-
782MHz_RB 25, #RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-65.39	-13.00	-52.39	MBW 100k	-
782MHz_RB 25, #RB 0	Pass	775.9M	776M	30k	100k	RMS	775.97M	-66.89	-13.00	-53.89	-	-
782MHz_RB 25, #RB 0	Pass	787M	787.1M	30k	100k	RMS	787.02M	-40.66	-13.00	-27.66	-	-
782MHz_RB 25, #RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-37.29	-13.00	-24.29	MBW 100k	-
782MHz_RB 25, #RB 0	Pass	797M	2G	100k	300k	RMS	1.56361G	-60.86	-13.00	-47.86	-	-
782MHz_RB 25, #RB 0	Pass	2G	10G	100k	300k	RMS	9.186G	-55.33	-13.00	-42.33	-	-
782MHz_RB 25, #RB 0	Pass	763M	775M	10k	10k	RMS	771.9M	-61.84	-35.00	-26.84	-	-
782MHz_RB 25, #RB 0	Pass	793M	806M	10k	10k	RMS	799.18M	-61.10	-35.00	-26.10	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
782MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.59178G	-41.31	-40.00	-1.31	-	-
782MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	11.679k	-62.05	-13.00	-49.05	-	-
782MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.65	-13.00	-47.65	-	-
782MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	355.95M	-62.70	-13.00	-49.70	-	-
782MHz_RB 1,#RB L	Pass	500M	766M	100k	300k	RMS	641.18M	-61.61	-13.00	-48.61	-	-
782MHz_RB 1,#RB L	Pass	766M	775.9M	30k	100k	RMS	775.85M	-64.80	-13.00	-51.80	MBW 100k	-
782MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.92M	-68.56	-13.00	-55.56	-	-
782MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.03M	-59.17	-13.00	-46.17	-	-
782MHz_RB 1,#RB L	Pass	787.1M	797M	30k	100k	RMS	788.45M	-32.58	-13.00	-19.58	MBW 100k	-
782MHz_RB 1,#RB L	Pass	797M	2G	100k	300k	RMS	1.5597G	-50.99	-13.00	-37.99	-	-
782MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.175G	-55.60	-13.00	-42.60	-	-
782MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	774.51M	-61.29	-35.00	-26.29	-	-
782MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	805.35M	-61.23	-35.00	-26.23	-	-
782MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.55946G	-40.99	-40.00	-0.99	-	-
784.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	52.146k	-77.01	-13.00	-64.01	-	-
784.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.948M	-63.20	-13.00	-50.20	-	-
784.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	330.45M	-62.69	-13.00	-49.69	-	-
784.5MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	644.97M	-61.53	-13.00	-48.53	-	-
784.5MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-65.75	-13.00	-52.75	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	776M	-67.91	-13.00	-54.91	-	-
784.5MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787M	-31.79	-13.00	-18.79	-	-
784.5MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-31.11	-13.00	-18.11	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.57023G	-62.27	-13.00	-49.27	-	-
784.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.193G	-55.21	-13.00	-42.21	-	-
784.5MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	763.02M	-61.40	-35.00	-26.40	-	-
784.5MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	803.27M	-62.30	-35.00	-27.30	-	-
784.5MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.59195G	-40.93	-40.00	-0.93	-	-
784.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	21.796k	-63.05	-13.00	-50.05	-	-
784.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-62.06	-13.00	-49.06	-	-
784.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	246.91M	-62.45	-13.00	-49.45	-	-
784.5MHz_RB 1,#RB H	Pass	500M	766M	100k	300k	RMS	684.27M	-61.95	-13.00	-48.95	-	-
784.5MHz_RB 1,#RB H	Pass	766M	775.9M	30k	100k	RMS	770.45M	-67.26	-13.00	-54.26	MBW 100k	-
784.5MHz_RB 1,#RB H	Pass	775.9M	776M	30k	100k	RMS	775.95M	-69.55	-13.00	-56.55	-	-
784.5MHz_RB 1,#RB H	Pass	787M	787.1M	30k	100k	RMS	787M	-18.10	-13.00	-5.10	-	-
784.5MHz_RB 1,#RB H	Pass	787.1M	797M	30k	100k	RMS	787.15M	-22.08	-13.00	-9.08	MBW 100k	-
784.5MHz_RB 1,#RB H	Pass	797M	2G	100k	300k	RMS	1.57354G	-52.19	-13.00	-39.19	-	-
784.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	9.179G	-55.36	-13.00	-42.36	-	-
784.5MHz_RB 1,#RB H	Pass	763M	775M	10k	10k	RMS	774.19M	-61.93	-35.00	-26.93	-	-
784.5MHz_RB 1,#RB H	Pass	793M	806M	10k	10k	RMS	805.32M	-61.51	-35.00	-26.51	-	-
784.5MHz_RB 1,#RB H	Pass	1.559G	1.61G	1M	3M	RMS	1.56011G	-41.37	-40.00	-1.37	-	-
Band 13_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
782MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.198k	-75.90	-13.00	-62.90	-	-
782MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.56M	-67.22	-13.00	-54.22	-	-
782MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	30.59M	-63.00	-13.00	-50.00	-	-
782MHz_RB 50,#RB 0	Pass	500M	756M	100k	300k	RMS	730.66M	-62.32	-13.00	-49.32	-	-
782MHz_RB 50,#RB 0	Pass	756M	775.9M	30k	100k	RMS	775.85M	-51.62	-13.00	-38.62	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.99M	-54.30	-13.00	-41.30	-	-
782MHz_RB 50,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.01M	-33.82	-13.00	-20.82	-	-
782MHz_RB 50,#RB 0	Pass	787.1M	807M	30k	100k	RMS	787.15M	-31.58	-13.00	-18.58	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	807M	2G	100k	300k	RMS	1.56366G	-62.55	-13.00	-49.55	-	-
782MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.229G	-55.57	-13.00	-42.57	-	-
782MHz_RB 50,#RB 0	Pass	763M	775M	10k	10k	RMS	774.96M	-61.66	-35.00	-26.66	-	-
782MHz_RB 50,#RB 0	Pass	793M	806M	10k	10k	RMS	793.21M	-60.43	-35.00	-25.43	-	-
782MHz_RB 50,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.60396G	-41.70	-40.00	-1.70	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
782MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	27.964k	-64.02	-13.00	-51.02	-	-
782MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-65.73	-13.00	-52.73	-	-
782MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	343.02M	-63.12	-13.00	-50.12	-	-
782MHz_RB 1,#RB L	Pass	500M	756M	100k	300k	RMS	748.9M	-60.94	-13.00	-47.94	-	-
782MHz_RB 1,#RB L	Pass	756M	775.9M	30k	100k	RMS	775.85M	-51.37	-13.00	-38.37	MBW 100k	-
782MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.99M	-49.37	-13.00	-36.37	-	-
782MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.04M	-41.47	-13.00	-28.47	-	-
782MHz_RB 1,#RB L	Pass	787.1M	807M	30k	100k	RMS	787.15M	-40.63	-13.00	-27.63	MBW 100k	-
782MHz_RB 1,#RB L	Pass	807M	2G	100k	300k	RMS	1.55531G	-51.56	-13.00	-38.56	-	-
782MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.194G	-55.75	-13.00	-42.75	-	-
782MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	772.39M	-61.06	-35.00	-26.06	-	-
782MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	803.47M	-61.99	-35.00	-26.99	-	-
782MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.5773G	-41.13	-40.00	-1.13	-	-

Band 2_LTE_1.4MHz_Nss1,QPSK_1TX
1850.7MHz_QPSK_RB 6,#RB 0

CSE-TX-Sum

08/09/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	110.626k	-75.16	-13.00	-62.16	-	-
150k	30M	10k	30k	RMS	657.45k	-65.43	-13.00	-52.43	-	-
30M	1.5G	1M	3M	RMS	1.49853G	-51.92	-13.00	-38.92	-	-
1.5G	1.8472G	1M	3M	RMS	1.84703G	-38.73	-13.00	-25.73	-	-
1.8472G	1.849G	20k	50k	RMS	1.8485G	-29.35	-13.00	-16.35	MBW 1M	-
1.849G	1.85G	20k	50k	RMS	1.85G	-27.36	-13.00	-14.36	-	-
1.91G	1.911G	20k	50k	RMS	1.91037G	-71.24	-13.00	-58.24	-	-
1.911G	1.9128G	20k	50k	RMS	1.9123G	-56.28	-13.00	-43.28	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.9699G	-50.24	-13.00	-37.24	-	-
5G	20G	1M	3M	RMS	19.64G	-41.38	-13.00	-28.38	-	-

Band 2_LTE_1.4MHz_Nss1,QPSK_1TX
1850.7MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	75.94k	-65.91	-13.00	-52.91	-	-
150k	30M	10k	30k	RMS	150k	-63.51	-13.00	-50.51	-	-
30M	1.5G	1M	3M	RMS	1.46509G	-52.30	-13.00	-39.30	-	-
1.5G	1.8472G	1M	3M	RMS	1.84442G	-39.70	-13.00	-26.70	-	-
1.8472G	1.849G	20k	50k	RMS	1.8485G	-34.11	-13.00	-21.11	MBW 1M	-
1.849G	1.85G	20k	50k	RMS	1.85G	-20.55	-13.00	-7.55	-	-
1.91G	1.911G	20k	50k	RMS	1.91084G	-71.23	-13.00	-58.23	-	-
1.911G	1.9128G	20k	50k	RMS	1.9123G	-56.22	-13.00	-43.22	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.79316G	-50.29	-13.00	-37.29	-	-
5G	20G	1M	3M	RMS	19.655G	-41.27	-13.00	-28.27	-	-

Band 2 LTE 1.4MHz Nss1,QPSK_1TX
1880MHz QPSK_RB 6,#RB 0

CSE-TX-Sum


08/09/2020



Band 2 LTE 1.4MHz Nss1,QPSK_1TX
1880MHz QPSK_RB 1,#RB L

CSE-TX-Sum


08/09/2020



Band 2 LTE 1.4MHz Nss1,QPSK_1TX

CSE-TX-Sum


1909.3MHz QPSK RB 6,#RB 0



Band 2 LTE 1.4MHz Nss1,QPSK_1TX

CSE-TX-Sum


1909.3MHz QPSK RB 1,#RB H



Band 2 LTE_3MHz_Nss1,QPSK_1TX

CSE-TX-Sum


1851.5MHz QPSK RB 15,#RB 0



Band 2 LTE_3MHz_Nss1,QPSK_1TX

CSE-TX-Sum

1851.5MHz QPSK RB 1,#RB L




Band 2 LTE_3MHz_Nss1,QPSK_1TX

CSE-TX-Sum

1880MHz QPSK_RB 15,#RB 0

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	11.362k	-75.66	-13.00	-62.66	-	-
150k	30M	10k	30k	RMS	1.06M	-60.78	-13.00	-47.78	-	-
30M	1.5G	1M	3M	RMS	1.16025G	-51.85	-13.00	-38.85	-	-
1.5G	1.844G	1M	3M	RMS	1.80448G	-50.89	-13.00	-37.89	-	-
1.844G	1.849G	30k	100k	RMS	1.8465G	-56.02	-13.00	-43.02	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.8499G	-69.23	-13.00	-56.23	-	-
1.91G	1.911G	30k	100k	RMS	1.91074G	-69.62	-13.00	-56.62	-	-
1.911G	1.916G	30k	100k	RMS	1.9135G	-55.99	-13.00	-42.99	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.76754G	-50.27	-13.00	-37.27	-	-
5G	20G	1M	3M	RMS	19.63438G	-40.80	-13.00	-27.80	-	-

Band 2 LTE_3MHz_Nss1,QPSK_1TX

CSE-TX-Sum

1880MHz QPSK_RB 1,#RB L

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	106.396k	-64.35	-13.00	-51.35	-	-
150k	30M	10k	30k	RMS	150k	-62.03	-13.00	-49.03	-	-
30M	1.5G	1M	3M	RMS	1.40923G	-51.96	-13.00	-38.96	-	-
1.5G	1.844G	1M	3M	RMS	1.79851G	-50.46	-13.00	-37.46	-	-
1.844G	1.849G	30k	100k	RMS	1.8445G	-55.51	-13.00	-42.51	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84918G	-69.60	-13.00	-56.60	-	-
1.91G	1.911G	30k	100k	RMS	1.91084G	-69.39	-13.00	-56.39	-	-
1.911G	1.916G	30k	100k	RMS	1.9135G	-54.60	-13.00	-41.60	MBW 1M	-
1.916G	5G	1M	3M	RMS	3.75753G	-48.20	-13.00	-35.20	-	-
5G	20G	1M	3M	RMS	19.64G	-41.11	-13.00	-28.11	-	-

Band 2 LTE 3MHz Nss1,QPSK 1TX
1908.5MHz QPSK RB 15,#RB 0

CSE-TX-Sum


08/09/2020



Band 2 LTE 3MHz Nss1,QPSK 1TX
1908.5MHz QPSK RB 1,#RB H

CSE-TX-Sum


08/09/2020



Band 2 LTE 5MHz Nss1,QPSK 1TX
1852.5MHz QPSK RB 25,#RB 0

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	14.992k	-74.31	-13.00	-61.31	-	-
150k	30M	10k	30k	RMS	2.799M	-63.36	-13.00	-50.36	-	-
30M	1.5G	1M	3M	RMS	1.47281G	-52.12	-13.00	-39.12	-	-
1.5G	1.84G	1M	3M	RMS	1.83966G	-42.01	-13.00	-29.01	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-24.65	-13.00	-11.65	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.85G	-28.64	-13.00	-15.64	-	-
1.91G	1.911G	50k	200k	RMS	1.91077G	-68.12	-13.00	-55.12	-	-
1.911G	1.92G	50k	200k	RMS	1.9195G	-56.30	-13.00	-43.30	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.93417G	-50.26	-13.00	-37.26	-	-
5G	20G	1M	3M	RMS	19.40188G	-41.30	-13.00	-28.30	-	-

Band 2 LTE 5MHz Nss1,QPSK 1TX
1852.5MHz QPSK RB 1,#RB L

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	63.356k	-67.01	-13.00	-54.01	-	-
150k	30M	10k	30k	RMS	150k	-66.62	-13.00	-53.62	-	-
30M	1.5G	1M	3M	RMS	1.45296G	-51.66	-13.00	-38.66	-	-
1.5G	1.84G	1M	3M	RMS	1.83639G	-50.98	-13.00	-37.98	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-31.34	-13.00	-18.34	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.85G	-16.03	-13.00	-3.03	-	-
1.91G	1.911G	50k	200k	RMS	1.91012G	-67.70	-13.00	-54.70	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-56.19	-13.00	-43.19	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.99076G	-50.28	-13.00	-37.28	-	-
5G	20G	1M	3M	RMS	19.64563G	-41.06	-13.00	-28.06	-	-

Band 2 LTE 5MHz Nss1,QPSK_1TX
1880MHz QPSK_RB 25,#RB 0

CSE-TX-Sum


08/09/2020



Band 2 LTE 5MHz Nss1,QPSK_1TX
1880MHz QPSK_RB 1,#RB L

CSE-TX-Sum


08/09/2020



Band 2_LTE_5MHz_Nss1,QPSK_1TX
1907.5MHz_QPSK_RB 25,#RB 0

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	12.419k	-76.18	-13.00	-63.18	-	-
150k	30M	10k	30k	RMS	2.799M	-62.11	-13.00	-49.11	-	-
30M	1.5G	1M	3M	RMS	895.28M	-51.60	-13.00	-38.60	-	-
1.5G	1.84G	1M	3M	RMS	1.78535G	-50.80	-13.00	-37.80	-	-
1.84G	1.849G	50k	200k	RMS	1.8415G	-56.24	-13.00	-43.24	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84979G	-67.71	-13.00	-54.71	-	-
1.91G	1.911G	50k	200k	RMS	1.91G	-29.00	-13.00	-16.00	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-28.07	-13.00	-15.07	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.78633G	-50.30	-13.00	-37.30	-	-
5G	20G	1M	3M	RMS	19.6325G	-40.94	-13.00	-27.94	-	-

Band 2_LTE_5MHz_Nss1,QPSK_1TX
1907.5MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	106.114k	-65.73	-13.00	-52.73	-	-
150k	30M	10k	30k	RMS	150k	-66.31	-13.00	-53.31	-	-
30M	1.5G	1M	3M	RMS	1.05128G	-51.88	-13.00	-38.88	-	-
1.5G	1.84G	1M	3M	RMS	1.78284G	-50.97	-13.00	-37.97	-	-
1.84G	1.849G	50k	200k	RMS	1.8455G	-56.16	-13.00	-43.16	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84995G	-67.65	-13.00	-54.65	-	-
1.91G	1.911G	50k	200k	RMS	1.91G	-16.47	-13.00	-3.47	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-31.77	-13.00	-18.77	MBW 1M	-
1.92G	5G	1M	3M	RMS	3.81921G	-49.61	-13.00	-36.61	-	-
5G	20G	1M	3M	RMS	19.6475G	-41.08	-13.00	-28.08	-	-

Band 2_LTE_10MHz_Nss1,QPSK_1TX
1855MHz_QPSK_RB 50,#RB 0

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9k	-75.07	-13.00	-62.07	-	-
150k	30M	10k	30k	RMS	3.142M	-62.83	-13.00	-49.83	-	-
30M	1.5G	1M	3M	RMS	1.44708G	-52.33	-13.00	-39.33	-	-
1.5G	1.83G	1M	3M	RMS	1.66327G	-50.88	-13.00	-37.88	-	-
1.83G	1.849G	100k	300k	RMS	1.8485G	-26.41	-13.00	-13.41	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.84999G	-30.87	-13.00	-17.87	-	-
1.91G	1.911G	100k	300k	RMS	1.91037G	-65.07	-13.00	-52.07	-	-
1.911G	1.93G	100k	300k	RMS	1.9165G	-56.25	-13.00	-43.25	MBW 1M	-
1.93G	5G	1M	3M	RMS	4.96354G	-50.37	-13.00	-37.37	-	-
5G	20G	1M	3M	RMS	19.63438G	-41.21	-13.00	-28.21	-	-

Band 2_LTE_10MHz_Nss1,QPSK_1TX
1855MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	63.743k	-65.54	-13.00	-52.54	-	-
150k	30M	10k	30k	RMS	150k	-60.00	-13.00	-47.00	-	-
30M	1.5G	1M	3M	RMS	1.06102G	-51.62	-13.00	-38.62	-	-
1.5G	1.83G	1M	3M	RMS	1.5441G	-50.72	-13.00	-37.72	-	-
1.83G	1.849G	100k	300k	RMS	1.8485G	-32.62	-13.00	-19.62	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.84998G	-15.66	-13.00	-2.66	-	-
1.91G	1.911G	100k	300k	RMS	1.91031G	-64.92	-13.00	-51.92	-	-
1.911G	1.93G	100k	300k	RMS	1.9145G	-56.29	-13.00	-43.29	MBW 1M	-
1.93G	5G	1M	3M	RMS	4.99463G	-50.30	-13.00	-37.30	-	-
5G	20G	1M	3M	RMS	19.6475G	-41.13	-13.00	-28.13	-	-

Band 2 LTE 10MHz Nss1,QPSK 1TX

CSE-TX-Sum


1880MHz QPSK_RB 50,#RB 0



Band 2 LTE 10MHz Nss1,QPSK 1TX

CSE-TX-Sum


1880MHz QPSK_RB 1,#RB L



Band 2_LTE_10MHz_Nss1,QPSK_1TX
1905MHz_QPSK_RB 50,#RB 0

CSE-TX-Sum

08/09/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.494k	-76.32	-13.00	-63.32	-	-
150k	30M	10k	30k	RMS	6.456M	-71.80	-13.00	-58.80	-	-
30M	1.5G	1M	3M	RMS	1.41713G	-51.80	-13.00	-38.80	-	-
1.5G	1.83G	1M	3M	RMS	1.81593G	-50.90	-13.00	-37.90	-	-
1.83G	1.849G	100k	300k	RMS	1.8425G	-56.11	-13.00	-43.11	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.84992G	-65.03	-13.00	-52.03	-	-
1.91G	1.911G	100k	300k	RMS	1.91002G	-30.46	-13.00	-17.46	-	-
1.911G	1.93G	100k	300k	RMS	1.9115G	-29.81	-13.00	-16.81	MBW 1M	-
1.93G	5G	1M	3M	RMS	4.99079G	-50.03	-13.00	-37.03	-	-
5G	20G	1M	3M	RMS	19.3925G	-41.20	-13.00	-28.20	-	-

Band 2_LTE_10MHz_Nss1,QPSK_1TX
1905MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	116.9k	-65.84	-13.00	-52.84	-	-
150k	30M	10k	30k	RMS	157.462k	-65.23	-13.00	-52.23	-	-
30M	1.5G	1M	3M	RMS	979.8M	-51.82	-13.00	-38.82	-	-
1.5G	1.83G	1M	3M	RMS	1.65279G	-50.79	-13.00	-37.79	-	-
1.83G	1.849G	100k	300k	RMS	1.8395G	-56.13	-13.00	-43.13	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.8496G	-65.18	-13.00	-52.18	-	-
1.91G	1.911G	100k	300k	RMS	1.91001G	-15.45	-13.00	-2.45	-	-
1.911G	1.93G	100k	300k	RMS	1.9115G	-32.64	-13.00	-19.64	MBW 1M	-
1.93G	5G	1M	3M	RMS	3.8192G	-49.29	-13.00	-36.29	-	-
5G	20G	1M	3M	RMS	19.80313G	-41.15	-13.00	-28.15	-	-

Band 2 LTE 15MHz Nss1,QPSK 1TX
1857.5MHz QPSK RB 75,#RB 0

CSE-TX-Sum


09/09/2020



Band 2 LTE 15MHz Nss1,QPSK 1TX
1857.5MHz QPSK RB 1,#RB L

CSE-TX-Sum


09/09/2020



Band 2_LTE_15MHz_Nss1,QPSK_1TX

CSE-TX-Sum


1880MHz_QPSK_RB 75,#RB 0



Band 2_LTE_15MHz_Nss1,QPSK_1TX

CSE-TX-Sum


1880MHz_QPSK_RB 1,#RB L



Band 2 LTE 15MHz Nss1,QPSK 1TX
1902.5MHz QPSK RB 75,#RB 0

CSE-TX-Sum


09/09/2020



Band 2 LTE 15MHz Nss1,QPSK 1TX
1902.5MHz QPSK RB 1,#RB H

CSE-TX-Sum

09/09/2020



Band 2 LTE 20MHz Nss1,QPSK 1TX
1860MHz QPSK_RB 100,#RB 0

CSE-TX-Sum


09/09/2020



Band 2 LTE 20MHz Nss1,QPSK 1TX
1860MHz QPSK_RB 1,#RB L

CSE-TX-Sum


09/09/2020



Band 2 LTE 20MHz Nss1,QPSK 1TX
1880MHz QPSK_RB 100,#RB 0

CSE-TX-Sum


09/09/2020



Band 2 LTE 20MHz Nss1,QPSK 1TX
1880MHz QPSK_RB 1,#RB L

CSE-TX-Sum


09/09/2020



Band 2 LTE 20MHz Nss1,QPSK 1TX
1900MHz QPSK_RB 100,#RB 0

CSE-TX-Sum

09/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	15.239k	-75.96	-13.00	-62.96	-	-
150k	30M	10k	30k	RMS	9.598M	-61.86	-13.00	-48.86	-	-
30M	1.5G	1M	3M	RMS	965.29M	-52.03	-13.00	-39.03	-	-
1.5G	1.81G	1M	3M	RMS	1.64113G	-50.59	-13.00	-37.59	-	-
1.81G	1.849G	200k	1M	RMS	1.8465G	-48.58	-13.00	-35.58	MBW 1M	-
1.849G	1.85G	200k	1M	RMS	1.8498G	-54.08	-13.00	-41.08	-	-
1.91G	1.911G	200k	1M	RMS	1.91G	-33.85	-13.00	-20.85	-	-
1.911G	1.95G	200k	1M	RMS	1.9115G	-32.93	-13.00	-19.93	MBW 1M	-
1.95G	5G	1M	3M	RMS	4.96683G	-50.28	-13.00	-37.28	-	-
5G	20G	1M	3M	RMS	19.3925G	-41.05	-13.00	-28.05	-	-

Band 2 LTE 20MHz Nss1,QPSK 1TX
1900MHz QPSK_RB 1,#RB H

CSE-TX-Sum

09/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	60.183k	-66.18	-13.00	-53.18	-	-
150k	30M	10k	30k	RMS	150k	-62.73	-13.00	-49.73	-	-
30M	1.5G	1M	3M	RMS	1.24385G	-51.71	-13.00	-38.71	-	-
1.5G	1.81G	1M	3M	RMS	1.79907G	-51.25	-13.00	-38.25	-	-
1.81G	1.849G	200k	1M	RMS	1.8465G	-55.78	-13.00	-42.78	MBW 1M	-
1.849G	1.85G	200k	1M	RMS	1.84919G	-62.36	-13.00	-49.36	-	-
1.91G	1.911G	200k	1M	RMS	1.91001G	-18.60	-13.00	-5.60	-	-
1.911G	1.95G	200k	1M	RMS	1.9115G	-27.44	-13.00	-14.44	MBW 1M	-
1.95G	5G	1M	3M	RMS	3.81774G	-49.37	-13.00	-36.37	-	-
5G	20G	1M	3M	RMS	19.66063G	-41.15	-13.00	-28.15	-	-

Band 2 LTE 1.4MHz Nss1,16QAM_1TX

CSE-TX-Sum


1850.7MHz 16QAM_RB 6,#RB 0



Band 2 LTE 1.4MHz Nss1,16QAM_1TX

CSE-TX-Sum


1850.7MHz 16QAM_RB 1,#RB L



Band 2 LTE 1.4MHz Nss1,16QAM_1TX

CSE-TX-Sum


1880MHz 16QAM_RB 6,#RB 0



Band 2 LTE 1.4MHz Nss1,16QAM_1TX

CSE-TX-Sum


1880MHz 16QAM_RB 1,#RB L



Band 2 LTE 1.4MHz Nss1,16QAM_1TX

CSE-TX-Sum


1909.3MHz 16QAM_RB 6,#RB 0



Band 2 LTE 1.4MHz Nss1,16QAM_1TX

CSE-TX-Sum


1909.3MHz 16QAM_RB 1,#RB H



Band 2 LTE 3MHz Nss1,16QAM 1TX

CSE-TX-Sum


1851.5MHz 16QAM_RB 15,#RB 0



Band 2 LTE 3MHz Nss1,16QAM 1TX

CSE-TX-Sum

1851.5MHz 16QAM_RB 1,#RB L




Band 2 LTE_3MHz_Nss1,16QAM_1TX

CSE-TX-Sum

1880MHz_16QAM_RB 15,#RB 0

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	13.054k	-73.77	-13.00	-60.77	-	-
150k	30M	10k	30k	RMS	687.3k	-64.15	-13.00	-51.15	-	-
30M	1.5G	1M	3M	RMS	1.42007G	-51.29	-13.00	-38.29	-	-
1.5G	1.844G	1M	3M	RMS	1.73715G	-51.17	-13.00	-38.17	-	-
1.844G	1.849G	30k	100k	RMS	1.8465G	-56.03	-13.00	-43.03	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84906G	-69.36	-13.00	-56.36	-	-
1.91G	1.911G	30k	100k	RMS	1.91095G	-69.53	-13.00	-56.53	-	-
1.911G	1.916G	30k	100k	RMS	1.9135G	-56.10	-13.00	-43.10	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.92444G	-50.29	-13.00	-37.29	-	-
5G	20G	1M	3M	RMS	19.64G	-41.02	-13.00	-28.02	-	-

Band 2 LTE_3MHz_Nss1,16QAM_1TX

CSE-TX-Sum

1880MHz_16QAM_RB 1,#RB L

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	75.658k	-63.84	-13.00	-50.84	-	-
150k	30M	10k	30k	RMS	150k	-66.33	-13.00	-53.33	-	-
30M	1.5G	1M	3M	RMS	1.28097G	-52.37	-13.00	-39.37	-	-
1.5G	1.844G	1M	3M	RMS	1.78277G	-51.29	-13.00	-38.29	-	-
1.844G	1.849G	30k	100k	RMS	1.8445G	-55.57	-13.00	-42.57	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84904G	-69.32	-13.00	-56.32	-	-
1.91G	1.911G	30k	100k	RMS	1.9107G	-69.60	-13.00	-56.60	-	-
1.911G	1.916G	30k	100k	RMS	1.9135G	-54.76	-13.00	-41.76	MBW 1M	-
1.916G	5G	1M	3M	RMS	3.75753G	-48.46	-13.00	-35.46	-	-
5G	20G	1M	3M	RMS	19.63813G	-41.19	-13.00	-28.19	-	-

Band 2 LTE 3MHz Nss1,16QAM 1TX

CSE-TX-Sum


1908.5MHz 16QAM_RB 15,#RB 0



Band 2 LTE 3MHz Nss1,16QAM 1TX

CSE-TX-Sum


1908.5MHz 16QAM_RB 1,#RB H



Band 2 LTE 5MHz Nss1,16QAM 1TX

CSE-TX-Sum


1852.5MHz 16QAM_RB 25,#RB 0



Band 2 LTE 5MHz Nss1,16QAM 1TX

CSE-TX-Sum

1852.5MHz 16QAM_RB 1,#RB L




Band 2 LTE 5MHz Nss1,16QAM_1TX

CSE-TX-Sum

1880MHz 16QAM_RB 25,#RB 0

08/09/2020




Band 2 LTE 5MHz Nss1,16QAM_1TX

CSE-TX-Sum

1880MHz 16QAM_RB 1,#RB L


08/09/2020



Band 2_LTE_5MHz_Nss1,16QAM_1TX

CSE-TX-Sum


1907.5MHz_16QAM_RB 25,#RB 0



Band 2_LTE_5MHz_Nss1,16QAM_1TX

CSE-TX-Sum


1907.5MHz_16QAM_RB 1,#RB H



Band 2_LTE_10MHz_Nss1,16QAM_1TX
1855MHz_16QAM_RB 50,#RB 0

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	10.798k	-76.54	-13.00	-63.54	-	-
150k	30M	10k	30k	RMS	4.725M	-62.37	-13.00	-49.37	-	-
30M	1.5G	1M	3M	RMS	1.48071G	-52.25	-13.00	-39.25	-	-
1.5G	1.83G	1M	3M	RMS	1.78091G	-50.62	-13.00	-37.62	-	-
1.83G	1.849G	100k	300k	RMS	1.8485G	-26.06	-13.00	-13.06	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.84997G	-31.05	-13.00	-18.05	-	-
1.91G	1.911G	100k	300k	RMS	1.91002G	-65.08	-13.00	-52.08	-	-
1.911G	1.93G	100k	300k	RMS	1.9155G	-56.32	-13.00	-43.32	MBW 1M	-
1.93G	5G	1M	3M	RMS	4.94129G	-50.42	-13.00	-37.42	-	-
5G	20G	1M	3M	RMS	19.6325G	-41.35	-13.00	-28.35	-	-

Band 2_LTE_10MHz_Nss1,16QAM_1TX
1855MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	61.875k	-66.08	-13.00	-53.08	-	-
150k	30M	10k	30k	RMS	150k	-62.97	-13.00	-49.97	-	-
30M	1.5G	1M	3M	RMS	1.07701G	-52.53	-13.00	-39.53	-	-
1.5G	1.83G	1M	3M	RMS	1.66174G	-50.08	-13.00	-37.08	-	-
1.83G	1.849G	100k	300k	RMS	1.8485G	-31.13	-13.00	-18.13	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.84998G	-15.75	-13.00	-2.75	-	-
1.91G	1.911G	100k	300k	RMS	1.91082G	-65.23	-13.00	-52.23	-	-
1.911G	1.93G	100k	300k	RMS	1.9125G	-56.27	-13.00	-43.27	MBW 1M	-
1.93G	5G	1M	3M	RMS	4.94896G	-50.39	-13.00	-37.39	-	-
5G	20G	1M	3M	RMS	19.6325G	-41.39	-13.00	-28.39	-	-

Band 2 LTE_10MHz_Nss1,16QAM_1TX

CSE-TX-Sum


1880MHz_16QAM_RB 50,#RB 0



Band 2 LTE_10MHz_Nss1,16QAM_1TX

CSE-TX-Sum

1880MHz_16QAM_RB 1,#RB L




Band 2 LTE 10MHz Nss1,16QAM_1TX

1905MHz 16QAM_RB 50,#RB 0

CSE-TX-Sum

08/09/2020




Band 2 LTE 10MHz Nss1,16QAM_1TX

1905MHz 16QAM_RB 1,#RB H

CSE-TX-Sum


08/09/2020



Band 2 LTE_15MHz_Nss1,16QAM_1TX

CSE-TX-Sum


1857.5MHz_16QAM_RB 75,#RB 0



Band 2 LTE_15MHz_Nss1,16QAM_1TX

CSE-TX-Sum


1857.5MHz_16QAM_RB 1,#RB L



Band 2 LTE_15MHz_Nss1,16QAM_1TX

CSE-TX-Sum


1880MHz_16QAM_RB 75,#RB 0



Band 2 LTE_15MHz_Nss1,16QAM_1TX

CSE-TX-Sum

1880MHz_16QAM_RB 1,#RB L




Band 2 LTE 15MHz Nss1,16QAM 1TX

1902.5MHz 16QAM_RB 75,#RB 0

CSE-TX-Sum

09/09/2020



Band 2 LTE 15MHz Nss1,16QAM 1TX

1902.5MHz 16QAM_RB 1,#RB H

CSE-TX-Sum

09/09/2020




Band 2 LTE_20MHz_Nss1,16QAM_1TX

1860MHz_16QAM_RB 100,#RB 0

CSE-TX-Sum

09/09/2020




Band 2 LTE_20MHz_Nss1,16QAM_1TX

1860MHz_16QAM_RB 1,#RB L

CSE-TX-Sum


09/09/2020



Band 2 LTE 20MHz Nss1,16QAM 1TX

CSE-TX-Sum


1880MHz 16QAM_RB 100,#RB 0



Band 2 LTE 20MHz Nss1,16QAM 1TX

CSE-TX-Sum

1880MHz 16QAM_RB 1,#RB L




Band 2 LTE 20MHz Nss1,16QAM 1TX

1900MHz 16QAM_RB 100,#RB 0

CSE-TX-Sum

09/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.106k	-76.16	-13.00	-63.16	-	-
150k	30M	10k	30k	RMS	9.598M	-63.25	-13.00	-50.25	-	-
30M	1.5G	1M	3M	RMS	1.32342G	-51.48	-13.00	-38.48	-	-
1.5G	1.81G	1M	3M	RMS	1.67678G	-50.71	-13.00	-37.71	-	-
1.81G	1.849G	200k	1M	RMS	1.8485G	-49.96	-13.00	-36.96	MBW 1M	-
1.849G	1.85G	200k	1M	RMS	1.8498G	-54.71	-13.00	-41.71	-	-
1.91G	1.911G	200k	1M	RMS	1.91001G	-34.04	-13.00	-21.04	-	-
1.911G	1.95G	200k	1M	RMS	1.9115G	-33.88	-13.00	-20.88	MBW 1M	-
1.95G	5G	1M	3M	RMS	4.78917G	-50.33	-13.00	-37.33	-	-
5G	20G	1M	3M	RMS	19.6325G	-41.09	-13.00	-28.09	-	-

Band 2 LTE 20MHz Nss1,16QAM 1TX

1900MHz 16QAM_RB 1,#RB H

CSE-TX-Sum

09/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	55.671k	-64.64	-13.00	-51.64	-	-
150k	30M	10k	30k	RMS	150k	-67.28	-13.00	-54.28	-	-
30M	1.5G	1M	3M	RMS	1.16447G	-51.84	-13.00	-38.84	-	-
1.5G	1.81G	1M	3M	RMS	1.80179G	-50.36	-13.00	-37.36	-	-
1.81G	1.849G	200k	1M	RMS	1.8465G	-55.84	-13.00	-42.84	MBW 1M	-
1.849G	1.85G	200k	1M	RMS	1.84949G	-62.36	-13.00	-49.36	-	-
1.91G	1.911G	200k	1M	RMS	1.91002G	-17.79	-13.00	-4.79	-	-
1.911G	1.95G	200k	1M	RMS	1.9115G	-27.45	-13.00	-14.45	MBW 1M	-
1.95G	5G	1M	3M	RMS	3.81813G	-49.21	-13.00	-36.21	-	-
5G	20G	1M	3M	RMS	19.64G	-40.95	-13.00	-27.95	-	-

Band 2 LTE 1.4MHz Nss1,64QAM_1TX

CSE-TX-Sum

1850.7MHz_64QAM_RB 6,#RB 0

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	112.529k	-74.39	-13.00	-61.39	-	-
150k	30M	10k	30k	RMS	866.4k	-64.62	-13.00	-51.62	-	-
30M	1.5G	1M	3M	RMS	1.18505G	-51.42	-13.00	-38.42	-	-
1.5G	1.8472G	1M	3M	RMS	1.84698G	-37.22	-13.00	-24.22	-	-
1.8472G	1.849G	20k	50k	RMS	1.8485G	-30.68	-13.00	-17.68	MBW 1M	-
1.849G	1.85G	20k	50k	RMS	1.84999G	-28.13	-13.00	-15.13	-	-
1.91G	1.911G	20k	50k	RMS	1.91071G	-71.15	-13.00	-58.15	-	-
1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.35	-13.00	-43.35	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.99614G	-50.27	-13.00	-37.27	-	-
5G	20G	1M	3M	RMS	19.37938G	-41.14	-13.00	-28.14	-	-

Band 2 LTE 1.4MHz Nss1,64QAM_1TX

CSE-TX-Sum

1850.7MHz_64QAM_RB 1,#RB L

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	21.866k	-65.02	-13.00	-52.02	-	-
150k	30M	10k	30k	RMS	150k	-62.39	-13.00	-49.39	-	-
30M	1.5G	1M	3M	RMS	1.06102G	-52.12	-13.00	-39.12	-	-
1.5G	1.8472G	1M	3M	RMS	1.84711G	-40.76	-13.00	-27.76	-	-
1.8472G	1.849G	20k	50k	RMS	1.8485G	-35.28	-13.00	-22.28	MBW 1M	-
1.849G	1.85G	20k	50k	RMS	1.85G	-21.93	-13.00	-8.93	-	-
1.91G	1.911G	20k	50k	RMS	1.91012G	-71.13	-13.00	-58.13	-	-
1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.24	-13.00	-43.24	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.96373G	-50.20	-13.00	-37.20	-	-
5G	20G	1M	3M	RMS	19.6325G	-41.28	-13.00	-28.28	-	-

Band 2 LTE 1.4MHz Nss1,64QAM_1TX

CSE-TX-Sum


1880MHz 64QAM_RB 6,#RB 0



Band 2 LTE 1.4MHz Nss1,64QAM_1TX

CSE-TX-Sum


1880MHz 64QAM_RB 1,#RB L



Band 2 LTE 1.4MHz Nss1,64QAM_1TX

CSE-TX-Sum


1909.3MHz_64QAM_RB 6,#RB 0



Band 2 LTE 1.4MHz Nss1,64QAM_1TX

CSE-TX-Sum


1909.3MHz_64QAM_RB 1,#RB H



Band 2 LTE 3MHz Nss1,64QAM 1TX

CSE-TX-Sum


1851.5MHz 64QAM_RB 15,#RB 0



Band 2 LTE 3MHz Nss1,64QAM 1TX

CSE-TX-Sum

1851.5MHz 64QAM_RB 1,#RB L




Band 2 LTE_3MHz_Nss1,64QAM_1TX

CSE-TX-Sum

1880MHz_64QAM_RB 15,#RB 0

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	13.618k	-74.21	-13.00	-61.21	-	-
150k	30M	10k	30k	RMS	1.568M	-63.37	-13.00	-50.37	-	-
30M	1.5G	1M	3M	RMS	1.49155G	-51.90	-13.00	-38.90	-	-
1.5G	1.844G	1M	3M	RMS	1.80904G	-51.17	-13.00	-38.17	-	-
1.844G	1.849G	30k	100k	RMS	1.8465G	-56.08	-13.00	-43.08	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.8495G	-69.36	-13.00	-56.36	-	-
1.91G	1.911G	30k	100k	RMS	1.91078G	-69.71	-13.00	-56.71	-	-
1.911G	1.916G	30k	100k	RMS	1.9135G	-56.01	-13.00	-43.01	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.96839G	-50.12	-13.00	-37.12	-	-
5G	20G	1M	3M	RMS	19.65125G	-41.30	-13.00	-28.30	-	-

Band 2 LTE_3MHz_Nss1,64QAM_1TX

CSE-TX-Sum

1880MHz_64QAM_RB 1,#RB L

08/09/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	112.106k	-66.01	-13.00	-53.01	-	-
150k	30M	10k	30k	RMS	150k	-67.49	-13.00	-54.49	-	-
30M	1.5G	1M	3M	RMS	786.5M	-52.20	-13.00	-39.20	-	-
1.5G	1.844G	1M	3M	RMS	1.84357G	-50.24	-13.00	-37.24	-	-
1.844G	1.849G	30k	100k	RMS	1.8445G	-55.62	-13.00	-42.62	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84977G	-69.35	-13.00	-56.35	-	-
1.91G	1.911G	30k	100k	RMS	1.91003G	-69.69	-13.00	-56.69	-	-
1.911G	1.916G	30k	100k	RMS	1.9135G	-54.83	-13.00	-41.83	MBW 1M	-
1.916G	5G	1M	3M	RMS	3.75753G	-48.76	-13.00	-35.76	-	-
5G	20G	1M	3M	RMS	19.63063G	-41.30	-13.00	-28.30	-	-

Band 2 LTE 3MHz Nss1,64QAM 1TX

CSE-TX-Sum


1908.5MHz 64QAM_RB 15,#RB 0



Band 2 LTE 3MHz Nss1,64QAM 1TX

CSE-TX-Sum


1908.5MHz 64QAM_RB 1,#RB H



Band 2 LTE 5MHz Nss1,64QAM 1TX

CSE-TX-Sum

1852.5MHz_64QAM_RB 25,#RB 0



Band 2 LTE 5MHz Nss1,64QAM 1TX

CSE-TX-Sum

1852.5MHz_64QAM_RB 1,#RB L

