


## **Annex A.6 Band Edge**

## 1. LTE\_Band2


### 1.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -35.55      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -25.05      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1850            | -25.27      | -13         | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1850.255        | 20          | 30          | Pass    | 401         |




### 1.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -35.32      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -26.81      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1850            | -30.39      | -13         | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1851.115        | 11.55       | 30          | Pass    | 401         |




### 1.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -36.73      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -26.57      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1850            | -26.7       | -13         | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1850.255        | 18.84       | 30          | Pass    | 401         |




### 1.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -36.72      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -28.58      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1850            | -31.68      | -13         | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1851.105        | 10.67       | 30          | Pass    | 401         |



# 1.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1908                  | 1910                 | 0.1       | RMS      | 1909.75         | 19.86       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.02      | RMS      | 1910            | -23.23      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -25.64      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -35.57      | -13         | Pass    | 401         |




### 1.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1908                  | 1910                 | 0.1       | RMS      | 1908.91         | 11.48       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.02      | RMS      | 1910            | -27.89      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -27.86      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -36.8       | -13         | Pass    | 401         |




**1.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1908                  | 1910                 | 0.1       | RMS      | 1909.755        | 19.26       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.02      | RMS      | 1910            | -23.87      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -26.37      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912.02         | -36.2       | -13         | Pass    | 401         |




**1.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:19193,  
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1908                  | 1910                 | 0.1       | RMS      | 1908.975        | 10.76       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.02      | RMS      | 1910            | -29.45      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -29.22      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -37.67      | -13         | Pass    | 401         |




# 1.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.76         | -32.5       | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1848            | -32.27      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1850            | -23.69      | -13         | Pass    | 35          |
| 1850                  | 1853                 | 0.1       | RMS      | 1850.233        | 19.5        | 30          | Pass    | 401         |




### 1.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -30.04      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -27.59      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1850            | -29.45      | -13         | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1852.685        | 7.74        | 30          | Pass    | 401         |




### 1.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.8          | -33.53      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1848            | -33.28      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.002     | RMS      | 1850            | -35.68      | -13         | Pass    | 501         |
| 1850                  | 1853                 | 0.1       | RMS      | 1850.248        | 18.14       | 30          | Pass    | 401         |




### 1.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -31.76      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -29.76      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1850            | -31.67      | -13         | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1852.43         | 6.48        | 30          | Pass    | 401         |



### 1.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1907                  | 1910                 | 0.1       | RMS      | 1909.753        | 19.56       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.03      | RMS      | 1910            | -23.46      | -13         | Pass    | 35          |
| 1911                  | 1912                 | 1         | RMS      | 1912            | -32.47      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912.14         | -32.76      | -13         | Pass    | 401         |




### 1.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1907                  | 1910                 | 0.1       | RMS      | 1908.065        | 7.28        | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.03      | RMS      | 1910            | -28.82      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -24.48      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -29.68      | -13         | Pass    | 401         |



# 1.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1907                  | 1910                 | 0.1       | RMS      | 1909.745        | 18.99       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.03      | RMS      | 1910            | -23.94      | -13         | Pass    | 35          |
| 1911                  | 1912                 | 1         | RMS      | 1912            | -33.37      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912.22         | -33.61      | -13         | Pass    | 401         |




### 1.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1907                  | 1910                 | 0.1       | RMS      | 1907.473        | 6.31        | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.03      | RMS      | 1910.003        | -29.51      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -25.81      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -31.1       | -13         | Pass    | 401         |




## 1.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1846            | -36.71      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -35.61      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1849.998        | -23.98      | -13         | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1850.338        | 19.12       | 30          | Pass    | 401         |




### 1.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -33.08      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -31.23      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1850            | -31.02      | -13         | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1853.338        | 5.13        | 30          | Pass    | 401         |




# 1.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -38.31      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -37.06      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1850            | -25.22      | -13         | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1850.338        | 17.73       | 30          | Pass    | 401         |




### 1.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -33.17      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -31.14      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1850            | -32.24      | -13         | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1854.275        | 4.3         | 30          | Pass    | 401         |




### 1.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1905                  | 1910                 | 0.1       | RMS      | 1909.663        | 19.45       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.051     | RMS      | 1910            | -22.61      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -34.29      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -35.95      | -13         | Pass    | 401         |




### 1.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1905                  | 1910                 | 0.1       | RMS      | 1906.863        | 5.04        | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.051     | RMS      | 1910            | -29.92      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -26.18      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -28.22      | -13         | Pass    | 401         |




### 1.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1905                  | 1910                 | 0.1       | RMS      | 1909.65         | 18.61       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.051     | RMS      | 1910            | -22.65      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -34.82      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -36.64      | -13         | Pass    | 401         |




### 1.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1905                  | 1910                 | 0.1       | RMS      | 1905.65         | 4.07        | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.051     | RMS      | 1910            | -31         | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -28.55      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -30.13      | -13         | Pass    | 401         |




**1.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -37.65      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -35.44      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1850            | -34.24      | -13         | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1850.6          | 19.37       | 30          | Pass    | 401         |




**1.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -35.18      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -34.33      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1850            | -34.75      | -13         | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1854.275        | 2.36        | 30          | Pass    | 401         |




**1.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -38.7       | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -36.62      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1849.998        | -35         | -13         | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1850.6          | 17.89       | 30          | Pass    | 401         |




**1.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -35.17      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -34.17      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1849.998        | -36.63      | -13         | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1856.625        | 1.46        | 30          | Pass    | 401         |



**1.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1900                  | 1910                 | 0.1       | RMS      | 1909.4          | 19.44       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.1       | RMS      | 1910            | -32.25      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -34.3       | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912.02         | -36.89      | -13         | Pass    | 401         |




**1.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1900                  | 1910                 | 0.1       | RMS      | 1905.325        | 2.22        | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.1       | RMS      | 1910            | -33.81      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -29.5       | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -30.9       | -13         | Pass    | 401         |




**1.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1900                  | 1910                 | 0.1       | RMS      | 1909.4          | 18.58       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.1       | RMS      | 1910            | -32.8       | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -35.15      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -37.56      | -13         | Pass    | 401         |




**1.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1900                  | 1910                 | 0.1       | RMS      | 1905.65         | 1.16        | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.1       | RMS      | 1910.003        | -35.43      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -31.44      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -32.45      | -13         | Pass    | 401         |




**1.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -37.99      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -35.17      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1850            | -30.03      | -13         | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1850.825        | 19.2        | 30          | Pass    | 401         |




**1.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.24         | -36.24      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -34.95      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1849.998        | -37.09      | -13         | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1856.413        | 0.58        | 30          | Pass    | 401         |




**1.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -39.03      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -36.16      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1849.998        | -30.78      | -13         | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1850.863        | 18.11       | 30          | Pass    | 401         |




**1.41. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.44         | -35.6       | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -34.76      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1849.998        | -38.97      | -13         | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1858.738        | -0.28       | 30          | Pass    | 401         |



**1.42. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1895                  | 1910                 | 0.1       | RMS      | 1909.138        | 19.25       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.15      | RMS      | 1910            | -29.23      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -35.61      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -37.89      | -13         | Pass    | 401         |




**1.43. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1895                  | 1910                 | 0.1       | RMS      | 1901.788        | 0.38        | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.15      | RMS      | 1910.005        | -34.18      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1912            | -31.47      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912.08         | -31.58      | -13         | Pass    | 401         |



**1.44. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1895                  | 1910                 | 0.1       | RMS      | 1909.175        | 18.52       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.15      | RMS      | 1910.003        | -29.77      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -36.2       | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -38.59      | -13         | Pass    | 401         |




**1.45. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1895                  | 1910                 | 0.1       | RMS      | 1903.663        | -0.46       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.15      | RMS      | 1910            | -36.39      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1912            | -33.26      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -33.34      | -13         | Pass    | 401         |




**1.46. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -39.36      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -36.53      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1849.995        | -33.79      | -13         | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1851.1          | 18.96       | 30          | Pass    | 401         |




**1.47. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.94         | -38.69      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -38.13      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1849.998        | -39.75      | -13         | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1858.95         | -0.47       | 30          | Pass    | 401         |




**1.48. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -39.84      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -36.91      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1850            | -33.4       | -13         | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1851.1          | 18.43       | 30          | Pass    | 401         |




**1.49. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -37.18      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -36.55      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1849.995        | -40.09      | -13         | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1859.25         | -1.45       | 30          | Pass    | 401         |




**1.50. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890                  | 1910                 | 0.1       | RMS      | 1908.9          | 19.33       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.2       | RMS      | 1910            | -32.27      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -36.04      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -38.92      | -13         | Pass    | 401         |




**1.51. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890                  | 1910                 | 0.1       | RMS      | 1903.05         | -0.91       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.2       | RMS      | 1910            | -35.83      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -32.85      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -34.45      | -13         | Pass    | 401         |




**1.52. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890                  | 1910                 | 0.1       | RMS      | 1908.9          | 17.92       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.2       | RMS      | 1910            | -33.17      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -37.31      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912            | -40.18      | -13         | Pass    | 401         |



**1.53. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890                  | 1910                 | 0.1       | RMS      | 1902.9          | -1.89       | 30          | Pass    | 401         |
| 1910                  | 1911                 | 0.2       | RMS      | 1910            | -38.13      | -13         | Pass    | 401         |
| 1911                  | 1912                 | 1         | RMS      | 1911            | -34.68      | -13         | Pass    | 2           |
| 1912                  | 1920                 | 1         | RMS      | 1912.02         | -35.9       | -13         | Pass    | 401         |



## 2. LTE\_Band4


### 2.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1707.98         | -36.9       | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -32.03      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.02      | RMS      | 1710            | -23.53      | -13         | Pass    | 401         |
| 1710                  | 1712                 | 0.1       | RMS      | 1710.25         | 19.88       | 30          | Pass    | 401         |




## 2.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -35.84      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -25.73      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.02      | RMS      | 1710            | -29.45      | -13         | Pass    | 401         |
| 1710                  | 1712                 | 0.1       | RMS      | 1710.275        | 11.15       | 30          | Pass    | 401         |




### 2.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -37.87      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -33.16      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.02      | RMS      | 1710            | -24.64      | -13         | Pass    | 401         |
| 1710                  | 1712                 | 0.1       | RMS      | 1710.245        | 18.66       | 30          | Pass    | 401         |



## 2.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -37.34      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -27.75      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.02      | RMS      | 1710            | -30.32      | -13         | Pass    | 401         |
| 1710                  | 1712                 | 0.1       | RMS      | 1711.12         | 10.17       | 30          | Pass    | 401         |




## 2.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1753                  | 1755                 | 0.1       | RMS      | 1754.75         | 19.55       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.02      | RMS      | 1755            | -22.79      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -29.37      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -37.87      | -13         | Pass    | 401         |




## 2.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1753                  | 1755                 | 0.1       | RMS      | 1753.955        | 11.25       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.02      | RMS      | 1755            | -27.01      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -25.16      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -35.98      | -13         | Pass    | 401         |




## 2.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1753                  | 1755                 | 0.1       | RMS      | 1754.76         | 18.81       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.02      | RMS      | 1755            | -24.15      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -30.17      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -38.59      | -13         | Pass    | 401         |




## 2.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1753                  | 1755                 | 0.1       | RMS      | 1753.965        | 10.55       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.02      | RMS      | 1755            | -28.3       | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -26.13      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -36.85      | -13         | Pass    | 401         |




## 2.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -37.63      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -36.18      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.03      | RMS      | 1710            | -23.23      | -13         | Pass    | 35          |
| 1710                  | 1713                 | 0.1       | RMS      | 1710.24         | 19.69       | 30          | Pass    | 401         |




## 2.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1707.98         | -28.28      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1708            | -27.96      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.03      | RMS      | 1710            | -27.8       | -13         | Pass    | 401         |
| 1710                  | 1713                 | 0.1       | RMS      | 1711.425        | 7.3         | 30          | Pass    | 401         |




## 2.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1707.98         | -38.62      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -37.28      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.03      | RMS      | 1710            | -22.37      | -13         | Pass    | 401         |
| 1710                  | 1713                 | 0.1       | RMS      | 1710.255        | 18.36       | 30          | Pass    | 401         |




## 2.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -29.46      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -27.66      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.03      | RMS      | 1710            | -29.58      | -13         | Pass    | 401         |
| 1710                  | 1713                 | 0.1       | RMS      | 1712.43         | 6.32        | 30          | Pass    | 401         |



## 2.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1752                  | 1755                 | 0.1       | RMS      | 1754.76         | 19.89       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.03      | RMS      | 1755            | -19.57      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -35.36      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757.04         | -36.39      | -13         | Pass    | 401         |




## 2.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1752                  | 1755                 | 0.1       | RMS      | 1753.088        | 7.45        | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.03      | RMS      | 1755            | -27.99      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -22.01      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -26.74      | -13         | Pass    | 401         |



## 2.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1752                  | 1755                 | 0.1       | RMS      | 1754.76         | 19.15       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.03      | RMS      | 1755            | -20.3       | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -35.92      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -36.92      | -13         | Pass    | 401         |




## 2.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1752                  | 1755                 | 0.1       | RMS      | 1752.48         | 6.61        | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.03      | RMS      | 1755            | -28.5       | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -23.51      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -28.08      | -13         | Pass    | 401         |




## 2.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -37.89      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -35.85      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.051     | RMS      | 1710            | -21.91      | -13         | Pass    | 401         |
| 1710                  | 1715                 | 0.1       | RMS      | 1710.325        | 19.38       | 30          | Pass    | 401         |




## 2.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1706.38         | -30.82      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -30.96      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.051     | RMS      | 1710            | -29.69      | -13         | Pass    | 401         |
| 1710                  | 1715                 | 0.1       | RMS      | 1711.688        | 5.05        | 30          | Pass    | 401         |




## 2.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -38.91      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -37.09      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.051     | RMS      | 1710            | -23.08      | -13         | Pass    | 401         |
| 1710                  | 1715                 | 0.1       | RMS      | 1710.35         | 18.13       | 30          | Pass    | 401         |




## 2.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -30.02      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -29.01      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.051     | RMS      | 1710            | -30.52      | -13         | Pass    | 401         |
| 1710                  | 1715                 | 0.1       | RMS      | 1712.838        | 4.19        | 30          | Pass    | 401         |




## 2.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1750                  | 1755                 | 0.1       | RMS      | 1754.663        | 19.73       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.051     | RMS      | 1755            | -21.89      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -35.61      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -37.58      | -13         | Pass    | 401         |




## 2.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1750                  | 1755                 | 0.1       | RMS      | 1751.875        | 5.26        | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.051     | RMS      | 1755            | -28.78      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -23.43      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757.02         | -25.96      | -13         | Pass    | 401         |



## 2.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1750                  | 1755                 | 0.1       | RMS      | 1754.663        | 18.84       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.051     | RMS      | 1755            | -21.83      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -36.45      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -38.46      | -13         | Pass    | 401         |




## 2.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1750                  | 1755                 | 0.1       | RMS      | 1750.613        | 4.34        | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.051     | RMS      | 1755.003        | -30.39      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -26.91      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -29.07      | -13         | Pass    | 401         |




**2.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -38.97      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -36.69      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.1       | RMS      | 1710            | -32.93      | -13         | Pass    | 401         |
| 1710                  | 1720                 | 0.1       | RMS      | 1710.6          | 19.58       | 30          | Pass    | 401         |




**2.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1702.52         | -33.8       | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -33.68      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.1       | RMS      | 1709.998        | -33.51      | -13         | Pass    | 401         |
| 1710                  | 1720                 | 0.1       | RMS      | 1714.25         | 2.34        | 30          | Pass    | 401         |




## 2.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -39.91      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -37.84      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.1       | RMS      | 1710            | -33.57      | -13         | Pass    | 401         |
| 1710                  | 1720                 | 0.1       | RMS      | 1710.6          | 18.33       | 30          | Pass    | 401         |




**2.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -32.23      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -31.36      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.1       | RMS      | 1710            | -34.87      | -13         | Pass    | 401         |
| 1710                  | 1720                 | 0.1       | RMS      | 1715            | 1.29        | 30          | Pass    | 401         |




**2.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1745                  | 1755                 | 0.1       | RMS      | 1754.4          | 19.83       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.1       | RMS      | 1755            | -31.53      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -36.54      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -38.88      | -13         | Pass    | 401         |




**2.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1745                  | 1755                 | 0.1       | RMS      | 1748.875        | 2.61        | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.1       | RMS      | 1755            | -32.43      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -27.1       | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -27.9       | -13         | Pass    | 401         |




### 2.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1745                  | 1755                 | 0.1       | RMS      | 1754.4          | 18.88       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.1       | RMS      | 1755            | -32.6       | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -37.29      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -39.32      | -13         | Pass    | 401         |




**2.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1745                  | 1755                 | 0.1       | RMS      | 1748.225        | 1.5         | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.1       | RMS      | 1755.003        | -34.03      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -29.38      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -30.97      | -13         | Pass    | 401         |




**2.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -39.46      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -36.83      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.15      | RMS      | 1710            | -28.93      | -13         | Pass    | 401         |
| 1710                  | 1725                 | 0.1       | RMS      | 1710.825        | 19.62       | 30          | Pass    | 401         |




**2.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1707.88         | -33.66      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1708            | -33.5       | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.15      | RMS      | 1710            | -35.27      | -13         | Pass    | 401         |
| 1710                  | 1725                 | 0.1       | RMS      | 1714.575        | 0.63        | 30          | Pass    | 401         |




**2.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:20025,  
Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -40.44      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -38.06      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.15      | RMS      | 1710            | -30.07      | -13         | Pass    | 401         |
| 1710                  | 1725                 | 0.1       | RMS      | 1710.825        | 18.19       | 30          | Pass    | 401         |




**2.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1707.96         | -31.58      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1708            | -31.5       | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.15      | RMS      | 1709.998        | -36.79      | -13         | Pass    | 401         |
| 1710                  | 1725                 | 0.1       | RMS      | 1716.488        | -0.48       | 30          | Pass    | 401         |




### 2.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1740                  | 1755                 | 0.1       | RMS      | 1754.175        | 19.51       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.15      | RMS      | 1755            | -28.88      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -38.13      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757.02         | -40.4       | -13         | Pass    | 401         |




**2.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1740                  | 1755                 | 0.1       | RMS      | 1746.225        | 0.87        | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.15      | RMS      | 1755.003        | -32.36      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -28.84      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757.16         | -28.81      | -13         | Pass    | 401         |




### 2.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1740                  | 1755                 | 0.1       | RMS      | 1754.175        | 18.98       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.15      | RMS      | 1755            | -28.99      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -38.55      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -40.89      | -13         | Pass    | 401         |




**2.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1740                  | 1755                 | 0.1       | RMS      | 1746.15         | -0.16       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.15      | RMS      | 1755            | -35.43      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1757            | -30.97      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -31.08      | -13         | Pass    | 401         |




**2.41. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -40.3       | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -37.8       | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.2       | RMS      | 1710            | -33.15      | -13         | Pass    | 401         |
| 1710                  | 1730                 | 0.1       | RMS      | 1711.1          | 19.51       | 30          | Pass    | 401         |




**2.42. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -34.79      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -34.17      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.2       | RMS      | 1710            | -36.86      | -13         | Pass    | 401         |
| 1710                  | 1730                 | 0.1       | RMS      | 1716.65         | -0.8        | 30          | Pass    | 401         |




**2.43. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -41.06      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -38.46      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.2       | RMS      | 1710            | -32.82      | -13         | Pass    | 401         |
| 1710                  | 1730                 | 0.1       | RMS      | 1711.1          | 18.52       | 30          | Pass    | 401         |




**2.44. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1700                  | 1708                 | 1         | RMS      | 1708            | -32.85      | -13         | Pass    | 401         |
| 1708                  | 1709                 | 1         | RMS      | 1709            | -32.26      | -13         | Pass    | 2           |
| 1709                  | 1710                 | 0.2       | RMS      | 1709.995        | -36.8       | -13         | Pass    | 401         |
| 1710                  | 1730                 | 0.1       | RMS      | 1716.65         | -1.89       | 30          | Pass    | 401         |




**2.45. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1735                  | 1755                 | 0.1       | RMS      | 1753.9          | 19.39       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.2       | RMS      | 1755            | -32.3       | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -37.82      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757.02         | -40.68      | -13         | Pass    | 401         |




**2.46. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1735                  | 1755                 | 0.1       | RMS      | 1743.95         | -0.42       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.2       | RMS      | 1755.003        | -35.83      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -32.85      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -33.19      | -13         | Pass    | 401         |




**2.47. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1735                  | 1755                 | 0.1       | RMS      | 1753.9          | 18.29       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.2       | RMS      | 1755            | -33.03      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -38.97      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757            | -41.77      | -13         | Pass    | 401         |



**2.48. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1735                  | 1755                 | 0.1       | RMS      | 1742.7          | -1.46       | 30          | Pass    | 401         |
| 1755                  | 1756                 | 0.2       | RMS      | 1755            | -37.86      | -13         | Pass    | 401         |
| 1756                  | 1757                 | 1         | RMS      | 1756            | -34.31      | -13         | Pass    | 2           |
| 1757                  | 1765                 | 1         | RMS      | 1757.34         | -34.81      | -13         | Pass    | 401         |



### 3. LTE\_Band5


#### 3.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.5           | -46.25      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 824             | -25.39      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.25          | 20.58       | 30          | Pass    | 401         |




### 3.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.74          | -40.44      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 824             | -30.94      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.275         | 11.91       | 30          | Pass    | 401         |




### 3.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.46          | -47.51      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 824             | -26.35      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.25          | 19.44       | 30          | Pass    | 401         |




### 3.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.98          | -39.64      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 824             | -31.85      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 825.105         | 11.02       | 30          | Pass    | 401         |




### 3.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.75          | 20.48       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849             | -25.82      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.55          | -47.31      | -13         | Pass    | 401         |




### 3.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 847.905         | 12.07       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849             | -30.6       | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.75          | -44.13      | -13         | Pass    | 401         |




### 3.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.75          | 19.54       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849             | -26.34      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.475         | -47.84      | -13         | Pass    | 401         |




### 3.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 847.95          | 11.39       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.003         | -32.06      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.125         | -43.05      | -13         | Pass    | 401         |




### 3.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -47.89      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -23.38      | -13         | Pass    | 35          |
| 824                   | 827                  | 0.1       | RMS      | 824.248         | 20.31       | 30          | Pass    | 401         |




### 3.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -38.88      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -28.31      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 825.44          | 8.01        | 30          | Pass    | 401         |




### 3.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.98          | -49.25      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -24         | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 824.255         | 19.04       | 30          | Pass    | 401         |




### 3.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -38.5       | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -30.43      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 825.163         | 7.04        | 30          | Pass    | 401         |




### 3.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.76          | 20.83       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -22.37      | -13         | Pass    | 35          |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -46.51      | -13         | Pass    | 401         |




### 3.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 846.285         | 8.33        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -30.42      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -36.62      | -13         | Pass    | 401         |



### 3.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.76          | 19.91       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -23.28      | -13         | Pass    | 35          |
| 850                   | 860                  | 0.1       | RMS      | 850             | -46.83      | -13         | Pass    | 401         |




### 3.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 846.473         | 7.6         | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849.003         | -30.51      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -37.08      | -13         | Pass    | 401         |




### 3.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -48.5       | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 823.998         | -23.15      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 824.338         | 20.02       | 30          | Pass    | 401         |




### 3.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -41.21      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -30.08      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 825.663         | 5.84        | 30          | Pass    | 401         |




### 3.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -49.39      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -23.43      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 824.338         | 19.43       | 30          | Pass    | 401         |




### 3.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.86          | -40.75      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -30.8       | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 825.7           | 5.04        | 30          | Pass    | 401         |




### 3.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 848.663         | 20.31       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -23.23      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -48.23      | -13         | Pass    | 401         |




### 3.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 845.688         | 6.21        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -30.39      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -38.16      | -13         | Pass    | 401         |




### 3.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 848.663         | 19.74       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -23.1       | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -48.82      | -13         | Pass    | 401         |




### 3.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 846.138         | 5.04        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -31.84      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -40.3       | -13         | Pass    | 401         |




### 3.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.98          | -48.56      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 823.998         | -32.8       | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 824.575         | 20.19       | 30          | Pass    | 401         |




### 3.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 817.68          | -44.48      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 823.995         | -33.74      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 832             | 2.95        | 30          | Pass    | 401         |




### 3.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -49.39      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 824             | -33.47      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 824.6           | 19.04       | 30          | Pass    | 401         |




### 3.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.76          | -43.08      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 823.998         | -35.36      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 832.4           | 2.11        | 30          | Pass    | 401         |




### 3.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 848.4           | 20.37       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849             | -32.96      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -48.97      | -13         | Pass    | 401         |




### 3.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 844.35          | 3.18        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849             | -34.5       | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -42.69      | -13         | Pass    | 401         |




### 3.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 848.4           | 19.57       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849.003         | -34.04      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -49.73      | -13         | Pass    | 401         |



### 3.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 844.675         | 2.06        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849.005         | -36.38      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.075         | -44.44      | -13         | Pass    | 401         |



## 4. LTE\_Band12


### 4.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -28.28      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -22.82      | -13         | Pass    | 401         |
| 699                   | 701                  | 0.1       | RMS      | 699.255         | 20.1        | 30          | Pass    | 401         |




#### 4.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -27.48      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -27.76      | -13         | Pass    | 401         |
| 699                   | 701                  | 0.1       | RMS      | 699.285         | 11.58       | 30          | Pass    | 401         |




#### 4.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -29.63      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -24.1       | -13         | Pass    | 401         |
| 699                   | 701                  | 0.1       | RMS      | 699.255         | 19.15       | 30          | Pass    | 401         |




#### 4.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -28.11      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 698.999         | -28.82      | -13         | Pass    | 401         |
| 699                   | 701                  | 0.1       | RMS      | 700.105         | 10.82       | 30          | Pass    | 401         |




#### 4.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 714                   | 716                  | 0.1       | RMS      | 715.75          | 19.67       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -23.56      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -27.41      | -13         | Pass    | 401         |




#### 4.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 714                   | 716                  | 0.1       | RMS      | 715.44          | 11.25       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -28.71      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -28.68      | -13         | Pass    | 401         |




#### 4.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 714                   | 716                  | 0.1       | RMS      | 715.76          | 18.98       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -24.41      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -27.95      | -13         | Pass    | 401         |




#### 4.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 714                   | 716                  | 0.1       | RMS      | 715.335         | 10.55       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -29.6       | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -29.12      | -13         | Pass    | 401         |




#### 4.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -28.15      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -22.4       | -13         | Pass    | 401         |
| 699                   | 702                  | 0.1       | RMS      | 699.24          | 20.05       | 30          | Pass    | 401         |




#### 4.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -29.8       | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 698.999         | -28.4       | -13         | Pass    | 401         |
| 699                   | 702                  | 0.1       | RMS      | 700.433         | 7.72        | 30          | Pass    | 401         |




#### 4.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -29.5       | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -23.81      | -13         | Pass    | 401         |
| 699                   | 702                  | 0.1       | RMS      | 699.233         | 18.66       | 30          | Pass    | 401         |




#### 4.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -31.04      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -30.57      | -13         | Pass    | 401         |
| 699                   | 702                  | 0.1       | RMS      | 701.43          | 6.58        | 30          | Pass    | 401         |




#### 4.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 713                   | 716                  | 0.1       | RMS      | 715.76          | 19.79       | 30          | Pass    | 401         |
| 716.015               | 716.1                | 0.03      | RMS      | 716.015         | -25.44      | -13         | Pass    | 4           |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -28.87      | -13         | Pass    | 401         |




#### 4.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 713                   | 716                  | 0.1       | RMS      | 714.08          | 7.63        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -30.52      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -32.08      | -13         | Pass    | 401         |




#### 4.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 713                   | 716                  | 0.1       | RMS      | 715.768         | 19.27       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -23.28      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -29.5       | -13         | Pass    | 401         |




#### 4.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 713                   | 716                  | 0.1       | RMS      | 713.458         | 6.68        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -30.48      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -32.17      | -13         | Pass    | 401         |




#### 4.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -31.71      | -13         | Pass    | 90          |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -26.38      | -13         | Pass    | 5           |
| 699                   | 704                  | 0.1       | RMS      | 699.325         | 19.55       | 30          | Pass    | 401         |




#### 4.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -31.4       | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -32.31      | -13         | Pass    | 401         |
| 699                   | 704                  | 0.1       | RMS      | 700.675         | 5.42        | 30          | Pass    | 401         |




#### 4.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -33.35      | -13         | Pass    | 90          |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -27.3       | -13         | Pass    | 5           |
| 699                   | 704                  | 0.1       | RMS      | 699.35          | 18.61       | 30          | Pass    | 401         |




#### 4.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -32.09      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 698.999         | -33.2       | -13         | Pass    | 401         |
| 699                   | 704                  | 0.1       | RMS      | 700.675         | 4.52        | 30          | Pass    | 401         |




#### 4.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 715.65          | 19.61       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -26.84      | -13         | Pass    | 5           |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -33.79      | -13         | Pass    | 90          |




#### 4.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 712.875         | 5.36        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -33.11      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -32.39      | -13         | Pass    | 401         |




#### 4.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 715.663         | 18.85       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -27.03      | -13         | Pass    | 5           |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -34.65      | -13         | Pass    | 90          |




#### 4.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 711.613         | 4.51        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -33.97      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -33.38      | -13         | Pass    | 401         |




#### 4.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -39.8       | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -40.18      | -13         | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 699.6           | 19.71       | 30          | Pass    | 401         |




#### 4.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -34.43      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -37.45      | -13         | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 707             | 2.55        | 30          | Pass    | 401         |




#### 4.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -41.41      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -40.86      | -13         | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 699.6           | 18.59       | 30          | Pass    | 401         |




#### 4.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -35.14      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 698.966         | -39.01      | -13         | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 707.4           | 1.49        | 30          | Pass    | 401         |



#### 4.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.4           | 19.78       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -40.68      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -41.19      | -13         | Pass    | 401         |




#### 4.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 710.7           | 2.78        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -39.25      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -35.25      | -13         | Pass    | 401         |




#### 4.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.425         | 18.61       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -41.12      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -42.04      | -13         | Pass    | 401         |



#### 4.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 710.375         | 1.76        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -39.6       | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -36.22      | -13         | Pass    | 401         |



## 5. LTE\_Band13


### 5.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.88          | -59.52      | -35         | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.875         | -47.25      | -13         | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.993         | -52.02      | -13         | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 777.32          | 19.72       | 30          | Pass    | 401         |




## 5.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.93          | -48.19      | -35         | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.882         | -36.72      | -13         | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.993         | -41.8       | -13         | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 778.67          | 5.81        | 30          | Pass    | 401         |




### 5.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.97          | -59.99      | -35         | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.828         | -48.36      | -13         | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.983         | -52.99      | -13         | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 777.35          | 19.05       | 30          | Pass    | 401         |




#### 5.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.84          | -49.17      | -35         | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.821         | -37.86      | -13         | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.998         | -42.7       | -13         | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 778.64          | 4.87        | 30          | Pass    | 401         |




### 5.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 786.65          | 20          | 30          | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.008         | -51.6       | -13         | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 790.991         | -44.53      | -13         | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 795.35          | -64.79      | -35         | Pass    | 1201        |




## 5.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 786.44          | 5.43        | 30          | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.066         | -43.75      | -13         | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.198         | -38.68      | -13         | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 794.17          | -60.21      | -35         | Pass    | 1201        |




### 5.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 786.65          | 19.17       | 30          | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.002         | -52.24      | -13         | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 790.967         | -45.89      | -13         | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 795.35          | -65.64      | -35         | Pass    | 1201        |




# 5.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 785.99          | 4.56        | 30          | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.063         | -44.36      | -13         | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.125         | -40         | -13         | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 793.12          | -60.15      | -35         | Pass    | 1201        |




### 5.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.98          | -59.17      | -35         | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.896         | -48.16      | -13         | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.96          | -51.77      | -13         | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 777.59          | 20.09       | 30          | Pass    | 401         |




**5.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.97          | -50.15      | -35         | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.776         | -39.24      | -13         | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.966         | -44.26      | -13         | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 778.91          | 2.68        | 30          | Pass    | 401         |




# 5.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.99          | -60.36      | -35         | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.898         | -49.29      | -13         | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.997         | -53.05      | -13         | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 777.59          | 18.61       | 30          | Pass    | 401         |




**5.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.99          | -50.03      | -35         | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.83          | -39.98      | -13         | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.972         | -44.98      | -13         | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 778.73          | 1.53        | 30          | Pass    | 401         |



**5.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 786.41          | 19.98       | 30          | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.002         | -51.78      | -13         | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.1           | -47.95      | -13         | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 795.28          | -54.91      | -35         | Pass    | 1201        |




**5.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 778.91          | 3.36        | 30          | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.019         | -44.65      | -13         | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.259         | -40.11      | -13         | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 793.23          | -56.58      | -35         | Pass    | 1201        |



**5.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 786.41          | 18.7        | 30          | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.01          | -52.78      | -13         | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.1           | -49.02      | -13         | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 795.27          | -61.26      | -35         | Pass    | 1201        |



**5.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 779.09          | 1.99        | 30          | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.027         | -46.27      | -13         | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.161         | -41.48      | -13         | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 793.12          | -58.99      | -35         | Pass    | 1201        |



## 6. LTE\_Band25


6.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -36.07      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -26.77      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1850            | -25.44      | -13         | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1850.25         | 19.67       | 30          | Pass    | 401         |




## 6.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -35.93      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -27.23      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1850            | -31.5       | -13         | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1851.12         | 11.02       | 30          | Pass    | 401         |




### 6.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -37.19      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -28.14      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1850            | -27.21      | -13         | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1850.26         | 18.47       | 30          | Pass    | 401         |




#### 6.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -36.84      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -28.61      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1850            | -32.53      | -13         | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1851.105        | 10.28       | 30          | Pass    | 401         |




## 6.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1913                  | 1915                 | 0.1       | RMS      | 1914.755        | 19.55       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.02      | RMS      | 1915            | -24.25      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -24.12      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -36.19      | -13         | Pass    | 401         |



## 6.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1913                  | 1915                 | 0.1       | RMS      | 1913.905        | 11.09       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.02      | RMS      | 1915            | -28.98      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -23.56      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -35.03      | -13         | Pass    | 401         |




# 6.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1913                  | 1915                 | 0.1       | RMS      | 1914.75         | 18.98       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.02      | RMS      | 1915            | -25.03      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -24.45      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -36.83      | -13         | Pass    | 401         |




# 6.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1913                  | 1915                 | 0.1       | RMS      | 1913.935        | 10.21       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.02      | RMS      | 1915            | -30.89      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -27.42      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -37.14      | -13         | Pass    | 401         |




### 6.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.72         | -32.88      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1848            | -32.8       | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1849.998        | -23.75      | -13         | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1850.24         | 19.42       | 30          | Pass    | 401         |




# 6.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -30.43      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -29.28      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1850            | -29.99      | -13         | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1852.715        | 7.43        | 30          | Pass    | 401         |




# 6.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.8          | -35.02      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1848            | -34.88      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1850            | -25.01      | -13         | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1850.248        | 17.88       | 30          | Pass    | 401         |




## 6.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -31.68      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -29.69      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1850            | -32.03      | -13         | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1852.423        | 6.46        | 30          | Pass    | 401         |



### 6.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1912                  | 1915                 | 0.1       | RMS      | 1914.76         | 19.81       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.03      | RMS      | 1915            | -20.59      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -31.11      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.18         | -32.58      | -13         | Pass    | 401         |




#### 6.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1912                  | 1915                 | 0.1       | RMS      | 1912.278        | 7.44        | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.03      | RMS      | 1915.003        | -30.49      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -24.08      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -27.21      | -13         | Pass    | 401         |



# 6.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1912                  | 1915                 | 0.1       | RMS      | 1914.753        | 19.02       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.03      | RMS      | 1915            | -22.18      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -31.84      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.2          | -33.28      | -13         | Pass    | 401         |




# 6.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1912                  | 1915                 | 0.1       | RMS      | 1912.458        | 6.55        | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.03      | RMS      | 1915            | -30.8       | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -24.92      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -28.9       | -13         | Pass    | 401         |




# 6.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1846.08         | -36.78      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -35.78      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1849.998        | -23.9       | -13         | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1850.338        | 19.11       | 30          | Pass    | 401         |




**6.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1846.42         | -33.3       | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -32.24      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1849.993        | -31.62      | -13         | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1853.338        | 4.97        | 30          | Pass    | 401         |




### 6.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -38.57      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -37.12      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1849.998        | -25.39      | -13         | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1850.338        | 17.8        | 30          | Pass    | 401         |




**6.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -32.59      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -31.03      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1850            | -32.07      | -13         | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1853.713        | 4.27        | 30          | Pass    | 401         |




## 6.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1910                  | 1915                 | 0.1       | RMS      | 1914.663        | 19.36       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.051     | RMS      | 1915            | -23.33      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1917            | -33.17      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -33.53      | -13         | Pass    | 401         |




## 6.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1910                  | 1915                 | 0.1       | RMS      | 1911.05         | 5.23        | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.051     | RMS      | 1915            | -30.97      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -26.67      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -29.16      | -13         | Pass    | 401         |



### 6.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1910                  | 1915                 | 0.1       | RMS      | 1914.663        | 18.56       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.051     | RMS      | 1915            | -23.85      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -35.06      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -37.09      | -13         | Pass    | 401         |




## 6.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1910                  | 1915                 | 0.1       | RMS      | 1910.6          | 4.4         | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.051     | RMS      | 1915            | -31.91      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -28.01      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -30.45      | -13         | Pass    | 401         |




**6.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -37.76      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -35.52      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1849.998        | -34.04      | -13         | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1850.6          | 19.48       | 30          | Pass    | 401         |




**6.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -35.4       | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -34.69      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1850            | -34.9       | -13         | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1854.25         | 2.32        | 30          | Pass    | 401         |




**6.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -38.65      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -36.43      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1850            | -34.54      | -13         | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1850.6          | 18.18       | 30          | Pass    | 401         |




**6.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -34.57      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -33.67      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1849.998        | -36.78      | -13         | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1855.025        | 1.47        | 30          | Pass    | 401         |



# 6.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1905                  | 1915                 | 0.1       | RMS      | 1914.4          | 19.61       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.1       | RMS      | 1915            | -32.52      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -35.18      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -37.54      | -13         | Pass    | 401         |




**6.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1905                  | 1915                 | 0.1       | RMS      | 1907.45         | 2.39        | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.1       | RMS      | 1915            | -33.93      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -28.96      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -30.85      | -13         | Pass    | 401         |




### 6.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1905                  | 1915                 | 0.1       | RMS      | 1914.4          | 18.68       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.1       | RMS      | 1915            | -33.51      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -35.89      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -38.26      | -13         | Pass    | 401         |




**6.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1905                  | 1915                 | 0.1       | RMS      | 1907.525        | 1.48        | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.1       | RMS      | 1915.003        | -35.93      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -30.95      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -32.58      | -13         | Pass    | 401         |




**6.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -38         | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -35.43      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1850            | -30.29      | -13         | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1850.825        | 19.13       | 30          | Pass    | 401         |




**6.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.12         | -35.48      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -34.33      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1849.998        | -37.27      | -13         | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1858.1          | 0.53        | 30          | Pass    | 401         |




**6.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -39.26      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -36.53      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1850            | -30.99      | -13         | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1850.825        | 17.95       | 30          | Pass    | 401         |




**6.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.3          | -34.76      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -34.07      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1849.998        | -38.64      | -13         | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1856.45         | -0.16       | 30          | Pass    | 401         |



**6.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1900                  | 1915                 | 0.1       | RMS      | 1914.175        | 19.29       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.15      | RMS      | 1915.003        | -29.82      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -35.21      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -38.47      | -13         | Pass    | 401         |




**6.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1900                  | 1915                 | 0.1       | RMS      | 1906.188        | 0.91        | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.15      | RMS      | 1915.003        | -34.51      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -31.33      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -31.51      | -13         | Pass    | 401         |



**6.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1900                  | 1915                 | 0.1       | RMS      | 1914.175        | 18.56       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.15      | RMS      | 1915            | -29.93      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -35.84      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -39.05      | -13         | Pass    | 401         |




**6.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1900                  | 1915                 | 0.1       | RMS      | 1906.075        | -0.18       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.15      | RMS      | 1915.003        | -37.01      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -33.67      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -33.65      | -13         | Pass    | 401         |




**6.41. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -39.37      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -36.61      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1850            | -33.89      | -13         | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1851.1          | 18.95       | 30          | Pass    | 401         |




**6.42. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.94         | -37.9       | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -37.37      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1849.998        | -39.69      | -13         | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1858.45         | -0.61       | 30          | Pass    | 401         |




**6.43. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -39.79      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -36.89      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1850            | -33.07      | -13         | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1851.1          | 18.68       | 30          | Pass    | 401         |




**6.44. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -36.36      | -13         | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -35.85      | -13         | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1849.995        | -39.85      | -13         | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1860            | -1.55       | 30          | Pass    | 401         |




**6.45. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1895                  | 1915                 | 0.1       | RMS      | 1913.9          | 19.12       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.2       | RMS      | 1915            | -32.52      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -35.69      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -39.21      | -13         | Pass    | 401         |




**6.46. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1895                  | 1915                 | 0.1       | RMS      | 1904.6          | -0.54       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.2       | RMS      | 1915.003        | -36.13      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -32.94      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -34.9       | -13         | Pass    | 401         |




**6.47. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1895                  | 1915                 | 0.1       | RMS      | 1913.9          | 17.97       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.2       | RMS      | 1915.005        | -33.28      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -36.75      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -40.16      | -13         | Pass    | 401         |



**6.48. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1895                  | 1915                 | 0.1       | RMS      | 1906.05         | -1.57       | 30          | Pass    | 401         |
| 1915                  | 1916                 | 0.2       | RMS      | 1915            | -38.83      | -13         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -35.06      | -13         | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.04         | -36.95      | -13         | Pass    | 401         |



## 7. LTE\_Band26(part22)


7.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.48          | -45.29      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 824             | -25.61      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.25          | 20.45       | 30          | Pass    | 401         |




## 7.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.78          | -40.28      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 824             | -30.54      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.27          | 11.72       | 30          | Pass    | 401         |




### 7.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.52          | -46.86      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.998         | -26.6       | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.26          | 19.27       | 30          | Pass    | 401         |




#### 7.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -39.56      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 824             | -31.63      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 825.11          | 10.92       | 30          | Pass    | 401         |




# 7.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.755         | 20.32       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849             | -25.75      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.6           | -46         | -13         | Pass    | 401         |




## 7.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 847.895         | 11.95       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.003         | -30.64      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.175         | -44.21      | -13         | Pass    | 401         |




# 7.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.75          | 19.46       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849             | -26.87      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.575         | -46.81      | -13         | Pass    | 401         |




# 7.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 847.955         | 11.35       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.003         | -31.63      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.125         | -43.05      | -13         | Pass    | 401         |




### 7.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.96          | -46.98      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -23.38      | -13         | Pass    | 35          |
| 824                   | 827                  | 0.1       | RMS      | 824.233         | 20.25       | 30          | Pass    | 401         |




**7.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -37.21      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -28.4       | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 825.44          | 7.91        | 30          | Pass    | 401         |




# 7.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -48.63      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -23.96      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 824.248         | 18.97       | 30          | Pass    | 401         |




**7.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -37.14      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -30.22      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 825.14          | 6.98        | 30          | Pass    | 401         |




### 7.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.76          | 20.3        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -23.49      | -13         | Pass    | 35          |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -45.84      | -13         | Pass    | 401         |




# 7.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 847.08          | 8.25        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -30.32      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.075         | -36.3       | -13         | Pass    | 401         |



# 7.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.768         | 19.74       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -23.75      | -13         | Pass    | 35          |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -46.44      | -13         | Pass    | 401         |




# 7.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 846.458         | 7.53        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -30.89      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -37.01      | -13         | Pass    | 401         |




# 7.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 815.72          | -48.16      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -23.14      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 824.338         | 19.95       | 30          | Pass    | 401         |




**7.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.88          | -39.82      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 823.998         | -30.05      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 825.663         | 5.74        | 30          | Pass    | 401         |




### 7.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -49.66      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -23.88      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 824.338         | 18.71       | 30          | Pass    | 401         |




## 7.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.84          | -39.5       | -13         | Pass    | 401         |
| 823                   | 824                  | 0.051     | RMS      | 824             | -31.04      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 827.325         | 4.88        | 30          | Pass    | 401         |




## 7.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 848.663         | 20.25       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -23.53      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.825         | -47.71      | -13         | Pass    | 401         |




## 7.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 845.85          | 6.03        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -30.31      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -37.9       | -13         | Pass    | 401         |



### 7.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 848.65          | 19.51       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -23.44      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.85          | -48.45      | -13         | Pass    | 401         |




## 7.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 846.138         | 5.2         | 30          | Pass    | 401         |
| 849                   | 850                  | 0.051     | RMS      | 849             | -31.54      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.075         | -39.49      | -13         | Pass    | 401         |




**7.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -48.51      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 824             | -32.69      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 824.6           | 20.32       | 30          | Pass    | 401         |




**7.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 817.72          | -44.03      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 824             | -33.18      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 832.025         | 2.92        | 30          | Pass    | 401         |




**7.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.98          | -49.58      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 824             | -33.54      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 824.6           | 19.08       | 30          | Pass    | 401         |




**7.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.76          | -42.55      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.1       | RMS      | 824             | -35.11      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 830.575         | 1.96        | 30          | Pass    | 401         |




**7.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 848.4           | 20.43       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849             | -33.33      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -49.58      | -13         | Pass    | 401         |




**7.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 844.35          | 3.21        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849             | -34.42      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -42.13      | -13         | Pass    | 401         |




**7.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 848.425         | 19.76       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849             | -33.51      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -50.11      | -13         | Pass    | 401         |




**7.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 844.675         | 2.21        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.1       | RMS      | 849.003         | -36.07      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.05          | -43.55      | -13         | Pass    | 401         |




**7.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.94          | -48.84      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 824             | -28.7       | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 824.825         | 20.07       | 30          | Pass    | 401         |




**7.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 818             | -42.72      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 823.993         | -36.91      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 834.275         | 1.47        | 30          | Pass    | 401         |




**7.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -49.64      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 824             | -29.56      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 824.825         | 18.93       | 30          | Pass    | 401         |




**7.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 817.5           | -41.38      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.15      | RMS      | 823.995         | -37.87      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 835.775         | 0.5         | 30          | Pass    | 401         |




**7.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 848.175         | 19.99       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849.003         | -29.83      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -49.09      | -13         | Pass    | 401         |




**7.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 842.55          | 1.13        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849.003         | -35.91      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.225         | -44.95      | -13         | Pass    | 401         |




**7.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 848.175         | 19.45       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849             | -29.56      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -49.67      | -13         | Pass    | 401         |



**7.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 840.113         | 0.2         | 30          | Pass    | 401         |
| 849                   | 850                  | 0.15      | RMS      | 849             | -37.89      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.1           | -45.7       | -13         | Pass    | 401         |



## 8. LTE\_Band26(part90)


8.1. LTE Band Edge\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -22.85      | -13         | Pass    | 51          |
| 813.9625              | 814                  | 0.002     | RMS      | 813.994         | -33.77      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 814.25          | 20.33       | 30          | Pass    | 401         |




## 8.2. LTE Band Edge\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -25.48      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.02      | RMS      | 814             | -38.1       | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 815.1           | 11.7        | 30          | Pass    | 401         |




### 8.3. LTE Band Edge\_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -24.09      | -13         | Pass    | 51          |
| 813.9625              | 814                  | 0.002     | RMS      | 813.994         | -34.82      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 814.25          | 19.2        | 30          | Pass    | 401         |




#### 8.4. LTE Band Edge\_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -26.16      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.02      | RMS      | 814             | -31.97      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 815.113         | 10.89       | 30          | Pass    | 401         |



### 8.5. LTE Band Edge\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 823.75          | 20.15       | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.002     | RMS      | 824.005         | -35.1       | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -24.07      | -13         | Pass    | 51          |




# 8.6. LTE Band Edge\_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 822.925         | 11.72       | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.02      | RMS      | 824             | -30.74      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -25.2       | -13         | Pass    | 401         |




### 8.7. LTE Band Edge\_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 823.75          | 19.51       | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.002     | RMS      | 824.008         | -34.3       | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -23.4       | -13         | Pass    | 51          |




# 8.8. LTE Band Edge\_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 823.313         | 10.98       | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.02      | RMS      | 824             | -32.05      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -26.63      | -13         | Pass    | 401         |




### 8.9. LTE Band Edge\_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -22.93      | -13         | Pass    | 51          |
| 813.9625              | 814                  | 0.002     | RMS      | 813.998         | -33.1       | -20         | Pass    | 20          |
| 814                   | 819                  | 0.1       | RMS      | 814.238         | 20.05       | 30          | Pass    | 401         |




# 8.10. LTE Band Edge\_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -26.12      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.03      | RMS      | 814             | -29.21      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 816.688         | 8.07        | 30          | Pass    | 401         |




### 8.11. LTE Band Edge\_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -23.27      | -13         | Pass    | 51          |
| 813.9625              | 814                  | 0.002     | RMS      | 814             | -35.22      | -20         | Pass    | 20          |
| 814                   | 819                  | 0.1       | RMS      | 814.238         | 18.89       | 30          | Pass    | 401         |




# 8.12. LTE Band Edge\_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -27.85      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.03      | RMS      | 814             | -31.03      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 816.413         | 7.13        | 30          | Pass    | 401         |




### 8.13. LTE Band Edge\_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 823.75          | 20.2        | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.002     | RMS      | 824             | -34.27      | -20         | Pass    | 20          |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -23.3       | -13         | Pass    | 51          |




# 8.14. LTE Band Edge\_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 822.088         | 7.93        | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.03      | RMS      | 824.001         | -30.58      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -27.04      | -13         | Pass    | 401         |




# 8.15. LTE Band Edge\_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 823.763         | 19.25       | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.002     | RMS      | 824.004         | -34.47      | -20         | Pass    | 20          |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -23.27      | -13         | Pass    | 51          |




# 8.16. LTE Band Edge\_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 821.625         | 7.21        | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.03      | RMS      | 824             | -30.33      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -27.3       | -13         | Pass    | 401         |




# 8.17. LTE Band Edge\_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -23.11      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.02      | RMS      | 814             | -27.8       | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 814.338         | 19.82       | 30          | Pass    | 401         |




# 8.18. LTE Band Edge\_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -29.63      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.051     | RMS      | 814             | -30.35      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 817.338         | 5.8         | 30          | Pass    | 401         |




### 8.19. LTE Band Edge\_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -23.67      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.02      | RMS      | 814             | -28.59      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 814.35          | 18.89       | 30          | Pass    | 401         |




## 8.20. LTE Band Edge\_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -30.65      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.051     | RMS      | 814             | -31.61      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 817.3           | 4.93        | 30          | Pass    | 401         |




## 8.21. LTE Band Edge\_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 823.65          | 20.02       | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.02      | RMS      | 824             | -28.03      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -23.09      | -13         | Pass    | 401         |




## 8.22. LTE Band Edge\_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 820.85          | 5.79        | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.051     | RMS      | 824             | -30.32      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -29.07      | -13         | Pass    | 401         |




### 8.23. LTE Band Edge\_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 823.663         | 19.7        | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.02      | RMS      | 824             | -27.49      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -22.72      | -13         | Pass    | 401         |




## 8.24. LTE Band Edge\_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 821.25          | 4.98        | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.051     | RMS      | 824             | -31.08      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -30.36      | -13         | Pass    | 401         |




## 8.25. LTE Band Edge\_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -36.14      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.02      | RMS      | 813.998         | -41.53      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 814.588         | 20.26       | 30          | Pass    | 401         |




## 8.26. LTE Band Edge\_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -35.11      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.1       | RMS      | 814             | -33.78      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 818.275         | 3.09        | 30          | Pass    | 401         |




## 8.27. LTE Band Edge\_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -37.03      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.02      | RMS      | 814             | -42.05      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 814.588         | 19          | 30          | Pass    | 401         |




# 8.28. LTE Band Edge\_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 809                   | 813.9625             | 0.1       | RMS      | 813.963         | -36.94      | -13         | Pass    | 401         |
| 813.9625              | 814                  | 0.1       | RMS      | 813.999         | -35.81      | -20         | Pass    | 401         |
| 814                   | 819                  | 0.1       | RMS      | 818.238         | 2           | 30          | Pass    | 401         |




## 8.29. LTE Band Edge\_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 823.413         | 20.14       | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.02      | RMS      | 824.001         | -41.6       | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -36.54      | -13         | Pass    | 401         |




### 8.30. LTE Band Edge\_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 819.863         | 2.93        | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.1       | RMS      | 824             | -32.8       | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -33.8       | -13         | Pass    | 401         |




### 8.31. LTE Band Edge\_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 823.413         | 18.92       | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.02      | RMS      | 824             | -41.39      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -36.32      | -13         | Pass    | 401         |



### 8.32. LTE Band Edge\_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 819                   | 824                  | 0.1       | RMS      | 819             | 2.02        | 30          | Pass    | 401         |
| 824                   | 824.0375             | 0.1       | RMS      | 824.005         | -34.15      | -20         | Pass    | 401         |
| 824.0375              | 829                  | 0.1       | RMS      | 824.038         | -35         | -13         | Pass    | 401         |



--BLANK BELOW--