

Appendix for Band 26

Report No.: BCTC2410177766-3E

Applicant: GEM ONE NV

Product Name: Onyx V4


Test Model: Onyx V4

Tested Date: 2024-10-28 to 2024-11-11

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement	3
Appendix 2. Frequency stability.....	7
Appendix 3. Peak-to-Average Ratio	13
Appendix 4. Occupied bandwidth	24
Appendix 5. Band edge	35
Appendix 6. Out-of-band emissions	42




Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	24.42	-1.36	20.91	PASS
Band26(814-824)	1.4	26697	1	#Mid	QPSK	24.34	-1.36	20.83	PASS
Band26(814-824)	1.4	26697	1	#Max	QPSK	23.91	-1.36	20.40	PASS
Band26(814-824)	1.4	26697	3	#0	QPSK	24.39	-1.36	20.88	PASS
Band26(814-824)	1.4	26697	3	#Mid	QPSK	24.66	-1.36	21.15	PASS
Band26(814-824)	1.4	26697	3	#Max	QPSK	23.50	-1.36	19.99	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	22.44	-1.36	18.93	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	23.43	-1.36	19.92	PASS
Band26(814-824)	1.4	26697	1	#Mid	16QAM	23.39	-1.36	19.88	PASS
Band26(814-824)	1.4	26697	1	#Max	16QAM	22.98	-1.36	19.47	PASS
Band26(814-824)	1.4	26697	3	#0	16QAM	23.61	-1.36	20.10	PASS
Band26(814-824)	1.4	26697	3	#Mid	16QAM	23.85	-1.36	20.34	PASS
Band26(814-824)	1.4	26697	3	#Max	16QAM	22.67	-1.36	19.16	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	21.56	-1.36	18.05	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	24.63	-1.36	21.12	PASS
Band26(814-824)	1.4	26740	1	#Mid	QPSK	24.49	-1.36	20.98	PASS
Band26(814-824)	1.4	26740	1	#Max	QPSK	23.89	-1.36	20.38	PASS
Band26(814-824)	1.4	26740	3	#0	QPSK	24.75	-1.36	21.24	PASS
Band26(814-824)	1.4	26740	3	#Mid	QPSK	24.93	-1.36	21.42	PASS
Band26(814-824)	1.4	26740	3	#Max	QPSK	23.66	-1.36	20.15	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	22.65	-1.36	19.14	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	23.78	-1.36	20.27	PASS
Band26(814-824)	1.4	26740	1	#Mid	16QAM	23.65	-1.36	20.14	PASS
Band26(814-824)	1.4	26740	1	#Max	16QAM	23.11	-1.36	19.60	PASS
Band26(814-824)	1.4	26740	3	#0	16QAM	23.96	-1.36	20.45	PASS
Band26(814-824)	1.4	26740	3	#Mid	16QAM	24.17	-1.36	20.66	PASS
Band26(814-824)	1.4	26740	3	#Max	16QAM	22.90	-1.36	19.39	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	21.83	-1.36	18.32	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	23.74	-1.36	20.23	PASS
Band26(814-824)	1.4	26783	1	#Mid	QPSK	23.62	-1.36	20.11	PASS
Band26(814-824)	1.4	26783	1	#Max	QPSK	23.09	-1.36	19.58	PASS
Band26(814-824)	1.4	26783	3	#0	QPSK	23.83	-1.36	20.32	PASS
Band26(814-824)	1.4	26783	3	#Mid	QPSK	24.02	-1.36	20.51	PASS
Band26(814-824)	1.4	26783	3	#Max	QPSK	22.72	-1.36	19.21	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	21.80	-1.36	18.29	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	22.65	-1.36	19.14	PASS

Band26(814-824)	1.4	26783	1	#Mid	16QAM	22.49	-1.36	18.98	PASS
Band26(814-824)	1.4	26783	1	#Max	16QAM	21.91	-1.36	18.40	PASS
Band26(814-824)	1.4	26783	3	#0	16QAM	23.04	-1.36	19.53	PASS
Band26(814-824)	1.4	26783	3	#Mid	16QAM	23.25	-1.36	19.74	PASS
Band26(814-824)	1.4	26783	3	#Max	16QAM	21.98	-1.36	18.47	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	20.98	-1.36	17.47	PASS
Band26(814-824)	3	26705	1	#0	QPSK	24.07	-1.36	20.56	PASS
Band26(814-824)	3	26705	1	#Mid	QPSK	24.33	-1.36	20.82	PASS
Band26(814-824)	3	26705	1	#Max	QPSK	23.75	-1.36	20.24	PASS
Band26(814-824)	3	26705	8	#0	QPSK	22.52	-1.36	19.01	PASS
Band26(814-824)	3	26705	8	#Mid	QPSK	22.88	-1.36	19.37	PASS
Band26(814-824)	3	26705	8	#Max	QPSK	22.71	-1.36	19.20	PASS
Band26(814-824)	3	26705	15	#0	QPSK	22.55	-1.36	19.04	PASS
Band26(814-824)	3	26705	1	#0	16QAM	23.60	-1.36	20.09	PASS
Band26(814-824)	3	26705	1	#Mid	16QAM	23.89	-1.36	20.38	PASS
Band26(814-824)	3	26705	1	#Max	16QAM	23.30	-1.36	19.79	PASS
Band26(814-824)	3	26705	8	#0	16QAM	21.67	-1.36	18.16	PASS
Band26(814-824)	3	26705	8	#Mid	16QAM	22.02	-1.36	18.51	PASS
Band26(814-824)	3	26705	8	#Max	16QAM	21.81	-1.36	18.30	PASS
Band26(814-824)	3	26705	15	#0	16QAM	21.72	-1.36	18.21	PASS
Band26(814-824)	3	26740	1	#0	QPSK	24.49	-1.36	20.98	PASS
Band26(814-824)	3	26740	1	#Mid	QPSK	24.48	-1.36	20.97	PASS
Band26(814-824)	3	26740	1	#Max	QPSK	23.58	-1.36	20.07	PASS
Band26(814-824)	3	26740	8	#0	QPSK	22.78	-1.36	19.27	PASS
Band26(814-824)	3	26740	8	#Mid	QPSK	23.03	-1.36	19.52	PASS
Band26(814-824)	3	26740	8	#Max	QPSK	22.68	-1.36	19.17	PASS
Band26(814-824)	3	26740	15	#0	QPSK	22.69	-1.36	19.18	PASS
Band26(814-824)	3	26740	1	#0	16QAM	23.61	-1.36	20.10	PASS
Band26(814-824)	3	26740	1	#Mid	16QAM	23.66	-1.36	20.15	PASS
Band26(814-824)	3	26740	1	#Max	16QAM	22.80	-1.36	19.29	PASS
Band26(814-824)	3	26740	8	#0	16QAM	21.80	-1.36	18.29	PASS
Band26(814-824)	3	26740	8	#Mid	16QAM	22.02	-1.36	18.51	PASS
Band26(814-824)	3	26740	8	#Max	16QAM	21.64	-1.36	18.13	PASS
Band26(814-824)	3	26740	15	#0	16QAM	21.67	-1.36	18.16	PASS
Band26(814-824)	3	26775	1	#0	QPSK	23.82	-1.36	20.31	PASS
Band26(814-824)	3	26775	1	#Mid	QPSK	23.77	-1.36	20.26	PASS
Band26(814-824)	3	26775	1	#Max	QPSK	22.93	-1.36	19.42	PASS
Band26(814-824)	3	26775	8	#0	QPSK	22.07	-1.36	18.56	PASS
Band26(814-824)	3	26775	8	#Mid	QPSK	22.27	-1.36	18.76	PASS
Band26(814-824)	3	26775	8	#Max	QPSK	21.88	-1.36	18.37	PASS
Band26(814-824)	3	26775	15	#0	QPSK	21.94	-1.36	18.43	PASS
Band26(814-824)	3	26775	1	#0	16QAM	22.73	-1.36	19.22	PASS
Band26(814-824)	3	26775	1	#Mid	16QAM	22.63	-1.36	19.12	PASS

Band26(814-824)	3	26775	1	#Max	16QAM	21.73	-1.36	18.22	PASS
Band26(814-824)	3	26775	8	#0	16QAM	21.04	-1.36	17.53	PASS
Band26(814-824)	3	26775	8	#Mid	16QAM	21.27	-1.36	17.76	PASS
Band26(814-824)	3	26775	8	#Max	16QAM	20.91	-1.36	17.40	PASS
Band26(814-824)	3	26775	15	#0	16QAM	21.04	-1.36	17.53	PASS
Band26(814-824)	5	26715	1	#0	QPSK	24.09	-1.36	20.58	PASS
Band26(814-824)	5	26715	1	#Mid	QPSK	23.63	-1.36	20.12	PASS
Band26(814-824)	5	26715	1	#Max	QPSK	23.76	-1.36	20.25	PASS
Band26(814-824)	5	26715	12	#0	QPSK	23.07	-1.36	19.56	PASS
Band26(814-824)	5	26715	12	#Mid	QPSK	23.23	-1.36	19.72	PASS
Band26(814-824)	5	26715	12	#Max	QPSK	23.15	-1.36	19.64	PASS
Band26(814-824)	5	26715	25	#0	QPSK	22.66	-1.36	19.15	PASS
Band26(814-824)	5	26715	1	#0	16QAM	23.64	-1.36	20.13	PASS
Band26(814-824)	5	26715	1	#Mid	16QAM	23.20	-1.36	19.69	PASS
Band26(814-824)	5	26715	1	#Max	16QAM	23.29	-1.36	19.78	PASS
Band26(814-824)	5	26715	12	#0	16QAM	22.07	-1.36	18.56	PASS
Band26(814-824)	5	26715	12	#Mid	16QAM	22.24	-1.36	18.73	PASS
Band26(814-824)	5	26715	12	#Max	16QAM	22.17	-1.36	18.66	PASS
Band26(814-824)	5	26715	25	#0	16QAM	21.62	-1.36	18.11	PASS
Band26(814-824)	5	26740	1	#0	QPSK	24.29	-1.36	20.78	PASS
Band26(814-824)	5	26740	1	#Mid	QPSK	23.59	-1.36	20.08	PASS
Band26(814-824)	5	26740	1	#Max	QPSK	23.38	-1.36	19.87	PASS
Band26(814-824)	5	26740	12	#0	QPSK	23.24	-1.36	19.73	PASS
Band26(814-824)	5	26740	12	#Mid	QPSK	23.22	-1.36	19.71	PASS
Band26(814-824)	5	26740	12	#Max	QPSK	22.93	-1.36	19.42	PASS
Band26(814-824)	5	26740	25	#0	QPSK	22.63	-1.36	19.12	PASS
Band26(814-824)	5	26740	1	#0	16QAM	23.64	-1.36	20.13	PASS
Band26(814-824)	5	26740	1	#Mid	16QAM	22.93	-1.36	19.42	PASS
Band26(814-824)	5	26740	1	#Max	16QAM	22.78	-1.36	19.27	PASS
Band26(814-824)	5	26740	12	#0	16QAM	22.20	-1.36	18.69	PASS
Band26(814-824)	5	26740	12	#Mid	16QAM	22.20	-1.36	18.69	PASS
Band26(814-824)	5	26740	12	#Max	16QAM	21.88	-1.36	18.37	PASS
Band26(814-824)	5	26740	25	#0	16QAM	21.66	-1.36	18.15	PASS
Band26(814-824)	5	26765	1	#0	QPSK	24.00	-1.36	20.49	PASS
Band26(814-824)	5	26765	1	#Mid	QPSK	22.96	-1.36	19.45	PASS
Band26(814-824)	5	26765	1	#Max	QPSK	22.78	-1.36	19.27	PASS
Band26(814-824)	5	26765	12	#0	QPSK	22.77	-1.36	19.26	PASS
Band26(814-824)	5	26765	12	#Mid	QPSK	22.62	-1.36	19.11	PASS
Band26(814-824)	5	26765	12	#Max	QPSK	22.29	-1.36	18.78	PASS
Band26(814-824)	5	26765	25	#0	QPSK	22.08	-1.36	18.57	PASS
Band26(814-824)	5	26765	1	#0	16QAM	23.36	-1.36	19.85	PASS
Band26(814-824)	5	26765	1	#Mid	16QAM	22.33	-1.36	18.82	PASS
Band26(814-824)	5	26765	1	#Max	16QAM	22.16	-1.36	18.65	PASS

Band26(814-824)	5	26765	12	#0	16QAM	21.79	-1.36	18.28	PASS
Band26(814-824)	5	26765	12	#Mid	16QAM	21.67	-1.36	18.16	PASS
Band26(814-824)	5	26765	12	#Max	16QAM	21.32	-1.36	17.81	PASS
Band26(814-824)	5	26765	25	#0	16QAM	21.06	-1.36	17.55	PASS
Band26(814-824)	10	26740	1	#0	QPSK	23.62	-1.36	20.11	PASS
Band26(814-824)	10	26740	1	#Mid	QPSK	23.91	-1.36	20.40	PASS
Band26(814-824)	10	26740	1	#Max	QPSK	23.36	-1.36	19.85	PASS
Band26(814-824)	10	26740	25	#0	QPSK	22.81	-1.36	19.30	PASS
Band26(814-824)	10	26740	25	#Mid	QPSK	22.89	-1.36	19.38	PASS
Band26(814-824)	10	26740	25	#Max	QPSK	23.04	-1.36	19.53	PASS
Band26(814-824)	10	26740	50	#0	QPSK	22.55	-1.36	19.04	PASS



Appendix 2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	LV	NT	-7.20	-0.009	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	NT	-6.67	-0.008	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	HV	NT	-5.55	-0.007	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	LV	NT	-4.51	-0.006	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	NT	-1.43	-0.002	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	HV	NT	-2.09	-0.003	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	LV	NT	-5.97	-0.007	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	NT	-6.79	-0.008	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	HV	NT	-6.32	-0.008	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	LV	NT	-6.55	-0.008	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	NT	-4.29	-0.005	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	HV	NT	-2.52	-0.003	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	LV	NT	-5.87	-0.007	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	NT	-6.04	-0.007	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	HV	NT	-5.87	-0.007	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	LV	NT	-6.39	-0.008	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	NT	-7.17	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	HV	NT	-7.72	-0.009	PASS
Band26(814-824)	3	26705	15	#0	QPSK	LV	NT	-6.49	-0.008	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	NT	-6.44	-0.008	PASS
Band26(814-824)	3	26705	15	#0	QPSK	HV	NT	-5.69	-0.007	PASS
Band26(814-824)	3	26705	15	#0	16QAM	LV	NT	-4.68	-0.006	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	NT	-1.53	-0.002	PASS
Band26(814-824)	3	26705	15	#0	16QAM	HV	NT	-2.32	-0.003	PASS
Band26(814-824)	3	26740	15	#0	QPSK	LV	NT	-5.99	-0.007	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	NT	-5.72	-0.007	PASS
Band26(814-824)	3	26740	15	#0	QPSK	HV	NT	-5.41	-0.007	PASS
Band26(814-824)	3	26740	15	#0	16QAM	LV	NT	-5.36	-0.007	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	NT	-6.88	-0.008	PASS
Band26(814-824)	3	26740	15	#0	16QAM	HV	NT	-7.10	-0.009	PASS
Band26(814-824)	3	26775	15	#0	QPSK	LV	NT	-6.65	-0.008	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	NT	-6.34	-0.008	PASS
Band26(814-824)	3	26775	15	#0	QPSK	HV	NT	-6.58	-0.008	PASS
Band26(814-824)	3	26775	15	#0	16QAM	LV	NT	-6.98	-0.008	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	NT	-6.25	-0.008	PASS
Band26(814-824)	3	26775	15	#0	16QAM	HV	NT	-6.49	-0.008	PASS
Band26(814-824)	5	26715	25	#0	QPSK	LV	NT	-6.07	-0.007	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	NT	-5.92	-0.007	PASS

Band26(814-824)	5	26715	25	#0	QPSK	HV	NT	-4.21	-0.005	PASS
Band26(814-824)	5	26715	25	#0	16QAM	LV	NT	-1.23	-0.002	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	NT	-1.53	-0.002	PASS
Band26(814-824)	5	26715	25	#0	16QAM	HV	NT	-1.60	-0.002	PASS
Band26(814-824)	5	26740	25	#0	QPSK	LV	NT	-5.62	-0.007	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	NT	-5.65	-0.007	PASS
Band26(814-824)	5	26740	25	#0	QPSK	HV	NT	-4.53	-0.006	PASS
Band26(814-824)	5	26740	25	#0	16QAM	LV	NT	-5.94	-0.007	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	NT	-6.29	-0.008	PASS
Band26(814-824)	5	26740	25	#0	16QAM	HV	NT	-6.90	-0.008	PASS
Band26(814-824)	5	26765	25	#0	QPSK	LV	NT	-6.54	-0.008	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	NT	-5.75	-0.007	PASS
Band26(814-824)	5	26765	25	#0	QPSK	HV	NT	-6.11	-0.007	PASS
Band26(814-824)	5	26765	25	#0	16QAM	LV	NT	-6.67	-0.008	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	NT	-6.90	-0.008	PASS
Band26(814-824)	5	26765	25	#0	16QAM	HV	NT	-6.41	-0.008	PASS
Band26(814-824)	10	26740	50	#0	QPSK	LV	NT	-6.88	-0.008	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	NT	-5.79	-0.007	PASS
Band26(814-824)	10	26740	50	#0	QPSK	HV	NT	-2.95	-0.004	PASS


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-30	-6.75	-0.008	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-20	-5.85	-0.007	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-10	-9.24	-0.011	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	0	-7.00	-0.009	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	10	-8.38	-0.010	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	20	-5.41	-0.007	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	30	-5.24	-0.006	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	40	-5.91	-0.007	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	50	-6.62	-0.008	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-30	-5.85	-0.007	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-20	-8.97	-0.011	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-10	-5.45	-0.007	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	0	-7.87	-0.010	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	10	-8.57	-0.011	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	20	-5.35	-0.007	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	30	-7.50	-0.009	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	40	-4.63	-0.006	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	50	-7.15	-0.009	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-30	-7.81	-0.010	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-20	-5.19	-0.006	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-10	-6.98	-0.009	PASS

Band26(814-824)	1.4	26740	6	#0	QPSK	NV	0	-6.19	-0.008	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	10	-5.79	-0.007	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	20	-5.82	-0.007	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	30	-8.07	-0.010	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	40	-7.18	-0.009	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	50	-6.49	-0.008	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-30	-7.38	-0.009	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-20	-8.38	-0.010	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-10	-7.25	-0.009	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	0	-7.38	-0.009	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	10	-5.72	-0.007	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	20	-6.51	-0.008	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	30	-6.14	-0.007	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	40	-6.59	-0.008	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	50	-7.38	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-30	-6.79	-0.008	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-20	-6.95	-0.008	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-10	-7.62	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	0	-6.48	-0.008	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	10	-6.88	-0.008	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	20	-7.21	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	30	-7.17	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	40	-7.50	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	50	-7.34	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-30	-7.42	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-20	-7.12	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-10	-7.11	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	0	-7.48	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	10	-7.47	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	20	-7.22	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	30	-6.71	-0.008	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	40	-8.21	-0.010	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	50	-7.17	-0.009	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-30	-5.71	-0.007	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-20	-7.01	-0.009	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-10	-6.72	-0.008	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	0	-6.12	-0.008	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	10	-6.25	-0.008	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	20	-6.95	-0.009	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	30	-7.51	-0.009	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	40	-7.34	-0.009	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	50	-6.48	-0.008	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	-30	-7.14	-0.009	PASS

Band26(814-824)	3	26705	15	#0	16QAM	NV	-20	-6.42	-0.008	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	-10	-7.04	-0.009	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	0	-6.71	-0.008	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	10	-7.27	-0.009	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	20	-6.11	-0.007	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	30	-6.47	-0.008	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	40	-6.22	-0.008	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	50	-6.38	-0.008	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-30	-5.88	-0.007	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-20	-6.55	-0.008	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-10	-6.31	-0.008	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	0	-6.41	-0.008	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	10	-5.98	-0.007	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	20	-6.29	-0.008	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	30	-6.29	-0.008	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	40	-6.11	-0.007	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	50	-6.22	-0.008	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-30	-7.25	-0.009	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-20	-6.97	-0.009	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-10	-6.94	-0.008	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	0	-6.35	-0.008	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	10	-6.79	-0.008	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	20	-6.47	-0.008	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	30	-5.09	-0.006	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	40	-5.94	-0.007	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	50	-6.57	-0.008	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-30	-6.02	-0.007	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-20	-7.01	-0.009	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-10	-6.82	-0.008	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	0	-6.94	-0.008	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	10	-6.94	-0.008	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	20	-7.48	-0.009	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	30	-7.34	-0.009	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	40	-6.69	-0.008	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	50	-6.32	-0.008	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-30	-6.82	-0.008	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-20	-5.97	-0.007	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-10	-5.92	-0.007	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	0	-6.17	-0.008	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	10	-5.89	-0.007	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	20	-7.10	-0.009	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	30	-6.27	-0.008	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	40	-6.95	-0.008	PASS

Band26(814-824)	3	26775	15	#0	16QAM	NV	50	-6.17	-0.008	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-30	-7.67	-0.009	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-20	-7.64	-0.009	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-10	-6.98	-0.009	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	0	-6.88	-0.008	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	10	-6.57	-0.008	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	20	-5.41	-0.007	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	30	-6.85	-0.008	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	40	-6.81	-0.008	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	50	-6.47	-0.008	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	-30	-6.77	-0.008	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	-20	-6.57	-0.008	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	-10	-5.99	-0.007	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	0	-6.15	-0.008	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	10	-5.51	-0.007	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	20	-5.97	-0.007	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	30	-6.47	-0.008	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	40	-6.62	-0.008	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	50	-6.58	-0.008	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-30	-6.09	-0.007	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-20	-5.18	-0.006	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-10	-5.29	-0.006	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	0	-6.47	-0.008	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	10	-5.91	-0.007	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	20	-5.88	-0.007	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	30	-5.95	-0.007	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	40	-6.32	-0.008	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	50	-5.88	-0.007	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-30	-7.17	-0.009	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-20	-5.81	-0.007	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-10	-6.14	-0.007	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	0	-5.64	-0.007	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	10	-5.69	-0.007	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	20	-6.14	-0.007	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	30	-5.09	-0.006	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	40	-5.04	-0.006	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	50	-4.92	-0.006	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	-30	-4.49	-0.005	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	-20	-6.19	-0.008	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	-10	-5.09	-0.006	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	0	-5.42	-0.007	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	10	-6.49	-0.008	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	20	-6.39	-0.008	PASS


Band26(814-824)	5	26765	25	#0	QPSK	NV	30	-5.54	-0.007	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	40	-6.34	-0.008	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	50	-5.82	-0.007	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-30	-6.78	-0.008	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-20	-6.49	-0.008	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-10	-5.79	-0.007	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	0	-6.07	-0.007	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	10	-5.62	-0.007	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	20	-4.61	-0.006	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	30	-5.66	-0.007	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	40	-5.48	-0.007	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	50	-5.42	-0.007	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-30	-5.78	-0.007	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-20	-6.48	-0.008	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-10	-6.41	-0.008	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	0	-5.88	-0.007	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	10	-6.12	-0.007	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	20	-5.62	-0.007	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	30	-6.01	-0.007	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	40	-5.44	-0.007	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	50	-6.24	-0.008	PASS




Appendix 3. Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	4.54	13	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	5.45	13	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	5.68	13	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	6.44	13	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	5.77	13	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	6.14	13	PASS
Band26(814-824)	3	26705	1	#0	QPSK	4.60	13	PASS
Band26(814-824)	3	26705	1	#0	16QAM	5.57	13	PASS
Band26(814-824)	3	26740	1	#0	QPSK	5.35	13	PASS
Band26(814-824)	3	26740	1	#0	16QAM	6.20	13	PASS
Band26(814-824)	3	26775	1	#0	QPSK	5.78	13	PASS
Band26(814-824)	3	26775	1	#0	16QAM	6.28	13	PASS
Band26(814-824)	5	26715	1	#0	QPSK	4.70	13	PASS
Band26(814-824)	5	26715	1	#0	16QAM	5.39	13	PASS
Band26(814-824)	5	26740	1	#0	QPSK	4.89	13	PASS
Band26(814-824)	5	26740	1	#0	16QAM	5.55	13	PASS
Band26(814-824)	5	26765	1	#0	QPSK	5.98	13	PASS
Band26(814-824)	5	26765	1	#0	16QAM	6.39	13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	4.82	13	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=1 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0




Appendix 4. Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	1.096	1.414	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	1.103	1.384	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	1.097	1.450	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	1.094	1.411	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	1.100	1.464	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	1.099	1.450	PASS
Band26(814-824)	3	26705	15	#0	QPSK	2.685	3.154	PASS
Band26(814-824)	3	26705	15	#0	16QAM	2.672	3.122	PASS
Band26(814-824)	3	26740	15	#0	QPSK	2.683	3.183	PASS
Band26(814-824)	3	26740	15	#0	16QAM	2.687	3.151	PASS
Band26(814-824)	3	26775	15	#0	QPSK	2.696	3.194	PASS
Band26(814-824)	3	26775	15	#0	16QAM	2.703	3.258	PASS
Band26(814-824)	5	26715	25	#0	QPSK	4.481	5.028	PASS
Band26(814-824)	5	26715	25	#0	16QAM	4.485	5.041	PASS
Band26(814-824)	5	26740	25	#0	QPSK	4.501	5.035	PASS
Band26(814-824)	5	26740	25	#0	16QAM	4.490	5.067	PASS
Band26(814-824)	5	26765	25	#0	QPSK	4.492	5.014	PASS
Band26(814-824)	5	26765	25	#0	16QAM	4.499	5.039	PASS
Band26(814-824)	10	26740	50	#0	QPSK	8.925	9.675	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Appendix 5. Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	815.44	-15.04	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	813.94	-16.80	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	822.56	-14.73	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	824.07	-17.36	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	813.96	-17.13	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	817.04	-18.95	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	820.96	-19.97	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	824.06	-19.81	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	813.95	-25.04	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	813.95	-27.32	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	818.96	-25.34	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	824.06	-26.78	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	813.89	-35.80	-13	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Appendix 6. Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	25631.25	-18.70	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	25622.50	-18.18	-13	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	25618.75	-18.08	-13	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	25618.13	-17.87	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	25641.88	-17.51	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	25633.13	-17.85	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	25553.13	-17.44	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	25676.25	-17.61	-13	PASS
Band26(814-824)	3	26740	15	#0	QPSK	25659.38	-18.01	-13	PASS
Band26(814-824)	3	26740	15	#0	16QAM	25704.38	-17.90	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	25678.13	-17.06	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	25678.75	-17.77	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	25614.38	-18.61	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	25606.88	-18.07	-13	PASS
Band26(814-824)	5	26740	25	#0	QPSK	25578.13	-17.94	-13	PASS
Band26(814-824)	5	26740	25	#0	16QAM	25632.50	-18.03	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	25652.50	-16.76	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	25598.75	-17.78	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	25631.25	-18.22	-13	PASS

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0







Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0



Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0

