



Test Mode: UNII-3/TX AC40 Mode_ANT 6

TX AC HT40 mode CH151



Date: 9.DEC.2014 14:28:17


TX AC HT40 mode CH159



Date: 9.DEC.2014 14:33:54


Test Mode: UNII-3/TX AC40 Mode_ANT 7

TX AC HT40 mode CH151



Date: 9.DEC.2014 14:27:12


TX AC HT40 mode CH159



Date: 9.DEC.2014 14:33:09

Test Mode: UNII-3/TX AC80 Mode_ANT 4


TX AC HT80 mode CH155



Date: 9.DEC.2014 16:06:01

Test Mode: UNII-3/TX AC80 Mode_ANT 5


TX AC HT80 mode CH155



Date: 9.DEC.2014 16:04:45

Test Mode:


UNII-3/TX AC80 Mode_ANT 6



Date: 9.DEC.2014 16:07:33

Test Mode: UNII-3/TX AC80 Mode_ANT 7

TX AC HT80 mode CH155




Date: 9.DEC.2014 16:08:45

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	5.79	0.00	5.79	11.00
CH40	5200	9.35	0.00	9.35	11.00
CH48	5240	8.14	0.00	8.14	11.00

CH36




Date: 8.DEC.2014 19:29:29

CH40



Date: 8.DEC.2014 13:59:56

CH48




Date: 8.DEC.2014 14:01:20

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	5.27	0.04	5.31	11.00
CH40	5200	6.00	0.04	6.04	11.00
CH48	5240	7.37	0.04	7.41	11.00

CH36




Date: 8.DEC.2014 19:52:40

CH40



Date: 8.DEC.2014 19:56:11

CH48




Date: 8.DEC.2014 19:59:11

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	4.15	0.04	4.19	11.00
CH40	5200	5.41	0.04	5.45	11.00
CH48	5240	7.06	0.04	7.10	11.00

CH36




Date: 8.DEC.2014 20:36:15

CH40



Date: 8.DEC.2014 20:39:27


CH48



Date: 8.DEC.2014 20:41:16


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	4.11	0.04	4.15	11.00
CH40	5200	7.47	0.04	7.51	11.00
CH48	5240	7.01	0.04	7.05	11.00




Date: 8.DEC.2014 21:04:08

CH40



Date: 8.DEC.2014 21:00:57

CH48




Date: 8.DEC.2014 21:02:03

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	2.77	0.04	2.81	11.00
CH40	5200	6.95	0.04	6.99	11.00
CH48	5240	6.97	0.04	7.01	11.00

CH36




Date: 8.DEC.2014 21:05:03

CH40



Date: 8.DEC.2014 20:59:51

CH48



Date: 8.DEC.2014 20:58:08


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	10.18	0.04	10.22	11.00
CH40	5200	12.55	0.04	12.59	11.00
CH48	5240	13.12	0.04	13.16	11.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-0.25	0.02	-0.23	11.00
CH46	5230	3.97	0.02	3.99	11.00

CH38



Date: 9.DEC.2014 10:48:15

CH46




Date: 9.DEC.2014 11:01:46

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-1.65	0.02	-1.63	11.00
CH46	5230	3.94	0.02	3.96	11.00

CH38



Date: 9.DEC.2014 10:49:08

CH46




Date: 9.DEC.2014 10:59:03

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-0.90	0.02	-0.88	11.00
CH46	5230	3.86	0.02	3.88	11.00

CH38



Date: 9.DEC.2014 10:50:34

CH46




Date: 9.DEC.2014 10:56:40

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-1.87	0.02	-1.85	11.00
CH46	5230	4.70	0.02	4.72	11.00

CH38



Date: 9.DEC.2014 10:53:36

CH46



Date: 9.DEC.2014 10:55:39


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	4.90	0.02	4.92	11.00
CH46	5230	10.15	0.02	10.17	11.00

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	7.93	0.00	7.93	11.00
CH60	5300	7.17	0.00	7.17	11.00
CH64	5320	5.44	0.00	5.44	11.00

CH52




Date: 8.DEC.2014 14:03:43

CH60



Date: 8.DEC.2014 14:04:57

CH64




Date: 8.DEC.2014 14:06:14

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	5.05	0.04	5.09	11.00
CH60	5300	5.00	0.04	5.04	11.00
CH64	5320	3.94	0.04	3.98	11.00

CH52




Date: 8.DEC.2014 20:25:26

CH60



Date: 8.DEC.2014 21:11:39


CH64



Date: 8.DEC.2014 20:03:33


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	4.99	0.04	5.03	11.00
CH60	5300	4.93	0.04	4.97	11.00
CH64	5320	4.47	0.04	4.51	11.00




Date: 8.DEC.2014 20:42:18

CH60



Date: 8.DEC.2014 21:12:18


CH64



Date: 8.DEC.2014 20:44:29


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	4.96	0.04	5.00	11.00
CH60	5300	4.58	0.04	4.62	11.00
CH64	5320	3.89	0.04	3.93	11.00




Date: 8.DEC.2014 21:07:15

CH60



Date: 8.DEC.2014 21:10:14


CH64



Date: 8.DEC.2014 21:14:54


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	4.74	0.04	4.78	11.00
CH60	5300	4.70	0.04	4.74	11.00
CH64	5320	4.10	0.04	4.14	11.00




Date: 8.DEC.2014 21:06:22

CH60



Date: 8.DEC.2014 21:11:04

CH64



Date: 8.DEC.2014 21:16:03


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	10.99	0.04	11.03	11.00
CH60	5300	10.86	0.04	10.90	11.00
CH64	5320	10.16	0.04	10.20	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	3.39	0.02	3.41	11.00
CH62	5310	-3.36	0.02	-3.34	11.00

CH54



Date: 9.DEC.2014 11:05:36

CH62




Date: 9.DEC.2014 11:13:45

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	2.68	0.02	2.70	11.00
CH62	5310	-3.39	0.02	-3.37	11.00

CH54



Date: 9.DEC.2014 11:03:25

CH62




Date: 9.DEC.2014 11:15:03

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	2.99	0.02	3.01	11.00
CH62	5310	-3.42	0.02	-3.40	11.00

CH54



Date: 9.DEC.2014 11:06:45

CH62




Date: 9.DEC.2014 11:11:29

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	3.23	0.02	3.25	11.00
CH62	5310	-3.20	0.02	-3.18	11.00

CH54



Date: 9.DEC.2014 11:07:46

CH62



Date: 9.DEC.2014 11:12:45


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	9.12	0.02	9.14	11.00
CH62	5310	2.70	0.02	2.72	11.00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	7.74	0.00	7.74	11.00
CH116	5580	10.11	0.00	10.11	11.00
CH140	5700	6.84	0.00	6.84	11.00

CH100




Date: 8.DEC.2014 14:09:27

CH116



Date: 8.DEC.2014 19:34:11

CH140




Date: 8.DEC.2014 19:36:47

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	4.83	0.04	4.87	11.00
CH116	5580	4.60	0.04	4.64	11.00
CH140	5700	5.58	0.04	5.62	11.00

CH100




Date: 8.DEC.2014 21:19:19

CH116



Date: 9.DEC.2014 08:01:41

CH140




Date: 8.DEC.2014 20:23:01

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	4.70	0.04	4.74	11.00
CH116	5580	4.83	0.04	4.87	11.00
CH140	5700	4.09	0.04	4.13	11.00

CH100




Date: 8.DEC.2014 21:21:50

CH116



Date: 9.DEC.2014 08:00:28

CH140




Date: 8.DEC.2014 20:49:46

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	4.85	0.04	4.89	11.00
CH116	5580	4.32	0.04	4.36	11.00
CH140	5700	5.14	0.04	5.18	11.00

CH100




Date: 8.DEC.2014 21:18:55

CH116



Date: 9.DEC.2014 07:59:54


CH140



Date: 9.DEC.2014 08:04:18


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	2.74	0.04	2.78	11.00
CH116	5580	4.19	0.04	4.23	11.00
CH140	5700	2.47	0.04	2.51	11.00




Date: 8.DEC.2014 21:22:50

CH116



Date: 9.DEC.2014 07:58:00

CH140



Date: 9.DEC.2014 08:05:50


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	10.42	0.04	10.46	11.00
CH116	5580	10.55	0.04	10.59	11.00
CH140	5700	10.53	0.04	10.57	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	-1.47	0.02	-1.45	11.00
CH110	5550	4.52	0.02	4.54	11.00
CH134	5670	5.17	0.02	5.19	11.00

CH102




Date: 9.DEC.2014 11:20:37

CH110



Date: 9.DEC.2014 13:06:36

CH134




Date: 9.DEC.2014 13:13:27

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	0.20	0.02	0.22	11.00
CH110	5550	5.55	0.02	5.57	11.00
CH134	5670	5.03	0.02	5.05	11.00

CH102




Date: 9.DEC.2014 11:20:37

CH110



Date: 9.DEC.2014 13:06:36

CH134




Date: 9.DEC.2014 13:13:27

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	-0.16	0.02	-0.14	11.00
CH110	5550	4.56	0.02	4.58	11.00
CH134	5670	4.74	0.02	4.76	11.00

CH102




Date: 9.DEC.2014 11:21:35

CH110



Date: 9.DEC.2014 13:07:05

CH134




Date: 9.DEC.2014 13:10:32

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	0.19	0.02	0.21	11.00
CH110	5550	3.91	0.02	3.93	11.00
CH134	5670	4.73	0.02	4.75	11.00

CH102




Date: 9.DEC.2014 12:57:03

CH110



Date: 9.DEC.2014 13:07:37

CH134



Date: 9.DEC.2014 13:09:40


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	5.78	0.02	5.80	11.00
CH110	5550	10.71	0.02	10.73	11.00
CH134	5670	10.96	0.02	10.98	11.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	3.83	0.00	3.83	30.00
CH157	5785	4.39	0.00	4.39	30.00
CH165	5825	1.91	0.00	1.91	30.00

TX CH149




Date: 8.DEC.2014 14:14:07

TX CH157



Date: 8.DEC.2014 14:15:41

TX CH165




Date: 8.DEC.2014 14:28:35

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	0.53	0.04	0.53	30.00
CH157	5785	4.87	0.04	4.87	30.00
CH165	5825	1.13	0.04	1.13	30.00

TX CH149




Date: 8.DEC.2014 20:28:53

TX CH157



Date: 8.DEC.2014 20:29:51

TX CH165




Date: 8.DEC.2014 20:30:38

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-1.89	0.04	-1.85	30.00
CH157	5785	3.09	0.04	3.05	30.00
CH165	5825	-0.51	0.04	-0.47	30.00

TX CH149




Date: 8.DEC.2014 20:34:28

TX CH157



Date: 8.DEC.2014 20:35:21

TX CH165




Date: 8.DEC.2014 20:33:23

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-2.90	0.04	-2.86	30.00
CH157	5785	5.01	0.04	5.05	30.00
CH165	5825	1.47	0.04	1.51	30.00

TX CH149




Date: 9.DEC.2014 08:10:07

TX CH157



Date: 9.DEC.2014 08:14:53

TX CH165




Date: 9.DEC.2014 08:17:31

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	0.17	0.04	0.21	30.00
CH157	5785	4.11	0.04	4.15	30.00
CH165	5825	0.28	0.04	0.32	30.00

TX CH149




Date: 9.DEC.2014 08:09:07

TX CH157



Date: 9.DEC.2014 08:15:39

TX CH165



Date: 9.DEC.2014 08:16:38


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	5.26	0.04	5.30	30.00
CH157	5785	10.39	0.04	10.43	30.00
CH165	5825	6.72	0.04	6.76	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-4.01	0.02	-3.99	30.00
CH159	5795	0.28	0.02	0.30	30.00

TX CH151



Date: 9.DEC.2014 13:15:16

TX CH159




Date: 9.DEC.2014 13:25:25

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.38	0.02	-6.40	30.00
CH159	5795	-0.52	0.02	-0.50	30.00

TX CH151



Date: 9.DEC.2014 13:16:53

TX CH159




Date: 9.DEC.2014 13:23:52

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-4.86	0.02	-4.84	30.00
CH159	5795	0.66	0.02	0.68	30.00

TX CH151



Date: 9.DEC.2014 13:17:50

TX CH159




Date: 9.DEC.2014 13:22:12

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-5.45	0.02	-5.43	30.00
CH159	5795	0.42	0.02	0.44	30.00

TX CH151



Date: 9.DEC.2014 13:18:56

TX CH159




Date: 9.DEC.2014 13:20:19

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	0.95	0.02	0.97	30.00
CH159	5795	6.27	0.02	6.29	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.47	0.01	5.48	11.00
CH40	5200	8.55	0.01	8.56	11.00
CH48	5240	7.82	0.01	7.83	11.00




Date: 9.DEC.2014 08:29:18

CH40



Date: 9.DEC.2014 08:33:28

CH48




Date: 9.DEC.2014 08:40:03

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.21	0.01	4.22	11.00
CH40	5200	7.78	0.01	7.79	11.00
CH48	5240	7.21	0.01	7.22	11.00

CH36




Date: 9.DEC.2014 08:30:20

CH40



Date: 9.DEC.2014 08:32:15


CH48



Date: 9.DEC.2014 08:39:14


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.30	0.01	5.31	11.00
CH40	5200	8.03	0.01	8.04	11.00
CH48	5240	7.50	0.01	7.51	11.00




Date: 9.DEC.2014 08:26:12

CH40



Date: 9.DEC.2014 08:34:57


CH48



Date: 9.DEC.2014 08:38:22


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.45	0.01	3.46	11.00
CH40	5200	8.07	0.01	8.08	11.00
CH48	5240	6.76	0.01	6.77	11.00




Date: 9.DEC.2014 08:27:47

CH40



Date: 9.DEC.2014 08:35:54

CH48



Date: 9.DEC.2014 08:37:17


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.71	0.01	10.72	11.00
CH40	5200	14.14	0.01	14.15	11.00
CH48	5240	13.37	0.01	13.38	11.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.32	0.09	-0.23	11.00
CH46	5230	4.94	0.09	5.03	11.00

CH38



Date: 9.DEC.2014 13:34:39

CH46




Date: 9.DEC.2014 13:47:29

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.86	0.09	-1.77	11.00
CH46	5230	3.63	0.09	3.72	11.00

CH38



Date: 9.DEC.2014 13:35:30

CH46




Date: 9.DEC.2014 13:46:33

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.23	0.09	-1.14	11.00
CH46	5230	4.15	0.09	4.24	11.00

CH38



Date: 9.DEC.2014 13:36:31

CH46




Date: 9.DEC.2014 13:45:01

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.17	0.09	-2.08	11.00
CH46	5230	3.29	0.09	3.38	11.00

CH38



Date: 9.DEC.2014 13:37:50

CH46




Date: 9.DEC.2014 13:43:58

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.68	0.09	3.77	11.00
CH46	5230	9.04	0.09	9.13	11.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.68	0.06	-4.62	11.00



Date: 9.DEC.2014 15:17:47

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.81	0.06	-4.78	11.00



Date: 9.DEC.2014 15:09:58

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.71	0.06	-4.65	11.00




Date: 9.DEC.2014 15:20:10

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.20	0.06	-5.14	11.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.20	11.00

CH42



Date: 9.DEC.2014 15:21:25


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.18	0.06	1.24	11.00

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.82	0.01	4.83	11.00
CH60	5300	4.74	0.01	4.75	11.00
CH64	5320	3.25	0.01	3.26	11.00

CH52




Date: 9.DEC.2014 08:50:21

CH60



Date: 9.DEC.2014 08:54:37

CH64




Date: 9.DEC.2014 09:04:32

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.44	0.01	4.45	11.00
CH60	5300	4.91	0.01	4.92	11.00
CH64	5320	4.17	0.01	4.18	11.00

CH52




Date: 9.DEC.2014 08:48:33

CH60



Date: 9.DEC.2014 08:55:20

CH64




Date: 9.DEC.2014 09:02:23

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.42	0.01	4.43	11.00
CH60	5300	4.81	0.01	4.82	11.00
CH64	5320	4.93	0.01	4.94	11.00

CH52




Date: 9.DEC.2014 08:48:03

CH60



Date: 9.DEC.2014 08:56:28


CH64



Date: 9.DEC.2014 09:00:01


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.21	0.01	4.22	11.00
CH60	5300	4.99	0.01	5.00	11.00
CH64	5320	4.82	0.01	4.83	11.00




Date: 9.DEC.2014 08:47:28

CH60



Date: 9.DEC.2014 08:57:17

CH64



Date: 9.DEC.2014 08:58:57


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.50	0.01	10.51	11.00
CH60	5300	10.89	0.01	10.90	11.00
CH64	5320	10.37	0.01	10.38	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.88	0.09	3.97	11.00
CH62	5310	-2.45	0.09	-2.36	11.00

CH54



Date: 9.DEC.2014 13:49:10

CH62




Date: 9.DEC.2014 13:59:44

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.73	0.09	3.82	11.00
CH62	5310	-2.57	0.09	-2.48	11.00

CH54



Date: 9.DEC.2014 13:50:01

CH62




Date: 9.DEC.2014 14:00:55

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.91	0.09	3.00	11.00
CH62	5310	-4.14	0.09	-4.05	11.00

CH54



Date: 9.DEC.2014 13:50:47

CH62




Date: 9.DEC.2014 14:01:56

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.59	0.09	3.68	11.00
CH62	5310	-2.64	0.09	-2.54	11.00

CH54



Date: 9.DEC.2014 13:51:38

CH62




Date: 9.DEC.2014 14:06:33

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	8.30	0.09	8.39	11.00
CH62	5310	1.78	0.09	1.87	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.14	0.06	-4.08	11.00



Date: 9.DEC.2014 15:32:26

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.75	0.06	-4.69	11.00



Date: 9.DEC.2014 15:30:49

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.51	0.06	-4.45	11.00



Date: 9.DEC.2014 15:26:25

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.08	0.06	-4.02	11.00



Date: 9.DEC.2014 15:24:44


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.72	0.06	1.78	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.49	0.01	4.50	11.00
CH116	5580	4.20	0.01	4.21	11.00
CH140	5700	4.87	0.01	4.88	11.00

CH100




Date: 9.DEC.2014 09:13:35

CH116



Date: 9.DEC.2014 10:10:41

CH140




Date: 9.DEC.2014 10:23:49

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.03	0.01	4.04	11.00
CH116	5580	4.78	0.01	4.79	11.00
CH140	5700	2.75	0.01	2.76	11.00

CH100




Date: 9.DEC.2014 09:12:29

CH116



Date: 9.DEC.2014 10:11:59

CH140




Date: 9.DEC.2014 10:24:47

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.39	0.01	4.40	11.00
CH116	5580	4.80	0.01	4.81	11.00
CH140	5700	4.21	0.01	4.22	11.00

CH100




Date: 9.DEC.2014 09:09:01

CH116



Date: 9.DEC.2014 10:08:29


CH140



Date: 9.DEC.2014 10:27:20


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.10	0.01	3.11	11.00
CH116	5580	4.33	0.01	4.34	11.00
CH140	5700	2.67	0.01	2.68	11.00




Date: 9.DEC.2014 09:14:29

CH116



Date: 9.DEC.2014 10:07:39

CH140



Date: 9.DEC.2014 10:21:45


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.06	0.01	10.07	11.00
CH116	5580	10.56	0.01	10.57	11.00
CH140	5700	9.75	0.01	9.76	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.31	0.09	1.40	11.00
CH110	5550	4.32	0.09	4.41	11.00
CH134	5670	5.33	0.09	5.42	11.00

CH102




Date: 9.DEC.2014 14:10:43

CH110



Date: 9.DEC.2014 14:12:48

CH134




Date: 9.DEC.2014 14:24:13

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.80	0.09	2.89	11.00
CH110	5550	5.60	0.09	5.69	11.00
CH134	5670	5.08	0.09	5.17	11.00

CH102




Date: 9.DEC.2014 14:09:42

CH110




Date: 9.DEC.2014 14:13:32

CH134




Date: 9.DEC.2014 14:23:01

CH110



Date: 9.DEC.2014 14:17:16

CH134




Date: 9.DEC.2014 14:25:20

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.43	0.09	-0.34	11.00
CH110	5550	3.66	0.09	3.75	11.00
CH134	5670	4.22	0.09	4.31	11.00

CH102




Date: 9.DEC.2014 14:07:50

CH110



Date: 9.DEC.2014 14:18:10

CH134



Date: 9.DEC.2014 14:25:58


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.28	0.09	6.37	11.00
CH110	5550	9.55	0.09	9.64	11.00
CH134	5670	9.77	0.09	9.86	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.07	0.06	-0.01	11.00
CH122	5610	4.40	0.06	4.46	11.00

CH106



Date: 9.DEC.2014 15:35:02

CH122




Date: 9.DEC.2014 16:13:59

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.89	0.06	-1.83	11.00
CH122	5610	5.67	0.06	5.73	11.00

CH106



Date: 9.DEC.2014 15:37:45

CH122




Date: 9.DEC.2014 16:11:57

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.98	0.06	-0.92	11.00
CH122	5610	4.48	0.06	4.54	11.00

CH106



Date: 9.DEC.2014 15:39:29

CH122




Date: 9.DEC.2014 16:16:33

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.18	0.06	-3.12	11.00
CH122	5610	3.60	0.06	3.66	11.00

CH106



Date: 9.DEC.2014 15:40:43

CH122



Date: 9.DEC.2014 16:17:36


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	4.64	0.06	4.70	11.00
CH122	5610	10.62	0.06	10.68	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-1.24	0.01	-1.23	30.00
CH157	5785	4.92	0.01	4.93	30.00
CH165	5825	0.97	0.01	0.98	30.00

TX CH149




Date: 9.DEC.2014 10:32:00

TX CH157



Date: 9.DEC.2014 10:33:18

TX CH165




Date: 9.DEC.2014 10:42:17

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-3.79	0.01	-3.78	30.00
CH157	5785	3.00	0.01	3.01	30.00
CH165	5825	-0.43	0.01	-0.42	30.00

TX CH149




Date: 9.DEC.2014 10:31:09

TX CH157



Date: 9.DEC.2014 10:34:10

TX CH165




Date: 9.DEC.2014 10:41:24

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-2.38	0.01	-2.37	30.00
CH157	5785	4.72	0.01	4.73	30.00
CH165	5825	1.03	0.01	1.04	30.00

TX CH149




Date: 9.DEC.2014 10:29:04

TX CH157



Date: 9.DEC.2014 10:36:10

TX CH165




Date: 9.DEC.2014 10:40:24

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-2.86	0.01	-2.85	30.00
CH157	5785	4.07	0.01	4.08	30.00
CH165	5825	0.17	0.01	0.18	30.00

TX CH149




Date: 9.DEC.2014 10:30:16

TX CH157



Date: 9.DEC.2014 10:37:40

TX CH165



Date: 9.DEC.2014 10:39:08


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	3.56	0.01	3.57	30.00
CH157	5785	10.26	0.01	10.27	30.00
CH165	5825	6.50	0.01	6.51	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-3.93	0.09	-3.84	30.00
CH159	5795	1.06	0.09	1.25	30.00

TX CH151



Date: 9.DEC.2014 14:30:45

TX CH159




Date: 9.DEC.2014 14:39:12

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.55	0.09	-6.46	30.00
CH159	5795	-0.48	0.09	-0.39	30.00

TX CH151



Date: 9.DEC.2014 14:29:10

TX CH159




Date: 9.DEC.2014 14:37:09

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-5.16	0.09	-5.07	30.00
CH159	5795	-0.25	0.09	-0.16	30.00

TX CH151



Date: 9.DEC.2014 14:28:09

TX CH159




Date: 9.DEC.2014 14:33:45

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.27	0.09	-6.18	30.00
CH159	5795	-0.75	0.09	-0.66	30.00

TX CH151



Date: 9.DEC.2014 14:27:04

TX CH159



Date: 9.DEC.2014 14:38:01


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	0.67	0.09	0.76	30.00
CH159	5795	5.97	0.09	6.06	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-7.22	0.06	-7.16	30.00

TX CH155




Date: 9.DEC.2014 16:05:46

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-8.78	0.06	-8.72	30.00

TX CH155




Date: 9.DEC.2014 16:04:30

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-8.39	0.06	-8.33	30.00

TX CH155




Date: 9.DEC.2014 16:07:19

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-8.07	0.06	-8.01	30.00

TX CH155



Date: 9.DEC.2014 16:08:30

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-1.99	0.06	-1.93	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0128
120	5180.0123
108	5180.0131
Max. Deviation (MHz)	0.0131
Max. Deviation (ppm)	2.5290

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0115
5	5180.0117
15	5180.0120
25	5180.0125
35	5180.0123
45	5180.0126
50	5180.0128
Max. Deviation (MHz)	0.0128
Max. Deviation (ppm)	2.4710

Test Mode:	UNII-2A
-------------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0121
120	5260.0118
108	5260.0123
Max. Deviation (MHz)	0.0123
Max. Deviation (ppm)	2.3384

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0134
5	5260.0136
15	5260.0135
25	5260.0138
35	5260.0137
45	5260.0139
50	5260.0141
Max. Deviation (MHz)	0.0141
Max. Deviation (ppm)	2.6806

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0134
120	5500.0132
108	5500.0137
Max. Deviation (MHz)	0.0137
Max. Deviation (ppm)	2.4909

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0137
5	5500.0139
15	5500.0141
25	5500.0143
35	5500.0142
45	5500.0145
50	5500.0147
Max. Deviation (MHz)	0.0147
Max. Deviation (ppm)	2.6727

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0236
120	5745.0231
108	5745.0238
Max. Deviation (MHz)	0.0238
Max. Deviation (ppm)	4.1427

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0253
5	5745.0254
15	5745.0256
25	5745.0258
35	5745.0257
45	5745.0259
50	5745.0261
Max. Deviation (MHz)	0.0261
Max. Deviation (ppm)	4.5431