



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)

Appendix for LTE Band 41

Applicant: Imin Technology Pte Ltd

Address: 11 Bishan Street 21, #03-05 Bosch Building, Singapore

573943

Product Name: Mobile POS

Model: I21M02

FCC ID: 2AYD5-I21M02

TABLE OF CONTENTS

1	Summary of Test Results Data and Graph.....	3
1.1.	Appendix A: Conducted Power Output Data	3
1.2.	Appendix B: Peak-to-Average Ratio(CCDF)	8
1.3.	Appendix C: 26dB Bandwidth and Occupied Bandwidth.....	26
1.4.	Appendix D: Band Edge	35
1.5.	Appendix E: Conducted Spurious Emission	53
1.6.	Appendix F: Frequency Stability	80

1 Summary of Test Results Data and Graph

1.1. Appendix A: Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	22.36	PASS
Band41	5MHz	QPSK	40265	1RB#12	22.46	PASS
Band41	5MHz	QPSK	40265	1RB#24	22.39	PASS
Band41	5MHz	QPSK	40265	12RB#0	21.52	PASS
Band41	5MHz	QPSK	40265	12RB#6	21.51	PASS
Band41	5MHz	QPSK	40265	12RB#13	21.46	PASS
Band41	5MHz	QPSK	40265	25RB#0	21.36	PASS
Band41	5MHz	QPSK	40740	1RB#0	21.89	PASS
Band41	5MHz	QPSK	40740	1RB#12	21.87	PASS
Band41	5MHz	QPSK	40740	1RB#24	21.89	PASS
Band41	5MHz	QPSK	40740	12RB#0	20.96	PASS
Band41	5MHz	QPSK	40740	12RB#6	20.96	PASS
Band41	5MHz	QPSK	40740	12RB#13	20.97	PASS
Band41	5MHz	QPSK	40740	25RB#0	20.88	PASS
Band41	5MHz	QPSK	41215	1RB#0	21.19	PASS
Band41	5MHz	QPSK	41215	1RB#12	21.11	PASS
Band41	5MHz	QPSK	41215	1RB#24	21.14	PASS
Band41	5MHz	QPSK	41215	12RB#0	20.45	PASS
Band41	5MHz	QPSK	41215	12RB#6	20.46	PASS
Band41	5MHz	QPSK	41215	12RB#13	20.32	PASS
Band41	5MHz	QPSK	41215	25RB#0	20.37	PASS
Band41	5MHz	16QAM	40265	1RB#0	21.37	PASS
Band41	5MHz	16QAM	40265	1RB#12	21.39	PASS
Band41	5MHz	16QAM	40265	1RB#24	21.42	PASS
Band41	5MHz	16QAM	40265	12RB#0	20.54	PASS
Band41	5MHz	16QAM	40265	12RB#6	20.52	PASS
Band41	5MHz	16QAM	40265	12RB#13	20.50	PASS
Band41	5MHz	16QAM	40265	25RB#0	20.65	PASS
Band41	5MHz	16QAM	40740	1RB#0	21.17	PASS
Band41	5MHz	16QAM	40740	1RB#12	21.16	PASS
Band41	5MHz	16QAM	40740	1RB#24	20.95	PASS
Band41	5MHz	16QAM	40740	12RB#0	20.24	PASS
Band41	5MHz	16QAM	40740	12RB#6	20.23	PASS

Band41	5MHz	16QAM	40740	12RB#13	20.14	PASS
Band41	5MHz	16QAM	40740	25RB#0	19.95	PASS
Band41	5MHz	16QAM	41215	1RB#0	20.84	PASS
Band41	5MHz	16QAM	41215	1RB#12	20.76	PASS
Band41	5MHz	16QAM	41215	1RB#24	20.82	PASS
Band41	5MHz	16QAM	41215	12RB#0	19.40	PASS
Band41	5MHz	16QAM	41215	12RB#6	19.42	PASS
Band41	5MHz	16QAM	41215	12RB#13	19.42	PASS
Band41	5MHz	16QAM	41215	25RB#0	19.63	PASS
Band41	10MHz	QPSK	40290	1RB#0	22.35	PASS
Band41	10MHz	QPSK	40290	1RB#24	22.30	PASS
Band41	10MHz	QPSK	40290	1RB#49	22.41	PASS
Band41	10MHz	QPSK	40290	25RB#0	21.41	PASS
Band41	10MHz	QPSK	40290	25RB#12	21.43	PASS
Band41	10MHz	QPSK	40290	25RB#25	21.45	PASS
Band41	10MHz	QPSK	40290	50RB#0	20.97	PASS
Band41	10MHz	QPSK	40740	1RB#0	22.00	PASS
Band41	10MHz	QPSK	40740	1RB#24	21.86	PASS
Band41	10MHz	QPSK	40740	1RB#49	21.79	PASS
Band41	10MHz	QPSK	40740	25RB#0	21.06	PASS
Band41	10MHz	QPSK	40740	25RB#12	20.98	PASS
Band41	10MHz	QPSK	40740	25RB#25	21.02	PASS
Band41	10MHz	QPSK	40740	50RB#0	20.62	PASS
Band41	10MHz	QPSK	41190	1RB#0	21.32	PASS
Band41	10MHz	QPSK	41190	1RB#24	21.23	PASS
Band41	10MHz	QPSK	41190	1RB#49	21.21	PASS
Band41	10MHz	QPSK	41190	25RB#0	20.46	PASS
Band41	10MHz	QPSK	41190	25RB#12	20.48	PASS
Band41	10MHz	QPSK	41190	25RB#25	20.25	PASS
Band41	10MHz	QPSK	41190	50RB#0	20.05	PASS
Band41	10MHz	16QAM	40290	1RB#0	21.26	PASS
Band41	10MHz	16QAM	40290	1RB#24	21.38	PASS
Band41	10MHz	16QAM	40290	1RB#49	21.48	PASS
Band41	10MHz	16QAM	40290	25RB#0	20.61	PASS
Band41	10MHz	16QAM	40290	25RB#12	20.62	PASS
Band41	10MHz	16QAM	40290	25RB#25	20.67	PASS
Band41	10MHz	16QAM	40290	50RB#0	20.18	PASS
Band41	10MHz	16QAM	40740	1RB#0	21.13	PASS

Band41	10MHz	16QAM	40740	1RB#24	21.23	PASS
Band41	10MHz	16QAM	40740	1RB#49	21.13	PASS
Band41	10MHz	16QAM	40740	25RB#0	20.22	PASS
Band41	10MHz	16QAM	40740	25RB#12	20.17	PASS
Band41	10MHz	16QAM	40740	25RB#25	20.11	PASS
Band41	10MHz	16QAM	40740	50RB#0	19.75	PASS
Band41	10MHz	16QAM	41190	1RB#0	20.35	PASS
Band41	10MHz	16QAM	41190	1RB#24	20.30	PASS
Band41	10MHz	16QAM	41190	1RB#49	20.20	PASS
Band41	10MHz	16QAM	41190	25RB#0	19.51	PASS
Band41	10MHz	16QAM	41190	25RB#12	19.51	PASS
Band41	10MHz	16QAM	41190	25RB#25	19.41	PASS
Band41	10MHz	16QAM	41190	50RB#0	19.24	PASS
Band41	15MHz	QPSK	40315	1RB#0	22.23	PASS
Band41	15MHz	QPSK	40315	1RB#38	22.34	PASS
Band41	15MHz	QPSK	40315	1RB#74	22.29	PASS
Band41	15MHz	QPSK	40315	38RB#0	21.64	PASS
Band41	15MHz	QPSK	40315	38RB#18	21.65	PASS
Band41	15MHz	QPSK	40315	38RB#37	21.67	PASS
Band41	15MHz	QPSK	40315	75RB#0	21.02	PASS
Band41	15MHz	QPSK	40740	1RB#0	22.01	PASS
Band41	15MHz	QPSK	40740	1RB#38	21.84	PASS
Band41	15MHz	QPSK	40740	1RB#74	21.77	PASS
Band41	15MHz	QPSK	40740	38RB#0	21.49	PASS
Band41	15MHz	QPSK	40740	38RB#18	21.26	PASS
Band41	15MHz	QPSK	40740	38RB#37	21.25	PASS
Band41	15MHz	QPSK	40740	75RB#0	20.67	PASS
Band41	15MHz	QPSK	41165	1RB#0	21.52	PASS
Band41	15MHz	QPSK	41165	1RB#38	21.44	PASS
Band41	15MHz	QPSK	41165	1RB#74	21.31	PASS
Band41	15MHz	QPSK	41165	38RB#0	20.45	PASS
Band41	15MHz	QPSK	41165	38RB#18	20.39	PASS
Band41	15MHz	QPSK	41165	38RB#37	20.32	PASS
Band41	15MHz	QPSK	41165	75RB#0	19.98	PASS
Band41	15MHz	16QAM	40315	1RB#0	21.68	PASS
Band41	15MHz	16QAM	40315	1RB#38	21.67	PASS
Band41	15MHz	16QAM	40315	1RB#74	21.67	PASS
Band41	15MHz	16QAM	40315	38RB#0	21.63	PASS

Band41	15MHz	16QAM	40315	38RB#18	21.65	PASS
Band41	15MHz	16QAM	40315	38RB#37	21.66	PASS
Band41	15MHz	16QAM	40315	75RB#0	20.23	PASS
Band41	15MHz	16QAM	40740	1RB#0	21.17	PASS
Band41	15MHz	16QAM	40740	1RB#38	21.15	PASS
Band41	15MHz	16QAM	40740	1RB#74	21.09	PASS
Band41	15MHz	16QAM	40740	38RB#0	21.48	PASS
Band41	15MHz	16QAM	40740	38RB#18	21.08	PASS
Band41	15MHz	16QAM	40740	38RB#37	21.36	PASS
Band41	15MHz	16QAM	40740	75RB#0	19.71	PASS
Band41	15MHz	16QAM	41165	1RB#0	20.27	PASS
Band41	15MHz	16QAM	41165	1RB#38	20.41	PASS
Band41	15MHz	16QAM	41165	1RB#74	20.24	PASS
Band41	15MHz	16QAM	41165	38RB#0	20.26	PASS
Band41	15MHz	16QAM	41165	38RB#18	20.38	PASS
Band41	15MHz	16QAM	41165	38RB#37	20.36	PASS
Band41	15MHz	16QAM	41165	75RB#0	19.17	PASS
Band41	20MHz	QPSK	40340	1RB#0	22.68	PASS
Band41	20MHz	QPSK	40340	1RB#49	22.70	PASS
Band41	20MHz	QPSK	40340	1RB#99	22.67	PASS
Band41	20MHz	QPSK	40340	50RB#0	21.50	PASS
Band41	20MHz	QPSK	40340	50RB#25	21.51	PASS
Band41	20MHz	QPSK	40340	50RB#50	21.59	PASS
Band41	20MHz	QPSK	40340	100RB#0	21.19	PASS
Band41	20MHz	QPSK	40740	1RB#0	22.03	PASS
Band41	20MHz	QPSK	40740	1RB#49	21.85	PASS
Band41	20MHz	QPSK	40740	1RB#99	21.59	PASS
Band41	20MHz	QPSK	40740	50RB#0	21.17	PASS
Band41	20MHz	QPSK	40740	50RB#25	21.18	PASS
Band41	20MHz	QPSK	40740	50RB#50	21.00	PASS
Band41	20MHz	QPSK	40740	100RB#0	20.69	PASS
Band41	20MHz	QPSK	41140	1RB#0	21.33	PASS
Band41	20MHz	QPSK	41140	1RB#49	21.12	PASS
Band41	20MHz	QPSK	41140	1RB#99	21.09	PASS
Band41	20MHz	QPSK	41140	50RB#0	20.55	PASS
Band41	20MHz	QPSK	41140	50RB#25	20.39	PASS
Band41	20MHz	QPSK	41140	50RB#50	20.41	PASS
Band41	20MHz	QPSK	41140	100RB#0	20.00	PASS

Band41	20MHz	16QAM	40340	1RB#0	22.45	PASS
Band41	20MHz	16QAM	40340	1RB#49	22.42	PASS
Band41	20MHz	16QAM	40340	1RB#99	22.39	PASS
Band41	20MHz	16QAM	40340	50RB#0	20.60	PASS
Band41	20MHz	16QAM	40340	50RB#25	20.60	PASS
Band41	20MHz	16QAM	40340	50RB#50	20.77	PASS
Band41	20MHz	16QAM	40340	100RB#0	20.34	PASS
Band41	20MHz	16QAM	40740	1RB#0	21.33	PASS
Band41	20MHz	16QAM	40740	1RB#49	21.14	PASS
Band41	20MHz	16QAM	40740	1RB#99	20.89	PASS
Band41	20MHz	16QAM	40740	50RB#0	20.38	PASS
Band41	20MHz	16QAM	40740	50RB#25	20.39	PASS
Band41	20MHz	16QAM	40740	50RB#50	20.07	PASS
Band41	20MHz	16QAM	40740	100RB#0	19.82	PASS
Band41	20MHz	16QAM	41140	1RB#0	20.83	PASS
Band41	20MHz	16QAM	41140	1RB#49	20.64	PASS
Band41	20MHz	16QAM	41140	1RB#99	20.46	PASS
Band41	20MHz	16QAM	41140	50RB#0	19.72	PASS
Band41	20MHz	16QAM	41140	50RB#25	19.82	PASS
Band41	20MHz	16QAM	41140	50RB#50	19.60	PASS
Band41	20MHz	16QAM	41140	100RB#0	19.14	PASS

1.2. Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	8.41	13	PASS
Band41	5MHz	QPSK	40265	25RB#0	8.41	13	PASS
Band41	5MHz	QPSK	40740	1RB#0	8.41	13	PASS
Band41	5MHz	QPSK	40740	25RB#0	8.41	13	PASS
Band41	5MHz	QPSK	41215	1RB#0	8.41	13	PASS
Band41	5MHz	QPSK	41215	25RB#0	8.41	13	PASS
Band41	5MHz	16QAM	40265	1RB#0	8.41	13	PASS
Band41	5MHz	16QAM	40265	25RB#0	8.41	13	PASS
Band41	5MHz	16QAM	40740	1RB#0	8.41	13	PASS
Band41	5MHz	16QAM	40740	25RB#0	8.41	13	PASS
Band41	5MHz	16QAM	41215	1RB#0	8.41	13	PASS
Band41	5MHz	16QAM	41215	25RB#0	8.41	13	PASS
Band41	10MHz	QPSK	40290	1RB#0	8.41	13	PASS
Band41	10MHz	QPSK	40290	50RB#0	8.41	13	PASS
Band41	10MHz	QPSK	40740	1RB#0	8.41	13	PASS
Band41	10MHz	QPSK	40740	50RB#0	8.41	13	PASS
Band41	10MHz	QPSK	41190	1RB#0	8.41	13	PASS
Band41	10MHz	QPSK	41190	50RB#0	8.41	13	PASS
Band41	10MHz	16QAM	40290	1RB#0	8.41	13	PASS
Band41	10MHz	16QAM	40290	50RB#0	8.41	13	PASS
Band41	10MHz	16QAM	40740	1RB#0	8.41	13	PASS
Band41	10MHz	16QAM	40740	50RB#0	8.41	13	PASS
Band41	10MHz	16QAM	41190	1RB#0	8.41	13	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.41	13	PASS
Band41	15MHz	QPSK	40315	1RB#0	8.46	13	PASS
Band41	15MHz	QPSK	40315	75RB#0	8.46	13	PASS
Band41	15MHz	QPSK	40740	1RB#0	8.46	13	PASS
Band41	15MHz	QPSK	40740	75RB#0	8.46	13	PASS
Band41	15MHz	QPSK	41165	1RB#0	8.46	13	PASS
Band41	15MHz	QPSK	41165	75RB#0	8.46	13	PASS
Band41	15MHz	16QAM	40315	1RB#0	8.46	13	PASS
Band41	15MHz	16QAM	40315	75RB#0	8.46	13	PASS
Band41	15MHz	16QAM	40740	1RB#0	8.46	13	PASS
Band41	15MHz	16QAM	40740	75RB#0	8.46	13	PASS


Band41	15MHz	16QAM	41165	1RB#0	8.46	13	PASS
Band41	15MHz	16QAM	41165	75RB#0	8.46	13	PASS
Band41	20MHz	QPSK	40340	1RB#0	7.94	13	PASS
Band41	20MHz	QPSK	40340	100RB#0	7.94	13	PASS
Band41	20MHz	QPSK	40740	1RB#0	7.94	13	PASS
Band41	20MHz	QPSK	40740	100RB#0	7.94	13	PASS
Band41	20MHz	QPSK	41140	1RB#0	7.94	13	PASS
Band41	20MHz	QPSK	41140	100RB#0	7.94	13	PASS
Band41	20MHz	16QAM	40340	1RB#0	7.94	13	PASS
Band41	20MHz	16QAM	40340	100RB#0	7.94	13	PASS
Band41	20MHz	16QAM	40740	1RB#0	7.94	13	PASS
Band41	20MHz	16QAM	40740	100RB#0	7.94	13	PASS
Band41	20MHz	16QAM	41140	1RB#0	7.94	13	PASS
Band41	20MHz	16QAM	41140	100RB#0	7.94	13	PASS

Test Graphs


Band41-5MHz-QPSK-40265-1RB#0




Band41-5MHz-QPSK-40265-25RB#0




Band41-5MHz-QPSK-40740-1RB#0




Band41-5MHz-QPSK-40740-25RB#0




Band41-5MHz-QPSK-41215-1RB#0




Band41-5MHz-QPSK-41215-25RB#0




Band41-5MHz-16QAM-40265-1RB#0




Band41-5MHz-16QAM-40265-25RB#0




Band41-5MHz-16QAM-40740-1RB#0




Band41-5MHz-16QAM-40740-25RB#0




Band41-5MHz-16QAM-41215-1RB#0




Band41-5MHz-16QAM-41215-25RB#0




Band41-10MHz-QPSK-40290-1RB#0




Band41-10MHz-QPSK-40290-50RB#0




Band41-10MHz-QPSK-40740-1RB#0




Band41-10MHz-QPSK-40740-50RB#0




Band41-10MHz-QPSK-41190-1RB#0




Band41-10MHz-QPSK-41190-50RB#0




Band41-10MHz-16QAM-40290-1RB#0




Band41-10MHz-16QAM-40290-50RB#0




Band41-10MHz-16QAM-40740-1RB#0




Band41-10MHz-16QAM-40740-50RB#0




Band41-10MHz-16QAM-41190-1RB#0




Band41-10MHz-16QAM-41190-50RB#0




Band41-15MHz-QPSK-40315-1RB#0




Band41-15MHz-QPSK-40315-75RB#0




Band41-15MHz-QPSK-40740-1RB#0




Band41-15MHz-QPSK-40740-75RB#0




Band41-15MHz-QPSK-41165-1RB#0




Band41-15MHz-QPSK-41165-75RB#0




Band41-15MHz-16QAM-40315-1RB#0




Band41-15MHz-16QAM-40315-75RB#0




Band41-15MHz-16QAM-40740-1RB#0




Band41-15MHz-16QAM-40740-75RB#0




Band41-15MHz-16QAM-41165-1RB#0




Band41-15MHz-16QAM-41165-75RB#0




Band41-20MHz-QPSK-40340-1RB#0




Band41-20MHz-QPSK-40340-100RB#0




Band41-20MHz-QPSK-40740-1RB#0




Band41-20MHz-QPSK-40740-100RB#0




Band41-20MHz-QPSK-41140-1RB#0




Band41-20MHz-QPSK-41140-100RB#0




Band41-20MHz-16QAM-40340-1RB#0




Band41-20MHz-16QAM-40340-100RB#0




Band41-20MHz-16QAM-40740-1RB#0




Band41-20MHz-16QAM-40740-100RB#0



Band41-20MHz-16QAM-41140-1RB#0



Band41-20MHz-16QAM-41140-100RB#0




1.3. Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41	5MHz	QPSK	40265	25RB#0	4.496	4.792	PASS
Band41	5MHz	QPSK	40740	25RB#0	4.512	4.800	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.52	4.776	PASS
Band41	5MHz	16QAM	40265	25RB#0	4.504	4.896	PASS
Band41	5MHz	16QAM	40740	25RB#0	4.528	6.384	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.52	5.720	PASS
Band41	10MHz	QPSK	40290	50RB#0	9.006	9.712	PASS
Band41	10MHz	QPSK	40740	50RB#0	9.006	9.679	PASS
Band41	10MHz	QPSK	41190	50RB#0	9.006	9.679	PASS
Band41	10MHz	16QAM	40290	50RB#0	9.038	9.712	PASS
Band41	10MHz	16QAM	40740	50RB#0	9.038	10.096	PASS
Band41	10MHz	16QAM	41190	50RB#0	9.038	9.808	PASS
Band41	15MHz	QPSK	40315	75RB#0	13.462	14.471	PASS
Band41	15MHz	QPSK	40740	75RB#0	13.51	14.519	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.51	14.519	PASS
Band41	15MHz	16QAM	40315	75RB#0	13.51	15.529	PASS
Band41	15MHz	16QAM	40740	75RB#0	13.558	19.375	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.51	14.615	PASS
Band41	20MHz	QPSK	40340	100RB#0	18.077	19.615	PASS
Band41	20MHz	QPSK	40740	100RB#0	18.013	19.679	PASS
Band41	20MHz	QPSK	41140	100RB#0	18.013	19.551	PASS
Band41	20MHz	16QAM	40340	100RB#0	18.077	19.744	PASS
Band41	20MHz	16QAM	40740	100RB#0	18.141	20.769	PASS
Band41	20MHz	16QAM	41140	100RB#0	18.013	19.615	PASS


Test Graphs

Band41-5MHz-QPSK-40265-25RB#0-4.496




Date: 2.AUG.2021 15:48:02

Band41-5MHz-QPSK-40740-25RB#0-4.512




Date: 2.AUG.2021 15:48:42

Band41-5MHz-QPSK-41215-25RB#0-4.52




Date: 2.AUG.2021 15:49:21


Band41-5MHz-16QAM-40265-25RB#0-4.504




Band41-5MHz-16QAM-40740-25RB#0-4.528



Band41-5MHz-16QAM-41215-25RB#0-4.52




Band41-10MHz-QPSK-40290-50RB#0-9.006




Date: 2.AUG.2021 16:05:51

Band41-10MHz-QPSK-40740-50RB#0-9.006




Date: 2.AUG.2021 16:06:16

Band41-10MHz-QPSK-41190-50RB#0-9.006




Date: 2.AUG.2021 16:06:41


Band41-10MHz-16QAM-40290-50RB#0-9.038




Band41-10MHz-16QAM-40740-50RB#0-9.038




Band41-10MHz-16QAM-41190-50RB#0-9.038




Band41-15MHz-QPSK-40315-75RB#0-13.462




Band41-15MHz-QPSK-40740-75RB#0-13.51




Band41-15MHz-QPSK-41165-75RB#0-13.51




Band41-15MHz-16QAM-40315-75RB#0-13.51




Band41-15MHz-16QAM-40740-75RB#0-13.558



Band41-15MHz-16QAM-41165-75RB#0-13.51




Band41-20MHz-QPSK-40340-100RB#0-18.077




Date: 2.AUG.2021 16:39:04

Band41-20MHz-QPSK-40740-100RB#0-18.013




Date: 2.AUG.2021 16:39:29

Band41-20MHz-QPSK-41140-100RB#0-18.013




Date: 2.AUG.2021 16:39:54


Band41-20MHz-16QAM-40340-100RB#0-18.077



Band41-20MHz-16QAM-40740-100RB#0-18.141



Band41-20MHz-16QAM-41140-100RB#0-18.013



1.4. Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	-45.08,-45.17,-41.53,-38.17	PASS
Band41	5MHz	QPSK	40265	1RB#24	-45.35,-45.39,-43.13,-42.48	PASS
Band41	5MHz	QPSK	40265	25RB#0	-43.91,-43.14,-36.08,-32.20	PASS
Band41	5MHz	QPSK	41215	1RB#0	-41.68,-42.54,-45.27,-45.23	PASS
Band41	5MHz	QPSK	41215	1RB#24	-32.04,-41.58,-45.23,-44.78	PASS
Band41	5MHz	QPSK	41215	25RB#0	-32.79,-34.09,-44.01,-44.08	PASS
Band41	5MHz	16QAM	40265	1RB#0	-45.29,-45.22,-42.23,-33.76	PASS
Band41	5MHz	16QAM	40265	1RB#24	-45.16,-45.46,-43.91,-42.72	PASS
Band41	5MHz	16QAM	40265	25RB#0	-44.00,-43.17,-34.17,-33.70	PASS
Band41	5MHz	16QAM	41215	1RB#0	-42.41,-42.62,-45.35,-45.23	PASS
Band41	5MHz	16QAM	41215	1RB#24	-34.24,-41.89,-45.15,-44.94	PASS
Band41	5MHz	16QAM	41215	25RB#0	-32.83,-34.77,-43.77,-44.06	PASS
Band41	10MHz	QPSK	40290	1RB#0	-43.42,-40.06,-40.28,-33.93	PASS
Band41	10MHz	QPSK	40290	1RB#49	-43.60,-42.23,-41.75,-42.31	PASS
Band41	10MHz	QPSK	40290	50RB#0	-42.33,-38.52,-36.72,-35.60	PASS
Band41	10MHz	QPSK	41190	1RB#0	-41.81,-42.26,-41.09,-43.43	PASS
Band41	10MHz	QPSK	41190	1RB#49	-35.00,-38.67,-41.45,-43.38	PASS
Band41	10MHz	QPSK	41190	50RB#0	-31.23,-32.83,-36.14,-42.75	PASS
Band41	10MHz	16QAM	40290	1RB#0	-43.54,-40.87,-40.52,-32.90	PASS
Band41	10MHz	16QAM	40290	1RB#49	-43.55,-41.82,-42.29,-42.35	PASS
Band41	10MHz	16QAM	40290	50RB#0	-42.13,-37.63,-35.19,-34.90	PASS
Band41	10MHz	16QAM	41190	1RB#0	-41.69,-42.34,-41.45,-43.43	PASS
Band41	10MHz	16QAM	41190	1RB#49	-30.82,-40.57,-41.43,-43.36	PASS
Band41	10MHz	16QAM	41190	50RB#0	-33.52,-30.18,-34.13,-42.55	PASS
Band41	15MHz	QPSK	40315	1RB#0	-43.50,-40.63,-41.70,-32.27	PASS
Band41	15MHz	QPSK	40315	1RB#74	-43.28,-41.49,-43.11,-42.64	PASS
Band41	15MHz	QPSK	40315	75RB#0	-41.88,-36.12,-35.33,-34.33	PASS
Band41	15MHz	QPSK	41165	1RB#0	-42.55,-43.15,-41.63,-43.32	PASS
Band41	15MHz	QPSK	41165	1RB#74	-32.04,-40.83,-40.50,-43.27	PASS
Band41	15MHz	QPSK	41165	75RB#0	-34.54,-34.60,-36.23,-42.66	PASS
Band41	15MHz	16QAM	40315	1RB#0	-43.51,-40.94,-41.67,-33.43	PASS
Band41	15MHz	16QAM	40315	1RB#74	-43.59,-41.02,-43.28,-42.43	PASS
Band41	15MHz	16QAM	40315	75RB#0	-41.82,-32.97,-31.08,-32.39	PASS


Band41	15MHz	16QAM	41165	1RB#0	-42.61,-43.15,-41.70,-43.31	PASS
Band41	15MHz	16QAM	41165	1RB#74	-31.69,-41.42,-40.64,-43.33	PASS
Band41	15MHz	16QAM	41165	75RB#0	-33.06,-33.31,-34.78,-42.41	PASS
Band41	20MHz	QPSK	40340	1RB#0	-42.04,-38.69,-38.19,-29.28	PASS
Band41	20MHz	QPSK	40340	1RB#99	-42.06,-38.55,-41.63,-41.13	PASS
Band41	20MHz	QPSK	40340	100RB#0	-40.95,-34.92,-33.79,-33.84	PASS
Band41	20MHz	QPSK	41140	1RB#0	-40.87,-41.57,-40.40,-41.86	PASS
Band41	20MHz	QPSK	41140	1RB#99	-28.44,-35.77,-39.48,-41.85	PASS
Band41	20MHz	QPSK	41140	100RB#0	-30.63,-33.40,-34.44,-41.14	PASS
Band41	20MHz	16QAM	40340	1RB#0	-42.03,-38.17,-38.10,-29.84	PASS
Band41	20MHz	16QAM	40340	1RB#99	-42.10,-37.14,-41.59,-41.22	PASS
Band41	20MHz	16QAM	40340	100RB#0	-40.72,-33.56,-32.73,-32.58	PASS
Band41	20MHz	16QAM	41140	1RB#0	-41.05,-41.64,-40.70,-41.89	PASS
Band41	20MHz	16QAM	41140	1RB#99	-27.60,-36.17,-39.90,-41.84	PASS
Band41	20MHz	16QAM	41140	100RB#0	-33.58,-34.00,-34.34,-41.28	PASS

Test Graphs


Band41-5MHz-QPSK-40265-1RB#0




Band41-5MHz-QPSK-40265-1RB#24




Band41-5MHz-QPSK-40265-25RB#0




Band41-5MHz-QPSK-41215-1RB#0




Band41-5MHz-QPSK-41215-1RB#24




Band41-5MHz-QPSK-41215-25RB#0




Band41-5MHz-16QAM-40265-1RB#0




Band41-5MHz-16QAM-40265-1RB#24




Band41-5MHz-16QAM-40265-25RB#0




Band41-5MHz-16QAM-41215-1RB#0




Band41-5MHz-16QAM-41215-1RB#24




Band41-5MHz-16QAM-41215-25RB#0




Band41-10MHz-QPSK-40290-1RB#0




Band41-10MHz-QPSK-40290-1RB#49




Band41-10MHz-QPSK-40290-50RB#0




Band41-10MHz-QPSK-41190-1RB#0




Band41-10MHz-QPSK-41190-1RB#49




Band41-10MHz-QPSK-41190-50RB#0




Band41-10MHz-16QAM-40290-1RB#0




Band41-10MHz-16QAM-40290-1RB#49




Band41-10MHz-16QAM-40290-50RB#0




Band41-10MHz-16QAM-41190-1RB#0




Band41-10MHz-16QAM-41190-1RB#49




Band41-10MHz-16QAM-41190-50RB#0




Band41-15MHz-QPSK-40315-1RB#0




Band41-15MHz-QPSK-40315-1RB#74




Band41-15MHz-QPSK-40315-75RB#0




Band41-15MHz-QPSK-41165-1RB#0




Band41-15MHz-QPSK-41165-1RB#74




Band41-15MHz-QPSK-41165-75RB#0




Band41-15MHz-16QAM-40315-1RB#0




Band41-15MHz-16QAM-40315-1RB#74




Band41-15MHz-16QAM-40315-75RB#0




Band41-15MHz-16QAM-41165-1RB#0




Band41-15MHz-16QAM-41165-1RB#74




Band41-15MHz-16QAM-41165-75RB#0




Band41-20MHz-QPSK-40340-1RB#0




Band41-20MHz-QPSK-40340-1RB#99




Band41-20MHz-QPSK-40340-100RB#0




Band41-20MHz-QPSK-41140-1RB#0




Band41-20MHz-QPSK-41140-1RB#99




Band41-20MHz-QPSK-41140-100RB#0




Band41-20MHz-16QAM-40340-1RB#0




Band41-20MHz-16QAM-40340-1RB#99




Band41-20MHz-16QAM-40340-100RB#0




Band41-20MHz-16QAM-41140-1RB#0



Band41-20MHz-16QAM-41140-1RB#99



Band41-20MHz-16QAM-41140-100RB#0



1.5. Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	Range1:30~1000MHz	-41.81	PASS
Band41	5MHz	QPSK	40265	1RB#0	Range2:1000~3000MHz	-30.57	PASS
Band41	5MHz	QPSK	40265	1RB#0	Range3:3000~26500MHz	-33.68	PASS
Band41	5MHz	QPSK	40740	1RB#0	Range1:30~1000MHz	-42.1	PASS
Band41	5MHz	QPSK	40740	1RB#0	Range2:1000~3000MHz	-38.05	PASS
Band41	5MHz	QPSK	40740	1RB#0	Range3:3000~26500MHz	-32.4	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range1:30~1000MHz	-42.36	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range2:1000~3000MHz	-37.74	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range3:3000~26500MHz	-33.59	PASS
Band41	5MHz	16QAM	40265	1RB#0	Range1:30~1000MHz	-42.24	PASS
Band41	5MHz	16QAM	40265	1RB#0	Range2:1000~3000MHz	-31.26	PASS
Band41	5MHz	16QAM	40265	1RB#0	Range3:3000~26500MHz	-33	PASS
Band41	5MHz	16QAM	40740	1RB#0	Range1:30~1000MHz	-42.86	PASS
Band41	5MHz	16QAM	40740	1RB#0	Range2:1000~3000MHz	-36.84	PASS
Band41	5MHz	16QAM	40740	1RB#0	Range3:3000~26500MHz	-34.04	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range1:30~1000MHz	-25.82	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range2:1000~3000MHz	-37.74	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range3:3000~26500MHz	-33.22	PASS
Band41	10MHz	QPSK	40290	1RB#0	Range1:30~1000MHz	-28.3	PASS
Band41	10MHz	QPSK	40290	1RB#0	Range2:1000~3000MHz	-34.64	PASS
Band41	10MHz	QPSK	40290	1RB#0	Range3:3000~26500MHz	-33.51	PASS
Band41	10MHz	QPSK	40740	1RB#0	Range1:30~1000MHz	-36.42	PASS
Band41	10MHz	QPSK	40740	1RB#0	Range2:1000~3000MHz	-38.08	PASS
Band41	10MHz	QPSK	40740	1RB#0	Range3:3000~26500MHz	-32.87	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range1:30~1000MHz	-35.82	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range2:1000~3000MHz	-37.93	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range3:3000~26500MHz	-34.1	PASS
Band41	10MHz	16QAM	40290	1RB#0	Range1:30~1000MHz	-35.95	PASS
Band41	10MHz	16QAM	40290	1RB#0	Range2:1000~3000MHz	-38.03	PASS
Band41	10MHz	16QAM	40290	1RB#0	Range3:3000~26500MHz	-33.08	PASS
Band41	10MHz	16QAM	40740	1RB#0	Range1:30~1000MHz	-34.26	PASS
Band41	10MHz	16QAM	40740	1RB#0	Range2:1000~3000MHz	-38.55	PASS
Band41	10MHz	16QAM	40740	1RB#0	Range3:3000~26500MHz	-33.47	PASS

Band41	10MHz	16QAM	41190	1RB#0	Range1:30~1000MHz	-35.21	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range2:1000~3000MHz	-38.47	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range3:3000~26500MHz	-33.4	PASS
Band41	15MHz	QPSK	40315	1RB#0	Range1:30~1000MHz	-37.1	PASS
Band41	15MHz	QPSK	40315	1RB#0	Range2:1000~3000MHz	-33.18	PASS
Band41	15MHz	QPSK	40315	1RB#0	Range3:3000~26500MHz	-32.14	PASS
Band41	15MHz	QPSK	40740	1RB#0	Range1:30~1000MHz	-34.52	PASS
Band41	15MHz	QPSK	40740	1RB#0	Range2:1000~3000MHz	-38.49	PASS
Band41	15MHz	QPSK	40740	1RB#0	Range3:3000~26500MHz	-32.77	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range1:30~1000MHz	-34.31	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range2:1000~3000MHz	-37.93	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range3:3000~26500MHz	-32.38	PASS
Band41	15MHz	16QAM	40315	1RB#0	Range1:30~1000MHz	-38.37	PASS
Band41	15MHz	16QAM	40315	1RB#0	Range2:1000~3000MHz	-32.01	PASS
Band41	15MHz	16QAM	40315	1RB#0	Range3:3000~26500MHz	-33.05	PASS
Band41	15MHz	16QAM	40740	1RB#0	Range1:30~1000MHz	-35.71	PASS
Band41	15MHz	16QAM	40740	1RB#0	Range2:1000~3000MHz	-37.3	PASS
Band41	15MHz	16QAM	40740	1RB#0	Range3:3000~26500MHz	-33.69	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range1:30~1000MHz	-35.56	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range2:1000~3000MHz	-38.47	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range3:3000~26500MHz	-32.39	PASS
Band41	20MHz	QPSK	40340	1RB#0	Range1:30~1000MHz	-36.29	PASS
Band41	20MHz	QPSK	40340	1RB#0	Range2:1000~3000MHz	-35.18	PASS
Band41	20MHz	QPSK	40340	1RB#0	Range3:3000~26500MHz	-33.72	PASS
Band41	20MHz	QPSK	40740	1RB#0	Range1:30~1000MHz	-35.4	PASS
Band41	20MHz	QPSK	40740	1RB#0	Range2:1000~3000MHz	-38.09	PASS
Band41	20MHz	QPSK	40740	1RB#0	Range3:3000~26500MHz	-33.1	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range1:30~1000MHz	-34.17	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range2:1000~3000MHz	-38.82	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range3:3000~26500MHz	-32.35	PASS
Band41	20MHz	16QAM	40340	1RB#0	Range1:30~1000MHz	-34.92	PASS
Band41	20MHz	16QAM	40340	1RB#0	Range2:1000~3000MHz	-35.91	PASS
Band41	20MHz	16QAM	40340	1RB#0	Range3:3000~26500MHz	-33.17	PASS
Band41	20MHz	16QAM	40740	1RB#0	Range1:30~1000MHz	-36.48	PASS
Band41	20MHz	16QAM	40740	1RB#0	Range2:1000~3000MHz	-38.06	PASS
Band41	20MHz	16QAM	40740	1RB#0	Range3:3000~26500MHz	-32.9	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range1:30~1000MHz	-34.32	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range2:1000~3000MHz	-38.12	PASS

Band41	20MHz	16QAM	41140	1RB#0	Range3:3000~26500MHz	-33.27	PASS
--------	-------	-------	-------	-------	----------------------	--------	------


Test Graphs

Band41-5MHz-QPSK-40265-1RB#0-Range1:30~1000MHz




Date: 4.AUG.2021 15:51:19

Band41-5MHz-QPSK-40265-1RB#0-Range2:1000~3000MHz




Date: 2.AUG.2021 15:53:00

Band41-5MHz-QPSK-40265-1RB#0-Range3:3000~26500MHz




Date: 2.AUG.2021 15:53:11


Band41-5MHz-QPSK-40740-1RB#0-Range1:30~1000MHz




Band41-5MHz-QPSK-40740-1RB#0-Range2:1000~3000MHz



Band41-5MHz-QPSK-40740-1RB#0-Range3:3000~26500MHz




Band41-5MHz-QPSK-41215-1RB#0-Range1:30~1000MHz




Date: 4.AUG.2021 15:52:06

Band41-5MHz-QPSK-41215-1RB#0-Range2:1000~3000MHz




Date: 2.AUG.2021 15:55:23

Band41-5MHz-QPSK-41215-1RB#0-Range3:3000~26500MHz




Date: 2.AUG.2021 15:55:34

Band41-5MHz-16QAM-40265-1RB#0-Range1:30~1000MHz




Date: 4.AUG.2021 15:51:29

Band41-5MHz-16QAM-40265-1RB#0-Range2:1000~3000MHz




Date: 2.AUG.2021 15:53:35

Band41-5MHz-16QAM-40265-1RB#0-Range3:3000~26500MHz




Date: 2.AUG.2021 15:53:45

Band41-5MHz-16QAM-40740-1RB#0-Range1:30~1000MHz




Date: 4.AUG.2021 15:51:53

Band41-5MHz-16QAM-40740-1RB#0-Range2:1000~3000MHz




Date: 2.AUG.2021 15:54:47

Band41-5MHz-16QAM-40740-1RB#0-Range3:3000~26500MHz




Date: 2.AUG.2021 15:54:57


Band41-5MHz-16QAM-41215-1RB#0-Range1:30~1000MHz




Band41-5MHz-16QAM-41215-1RB#0-Range2:1000~3000MHz




Band41-5MHz-16QAM-41215-1RB#0-Range3:3000~26500MHz




Band41-10MHz-QPSK-40290-1RB#0-Range1:30~1000MHz




Band41-10MHz-QPSK-40290-1RB#0-Range2:1000~3000MHz




Band41-10MHz-QPSK-40290-1RB#0-Range3:3000~26500MHz




Band41-10MHz-QPSK-40740-1RB#0-Range1:30~1000MHz




Band41-10MHz-QPSK-40740-1RB#0-Range2:1000~3000MHz




Band41-10MHz-QPSK-40740-1RB#0-Range3:3000~26500MHz




Band41-10MHz-QPSK-41190-1RB#0-Range1:30~1000MHz




Band41-10MHz-QPSK-41190-1RB#0-Range2:1000~3000MHz




Band41-10MHz-QPSK-41190-1RB#0-Range3:3000~26500MHz




Band41-10MHz-16QAM-40290-1RB#0-Range1:30~1000MHz




Band41-10MHz-16QAM-40290-1RB#0-Range2:1000~3000MHz




Band41-10MHz-16QAM-40290-1RB#0-Range3:3000~26500MHz




Band41-10MHz-16QAM-40740-1RB#0-Range1:30~1000MHz




Band41-10MHz-16QAM-40740-1RB#0-Range2:1000~3000MHz




Band41-10MHz-16QAM-40740-1RB#0-Range3:3000~26500MHz




Band41-10MHz-16QAM-41190-1RB#0-Range1:30~1000MHz




Band41-10MHz-16QAM-41190-1RB#0-Range2:1000~3000MHz




Band41-10MHz-16QAM-41190-1RB#0-Range3:3000~26500MHz




Band41-15MHz-QPSK-40315-1RB#0-Range1:30~1000MHz




Band41-15MHz-QPSK-40315-1RB#0-Range2:1000~3000MHz




Band41-15MHz-QPSK-40315-1RB#0-Range3:3000~26500MHz




Band41-15MHz-QPSK-40740-1RB#0-Range1:30~1000MHz




Band41-15MHz-QPSK-40740-1RB#0-Range2:1000~3000MHz




Band41-15MHz-QPSK-40740-1RB#0-Range3:3000~26500MHz




Band41-15MHz-QPSK-41165-1RB#0-Range1:30~1000MHz




Band41-15MHz-QPSK-41165-1RB#0-Range2:1000~3000MHz




Band41-15MHz-QPSK-41165-1RB#0-Range3:3000~26500MHz




Band41-15MHz-16QAM-40315-1RB#0-Range1:30~1000MHz




Band41-15MHz-16QAM-40315-1RB#0-Range2:1000~3000MHz




Band41-15MHz-16QAM-40315-1RB#0-Range3:3000~26500MHz




Band41-15MHz-16QAM-40740-1RB#0-Range1:30~1000MHz




Band41-15MHz-16QAM-40740-1RB#0-Range2:1000~3000MHz




Band41-15MHz-16QAM-40740-1RB#0-Range3:3000~26500MHz




Band41-15MHz-16QAM-41165-1RB#0-Range1:30~1000MHz




Band41-15MHz-16QAM-41165-1RB#0-Range2:1000~3000MHz




Band41-15MHz-16QAM-41165-1RB#0-Range3:3000~26500MHz




Band41-20MHz-QPSK-40340-1RB#0-Range1:30~1000MHz




Band41-20MHz-QPSK-40340-1RB#0-Range2:1000~3000MHz




Band41-20MHz-QPSK-40340-1RB#0-Range3:3000~26500MHz




Band41-20MHz-QPSK-40740-1RB#0-Range1:30~1000MHz




Band41-20MHz-QPSK-40740-1RB#0-Range2:1000~3000MHz




Band41-20MHz-QPSK-40740-1RB#0-Range3:3000~26500MHz




Band41-20MHz-QPSK-41140-1RB#0-Range1:30~1000MHz




Band41-20MHz-QPSK-41140-1RB#0-Range2:1000~3000MHz




Band41-20MHz-QPSK-41140-1RB#0-Range3:3000~26500MHz




Band41-20MHz-16QAM-40340-1RB#0-Range1:30~1000MHz




Band41-20MHz-16QAM-40340-1RB#0-Range2:1000~3000MHz




Band41-20MHz-16QAM-40340-1RB#0-Range3:3000~26500MHz




Band41-20MHz-16QAM-40740-1RB#0-Range1:30~1000MHz




Band41-20MHz-16QAM-40740-1RB#0-Range2:1000~3000MHz




Band41-20MHz-16QAM-40740-1RB#0-Range3:3000~26500MHz




Band41-20MHz-16QAM-41140-1RB#0-Range1:30~1000MHz



Band41-20MHz-16QAM-41140-1RB#0-Range2:1000~3000MHz



Band41-20MHz-16QAM-41140-1RB#0-Range3:3000~26500MHz



1.6. Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	5MHz	QPSK	40265	25RB#0	VL	NT	-18.70	-0.007312	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	VN	NT	30.63	0.011977	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	VH	NT	43.75	0.017107	±2.5	PASS
Band41	5MHz	QPSK	40740	25RB#0	VL	NT	53.59	0.020572	±2.5	PASS
Band41	5MHz	QPSK	40740	25RB#0	VN	NT	28.61	0.010983	±2.5	PASS
Band41	5MHz	QPSK	40740	25RB#0	VH	NT	19.58	0.007516	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VL	NT	-18.51	-0.006978	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VN	NT	41.76	0.015744	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VH	NT	41.20	0.015533	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	VL	NT	39.54	0.015460	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	VN	NT	21.33	0.008340	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	VH	NT	-38.70	-0.015132	±2.5	PASS
Band41	5MHz	16QAM	40740	25RB#0	VL	NT	24.53	0.009417	±2.5	PASS
Band41	5MHz	16QAM	40740	25RB#0	VN	NT	-14.88	-0.005712	±2.5	PASS
Band41	5MHz	16QAM	40740	25RB#0	VH	NT	45.65	0.017524	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VL	NT	65.77	0.024795	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VN	NT	35.68	0.013451	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VH	NT	-33.57	-0.012656	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	VL	NT	-20.36	-0.007953	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	VN	NT	-23.93	-0.009348	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	VH	NT	-21.40	-0.008359	±2.5	PASS
Band41	10MHz	QPSK	40740	50RB#0	VL	NT	26.16	0.010042	±2.5	PASS
Band41	10MHz	QPSK	40740	50RB#0	VN	NT	15.56	0.005973	±2.5	PASS
Band41	10MHz	QPSK	40740	50RB#0	VH	NT	34.99	0.013432	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	VL	NT	37.57	0.014177	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	VN	NT	-14.66	-0.005532	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	VH	NT	49.98	0.018860	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	VL	NT	31.83	0.012434	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	VN	NT	21.34	0.008336	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	VH	NT	25.68	0.010031	±2.5	PASS
Band41	10MHz	16QAM	40740	50RB#0	VL	NT	33.82	0.012983	±2.5	PASS
Band41	10MHz	16QAM	40740	50RB#0	VN	NT	39.41	0.015129	±2.5	PASS

Band41	10MHz	16QAM	40740	50RB#0	VH	NT	48.25	0.018522	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	VL	NT	-34.33	-0.012955	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	VN	NT	-32.67	-0.012328	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	VH	NT	-26.98	-0.010181	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	VL	NT	37.45	0.014615	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	VN	NT	32.16	0.012550	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	VH	NT	35.23	0.013748	±2.5	PASS
Band41	15MHz	QPSK	40740	75RB#0	VL	NT	-23.39	-0.008979	±2.5	PASS
Band41	15MHz	QPSK	40740	75RB#0	VN	NT	7.80	0.002994	±2.5	PASS
Band41	15MHz	QPSK	40740	75RB#0	VH	NT	10.34	0.003969	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	VL	NT	34.96	0.013205	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	VN	NT	20.43	0.007717	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	VH	NT	38.45	0.014523	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	VL	NT	42.56	0.016609	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	VN	NT	28.02	0.010935	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	VH	NT	25.29	0.009869	±2.5	PASS
Band41	15MHz	16QAM	40740	75RB#0	VL	NT	22.79	0.008749	±2.5	PASS
Band41	15MHz	16QAM	40740	75RB#0	VN	NT	27.45	0.010537	±2.5	PASS
Band41	15MHz	16QAM	40740	75RB#0	VH	NT	39.97	0.015344	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	VL	NT	51.20	0.019339	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	VN	NT	44.82	0.016929	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	VH	NT	48.59	0.018353	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	VL	NT	-16.32	-0.006363	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	VN	NT	-31.57	-0.012308	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	VH	NT	-15.55	-0.006062	±2.5	PASS
Band41	20MHz	QPSK	40740	100RB#0	VL	NT	25.61	0.009831	±2.5	PASS
Band41	20MHz	QPSK	40740	100RB#0	VN	NT	-17.42	-0.006687	±2.5	PASS
Band41	20MHz	QPSK	40740	100RB#0	VH	NT	40.48	0.015539	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	VL	NT	-24.38	-0.009217	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	VN	NT	-36.84	-0.013928	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	VH	NT	23.80	0.008998	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	VL	NT	18.94	0.007384	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	VN	NT	49.87	0.019442	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	VH	NT	38.01	0.014819	±2.5	PASS
Band41	20MHz	16QAM	40740	100RB#0	VL	NT	23.37	0.008971	±2.5	PASS
Band41	20MHz	16QAM	40740	100RB#0	VN	NT	39.75	0.015259	±2.5	PASS
Band41	20MHz	16QAM	40740	100RB#0	VH	NT	29.18	0.011202	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	VL	NT	81.22	0.030707	±2.5	PASS

Band41	20MHz	16QAM	41140	100RB#0	VN	NT	39.27	0.014847	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	VH	NT	42.72	0.016151	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	5MHz	QPSK	40265	25RB#0	NV	0	-20.37	-0.007965	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	NV	10	57.28	0.022397	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	NV	20	33.70	0.013177	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	NV	30	51.23	0.020031	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	NV	40	-25.95	-0.010147	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	NV	50	34.55	0.013509	±2.5	PASS
Band41	5MHz	QPSK	40740	25RB#0	NV	0	15.69	0.006023	±2.5	PASS
Band41	5MHz	QPSK	40740	25RB#0	NV	10	18.10	0.006948	±2.5	PASS
Band41	5MHz	QPSK	40740	25RB#0	NV	20	5.46	0.002096	±2.5	PASS
Band41	5MHz	QPSK	40740	25RB#0	NV	30	19.30	0.007409	±2.5	PASS
Band41	5MHz	QPSK	40740	25RB#0	NV	40	41.94	0.016100	±2.5	PASS
Band41	5MHz	QPSK	40740	25RB#0	NV	50	32.33	0.012411	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	0	47.44	0.017885	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	10	-32.06	-0.012087	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	20	-28.94	-0.010910	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	30	36.46	0.013746	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	40	47.48	0.017900	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	50	20.94	0.007894	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	0	-30.20	-0.011808	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	10	43.46	0.016993	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	20	-30.30	-0.011848	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	30	25.52	0.009978	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	40	52.44	0.020504	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	50	40.47	0.015824	±2.5	PASS
Band41	5MHz	16QAM	40740	25RB#0	NV	0	26.58	0.010203	±2.5	PASS
Band41	5MHz	16QAM	40740	25RB#0	NV	10	51.51	0.019774	±2.5	PASS
Band41	5MHz	16QAM	40740	25RB#0	NV	20	-12.67	-0.004864	±2.5	PASS
Band41	5MHz	16QAM	40740	25RB#0	NV	30	36.79	0.014123	±2.5	PASS
Band41	5MHz	16QAM	40740	25RB#0	NV	40	53.04	0.020361	±2.5	PASS
Band41	5MHz	16QAM	40740	25RB#0	NV	50	20.31	0.007797	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	0	36.32	0.013693	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	10	82.31	0.031031	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	20	29.00	0.010933	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	30	78.85	0.029727	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	40	-44.07	-0.016615	±2.5	PASS

Band41	5MHz	16QAM	41215	25RB#0	NV	50	-27.89	-0.010515	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	0	-14.12	-0.005516	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	10	16.34	0.006383	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	20	15.09	0.005895	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	30	14.09	0.005504	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	40	12.12	0.004734	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	50	18.07	0.007059	±2.5	PASS
Band41	10MHz	QPSK	40740	50RB#0	NV	0	17.47	0.006706	±2.5	PASS
Band41	10MHz	QPSK	40740	50RB#0	NV	10	21.00	0.008061	±2.5	PASS
Band41	10MHz	QPSK	40740	50RB#0	NV	20	22.87	0.008779	±2.5	PASS
Band41	10MHz	QPSK	40740	50RB#0	NV	30	29.78	0.011432	±2.5	PASS
Band41	10MHz	QPSK	40740	50RB#0	NV	40	43.92	0.016860	±2.5	PASS
Band41	10MHz	QPSK	40740	50RB#0	NV	50	55.05	0.021132	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	0	-16.12	-0.006083	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	10	16.55	0.006245	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	20	27.77	0.010479	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	30	28.41	0.010721	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	40	23.39	0.008826	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	50	17.67	0.006668	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	0	34.25	0.013379	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	10	41.03	0.016027	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	20	46.95	0.018340	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	30	54.30	0.021211	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	40	10.91	0.004262	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	50	-21.33	-0.008332	±2.5	PASS
Band41	10MHz	16QAM	40740	50RB#0	NV	0	28.27	0.010852	±2.5	PASS
Band41	10MHz	16QAM	40740	50RB#0	NV	10	42.39	0.016273	±2.5	PASS
Band41	10MHz	16QAM	40740	50RB#0	NV	20	54.29	0.020841	±2.5	PASS
Band41	10MHz	16QAM	40740	50RB#0	NV	30	-27.74	-0.010649	±2.5	PASS
Band41	10MHz	16QAM	40740	50RB#0	NV	40	-20.77	-0.007973	±2.5	PASS
Band41	10MHz	16QAM	40740	50RB#0	NV	50	18.61	0.007144	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	0	68.29	0.025770	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	10	52.91	0.019966	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	20	43.44	0.016392	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	30	55.99	0.021128	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	40	23.13	0.008728	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	50	26.04	0.009826	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	0	44.72	0.017452	±2.5	PASS

Band41	15MHz	QPSK	40315	75RB#0	NV	10	44.72	0.017452	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	20	38.82	0.015149	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	30	37.39	0.014591	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	40	36.84	0.014377	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	50	40.17	0.015676	±2.5	PASS
Band41	15MHz	QPSK	40740	75RB#0	NV	0	47.22	0.018127	±2.5	PASS
Band41	15MHz	QPSK	40740	75RB#0	NV	10	21.84	0.008384	±2.5	PASS
Band41	15MHz	QPSK	40740	75RB#0	NV	20	36.42	0.013981	±2.5	PASS
Band41	15MHz	QPSK	40740	75RB#0	NV	30	46.91	0.018008	±2.5	PASS
Band41	15MHz	QPSK	40740	75RB#0	NV	40	5.06	0.001942	±2.5	PASS
Band41	15MHz	QPSK	40740	75RB#0	NV	50	-13.63	-0.005232	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	0	35.28	0.013326	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	10	21.30	0.008045	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	20	22.62	0.008544	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	30	38.27	0.014455	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	40	35.72	0.013492	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	50	37.92	0.014323	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	0	35.93	0.014021	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	10	49.64	0.019372	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	20	52.66	0.020550	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	30	-17.70	-0.006907	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	40	-18.81	-0.007340	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	50	18.45	0.007200	±2.5	PASS
Band41	15MHz	16QAM	40740	75RB#0	NV	0	14.81	0.005685	±2.5	PASS
Band41	15MHz	16QAM	40740	75RB#0	NV	10	41.80	0.016046	±2.5	PASS
Band41	15MHz	16QAM	40740	75RB#0	NV	20	45.40	0.017428	±2.5	PASS
Band41	15MHz	16QAM	40740	75RB#0	NV	30	-15.92	-0.006111	±2.5	PASS
Band41	15MHz	16QAM	40740	75RB#0	NV	40	20.28	0.007785	±2.5	PASS
Band41	15MHz	16QAM	40740	75RB#0	NV	50	43.86	0.016837	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	0	24.92	0.009413	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	10	17.87	0.006750	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	20	25.23	0.009530	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	30	26.55	0.010028	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	40	36.65	0.013843	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	50	45.72	0.017269	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	0	16.28	0.006347	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	10	-24.50	-0.009552	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	20	23.92	0.009326	±2.5	PASS

Band41	20MHz	QPSK	40340	100RB#0	NV	30	21.17	0.008253	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	40	-16.49	-0.006429	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	50	19.40	0.007563	±2.5	PASS
Band41	20MHz	QPSK	40740	100RB#0	NV	0	34.68	0.013313	±2.5	PASS
Band41	20MHz	QPSK	40740	100RB#0	NV	10	48.31	0.018545	±2.5	PASS
Band41	20MHz	QPSK	40740	100RB#0	NV	20	-28.40	-0.010902	±2.5	PASS
Band41	20MHz	QPSK	40740	100RB#0	NV	30	-12.93	-0.004964	±2.5	PASS
Band41	20MHz	QPSK	40740	100RB#0	NV	40	-23.50	-0.009021	±2.5	PASS
Band41	20MHz	QPSK	40740	100RB#0	NV	50	14.53	0.005578	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	0	20.30	0.007675	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	10	25.53	0.009652	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	20	27.79	0.010507	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	30	31.10	0.011758	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	40	34.88	0.013187	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	50	41.03	0.015512	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	0	36.69	0.014304	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	10	71.21	0.027762	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	20	18.15	0.007076	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	30	23.57	0.009189	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	40	35.29	0.013758	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	50	46.89	0.018281	±2.5	PASS
Band41	20MHz	16QAM	40740	100RB#0	NV	0	26.28	0.010088	±2.5	PASS
Band41	20MHz	16QAM	40740	100RB#0	NV	10	41.79	0.016042	±2.5	PASS
Band41	20MHz	16QAM	40740	100RB#0	NV	20	54.46	0.020906	±2.5	PASS
Band41	20MHz	16QAM	40740	100RB#0	NV	30	30.10	0.011555	±2.5	PASS
Band41	20MHz	16QAM	40740	100RB#0	NV	40	32.20	0.012361	±2.5	PASS
Band41	20MHz	16QAM	40740	100RB#0	NV	50	28.35	0.010883	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	0	-33.30	-0.012590	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	10	-30.68	-0.011599	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	20	51.84	0.019599	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	30	56.56	0.021384	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	40	36.32	0.013732	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	50	38.12	0.014412	±2.5	PASS

-----END-----