

Test Information:

Sample No.:	2UGH-1	Test Date:	2024/12/16
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	25.7	Relative Humidity: (%)	53	ATM Pressure: (kPa)	100.9
-----------------------	------	---------------------------	----	------------------------	-------

Peak-to-average Ratio(PAR)
FCC Part 96

n77_2

Mode	Result (dB)	Limit (dB)	Verdict
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	8.02	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	8.39	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	9.03	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	9.12	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	9.14	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	10.97	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	11.09	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	11.02	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	10.94	13	Pass

n78_2

Mode	Result (dB)	Limit (dB)	Verdict
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	8	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	8.38	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	9.04	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	9.12	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	9.14	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	10.99	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	11.06	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	11.02	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	10.91	13	Pass