MPE ESTIMATION

FCC ID: 2AZDX-S5

1, Limit for General Population/ Uncontrolled Exposures

| Frequency | Power density (mW/ cm ²) | Averaging time(minutes) | | |
|--------------|--------------------------------------|-------------------------|--|--|
| 300MHz1.5GHz | F/1500 | 30 | | |
| 1.5GHz100GHz | 1.0 | 30 | | |

Note: F= Frequency in MHz

2, Estimation Result

| | Frequency | Max PK Output | Tune Up | Max Tune Up | Antenna | Antenna Gain | MPE |
|----------|-----------|---------------|------------|-------------|-----------|--------------|-----------------------|
| | (MHz) | power(dBm) | Power(dBm) | power(mW) | Gain(dBi) | (numerical) | (mW/cm ²) |
| 5.2GWiFi | 5230 | 10.84 | 10±1(11) | 12.589 | 2.59 | 1.82 | 0.00455 |

$$Pd = \frac{Pout * G}{4\pi r^2}$$

Note:

Note: The estimation distance is 20cm

Note:

PK Output power= conducted power.

Conducted power see the test report HK2502130518-E, WiFi antenna=2.59dBi.

When the minimum test separation distance is >20 cm, a distance of 20 cm is applied to determine RF Exposure test exclusion. The test exclusion threshold is 0.00455mW/cm² which is< 1.0mW/cm², RF Exposure testing is not required.

----The End-----