


GENERAL TOLERANCE					
	G	H	J	K	L
~ 8	±0.1	±0.1	±0.2	±0.2	±0.4
8up ~ 25	±0.15	±0.15	±0.3	±0.3	±0.6
25up ~ 80	±0.2	±0.25	±0.4	±0.5	±0.8
80up ~ 250	±0.3	±0.4	±0.6	±0.8	±1.2
250over	±0.6	±0.8	±1.0	±1.5	±2.0

DO NOT SCALE DRAWING



CAUTION:
 MATERIAL MUST BE MET DIRECTIVE 94/62/EC AS FOLLOWS;
 THE FOLLOWING SUBSTANCE TOTAL CONTENTS SHOULD BE LESS THAN 100ppm
 (1)Cadmium and Cadmium Compounds
 (2)Hexavalent Chromium Compounds
 (3)Lead and Lead Compounds
 (4)Mercury and Mercury Compounds
 MATERIAL MUST BE MET DIRECTIVE 2002/95/EC(RoHS) AS FOLLOWS
 THE FOLLOWING SUBSTANCE EACH CONTENT SHOULD BE LESS THAN 1000ppm
 (5)Polybrominated Biphenyls(PBBs)
 (6)Polybrominated Diphenyl ethers(PBDEs)
 At the time of parts approval request you have to prove and guarantee
 that the material comply with the above requirement by attaching SAMPLE and
 'GREEN PROCUREMENT BASIC INFORMATION SURVEY (CHEMICAL SUBSTANCES) TABLE'.
 When material is changed after parts approval, it is necessary to do same thing again.

NOTE:

1. MATERIAL : POLYESTER TACK FORM (MATT) SILVER 10.05
2. PRINTING COLOR : BACKGROUND : BLACK
LETTER : SILVER (OFF PRINT)
3. ARTWORK : PC DATA D03793 (MAIL)
4. LAMINATE : POLYPROPYLENE (GLOSS) CLEAR 10.025
5. ADHESIVE STRENGTH : MORE THAN 1000g/25mm (180° PEEL OFF TEST)

△					ENG'G. DIM. REQMT. FOR UNIDEN IQC INSP	YES	NO
△					APPROVED BY	CHECKED BY	DESIGNED BY
△					GEN MTNG	XU FM	WANG CY
△					Mar.15'05	Mar.15'05	Mar.18'05
△	CORRECT DRAWING	WANG CY	Mar.25'05	3.28	05.3.2	MODE 5	
REV	MARK	CONTENTS	REVISED	CHECKED	APPROVED	PARTS NAME	
						PLBZ4C1952Z	
ANGLE	UNITS	TOLERANCE	SCALE	MOLD CAVITIES	TOOL CODE	BASIC MODEL	BASIC PARTS CODE
⊕	m m	-	2:1	- pcs	- - -	- - -	- - -
						PARTS CODE	PLBZ4C1952Z