



FCC RF Test Report

APPLICANT : OnePlus Technology (shenzhen) Co., Ltd
EQUIPMENT : Smart Phone
BRAND NAME : ONEPLUS
MODEL NAME : ONEPLUS A6013
FCC ID : 2ABZ2-A6013
STANDARD : 47 CFR Part 2, 22(H), 24(E), 27(L), 27(M), 27(F),
27(H), 27(N)
CLASSIFICATION : PCS Licensed Transmitter Held to Ear (PCE)

The product was received on Jul. 10, 2018 and completely tested on Aug. 06, 2018. We, Sporton International (Shenzhen) Inc., would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26-2015 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (Shenzhen) Inc., the test report shall not be reproduced except in full.

Approved by: Eric Shih / Manager



Sporton International (Shenzhen) Inc.

***1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan Shenzhen City
Guangdong Province 518055 China***



TABLE OF CONTENTS

REVISION HISTORY.....	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	6
1.1 Applicant	6
1.2 Manufacturer	6
1.3 Product Feature of Equipment Under Test.....	6
1.4 Product Specification of Equipment Under Test.....	7
1.5 Modification of EUT	8
1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator	9
1.7 Testing Location	18
1.8 Applicable Standards.....	18
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	19
2.1 Test Mode	19
2.2 Connection Diagram of Test System.....	25
2.3 Support Unit used in test configuration and system	25
2.4 Measurement Results Explanation Example.....	25
2.5 Frequency List of Low/Middle/High Channels	26
3 CONDUCTED TEST ITEMS	35
3.1 Measuring Instruments	35
3.2 Test Setup	35
3.3 Test Result of Conducted Test	35
3.4 Conducted Output Power and ERP/EIRP	36
3.5 Peak-to-Average Ratio	37
3.6 Occupied Bandwidth	38
3.7 Conducted Band Edge	39
3.8 Conducted Spurious Emission	41
3.9 Frequency Stability	42
4 RADIATED TEST ITEMS	43
4.1 Measuring Instruments	43
4.2 Test Setup	43
4.3 Test Result of Radiated Test	43
4.4 Radiated Spurious Emission	44
5 LIST OF MEASURING EQUIPMENT	46
6 UNCERTAINTY OF EVALUATION	48
APPENDIX A. TEST RESULTS OF CONDUCTED TEST	
APPENDIX B. TEST RESULTS OF RADIATED TEST	
APPENDIX C. TEST SETUP PHOTOGRAPHS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG871004-01B	Rev. 01	Initial issue of report	Sep. 05, 2018

SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	Reporting Only	PASS	-
	§22.913(a)(5)	Effective Radiated Power (Band 5) (Band 26)	ERP < 7 Watt	PASS	-
	§27.50(b)(10) §27.50(c)(10)	Effective Radiated Power (Band 12) (Band 13) (Band 17) (Band 71)	ERP < 3 Watt	PASS	-
	§24.232(c) §27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2) (Band 25) (Band 7) (Band 38) (Band 41)	EIRP < 2Watt	PASS	-
	§27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4) (Band 66)	EIRP < 1Watt	PASS	-
3.5	§24.232(d)	Peak-to-Average Ratio	<13 dB	PASS	-
3.6	§2.1049	Occupied Bandwidth	Reporting Only	PASS	-
3.7	§2.1051 §22.917(a) §24.238(a) §27.53(c)(2)(4) §27.53(g) §27.53(h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	< 43+10log ₁₀ (P[Watts])	PASS	-
	§27.53(m)(4)	Conducted Band Edge Measurement (Band 7) (Band 38) (Band 41)	§27.53(m)(4)		
3.8	§2.1051 §22.917(a) §24.238(a) §27.53(c)(2) §27.53(g) §27.53(h)	Conducted Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	< 43+10log ₁₀ (P[Watts])	PASS	-
	§2.1051 §27.53(m)(4)	Conducted Spurious Emission (Band 7) (Band 38) (Band 41)	< 55+10log ₁₀ (P[Watts])		
3.9	§2.1055 §22.355	Frequency Stability Temperature & Voltage	< 2.5 ppm for Part 22H	PASS	-
	§2.1055 §24.235 §27.54		Within Authorized Band		



4.4	§2.1053 §22.917(a) §24.238(a) §27.53(c)(2) §27.53(f) §27.53(g) §27.53(h)	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	< 43+10log ₁₀ (P[Watts])	PASS	Under limit 16.32 dB at 1559.500 MHz
	§2.1053 §27.53(m)(4)	Radiated Spurious Emission (Band 7) (Band 38) (Band 41)	< 55+10log ₁₀ (P[Watts])		



1 General Description

1.1 Applicant

OnePlus Technology (shenzhen) Co., Ltd

18C02, 18C03, 18C04 and 18C05, Shum Yip Terra Building, Binhe Avenue North, Futian District, Shenzhen

1.2 Manufacturer

OnePlus Technology (shenzhen) Co., Ltd

18C02, 18C03, 18C04 and 18C05, Shum Yip Terra Building, Binhe Avenue North, Futian District, Shenzhen

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Smart Phone
Brand Name	ONEPLUS
Model Name	ONEPLUS A6013
FCC ID	2ABZ2-A6013
EUT supports Radios application	CDMA/EV-DO/GSM/GPRS/EGPRS/WCDMA/HSPA/ DC-HSDPA/HSPA+/LTE/NFC WLAN 2.4GHz 802.11b/g/n HT20/HT40 WLAN 2.4GHz 802.11ac VHT20/VHT40 WLAN 5GHz 802.11a/n HT20/HT40 WLAN 5GHz 802.11ac VHT20/VHT40/VHT80 Bluetooth BR/EDR/LE
IMEI Code	Conducted: 865208040070859 for LTE B2/B4/B5/B26/B41/B7CA/B41CA/B71 865208040071451 for LTE B7/B12/B13/B17/B25/B38/B66 Radiation: 865208040070164 for LTE B2/B4/B5/B7/B7CA/B12/B17/B26/B38/B41/B41CA/B66/B71 865208040024997 for LTE B13/B25
HW Version	34
SW Version	ONEPLUS A6013_34_180810
EUT Stage	Production Unit



1.4 Product Specification of Equipment Under Test

Standards-related Product Specification	
Tx Frequency	LTE Band 2 : 1850.7 MHz ~ 1909.3 MHz LTE Band 4 : 1710.7 MHz ~ 1754.3 MHz LTE Band 5 : 824.7 MHz ~ 848.3 MHz LTE Band 7 : 2502.5 MHz ~ 2567.5 MHz LTE Band 12 : 699.7 MHz ~ 715.3 MHz LTE Band 13 : 779.5 MHz ~ 784.5 MHz LTE Band 17 : 706.5 MHz ~ 713.5 MHz LTE Band 25 : 1850.7MHz ~ 1914.3 MHz LTE Band 26 : 824.7MHz ~ 848.3 MHz LTE Band 38 : 2572.5MHz ~ 2617.5MHz LTE Band 41 : 2498.5 MHz ~ 2687.5 MHz LTE Band 66 : 1710.7 MHz ~ 1779.3 MHz LTE Band 71: 665.5 MHz ~ 695.5MHz
Rx Frequency	LTE Band 2 : 1930.7 MHz ~ 1989.3 MHz LTE Band 4 : 2110.7 MHz ~ 2154.3 MHz LTE Band 5 : 869.7 MHz ~ 893.3 MHz LTE Band 7 : 2622.5MHz ~ 2687.5 MHz LTE Band 12 : 729.7 MHz ~ 745.3 MHz LTE Band 13 : 748.5 MHz ~ 753.5 MHz LTE Band 17 : 736.5 MHz ~ 743.5 MHz LTE Band 25 : 1930.7MHz ~ 1994.3 MHz LTE Band 26 : 869.7MHz ~ 893.3MHz LTE Band 38 : 2572.5MHz ~ 2617.5MHz LTE Band 41 : 2498.5 MHz ~ 2687.5 MHz LTE Band 66 : 2110.7 MHz~ 2199.3 MHz LTE Band 71: 619.5 MHz ~ 649.5MHz
Bandwidth	LTE Band 2 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 5 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 7 : 5MHz/ 10MHz / 15MHz / 20MHz LTE Band 12 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 13 : 5MHz / 10MHz LTE Band 17 : 5MHz / 10MHz LTE Band 25 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 26 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz LTE Band 38 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 41 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 66 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 71 : 5MHz / 10MHz / 15MHz / 20MHz
Maximum Output Power to Antenna	Antenna 1/2: LTE Band 2 : 23.87 dBm LTE Band 4 : 24.07 dBm LTE Band 5 : 24.11 dBm LTE Band 12 : 23.95 dBm LTE Band 13 : 23.99 dBm LTE Band 17 : 23.74 dBm LTE Band 25 : 23.55 dBm LTE Band 26 : 23.64 dBm LTE Band 66 : 24.14 dBm LTE Band 71 : 24.49 dBm

	Antenna 3: LTE Band 7: 23.69 dBm LTE Band 38 :23.42 dBm LTE Band 41: 23.29 dBm
Antenna Gain	Antenna 1: LTE Band 2 : -0.50 dBi LTE Band 4 : -0.50 dBi LTE Band 5 : -2.00 dBi LTE Band 12 : -2.00 dBi LTE Band 13 : -2.00 dBi LTE Band 17 : -2.00 dBi LTE Band 25 : -0.50 dBi LTE Band 26 : -2.00 dBi LTE Band 66 : -0.50 dBi LTE Band 71 : -2.50 dBi Antenna 2: LTE Band 2 : -1.00 dBi LTE Band 4 : -1.00 dBi LTE Band 5 : -2.00 dBi LTE Band 12 : -2.00 dBi LTE Band 13 : -2.00 dBi LTE Band 17 : -2.00 dBi LTE Band 25 : -1.00 dBi LTE Band 26 : -2.00 dBi LTE Band 66 : -1.00 dBi LTE Band 71 : -2.50 dBi Antenna 3: LTE Band 7 : -1.00 dBi LTE Band 38 : -1.00 dBi LTE Band 41 : -1.00 dBi
Type of Modulation	QPSK / 16QAM / 64QAM

Note: Refer to the table, for Top Antenna and Bottom Antenna can't transmit simultaneously.

Antenna	Support Band
WWAN Antenna 1 (Bottom)	GSM: 850 /1900 WCDMA: B2 / B4 / B5 CDMA: BC0/BC1 LTE: B2 / B4 / B5 / B12 / B13 / B17 / B25 / B26 / B66 / B71
WWAN Antenna 2 (Top)	GSM: 850 / 1900 WCDMA: B2 / B4 / B5 CDMA: BC0/BC1 LTE: B2 / B4 / B5 / B12 / B13 / B17 / B25 / B26 / B66 / B71
WWAN Antenna 3 (Top)	LTE: B7 / B30 / B38 / B41

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator

LTE Band 2		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
1.4	1850.7 ~ 1909.3	1M09G7D	-	0.2065	0.1841	1M09W7D	-	0.1778	0.1585
3	1851.5 ~ 1908.5	2M72G7D	-	0.2070	0.1845	2M74W7D	-	0.1774	0.1581
5	1852.5 ~ 1907.5	4M50G7D	-	0.2118	0.1888	4M50W7D	-	0.1807	0.1611
10	1855.0 ~ 1905.0	9M07G7D	0.0007	0.2099	0.1871	9M01W7D	-	0.1799	0.1603
15	1857.5 ~ 1902.5	13M4G7D	-	0.2168	0.1932	13M5W7D	-	0.1871	0.1667
20	1860.0 ~ 1900.0	18M4G7D	-	0.2173	0.1936	18M5W7D	-	0.1845	0.1644
LTE Band 2		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)				Ant. 1	Ant. 2
1.4	1850.7 ~ 1909.3	1M09W7D	-	-	-	-	-	0.1380	0.1230
3	1851.5 ~ 1908.5	2M72W7D	-	-	-	-	-	0.1393	0.1242
5	1852.5 ~ 1907.5	4M50W7D	-	-	-	-	-	0.1416	0.1262
10	1855.0 ~ 1905.0	9M03W7D	-	-	-	-	-	0.1406	0.1253
15	1857.5 ~ 1902.5	13M5W7D	-	-	-	-	-	0.1455	0.1297
20	1860.0 ~ 1900.0	18M3W7D	-	-	-	-	-	0.1435	0.1279
LTE Band 25		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
1.4	1850.7 ~ 1914.3	1M09G7D	-	0.1866	0.1663	1M09W7D	-	0.1596	0.1422
3	1851.5 ~ 1913.5	2M72G7D	-	0.1871	0.1667	2M72W7D	-	0.1611	0.1435
5	1852.5 ~ 1912.5	4M51G7D	-	0.1901	0.1694	4M51W7D	-	0.1622	0.1445
10	1855.0 ~ 1910.0	9M07G7D	0.0008	0.1897	0.1690	9M05W7D	-	0.1622	0.1445
15	1857.5 ~ 1907.5	13M5G7D	-	0.1914	0.1706	13M5W7D	-	0.1648	0.1469
20	1860.0 ~ 1905.0	18M4G7D	-	0.2018	0.1799	18M3W7D	-	0.1641	0.1462



LTE Band 25		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)					
				Ant. 1	Ant. 2				
1.4	1850.7 ~ 1914.3	1M10W7D	-	0.1247	0.1247				
3	1851.5 ~ 1913.5	2M72W7D	-	0.1250	0.1250				
5	1852.5 ~ 1912.5	4M50W7D	-	0.1279	0.1279				
10	1855.0 ~ 1910.0	9M05W7D	-	0.1279	0.1279				
15	1857.5 ~ 1907.5	13M5W7D	-	0.1282	0.1282				
20	1860.0 ~ 1905.0	18M4W7D	-	0.1271	0.1271				
LTE Band 4		QPSK			16QAM				
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
1.4	1710.7 ~ 1754.3	1M09G7D	-	0.2148	0.1914	1M10W7D	-	0.1841	0.1641
3	1711.5 ~ 1753.5	2M73G7D	-	0.2168	0.1932	2M72W7D	-	0.1845	0.1644
5	1712.5 ~ 1752.5	4M50G7D	-	0.2183	0.1945	4M50W7D	-	0.1884	0.1679
10	1715.0 ~ 1750.0	9M09G7D	0.0013	0.2178	0.1941	9M01W7D	-	0.1884	0.1679
15	1717.5 ~ 1747.5	13M5G7D	-	0.2265	0.2018	13M5W7D	-	0.1941	0.1730
20	1720.0 ~ 1745.0	18M4G7D	-	0.2275	0.2028	18M4W7D	-	0.1941	0.1730
LTE Band 4		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)					
				Ant. 1	Ant. 2				
1.4	1710.7 ~ 1754.3	1M09W7D	-	0.1528	0.1361				
3	1711.5 ~ 1753.5	2M72W7D	-	0.1531	0.1365				
5	1712.5 ~ 1752.5	4M50W7D	-	0.1567	0.1396				
10	1715.0 ~ 1750.0	9M09W7D	-	0.1545	0.1377				
15	1717.5 ~ 1747.5	13M5W7D	-	0.1567	0.1396				
20	1720.0 ~ 1745.0	18M4W7D	-	0.1570	0.1400				
LTE Band 5		QPSK			16QAM				
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
1.4	824.7 ~ 848.3	1M09G7D	-	0.0986	0.0986	1M09W7D	-	0.0857	0.0857
3	825.5 ~ 847.5	2M72G7D	-	0.0989	0.0989	2M72W7D	-	0.0843	0.0843
5	826.5 ~ 846.5	4M51G7D	-	0.0989	0.0989	4M50W7D	-	0.0843	0.0843
10	829.0 ~ 844.0	9M05G7D	0.0033	0.0991	0.0991	9M03W7D	-	0.0847	0.0847



LTE Band 5		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum ERP(W)			
						Ant. 1	Ant. 2		
1.4	824.7 ~ 848.3	1M09W7D		-		0.0662	0.0662		
3	825.5 ~ 847.5	2M73W7D		-		0.0625	0.0625		
5	826.5 ~ 846.5	4M51W7D		-		0.0655	0.0655		
10	829.0 ~ 844.0	9M05W7D		-		0.0649	0.0649		
LTE Band 7		QPSK			16QAM				
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		
				Ant. 3			Ant. 3		
5	2502.5 ~ 2567.5	4M50G7D	-	0.1799	4M50W7D	-	0.1556		
10	2505.0 ~ 2565.0	9M05G7D	0.0009	0.1841	9M05W7D	-	0.1567		
15	2507.5 ~ 2562.5	13M5G7D	-	0.1845	13M5W7D	-	0.1585		
20	2510.0 ~ 2560.0	18M3G7D	-	0.1858	18M3W7D	-	0.1578		
LTE Band 7		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum EIRP(W)			
						Ant. 3			
5	2502.5 ~ 2567.5	4M49W7D		-		0.1202			
10	2505.0 ~ 2565.0	9M05W7D		-		0.1219			
15	2507.5 ~ 2562.5	13M4W7D		-		0.1222			
20	2510.0 ~ 2560.0	18M4W7D		-		0.1236			
LTE Band 12		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
1.4	699.7 ~ 715.3	1M09G7D	-	0.0944	0.0944	1M10W7D	-	0.0809	0.0809
3	700.5 ~ 714.5	2M73G7D	-	0.0944	0.0944	2M74W7D	-	0.0817	0.0817
5	701.5 ~ 713.5	4M49G7D	-	0.0953	0.0953	4M49W7D	-	0.0820	0.0820
10	704.0 ~ 711.0	9M03G7D	0.0031	0.0955	0.0955	9M05W7D	-	0.0822	0.0822



LTE Band 12		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum ERP(W)			
						Ant. 1	Ant. 2		
1.4	699.7 ~ 715.3	1M09W7D		-		0.0671	0.0671		
3	700.5 ~ 714.5	2M73W7D		-		0.0678	0.0678		
5	701.5 ~ 713.5	4M49W7D		-		0.0681	0.0681		
10	704.0 ~ 711.0	9M03W7D		-		0.0679	0.0679		
LTE Band 13		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
5	779.5 ~ 784.5	4M50G7D	-	0.0962	0.0962	4M50W7D	-	0.0822	0.0822
10	782.0	8M95G7D	0.0028	0.0964	0.0964	9M01W7D	-	0.0813	0.0813
LTE Band 13		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum ERP(W)			
						Ant. 1	Ant. 2		
5	779.5 ~ 784.5	4M50W7D		-		0.0644	0.0644		
10	782.0	9M01W7D		-		0.0628	0.0628		
LTE Band 17		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
5	706.5 ~ 713.5	4M52G7D	-	0.0897	0.0897	4M51W7D	-	0.0769	0.0769
10	709.0 ~ 711.0	9M07G7D	0.0207	0.0910	0.0910	9M05W7D	-	0.0771	0.0771
LTE Band 17		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum ERP(W)			
						Ant. 1	Ant. 2		
5	706.5 ~ 713.5	4M49W7D		-		0.0601	0.0601		
10	709.0 ~ 711.0	9M01W7D		-		0.0598	0.0598		



LTE Band 26		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
1.4	824.7 ~ 848.3	1M09G7D	-	0.0857	0.0857	1M09W7D	-	0.0726	0.0726
3	825.5 ~ 847.5	2M72G7D	-	0.0871	0.0871	2M72W7D	-	0.0736	0.0736
5	826.5 ~ 846.5	4M50G7D	-	0.0875	0.0875	4M49W7D	-	0.0740	0.0740
10	829.0 ~ 844.0	9M07G7D	0.0020	0.0879	0.0879	9M05W7D	-	0.0746	0.0746
15	831.5 ~ 841.5	13M5G7D	-	0.0889	0.0889	13M5W7D	-	0.0735	0.0735
CH26765	821.5	13M4G7D	-	0.0847	0.0847	13M4W7D	-	0.0710	0.0710
LTE Band 26		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum ERP(W)			
						Ant. 1		Ant. 2	
1.4	824.7 ~ 848.3	1M09W7D		-		0.0569		0.0569	
3	825.5 ~ 847.5	2M73W7D		-		0.0579		0.0579	
5	826.5 ~ 846.5	4M51W7D		-		0.0583		0.0583	
10	829.0 ~ 844.0	9M01W7D		-		0.0582		0.0582	
15	831.5 ~ 841.5	13M5W7D		-		0.0582		0.0582	
CH26765	821.5	13M4W7D		-		0.0558		0.0558	
LTE Band 38		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Ant. 3				Ant. 3	
5	2572.5 ~ 2617.5	4M49G7D	-	0.1722		4M50W7D	-	0.1486	
10	2575.0 ~ 2615.0	9M03G7D	0.0011	0.1690		9M07W7D	-	0.1476	
15	2577.5 ~ 2612.5	13M4G7D	-	0.1726		13M5W7D	-	0.1439	
20	2580.0 ~ 2610.0	18M3G7D	-	0.1746		18M3W7D	-	0.1435	
LTE Band 38		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum EIRP(W)			
						Ant. 3			
5	2572.5 ~ 2617.5	4M51W7D		-		0.1151			
10	2575.0 ~ 2615.0	9M11W7D		-		0.1140			
15	2577.5 ~ 2612.5	13M4W7D		-		0.1127			
20	2580.0 ~ 2610.0	18M4W7D		-		0.1099			



LTE Band 41		QPSK			16QAM				
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		
				Ant. 3			Ant. 3		
5	2498.5 ~ 2687.5	4M50G7D	-	0.1589	4M51W7D	-	0.1377		
10	2501.0 ~ 2685.0	9M05G7D	0.0009	0.1596	9M05W7D	-	0.1403		
15	2503.5 ~ 2682.5	13M5G7D	-	0.1667	13M5W7D	-	0.1409		
20	2506.0 ~ 2680.0	18M6G7D	-	0.1694	18M3W7D	-	0.1455		
LTE Band 41		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum EIRP(W)			
						Ant. 3			
5	2498.5 ~ 2687.5	4M49W7D		-		0.1064			
10	2501.0 ~ 2685.0	9M03W7D		-		0.1076			
15	2503.5 ~ 2682.5	13M6W7D		-		0.1081			
20	2506.0 ~ 2680.0	18M4W7D		-		0.1140			
LTE Band 66		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
1.4	1710.7 ~ 1779.3	1M10G7D	-	0.2203	0.1963	1M09W7D	-	0.1901	0.1694
3	1711.5 ~ 1778.5	2M73G7D	-	0.2223	0.1982	2M73W7D	-	0.1905	0.1698
5	1712.5 ~ 1777.5	4M49G7D	-	0.2239	0.1995	4M52W7D	-	0.1923	0.1714
10	1715.0 ~ 1775.0	9M09G7D	0.0010	0.2244	0.2000	9M07W7D	-	0.1919	0.1710
15	1717.5 ~ 1772.5	13M5G7D	-	0.2296	0.2046	13M5W7D	-	0.1986	0.1770
20	1720.0 ~ 1770.0	18M4G7D	-	0.2312	0.2061	18M4W7D	-	0.1991	0.1774
LTE Band 66		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum EIRP(W)			
						Ant. 1		Ant. 2	
1.4	1710.7 ~ 1779.3	1M08W7D		-		0.1472		0.1312	
3	1711.5 ~ 1778.5	2M72W7D		-		0.1472		0.1312	
5	1712.5 ~ 1777.5	4M50W7D		-		0.1500		0.1337	
10	1715.0 ~ 1775.0	9M05W7D		-		0.1489		0.1327	
15	1717.5 ~ 1772.5	13M5W7D		-		0.1542		0.1374	
20	1720.0 ~ 1770.0	18M5W7D		-		0.1549		0.1380	



LTE Band 71		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	
				Ant. 1	Ant. 2			Ant. 1	Ant. 2
5	665.5 ~ 695.5	4M51G7D	-	0.0953	0.0953	4M51W7D	-	0.0822	0.0822
10	668.0 ~ 693.0	9M05G7D	0.0034	0.0933	0.0933	9M05W7D	-	0.0826	0.0826
15	670.5 ~ 690.5	13M5G7D	-	0.0940	0.0940	13M4W7D	-	0.0813	0.0813
20	673.0 ~ 688.0	18M4G7D	-	0.0964	0.0964	18M4W7D	-	0.0822	0.0822
LTE Band 71		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)				Ant. 1	Ant. 2
5	665.5 ~ 695.5	4M50W7D	-	-	-	-	-	0.0631	0.0631
10	668.0 ~ 693.0	9M03W7D	-	-	-	-	-	0.0634	0.0634
15	670.5 ~ 690.5	13M5W7D	-	-	-	-	-	0.0635	0.0635
20	673.0 ~ 688.0	18M4W7D	-	-	-	-	-	0.0638	0.0638



LTE Band 7 CA	QPSK			16QAM		
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
10MHz+20MHz	28M0G7D	-	0.1641	28M0W7D	-	0.1343
15MHz+15MHz	28M6G7D	-	0.1706	28M7W7D	-	0.1371
15MHz+20MHz	32M8G7D	-	0.1679	32M8W7D	-	0.1358
15MHz+10MHz	23M4G7D	-	0.1722	23M5W7D	-	0.1396
20MHz+10MHz	28M0G7D	-	0.1730	28M0W7D	-	0.1361
20MHz+15MHz	32M9G7D	-	0.1791	32M9W7D	-	0.1390
20MHz+20MHz	37M6G7D	-	0.1782	37M6W7D	-	0.1493
LTE Band 7 CA	64QAM					
BW (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum EIRP(W)	
10MHz+20MHz	27M9W7D		-		0.0836	
15MHz+15MHz	28M6W7D		-		0.0877	
15MHz+20MHz	32M7W7D		-		0.0849	
15MHz+10MHz	23M4W7D		-		0.0879	
20MHz+10MHz	28M0W7D		-		0.0845	
20MHz+15MHz	32M9W7D		-		0.0865	
20MHz+20MHz	37M6W7D		-		0.1161	



LTE Band 41 CA	QPSK			16QAM		
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
5MHz+20MHz	23M3G7D	-	0.1396	23M2W7D	-	0.1180
10MHz+20MHz	27M9G7D	-	0.1429	28M1W7D	-	0.1114
10MHz+15MHz	23M4G7D	-	0.1419	23M5W7D	-	0.1153
15MHz+15MHz	28M7G7D	-	0.1429	28M7W7D	-	0.1213
15MHz+20MHz	32M9G7D	-	0.1799	32M9W7D	-	0.1503
15MHz+10MHz	23M5G7D	-	0.1435	23M7W7D	-	0.1208
20MHz+5MHz	23M3G7D	-	0.1426	23M3W7D	-	0.1211
20MHz+10MHz	27M9G7D	-	0.1786	28M1W7D	-	0.1225
20MHz+15MHz	32M8G7D	-	0.1849	32M9W7D	-	0.1542
20MHz+20MHz	37M6G7D	-	0.1782	37M6W7D	-	0.1538
LTE Band 41 CA	64QAM					
BW (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)	Maximum EIRP(W)		
5MHz+20MHz	23M2W7D		-	0.0752		
10MHz+20MHz	28M1W7D		-	0.0750		
10MHz+15MHz	23M4W7D		-	0.0716		
15MHz+15MHz	28M6W7D		-	0.0750		
15MHz+20MHz	32M9W7D		-	0.0946		
15MHz+10MHz	23M4W7D		-	0.0745		
20MHz+5MHz	23M4W7D		-	0.0731		
20MHz+10MHz	27M9W7D		-	0.0741		
20MHz+15MHz	32M7W7D		-	0.0942		
20MHz+20MHz	37M7W7D		-	0.1340		

1.7 Testing Location

Sporton International (Shenzhen) Inc. is accredited to ISO 17025 by National Voluntary Laboratory Accreditation Program (NVLAP code: 600156-0) and the FCC designation No are CN5018 and CN5019.

Test Site	Sporton International (Shenzhen) Inc.	
Test Site Location	1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan Shenzhen City Guangdong Province 518055 China TEL: +86-755-8637-9589 FAX: +86-755-8637-9595	
Test Site No.	Sporton Site No.	FCC Test Firm Registration No.
	TH01-SZ	337463

Test Site	Sporton International (Shenzhen) Inc.	
Test Site Location	No. 3 Bldg the third floor of south, Shahe River west, Fengzeyuan Warehouse, Nanshan District Shenzhen City Guangdong Province 518055 China TEL: +86-755-3320-2398	
Test Site No.	Sporton Site No.	FCC Test Firm Registration No.
	03CH02-SZ 03CH04-SZ	577730

1.8 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR Part 2, 22(H), 24(E), 27(L), 27(M), 27(F), 27(H), 27(N)
- ♦ ANSI C63.26-2015
- ♦ FCC KDB 971168 D01 Power Meas License Digital Systems v03r01
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.



2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas License Digital Systems v03r01 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	2	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	5	v	v	v	v	-	-	v	v	v	v	v	v	v	v	v
	7	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
	12	v	v	v	v	-	-	v	v	v	v	v	v	v	v	v
	13	-	-	v		-	-	v	v	v	v	v	v	v	v	v
					v			v	v	v	v	v	v		v	
	17	-	-	v	v	-	-	v	v	v	v	v	v	v	v	v
	25	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	26	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v
	38	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
	41	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
	66	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Peak-to-Average Ratio	71	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
	2						v	v	v	v	v		v	v	v	v
	4						v	v	v	v	v		v	v	v	v
	5				v	-	-	v	v	v	v		v	v	v	v
	7	-	-				v	v	v	v	v		v	v	v	v
	12				v	-	-	v	v	v	v		v	v	v	v
	13	-	-		v	-	-	v	v	v	v		v		v	
					v	-	-	v	v	v	v		v	v	v	v
	17	-	-		v	-	-	v	v	v	v		v	v	v	v
	25						v	v	v	v	v		v	v	v	v
	26				v		-	v	v	v	v		v	v	v	v
	38	-	-				v	v	v	v	v		v	v	v	v
	41	-	-				v	v	v	v	v		v	v	v	v
	66						v	v	v	v	v		v	v	v	v



	71	-	-				v	v	v	v	v		v	v	v	v
--	----	---	---	--	--	--	---	---	---	---	---	--	---	---	---	---



Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
26dB and 99% Bandwidth	2	v	v	v	v	v	v	v	v	v			v	v	v	v
	4	v	v	v	v	v	v	v	v	v			v	v	v	v
	5	v	v	v	v	-	-	v	v	v			v	v	v	v
	7	-	-	v	v	v	v	v	v	v			v	v	v	v
	12	v	v	v	v	-	-	v	v	v			v	v	v	v
	13	-	-	v		-	-	v	v	v			v	v	v	v
					v			v	v	v			v		v	
	17	-	-	v	v	-	-	v	v	v			v	v	v	v
	25	v	v	v	v	v	v	v	v	v			v	v	v	v
	26	v	v	v	v	v	-	v	v	v			v	v	v	v
	38	-	-	v	v	v	v	v	v	v			v	v	v	v
	41	-	-	v	v	v	v	v	v	v			v	v	v	v
	66	v	v	v	v	v	v	v	v	v			v	v	v	v
Conducted Band Edge	71	-	-	v	v	v	v	v	v	v			v	v	v	v
	2	v	v	v	v	v	v	v	v	v	v		v	v		v
	4	v	v	v	v	v	v	v	v	v	v		v	v		v
	5	v	v	v	v	-	-	v	v	v	v		v	v		v
	7	-	-	v	v	v	v	v	v	v	v		v	v		v
	12	v	v	v	v	-	-	v	v	v	v		v	v		v
	13	-	-	v		-	-	v	v	v	v		v	v		v
					v			v	v	v	v		v		v	
	17	-	-	v	v	-	-	v	v	v	v		v	v		v
	25	v	v	v	v	v	v	v	v	v	v		v	v		v
	26	v	v	v	v	v	-	v	v	v	v		v	v		v
	38	-	-	v	v	v	v	v	v	v	v		v	v		v
	41	-	-	v	v	v	v	v	v	v	v		v	v		v
	66	v	v	v	v	v	v	v	v	v	v		v	v		v
	71	-	-	v	v	v	v	v	v	v	v		v	v		v



Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Conducted Spurious Emission	2	v	v	v	v	v	v	v	v	v	v			v	v	v
	4	v	v	v	v	v	v	v	v	v	v			v	v	v
	5	v	v	v	v	-	-	v	v	v	v			v	v	v
	7	-	-	v	v	v	v	v	v	v	v			v	v	v
	12	v	v	v	v	-	-	v	v	v	v			v	v	v
	13	-	-	v		-	-	v	v	v	v			v	v	v
					v			v	v	v	v				v	
	17	-	-	v	v	-	-	v	v	v	v			v	v	v
	25	v	v	v	v	v	v	v	v	v	v			v	v	v
	26	v	v	v	v	v	-	v	v	v	v			v	v	v
	38	-	-	v	v	v	v	v	v	v	v			v	v	v
	41	-	-	v	v	v	v	v	v	v	v			v	v	v
	66	v	v	v	v	v	v	v	v	v	v			v	v	v
	71	-	-	v	v	v	v	v	v	v	v			v	v	v
Frequency Stability	2				v			v					v		v	
	4				v			v					v		v	
	5				v	-	-	v					v		v	
	7	-	-		v			v					v		v	
	12				v	-	-	v					v		v	
	13	-	-		v	-	-	v					v		v	
	17	-	-		v	-	-	v					v		v	
	25				v			v					v		v	
	26				v		-	v					v		v	
	38	-	-		v			v					v		v	
	41	-	-		v			v					v		v	
	66				v			v					v		v	
	71	-	-		v			v					v		v	




Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
E.R.P / E.I.R.P	2	v	v	v	v	v	v	v	v	v	v			v	v	v
	4	v	v	v	v	v	v	v	v	v	v			v	v	v
	5	v	v	v	v	-	-	v	v	v	v			v	v	v
	7	-	-	v	v	v	v	v	v	v	v			v	v	v
	12	v	v	v	v	-	-	v	v	v	v			v	v	v
	13	-	-	v		-	-	v	v	v	v			v	v	v
					v			v	v	v	v				v	
	17	-	-	v	v	-	-	v	v	v	v			v	v	v
	25	v	v	v	v	v	v	v	v	v	v			v	v	v
	26	v	v	v	v	v	-	v	v	v	v			v	v	v
	38	-	-	v	v	v	v	v	v	v	v			v	v	v
	41	-	-	v	v	v	v	v	v	v	v			v	v	v
	66	v	v	v	v	v	v	v	v	v	v			v	v	v
	71	-	-	v	v	v	v	v	v	v	v			v	v	v
Radiated Spurious Emission	2	v	v	v	v	v	v	v			v			v	v	v
	4	v	v	v	v	v	v	v			v			v	v	v
	5	v	v	v	v	-	-	v			v			v	v	v
	7	-	-	v	v	v	v	v			v			v	v	v
	12	v	v	v	v			v			v			v	v	v
	13	v	v	v		-	-	v			v			v	v	v
					v			v			v				v	
	17	-	-	v	v	-	-	v			v			v	v	v
	25	v	v	v	v	v	v	v			v			v	v	v
	26	v	v	v	v	v	-	v			v			v	v	v
	38	-	-	v	v	v	v	v			v			v	v	v
	41	-	-	v	v	v	v	v			v			v	v	v
	66	v	v	v	v	v	v	v			v			v	v	v
	71	-	-	v	v	v	v	v			v			v	v	v
Note	1. The mark "v " means that this configuration is chosen for testing 2. The mark "- " means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.															



Test Items	Band	Bandwidth (MHz)										Modulation			RB #			Test Channel		
		20+20	20+15	15+20	20+10	10+20	20+5	5+20	15+15	15+10	10+15	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v	v	v	v	v	v
	41_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
26dB and 99% Bandwidth	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v			v	v	v	v
	41_CA	v	v	v	v	v	v	v	v	v	v	v	v	v			v	v	v	v
Conducted Band Edge	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v		v	v		v
	41_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v		v	v		v
Conducted Spurious Emission	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v			v	v	v
	41_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v			v	v	v
E.I.R.P.	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v			v	v	v
	41_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v			v	v	v
Radiated Spurious Emission	7_CA	v	v	v	v	v			v	v		v			v			v	v	v
	41_CA	v	v	v	v	v	v	v	v	v	v	v			v			v	v	v
Note	1. The mark "v" means that this configuration is chosen for testing 2. The mark "-" means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.																			

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	DC Power Supply	GW	GPS-3030D	N/A	N/A	Unshielded, 1.8 m
2.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.5 dB and 10dB attenuator.

Example :

$$\begin{aligned}
 \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)}. \\
 &= 4.5 + 10 = 14.5 \text{ (dB)}
 \end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3

LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5



LTE Band 12 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23060	23095	23130
	Frequency	704	707.5	711
5	Channel	23035	23095	23155
	Frequency	701.5	707.5	713.5
3	Channel	23025	23095	23165
	Frequency	700.5	707.5	714.5
1.4	Channel	23017	23095	23173
	Frequency	699.7	707.5	715.3

LTE Band 13 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23230	-
	Frequency	-	782	-
5	Channel	23205	23230	23255
	Frequency	779.5	782	784.5

LTE Band 17 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23780	23790	23800
	Frequency	709	710	711
5	Channel	23755	23790	23825
	Frequency	706.5	710	713.5

LTE Band 25 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	26140	26340	26590
	Frequency	1860	1880	1905
15	Channel	26115	26340	26615
	Frequency	1857.5	1880	1907.5
10	Channel	26090	26340	26640
	Frequency	1855	1880	1910
5	Channel	26065	26340	26665
	Frequency	1852.5	1880	1912.5
3	Channel	26055	26340	26675
	Frequency	1851.5	1880	1913.5
1.4	Channel	26047	26340	26683
	Frequency	1850.7	1880	1914.3

LTE Band 26 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	841.5
10	Channel	26840	26915	26990
	Frequency	829	836.5	844
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3



LTE Band 38 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	37850	38000	38150
	Frequency	2580	2595	2610
15	Channel	37825	38000	38175
	Frequency	2577.5	2595	2612.5
10	Channel	37800	38000	38200
	Frequency	2575	2595	2615
5	Channel	37775	38000	38225
	Frequency	2572.5	2595	2617.5

LTE Band 41 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	39750	40620	41490
	Frequency	2506	2593	2680
15	Channel	39725	40620	41515
	Frequency	2503.5	2593	2682.5
10	Channel	39700	40620	41540
	Frequency	2501	2593	2685
5	Channel	39675	40620	41565
	Frequency	2498.5	2593	2687.5



LTE Band 66 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	132072	132322	132572
	Frequency	1720	1745	1770
15	Channel	132047	132322	132597
	Frequency	1717.5	1745	1772.5
10	Channel	132022	132322	132622
	Frequency	1715	1745	1775
5	Channel	131997	132322	132647
	Frequency	1712.5	1745	1777.5
3	Channel	131987	132322	132657
	Frequency	1711.5	1745	1778.5
1.4	Channel	131979	132322	132665
	Frequency	1710.7	1745	1779.3

LTE Band 71 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	133372	133297	133447
	Frequency	665.5	680.5	695.5
15	Channel	133622	133297	133422
	Frequency	668.0	680.5	693.0
10	Channel	133872	133297	133397
	Frequency	670.5	680.5	690.5
5	Channel	134122	133297	133372
	Frequency	673.0	680.5	688.0



LTE Band 7 Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	20850	21001	21152
		Frequency	2510.0	2525.1	2540.2
	SCC	Channel	21048	21199	21350
		Frequency	2529.8	2544.9	2560.0
20 + 15	PCC	Channel	20850	21026	21201
		Frequency	2510.0	2527.6	2545.1
	SCC	Channel	21021	21197	21372
		Frequency	2527.1	2544.7	2562.2
15 + 20	PCC	Channel	20828	21003	21179
		Frequency	2507.8	2525.3	2542.9
	SCC	Channel	20999	21174	21350
		Frequency	2524.9	2542.4	2560.0
20 + 10	PCC	Channel	20850	21051	21251
		Frequency	2510.0	2530.1	2550.1
	SCC	Channel	20994	21195	21395
		Frequency	2524.4	2544.5	2564.5
10 + 20	PCC	Channel	20805	21006	21206
		Frequency	2505.5	2525.6	2545.6
	SCC	Channel	20949	21150	21350
		Frequency	2519.9	2540.0	2560.0
15 + 15	PCC	Channel	20825	21025	21225
		Frequency	2507.5	2527.5	2547.5
	SCC	Channel	20975	21175	21375
		Frequency	2522.5	2542.5	2562.5
15 + 10	PCC	Channel	20825	21051	21277
		Frequency	2507.5	2530.1	2552.7
	SCC	Channel	20945	21171	21397
		Frequency	2519.5	2542.1	2564.7



LTE Band 41 Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	39750	40521	41292
		Frequency	2506.0	2583.1	2660.2
	SCC	Channel	39948	40719	41490
		Frequency	2525.8	2602.9	2680.0
20 + 15	PCC	Channel	39750	40546	41341
		Frequency	2506.0	2585.6	2665.1
	SCC	Channel	39921	40717	41512
		Frequency	2523.1	2602.7	2682.2
15 + 20	PCC	Channel	39728	40523	41319
		Frequency	2503.8	2593.3	2662.9
	SCC	Channel	39899	40694	41490
		Frequency	2520.9	2600.4	2680.0
20 + 10	PCC	Channel	39750	40571	41391
		Frequency	2506.0	2588.1	2670.1
	SCC	Channel	39894	40715	41535
		Frequency	2520.4	2602.5	2684.5
10 + 20	PCC	Channel	39705	40526	41346
		Frequency	2501.5	2583.6	2665.6
	SCC	Channel	39849	40670	41490
		Frequency	2515.9	2598.0	2680.0



LTE Band 41 Channel and Frequency List_CA					
20 + 5	PCC	Channel	39750	40595	41440
		Frequency	2506.0	2590.5	2675.0
	SCC	Channel	39867	40712	41557
		Frequency	2517.7	2602.2	2686.7
5 + 20	PCC	Channel	39683	40528	41373
		Frequency	2499.3	2583.8	2668.3
	SCC	Channel	39800	40645	41490
		Frequency	2511.0	2595.5	2680.0
15 + 15	PCC	Channel	39725	40545	41365
		Frequency	2503.5	2585.5	2667.5
	SCC	Channel	39875	40695	41515
		Frequency	2518.5	2600.5	2682.5
10 + 15	PCC	Channel	39703	40549	41395
		Frequency	2501.3	2585.9	2670.5
	SCC	Channel	39823	40669	41515
		Frequency	2513.3	2597.9	2682.5
15 + 10	PCC	Channel	39725	40571	41417
		Frequency	2503.5	2588.1	2672.7
	SCC	Channel	39845	40691	41537
		Frequency	2515.5	2600.1	2684.7

3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.2 Test Setup


3.2.1 Conducted Output Power



3.2.2 Peak-to-Average Ratio, Occupied Bandwidth ,Conducted Band-Edge and Conducted Spurious Emission



3.2.3 Frequency Stability



3.3 Test Result of Conducted Test

Please refer to Appendix A.

3.4 Conducted Output Power and ERP/EIRP

3.4.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5 and Band 26.

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12, Band 13 and Band 17 and Band 71.

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2 and Band 25 and Band 7 and Band 38 and Band 41.

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4 and Band 66.

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2
2. The transmitter output port was connected to the system simulator.
3. Set EUT at maximum power through the system simulator.
4. Select lowest, middle, and highest channels for each band and different modulation.
5. Measure and record the power level from the system simulator.

3.5 Peak-to-Average Ratio

3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.5.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2.3.4 (CCDF).
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
5. Record the deviation as Peak to Average Ratio.

3.6 Occupied Bandwidth

3.6.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.6.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.4
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

3.7 Conducted Band Edge

3.7.1 Description of Conducted Band Edge Measurement

22.917(a)

For operations in the 824 – 849 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100kHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

24.238 (a)

For operations in the 1850-1910 and 1930-1990 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53 (c)

For operations in the 776-788 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100 kHz bandwidth. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed. In addition, the power of any unwanted emissions in any 6.25 kHz bandwidth for all frequencies between 763-775 MHz and 793-806 MHz shall be attenuated below the transmitter power, P (dBW), by at least $65 + 10 \log_{10} p(\text{watts})$, dB, for mobile and portable equipment.

27.53 (g)

For operations in the 600MHz band and 698 -746 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100 kHz bandwidth. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

27.53 (h)

For operations in the 1710 – 1755 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53(m)(4)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

3.7.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured.
4. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
5. Beyond the 1 MHz band from the band edge, RBW=1MHz was used.
6. Set spectrum analyzer with RMS detector.
7. Offset has included the duty factor for LTE Band 38/41. Duty factor $= 10 \log (1/x)$, where x is the measured duty cycle.
8. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
9. Checked that all the results comply with the emission limit line.

Example:

The limit line is derived from $43 + 10 \log (P)$ dB below the transmitter power P(Watts)

$$= P(W) - [43 + 10 \log (P)] \text{ (dB)}$$

$$= [30 + 10 \log (P)] \text{ (dBm)} - [43 + 10 \log (P)] \text{ (dB)} = -13 \text{ dBm.}$$

10. For LTE Band 7, 38, 41, the other 40 dB, and 55 dB have additionally applied same calculation above.

3.8 Conducted Spurious Emission

3.8.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7,38,41:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.8.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Offset has included the duty factor for LTE Band 38/41. Duty factor = $10 \log (1/x)$, where x is the measured duty cycle
9. Taking the record of maximum spurious emission.
10. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
11. The limit line is derived from $43 + 10 \log (P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10 \log (P)]$ (dB)
 $= [30 + 10 \log (P)]$ (dBm) - $[43 + 10 \log (P)]$ (dB)
 $= -13$ dBm.
12. For Band 7, 38, 41
The limit line is derived from $55 + 10 \log (P)$ dB below the transmitter power P(Watts)
 $= P(W) - [55 + 10 \log (P)]$ (dB)
 $= [30 + 10 \log (P)]$ (dBm) - $[55 + 10 \log (P)]$ (dB)
 $= -25$ dBm.

3.9 Frequency Stability

3.9.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

3.9.2 Test Procedures for Temperature Variation

1. The testing follows ANSI C63.26 section 5.6.4
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.9.3 Test Procedures for Voltage Variation

1. The testing follows ANSI C63.26 section 5.6.5
2. The EUT was placed in a temperature chamber at $20\pm 5^{\circ}\text{C}$ and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value for other than hand carried battery equipment.
4. For hand carried, battery powered equipment, reduce the primary ac or dc supply voltage to the battery operating end point, which shall be specified by the manufacturer.
5. The variation in frequency was measured for the worst case.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.2 Test Setup

4.2.1 For radiated test from 30MHz to 1GHz



4.2.2 For radiated test above 1GHz



4.3 Test Result of Radiated Test

Please refer to Appendix B.



4.4 Radiated Spurious Emission

4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI C63.26. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7, 38, 41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

For LTE Band 13

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.5
2. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
6. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
7. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
8. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
9. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
10. $EIRP\ (dBm) = S.G.\ Power - Tx\ Cable\ Loss + Tx\ Antenna\ Gain$
11. $ERP\ (dBm) = EIRP - 2.15$
12. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
The limit line is derived from $43 + 10\log(P)dB$ below the transmitter power $P(Watts)$
 $= P(W) - [43 + 10\log(P)]\ (dB)$
 $= [30 + 10\log(P)]\ (dBm) - [43 + 10\log(P)]\ (dB)$
 $= -13dBm.$
13. For Band 7, 38, 41:
The limit line is derived from $55 + 10\log(P)dB$ below the transmitter power $P(Watts)$



5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	9kHz~40GHz	Apr. 19, 2018	Jul. 20, 2018~ Aug. 06, 2018	Apr. 18, 2019	Conducted (TH01-SZ)
Radio Communication Analyzer	Anritsu	MT8820C	6201563777	2G/3G/4G (CDMA)	Jan. 03, 2018	Jul. 20, 2018~ Aug. 06, 2018	Jan. 02, 2019	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion Hongzhangroup	LP-150U	H2014081803	-40~+150°C	Dec. 26, 2017	Jul. 20, 2018~ Aug. 06, 2018	Dec. 25, 2018	Conducted (TH01-SZ)
Spectrum Analyzer	R&S	FSV40	101041	10kHz~40GHz;Max 30dBm	Oct. 19, 2017	Jul. 26, 2018	Oct. 18, 2018	Radiation (03CH02-SZ)
Bilog Antenna	TeseQ	CBL6112D	35407	30MHz~2GHz	May 10, 2018	Jul. 26, 2018	May 09, 2019	Radiation (03CH02-SZ)
Double Ridge Horn Antenna	SCHWARZBECK	BBHA 9120D	9120D-1285	1GHz~18GHz	Dec. 13, 2017	Jul. 26, 2018	Dec. 12, 2018	Radiation (03CH02-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18GHz~40GHz	Mar. 30, 2018	Jul. 26, 2018	Mar. 29, 2019	Radiation (03CH02-SZ)
LF Amplifier	Burgeon	BPA-530	102211	0.01~3000Mhz	Oct. 19, 2017	Jul. 26, 2018	Oct. 18, 2018	Radiation (03CH02-SZ)
HF Amplifier	Agilent	8449B	3008A01023	1GHz~26.5GHz	Oct. 19, 2017	Jul. 26, 2018	Oct. 18, 2018	Radiation (03CH02-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz	Jul. 29, 2017	Jul. 26, 2018	Jul. 28, 2018	Radiation (03CH02-SZ)
AC Power Source	Chroma	61601	616010002470	N/A	NCR	Jul. 26, 2018	NCR	Radiation (03CH02-SZ)
Turn Table	Chaintek	T-200	N/A	0~360 degree	NCR	Jul. 26, 2018	NCR	Radiation (03CH02-SZ)
Antenna Mast	Chaintek	MBS-400	N/A	1 m~4 m	NCR	Jul. 26, 2018	NCR	Radiation (03CH02-SZ)
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY55150213	10Hz~44GHz	Apr. 19, 2018	Jul. 30, 2018	Apr. 18, 2019	Radiation (03CH04-SZ)
Bilog Antenna	TeseQ	CBL6111D	41909	30MHz~1GHz	Aug. 29, 2017	Jul. 30, 2018	Aug. 28, 2018	Radiation (03CH04-SZ)
Double Ridge Horn Antenna	SCHWARZBECK	BBHA9120D	9120D-1285	1GHz~18GHz	Dec. 13, 2017	Jul. 30, 2018	Dec. 12, 2018	Radiation (03CH04-SZ)
Horn Antenna	SCHWARZBECK	BBHA9170	9170#679	15GHz~40GHz	Apr. 20 2018	Jul. 30, 2018	Apr. 19, 2019	Radiation (03CH04-SZ)
Amplifier	Burgeon	BPA-530	102211	0.01Hz ~3000MHz	Oct. 19, 2017	Jul. 30, 2018	Oct. 18, 2018	Radiation (03CH04-SZ)
Amplifier	Agilent Technologies	83017A	MY53270156	500MHz~26.5GHz	Apr. 19, 2018	Jul. 30, 2018	Apr. 18, 2019	Radiation (03CH04-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1988315	18GHz~40GHz	Jul. 30, 2018	Jul. 30, 2018	Jul. 29, 2019	Radiation (03CH04-SZ)



AC Power Source	Chroma	61601	N/A	N/A	NCR	Jul. 30, 2018	NCR	Radiation (03CH04-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	Jul. 30, 2018	NCR	Radiation (03CH04-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	Jul. 30, 2018	NCR	Radiation (03CH04-SZ)

NCR: No Calibration Required

6 Uncertainty of Evaluation

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz) for 03CH02-SZ

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.5dB
---	-------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz) for 03CH02-SZ

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.3dB
---	-------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz) for 03CH02-SZ

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.7dB
---	-------

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz) for 03CH04-SZ

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.8dB
---	-------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz) for 03CH04-SZ

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.1dB
---	-------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz) for 03CH04-SZ

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.9dB
---	-------



Appendix A. Test Results of Conducted Test

Conducted Output Power(Average power)

Antenna 1/2:

LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.45	23.44	23.87
20	1	49		23.29	23.31	23.64
20	1	99		23.16	23.22	23.62
20	50	0		22.47	22.46	22.78
20	50	24		22.35	22.38	22.73
20	50	50		22.32	22.27	22.67
20	100	0		22.33	22.35	22.76
20	1	0	16-QAM	22.79	22.75	23.16
20	1	49		22.66	22.66	22.99
20	1	99		22.50	22.52	22.95
20	50	0		21.53	21.55	21.83
20	50	24		21.46	21.45	21.84
20	50	50		21.40	21.39	21.71
20	100	0		21.44	21.45	21.82
20	1	0	64QAM	21.68	21.65	22.07
20	1	49		21.52	21.54	21.92
20	1	99		21.40	21.48	21.81
20	50	0		20.57	20.57	20.87
20	50	24		20.43	20.47	20.84
20	50	50		20.43	20.37	20.73
20	100	0		20.41	20.44	20.83
15	1	0	QPSK	23.40	23.44	23.86
15	1	37		23.19	23.30	23.72
15	1	74		23.18	23.31	23.67
15	36	0		22.32	22.43	22.76
15	36	20		22.35	22.36	22.72
15	36	39		22.27	22.27	22.75
15	75	0		22.36	22.35	22.69



15	1	0	16-QAM	22.78	22.81	23.22
15	1	37		22.55	22.67	23.09
15	1	74		22.54	22.67	23.02
15	36	0		21.41	21.53	21.88
15	36	20		21.46	21.46	21.77
15	36	39		21.37	21.37	21.79
15	75	0		21.40	21.42	21.78
15	1	0	64QAM	21.66	21.71	22.13
15	1	37		21.45	21.57	21.99
15	1	74		21.42	21.57	21.85
15	36	0		20.46	20.55	20.90
15	36	20		20.46	20.48	20.82
15	36	39		20.37	20.42	20.81
15	75	0		20.43	20.43	20.77



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.31	23.30	23.72
10	1	25		23.18	23.29	23.71
10	1	49		23.16	23.28	23.62
10	25	0		22.30	22.36	22.70
10	25	12		22.27	22.36	22.79
10	25	25		22.28	22.25	22.73
10	50	0	16-QAM	22.33	22.32	22.65
10	1	0		22.63	22.64	23.05
10	1	25		22.53	22.64	23.03
10	1	49		22.55	22.63	22.96
10	25	0		21.37	21.46	21.79
10	25	12		21.35	21.44	21.88
10	25	25	64QAM	21.37	21.36	21.82
10	50	0		21.43	21.42	21.75
10	1	0		21.59	21.56	21.98
10	1	25		21.44	21.55	21.95
10	1	49		21.39	21.55	21.92
10	25	0		20.39	20.47	20.82
10	25	12	QPSK	20.37	20.44	20.85
10	25	25		20.37	20.38	20.82
10	50	0		20.42	20.43	20.75
5	1	0		23.25	23.34	23.76
5	1	12		23.21	23.29	23.66
5	1	24		23.17	23.25	23.64
5	12	0	16-QAM	22.28	22.34	22.75
5	12	7		22.24	22.30	22.71
5	12	13		22.20	22.28	22.67
5	25	0		22.23	22.29	22.74
5	1	0		22.58	22.68	23.07
5	1	12		22.53	22.61	23.01
5	1	24	16-QAM	22.52	22.60	22.99
5	12	0		21.34	21.41	21.87
5	12	7		21.33	21.40	21.82



5	12	13		21.30	21.38	21.80
5	25	0		21.34	21.39	21.78
5	1	0	64QAM	21.53	21.58	22.01
5	1	12		21.45	21.53	21.95
5	1	24		21.44	21.48	21.86
5	12	0		20.42	20.47	20.84
5	12	7		20.40	20.47	20.87
5	12	13		20.37	20.43	20.80
5	25	0		20.34	20.38	20.77



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	23.25	23.30	23.66
3	1	8		23.18	23.29	23.63
3	1	14		23.15	23.25	23.61
3	8	0		22.26	22.31	22.69
3	8	4		22.25	22.32	22.73
3	8	7		22.22	22.28	22.69
3	15	0		22.25	22.27	22.71
3	1	0	16-QAM	22.55	22.68	22.99
3	1	8		22.58	22.64	22.92
3	1	14		22.54	22.59	22.92
3	8	0		21.40	21.47	21.85
3	8	4		21.39	21.47	21.82
3	8	7		21.37	21.39	21.79
3	15	0		21.30	21.37	21.75
3	1	0	64QAM	21.49	21.55	21.94
3	1	8		21.45	21.48	21.87
3	1	14		21.40	21.50	21.84
3	8	0		20.38	20.41	20.82
3	8	4		20.40	20.46	20.83
3	8	7		20.35	20.41	20.82
3	15	0		20.32	20.40	20.79
1.4	1	0	QPSK	23.16	23.20	23.56
1.4	1	3		23.21	23.28	23.65
1.4	1	5		23.12	23.18	23.56
1.4	3	0		23.18	23.26	23.60
1.4	3	1		23.21	23.28	23.65
1.4	3	3		23.20	23.23	23.61
1.4	6	0		22.16	22.23	22.62
1.4	1	0	16-QAM	22.52	22.54	22.91
1.4	1	3		22.58	22.62	23.00
1.4	1	5		22.42	22.55	22.91
1.4	3	0		22.28	22.34	22.70
1.4	3	1		22.33	22.41	22.73



1.4	3	3		22.27	22.33	22.66
1.4	6	0		21.31	21.38	21.79
1.4	1	0	64QAM	21.39	21.48	21.85
1.4	1	3		21.43	21.52	21.90
1.4	1	5		21.36	21.46	21.85
1.4	3	0		21.38	21.48	21.83
1.4	3	1		21.43	21.51	21.87
1.4	3	3		21.34	21.46	21.78
1.4	6	0		20.27	20.31	20.70



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.87	24.07	23.96
20	1	49		23.66	23.81	23.80
20	1	99		23.64	23.80	23.76
20	50	0		22.90	23.15	23.13
20	50	24		22.75	22.93	22.93
20	50	50		22.75	22.81	22.78
20	100	0		22.76	23.03	23.00
20	1	0	16-QAM	23.20	23.28	23.38
20	1	49		22.99	23.14	23.13
20	1	99		22.97	23.11	23.10
20	50	0		21.94	22.14	22.03
20	50	24		21.88	22.00	21.98
20	50	50		21.84	21.89	21.85
20	100	0		21.84	21.99	21.98
20	1	0	64QAM	22.40	22.46	22.36
20	1	49		22.17	22.33	22.31
20	1	99		22.16	22.30	22.28
20	50	0		21.23	21.41	21.28
20	50	24		21.16	21.28	21.27
20	50	50		21.11	21.18	21.15
20	100	0		21.12	21.28	21.27
15	1	0	QPSK	23.86	24.00	24.05
15	1	37		23.58	23.82	23.86
15	1	74		23.73	23.83	23.77
15	36	0		22.76	23.00	22.94
15	36	20		22.77	22.90	22.84
15	36	39		22.78	22.79	22.88
15	75	0		22.78	22.88	22.83
15	1	0	16-QAM	23.16	23.33	23.38
15	1	37		22.90	23.12	23.21
15	1	74		23.09	23.16	23.13
15	36	0		21.82	22.07	22.00
15	36	20		21.85	21.97	21.94



15	36	39		21.83	21.90	21.96
15	75	0		21.82	21.99	21.90
15	1	0	64QAM	22.37	22.42	22.45
15	1	37		22.07	22.29	22.35
15	1	74		22.22	22.37	22.32
15	36	0		21.10	21.36	21.28
15	36	20		21.13	21.28	21.17
15	36	39		21.15	21.19	21.23
15	75	0		21.14	21.25	21.20



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.76	23.88	23.88
10	1	25		23.62	23.82	23.83
10	1	49		23.65	23.81	23.73
10	25	0		22.73	22.94	22.82
10	25	12		22.70	22.92	22.86
10	25	25		22.73	22.80	22.85
10	50	0		22.76	22.86	22.76
10	1	0	16-QAM	23.11	23.25	23.23
10	1	25		22.95	23.18	23.17
10	1	49		22.95	23.19	23.07
10	25	0		21.78	22.03	21.90
10	25	12		21.76	21.99	21.94
10	25	25		21.84	21.89	21.90
10	50	0		21.86	21.98	21.84
10	1	0	64QAM	22.27	22.39	22.38
10	1	25		22.12	22.32	22.32
10	1	49		22.19	22.38	22.23
10	25	0		21.07	21.31	21.22
10	25	12		21.02	21.26	21.28
10	25	25		21.07	21.17	21.19
10	50	0		21.14	21.24	21.13
5	1	0	QPSK	23.71	23.89	23.88
5	1	12		23.62	23.84	23.75
5	1	24		23.63	23.79	23.72
5	12	0		22.68	22.92	22.83
5	12	7		22.68	22.88	22.81
5	12	13		22.64	22.80	22.80
5	25	0		22.67	22.87	22.79
5	1	0	16-QAM	23.08	23.25	23.17
5	1	12		22.96	23.16	23.10
5	1	24		22.92	23.09	23.08
5	12	0		21.80	21.96	21.92
5	12	7		21.75	21.92	21.89



5	12	13		21.72	21.90	21.85
5	25	0		21.76	21.93	21.88
5	1	0	64QAM	22.25	22.45	22.40
5	1	12		22.18	22.36	22.28
5	1	24		22.14	22.33	22.27
5	12	0		21.02	21.26	21.18
5	12	7		21.02	21.20	21.17
5	12	13		20.96	21.18	21.12
5	25	0		21.01	21.24	21.17



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	23.65	23.86	23.77
3	1	8		23.60	23.79	23.72
3	1	14		23.60	23.75	23.69
3	8	0		22.68	22.83	22.80
3	8	4		22.70	22.87	22.78
3	8	7		22.64	22.82	22.77
3	15	0		22.63	22.85	22.78
3	1	0	16-QAM	23.01	23.16	23.04
3	1	8		22.95	23.12	23.01
3	1	14		22.92	23.05	22.98
3	8	0		21.79	21.97	21.89
3	8	4		21.78	21.99	21.92
3	8	7		21.77	21.96	21.85
3	15	0		21.73	21.96	21.84
3	1	0	64QAM	22.21	22.35	22.32
3	1	8		22.16	22.33	22.23
3	1	14		22.14	22.32	22.24
3	8	0		21.02	21.26	21.16
3	8	4		21.04	21.25	21.17
3	8	7		21.01	21.21	21.14
3	15	0		21.03	21.20	21.12
1.4	1	0	QPSK	23.58	23.76	23.67
1.4	1	3		23.63	23.82	23.72
1.4	1	5		23.53	23.71	23.64
1.4	3	0		23.61	23.76	23.70
1.4	3	1		23.64	23.81	23.74
1.4	3	3		23.59	23.77	23.69
1.4	6	0		22.60	22.79	22.68
1.4	1	0	16-QAM	22.94	23.04	22.99
1.4	1	3		22.97	23.15	23.05
1.4	1	5		22.91	23.05	22.97
1.4	3	0		22.68	22.86	22.78
1.4	3	1		22.73	22.92	22.84



1.4	3	3		22.66	22.84	22.77
1.4	6	0		21.74	21.94	21.83
1.4	1	0	64QAM	22.08	22.29	22.19
1.4	1	3		22.09	22.34	22.25
1.4	1	5		22.03	22.25	22.14
1.4	3	0		22.03	22.21	22.10
1.4	3	1		22.07	22.25	22.12
1.4	3	3		22.02	22.20	22.07
1.4	6	0		20.96	21.14	21.07



LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	24.10	24.11	24.07
10	1	25		24.06	24.08	23.99
10	1	49		24.02	24.00	23.92
10	25	0		23.06	23.19	23.14
10	25	12		23.17	23.20	23.10
10	25	25		23.07	23.13	23.06
10	50	0		23.12	23.15	23.09
10	1	0	16-QAM	23.42	23.39	23.42
10	1	25		23.34	23.43	23.36
10	1	49		23.27	23.27	23.16
10	25	0		22.10	22.28	22.20
10	25	12		22.22	22.24	22.19
10	25	25		22.14	22.20	22.09
10	50	0		22.21	22.21	22.16
10	1	0	64QAM	22.27	22.16	22.23
10	1	25		22.21	22.23	22.25
10	1	49		22.24	22.23	21.96
10	25	0		21.16	21.17	21.13
10	25	12		21.19	21.20	21.23
10	25	25		21.21	21.14	21.15
10	50	0		21.27	21.17	21.10
5	1	0	QPSK	24.10	24.10	23.99
5	1	12		24.00	24.09	23.95
5	1	24		24.01	24.05	23.93
5	12	0		23.03	23.19	23.06
5	12	7		23.03	23.15	23.03
5	12	13		22.99	23.12	22.98
5	25	0		23.03	23.14	23.05
5	1	0	16-QAM	23.35	23.41	23.24
5	1	12		23.37	23.41	23.26
5	1	24		23.30	23.41	23.13
5	12	0		22.15	22.26	22.14
5	12	7		22.14	22.27	22.15



5	12	13		22.09	22.22	22.08
5	25	0		22.08	22.24	22.14
5	1	0	64QAM	22.27	22.31	22.30
5	1	12		22.31	22.28	22.26
5	1	24		22.21	22.24	22.14
5	12	0		21.23	21.21	21.21
5	12	7		21.25	21.22	21.18
5	12	13		21.19	21.20	21.17
5	25	0		21.17	21.15	21.15



LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	24.10	24.07	23.99
3	1	8		23.98	24.06	23.93
3	1	14		23.95	24.07	23.91
3	8	0		23.04	23.12	23.01
3	8	4		23.04	23.14	23.04
3	8	7		23.03	23.10	23.00
3	15	0	16-QAM	23.05	23.13	23.03
3	1	0		23.39	23.33	23.35
3	1	8		23.35	23.39	23.30
3	1	14		23.29	23.41	23.21
3	8	0		22.14	22.22	22.14
3	8	4		22.18	22.24	22.18
3	8	7	64QAM	22.15	22.22	22.11
3	15	0		22.08	22.25	22.11
3	1	0		21.98	22.11	22.08
3	1	8		21.96	22.11	22.00
3	1	14		21.96	22.08	21.76
3	8	0		20.87	20.98	20.99
3	8	4	QPSK	20.99	20.98	20.97
3	8	7		20.95	20.94	20.90
3	15	0		20.92	20.92	20.93
1.4	1	0		24.04	23.98	23.85
1.4	1	3		24.09	24.06	23.95
1.4	1	5		24.02	23.96	23.82
1.4	3	0	16-QAM	24.07	24.04	23.90
1.4	3	1		24.09	24.06	23.94
1.4	3	3		24.07	24.05	23.88
1.4	6	0		23.08	23.09	22.94
1.4	1	0		23.45	23.33	23.16
1.4	1	3		23.48	23.41	23.22
1.4	1	5	16-QAM	23.41	23.30	23.13
1.4	3	0		23.28	23.14	22.97
1.4	3	1		23.29	23.14	23.02



1.4	3	3		23.21	23.12	22.92
1.4	6	0		22.35	22.21	22.06
1.4	1	0	64QAM	22.36	22.26	22.32
1.4	1	3		22.32	22.28	22.21
1.4	1	5		22.35	22.30	21.97
1.4	3	0		21.20	21.20	21.19
1.4	3	1		21.23	21.25	21.17
1.4	3	3		21.21	21.18	21.13
1.4	6	0		21.18	21.16	21.14



LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.92	23.95	23.85
10	1	25		23.83	23.92	23.81
10	1	49		23.75	23.82	23.72
10	25	0		22.98	22.99	22.85
10	25	12		22.99	23.03	22.93
10	25	25		22.98	23.01	22.88
10	50	0		22.99	23.01	23.00
10	1	0	16-QAM	23.20	23.18	23.25
10	1	25		23.26	23.30	23.25
10	1	49		23.27	23.26	23.19
10	25	0		22.09	22.05	22.09
10	25	12		22.08	22.10	22.10
10	25	25		22.07	22.06	22.05
10	50	0		22.12	22.06	22.06
10	1	0	64QAM	22.34	22.35	22.40
10	1	25		22.45	22.45	22.44
10	1	49		22.45	22.47	22.37
10	25	0		21.36	21.34	21.34
10	25	12		21.40	21.42	21.39
10	25	25		21.40	21.35	21.38
10	50	0		21.34	21.35	21.37
5	1	0	QPSK	23.89	23.94	23.91
5	1	12		23.85	23.93	23.91
5	1	24		23.91	23.93	23.89
5	12	0		22.90	22.95	22.94
5	12	7		22.91	23.04	22.96
5	12	13		22.96	22.95	22.94
5	25	0		22.96	22.95	22.92
5	1	0	16-QAM	23.22	23.28	23.22
5	1	12		23.18	23.28	23.21
5	1	24		23.25	23.29	23.17
5	12	0		21.97	22.08	22.01
5	12	7		21.99	22.05	22.02



5	12	13		22.05	22.07	22.02
5	25	0		22.07	22.06	22.03
5	1	0	64QAM	22.45	22.46	22.44
5	1	12		22.37	22.46	22.40
5	1	24		22.48	22.48	22.36
5	12	0		21.27	21.32	21.31
5	12	7		21.30	21.39	21.32
5	12	13		21.36	21.39	21.31
5	25	0		21.39	21.37	21.29



LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	23.83	23.90	23.88
3	1	8		23.82	23.88	23.85
3	1	14		23.80	23.90	23.84
3	8	0		22.87	22.93	22.91
3	8	4		22.88	22.98	22.93
3	8	7		22.85	22.97	22.92
3	15	0		22.85	22.96	22.92
3	1	0	16-QAM	23.15	23.21	23.16
3	1	8		23.16	23.27	23.11
3	1	14		23.11	23.17	23.12
3	8	0		22.00	22.09	22.03
3	8	4		22.03	22.09	22.07
3	8	7		22.00	22.09	22.04
3	15	0		21.98	22.02	22.00
3	1	0	64QAM	22.37	22.46	22.38
3	1	8		22.27	22.42	22.36
3	1	14		22.33	22.46	22.37
3	8	0		21.27	21.35	21.29
3	8	4		21.31	21.36	21.31
3	8	7		21.29	21.35	21.30
3	15	0		21.25	21.32	21.29
1.4	1	0	QPSK	23.74	23.82	23.78
1.4	1	3		23.83	23.88	23.84
1.4	1	5		23.76	23.81	23.77
1.4	3	0		23.81	23.88	23.83
1.4	3	1		23.83	23.90	23.85
1.4	3	3		23.79	23.87	23.81
1.4	6	0		22.80	22.89	22.84
1.4	1	0	16-QAM	23.14	23.15	23.08
1.4	1	3		23.19	23.23	23.12
1.4	1	5		23.10	23.17	23.05
1.4	3	0		22.91	22.96	22.87
1.4	3	1		22.95	23.02	22.90



1.4	3	3		22.87	22.99	22.84
1.4	6	0		21.96	22.04	21.98
1.4	1	0	64QAM	22.30	22.37	22.27
1.4	1	3		22.36	22.42	22.32
1.4	1	5		22.30	22.34	22.24
1.4	3	0		22.21	22.30	22.19
1.4	3	1		22.24	22.32	22.24
1.4	3	3		22.23	22.29	22.21
1.4	6	0		21.17	21.25	21.22



LTE Band 13 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK		23.78	
10	1	25			23.89	
10	1	49			23.99	
10	25	0			22.94	
10	25	12			23.02	
10	25	25			22.96	
10	50	0			23.00	
10	1	0	16-QAM		23.13	
10	1	25			23.25	
10	1	49			23.19	
10	25	0			22.02	
10	25	12			22.10	
10	25	25			22.03	
10	50	0			22.09	
10	1	0	64QAM		21.95	
10	1	25			22.10	
10	1	49			22.13	
10	25	0			20.99	
10	25	12			21.08	
10	25	25			21.05	
10	50	0			21.05	
5	1	0	QPSK	23.87	23.88	23.98
5	1	12		23.87	23.95	23.93
5	1	24		23.96	23.94	23.90
5	12	0		22.97	23.04	23.02
5	12	7		22.97	23.00	23.02
5	12	13		23.03	22.97	22.95
5	25	0		22.94	23.00	23.00
5	1	0	16-QAM	23.08	23.22	23.28
5	1	12		23.23	23.30	23.24
5	1	24		23.26	23.27	23.20
5	12	0		22.02	22.07	22.07
5	12	7		22.04	22.11	22.11



5	12	13	64QAM	22.07	22.07	22.05
5	25	0		22.03	22.07	22.05
5	1	0		22.04	22.13	22.23
5	1	12		22.12	22.18	22.24
5	1	24		22.20	22.08	22.21
5	12	0		21.07	21.14	21.10
5	12	7		21.05	21.13	21.10
5	12	13		21.10	21.07	21.16
5	25	0		20.99	21.07	21.08



LTE Band 17 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.55	23.55	23.74
10	1	25		23.67	23.65	23.68
10	1	49		23.68	23.67	23.66
10	25	0		22.69	22.68	22.69
10	25	12		22.72	22.71	22.74
10	25	25		22.73	22.68	22.69
10	50	0		22.71	22.69	22.70
10	1	0	16-QAM	22.90	22.88	23.01
10	1	25		22.99	23.02	23.02
10	1	49		22.97	22.96	22.97
10	25	0		21.77	21.81	21.77
10	25	12		21.83	21.83	21.80
10	25	25		21.78	21.82	21.76
10	50	0		21.78	21.79	21.79
10	1	0	64QAM	21.78	21.77	21.90
10	1	25		21.89	21.87	21.92
10	1	49		21.89	21.85	21.90
10	25	0		20.78	20.79	20.80
10	25	12		20.80	20.81	20.79
10	25	25		20.80	20.78	20.80
10	50	0		20.80	20.78	20.76
5	1	0	QPSK	23.59	23.67	23.62
5	1	12		23.64	23.64	23.60
5	1	24		23.66	23.68	23.62
5	12	0		22.57	22.71	22.66
5	12	7		22.74	22.72	22.67
5	12	13		22.71	22.70	22.66
5	25	0		22.72	22.70	22.63
5	1	0	16-QAM	22.87	23.00	22.97
5	1	12		23.01	22.98	22.94
5	1	24		22.99	22.98	22.88
5	12	0		21.73	21.79	21.79
5	12	7		21.82	21.84	21.75



5	12	13		21.81	21.75	21.72
5	25	0		21.82	21.77	21.71
5	1	0	64QAM	21.85	21.92	21.89
5	1	12		21.90	21.88	21.88
5	1	24		21.94	21.90	21.84
5	12	0		20.76	20.84	20.79
5	12	7		20.83	20.86	20.81
5	12	13		20.85	20.83	20.77
5	25	0		20.81	20.80	20.71



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.25	23.30	23.55
20	1	49		23.09	23.24	23.40
20	1	99		22.98	23.18	23.32
20	50	0		22.27	22.41	22.72
20	50	24		22.17	22.32	22.71
20	50	50		22.17	22.22	22.61
20	100	0		22.16	22.32	22.73
20	1	0	16-QAM	22.20	22.22	22.65
20	1	49		22.01	22.18	22.54
20	1	99		21.91	22.10	22.56
20	50	0		20.96	21.00	21.38
20	50	24		20.88	20.99	21.35
20	50	50		20.86	20.89	21.31
20	100	0		20.83	21.01	21.38
20	1	0	64QAM	21.12	21.11	21.54
20	1	49		20.94	21.09	21.45
20	1	99		20.86	21.00	21.46
20	50	0		20.01	20.01	20.35
20	50	24		19.86	19.99	20.37
20	50	50		19.86	19.91	20.28
20	100	0		19.83	20.01	20.41
15	1	0	QPSK	22.87	22.99	23.32
15	1	37		22.63	22.85	23.28
15	1	74		22.63	22.89	23.26
15	36	0		21.78	21.99	22.25
15	36	20		21.77	21.92	22.26
15	36	39		21.67	21.83	22.28
15	75	0		21.80	21.91	22.27
15	1	0	16-QAM	22.22	22.34	22.67
15	1	37		21.99	22.21	22.61
15	1	74		21.96	22.23	22.57
15	36	0		20.88	21.09	21.31
15	36	20		20.87	21.00	21.44



15	36	39		20.77	20.91	21.47
15	75	0		20.87	21.00	21.45
15	1	0	64QAM	21.13	21.22	21.58
15	1	37		20.87	21.11	21.54
15	1	74		20.85	21.10	21.43
15	36	0		19.90	20.07	20.32
15	36	20		19.88	20.02	20.36
15	36	39		19.78	19.94	20.38
15	75	0		19.88	19.97	20.32



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.80	22.89	23.28
10	1	25		22.67	22.87	23.23
10	1	49		22.65	22.78	23.17
10	25	0		21.73	21.93	22.23
10	25	12		21.73	21.90	22.30
10	25	25		21.73	21.84	22.22
10	50	0		21.79	21.89	22.19
10	1	0	16-QAM	22.12	22.24	22.60
10	1	25		21.99	22.19	22.60
10	1	49		21.96	22.11	22.50
10	25	0		20.85	21.02	21.35
10	25	12		20.80	21.00	21.36
10	25	25		20.82	20.93	21.32
10	50	0		20.89	20.97	21.27
10	1	0	64QAM	20.97	21.12	21.57
10	1	25		20.85	21.03	21.50
10	1	49		20.85	20.97	21.43
10	25	0		19.83	20.04	20.31
10	25	12		19.80	19.97	20.38
10	25	25		19.81	19.94	20.31
10	50	0		19.90	19.98	20.28
5	1	0	QPSK	22.76	22.83	23.29
5	1	12		22.71	22.84	23.22
5	1	24		22.63	22.82	23.21
5	12	0		21.72	21.90	22.26
5	12	7		21.70	21.91	22.26
5	12	13		21.67	21.85	22.21
5	25	0		21.70	21.86	22.24
5	1	0	16-QAM	22.07	22.14	22.60
5	1	12		22.05	22.18	22.56
5	1	24		21.99	22.14	22.50
5	12	0		20.85	20.96	21.35
5	12	7		20.80	20.99	21.32



5	12	13		20.80	20.97	21.31
5	25	0		20.80	20.94	21.35
5	1	0	64QAM	21.04	21.10	21.57
5	1	12		20.94	21.10	21.50
5	1	24		20.91	21.04	21.47
5	12	0		19.89	20.04	20.38
5	12	7		19.90	20.06	20.40
5	12	13		19.83	20.01	20.37
5	25	0		19.82	19.98	20.32



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.74	22.79	23.22
3	1	8		22.67	22.86	23.22
3	1	14		22.69	22.82	23.18
3	8	0		21.74	21.87	22.21
3	8	4		21.73	21.91	22.23
3	8	7		21.72	21.85	22.19
3	15	0		21.70	21.88	22.20
3	1	0	16-QAM	22.03	22.06	22.57
3	1	8		22.03	22.13	22.51
3	1	14		21.93	22.11	22.47
3	8	0		20.88	21.00	21.35
3	8	4		20.87	21.03	21.39
3	8	7		20.82	21.01	21.33
3	15	0		20.81	20.96	21.31
3	1	0	64QAM	21.03	21.07	21.47
3	1	8		20.98	21.12	21.47
3	1	14		20.89	21.12	21.41
3	8	0		19.84	20.04	20.35
3	8	4		19.87	20.06	20.36
3	8	7		19.86	20.00	20.36
3	15	0		19.80	19.97	20.35
1.4	1	0	QPSK	22.70	22.78	23.15
1.4	1	3		22.72	22.86	23.21
1.4	1	5		22.67	22.80	23.11
1.4	3	0		22.71	22.82	23.18
1.4	3	1		22.74	22.85	23.19
1.4	3	3		22.70	22.82	23.18
1.4	6	0		21.69	21.80	22.17
1.4	1	0	16-QAM	22.06	22.15	22.43
1.4	1	3		22.05	22.22	22.53
1.4	1	5		21.97	22.10	22.40
1.4	3	0		21.79	21.94	22.27
1.4	3	1		21.88	21.96	22.27



1.4	3	3		21.79	21.90	22.26
1.4	6	0		20.85	20.95	21.32
1.4	1	0	64QAM	20.97	21.07	21.37
1.4	1	3		20.99	21.09	21.46
1.4	1	5		20.86	21.07	21.38
1.4	3	0		20.92	21.05	21.36
1.4	3	1		20.95	21.06	21.43
1.4	3	3		20.93	21.01	21.39
1.4	6	0		19.78	19.88	20.24



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	23.40	23.50	23.64
15	1	37		23.34	23.41	23.56
15	1	74		23.33	23.37	23.49
15	36	0		22.55	22.60	22.72
15	36	20		22.53	22.47	22.63
15	36	39		22.42	22.40	22.51
15	75	0		22.50	22.54	22.58
15	1	0	16-QAM	22.54	22.69	22.75
15	1	37		22.63	22.72	22.81
15	1	74		22.63	22.70	22.77
15	36	0		21.50	21.56	21.64
15	36	20		21.61	21.58	21.69
15	36	39		21.49	21.46	21.58
15	75	0		21.56	21.50	21.62
15	1	0	64QAM	21.53	21.65	21.74
15	1	37		21.57	21.65	21.80
15	1	74		21.59	21.64	21.71
15	36	0		20.53	20.62	20.64
15	36	20		20.66	20.62	20.73
15	36	39		20.53	20.52	20.61
15	75	0		20.56	20.52	20.65



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.29	23.44	23.59
10	1	25		23.34	23.46	23.56
10	1	49		23.36	23.41	23.46
10	25	0		22.44	22.55	22.56
10	25	12		22.40	22.53	22.54
10	25	25		22.47	22.47	22.57
10	50	0		22.38	22.49	22.53
10	1	0	16-QAM	22.52	22.78	22.88
10	1	25		22.59	22.77	22.88
10	1	49		22.68	22.72	22.74
10	25	0		21.47	21.61	21.63
10	25	12		21.48	21.63	21.61
10	25	25		21.50	21.57	21.61
10	50	0		21.44	21.56	21.58
10	1	0	64QAM	21.52	21.68	21.80
10	1	25		21.57	21.68	21.80
10	1	49		21.62	21.63	21.65
10	25	0		20.49	20.64	20.66
10	25	12		20.49	20.65	20.62
10	25	25		20.53	20.54	20.67
10	50	0		20.48	20.60	20.60
5	1	0	QPSK	23.30	23.43	23.57
5	1	12		23.24	23.45	23.53
5	1	24		23.31	23.44	23.49
5	12	0		22.33	22.53	22.60
5	12	7		22.34	22.50	22.57
5	12	13		22.41	22.47	22.54
5	25	0		22.41	22.52	22.56
5	1	0	16-QAM	22.54	22.73	22.82
5	1	12		22.53	22.73	22.84
5	1	24		22.69	22.70	22.73
5	12	0		21.42	21.60	21.69
5	12	7		21.42	21.59	21.67



5	12	13		21.44	21.55	21.61
5	25	0		21.49	21.55	21.63
5	1	0	64QAM	21.48	21.66	21.81
5	1	12		21.47	21.66	21.79
5	1	24		21.57	21.64	21.68
5	12	0		20.49	20.66	20.74
5	12	7		20.45	20.67	20.72
5	12	13		20.53	20.58	20.66
5	25	0		20.52	20.58	20.66



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	23.24	23.35	23.55
3	1	8		23.21	23.45	23.49
3	1	14		23.32	23.42	23.44
3	8	0		22.30	22.50	22.54
3	8	4		22.31	22.49	22.58
3	8	7		22.38	22.50	22.49
3	15	0		22.37	22.48	22.54
3	1	0	16-QAM	22.51	22.67	22.82
3	1	8		22.48	22.73	22.80
3	1	14		22.60	22.69	22.70
3	8	0		21.40	21.59	21.64
3	8	4		21.43	21.63	21.67
3	8	7		21.49	21.58	21.63
3	15	0		21.49	21.55	21.63
3	1	0	64QAM	21.46	21.60	21.78
3	1	8		21.44	21.64	21.71
3	1	14		21.53	21.64	21.69
3	8	0		20.40	20.61	20.69
3	8	4		20.44	20.66	20.69
3	8	7		20.49	20.60	20.64
3	15	0		20.47	20.59	20.62
1.4	1	0	QPSK	23.17	23.38	23.43
1.4	1	3		23.25	23.46	23.47
1.4	1	5		23.19	23.34	23.34
1.4	3	0		23.24	23.43	23.45
1.4	3	1		23.26	23.46	23.48
1.4	3	3		23.25	23.40	23.42
1.4	6	0		22.28	22.43	22.47
1.4	1	0	16-QAM	22.43	22.68	22.74
1.4	1	3		22.59	22.75	22.76
1.4	1	5		22.42	22.64	22.66
1.4	3	0		22.30	22.47	22.51
1.4	3	1		22.35	22.49	22.53



1.4	3	3		22.24	22.46	22.48
1.4	6	0		21.39	21.54	21.61
1.4	1	0	64QAM	21.41	21.63	21.67
1.4	1	3		21.52	21.70	21.66
1.4	1	5		21.41	21.60	21.62
1.4	3	0		21.43	21.64	21.67
1.4	3	1		21.46	21.64	21.69
1.4	3	3		21.43	21.59	21.67
1.4	6	0		20.33	20.52	20.55



LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.88	24.14	23.95
20	1	49		23.67	23.88	23.70
20	1	99		23.64	23.79	23.67
20	50	0		22.87	23.13	22.93
20	50	24		22.76	23.02	22.88
20	50	50		22.78	22.89	22.80
20	100	0		22.77	23.00	22.82
20	1	0	16-QAM	23.24	23.49	23.27
20	1	49		23.02	23.23	22.93
20	1	99		23.00	23.12	22.77
20	50	0		21.97	22.23	21.91
20	50	24		21.86	22.11	21.81
20	50	50		21.82	21.95	21.65
20	100	0		21.83	22.08	21.79
20	1	0	64QAM	22.11	22.40	22.24
20	1	49		21.95	22.17	21.84
20	1	99		21.91	22.02	21.68
20	50	0		20.96	21.21	20.93
20	50	24		20.87	21.12	20.84
20	50	50		20.88	21.01	20.68
20	100	0		20.87	21.10	20.81
15	1	0	QPSK	23.88	24.11	23.86
15	1	37		23.62	23.90	23.56
15	1	74		23.75	23.86	23.49
15	36	0		22.73	23.07	22.77
15	36	20		22.76	22.99	22.65
15	36	39		22.71	22.87	22.54
15	75	0		22.77	22.99	22.68
15	1	0	16-QAM	23.24	23.48	23.23
15	1	37		22.95	23.26	22.91
15	1	74		23.04	23.22	22.84
15	36	0		21.82	22.16	21.82
15	36	20		21.85	22.07	21.74



15	36	39		21.77	21.95	21.67
15	75	0		21.86	22.09	21.74
15	1	0	64QAM	22.13	22.38	22.14
15	1	37		21.89	22.17	21.80
15	1	74		22.00	22.09	21.72
15	36	0		20.89	21.21	20.88
15	36	20		20.90	21.12	20.75
15	36	39		20.83	21.00	20.69
15	75	0		20.88	21.09	20.76



LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.80	24.01	23.72
10	1	25		23.64	23.91	23.53
10	1	49		23.64	23.84	23.43
10	25	0		22.72	23.03	22.66
10	25	12		22.70	23.01	22.57
10	25	25		22.71	22.92	22.52
10	50	0		22.79	22.98	22.59
10	1	0	16-QAM	23.10	23.33	23.09
10	1	25		22.97	23.26	22.87
10	1	49		23.00	23.17	22.79
10	25	0		21.79	22.09	21.75
10	25	12		21.74	22.06	21.71
10	25	25		21.79	21.96	21.64
10	50	0		21.86	22.03	21.69
10	1	0	64QAM	22.04	22.23	21.94
10	1	25		21.92	22.16	21.77
10	1	49		21.95	22.11	21.71
10	25	0		20.84	21.13	20.74
10	25	12		20.77	21.07	20.71
10	25	25		20.85	21.01	20.64
10	50	0		20.90	21.07	20.69
5	1	0	QPSK	23.75	24.00	23.56
5	1	12		23.67	23.91	23.49
5	1	24		23.63	23.87	23.48
5	12	0		22.73	22.99	22.58
5	12	7		22.69	22.97	22.57
5	12	13		22.66	22.92	22.50
5	25	0		22.69	22.93	22.55
5	1	0	16-QAM	23.03	23.34	22.92
5	1	12		22.99	23.25	22.81
5	1	24		22.96	23.22	22.83
5	12	0		21.80	22.07	21.62
5	12	7		21.78	22.07	21.62



5	12	13		21.71	22.02	21.59
5	25	0		21.76	22.05	21.64
5	1	0	64QAM	22.00	22.26	21.85
5	1	12		21.90	22.16	21.76
5	1	24		21.87	22.14	21.73
5	12	0		20.84	21.08	20.68
5	12	7		20.82	21.11	20.65
5	12	13		20.76	21.05	20.66
5	25	0		20.77	21.04	20.62



LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	23.69	23.97	23.53
3	1	8		23.66	23.91	23.47
3	1	14		23.64	23.88	23.42
3	8	0		22.68	22.97	22.54
3	8	4		22.70	22.95	22.55
3	8	7		22.65	22.95	22.48
3	15	0		22.67	22.95	22.51
3	1	0	16-QAM	23.04	23.30	22.86
3	1	8		23.00	23.26	22.83
3	1	14		22.99	23.22	22.81
3	8	0		21.80	22.06	21.66
3	8	4		21.80	22.08	21.65
3	8	7		21.77	22.04	21.64
3	15	0		21.77	22.02	21.59
3	1	0	64QAM	21.91	22.18	21.74
3	1	8		21.90	22.17	21.69
3	1	14		21.89	22.11	21.68
3	8	0		20.80	21.10	20.63
3	8	4		20.83	21.12	20.65
3	8	7		20.78	21.06	20.61
3	15	0		20.78	21.05	20.57
1.4	1	0	QPSK	23.62	23.87	23.41
1.4	1	3		23.68	23.93	23.47
1.4	1	5		23.57	23.82	23.38
1.4	3	0		23.65	23.92	23.44
1.4	3	1		23.67	23.91	23.47
1.4	3	3		23.65	23.89	23.45
1.4	6	0		22.63	22.88	22.44
1.4	1	0	16-QAM	22.96	23.21	22.72
1.4	1	3		23.00	23.29	22.77
1.4	1	5		22.96	23.17	22.67
1.4	3	0		22.76	22.99	22.54
1.4	3	1		22.77	23.04	22.57



1.4	3	3		22.75	22.95	22.50
1.4	6	0		21.78	22.05	21.58
1.4	1	0	64QAM	21.87	22.10	21.66
1.4	1	3		21.88	22.18	21.74
1.4	1	5		21.84	22.06	21.64
1.4	3	0		21.85	22.11	21.63
1.4	3	1		21.92	22.16	21.69
1.4	3	3		21.85	22.08	21.64
1.4	6	0		20.71	20.98	20.52



LTE Band 71 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	24.35	24.49	24.29
20	1	49		24.19	24.21	24.37
20	1	99		24.07	24.09	24.26
20	50	0		23.30	23.44	23.43
20	50	24		23.36	23.31	23.35
20	50	50		23.21	23.17	23.32
20	100	0		23.33	23.38	23.37
20	1	0	16-QAM	23.69	23.58	23.80
20	1	49		23.52	23.62	23.77
20	1	99		23.43	23.35	23.68
20	50	0		22.41	22.42	22.49
20	50	24		22.44	22.40	22.41
20	50	50		22.27	22.28	22.39
20	100	0		22.43	22.35	22.42
20	1	0	64-QAM	22.68	22.64	22.70
20	1	49		22.57	22.49	22.63
20	1	99		22.41	22.52	22.53
20	50	0		21.54	21.56	21.55
20	50	24		21.55	21.52	21.48
20	50	50		21.42	21.39	21.40
20	100	0		21.50	21.49	21.39
15	1	0	QPSK	24.26	24.27	24.38
15	1	37		24.21	24.25	24.32
15	1	74		24.18	24.18	24.30
15	36	0		23.30	23.36	23.40
15	36	20		23.27	23.34	23.45
15	36	39		23.24	23.24	23.30
15	75	0		23.22	23.28	23.41
15	1	0	16-QAM	23.59	23.67	23.73
15	1	37		23.55	23.71	23.75
15	1	74		23.48	23.43	23.70
15	36	0		22.38	22.38	22.47
15	36	20		22.37	22.47	22.50



15	36	39		22.33	22.36	22.42
15	75	0		22.35	22.45	22.43
15	1	0	64-QAM	22.66	22.62	22.68
15	1	37		22.55	22.47	22.61
15	1	74		22.39	22.50	22.51
15	36	0		21.52	21.54	21.53
15	36	20		21.53	21.50	21.46
15	36	39		21.40	21.37	21.38
15	75	0		21.48	21.47	21.37



LTE Band 71 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	24.26	24.32	24.34
10	1	25		24.21	24.28	24.29
10	1	49		24.13	24.25	24.35
10	25	0		23.32	23.34	23.41
10	25	12		23.39	23.44	23.42
10	25	25		23.35	23.38	23.30
10	50	0		23.40	23.37	23.33
10	1	0	16-QAM	23.70	23.72	23.71
10	1	25		23.59	23.62	23.64
10	1	49		23.46	23.58	23.66
10	25	0		22.49	22.49	22.49
10	25	12		22.44	22.47	22.49
10	25	25		22.39	22.38	22.41
10	50	0		22.42	22.47	22.42
10	1	0	64-QAM	22.65	22.61	22.67
10	1	25		22.54	22.46	22.60
10	1	49		22.38	22.49	22.50
10	25	0		21.51	21.53	21.52
10	25	12		21.52	21.49	21.45
10	25	25		21.39	21.36	21.37
10	50	0		21.47	21.46	21.36
5	1	0	QPSK	24.31	24.38	24.37
5	1	12		24.26	24.27	24.44
5	1	24		24.20	24.30	24.40
5	12	0		23.19	23.43	23.37
5	12	7		23.28	23.36	23.45
5	12	13		23.36	23.32	23.42
5	25	0		23.39	23.38	23.33
5	1	0	16-QAM	23.55	23.71	23.75
5	1	12		23.43	23.60	23.80
5	1	24		23.53	23.61	23.73
5	12	0		22.35	22.50	22.47
5	12	7		22.39	22.48	22.58



5	12	13		22.46	22.43	22.53
5	25	0		22.46	22.47	22.41
5	1	0	64-QAM	22.63	22.59	22.65
5	1	12		22.52	22.44	22.58
5	1	24		22.36	22.47	22.48
5	12	0		21.49	21.51	21.50
5	12	7		21.50	21.47	21.43
5	12	13		21.37	21.34	21.35
5	25	0		21.45	21.44	21.34



Antenna 3:

LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.64	23.65	23.69
20	1	49		23.51	23.53	23.54
20	1	99		23.48	23.50	23.58
20	50	0		22.62	22.60	22.63
20	50	24		22.60	22.59	22.56
20	50	50		22.48	22.58	22.59
20	100	0		22.59	22.58	22.61
20	1	0	16-QAM	22.95	22.98	22.97
20	1	49		22.84	22.85	22.79
20	1	99		22.80	22.82	22.83
20	50	0		21.66	21.68	21.72
20	50	24		21.66	21.70	21.63
20	50	50		21.56	21.68	21.65
20	100	0		21.65	21.65	21.64
20	1	0	64QAM	21.90	21.92	21.79
20	1	49		21.69	21.77	21.63
20	1	99		21.67	21.70	21.67
20	50	0		20.65	20.67	20.71
20	50	24		20.68	20.68	20.65
20	50	50		20.60	20.71	20.68
20	100	0		20.66	20.66	20.61
15	1	0	QPSK	23.59	23.66	23.49
15	1	37		23.59	23.54	23.42
15	1	74		23.52	23.47	23.50
15	36	0		22.62	22.54	22.56
15	36	20		22.56	22.57	22.62
15	36	39		22.58	22.55	22.53
15	75	0		22.55	22.59	22.57
15	1	0	16-QAM	22.98	23.00	22.80
15	1	37		22.97	22.88	22.74
15	1	74		22.90	22.80	22.81
15	36	0		21.69	21.63	21.61
15	36	20		21.68	21.69	21.67



15	36	39		21.66	21.64	21.55
15	75	0		21.62	21.64	21.65
15	1	0	64QAM	21.57	21.87	21.73
15	1	37		21.85	21.78	21.65
15	1	74		21.72	21.71	21.73
15	36	0		20.74	20.67	20.65
15	36	20		20.67	20.71	20.69
15	36	39		20.66	20.70	20.60
15	75	0		20.62	20.63	20.63



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.52	23.65	23.51
10	1	25		23.57	23.58	23.48
10	1	49		23.46	23.44	23.50
10	25	0		22.56	22.51	22.56
10	25	12		22.61	22.57	22.57
10	25	25		22.53	22.58	22.52
10	50	0		22.52	22.53	22.60
10	1	0	16-QAM	22.87	22.95	22.87
10	1	25		22.91	22.90	22.83
10	1	49		22.79	22.79	22.83
10	25	0		21.64	21.62	21.65
10	25	12		21.68	21.69	21.58
10	25	25		21.59	21.62	21.58
10	50	0		21.60	21.62	21.66
10	1	0	64QAM	21.77	21.86	21.73
10	1	25		21.83	21.82	21.67
10	1	49		21.75	21.72	21.70
10	25	0		20.68	20.64	20.66
10	25	12		20.70	20.64	20.63
10	25	25		20.56	20.61	20.62
10	50	0		20.60	20.66	20.70
5	1	0	QPSK	23.51	23.50	23.47
5	1	12		23.54	23.52	23.49
5	1	24		23.55	23.54	23.53
5	12	0		22.52	22.54	22.53
5	12	7		22.60	22.60	22.57
5	12	13		22.53	22.53	22.56
5	25	0		22.56	22.56	22.57
5	1	0	16-QAM	22.83	22.82	22.75
5	1	12		22.87	22.85	22.82
5	1	24		22.92	22.83	22.84
5	12	0		21.64	21.61	21.58
5	12	7		21.65	21.67	21.68



5	12	13		21.62	21.61	21.61
5	25	0		21.60	21.62	21.63
5	1	0	64QAM	21.75	21.78	21.68
5	1	12		21.80	21.77	21.71
5	1	24		21.78	21.75	21.71
5	12	0		20.65	20.69	20.66
5	12	7		20.69	20.69	20.70
5	12	13		20.66	20.67	20.67
5	25	0		20.60	20.63	20.65



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.27	23.24	23.42
20	1	49		22.98	22.93	23.16
20	1	99		23.11	23.10	23.16
20	50	0		22.28	22.26	22.46
20	50	24		22.18	22.15	22.37
20	50	50		22.13	22.11	22.27
20	100	0		22.25	22.20	22.39
20	1	0	16-QAM	22.53	22.46	22.55
20	1	49		22.50	22.28	22.51
20	1	99		22.47	22.35	22.57
20	50	0		21.22	21.25	21.49
20	50	24		21.24	21.29	21.44
20	50	50		21.29	21.25	21.45
20	100	0		21.21	21.30	21.52
20	1	0	64QAM	21.41	21.31	21.39
20	1	49		21.33	21.21	21.33
20	1	99		21.41	21.27	21.37
20	50	0		20.22	20.18	20.44
20	50	24		20.25	20.21	20.51
20	50	50		20.27	20.28	20.35
20	100	0		20.23	20.23	20.54
15	1	0	QPSK	23.09	23.09	23.37
15	1	37		23.08	23.00	23.20
15	1	74		23.10	23.04	23.24
15	36	0		22.10	22.04	22.42
15	36	20		22.15	22.14	22.31
15	36	39		22.07	22.11	22.34
15	75	0		22.21	22.15	22.28
15	1	0	16-QAM	22.47	22.44	22.58
15	1	37		22.35	22.36	22.55
15	1	74		22.44	22.28	22.55
15	36	0		21.18	21.18	21.43
15	36	20		21.19	21.18	21.37



15	36	39		21.12	21.26	21.41
15	75	0		21.31	21.22	21.38
15	1	0	64QAM	21.32	21.34	21.52
15	1	37		21.24	21.22	21.46
15	1	74		21.27	21.32	21.41
15	36	0		20.25	20.19	20.51
15	36	20		20.25	20.29	20.50
15	36	39		20.18	20.21	20.42
15	75	0		20.28	20.19	20.46



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.07	22.99	23.25
10	1	25		22.99	22.99	23.28
10	1	49		23.06	22.97	23.20
10	25	0		22.03	22.09	22.39
10	25	12		22.16	22.12	22.37
10	25	25		22.16	22.17	22.45
10	50	0		22.10	22.17	22.42
10	1	0	16-QAM	22.43	22.40	22.69
10	1	25		22.34	22.39	22.62
10	1	49		22.46	22.33	22.63
10	25	0		21.20	21.16	21.48
10	25	12		21.31	21.28	21.48
10	25	25		21.20	21.23	21.59
10	50	0		21.23	21.25	21.44
10	1	0	64QAM	21.28	21.26	21.56
10	1	25		21.27	21.24	21.57
10	1	49		21.31	21.13	21.44
10	25	0		20.23	20.28	20.54
10	25	12		20.28	20.30	20.54
10	25	25		20.32	20.25	20.56
10	50	0		20.22	20.22	20.52
5	1	0	QPSK	23.03	22.95	23.36
5	1	12		23.12	23.16	23.28
5	1	24		22.96	23.00	23.22
5	12	0		22.18	22.09	22.38
5	12	7		22.27	22.09	22.35
5	12	13		22.15	22.11	22.36
5	25	0		22.10	22.08	22.46
5	1	0	16-QAM	22.35	22.26	22.65
5	1	12		22.49	22.27	22.72
5	1	24		22.31	22.40	22.60
5	12	0		21.28	21.23	21.61
5	12	7		21.34	21.23	21.53



5	12	13		21.18	21.24	21.49
5	25	0		21.27	21.20	21.50
5	1	0	64QAM	21.31	21.18	21.61
5	1	12		21.40	21.21	21.53
5	1	24		21.21	21.27	21.54
5	12	0		20.38	20.18	20.56
5	12	7		20.40	20.28	20.48
5	12	13		20.24	20.20	20.54
5	25	0		20.22	20.30	20.60



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	22.87	22.94	23.29
20	1	49		22.86	22.93	22.98
20	1	99		22.70	22.91	22.99
20	50	0		22.00	22.16	22.28
20	50	24		21.88	22.19	22.24
20	50	50		21.82	22.18	22.18
20	100	0		21.92	22.16	22.28
20	1	0	16-QAM	22.27	22.44	22.63
20	1	49		22.18	22.24	22.31
20	1	99		22.00	22.32	22.31
20	50	0		21.07	21.22	21.36
20	50	24		21.04	21.36	21.32
20	50	50		20.98	21.24	21.27
20	100	0		20.97	21.30	21.46
20	1	0	64QAM	21.11	21.36	21.57
20	1	49		21.11	21.18	21.29
20	1	99		20.90	21.25	21.27
20	50	0		20.12	20.25	20.32
20	50	24		19.98	20.30	20.40
20	50	50		19.90	20.28	20.23
20	100	0		20.02	20.25	20.33
15	1	0	QPSK	22.88	23.04	23.22
15	1	37		22.83	23.02	22.96
15	1	74		22.79	23.02	23.07
15	36	0		21.91	22.13	22.23
15	36	20		21.94	22.13	22.07
15	36	39		21.80	22.09	22.12
15	75	0		21.80	22.13	22.24
15	1	0	16-QAM	22.15	22.41	22.49
15	1	37		22.09	22.38	22.33
15	1	74		22.04	22.39	22.34
15	36	0		21.03	21.26	21.27
15	36	20		21.06	21.25	21.23



15	36	39		20.92	21.23	21.17
15	75	0		20.97	21.30	21.33
15	1	0	64QAM	21.11	21.33	21.34
15	1	37		21.05	21.21	21.21
15	1	74		21.08	21.21	21.21
15	36	0		20.04	20.23	20.28
15	36	20		19.96	20.24	20.24
15	36	39		20.00	20.21	20.19
15	75	0		19.92	20.24	20.30



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.69	22.98	23.02
10	1	25		22.75	22.97	22.98
10	1	49		22.70	23.03	22.97
10	25	0		21.85	22.09	22.08
10	25	12		21.89	22.05	22.08
10	25	25		21.82	22.06	22.10
10	50	0		21.84	22.21	22.17
10	1	0	16-QAM	22.04	22.42	22.47
10	1	25		22.08	22.39	22.32
10	1	49		22.11	22.33	22.39
10	25	0		20.95	21.29	21.30
10	25	12		20.99	21.26	21.30
10	25	25		21.02	21.25	21.21
10	50	0		20.91	21.27	21.26
10	1	0	64QAM	20.99	21.23	21.32
10	1	25		20.93	21.21	21.29
10	1	49		20.93	21.25	21.25
10	25	0		19.96	20.27	20.31
10	25	12		20.00	20.25	20.32
10	25	25		20.02	20.24	20.24
10	50	0		19.97	20.32	20.24
5	1	0	QPSK	22.66	22.91	22.95
5	1	12		22.70	22.95	22.97
5	1	24		22.60	22.96	23.01
5	12	0		21.82	22.07	22.15
5	12	7		21.83	22.12	22.08
5	12	13		21.86	22.15	22.04
5	25	0		21.87	22.05	22.13
5	1	0	16-QAM	21.96	22.30	22.36
5	1	12		22.03	22.36	22.39
5	1	24		22.03	22.28	22.34
5	12	0		20.91	21.14	21.25
5	12	7		20.91	21.19	21.17



5	12	13		20.94	21.22	21.23
5	25	0		20.98	21.16	21.14
5	1	0	64QAM	20.93	21.14	21.24
5	1	12		21.00	21.20	21.27
5	1	24		20.90	21.23	21.23
5	12	0		20.00	20.23	20.25
5	12	7		19.91	20.17	20.29
5	12	13		19.94	20.19	20.25
5	25	0		19.98	20.24	20.26

**CA Power**

CA_7C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21048	QPSK	0	0	1	99	1	24.00
			1	0	0	0	1	24.00
			100	0	0	0	100	23.00
			100	0	100	0	200	22.00
			1	0	1	99	2	15.50
			1	0	1	0	2	19.50
			1	99	1	0	2	24.00
			100	0	1	99	101	20.50
		16QAM	0	0	1	99	1	23.00
			1	0	0	0	1	23.00
			100	0	0	0	100	22.00
			100	0	100	0	200	21.00
			1	0	1	99	2	15.50
			1	0	1	0	2	19.50
			1	99	1	0	2	23.00
			100	0	1	99	101	20.50
		64QAM	0	0	1	99	1	22.00
			1	0	0	0	1	22.00
			100	0	0	0	100	21.00
			100	0	100	0	200	21.00
			1	0	1	99	2	15.50
			1	0	1	0	2	19.50
			1	99	1	0	2	21.00
			100	0	1	99	101	20.50



21001	21199	QPSK	0	0	1	99	1	24.00
			1	0	0	0	1	24.00
			100	0	0	0	100	23.00
			100	0	100	0	200	22.00
			1	0	1	99	2	15.50
			1	0	1	0	2	19.50
			1	99	1	0	2	24.00
			100	0	1	99	101	20.50
		16QAM	0	0	1	99	1	23.00
			1	23	0	0	1	23.00
			100	0	0	0	100	22.00
			100	0	100	0	200	21.00
			1	0	1	99	2	15.50
			1	0	1	0	2	19.50
			1	99	1	0	2	23.00
			100	0	1	99	101	20.50
		64QAM	0	0	1	99	1	22.00
			1	0	0	0	1	22.00
			100	0	0	0	100	21.00
			100	0	100	0	200	21.00
			1	0	1	99	2	15.50
			1	0	1	0	2	19.50
			1	99	1	0	2	21.00
			100	0	1	99	101	20.50



21152	21350	QPSK	0	0	1	99	1	24.00
			1	0	0	0	1	24.00
			100	0	0	0	100	23.00
			100	0	100	0	200	22.00
			1	0	1	99	2	15.50
			1	0	1	0	2	19.50
			1	99	1	0	2	24.00
			100	0	1	99	101	20.50
		16QAM	0	0	1	99	1	23.00
			1	0	0	0	1	23.00
			100	0	0	0	100	22.00
			100	0	100	0	200	21.00
			1	0	1	99	2	15.50
			1	0	1	0	2	19.50
			1	99	1	0	2	23.00
			100	0	1	99	101	20.50
		64QAM	0	0	1	99	1	22.00
			1	0	0	0	1	22.00
			100	0	0	0	100	21.00
			100	0	100	0	200	21.00
			1	0	1	99	2	15.50
			1	0	1	0	2	19.50
			1	99	1	0	2	21.00
			100	0	1	99	101	20.50



CA_7C								
Combination 20MHz+15MHz (100RB+75RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21021	QPSK	1	99	1	0	2	23.53
		16QAM	1	99	1	0	2	22.38
		64QAM	1	99	1	0	2	20.34
21026	21197	QPSK	1	99	1	0	2	23.22
		16QAM	1	99	1	0	2	22.43
		64QAM	1	99	1	0	2	20.32
21201	21372	QPSK	1	99	1	0	2	23.13
		16QAM	1	99	1	0	2	22.33
		64QAM	1	99	1	0	2	20.37
Combination 15MHz+20MHz (75RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20828	20999	QPSK	1	74	1	0	2	23.25
		16QAM	1	74	1	0	2	22.33
		64QAM	1	74	1	0	2	20.29
21003	21174	QPSK	1	74	1	0	2	23.13
		16QAM	1	74	1	0	2	22.25
		64QAM	1	74	1	0	2	20.28
21179	21350	QPSK	1	74	1	0	2	23.08
		16QAM	1	74	1	0	2	22.19
		64QAM	1	74	1	0	2	20.13



Combination 20MHz+10MHz (100RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20850	20994	QPSK	1	99	1	0	2	23.38
		16QAM	1	99	1	0	2	22.32
		64QAM	1	99	1	0	2	20.25
21051	21195	QPSK	1	99	1	0	2	23.12
		16QAM	1	99	1	0	2	22.34
		64QAM	1	99	1	0	2	20.27
21251	21395	QPSK	1	99	1	0	1	23.17
		16QAM	1	99	1	0	2	22.33
		64QAM	1	99	1	0	2	20.22
Combination 10MHz+20MHz (50RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20805	20949	QPSK	1	49	1	0	2	23.13
		16QAM	1	49	1	0	2	22.14
		64QAM	1	49	1	0	2	20.22
21006	21150	QPSK	1	49	1	0	2	23.15
		16QAM	1	49	1	0	2	22.28
		64QAM	1	49	1	0	2	20.15
21206	21350	QPSK	1	49	1	0	2	23.07
		16QAM	1	49	1	0	2	22.14
		64QAM	1	49	1	0	2	20.18



Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20975	QPSK	1	74	1	0	1	23.32
		16QAM	1	74	1	0	1	22.33
		64QAM	1	74	1	0	1	20.38
21025	21175	QPSK	1	74	1	0	1	23.22
		16QAM	1	74	1	0	1	22.37
		64QAM	1	74	1	0	1	20.43
21225	21375	QPSK	1	74	1	0	1	23.35
		16QAM	1	74	1	0	1	22.13
		64QAM	1	74	1	0	1	20.43
Combination 15MHz+10MHz (75RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20945	QPSK	1	74	1	0	1	23.33
		16QAM	1	74	1	0	1	22.42
		64QAM	1	74	1	0	1	20.32
21051	21171	QPSK	1	74	1	0	1	23.36
		16QAM	1	74	1	0	1	22.33
		64QAM	1	74	1	0	1	20.44
21277	21397	QPSK	1	74	1	0	1	23.23
		16QAM	1	74	1	0	1	22.45
		64QAM	1	74	1	0	1	20.23



CA_41C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39750	39948	QPSK	0	0	1	99	1	22.93
			1	0	0	0	1	23.01
			100	0	0	0	100	21.83
			100	0	100	0	200	20.81
			1	0	1	99	2	14.62
			1	0	1	0	2	18.73
			1	99	1	0	2	23.51
			100	0	1	99	101	19.63
		16QAM	0	0	1	99	1	22.78
			1	0	0	0	1	22.51
			100	0	0	0	100	21.34
			100	0	100	0	200	20.38
			1	0	1	99	2	15.08
			1	0	1	0	2	18.90
			1	99	1	0	2	22.87
			100	0	1	99	101	19.69
		64QAM	0	0	1	99	1	22.07
			1	0	0	0	1	22.16
			100	0	0	0	100	19.81
			100	0	100	0	200	20.38
			1	0	1	99	2	14.66
			1	0	1	0	2	18.28
			1	99	1	0	2	20.54
			100	0	1	99	101	19.88



40521	40719	QPSK	0	0	1	99	1	22.99
			1	0	0	0	1	23.12
			100	0	0	0	100	22.26
			100	0	100	0	200	21.22
			1	0	1	99	2	14.58
			1	0	1	0	2	18.71
			1	99	1	0	2	23.10
			100	0	1	99	101	19.40
		16QAM	0	0	1	99	1	22.47
			1	0	0	0	1	22.70
			100	0	0	0	100	21.39
			100	0	100	0	200	20.35
			1	0	1	99	2	15.12
			1	0	1	0	2	19.21
			1	99	1	0	2	22.56
			100	0	1	99	101	19.62
		64QAM	0	0	1	99	1	21.42
			1	0	0	0	1	22.27
			100	0	0	0	100	19.90
			100	0	100	0	200	20.18
			1	0	1	99	2	14.73
			1	0	1	0	2	18.53
			1	99	1	0	2	20.25
			100	0	1	99	101	19.60



41292	41490	QPSK	0	0	1	99	1	22.45
			1	0	0	0	1	22.95
			100	0	0	0	100	22.04
			100	0	100	0	200	20.85
			1	0	1	99	2	14.51
			1	0	1	0	2	18.55
			1	99	1	0	2	22.80
			100	0	1	99	101	18.68
		16QAM	0	0	1	99	1	21.95
			1	0	0	0	1	22.33
			100	0	0	0	100	21.10
			100	0	100	0	200	19.92
			1	0	1	99	2	14.94
			1	0	1	0	2	18.42
			1	99	1	0	2	22.21
			100	0	1	99	101	18.83
		64QAM	0	0	1	99	1	20.81
			1	0	0	0	1	21.96
			100	0	0	0	100	19.72
			100	0	100	0	200	19.79
			1	0	1	99	2	14.53
			1	0	1	0	2	17.58
			1	99	1	0	2	20.10
			100	0	1	99	101	18.62



CA_41C								
Combination 20MHz+15MHz (100RB+75RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39750	39921	QPSK	1	99	1	0	1	23.67
		16QAM	1	99	1	0	1	22.83
		64QAM	1	99	1	0	1	20.60
40546	40717	QPSK	1	99	1	0	2	23.56
		16QAM	1	99	1	0	1	22.88
		64QAM	1	99	1	0	1	20.74
41341	41512	QPSK	1	99	1	0	2	23.24
		16QAM	1	99	1	0	1	22.61
		64QAM	1	99	1	0	1	20.53
Combination 15MHz+20MHz (75RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39728	39899	QPSK	1	74	1	0	2	23.44
		16QAM	1	74	1	0	2	22.76
		64QAM	1	74	1	0	2	20.66
40523	40694	QPSK	1	74	1	0	2	23.55
		16QAM	1	74	1	0	2	22.77
		64QAM	1	74	1	0	2	20.76
41319	41490	QPSK	1	74	1	0	2	23.25
		16QAM	1	74	1	0	2	22.68
		64QAM	1	74	1	0	2	20.58



Combination 20MHz+10MHz (100RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39750	39894	QPSK	1	99	1	0	2	23.49
		16QAM	1	99	1	0	2	21.88
		64QAM	1	99	1	0	2	19.70
40571	40715	QPSK	1	99	1	0	1	23.52
		16QAM	1	99	1	0	2	21.83
		64QAM	1	99	1	0	2	19.65
41391	41535	QPSK	1	99	1	0	2	23.08
		16QAM	1	99	1	0	2	21.46
		64QAM	1	99	1	0	2	19.19
Combination 10MHz+20MHz (50RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39705	39849	QPSK	1	49	1	D	2	22.29
		16QAM	1	49	1	0	2	21.43
		64QAM	1	49	1	0	2	19.44
40526	40670	QPSK	1	49	1	0	2	22.55
		16QAM	1	49	1	0	2	21.30
		64QAM	1	49	1	0	2	19.75
41346	41490	QPSK	1	49	1	0	2	22.13
		16QAM	1	49	1	0	2	21.47
		64QAM	1	49	1	0	2	19.53



Combination 20MHz+5MHz (100RB+25RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39750	39867	QPSK	1	99	1	0	2	22.51
		16QAM	1	99	1	0	2	21.80
		64QAM	1	99	1	0	2	19.51
40595	40712	QPSK	1	99	1	0	2	22.54
		16QAM	1	99	1	0	2	21.83
		64QAM	1	99	1	0	2	19.64
41440	41557	QPSK	1	99	1	0	2	22.10
		16QAM	1	99	1	0	2	21.40
		64QAM	1	99	1	0	2	19.20
Combination 5MHz+20MHz (25RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39683	39800	QPSK	1	24	1	0	2	22.22
		16QAM	1	24	1	0	2	21.39
		64QAM	1	24	1	0	2	19.45
40528	40645	QPSK	1	24	1	0	2	22.45
		16QAM	1	24	1	0	2	21.72
		64QAM	1	24	1	0	2	19.76
41373	41490	QPSK	1	24	1	0	2	22.15
		16QAM	1	24	1	0	2	21.60
		64QAM	1	24	1	0	2	19.61



Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured
Channel	Channel		RB Size	RB offset	RB Size	RB offset		Power (dBm)
39725	39875	QPSK	1	74	1	0	2	22.55
		16QAM	1	74	1	0	2	21.82
		64QAM	1	74	1	0	2	19.75
40545	40695	QPSK	1	74	1	0	2	22.50
		16QAM	1	74	1	0	2	21.84
		64QAM	1	74	1	0	2	19.75
41365	41515	QPSK	1	74	1	0	2	22.44
		16QAM	1	74	1	0	2	21.64
		64QAM	1	74	1	0	2	19.59
Combination 15MHz+10MHz (75RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured
Channel	Channel		RB Size	RB offset	RB Size	RB offset		Power (dBm)
39725	39845	QPSK	1	74	1	0	2	22.57
		16QAM	1	74	1	0	2	21.82
		64QAM	1	74	1	0	2	19.71
40620	40740	QPSK	1	74	1	0	2	22.52
		16QAM	1	74	1	0	2	21.74
		64QAM	1	74	1	0	2	19.72
41169	41289	QPSK	1	74	1	0	2	22.10
		16QAM	1	74	1	0	2	21.46
		64QAM	1	74	1	0	2	19.62



Combination 10MHz+15MHz (50RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39700	39820	QPSK	1	49	1	0	2	22.51
		16QAM	1	49	1	0	2	21.61
		64QAM	1	49	1	0	2	19.38
40620	40740	QPSK	1	49	1	0	2	22.52
		16QAM	1	49	1	0	2	21.62
		64QAM	1	49	1	0	2	19.55
41346	41466	QPSK	1	49	1	0	2	22.28
		16QAM	1	49	1	0	2	21.48
		64QAM	1	49	1	0	2	19.54

**ERP/EIRP**

<Antenna 1>

LTE Band 2 (GT - LC = -0.50 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	23.21	23.28	23.65	23.25	23.30	23.66	23.25	23.34	23.76
Conducted Power (Watts)	0.2094	0.2128	0.2317	0.2113	0.2138	0.2323	0.2113	0.2158	0.2377
EIRP(dBm)	22.71	22.78	23.15	22.75	22.80	23.16	22.75	22.84	23.26
EIRP(Watts)	0.1866	0.1897	0.2065	0.1884	0.1905	0.2070	0.1884	0.1923	0.2118

LTE Band 2 (GT - LC = -0.50 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	23.31	23.30	23.72	23.40	23.44	23.86	23.45	23.44	23.87
Conducted Power (Watts)	0.2143	0.2138	0.2355	0.2188	0.2208	0.2432	0.2213	0.2208	0.2438
EIRP(dBm)	22.81	22.80	23.22	22.90	22.94	23.36	22.95	22.94	23.37
EIRP(Watts)	0.1910	0.1905	0.2099	0.1950	0.1968	0.2168	0.1972	0.1968	0.2173



LTE Band 2 (GT - LC = -0.50 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	22.58	22.62	23.00	22.55	22.68	22.99	22.58	22.68	23.07
Conducted Power (Watts)	0.1811	0.1828	0.1995	0.1799	0.1854	0.1991	0.1811	0.1854	0.2028
EIRP(dBm)	22.08	22.12	22.50	22.05	22.18	22.49	22.08	22.18	22.57
EIRP(Watts)	0.1614	0.1629	0.1778	0.1603	0.1652	0.1774	0.1614	0.1652	0.1807

LTE Band 2 (GT - LC = -0.50 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	22.63	22.64	23.05	22.78	22.81	23.22	22.79	22.75	23.16
Conducted Power (Watts)	0.1832	0.1837	0.2018	0.1897	0.1910	0.2099	0.1901	0.1884	0.2070
EIRP(dBm)	22.13	22.14	22.55	22.28	22.31	22.72	22.29	22.25	22.66
EIRP(Watts)	0.1633	0.1637	0.1799	0.1690	0.1702	0.1871	0.1694	0.1679	0.1845



LTE Band 2 ($G_T - L_C = -0.50$ dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	21.43	21.52	21.90	21.49	21.55	21.94	21.53	21.58	22.01
Conducted Power (Watts)	0.1390	0.1419	0.1549	0.1409	0.1429	0.1563	0.1422	0.1439	0.1589
EIRP(dBm)	20.93	21.02	21.40	20.99	21.05	21.44	21.03	21.08	21.51
EIRP(Watts)	0.1239	0.1265	0.1380	0.1256	0.1274	0.1393	0.1268	0.1282	0.1416

LTE Band 2 ($G_T - L_C = -0.50$ dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	21.59	21.56	21.98	21.66	21.71	22.13	21.68	21.65	22.07
Conducted Power (Watts)	0.1442	0.1432	0.1578	0.1466	0.1483	0.1633	0.1472	0.1462	0.1611
EIRP(dBm)	21.09	21.06	21.48	21.16	21.21	21.63	21.18	21.15	21.57
EIRP(Watts)	0.1285	0.1276	0.1406	0.1306	0.1321	0.1455	0.1312	0.1303	0.1435



LTE Band 4 (GT - LC = -0.50 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	23.63	23.82	23.72	23.65	23.86	23.77	23.71	23.89	23.88
Conducted Power (Watts)	0.2307	0.2410	0.2355	0.2317	0.2432	0.2382	0.2350	0.2449	0.2443
EIRP(dBm)	23.13	23.32	23.22	23.15	23.36	23.27	23.21	23.39	23.38
EIRP(Watts)	0.2056	0.2148	0.2099	0.2065	0.2168	0.2123	0.2094	0.2183	0.2178

LTE Band 4 (GT - LC = -0.50 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	23.76	23.88	23.88	23.86	24.00	24.05	23.87	24.07	23.96
Conducted Power (Watts)	0.2377	0.2443	0.2443	0.2432	0.2512	0.2541	0.2438	0.2553	0.2489
EIRP(dBm)	23.26	23.38	23.38	23.36	23.50	23.55	23.37	23.57	23.46
EIRP(Watts)	0.2118	0.2178	0.2178	0.2168	0.2239	0.2265	0.2173	0.2275	0.2218



LTE Band 4 (GT - LC = -0.50 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	22.97	23.15	23.05	23.01	23.16	23.04	23.08	23.25	23.17
Conducted Power (Watts)	0.1982	0.2065	0.2018	0.2000	0.2070	0.2014	0.2032	0.2113	0.2075
EIRP(dBm)	22.47	22.65	22.55	22.51	22.66	22.54	22.58	22.75	22.67
EIRP(Watts)	0.1766	0.1841	0.1799	0.1782	0.1845	0.1795	0.1811	0.1884	0.1849

LTE Band 4 (GT - LC = -0.50 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	23.11	23.25	23.23	23.16	23.33	23.38	23.20	23.28	23.38
Conducted Power (Watts)	0.2046	0.2113	0.2104	0.2070	0.2153	0.2178	0.2089	0.2128	0.2178
EIRP(dBm)	22.61	22.75	22.73	22.66	22.83	22.88	22.70	22.78	22.88
EIRP(Watts)	0.1824	0.1884	0.1875	0.1845	0.1919	0.1941	0.1862	0.1897	0.1941



LTE Band 4 (GT - LC = -0.50 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	22.09	22.34	22.25	22.21	22.35	22.32	22.25	22.45	22.40
Conducted Power (Watts)	0.1618	0.1714	0.1679	0.1663	0.1718	0.1706	0.1679	0.1758	0.1738
EIRP(dBm)	21.59	21.84	21.75	21.71	21.85	21.82	21.75	21.95	21.90
EIRP(Watts)	0.1442	0.1528	0.1496	0.1483	0.1531	0.1521	0.1496	0.1567	0.1549

LTE Band 4 (GT - LC = -0.50 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	22.27	22.39	22.38	22.37	22.42	22.45	22.40	22.46	22.36
Conducted Power (Watts)	0.1687	0.1734	0.1730	0.1726	0.1746	0.1758	0.1738	0.1762	0.1722
EIRP(dBm)	21.77	21.89	21.88	21.87	21.92	21.95	21.90	21.96	21.86
EIRP(Watts)	0.1503	0.1545	0.1542	0.1538	0.1556	0.1567	0.1549	0.1570	0.1535



LTE Band 5 (GT - LC = -2.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	24.09	24.06	23.95	24.10	24.07	23.99	24.10	24.10	23.99
Conducted Power (Watts)	0.2564	0.2547	0.2483	0.2570	0.2553	0.2506	0.2570	0.2570	0.2506
ERP(dBm)	19.94	19.91	19.80	19.95	19.92	19.84	19.95	19.95	19.84
ERP(Watts)	0.0986	0.0979	0.0955	0.0989	0.0982	0.0964	0.0989	0.0989	0.0964

LTE Band 5 (GT - LC = -2.00 dB) QPSK			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	24.10	24.11	24.07
Conducted Power (Watts)	0.2570	0.2576	0.2553
ERP(dBm)	19.95	19.96	19.92
ERP(Watts)	0.0989	0.0991	0.0982



LTE Band 5 (GT - LC = -2.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	23.48	23.41	23.22	23.29	23.41	23.21	23.37	23.41	23.26
Conducted Power (Watts)	0.2228	0.2193	0.2099	0.2133	0.2193	0.2094	0.2173	0.2193	0.2118
ERP(dBm)	19.33	19.26	19.07	19.14	19.26	19.06	19.22	19.26	19.11
ERP(Watts)	0.0857	0.0843	0.0807	0.0820	0.0843	0.0805	0.0836	0.0843	0.0815

LTE Band 5 (GT - LC = -2.00 dB) 16QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	23.34	23.43	23.36
Conducted Power (Watts)	0.2158	0.2203	0.2168
ERP(dBm)	19.19	19.28	19.21
ERP(Watts)	0.0830	0.0847	0.0834



LTE Band 5 (GT - LC = -2.00 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.36	22.26	22.32	21.98	22.11	22.08	22.27	22.31	22.30
Conducted Power (Watts)	0.1722	0.1683	0.1706	0.1578	0.1626	0.1614	0.1687	0.1702	0.1698
ERP(dBm)	18.21	18.11	18.17	17.83	17.96	17.93	18.12	18.16	18.15
ERP(Watts)	0.0662	0.0647	0.0656	0.0607	0.0625	0.0621	0.0649	0.0655	0.0653

LTE Band 5 (GT - LC = -2.00 dB) 64QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	22.27	22.16	22.23
Conducted Power (Watts)	0.1687	0.1644	0.1671
ERP(dBm)	18.12	18.01	18.08
ERP(Watts)	0.0649	0.0632	0.0643



LTE Band 12 (GT - LC = -2.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
(MHz)									
Conducted Power (dBm)	23.83	23.90	23.85	23.83	23.90	23.88	23.89	23.94	23.91
Conducted Power (Watts)	0.2415	0.2455	0.2427	0.2415	0.2455	0.2443	0.2449	0.2477	0.2460
ERP(dBm)	19.68	19.75	19.70	19.68	19.75	19.73	19.74	19.79	19.76
ERP(Watts)	0.0929	0.0944	0.0933	0.0929	0.0944	0.0940	0.0942	0.0953	0.0946

LTE Band 12 (GT - LC = -2.00 dB) QPSK			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency	704	707.5	711
(MHz)			
Conducted Power (dBm)	23.92	23.95	23.85
Conducted Power (Watts)	0.2466	0.2483	0.2427
ERP(dBm)	19.77	19.80	19.70
ERP(Watts)	0.0948	0.0955	0.0933



LTE Band 12 (GT - LC = -2.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
Conducted Power (dBm)	23.19	23.23	23.12	23.16	23.27	23.11	23.25	23.29	23.17
Conducted Power (Watts)	0.2084	0.2104	0.2051	0.2070	0.2123	0.2046	0.2113	0.2133	0.2075
ERP(dBm)	19.04	19.08	18.97	19.01	19.12	18.96	19.10	19.14	19.02
ERP(Watts)	0.0802	0.0809	0.0789	0.0796	0.0817	0.0787	0.0813	0.0820	0.0798

LTE Band 12 (GT - LC = -2.00 dB) 16QAM			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency (MHz)	704	707.5	711
Conducted Power (dBm)	23.26	23.30	23.25
Conducted Power (Watts)	0.2118	0.2138	0.2113
ERP(dBm)	19.11	19.15	19.10
ERP(Watts)	0.0815	0.0822	0.0813



LTE Band 12 (GT - LC = -2.00 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
(MHz)									
Conducted Power (dBm)	22.36	22.42	22.32	22.37	22.46	22.38	22.48	22.48	22.36
Conducted Power (Watts)	0.1722	0.1746	0.1706	0.1726	0.1762	0.1730	0.1770	0.1770	0.1722
ERP(dBm)	18.21	18.27	18.17	18.22	18.31	18.23	18.33	18.33	18.21
ERP(Watts)	0.0662	0.0671	0.0656	0.0664	0.0678	0.0665	0.0681	0.0681	0.0662

LTE Band 12 (GT - LC = -2.00 dB) 64QAM			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency	704	707.5	711
(MHz)			
Conducted Power (dBm)	22.45	22.47	22.37
Conducted Power (Watts)	0.1758	0.1766	0.1726
ERP(dBm)	18.30	18.32	18.22
ERP(Watts)	0.0676	0.0679	0.0664



LTE Band 13 (GT - LC = -2.00 dB) QPSK						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	23.87	23.88	23.98	-	23.99	-
Conducted Power (Watts)	0.2438	0.2443	0.2500	-	0.2506	-
ERP(dBm)	19.72	19.73	19.83	-	19.84	-
ERP(Watts)	0.0938	0.0940	0.0962	-	0.0964	-

LTE Band 13 (GT - LC = -2.00 dB) 16QAM						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	23.23	23.30	23.24	-	23.25	-
Conducted Power (Watts)	0.2104	0.2138	0.2109	-	0.2113	-
ERP(dBm)	19.08	19.15	19.09	-	19.10	-
ERP(Watts)	0.0809	0.0822	0.0811	-	0.0813	-

LTE Band 13 (GT - LC = -2.00 dB) 64QAM						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	22.12	22.18	22.24	-	22.13	-
Conducted Power (Watts)	0.1629	0.1652	0.1675	-	0.1633	-
ERP(dBm)	17.97	18.03	18.09	-	17.98	-
ERP(Watts)	0.0627	0.0635	0.0644	-	0.0628	-



LTE Band 17 (GT - LC = -2.00 dB) QPSK						
Bandwidth	5M			10M		
Channel	23755	23790	23825	23780	23790	23800
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	706.5	710	713.5	709	710	711
(MHz)						
Conducted Power (dBm)	23.66	23.68	23.62	23.55	23.55	23.74
Conducted Power (Watts)	0.2323	0.2333	0.2301	0.2265	0.2265	0.2366
ERP(dBm)	19.51	19.53	19.47	19.40	19.40	19.59
ERP(Watts)	0.0893	0.0897	0.0885	0.0871	0.0871	0.0910

LTE Band 17 (GT - LC = -2.00 dB) 16QAM						
Bandwidth	5M			10M		
Channel	23755	23790	23825	23780	23790	23800
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	706.5	710	713.5	709	710	711
(MHz)						
Conducted Power (dBm)	23.01	22.98	22.94	22.99	23.02	23.02
Conducted Power (Watts)	0.2000	0.1986	0.1968	0.1991	0.2004	0.2004
ERP(dBm)	18.86	18.83	18.79	18.84	18.87	18.87
ERP(Watts)	0.0769	0.0764	0.0757	0.0766	0.0771	0.0771

LTE Band 17 (GT - LC = -2.00 dB) 64QAM						
Bandwidth	5M			10M		
Channel	23755	23790	23825	23780	23790	23800
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	706.5	710	713.5	709	710	711
(MHz)						
Conducted Power (dBm)	21.94	21.90	21.84	21.89	21.87	21.92
Conducted Power (Watts)	0.1563	0.1549	0.1528	0.1545	0.1538	0.1556
ERP(dBm)	17.79	17.75	17.69	17.74	17.72	17.77
ERP(Watts)	0.0601	0.0596	0.0587	0.0594	0.0592	0.0598



LTE Band 25 (GT - LC = -0.50 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	26407	26340	26683	26055	26340	26675	26065	26340	26665
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1914.3	1851.5	1880	1913.5	1852.5	1880	1912.5
(MHz)									
Conducted Power (dBm)	22.72	22.86	23.21	22.67	22.86	23.22	22.76	22.83	23.29
Conducted Power (Watts)	0.1871	0.1932	0.2094	0.1849	0.1932	0.2099	0.1888	0.1919	0.2133
EIRP(dBm)	22.22	22.36	22.71	22.17	22.36	22.72	22.26	22.33	22.79
EIRP(Watts)	0.1667	0.1722	0.1866	0.1648	0.1722	0.1871	0.1683	0.1710	0.1901

LTE Band 25 (GT - LC = -0.50 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	26090	26340	26640	26115	26340	26615	26140	26340	26590
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1910	1857.5	1880	1907.5	1860	1880	1905
(MHz)									
Conducted Power (dBm)	22.80	22.89	23.28	22.87	22.99	23.32	23.25	23.30	23.55
Conducted Power (Watts)	0.1905	0.1945	0.2128	0.1936	0.1991	0.2148	0.2113	0.2138	0.2265
EIRP(dBm)	22.30	22.39	22.78	22.37	22.49	22.82	22.75	22.80	23.05
EIRP(Watts)	0.1698	0.1734	0.1897	0.1726	0.1774	0.1914	0.1884	0.1905	0.2018



LTE Band 25 (GT - LC = -0.50 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	26407	26340	26683	26055	26340	26675	26065	26340	26665
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1914.3	1851.5	1880	1913.5	1852.5	1880	1912.5
(MHz)									
Conducted Power (dBm)	22.05	22.22	22.53	22.03	22.06	22.57	22.07	22.14	22.60
Conducted Power (Watts)	0.1603	0.1667	0.1791	0.1596	0.1607	0.1807	0.1611	0.1637	0.1820
EIRP(dBm)	21.55	21.72	22.03	21.53	21.56	22.07	21.57	21.64	22.10
EIRP(Watts)	0.1429	0.1486	0.1596	0.1422	0.1432	0.1611	0.1435	0.1459	0.1622

LTE Band 25 (GT - LC = -0.50 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	26090	26340	26640	26115	26340	26615	26140	26340	26590
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1910	1857.5	1880	1907.5	1860	1880	1905
(MHz)									
Conducted Power (dBm)	22.12	22.24	22.60	22.22	22.34	22.67	22.20	22.22	22.65
Conducted Power (Watts)	0.1629	0.1675	0.1820	0.1667	0.1714	0.1849	0.1660	0.1667	0.1841
EIRP(dBm)	21.62	21.74	22.10	21.72	21.84	22.17	21.70	21.72	22.15
EIRP(Watts)	0.1452	0.1493	0.1622	0.1486	0.1528	0.1648	0.1479	0.1486	0.1641



LTE Band 25 (GT - LC = -0.50 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	26407	26340	26683	26055	26340	26675	26065	26340	26665
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1914.3	1851.5	1880	1913.5	1852.5	1880	1912.5
(MHz)									
Conducted Power (dBm)	20.99	21.09	21.46	20.98	21.12	21.47	21.04	21.10	21.57
Conducted Power (Watts)	0.1256	0.1285	0.1400	0.1253	0.1294	0.1403	0.1271	0.1288	0.1435
EIRP(dBm)	20.49	20.59	20.96	20.48	20.62	20.97	20.54	20.60	21.07
EIRP(Watts)	0.1119	0.1146	0.1247	0.1117	0.1153	0.1250	0.1132	0.1148	0.1279

LTE Band 25 (GT - LC = -0.50 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	26090	26340	26640	26115	26340	26615	26140	26340	26590
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1910	1857.5	1880	1907.5	1860	1880	1905
(MHz)									
Conducted Power (dBm)	20.97	21.12	21.57	21.13	21.22	21.58	21.12	21.11	21.54
Conducted Power (Watts)	0.1250	0.1294	0.1435	0.1297	0.1324	0.1439	0.1294	0.1291	0.1426
EIRP(dBm)	20.47	20.62	21.07	20.63	20.72	21.08	20.62	20.61	21.04
EIRP(Watts)	0.1114	0.1153	0.1279	0.1156	0.1180	0.1282	0.1153	0.1151	0.1271



LTE Band 26 (GT - LC = -2.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	23.26	23.46	23.48	23.24	23.35	23.55	23.30	23.43	23.57
Conducted Power (Watts)	0.2118	0.2218	0.2228	0.2109	0.2163	0.2265	0.2138	0.2203	0.2275
ERP(dBm)	19.11	19.31	19.33	19.09	19.20	19.40	19.15	19.28	19.42
ERP(Watts)	0.0815	0.0853	0.0857	0.0811	0.0832	0.0871	0.0822	0.0847	0.0875

LTE Band 26 (GT - LC = -2.00 dB) QPSK							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	23.29	23.44	23.59	23.40	23.50	23.64	23.43
Conducted Power (Watts)	0.2133	0.2208	0.2286	0.2188	0.2239	0.2312	0.2203
ERP(dBm)	19.14	19.29	19.44	19.25	19.35	19.49	19.28
ERP(Watts)	0.0820	0.0849	0.0879	0.0841	0.0861	0.0889	0.0847



LTE Band 26 (GT - LC = -2.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.59	22.75	22.76	22.51	22.67	22.82	22.53	22.73	22.84
Conducted Power (Watts)	0.1816	0.1884	0.1888	0.1782	0.1849	0.1914	0.1791	0.1875	0.1923
ERP(dBm)	18.44	18.60	18.61	18.36	18.52	18.67	18.38	18.58	18.69
ERP(Watts)	0.0698	0.0724	0.0726	0.0685	0.0711	0.0736	0.0689	0.0721	0.0740

LTE Band 26 (GT - LC = -2.00 dB) 16QAM							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	22.59	22.77	22.88	22.63	22.72	22.81	22.66
Conducted Power (Watts)	0.1816	0.1892	0.1941	0.1832	0.1871	0.1910	0.1845
ERP(dBm)	18.44	18.62	18.73	18.48	18.57	18.66	18.51
ERP(Watts)	0.0698	0.0728	0.0746	0.0705	0.0719	0.0735	0.0710



LTE Band 26 (GT - LC = -2.00 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	21.52	21.70	21.66	21.46	21.60	21.78	21.48	21.66	21.81
Conducted Power (Watts)	0.1419	0.1479	0.1466	0.1400	0.1445	0.1507	0.1406	0.1466	0.1517
ERP(dBm)	17.37	17.55	17.51	17.31	17.45	17.63	17.33	17.51	17.66
ERP(Watts)	0.0546	0.0569	0.0564	0.0538	0.0556	0.0579	0.0541	0.0564	0.0583

LTE Band 26 (GT - LC = -2.00 dB) 64QAM							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	21.57	21.68	21.80	21.57	21.65	21.80	21.62
Conducted Power (Watts)	0.1435	0.1472	0.1514	0.1435	0.1462	0.1514	0.1452
ERP(dBm)	17.42	17.53	17.65	17.42	17.50	17.65	17.47
ERP(Watts)	0.0552	0.0566	0.0582	0.0552	0.0562	0.0582	0.0558



LTE Band 66 (GT - LC = -0.50 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	131979	132322	132665	131987	132322	132657	131997	132322	132647
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1745	1779.3	1711.5	1745	1778.5	1712.5	1745	1777.5
(MHz)									
Conducted Power (dBm)	23.68	23.93	23.47	23.69	23.97	23.53	23.75	24.00	23.56
Conducted Power (Watts)	0.2333	0.2472	0.2223	0.2339	0.2495	0.2254	0.2371	0.2512	0.2270
EIRP(dBm)	23.18	23.43	22.97	23.19	23.47	23.03	23.25	23.50	23.06
EIRP(Watts)	0.2080	0.2203	0.1982	0.2084	0.2223	0.2009	0.2113	0.2239	0.2023

LTE Band 66 (GT - LC = -0.50 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	132022	132322	132622	132047	132322	132597	132072	132322	132572
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	1715	1745	1775	1717.5	1745	1772.5	1720	1745	1770
(MHz)									
Conducted Power (dBm)	23.80	24.01	23.72	23.88	24.11	23.86	23.88	24.14	23.95
Conducted Power (Watts)	0.2399	0.2518	0.2355	0.2443	0.2576	0.2432	0.2443	0.2594	0.2483
EIRP(dBm)	23.30	23.51	23.22	23.38	23.61	23.36	23.38	23.64	23.45
EIRP(Watts)	0.2138	0.2244	0.2099	0.2178	0.2296	0.2168	0.2178	0.2312	0.2213



LTE Band 66 (GT - LC = -0.50 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	131979	132322	132665	131987	132322	132657	131997	132322	132647
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1745	1779.3	1711.5	1745	1778.5	1712.5	1745	1777.5
(MHz)									
Conducted Power (dBm)	23.00	23.29	22.77	23.04	23.30	22.86	23.03	23.34	22.92
Conducted Power (Watts)	0.1995	0.2133	0.1892	0.2014	0.2138	0.1932	0.2009	0.2158	0.1959
EIRP(dBm)	22.50	22.79	22.27	22.54	22.80	22.36	22.53	22.84	22.42
EIRP(Watts)	0.1778	0.1901	0.1687	0.1795	0.1905	0.1722	0.1791	0.1923	0.1746

LTE Band 66 (GT - LC = -0.50 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	132022	132322	132622	132047	132322	132597	132072	132322	132572
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	1715	1745	1775	1717.5	1745	1772.5	1720	1745	1770
(MHz)									
Conducted Power (dBm)	23.10	23.33	23.09	23.24	23.48	23.23	23.24	23.49	23.27
Conducted Power (Watts)	0.2042	0.2153	0.2037	0.2109	0.2228	0.2104	0.2109	0.2234	0.2123
EIRP(dBm)	22.60	22.83	22.59	22.74	22.98	22.73	22.74	22.99	22.77
EIRP(Watts)	0.1820	0.1919	0.1816	0.1879	0.1986	0.1875	0.1879	0.1991	0.1892



LTE Band 66 (GT - LC = -0.50 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	131979	132322	132665	131987	132322	132657	131997	132322	132647
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1745	1779.3	1711.5	1745	1778.5	1712.5	1745	1777.5
(MHz)									
Conducted Power (dBm)	21.88	22.18	21.74	21.91	22.18	21.74	22.00	22.26	21.85
Conducted Power (Watts)	0.1542	0.1652	0.1493	0.1552	0.1652	0.1493	0.1585	0.1683	0.1531
EIRP(dBm)	21.38	21.68	21.24	21.41	21.68	21.24	21.50	21.76	21.35
EIRP(Watts)	0.1374	0.1472	0.1330	0.1384	0.1472	0.1330	0.1413	0.1500	0.1365

LTE Band 66 (GT - LC = -0.50 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	132022	132322	132622	132047	132322	132597	132072	132322	132572
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	1715	1745	1775	1717.5	1745	1772.5	1720	1745	1770
(MHz)									
Conducted Power (dBm)	22.04	22.23	21.94	22.13	22.38	22.14	22.11	22.40	22.24
Conducted Power (Watts)	0.1600	0.1671	0.1563	0.1633	0.1730	0.1637	0.1626	0.1738	0.1675
EIRP(dBm)	21.54	21.73	21.44	21.63	21.88	21.64	21.61	21.90	21.74
EIRP(Watts)	0.1426	0.1489	0.1393	0.1455	0.1542	0.1459	0.1449	0.1549	0.1493



LTE Band 71 (GT - LC = -2.50 dB) QPSK									
Bandwidth	5M			10M			15M		
Channel	133147	133297	133447	133172	133297	133422	133197	133297	133397
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	665.5	680.5	695.5	668	680.5	693	670.5	680.5	690.5
(MHz)									
Conducted Power (dBm)	24.26	24.27	24.44	24.13	24.25	24.35	24.26	24.27	24.38
Conducted Power (Watts)	0.2667	0.2673	0.2780	0.2588	0.2661	0.2723	0.2667	0.2673	0.2742
ERP(dBm)	19.61	19.62	19.79	19.48	19.60	19.70	19.61	19.62	19.73
ERP(Watts)	0.0914	0.0916	0.0953	0.0887	0.0912	0.0933	0.0914	0.0916	0.0940

LTE Band 71 (GT - LC = -2.50 dB) QPSK			
Bandwidth	20M		
Channel	133222	133297	133372
	(Low)	(Mid)	(High)
Frequency	673	680.5	688
(MHz)			
Conducted Power (dBm)	24.35	24.49	24.29
Conducted Power (Watts)	0.2723	0.2812	0.2685
ERP(dBm)	19.70	19.84	19.64
ERP(Watts)	0.0933	0.0964	0.0920



LTE Band 71 (GT - LC = -2.50 dB) 16QAM									
Bandwidth	5M			10M			15M		
Channel	133147	133297	133447	133172	133297	133422	133197	133297	133397
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	665.5	680.5	695.5	668	680.5	693	670.5	680.5	690.5
(MHz)									
Conducted Power (dBm)	23.43	23.60	23.80	23.70	23.82	23.71	23.55	23.71	23.75
Conducted Power (Watts)	0.2203	0.2291	0.2399	0.2344	0.2410	0.2350	0.2265	0.2350	0.2371
ERP(dBm)	18.78	18.95	19.15	19.05	19.17	19.06	18.90	19.06	19.10
ERP(Watts)	0.0755	0.0785	0.0822	0.0804	0.0826	0.0805	0.0776	0.0805	0.0813

LTE Band 71 (GT - LC = -2.50 dB) 16QAM			
Bandwidth	20M		
Channel	133222	133297	133372
	(Low)	(Mid)	(High)
Frequency	673	680.5	688
(MHz)			
Conducted Power (dBm)	23.69	23.58	23.80
Conducted Power (Watts)	0.2339	0.2280	0.2399
ERP(dBm)	19.04	18.93	19.15
ERP(Watts)	0.0802	0.0782	0.0822



LTE Band 71 (GT - LC = -2.50 dB) 64QAM									
Bandwidth	5M			10M			15M		
Channel	133147	133297	133447	133172	133297	133422	133197	133297	133397
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	665.5	680.5	695.5	668	680.5	693	670.5	680.5	690.5
(MHz)									
Conducted Power (dBm)	22.63	22.59	22.65	22.65	22.61	22.67	22.66	22.62	22.68
Conducted Power (Watts)	0.1832	0.1816	0.1841	0.1841	0.1824	0.1849	0.1845	0.1828	0.1854
ERP(dBm)	17.98	17.94	18.00	18.00	17.96	18.02	18.01	17.97	18.03
ERP(Watts)	0.0628	0.0622	0.0631	0.0631	0.0625	0.0634	0.0632	0.0627	0.0635

LTE Band 71 (GT - LC = -2.50 dB) 64QAM			
Bandwidth	20M		
Channel	133222	133297	133372
	(Low)	(Mid)	(High)
Frequency	673	680.5	688
(MHz)			
Conducted Power (dBm)	22.68	22.64	22.70
Conducted Power (Watts)	0.1854	0.1837	0.1862
ERP(dBm)	18.03	17.99	18.05
ERP(Watts)	0.0635	0.0630	0.0638



<Antenna 2>

LTE Band 2 (GT - LC = -1.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	23.21	23.28	23.65	23.25	23.30	23.66	23.25	23.34	23.76
Conducted Power (Watts)	0.2094	0.2128	0.2317	0.2113	0.2138	0.2323	0.2113	0.2158	0.2377
EIRP(dBm)	22.21	22.28	22.65	22.25	22.30	22.66	22.25	22.34	22.76
EIRP(Watts)	0.1663	0.1690	0.1841	0.1679	0.1698	0.1845	0.1679	0.1714	0.1888

LTE Band 2 (GT - LC = -1.00 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	23.31	23.30	23.72	23.40	23.44	23.86	23.45	23.44	23.87
Conducted Power (Watts)	0.2143	0.2138	0.2355	0.2188	0.2208	0.2432	0.2213	0.2208	0.2438
EIRP(dBm)	22.31	22.30	22.72	22.40	22.44	22.86	22.45	22.44	22.87
EIRP(Watts)	0.1702	0.1698	0.1871	0.1738	0.1754	0.1932	0.1758	0.1754	0.1936



LTE Band 2 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	22.58	22.62	23.00	22.55	22.68	22.99	22.58	22.68	23.07
Conducted Power (Watts)	0.1811	0.1828	0.1995	0.1799	0.1854	0.1991	0.1811	0.1854	0.2028
EIRP(dBm)	21.58	21.62	22.00	21.55	21.68	21.99	21.58	21.68	22.07
EIRP(Watts)	0.1439	0.1452	0.1585	0.1429	0.1472	0.1581	0.1439	0.1472	0.1611

LTE Band 2 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	22.63	22.64	23.05	22.78	22.81	23.22	22.79	22.75	23.16
Conducted Power (Watts)	0.1832	0.1837	0.2018	0.1897	0.1910	0.2099	0.1901	0.1884	0.2070
EIRP(dBm)	21.63	21.64	22.05	21.78	21.81	22.22	21.79	21.75	22.16
EIRP(Watts)	0.1455	0.1459	0.1603	0.1507	0.1517	0.1667	0.1510	0.1496	0.1644



LTE Band 2 ($G_T - L_C = -1.00$ dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	21.43	21.52	21.90	21.49	21.55	21.94	21.53	21.58	22.01
Conducted Power (Watts)	0.1390	0.1419	0.1549	0.1409	0.1429	0.1563	0.1422	0.1439	0.1589
EIRP(dBm)	20.43	20.52	20.90	20.49	20.55	20.94	20.53	20.58	21.01
EIRP(Watts)	0.1104	0.1127	0.1230	0.1119	0.1135	0.1242	0.1130	0.1143	0.1262

LTE Band 2 ($G_T - L_C = -1.00$ dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	21.59	21.56	21.98	21.66	21.71	22.13	21.68	21.65	22.07
Conducted Power (Watts)	0.1442	0.1432	0.1578	0.1466	0.1483	0.1633	0.1472	0.1462	0.1611
EIRP(dBm)	20.59	20.56	20.98	20.66	20.71	21.13	20.68	20.65	21.07
EIRP(Watts)	0.1146	0.1138	0.1253	0.1164	0.1178	0.1297	0.1169	0.1161	0.1279



LTE Band 4 (GT - LC = -1.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	23.63	23.82	23.72	23.65	23.86	23.77	23.71	23.89	23.88
Conducted Power (Watts)	0.2307	0.2410	0.2355	0.2317	0.2432	0.2382	0.2350	0.2449	0.2443
EIRP(dBm)	22.63	22.82	22.72	22.65	22.86	22.77	22.71	22.89	22.88
EIRP(Watts)	0.1832	0.1914	0.1871	0.1841	0.1932	0.1892	0.1866	0.1945	0.1941

LTE Band 4 (GT - LC = -1.00 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	23.76	23.88	23.88	23.86	24.00	24.05	23.87	24.07	23.96
Conducted Power (Watts)	0.2377	0.2443	0.2443	0.2432	0.2512	0.2541	0.2438	0.2553	0.2489
EIRP(dBm)	22.76	22.88	22.88	22.86	23.00	23.05	22.87	23.07	22.96
EIRP(Watts)	0.1888	0.1941	0.1941	0.1932	0.1995	0.2018	0.1936	0.2028	0.1977



LTE Band 4 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	22.97	23.15	23.05	23.01	23.16	23.04	23.08	23.25	23.17
Conducted Power (Watts)	0.1982	0.2065	0.2018	0.2000	0.2070	0.2014	0.2032	0.2113	0.2075
EIRP(dBm)	21.97	22.15	22.05	22.01	22.16	22.04	22.08	22.25	22.17
EIRP(Watts)	0.1574	0.1641	0.1603	0.1589	0.1644	0.1600	0.1614	0.1679	0.1648

LTE Band 4 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	23.11	23.25	23.23	23.16	23.33	23.38	23.20	23.28	23.38
Conducted Power (Watts)	0.2046	0.2113	0.2104	0.2070	0.2153	0.2178	0.2089	0.2128	0.2178
EIRP(dBm)	22.11	22.25	22.23	22.16	22.33	22.38	22.20	22.28	22.38
EIRP(Watts)	0.1626	0.1679	0.1671	0.1644	0.1710	0.1730	0.1660	0.1690	0.1730



LTE Band 4 (GT - LC = -1.00 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	22.09	22.34	22.25	22.21	22.35	22.32	22.25	22.45	22.40
Conducted Power (Watts)	0.1618	0.1714	0.1679	0.1663	0.1718	0.1706	0.1679	0.1758	0.1738
EIRP(dBm)	21.09	21.34	21.25	21.21	21.35	21.32	21.25	21.45	21.40
EIRP(Watts)	0.1285	0.1361	0.1334	0.1321	0.1365	0.1355	0.1334	0.1396	0.1380

LTE Band 4 (GT - LC = -1.00 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	22.27	22.39	22.38	22.37	22.42	22.45	22.40	22.46	22.36
Conducted Power (Watts)	0.1687	0.1734	0.1730	0.1726	0.1746	0.1758	0.1738	0.1762	0.1722
EIRP(dBm)	21.27	21.39	21.38	21.37	21.42	21.45	21.40	21.46	21.36
EIRP(Watts)	0.1340	0.1377	0.1374	0.1371	0.1387	0.1396	0.1380	0.1400	0.1368



LTE Band 5 (GT - LC = -2.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	24.09	24.06	23.95	24.10	24.07	23.99	24.10	24.10	23.99
Conducted Power (Watts)	0.2564	0.2547	0.2483	0.2570	0.2553	0.2506	0.2570	0.2570	0.2506
ERP(dBm)	19.94	19.91	19.80	19.95	19.92	19.84	19.95	19.95	19.84
ERP(Watts)	0.0986	0.0979	0.0955	0.0989	0.0982	0.0964	0.0989	0.0989	0.0964

LTE Band 5 (GT - LC = -2.00 dB) QPSK			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	24.10	24.11	24.07
Conducted Power (Watts)	0.2570	0.2576	0.2553
ERP(dBm)	19.95	19.96	19.92
ERP(Watts)	0.0989	0.0991	0.0982



LTE Band 5 (GT - LC = -2.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	23.48	23.41	23.22	23.29	23.41	23.21	23.37	23.41	23.26
Conducted Power (Watts)	0.2228	0.2193	0.2099	0.2133	0.2193	0.2094	0.2173	0.2193	0.2118
ERP(dBm)	19.33	19.26	19.07	19.14	19.26	19.06	19.22	19.26	19.11
ERP(Watts)	0.0857	0.0843	0.0807	0.0820	0.0843	0.0805	0.0836	0.0843	0.0815

LTE Band 5 (GT - LC = -2.00 dB) 16QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	23.34	23.43	23.36
Conducted Power (Watts)	0.2158	0.2203	0.2168
ERP(dBm)	19.19	19.28	19.21
ERP(Watts)	0.0830	0.0847	0.0834



LTE Band 5 (GT - LC = -2.00 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.36	22.26	22.32	21.98	22.11	22.08	22.27	22.31	22.30
Conducted Power (Watts)	0.1722	0.1683	0.1706	0.1578	0.1626	0.1614	0.1687	0.1702	0.1698
ERP(dBm)	18.21	18.11	18.17	17.83	17.96	17.93	18.12	18.16	18.15
ERP(Watts)	0.0662	0.0647	0.0656	0.0607	0.0625	0.0621	0.0649	0.0655	0.0653

LTE Band 5 (GT - LC = -2.00 dB) 64QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	22.27	22.16	22.23
Conducted Power (Watts)	0.1687	0.1644	0.1671
ERP(dBm)	18.12	18.01	18.08
ERP(Watts)	0.0649	0.0632	0.0643



LTE Band 12 (GT - LC = -2.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
(MHz)									
Conducted Power (dBm)	23.83	23.90	23.85	23.83	23.90	23.88	23.89	23.94	23.91
Conducted Power (Watts)	0.2415	0.2455	0.2427	0.2415	0.2455	0.2443	0.2449	0.2477	0.2460
ERP(dBm)	19.68	19.75	19.70	19.68	19.75	19.73	19.74	19.79	19.76
ERP(Watts)	0.0929	0.0944	0.0933	0.0929	0.0944	0.0940	0.0942	0.0953	0.0946

LTE Band 12 (GT - LC = -2.00 dB) QPSK			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency	704	707.5	711
(MHz)			
Conducted Power (dBm)	23.92	23.95	23.85
Conducted Power (Watts)	0.2466	0.2483	0.2427
ERP(dBm)	19.77	19.80	19.70
ERP(Watts)	0.0948	0.0955	0.0933



LTE Band 12 (GT - LC = -2.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
Conducted Power (dBm)	23.19	23.23	23.12	23.16	23.27	23.11	23.25	23.29	23.17
Conducted Power (Watts)	0.2084	0.2104	0.2051	0.2070	0.2123	0.2046	0.2113	0.2133	0.2075
ERP(dBm)	19.04	19.08	18.97	19.01	19.12	18.96	19.10	19.14	19.02
ERP(Watts)	0.0802	0.0809	0.0789	0.0796	0.0817	0.0787	0.0813	0.0820	0.0798

LTE Band 12 (GT - LC = -2.00 dB) 16QAM			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency (MHz)	704	707.5	711
Conducted Power (dBm)	23.26	23.30	23.25
Conducted Power (Watts)	0.2118	0.2138	0.2113
ERP(dBm)	19.11	19.15	19.10
ERP(Watts)	0.0815	0.0822	0.0813



LTE Band 12 (GT - LC = -2.00 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
Conducted Power (dBm)	22.36	22.42	22.32	22.37	22.46	22.38	22.48	22.48	22.36
Conducted Power (Watts)	0.1722	0.1746	0.1706	0.1726	0.1762	0.1730	0.1770	0.1770	0.1722
ERP(dBm)	18.21	18.27	18.17	18.22	18.31	18.23	18.33	18.33	18.21
ERP(Watts)	0.0662	0.0671	0.0656	0.0664	0.0678	0.0665	0.0681	0.0681	0.0662

LTE Band 12 (GT - LC = -2.00 dB) 64QAM			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency (MHz)	704	707.5	711
Conducted Power (dBm)	22.45	22.47	22.37
Conducted Power (Watts)	0.1758	0.1766	0.1726
ERP(dBm)	18.30	18.32	18.22
ERP(Watts)	0.0676	0.0679	0.0664



LTE Band 13 (GT - LC = -2.00 dB) QPSK						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	23.87	23.88	23.98	-	23.99	-
Conducted Power (Watts)	0.2438	0.2443	0.2500	-	0.2506	-
ERP(dBm)	19.72	19.73	19.83	-	19.84	-
ERP(Watts)	0.0938	0.0940	0.0962	-	0.0964	-

LTE Band 13 (GT - LC = -2.00 dB) 16QAM						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	23.23	23.30	23.24	-	23.25	-
Conducted Power (Watts)	0.2104	0.2138	0.2109	-	0.2113	-
ERP(dBm)	19.08	19.15	19.09	-	19.10	-
ERP(Watts)	0.0809	0.0822	0.0811	-	0.0813	-

LTE Band 13 (GT - LC = -2.00 dB) 64QAM						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	22.12	22.18	22.24	-	22.13	-
Conducted Power (Watts)	0.1629	0.1652	0.1675	-	0.1633	-
ERP(dBm)	17.97	18.03	18.09	-	17.98	-
ERP(Watts)	0.0627	0.0635	0.0644	-	0.0628	-



LTE Band 17 (GT - LC = -2.00 dB) QPSK						
Bandwidth	5M			10M		
Channel	23755	23790	23825	23780	23790	23800
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	706.5	710	713.5	709	710	711
(MHz)						
Conducted Power (dBm)	23.66	23.68	23.62	23.55	23.55	23.74
Conducted Power (Watts)	0.2323	0.2333	0.2301	0.2265	0.2265	0.2366
ERP(dBm)	19.51	19.53	19.47	19.40	19.40	19.59
ERP(Watts)	0.0893	0.0897	0.0885	0.0871	0.0871	0.0910

LTE Band 17 (GT - LC = -2.00 dB) 16QAM						
Bandwidth	5M			10M		
Channel	23755	23790	23825	23780	23790	23800
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	706.5	710	713.5	709	710	711
(MHz)						
Conducted Power (dBm)	23.01	22.98	22.94	22.99	23.02	23.02
Conducted Power (Watts)	0.2000	0.1986	0.1968	0.1991	0.2004	0.2004
ERP(dBm)	18.86	18.83	18.79	18.84	18.87	18.87
ERP(Watts)	0.0769	0.0764	0.0757	0.0766	0.0771	0.0771

LTE Band 17 (GT - LC = -2.00 dB) 64QAM						
Bandwidth	5M			10M		
Channel	23755	23790	23825	23780	23790	23800
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	706.5	710	713.5	709	710	711
(MHz)						
Conducted Power (dBm)	21.94	21.90	21.84	21.89	21.87	21.92
Conducted Power (Watts)	0.1563	0.1549	0.1528	0.1545	0.1538	0.1556
ERP(dBm)	17.79	17.75	17.69	17.74	17.72	17.77
ERP(Watts)	0.0601	0.0596	0.0587	0.0594	0.0592	0.0598



LTE Band 25 (GT - LC = -1.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	26407	26340	26683	26055	26340	26675	26065	26340	26665
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1914.3	1851.5	1880	1913.5	1852.5	1880	1912.5
(MHz)									
Conducted Power (dBm)	22.72	22.86	23.21	22.67	22.86	23.22	22.76	22.83	23.29
Conducted Power (Watts)	0.1871	0.1932	0.2094	0.1849	0.1932	0.2099	0.1888	0.1919	0.2133
EIRP(dBm)	21.72	21.86	22.21	21.67	21.86	22.22	21.76	21.83	22.29
EIRP(Watts)	0.1486	0.1535	0.1663	0.1469	0.1535	0.1667	0.1500	0.1524	0.1694

LTE Band 25 (GT - LC = -1.00 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	26090	26340	26640	26115	26340	26615	26140	26340	26590
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1910	1857.5	1880	1907.5	1860	1880	1905
(MHz)									
Conducted Power (dBm)	22.80	22.89	23.28	22.87	22.99	23.32	23.25	23.30	23.55
Conducted Power (Watts)	0.1905	0.1945	0.2128	0.1936	0.1991	0.2148	0.2113	0.2138	0.2265
EIRP(dBm)	21.80	21.89	22.28	21.87	21.99	22.32	22.25	22.30	22.55
EIRP(Watts)	0.1514	0.1545	0.1690	0.1538	0.1581	0.1706	0.1679	0.1698	0.1799



LTE Band 25 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	26407	26340	26683	26055	26340	26675	26065	26340	26665
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1914.3	1851.5	1880	1913.5	1852.5	1880	1912.5
(MHz)									
Conducted Power (dBm)	22.05	22.22	22.53	22.03	22.06	22.57	22.07	22.14	22.60
Conducted Power (Watts)	0.1603	0.1667	0.1791	0.1596	0.1607	0.1807	0.1611	0.1637	0.1820
EIRP(dBm)	21.05	21.22	21.53	21.03	21.06	21.57	21.07	21.14	21.60
EIRP(Watts)	0.1274	0.1324	0.1422	0.1268	0.1276	0.1435	0.1279	0.1300	0.1445

LTE Band 25 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	26090	26340	26640	26115	26340	26615	26140	26340	26590
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1910	1857.5	1880	1907.5	1860	1880	1905
(MHz)									
Conducted Power (dBm)	22.12	22.24	22.60	22.22	22.34	22.67	22.20	22.22	22.65
Conducted Power (Watts)	0.1629	0.1675	0.1820	0.1667	0.1714	0.1849	0.1660	0.1667	0.1841
EIRP(dBm)	21.12	21.24	21.60	21.22	21.34	21.67	21.20	21.22	21.65
EIRP(Watts)	0.1294	0.1330	0.1445	0.1324	0.1361	0.1469	0.1318	0.1324	0.1462



LTE Band 25 (GT - LC = -1.00 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	26407	26340	26683	26055	26340	26675	26065	26340	26665
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1914.3	1851.5	1880	1913.5	1852.5	1880	1912.5
(MHz)									
Conducted Power (dBm)	20.99	21.09	21.46	20.98	21.12	21.47	21.04	21.10	21.57
Conducted Power (Watts)	0.1256	0.1285	0.1400	0.1253	0.1294	0.1403	0.1271	0.1288	0.1435
EIRP(dBm)	19.99	20.09	20.46	19.98	20.12	20.47	20.04	20.10	20.57
EIRP(Watts)	0.0998	0.1021	0.1112	0.0995	0.1028	0.1114	0.1009	0.1023	0.1140

LTE Band 25 (GT - LC = -1.00 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	26090	26340	26640	26115	26340	26615	26140	26340	26590
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1910	1857.5	1880	1907.5	1860	1880	1905
(MHz)									
Conducted Power (dBm)	20.97	21.12	21.57	21.13	21.22	21.58	21.12	21.11	21.54
Conducted Power (Watts)	0.1250	0.1294	0.1435	0.1297	0.1324	0.1439	0.1294	0.1291	0.1426
EIRP(dBm)	19.97	20.12	20.57	20.13	20.22	20.58	20.12	20.11	20.54
EIRP(Watts)	0.0993	0.1028	0.1140	0.1030	0.1052	0.1143	0.1028	0.1026	0.1132

LTE Band 26 (GT - LC = -2.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	23.26	23.46	23.48	23.24	23.35	23.55	23.30	23.43	23.57
Conducted Power (Watts)	0.2118	0.2218	0.2228	0.2109	0.2163	0.2265	0.2138	0.2203	0.2275
ERP(dBm)	19.11	19.31	19.33	19.09	19.20	19.40	19.15	19.28	19.42
ERP(Watts)	0.0815	0.0853	0.0857	0.0811	0.0832	0.0871	0.0822	0.0847	0.0875

LTE Band 26 (GT - LC = -2.00 dB) QPSK							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	23.29	23.44	23.59	23.40	23.50	23.64	23.43
Conducted Power (Watts)	0.2133	0.2208	0.2286	0.2188	0.2239	0.2312	0.2203
ERP(dBm)	19.14	19.29	19.44	19.25	19.35	19.49	19.28
ERP(Watts)	0.0820	0.0849	0.0879	0.0841	0.0861	0.0889	0.0847



LTE Band 26 (GT - LC = -2.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.59	22.75	22.76	22.51	22.67	22.82	22.53	22.73	22.84
Conducted Power (Watts)	0.1816	0.1884	0.1888	0.1782	0.1849	0.1914	0.1791	0.1875	0.1923
ERP(dBm)	18.44	18.60	18.61	18.36	18.52	18.67	18.38	18.58	18.69
ERP(Watts)	0.0698	0.0724	0.0726	0.0685	0.0711	0.0736	0.0689	0.0721	0.0740

LTE Band 26 (GT - LC = -2.00 dB) 16QAM							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	22.59	22.77	22.88	22.63	22.72	22.81	22.66
Conducted Power (Watts)	0.1816	0.1892	0.1941	0.1832	0.1871	0.1910	0.1845
ERP(dBm)	18.44	18.62	18.73	18.48	18.57	18.66	18.51
ERP(Watts)	0.0698	0.0728	0.0746	0.0705	0.0719	0.0735	0.0710



LTE Band 26 (GT - LC = -2.00 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	21.52	21.70	21.66	21.46	21.60	21.78	21.48	21.66	21.81
Conducted Power (Watts)	0.1419	0.1479	0.1466	0.1400	0.1445	0.1507	0.1406	0.1466	0.1517
ERP(dBm)	17.37	17.55	17.51	17.31	17.45	17.63	17.33	17.51	17.66
ERP(Watts)	0.0546	0.0569	0.0564	0.0538	0.0556	0.0579	0.0541	0.0564	0.0583

LTE Band 26 (GT - LC = -2.00 dB) 64QAM							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	21.57	21.68	21.80	21.57	21.65	21.80	21.62
Conducted Power (Watts)	0.1435	0.1472	0.1514	0.1435	0.1462	0.1514	0.1452
ERP(dBm)	17.42	17.53	17.65	17.42	17.50	17.65	17.47
ERP(Watts)	0.0552	0.0566	0.0582	0.0552	0.0562	0.0582	0.0558



LTE Band 66 (GT - LC = -1.00 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	131979	132322	132665	131987	132322	132657	131997	132322	132647
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1745	1779.3	1711.5	1745	1778.5	1712.5	1745	1777.5
(MHz)									
Conducted Power (dBm)	23.68	23.93	23.47	23.69	23.97	23.53	23.75	24.00	23.56
Conducted Power (Watts)	0.2333	0.2472	0.2223	0.2339	0.2495	0.2254	0.2371	0.2512	0.2270
EIRP(dBm)	22.68	22.93	22.47	22.69	22.97	22.53	22.75	23.00	22.56
EIRP(Watts)	0.1854	0.1963	0.1766	0.1858	0.1982	0.1791	0.1884	0.1995	0.1803

LTE Band 66 (GT - LC = -1.00 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	132022	132322	132622	132047	132322	132597	132072	132322	132572
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	1715	1745	1775	1717.5	1745	1772.5	1720	1745	1770
(MHz)									
Conducted Power (dBm)	23.80	24.01	23.72	23.88	24.11	23.86	23.88	24.14	23.95
Conducted Power (Watts)	0.2399	0.2518	0.2355	0.2443	0.2576	0.2432	0.2443	0.2594	0.2483
EIRP(dBm)	22.80	23.01	22.72	22.88	23.11	22.86	22.88	23.14	22.95
EIRP(Watts)	0.1905	0.2000	0.1871	0.1941	0.2046	0.1932	0.1941	0.2061	0.1972



LTE Band 66 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	131979	132322	132665	131987	132322	132657	131997	132322	132647
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1745	1779.3	1711.5	1745	1778.5	1712.5	1745	1777.5
(MHz)									
Conducted Power (dBm)	23.00	23.29	22.77	23.04	23.30	22.86	23.03	23.34	22.92
Conducted Power (Watts)	0.1995	0.2133	0.1892	0.2014	0.2138	0.1932	0.2009	0.2158	0.1959
EIRP(dBm)	22.00	22.29	21.77	22.04	22.30	21.86	22.03	22.34	21.92
EIRP(Watts)	0.1585	0.1694	0.1503	0.1600	0.1698	0.1535	0.1596	0.1714	0.1556

LTE Band 66 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	132022	132322	132622	132047	132322	132597	132072	132322	132572
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	1715	1745	1775	1717.5	1745	1772.5	1720	1745	1770
(MHz)									
Conducted Power (dBm)	23.10	23.33	23.09	23.24	23.48	23.23	23.24	23.49	23.27
Conducted Power (Watts)	0.2042	0.2153	0.2037	0.2109	0.2228	0.2104	0.2109	0.2234	0.2123
EIRP(dBm)	22.10	22.33	22.09	22.24	22.48	22.23	22.24	22.49	22.27
EIRP(Watts)	0.1622	0.1710	0.1618	0.1675	0.1770	0.1671	0.1675	0.1774	0.1687



LTE Band 66 (GT - LC = -1.00 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	131979	132322	132665	131987	132322	132657	131997	132322	132647
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1745	1779.3	1711.5	1745	1778.5	1712.5	1745	1777.5
(MHz)									
Conducted Power (dBm)	21.88	22.18	21.74	21.91	22.18	21.74	22.00	22.26	21.85
Conducted Power (Watts)	0.1542	0.1652	0.1493	0.1552	0.1652	0.1493	0.1585	0.1683	0.1531
EIRP(dBm)	20.88	21.18	20.74	20.91	21.18	20.74	21.00	21.26	20.85
EIRP(Watts)	0.1225	0.1312	0.1186	0.1233	0.1312	0.1186	0.1259	0.1337	0.1216

LTE Band 66 (GT - LC = -1.00 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	132022	132322	132622	132047	132322	132597	132072	132322	132572
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	1715	1745	1775	1717.5	1745	1772.5	1720	1745	1770
(MHz)									
Conducted Power (dBm)	22.04	22.23	21.94	22.13	22.38	22.14	22.11	22.40	22.24
Conducted Power (Watts)	0.1600	0.1671	0.1563	0.1633	0.1730	0.1637	0.1626	0.1738	0.1675
EIRP(dBm)	21.04	21.23	20.94	21.13	21.38	21.14	21.11	21.40	21.24
EIRP(Watts)	0.1271	0.1327	0.1242	0.1297	0.1374	0.1300	0.1291	0.1380	0.1330

LTE Band 71 (GT - LC = -2.50 dB) QPSK									
Bandwidth	5M			10M			15M		
Channel	133147	133297	133447	133172	133297	133422	133197	133297	133397
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	665.5	680.5	695.5	668	680.5	693	670.5	680.5	690.5
(MHz)									
Conducted Power (dBm)	24.26	24.27	24.44	24.13	24.25	24.35	24.26	24.27	24.38
Conducted Power (Watts)	0.2667	0.2673	0.2780	0.2588	0.2661	0.2723	0.2667	0.2673	0.2742
ERP(dBm)	19.61	19.62	19.79	19.48	19.60	19.70	19.61	19.62	19.73
ERP(Watts)	0.0914	0.0916	0.0953	0.0887	0.0912	0.0933	0.0914	0.0916	0.0940

LTE Band 71 (GT - LC = -2.50 dB) QPSK			
Bandwidth	20M		
Channel	133222	133297	133372
	(Low)	(Mid)	(High)
Frequency	673	680.5	688
(MHz)			
Conducted Power (dBm)	24.35	24.49	24.29
Conducted Power (Watts)	0.2723	0.2812	0.2685
ERP(dBm)	19.70	19.84	19.64
ERP(Watts)	0.0933	0.0964	0.0920



LTE Band 71 (GT - LC = -2.50 dB) 16QAM									
Bandwidth	5M			10M			15M		
Channel	133147	133297	133447	133172	133297	133422	133197	133297	133397
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	665.5	680.5	695.5	668	680.5	693	670.5	680.5	690.5
(MHz)									
Conducted Power (dBm)	23.43	23.60	23.80	23.70	23.82	23.71	23.55	23.71	23.75
Conducted Power (Watts)	0.2203	0.2291	0.2399	0.2344	0.2410	0.2350	0.2265	0.2350	0.2371
ERP(dBm)	18.78	18.95	19.15	19.05	19.17	19.06	18.90	19.06	19.10
ERP(Watts)	0.0755	0.0785	0.0822	0.0804	0.0826	0.0805	0.0776	0.0805	0.0813

LTE Band 71 (GT - LC = -2.50 dB) 16QAM			
Bandwidth	20M		
Channel	133222	133297	133372
	(Low)	(Mid)	(High)
Frequency	673	680.5	688
(MHz)			
Conducted Power (dBm)	23.69	23.58	23.80
Conducted Power (Watts)	0.2339	0.2280	0.2399
ERP(dBm)	19.04	18.93	19.15
ERP(Watts)	0.0802	0.0782	0.0822



LTE Band 71 (GT - LC = -2.50 dB) 64QAM									
Bandwidth	5M			10M			15M		
Channel	133147	133297	133447	133172	133297	133422	133197	133297	133397
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	665.5	680.5	695.5	668	680.5	693	670.5	680.5	690.5
(MHz)									
Conducted Power (dBm)	22.63	22.59	22.65	22.65	22.61	22.67	22.66	22.62	22.68
Conducted Power (Watts)	0.1832	0.1816	0.1841	0.1841	0.1824	0.1849	0.1845	0.1828	0.1854
ERP(dBm)	17.98	17.94	18.00	18.00	17.96	18.02	18.01	17.97	18.03
ERP(Watts)	0.0628	0.0622	0.0631	0.0631	0.0625	0.0634	0.0632	0.0627	0.0635

LTE Band 71 (GT - LC = -2.50 dB) 64QAM			
Bandwidth	20M		
Channel	133222	133297	133372
	(Low)	(Mid)	(High)
Frequency	673	680.5	688
(MHz)			
Conducted Power (dBm)	22.68	22.64	22.70
Conducted Power (Watts)	0.1854	0.1837	0.1862
ERP(dBm)	18.03	17.99	18.05
ERP(Watts)	0.0635	0.0630	0.0638



<Antenna 3>

LTE Band 7 (GT - LC = -1.00 dB) QPSK			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	23.55	23.54	23.53
Conducted Power (Watts)	0.2265	0.2259	0.2254
EIRP(dBm)	22.55	22.54	22.53
EIRP(Watts)	0.1799	0.1795	0.1791

LTE Band 7 (GT - LC = -1.00 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	23.52	23.65	23.51	23.59	23.66	23.49	23.64	23.65	23.69
Conducted Power (Watts)	0.2249	0.2317	0.2244	0.2286	0.2323	0.2234	0.2312	0.2317	0.2339
EIRP(dBm)	22.52	22.65	22.51	22.59	22.66	22.49	22.64	22.65	22.69
EIRP(Watts)	0.1786	0.1841	0.1782	0.1816	0.1845	0.1774	0.1837	0.1841	0.1858



LTE Band 7 (GT - LC = -1.00 dB) 16QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	22.92	22.83	22.84
Conducted Power (Watts)	0.1959	0.1919	0.1923
EIRP(dBm)	21.92	21.83	21.84
EIRP(Watts)	0.1556	0.1524	0.1528

LTE Band 7 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	22.87	22.95	22.87	22.98	23.00	22.80	22.95	22.98	22.97
Conducted Power (Watts)	0.1936	0.1972	0.1936	0.1986	0.1995	0.1905	0.1972	0.1986	0.1982
EIRP(dBm)	21.87	21.95	21.87	21.98	22.00	21.80	21.95	21.98	21.97
EIRP(Watts)	0.1538	0.1567	0.1538	0.1578	0.1585	0.1514	0.1567	0.1578	0.1574



LTE Band 7 (GT - LC = -1.00 dB) 64QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	21.80	21.77	21.71
Conducted Power (Watts)	0.1514	0.1503	0.1483
EIRP(dBm)	20.80	20.77	20.71
EIRP(Watts)	0.1202	0.1194	0.1178

LTE Band 7 (GT - LC = -1.00 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	21.77	21.86	21.73	21.57	21.87	21.73	21.90	21.92	21.79
Conducted Power (Watts)	0.1503	0.1535	0.1489	0.1435	0.1538	0.1489	0.1549	0.1556	0.1510
EIRP(dBm)	20.77	20.86	20.73	20.57	20.87	20.73	20.90	20.92	20.79
EIRP(Watts)	0.1194	0.1219	0.1183	0.1140	0.1222	0.1183	0.1230	0.1236	0.1199



LTE Band 38 (GT - LC = -1.00 dB) QPSK			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	23.03	22.95	23.36
Conducted Power (Watts)	0.2009	0.1972	0.2168
EIRP(dBm)	22.03	21.95	22.36
EIRP(Watts)	0.1596	0.1567	0.1722

LTE Band 38 (GT - LC = -1.00 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	22.99	22.99	23.28	23.09	23.09	23.37	23.27	23.24	23.42
Conducted Power (Watts)	0.1991	0.1991	0.2128	0.2037	0.2037	0.2173	0.2123	0.2109	0.2198
EIRP(dBm)	21.99	21.99	22.28	22.09	22.09	22.37	22.27	22.24	22.42
EIRP(Watts)	0.1581	0.1581	0.1690	0.1618	0.1618	0.1726	0.1687	0.1675	0.1746



LTE Band 38 (GT - LC = -1.00 dB) 16QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	22.49	22.27	22.72
Conducted Power (Watts)	0.1774	0.1687	0.1871
EIRP(dBm)	21.49	21.27	21.72
EIRP(Watts)	0.1409	0.1340	0.1486

LTE Band 38 (GT - LC = -1.00 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	22.43	22.40	22.69	22.47	22.44	22.58	22.47	22.35	22.57
Conducted Power (Watts)	0.1750	0.1738	0.1858	0.1766	0.1754	0.1811	0.1766	0.1718	0.1807
EIRP(dBm)	21.43	21.40	21.69	21.47	21.44	21.58	21.47	21.35	21.57
EIRP(Watts)	0.1390	0.1380	0.1476	0.1403	0.1393	0.1439	0.1403	0.1365	0.1435



LTE Band 38 (GT - LC = -1.00 dB) 64QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	21.31	21.18	21.61
Conducted Power (Watts)	0.1352	0.1312	0.1449
EIRP(dBm)	20.31	20.18	20.61
EIRP(Watts)	0.1074	0.1042	0.1151

LTE Band 38 (GT - LC = -1.00 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	21.27	21.24	21.57	21.32	21.34	21.52	21.41	21.31	21.39
Conducted Power (Watts)	0.1340	0.1330	0.1435	0.1355	0.1361	0.1419	0.1384	0.1352	0.1377
EIRP(dBm)	20.27	20.24	20.57	20.32	20.34	20.52	20.41	20.31	20.39
EIRP(Watts)	0.1064	0.1057	0.1140	0.1076	0.1081	0.1127	0.1099	0.1074	0.1094

LTE Band 41 ($G_T - L_C = -1.00$ dB) QPSK									
Bandwidth	5M			10M			15M		
Channel	39675	40620	41565	39700	40620	41540	39725	40620	41515
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2498.5	2593	2687.5	2501	2593	2685	2503.5	2593	2682.5
(MHz)									
Conducted Power (dBm)	22.60	22.96	23.01	22.70	23.03	22.97	22.88	23.04	23.22
Conducted Power (Watts)	0.1820	0.1977	0.2000	0.1862	0.2009	0.1982	0.1941	0.2014	0.2099
EIRP(dBm)	21.60	21.96	22.01	21.70	22.03	21.97	21.88	22.04	22.22
EIRP(Watts)	0.1445	0.1570	0.1589	0.1479	0.1596	0.1574	0.1542	0.1600	0.1667

LTE Band 41 ($G_T - L_C = -1.00$ dB) QPSK			
Bandwidth	20M		
Channel	39750	40620	41490
	(Low)	(Mid)	(High)
Frequency	2506	2593	2680
(MHz)			
Conducted Power (dBm)	22.84	22.92	23.29
Conducted Power (Watts)	0.1923	0.1959	0.2133
EIRP(dBm)	21.84	21.92	22.29
EIRP(Watts)	0.1528	0.1556	0.1694

LTE Band 41 ($G_T - L_C = -1.00$ dB) 16QAM									
Bandwidth	5M			10M			15M		
Channel	39675	40620	41565	39700	40620	41540	39725	40620	41515
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2498.5	2593	2687.5	2501	2593	2685	2503.5	2593	2682.5
(MHz)									
Conducted Power (dBm)	22.03	22.36	22.39	22.04	22.42	22.47	22.15	22.41	22.49
Conducted Power (Watts)	0.1596	0.1722	0.1734	0.1600	0.1746	0.1766	0.1641	0.1742	0.1774
EIRP(dBm)	21.03	21.36	21.39	21.04	21.42	21.47	21.15	21.41	21.49
EIRP(Watts)	0.1268	0.1368	0.1377	0.1271	0.1387	0.1403	0.1303	0.1384	0.1409

LTE Band 41 ($G_T - L_C = -1.00$ dB) 16QAM			
Bandwidth	20M		
Channel	39750	40620	41490
	(Low)	(Mid)	(High)
Frequency	2506	2593	2680
(MHz)			
Conducted Power (dBm)	22.27	22.44	22.63
Conducted Power (Watts)	0.1687	0.1754	0.1832
EIRP(dBm)	21.27	21.44	21.63
EIRP(Watts)	0.1340	0.1393	0.1455

LTE Band 41 ($G_T - L_C = -1.00$ dB) 64QAM									
Bandwidth	5M			10M			15M		
Channel	39675	40620	41565	39700	40620	41540	39725	40620	41515
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2498.5	2593	2687.5	2501	2593	2685	2503.5	2593	2682.5
(MHz)									
Conducted Power (dBm)	21.00	21.20	21.27	20.99	21.23	21.32	21.11	21.33	21.34
Conducted Power (Watts)	0.1259	0.1318	0.1340	0.1256	0.1327	0.1355	0.1291	0.1358	0.1361
EIRP(dBm)	20.00	20.20	20.27	19.99	20.23	20.32	20.11	20.33	20.34
EIRP(Watts)	0.1000	0.1047	0.1064	0.0998	0.1054	0.1076	0.1026	0.1079	0.1081

LTE Band 41 ($G_T - L_C = -1.00$ dB) 64QAM			
Bandwidth	20M		
Channel	39750	40620	41490
	(Low)	(Mid)	(High)
Frequency	2506	2593	2680
(MHz)			
Conducted Power (dBm)	21.11	21.36	21.57
Conducted Power (Watts)	0.1291	0.1368	0.1435
EIRP(dBm)	20.11	20.36	20.57
EIRP(Watts)	0.1026	0.1086	0.1140

**CA EIRP**

LTE Band 7 CA (GT - LC = -1.00 dB) QPSK									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.32	22.33	20.38	23.13	23.15	23.07	23.38	23.12	23.17
Conducted Power (Watts)	0.2148	0.1710	0.1091	0.2056	0.2065	0.2028	0.2178	0.2051	0.2075
EIRP(dBm)	22.32	21.33	19.38	22.13	22.15	22.07	22.38	22.12	22.17
EIRP(Watts)	0.1706	0.1358	0.0867	0.1633	0.1641	0.1611	0.1730	0.1629	0.1648

LTE Band 7 CA (GT - LC = -1.00 dB) QPSK									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.25	23.13	23.08	23.53	23.22	23.13	23.51	23.37	23.39
Conducted Power (Watts)	0.2113	0.2056	0.2032	0.2254	0.2099	0.2056	0.2244	0.2173	0.2183
EIRP(dBm)	22.25	22.13	22.08	22.53	22.22	22.13	22.51	22.37	22.39
EIRP(Watts)	0.1679	0.1633	0.1614	0.1791	0.1667	0.1633	0.1782	0.1726	0.1734



LTE Band 7 CA (GT - LC = -1.00 dB) 16QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.33	22.37	22.13	22.14	22.28	22.14	22.32	22.34	22.33
Conducted Power (Watts)	0.1710	0.1726	0.1633	0.1637	0.1690	0.1637	0.1706	0.1714	0.1710
EIRP(dBm)	21.33	21.37	21.13	21.14	21.28	21.14	21.32	21.34	21.33
EIRP(Watts)	0.1358	0.1371	0.1297	0.1300	0.1343	0.1300	0.1355	0.1361	0.1358

LTE Band 7 CA (GT - LC = -1.00 dB) 16QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.33	22.25	22.19	22.38	22.43	22.33	22.55	22.42	22.74
Conducted Power (Watts)	0.1710	0.1679	0.1656	0.1730	0.1750	0.1710	0.1799	0.1746	0.1879
EIRP(dBm)	21.33	21.25	21.19	21.38	21.43	21.33	21.55	21.42	21.74
EIRP(Watts)	0.1358	0.1334	0.1315	0.1374	0.1390	0.1358	0.1429	0.1387	0.1493



LTE Band 7 CA (GT - LC = -1.00 dB) 64QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.38	20.43	20.43	20.22	20.15	20.18	20.25	20.27	20.22
Conducted Power (Watts)	0.1091	0.1104	0.1104	0.1052	0.1035	0.1042	0.1059	0.1064	0.1052
EIRP(dBm)	19.38	19.43	19.43	19.22	19.15	19.18	19.25	19.27	19.22
EIRP(Watts)	0.0867	0.0877	0.0877	0.0836	0.0822	0.0828	0.0841	0.0845	0.0836

LTE Band 7 CA (GT - LC = -1.00 dB) 64QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.29	20.28	20.13	20.34	20.32	20.37	21.56	21.58	21.65
Conducted Power (Watts)	0.1069	0.1067	0.1030	0.1081	0.1076	0.1089	0.1432	0.1439	0.1462
EIRP(dBm)	19.29	19.28	19.13	19.34	19.32	19.37	20.56	20.58	20.65
EIRP(Watts)	0.0849	0.0847	0.0818	0.0859	0.0855	0.0865	0.1138	0.1143	0.1161



LTE Band 7 CA (GT - LC = -1.00 dB) QPSK			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.33	23.36	23.23
Conducted Power (Watts)	0.2153	0.2168	0.2104
EIRP(dBm)	22.33	22.36	22.23
EIRP(Watts)	0.1710	0.1722	0.1671

LTE Band 7 CA (GT - LC = -1.00 dB) 16QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.42	22.33	22.45
Conducted Power (Watts)	0.1746	0.1710	0.1758
EIRP(dBm)	21.42	21.33	21.45
EIRP(Watts)	0.1387	0.1358	0.1396

LTE Band 7 CA (GT - LC = -1.00 dB) 64QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.32	20.44	20.23
Conducted Power (Watts)	0.1076	0.1107	0.1054
EIRP(dBm)	19.32	19.44	19.23
EIRP(Watts)	0.0855	0.0879	0.0838



LTE Band 41 CA (GT - LC = -1.00 dB) QPSK									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.55	22.50	22.44	22.22	22.45	22.15	22.51	22.54	22.10
Conducted Power (Watts)	0.1799	0.1778	0.1754	0.1667	0.1758	0.1641	0.1782	0.1795	0.1622
EIRP(dBm)	21.55	21.50	21.44	21.22	21.45	21.15	21.51	21.54	21.10
EIRP(Watts)	0.1429	0.1413	0.1393	0.1324	0.1396	0.1303	0.1416	0.1426	0.1288

LTE Band 41 CA (GT - LC = -1.00 dB) QPSK									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.29	22.55	22.13	23.49	23.52	23.08	23.44	23.55	23.25
Conducted Power (Watts)	0.1694	0.1799	0.1633	0.2234	0.2249	0.2032	0.2208	0.2265	0.2113
EIRP(dBm)	21.29	21.55	21.13	22.49	22.52	22.08	22.44	22.55	22.25
EIRP(Watts)	0.1346	0.1429	0.1297	0.1774	0.1786	0.1614	0.1754	0.1799	0.1679



LTE Band 41 CA (GT - LC = -1.00 dB) QPSK						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.67	23.56	23.24	23.51	23.12	22.95
Conducted Power (Watts)	0.2328	0.2270	0.2109	0.2244	0.2051	0.1972
EIRP(dBm)	22.67	22.56	22.24	22.51	22.12	21.95
EIRP(Watts)	0.1849	0.1803	0.1675	0.1782	0.1629	0.1567

LTE Band 41 CA (GT - LC = -1.00 dB) QPSK						
Bandwidth	15M+10M			10M+15M		
Channel PCC	39725	40571	41417	39703	40549	41395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39845	40691	41537	39823	40669	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.57	22.52	22.10	22.51	22.52	22.28
Conducted Power (Watts)	0.1807	0.1786	0.1622	0.1782	0.1786	0.1690
EIRP(dBm)	21.57	21.52	21.10	21.51	21.52	21.28
EIRP(Watts)	0.1435	0.1419	0.1288	0.1416	0.1419	0.1343

LTE Band 41 CA (GT - LC = -1.00 dB) 16QAM									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.82	21.84	21.64	21.39	21.72	21.60	21.80	21.83	21.40
Conducted Power (Watts)	0.1521	0.1528	0.1459	0.1377	0.1486	0.1445	0.1514	0.1524	0.1380
EIRP(dBm)	20.82	20.84	20.64	20.39	20.72	20.60	20.80	20.83	20.40
EIRP(Watts)	0.1208	0.1213	0.1159	0.1094	0.1180	0.1148	0.1202	0.1211	0.1096

LTE Band 41 CA (GT - LC = -1.00 dB) 16QAM									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.43	21.30	21.47	21.88	21.83	21.46	22.76	22.77	22.68
Conducted Power (Watts)	0.1390	0.1349	0.1403	0.1542	0.1524	0.1400	0.1888	0.1892	0.1854
EIRP(dBm)	20.43	20.30	20.47	20.88	20.83	20.46	21.76	21.77	21.68
EIRP(Watts)	0.1104	0.1072	0.1114	0.1225	0.1211	0.1112	0.1500	0.1503	0.1472



LTE Band 41 CA (GT - LC = -1.00 dB) 16QAM						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.83	22.88	22.61	22.87	22.70	22.33
Conducted Power (Watts)	0.1919	0.1941	0.1824	0.1936	0.1862	0.1710
EIRP(dBm)	21.83	21.88	21.61	21.87	21.70	21.33
EIRP(Watts)	0.1524	0.1542	0.1449	0.1538	0.1479	0.1358

LTE Band 41 CA (GT - LC = -1.00 dB) 16QAM						
Bandwidth	15M+10M			10M+15M		
Channel PCC	39725	40571	41417	39703	40549	41395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39845	40691	41537	39823	40669	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.82	21.74	21.46	21.61	21.62	21.48
Conducted Power (Watts)	0.1521	0.1493	0.1400	0.1449	0.1452	0.1406
EIRP(dBm)	20.82	20.74	20.46	20.61	20.62	20.48
EIRP(Watts)	0.1208	0.1186	0.1112	0.1151	0.1153	0.1117



LTE Band 41 CA (GT - LC = -1.00 dB) 64QAM									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.75	19.75	19.59	19.45	19.76	19.61	19.51	19.64	19.20
Conducted Power (Watts)	0.0944	0.0944	0.0910	0.0881	0.0946	0.0914	0.0893	0.0920	0.0832
EIRP(dBm)	18.75	18.75	18.59	18.45	18.76	18.61	18.51	18.64	18.20
EIRP(Watts)	0.0750	0.0750	0.0723	0.0700	0.0752	0.0726	0.0710	0.0731	0.0661

LTE Band 41 CA (GT - LC = -1.00 dB) 64QAM									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.44	19.75	19.53	19.70	19.65	19.19	20.66	20.76	20.58
Conducted Power (Watts)	0.0879	0.0944	0.0897	0.0933	0.0923	0.0830	0.1164	0.1191	0.1143
EIRP(dBm)	18.44	18.75	18.53	18.70	18.65	18.19	19.66	19.76	19.58
EIRP(Watts)	0.0698	0.0750	0.0713	0.0741	0.0733	0.0659	0.0925	0.0946	0.0908



LTE Band 41 CA (GT - LC = -1.00 dB) 64QAM						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.60	20.74	20.53	22.16	22.27	21.96
Conducted Power (Watts)	0.1148	0.1186	0.1130	0.1644	0.1687	0.1570
EIRP(dBm)	19.60	19.74	19.53	21.16	21.27	20.96
EIRP(Watts)	0.0912	0.0942	0.0897	0.1306	0.1340	0.1247

LTE Band 41 CA (GT - LC = -1.00 dB) 64QAM						
Bandwidth	15M+10M			10M+15M		
Channel PCC	39725	40571	41417	39703	40549	41395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39845	40691	41537	39823	40669	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.71	19.72	19.62	19.38	19.55	19.54
Conducted Power (Watts)	0.0935	0.0938	0.0916	0.0867	0.0902	0.0899
EIRP(dBm)	18.71	18.72	18.62	18.38	18.55	18.54
EIRP(Watts)	0.0743	0.0745	0.0728	0.0689	0.0716	0.0714

Peak-to-Average Ratio

Mode	LTE Band 2 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.59	4.58	5.01	6	PASS
Middle CH	3.59	4.55	5.22	5.97	
Highest CH	3.59	4.55	4.99	5.86	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.36	5.94	PASS		
Middle CH	5.16	5.91			
Highest CH	5.19	5.86			

Mode	LTE Band 4 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.54	4.58	5.22	5.97	PASS
Middle CH	3.54	4.55	5.36	5.86	
Highest CH	3.54	4.58	5.51	5.86	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.16	5.91	PASS		
Middle CH	5.22	5.83			
Highest CH	5.36	5.88			

Mode	LTE Band 5 / 10MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.54	4.35	4.35	5.59	PASS
Middle CH	3.54	4.64	4.61	5.91	
Highest CH	3.59	4.64	5.22	5.91	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	4.38	5.74	PASS		
Middle CH	4.72	5.94			
Highest CH	5.33	5.97			



Mode	LTE Band 7 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.54	4.58	5.13	5.97	PASS
Middle CH	3.51	4.49	5.25	5.88	
Highest CH	3.48	4.52	5.19	5.86	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.39	5.94	PASS		
Middle CH	5.42	5.88			
Highest CH	5.22	5.88			

Mode	LTE Band 12 / 10MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.57	4.64	5.04	5.8	PASS
Middle CH	3.62	4.55	4.55	5.86	
Highest CH	3.59	4.52	5.54	5.74	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.36	5.83	PASS		
Middle CH	4.90	5.88			
Highest CH	5.51	5.77			

Mode	LTE Band 13 / 10MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	-	-	-	-	PASS
Middle CH	3.62	4.43	5.25	5.59	
Highest CH	-	-	-	-	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	-	-	PASS		
Middle CH	5.25	5.88			
Highest CH	-	-			



Mode	LTE Band 17 / 10MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.68	4.61	5.22	5.86	PASS
Middle CH	3.62	4.67	5.57	5.94	
Highest CH	3.59	4.61	5.3	5.86	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.45	5.88	PASS		
Middle CH	5.25	5.94			
Highest CH	5.25	5.88			

Mode	LTE Band 25 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.57	4.61	5.51	5.97	PASS
Middle CH	3.59	4.58	5.36	5.94	
Highest CH	3.57	4.64	5.16	5.88	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.42	5.94	PASS		
Middle CH	5.22	5.86			
Highest CH	5.13	5.91			

Mode	LTE Band 26 / 15MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.57	4.55	4.78	5.77	PASS
Middle CH	3.51	4.52	5.16	5.62	
Highest CH	3.57	4.72	5.22	6.00	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	4.90	5.77	PASS		
Middle CH	5.45	5.54			
Highest CH	5.33	5.91			



Mode	LTE Band 38 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.14	5.59	5.59	6.38	PASS
Middle CH	3.68	6.23	5.54	6.09	
Highest CH	4.14	5.83	5.8	6.06	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.42	6.23	PASS		
Middle CH	5.39	6.58			
Highest CH	5.42	6.41			

Mode	LTE Band 41 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.81	6.61	6.41	7.3	PASS
Middle CH	4.87	4.64	5.59	7.07	
Highest CH	4.55	5.42	5.22	7.65	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	6.03	6.41	PASS		
Middle CH	6.43	7.42			
Highest CH	5.16	6.67			

Mode	LTE Band 66 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.65	4.58	5.39	5.88	PASS
Middle CH	3.62	4.61	5.57	6	
Highest CH	3.59	4.52	4.99	5.88	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.39	5.94	PASS		
Middle CH	5.25	5.94			
Highest CH	5.39	5.86			



Mode	LTE Band 71 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.57	4.46	3.59	4.43	PASS
Middle CH	3.57	4.55	3.59	4.52	
Highest CH	3.57	4.52	3.57	4.49	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	3.57	4.43	PASS		
Middle CH	3.57	4.58			
Highest CH	3.54	4.52			



LTE Band 2 / 20MHz / QPSK


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 2 / 20MHz / 16QAM


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB








Highest Channel / 1RB



Highest Channel / Full RB




LTE Band 2 / 20MHz / 64QAM
Lowest Channel / 1RB

Lowest Channel / Full RB

Middle Channel / 1RB

Middle Channel / Full RB

Highest Channel / 1RB

Highest Channel / Full RB





LTE Band 4 / 20MHz / QPSK


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 4 / 20MHz / 16QAM


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 4 / 20MHz / 64QAM


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB




Highest Channel / 1RB




Highest Channel / Full RB




LTE Band 5 / 10MHz / QPSK
Lowest Channel / 1RB



Date: 20 JUL 2018 16:40:12

Lowest Channel / Full RB


Date: 20 JUL 2018 16:40:21

Middle Channel / 1RB



Date: 20 JUL 2018 16:40:30

Middle Channel / Full RB



Date: 20 JUL 2018 16:40:39

Highest Channel / 1RB



Date: 20 JUL 2018 16:40:48

Highest Channel / Full RB



Date: 20 JUL 2018 16:40:57

LTE Band 5 / 10MHz / 16QAM
Lowest Channel / 1RB



Date: 20 JUL 2018 16:39:15

Lowest Channel / Full RB



Date: 20 JUL 2018 16:39:24

Middle Channel / 1RB



Date: 20 JUL 2018 16:39:33

Middle Channel / Full RB


Date: 20 JUL 2018 16:39:45

Highest Channel / 1RB


Date: 20 JUL 2018 16:39:54

Highest Channel / Full RB


Date: 20 JUL 2018 16:40:03



LTE Band 5 / 10MHz / 64QAM


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 7 / 20MHz / QPSK


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB









Highest Channel / 1RB



Highest Channel / Full RB




LTE Band 7 / 20MHz / 16QAM
Lowest Channel / 1RB

Lowest Channel / Full RB

Middle Channel / 1RB

Middle Channel / Full RB

Highest Channel / 1RB

Highest Channel / Full RB





LTE Band 7 / 20MHz / 64QAM


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 12 / 10MHz / QPSK


Lowest Channel / 1RB




Lowest Channel / Full RB



Middle Channel / 1RB



Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB





LTE Band 12 / 10MHz / 16QAM

Lowest Channel / 1RB




Date: 23 JUL 2018 13:38:59

Lowest Channel / Full RB




Date: 23 JUL 2018 13:42:31

Middle Channel / 1RB



Date: 23 JUL 2018 13:42:58

Middle Channel / Full RB



Date: 23 JUL 2018 13:43:26

Highest Channel / 1RB



Date: 23 JUL 2018 13:44:05

Highest Channel / Full RB




Date: 23 JUL 2018 13:44:23




LTE Band 12 / 10MHz / 64QAM

Lowest Channel / 1RB



Lowest Channel / Full RB




Middle Channel / 1RB



Middle Channel / Full RB



Highest Channel / 1RB



Highest Channel / Full RB






LTE Band 13 / 10MHz / QPSK

Middle Channel/ 1RB



Middle Channel / Full RB



LTE Band 13 / 10MHz / 16QAM

Middle Channel/ 1RB



Middle Channel / Full RB

