






# 11.3. APPENDIX C: MIN EMISSION BANDWIDTH 11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A		5720	16.36	5711.80	5728.16	≥0.5	PASS
		5720_UNII-3	3.16	5725	5728.16	≥0.5	PASS
	Ant1	5745	16.56	5736.72	5753.28	≥0.5	PASS
		5785	16.60	5776.68	5793.28	≥0.5	PASS
		5825	16.60	5816.68	5833.28	≥0.5	PASS
		5720	17.84	5711.08	5728.92	≥0.5	PASS
		5720_UNII-3	3.92	5725	5728.92	≥0.5	PASS
11N20SISO	Ant1	5745	17.72	5736.16	5753.88	≥0.5	PASS
		5785	17.84	5776.08	5793.92	≥0.5	PASS
		5825	17.84	5816.08	5833.92	≥0.5	PASS
	Ant1	5710	36.32	5691.84	5728.16	≥0.5	PASS
441400100		5710_UNII-3	3.16	5725	5728.16	≥0.5	PASS
11N40SISO		5755	36.32	5736.84	5773.16	≥0.5	PASS
		5795	36.32	5776.84	5813.16	≥0.5	PASS
	Ant1	5690	76.48	5651.76	5728.24	≥0.5	PASS
11AC80SISO		5690_UNII-3	3.24	5725	5728.24	≥0.5	PASS
		5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant1	5720	19.08	5710.48	5729.56	≥0.5	PASS
		5720_UNII-3	4.56	5725	5729.56	≥0.5	PASS
11AX20SISO		5745	19.20	5735.40	5754.60	≥0.5	PASS
		5785	19.04	5775.48	5794.52	≥0.5	PASS
		5825	19.16	5815.40	5834.56	≥0.5	PASS
11AX40SISO	Ant1	5710	37.92	5691.12	5729.04	≥0.5	PASS
		5710_UNII-3	4.04	5725	5729.04	≥0.5	PASS
		5755	38.08	5735.96	5774.04	≥0.5	PASS
		5795	38.00	5776.04	5814.04	≥0.5	PASS
11AX80SISO	Ant1	5690	77.92	5650.96	5728.88	≥0.5	PASS
		5690_UNII-3	3.88	5725	5728.88	≥0.5	PASS
		5775	77.76	5735.96	5813.72	≥0.5	PASS




#### 11.3.2. Test Graphs































Page 360 of 398

# 11.4. APPENDIX D: MAXIMUM AVERAGE CONDUCTED OUTPUT POWER 11.4.1. Test Result

			Power	FCC	ISED	EIRP	Limit	
Test Mode	Antenna	Frequency[MHz]	[dBm]	Limit	Limit	[dBm]	[dBm]	Verdict
		5400		[dBm]	[dBm]		-	DAGO
		5180	17.01	≤23.98		19.58	≤22.53	PASS
		5200	17.24	≤23.98		19.81	≤22.57	PASS
		5240	17.05	≤23.98	 <00.50	19.62	≤22.55	PASS
		5260	14.22	≤23.98	≤23.58	16.79	≤29.58	PASS
		5280 5320	14.17	≤23.98 ≤23.98	≤23.60 ≤23.60	16.74 16.15	≤29.60 ≤29.60	PASS PASS
		5500	13.58 17.40	≥23.96 ≤23.98	≤23.60	19.97	≤29.60	PASS
11A	Ant1	5580	16.36	≤23.98	≤23.56	18.93	≤29.56	PASS
		5700	15.72	≤23.98	≤23.56	18.29	≤29.56	PASS
		5720_UNII-2C	14.93	≤23.01	≤22.48	17.50	≤28.48	PASS
		5720_UNII-3	6.26	≤30.00	≤30.00	8.83		PASS
		5745	18.26	≤30.00	≤30.00	20.83		PASS
		5785	18.01	≤30.00	≤30.00	20.58		PASS
		5825	17.74	≤30.00	≤30.00	20.31		PASS
		5180	17.17	≤23.98		19.74	≤22.73	PASS
		5200	17.65	≤23.98		20.22	≤22.78	PASS
		5240	17.03	≤23.98		19.60	≤22.79	PASS
		5260	15.20	≤23.98	≤23.77	17.77	≤29.77	PASS
		5280	15.09	≤23.98	≤23.77	17.66	≤29.77	PASS
		5320	14.61	≤23.98	≤23.78	17.18	≤29.78	PASS
4411000100	A 14	5500	16.46	≤23.98	≤23.76	19.03	≤29.76	PASS
11N20SISO	Ant1	5580	15.48	≤23.98	≤23.73	18.05	≤29.73	PASS
		5700	14.73	≤23.98	≤23.74	17.30	≤29.74	PASS
		5720_UNII-2C	13.68	≤22.98	≤22.57	16.25	≤28.57	PASS
		5720_UNII-3	5.54	≤30.00	≤30.00	8.11		PASS
		5745	18.43	≤30.00	≤30.00	21.00		PASS
		5785	18.47	≤30.00	≤30.00	21.04		PASS
		5825	17.99	≤30.00	≤30.00	20.56		PASS
		5190	15.70	≤23.98		18.27	≤23.00	PASS
		5230	15.33	≤23.98		17.90	≤23.00	PASS
		5270	15.11	≤23.98	≤23.98	17.68	≤30.00	PASS
		5310	14.76	≤23.98	≤23.98	17.33	≤30.00	PASS
441400100		5510	16.51	≤23.98	≤23.98	19.08	≤30.00	PASS
11N40SISO	Ant1	5550	16.65	≤23.98	≤23.98	19.22	≤30.00	PASS
		5670	15.78	≤23.98	≤23.98 ≤23.98	18.35	≤30.00	PASS PASS
		5710_UNII-2C 5710_UNII-3	14.17 1.35	≤23.98 ≤30.00	≤30.00	16.74 3.92	≤30.00	PASS
		5710_01411-3 5755	18.67	≤30.00	≤30.00	21.24		PASS
		5795	18.18	≤30.00	≤30.00	20.75		PASS
		5210	16.09	≤23.98		18.66	≤23.00	PASS
	Ant1	5290	15.66	≤23.98	≤23.98	18.23	≤30.00	PASS
		5530	16.08	≤23.98	≤23.98	18.65	≤30.00	PASS
11AC80SISO		5610	15.84	≤23.98	≤23.98	18.41	≤30.00	PASS
		5690_UNII-2C	15.43	≤23.98	≤23.98	18.00	≤30.00	PASS
		5690_UNII-3	-2.06	≤30.00	≤30.00	0.51		PASS
		5775	18.16	≤30.00	≤30.00	20.73		PASS
		5180	17.65	≤23.98		20.22	≤22.90	PASS
		5200	17.40	≤23.98		19.97	≤22.89	PASS
	Ant1	5240	18.27	≤23.98		20.84	≤22.93	PASS
		5260	18.05	≤23.98	≤23.94	20.62	≤29.94	PASS
		5280	17.54	≤23.98	≤23.88	20.11	≤29.88	PASS
11AX20SISO		5320	16.79	≤23.98	≤23.89	19.36	≤29.89	PASS
		5500	15.21	≤23.98	≤23.91	17.78	≤29.91	PASS
		5580	14.69	≤23.98	≤23.90	17.26	≤29.90	PASS
	-	5700	14.65	≤23.98	≤23.92	17.22	≤29.92	PASS
		5720_UNII-2C	13.58	≤22.96	≤22.68	16.15	≤28.68	PASS
		5720_UNII-3	5.31	≤30.00	≤30.00	7.88		PASS






		5745	18.49	≤30.00	≤30.00	21.06		PASS
		5785	18.52	≤30.00	≤30.00	21.09		PASS
		5825	18.06	≤30.00	≤30.00	20.63		PASS
		5190	16.08	≤23.98		18.65	≤23.00	PASS
		5230	15.77	≤23.98		18.34	≤23.00	PASS
		5270	16.24	≤23.98	≤23.98	18.81	≤30.00	PASS
	Ant1	5310	15.97	≤23.98	≤23.98	18.54	≤30.00	PASS
		5510	16.24	≤23.98	≤23.98	18.81	≤30.00	PASS
11AX40SISO		5550	17.03	≤23.98	≤23.98	19.60	≤30.00	PASS
		5670	18.12	≤23.98	≤23.98	20.69	≤30.00	PASS
		5710_UNII-2C	16.19	≤23.98	≤23.98	18.76	≤30.00	PASS
		5710_UNII-3	3.52	≤30.00	≤30.00	6.09		PASS
		5755	18.60	≤30.00	≤30.00	21.17		PASS
		5795	18.13	≤30.00	≤30.00	20.70		PASS
11AX80SISO	Ant1	5210	15.77	≤23.98		18.34	≤23.00	PASS
		5290	15.53	≤23.98	≤23.98	18.10	≤30.00	PASS
		5530	15.50	≤23.98	≤23.98	18.07	≤30.00	PASS
		5610	15.40	≤23.98	≤23.98	17.97	≤30.00	PASS
		5690_UNII-2C	15.15	≤23.98	≤23.98	17.72	≤30.00	PASS
		5690_UNII-3	-2.03	≤30.00	≤30.00	0.54		PASS
		5775	17.94	≤30.00	≤30.00	20.51		PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor


<sup>2.</sup> The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.




### 11.4.2. Test Graphs


















Page 366 of 398

#### 11AX80SISO\_Ant1\_5690\_UNII-3

Page 367 of 398

# 11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result

			Power	Limit	EIRP	Limit	V
Test Mode	Antenna	Frequency[MHz]	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	Verdict
		5180	6.04	≤11.00	8.61	≤10.00	PASS
		5200	5.96	≤11.00	8.53	≤10.00	PASS
		5240	5.68	≤11.00	8.25	≤10.00	PASS
		5260	3.12	≤11.00	5.69		PASS
		5280	3.17	≤11.00	5.74		PASS
		5320	2.61	≤11.00	5.18		PASS
11A	Ant1	5500	6.11	≤11.00	8.68		PASS
		5580	5.11	≤11.00	7.68		PASS
		5700 5720_UNII-2C	4.62 4.59	≤11.00 ≤11.00	7.19 7.16		PASS PASS
		5720_UNII-3	0.81	≤30.00	3.38		PASS
		5745	4.01	≤30.00	6.58		PASS
		5785	4.36	≤30.00	6.93		PASS
		5825	4.01	≤30.00	6.58		PASS
		5180	5.74	≤11.00	8.31	≤10.00	PASS
		5200	6.03	≤11.00	8.60	≤10.00	PASS
		5240	5.73	≤11.00	8.30	≤10.00	PASS
		5260	3.58	≤11.00	6.15		PASS
		5280	3.66	≤11.00	6.23		PASS
		5320	3.09	≤11.00	5.66		PASS
441000000	A := 4.4	5500	5.47	≤11.00	8.04		PASS
11N20SISO	Ant1	5580	4.56	≤11.00	7.13		PASS
		5700	3.89	≤11.00	6.46		PASS
		5720_UNII-2C	3.57	≤11.00	6.14		PASS
		5720_UNII-3	0.38	≤30.00	2.95		PASS
		5745	4.28	≤30.00	6.85		PASS
		5785	4.07	≤30.00	6.64		PASS
		5825	4.00	≤30.00	6.57		PASS
		5190	1.92	≤11.00	4.49	≤10.00	PASS
		5230	1.29	≤11.00	3.86	≤10.00	PASS
		5270	0.55	≤11.00	3.12		PASS
		5310	0.69	≤11.00	3.26		PASS
		5510	2.26	≤11.00	4.83		PASS
11N40SISO	Ant1	5550	2.11	≤11.00	4.68		PASS
		5670	1.48	≤11.00	4.05		PASS
		5710_UNII-2C	0.56	≤11.00	3.13		PASS
		5710_UNII-3	-2.87	≤30.00	-0.30		PASS
		5755 5705	1.37	≤30.00 ≤30.00	3.94		PASS
		5795 5210	1.37 -0.66	≤30.00 ≤11.00	3.94 1.91	 ≤10.00	PASS
	Ant1	5210	-1.49	≤11.00 ≤11.00	1.91	≥ 10.00 	PASS PASS
		5530	-1.49	≤11.00 ≤11.00	1.11		PASS
11AC80SISO		5610	-1.37	≤11.00 ≤11.00	1.20		PASS
11/10000100	, , , , ,	5690_UNII-2C	-1.14	≤11.00	1.43		PASS
		5690_UNII-3	-5.53	≤30.00	-2.96		PASS
	1	5775	-1.96	≤30.00	0.61		PASS
		5180	6.08	≤11.00	8.65	≤10.00	PASS
		5200	6.05	≤11.00	8.62	≤10.00	PASS
		5240	6.59	≤11.00	9.16	≤10.00	PASS
	1	5260	6.33	≤11.00	8.90		PASS
	Ant1	5280	5.88	≤11.00	8.45		PASS
114700000		5320	5.01	≤11.00	7.58		PASS
11AX20SISO		5500	3.86	≤11.00	6.43		PASS
	1	5580	3.05	≤11.00	5.62		PASS
		5700	2.64	≤11.00	5.21		PASS
		5720_UNII-2C	2.79	≤11.00	5.36		PASS
		5720_UNII-3	0.31	≤30.00	2.88		PASS
		5745	4.25	≤30.00	6.82		PASS



Page 368 of 398

		5785	4.10	≤30.00	6.67		PASS
		5825	4.02	≤30.00	6.59		PASS
		5190	2.11	≤11.00	4.68	≤10.00	PASS
		5230	1.37	≤11.00	3.94	≤10.00	PASS
		5270	1.63	≤11.00	4.20		PASS
		5310	1.55	≤11.00	4.12		PASS
		5510	1.75	≤11.00	4.32		PASS
11AX40SISO	Ant1	5550	2.30	≤11.00	4.87		PASS
		5670	3.76	≤11.00	6.33		PASS
		5710_UNII-2C	2.21	≤11.00	4.78		PASS
		5710_UNII-3	-0.97	≤30.00	1.60		PASS
		5755	1.31	≤30.00	3.88		PASS
		5795	0.68	≤30.00	3.25		PASS
11AX80SISO		5210	-1.27	≤11.00	1.30	≤10.00	PASS
	Ant1	5290	-1.83	≤11.00	0.74		PASS
		5530	-1.60	≤11.00	0.97		PASS
		5610	-2.44	≤11.00	0.13		PASS
		5690_UNII-2C	-2.19	≤11.00	0.38		PASS
		5690_UNII-3	-6.49	≤30.00	-3.92		PASS
		5775	-1.93	≤30.00	0.64		PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2. The Duty Cycle Factor and RBW Factor is compensated in the graph.



### 11.5.2. Test Graphs

