













Mode	28																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.35</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>41.50</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>100 358 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>57.36</td><td>68.20</td><td>-10.84</td><td>44.28</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100 358 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.35	54.32	74.00	-19.68	41.50	34.66	9.93	31.77	0.00	100 358 PEAK	2	5470.00	57.36	68.20	-10.84	44.28	34.76	10.04	31.72	0.00	100 358 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5381.35	54.32	74.00	-19.68	41.50	34.66	9.93	31.77	0.00	100 358 PEAK																																																								
2	5470.00	57.36	68.20	-10.84	44.28	34.76	10.04	31.72	0.00	100 358 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.19</td><td>-----</td><td>-----</td><td>98.11</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>100 358 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.19	-----	-----	98.11	34.71	10.08	31.71	0.00	100 358 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	111.19	-----	-----	98.11	34.71	10.08	31.71	0.00	100 358 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.80</td><td>44.15</td><td>54.00</td><td>-9.85</td><td>31.07</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100 358 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	44.15	54.00	-9.85	31.07	34.78	10.03	31.73	0.00	100 358 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.80	44.15	54.00	-9.85	31.07	34.78	10.03	31.73	0.00	100 358 AVERAGE																																																								
AVERAGE																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.17</td><td>-----</td><td>-----</td><td>98.09</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>100 358 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.17	-----	-----	98.09	34.71	10.08	31.71	0.00	100 358 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	103.17	-----	-----	98.09	34.71	10.08	31.71	0.00	100 358 AVERAGE																																																								




Mode	28																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																	
ANT	CDD 8+10																																																																																																	
Pol.	Horizontal																																																																																																	
Peak Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7694.50</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>60.05</td><td>35.89</td><td>12.05</td><td>60.77</td><td>0.00</td><td>103 245 PEAK</td></tr><tr><td>2</td><td>7694.50</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>60.41</td><td>35.89</td><td>12.05</td><td>60.77</td><td>0.00</td><td>103 245 AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>55.29</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>--- --- PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7694.50	55.22	74.00	-18.78	60.05	35.89	12.05	60.77	0.00	103 245 PEAK	2	7694.50	47.58	54.00	-6.42	60.41	35.89	12.05	60.77	0.00	103 245 AVERAGE	3	11000.00	46.63	74.00	-27.37	55.29	38.00	14.56	61.22	0.00	--- --- PEAK																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	7694.50	55.22	74.00	-18.78	60.05	35.89	12.05	60.77	0.00	103 245 PEAK																																																																																								
2	7694.50	47.58	54.00	-6.42	60.41	35.89	12.05	60.77	0.00	103 245 AVERAGE																																																																																								
3	11000.00	46.63	74.00	-27.37	55.29	38.00	14.56	61.22	0.00	--- --- PEAK																																																																																								
Vertical																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7418.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>58.53</td><td>35.70</td><td>11.75</td><td>60.97</td><td>0.00</td><td>100 306 Peak</td></tr><tr><td>2</td><td>7694.50</td><td>55.46</td><td>74.00</td><td>-18.54</td><td>60.29</td><td>35.89</td><td>12.05</td><td>60.77</td><td>0.00</td><td>100 308 PEAK</td></tr><tr><td>3</td><td>7694.50</td><td>47.82</td><td>54.00</td><td>-6.18</td><td>60.65</td><td>35.89</td><td>12.05</td><td>60.77</td><td>0.00</td><td>100 308 AVERAGE</td></tr><tr><td>4</td><td>11000.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>58.52</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>100 308 PEAK</td></tr><tr><td>5</td><td>11000.00</td><td>41.04</td><td>54.00</td><td>-12.96</td><td>49.70</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>100 308 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7418.00	45.01	74.00	-28.99	58.53	35.70	11.75	60.97	0.00	100 306 Peak	2	7694.50	55.46	74.00	-18.54	60.29	35.89	12.05	60.77	0.00	100 308 PEAK	3	7694.50	47.82	54.00	-6.18	60.65	35.89	12.05	60.77	0.00	100 308 AVERAGE	4	11000.00	49.86	74.00	-24.14	58.52	38.00	14.56	61.22	0.00	100 308 PEAK	5	11000.00	41.04	54.00	-12.96	49.70	38.00	14.56	61.22	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	7418.00	45.01	74.00	-28.99	58.53	35.70	11.75	60.97	0.00	100 306 Peak																																																																																								
2	7694.50	55.46	74.00	-18.54	60.29	35.89	12.05	60.77	0.00	100 308 PEAK																																																																																								
3	7694.50	47.82	54.00	-6.18	60.65	35.89	12.05	60.77	0.00	100 308 AVERAGE																																																																																								
4	11000.00	49.86	74.00	-24.14	58.52	38.00	14.56	61.22	0.00	100 308 PEAK																																																																																								
5	11000.00	41.04	54.00	-12.96	49.70	38.00	14.56	61.22	0.00	100 308 AVERAGE																																																																																								







Mode	29																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.72</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>40.62</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>103</td><td>109 PEAK</td></tr><tr><td>2</td><td>5466.61</td><td>52.49</td><td>68.20</td><td>-15.71</td><td>39.40</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>103</td><td>109 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.72	53.70	74.00	-20.30	40.62	34.79	10.02	31.73	0.00	103	109 PEAK	2	5466.61	52.49	68.20	-15.71	39.40	34.77	10.04	31.72	0.00	103	109 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>112.64</td><td>-----</td><td>-----</td><td>99.48</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>103</td><td>109 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	112.64	-----	-----	99.48	34.60	10.22	31.66	0.00	103	109 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.72	53.70	74.00	-20.30	40.62	34.79	10.02	31.73	0.00	103	109 PEAK																																																																																																						
2	5466.61	52.49	68.20	-15.71	39.40	34.77	10.04	31.72	0.00	103	109 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	112.64	-----	-----	99.48	34.60	10.22	31.66	0.00	103	109 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.66</td><td>42.60</td><td>54.00</td><td>-11.40</td><td>29.60</td><td>34.76</td><td>9.98</td><td>31.74</td><td>0.00</td><td>103</td><td>109 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.66	42.60	54.00	-11.40	29.60	34.76	9.98	31.74	0.00	103	109 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>104.88</td><td>-----</td><td>-----</td><td>91.72</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>103</td><td>109 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	104.88	-----	-----	91.72	34.60	10.22	31.66	0.00	103	109 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5428.66	42.60	54.00	-11.40	29.60	34.76	9.98	31.74	0.00	103	109 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	104.88	-----	-----	91.72	34.60	10.22	31.66	0.00	103	109 AVERAGE																																																																																																						




Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.01</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>42.41</td><td>34.60</td><td>10.37</td><td>31.93</td><td>0.00</td><td>103</td><td>109 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.01	55.45	68.20	-12.75	42.41	34.60	10.37	31.93	0.00	103	109 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5760.01	55.45	68.20	-12.75	42.41	34.60	10.37	31.93	0.00	103	109 PEAK																																													





		29																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																					
ANT		CDD 8+10																																																																																																					
Pol.		Vertical					Fundamental																																																																																																
Peak																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.22	54.24	74.00	-19.76	41.28	34.74	9.97	31.75	0.00	114 219 PEAK	2	5467.07	52.92	68.20	-15.28	39.83	34.77	10.04	31.72	0.00	114 219 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	109.85	-----	-----	96.69	34.60	10.22	31.66	0.00	114 219 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5422.22	54.24	74.00	-19.76	41.28	34.74	9.97	31.75	0.00	114 219 PEAK																																																																																													
2	5467.07	52.92	68.20	-15.28	39.83	34.77	10.04	31.72	0.00	114 219 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5580.00	109.85	-----	-----	96.69	34.60	10.22	31.66	0.00	114 219 PEAK																																																																																													
Avg																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.12	42.46	54.00	-11.54	29.46	34.76	9.98	31.74	0.00	114 219 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	103.25	-----	-----	90.09	34.60	10.22	31.66	0.00	114 219 AVERAGE															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5429.12	42.46	54.00	-11.54	29.46	34.76	9.98	31.74	0.00	114 219 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5580.00	103.25	-----	-----	90.09	34.60	10.22	31.66	0.00	114 219 AVERAGE																																																																																													






Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.60</td><td>54.71</td><td>68.20</td><td>-13.49</td><td>41.67</td><td>34.60</td><td>10.37</td><td>31.93</td><td>0.00</td><td>114</td><td>219</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.60	54.71	68.20	-13.49	41.67	34.60	10.37	31.93	0.00	114	219	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5762.60	54.71	68.20	-13.49	41.67	34.60	10.37	31.93	0.00	114	219	PEAK																																												






		29																																																																															
Mode		Harmonic																																																																															
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																															
ANT		CDD 8+10																																																																															
Pol.		Horizontal																																																																															
Peak Avg																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7503.20	43.91	74.00	-30.09	57.49	35.70	11.85	61.13	0.00	100	246 Peak	2	7806.50	53.03	68.20	-15.17	65.52	35.90	12.16	60.55	0.00	100	239 Peak	3	11160.00	46.83	74.00	-27.17	55.36	38.00	14.68	61.21	0.00	---	--- PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	7503.20	43.91	74.00	-30.09	57.49	35.70	11.85	61.13	0.00	100	246 Peak																																																																						
2	7806.50	53.03	68.20	-15.17	65.52	35.90	12.16	60.55	0.00	100	239 Peak																																																																						
3	11160.00	46.83	74.00	-27.17	55.36	38.00	14.68	61.21	0.00	---	--- PEAK																																																																						
		Vertical																																																																															
Peak Avg																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7503.00	43.58	74.00	-30.42	57.17	35.70	11.85	61.14	0.00	100	309 Peak	2	7806.42	54.76	68.20	-13.44	67.25	35.90	12.16	60.55	0.00	100	306 PEAK	3	11160.00	48.69	74.00	-25.31	57.22	38.00	14.68	61.21	0.00	100	306 PEAK	4	11160.00	38.89	54.00	-15.11	47.42	38.00	14.68	61.21	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	7503.00	43.58	74.00	-30.42	57.17	35.70	11.85	61.14	0.00	100	309 Peak																																																																						
2	7806.42	54.76	68.20	-13.44	67.25	35.90	12.16	60.55	0.00	100	306 PEAK																																																																						
3	11160.00	48.69	74.00	-25.31	57.22	38.00	14.68	61.21	0.00	100	306 PEAK																																																																						
4	11160.00	38.89	54.00	-15.11	47.42	38.00	14.68	61.21	0.00	100	306 AVERAGE																																																																						





Mode	30																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																			
ANT	CDD 8+10																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.52</td><td>58.74</td><td>68.20</td><td>-9.46</td><td>45.63</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td><td>100</td><td>106</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.52	58.74	68.20	-9.46	45.63	34.60	10.35	31.84	0.00	100	106	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.11</td><td>-----</td><td>-----</td><td>97.97</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>106</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.11	-----	-----	97.97	34.60	10.33	31.79	0.00	100	106	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5726.52	58.74	68.20	-9.46	45.63	34.60	10.35	31.84	0.00	100	106	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	111.11	-----	-----	97.97	34.60	10.33	31.79	0.00	100	106	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.63</td><td>-----</td><td>-----</td><td>90.48</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>100</td><td>106</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.63	-----	-----	90.48	34.60	10.32	31.77	0.00	100	106	AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	103.63	-----	-----	90.48	34.60	10.32	31.77	0.00	100	106	AVERAGE																																																																																								







Mode	30																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																							
ANT	CDD 8+10																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.93</td><td>58.16</td><td>68.20</td><td>-10.04</td><td>45.06</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>216</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.93	58.16	68.20	-10.04	45.06	34.60	10.35	31.85	0.00	100	216	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.15</td><td>-----</td><td>-----</td><td>97.00</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>100</td><td>216</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	110.15	-----	-----	97.00	34.60	10.32	31.77	0.00	100	216
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5728.93	58.16	68.20	-10.04	45.06	34.60	10.35	31.85	0.00	100	216	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	110.15	-----	-----	97.00	34.60	10.32	31.77	0.00	100	216	PEAK																																																																																												
Avg	Blank																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.55</td><td>-----</td><td>-----</td><td>89.41</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>216</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.55	-----	-----	89.41	34.60	10.33	31.79	0.00	100	216	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	102.55	-----	-----	89.41	34.60	10.33	31.79	0.00	100	216	AVERAGE																																																																																												



Mode	30																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																															
ANT	CDD 8+10																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7985.60</td><td>49.65</td><td>68.20</td><td>-18.55</td><td>61.62</td><td>35.83</td><td>12.40</td><td>60.20</td><td>0.00</td><td>100</td><td>246 Peak</td></tr><tr><td>2</td><td>11400.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>53.15</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7985.60	49.65	68.20	-18.55	61.62	35.83	12.40	60.20	0.00	100	246 Peak	2	11400.00	44.91	74.00	-29.09	53.15	38.10	14.85	61.19	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7974.30</td><td>50.15</td><td>68.20</td><td>-18.05</td><td>62.13</td><td>35.85</td><td>12.39</td><td>60.22</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>53.69</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7974.30	50.15	68.20	-18.05	62.13	35.85	12.39	60.22	0.00	---	PEAK	2	11400.00	45.45	74.00	-28.55	53.69	38.10	14.85	61.19	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	7985.60	49.65	68.20	-18.55	61.62	35.83	12.40	60.20	0.00	100	246 Peak																																																																																																																					
2	11400.00	44.91	74.00	-29.09	53.15	38.10	14.85	61.19	0.00	---	PEAK																																																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	7974.30	50.15	68.20	-18.05	62.13	35.85	12.39	60.22	0.00	---	PEAK																																																																																																																					
2	11400.00	45.45	74.00	-28.55	53.69	38.10	14.85	61.19	0.00	---	PEAK																																																																																																																					



Mode	31																																																																																																													
	Band Edge																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.50</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>40.81</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>104 115 PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>53.38</td><td>68.20</td><td>-14.82</td><td>40.30</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>104 115 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.50	53.63	74.00	-20.37	40.81	34.66	9.93	31.77	0.00	104 115 PEAK	2	5469.70	53.38	68.20	-14.82	40.30	34.76	10.04	31.72	0.00	104 115 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.19</td><td>-----</td><td>-----</td><td>97.10</td><td>34.69</td><td>10.10</td><td>31.70</td><td>0.00</td><td>104 115 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.19	-----	-----	97.10	34.69	10.10	31.70	0.00	104 115 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5381.50	53.63	74.00	-20.37	40.81	34.66	9.93	31.77	0.00	104 115 PEAK																																																																																																				
2	5469.70	53.38	68.20	-14.82	40.30	34.76	10.04	31.72	0.00	104 115 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	110.19	-----	-----	97.10	34.69	10.10	31.70	0.00	104 115 PEAK																																																																																																				
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.95</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>29.85</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>104 115 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.95	42.93	54.00	-11.07	29.85	34.79	10.02	31.73	0.00	104 115 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.48</td><td>-----</td><td>-----</td><td>88.39</td><td>34.69</td><td>10.10</td><td>31.70</td><td>0.00</td><td>104 115 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.48	-----	-----	88.39	34.69	10.10	31.70	0.00	104 115 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5453.95	42.93	54.00	-11.07	29.85	34.79	10.02	31.73	0.00	104 115 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	101.48	-----	-----	88.39	34.69	10.10	31.70	0.00	104 115 AVERAGE																																																																																																				



Mode	31																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.25</td><td>53.65</td><td>74.00</td><td>-20.35</td><td>40.60</td><td>34.78</td><td>10.00</td><td>31.73</td><td>0.00</td><td>101 357 PEAK</td></tr><tr><td>2</td><td>5469.25</td><td>52.98</td><td>68.20</td><td>-15.22</td><td>39.90</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>101 357 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.25	53.65	74.00	-20.35	40.60	34.78	10.00	31.73	0.00	101 357 PEAK	2	5469.25	52.98	68.20	-15.22	39.90	34.76	10.04	31.72	0.00	101 357 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5442.25	53.65	74.00	-20.35	40.60	34.78	10.00	31.73	0.00	101 357 PEAK																																																								
2	5469.25	52.98	68.20	-15.22	39.90	34.76	10.04	31.72	0.00	101 357 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.82</td><td>-----</td><td>-----</td><td>96.73</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>101 357 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.82	-----	-----	96.73	34.70	10.09	31.70	0.00	101 357 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	109.82	-----	-----	96.73	34.70	10.09	31.70	0.00	101 357 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.20</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>30.09</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>101 357 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.20	43.17	54.00	-10.83	30.09	34.78	10.03	31.73	0.00	101 357 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.20	43.17	54.00	-10.83	30.09	34.78	10.03	31.73	0.00	101 357 AVERAGE																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.85</td><td>-----</td><td>-----</td><td>87.76</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>101 357 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.85	-----	-----	87.76	34.70	10.09	31.70	0.00	101 357 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	100.85	-----	-----	87.76	34.70	10.09	31.70	0.00	101 357 AVERAGE																																																								









		32																																																															
Mode	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																
ANT	CDD 8+10																																																																
Pol.	Horizontal																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5419.45</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>40.57</td><td>34.74</td><td>9.96</td><td>31.75</td><td>0.00</td><td>112 109 PEAK</td></tr><tr><td>2</td><td>5465.50</td><td>53.60</td><td>68.20</td><td>-14.60</td><td>40.52</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>112 109 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5419.45	53.52	74.00	-20.48	40.57	34.74	9.96	31.75	0.00	112 109 PEAK	2	5465.50	53.60	68.20	-14.60	40.52	34.77	10.03	31.72	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5419.45	53.52	74.00	-20.48	40.57	34.74	9.96	31.75	0.00	112 109 PEAK																																																							
2	5465.50	53.60	68.20	-14.60	40.52	34.77	10.03	31.72	0.00	112 109 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.67</td><td>-----</td><td>-----</td><td>97.59</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>112 109 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.67	-----	-----	97.59	34.71	10.08	31.71	0.00	112 109 PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	110.67	-----	-----	97.59	34.71	10.08	31.71	0.00	112 109 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.20</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>29.76</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>112 109 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.20	42.84	54.00	-11.16	29.76	34.79	10.02	31.73	0.00	112 109 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5453.20	42.84	54.00	-11.16	29.76	34.79	10.02	31.73	0.00	112 109 AVERAGE																																																							
AVERAGE																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.62</td><td>-----</td><td>-----</td><td>88.54</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>112 109 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.62	-----	-----	88.54	34.71	10.08	31.71	0.00	112 109 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	101.62	-----	-----	88.54	34.71	10.08	31.71	0.00	112 109 AVERAGE																																																							




Mode	32																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5413.90</td><td>54.16</td><td>74.00</td><td>-19.84</td><td>41.22</td><td>34.73</td><td>9.96</td><td>31.75</td><td>0.00</td><td>103 340 PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>52.95</td><td>68.20</td><td>-15.25</td><td>39.87</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>103 340 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.90	54.16	74.00	-19.84	41.22	34.73	9.96	31.75	0.00	103 340 PEAK	2	5460.40	52.95	68.20	-15.25	39.87	34.78	10.03	31.73	0.00	103 340 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5413.90	54.16	74.00	-19.84	41.22	34.73	9.96	31.75	0.00	103 340 PEAK																																																								
2	5460.40	52.95	68.20	-15.25	39.87	34.78	10.03	31.73	0.00	103 340 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.81</td><td>-----</td><td>-----</td><td>96.73</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>103 340 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.81	-----	-----	96.73	34.71	10.08	31.71	0.00	103 340 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	109.81	-----	-----	96.73	34.71	10.08	31.71	0.00	103 340 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.65</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>29.87</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>103 340 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.65	42.95	54.00	-11.05	29.87	34.80	10.01	31.73	0.00	103 340 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5450.65	42.95	54.00	-11.05	29.87	34.80	10.01	31.73	0.00	103 340 AVERAGE																																																								
AVERAGE																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.73</td><td>-----</td><td>-----</td><td>88.65</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>103 340 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.73	-----	-----	88.65	34.71	10.08	31.71	0.00	103 340 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	101.73	-----	-----	88.65	34.71	10.08	31.71	0.00	103 340 AVERAGE																																																								







Mode	33																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5408.88</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>41.00</td><td>34.72</td><td>9.95</td><td>31.75</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr><tr><td>2</td><td>5468.68</td><td>53.44</td><td>68.20</td><td>-14.76</td><td>40.36</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5408.88	53.92	74.00	-20.08	41.00	34.72	9.95	31.75	0.00	100	100 PEAK	2	5468.68	53.44	68.20	-14.76	40.36	34.76	10.04	31.72	0.00	100	100 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>110.46</td><td>-----</td><td>-----</td><td>97.31</td><td>34.60</td><td>10.21</td><td>31.66</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	110.46	-----	-----	97.31	34.60	10.21	31.66	0.00	100	100 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5408.88	53.92	74.00	-20.08	41.00	34.72	9.95	31.75	0.00	100	100 PEAK																																																																																																						
2	5468.68	53.44	68.20	-14.76	40.36	34.76	10.04	31.72	0.00	100	100 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	110.46	-----	-----	97.31	34.60	10.21	31.66	0.00	100	100 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.25</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>29.38</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>100 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.25	42.46	54.00	-11.54	29.38	34.78	10.03	31.73	0.00	100	100 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>101.94</td><td>-----</td><td>-----</td><td>88.78</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>100</td><td>100 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	101.94	-----	-----	88.78	34.60	10.22	31.66	0.00	100	100 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.25	42.46	54.00	-11.54	29.38	34.78	10.03	31.73	0.00	100	100 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	101.94	-----	-----	88.78	34.60	10.22	31.66	0.00	100	100 AVERAGE																																																																																																						



Mode	33																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.59</td><td>56.28</td><td>68.20</td><td>-11.92</td><td>43.20</td><td>34.60</td><td>10.35</td><td>31.87</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.59	56.28	68.20	-11.92	43.20	34.60	10.35	31.87	0.00	100	100	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5735.59	56.28	68.20	-11.92	43.20	34.60	10.35	31.87	0.00	100	100	PEAK																																											





Mode	33																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.88</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>40.79</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>2</td><td>5461.32</td><td>52.96</td><td>68.20</td><td>-15.24</td><td>39.87</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.88	53.87	74.00	-20.13	40.79	34.79	10.02	31.73	0.00	100	219 PEAK	2	5461.32	52.96	68.20	-15.24	39.87	34.78	10.03	31.72	0.00	100	219 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>108.45</td><td>-----</td><td>-----</td><td>95.30</td><td>34.60</td><td>10.21</td><td>31.66</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	108.45	-----	-----	95.30	34.60	10.21	31.66	0.00	100	219 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5454.88	53.87	74.00	-20.13	40.79	34.79	10.02	31.73	0.00	100	219 PEAK																																																																																																						
2	5461.32	52.96	68.20	-15.24	39.87	34.78	10.03	31.72	0.00	100	219 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	108.45	-----	-----	95.30	34.60	10.21	31.66	0.00	100	219 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.33</td><td>42.37</td><td>54.00</td><td>-11.63</td><td>29.30</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>219 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.33	42.37	54.00	-11.63	29.30	34.78	10.02	31.73	0.00	100	219 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>108.60</td><td>-----</td><td>-----</td><td>87.44</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>100</td><td>219 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	108.60	-----	-----	87.44	34.60	10.22	31.66	0.00	100	219 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.33	42.37	54.00	-11.63	29.30	34.78	10.02	31.73	0.00	100	219 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	108.60	-----	-----	87.44	34.60	10.22	31.66	0.00	100	219 AVERAGE																																																																																																						






Mode	33																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																
ANT	CDD 8+10																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5728.56</td><td>55.31</td><td>68.20</td><td>-12.89</td><td>42.21</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>219</td><td>PEAK</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg										1	5728.56	55.31	68.20	-12.89	42.21	34.60	10.35	31.85	0.00	100	219	PEAK									Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	5728.56	55.31	68.20	-12.89	42.21	34.60	10.35	31.85	0.00	100	219	PEAK																																																					






Mode	33																																																																								
	Harmonic																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																								
ANT	CDD 8+10																																																																								
Pol.	Horizontal											Vertical																																																													
Peak Avg																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7812.00</td><td>60.35</td><td>68.20</td><td>-7.85</td><td>72.82</td><td>35.90</td><td>12.17</td><td>60.54</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>55.48</td><td>38.00</td><td>14.68</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7812.00	60.35	68.20	-7.85	72.82	35.90	12.17	60.54	0.00	100	242	PEAK	2	11160.00	46.95	74.00	-27.05	55.48	38.00	14.68	61.21	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	7812.00	60.35	68.20	-7.85	72.82	35.90	12.17	60.54	0.00	100	242	PEAK																																																													
2	11160.00	46.95	74.00	-27.05	55.48	38.00	14.68	61.21	0.00	---	---	PEAK																																																													
																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7812.00</td><td>59.90</td><td>68.20</td><td>-8.30</td><td>72.37</td><td>35.90</td><td>12.17</td><td>60.54</td><td>0.00</td><td>101</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>56.20</td><td>38.00</td><td>14.68</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7812.00	59.90	68.20	-8.30	72.37	35.90	12.17	60.54	0.00	101	307	PEAK	2	11160.00	47.67	74.00	-26.33	56.20	38.00	14.68	61.21	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	7812.00	59.90	68.20	-8.30	72.37	35.90	12.17	60.54	0.00	101	307	PEAK																																																													
2	11160.00	47.67	74.00	-26.33	56.20	38.00	14.68	61.21	0.00	---	---	PEAK																																																													





Mode	34																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																						
ANT	CDD 8+10																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.22</td><td>59.55</td><td>68.20</td><td>-8.65</td><td>46.45</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>107</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.22	59.55	68.20	-8.65	46.45	34.60	10.34	31.84	0.00	107	110	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>112.45</td><td>-----</td><td>-----</td><td>99.31</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>107</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.45	-----	-----	99.31	34.60	10.33	31.79	0.00	107	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5725.22	59.55	68.20	-8.65	46.45	34.60	10.34	31.84	0.00	107	110	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	112.45	-----	-----	99.31	34.60	10.33	31.79	0.00	107	110	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.60</td><td>-----</td><td>-----</td><td>89.46</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>107</td><td>110</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.60	-----	-----	89.46	34.60	10.33	31.79	0.00	107	110	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	102.60	-----	-----	89.46	34.60	10.33	31.79	0.00	107	110	AVERAGE																																																																																											






Mode	34																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																							
ANT	CDD 8+10																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.03</td><td>60.18</td><td>68.20</td><td>-8.02</td><td>47.08</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>116</td><td>200</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.03	60.18	68.20	-8.02	47.08	34.60	10.34	31.84	0.00	116	200	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.87</td><td>-----</td><td>-----</td><td>96.72</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>116</td><td>200</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	109.87	-----	-----	96.72	34.60	10.32	31.77	0.00	116	200
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5725.03	60.18	68.20	-8.02	47.08	34.60	10.34	31.84	0.00	116	200	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	109.87	-----	-----	96.72	34.60	10.32	31.77	0.00	116	200	PEAK																																																																																												
Avg	Blank																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.64</td><td>-----</td><td>-----</td><td>88.49</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>116</td><td>200</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	101.64	-----	-----	88.49	34.60	10.32	31.77	0.00	116	200	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	101.64	-----	-----	88.49	34.60	10.32	31.77	0.00	116	200	AVERAGE																																																																																												






Mode	34																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																
ANT	CDD 8+10																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7980.00</td><td>50.95</td><td>68.20</td><td>-17.25</td><td>62.92</td><td>35.84</td><td>12.40</td><td>60.21</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>53.82</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7980.00	50.95	68.20	-17.25	62.92	35.84	12.40	60.21	0.00	---	--- PEAK	2	11400.00	45.58	74.00	-28.42	53.82	38.10	14.85	61.19	0.00	---	--- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7980.00</td><td>52.62</td><td>68.20</td><td>-15.58</td><td>64.59</td><td>35.84</td><td>12.40</td><td>60.21</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>55.77</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7980.00	52.62	68.20	-15.58	64.59	35.84	12.40	60.21	0.00	---	--- PEAK	2	11400.00	47.53	74.00	-26.47	55.77	38.10	14.85	61.19	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7980.00	50.95	68.20	-17.25	62.92	35.84	12.40	60.21	0.00	---	--- PEAK																																																																																																																						
2	11400.00	45.58	74.00	-28.42	53.82	38.10	14.85	61.19	0.00	---	--- PEAK																																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7980.00	52.62	68.20	-15.58	64.59	35.84	12.40	60.21	0.00	---	--- PEAK																																																																																																																						
2	11400.00	47.53	74.00	-26.47	55.77	38.10	14.85	61.19	0.00	---	--- PEAK																																																																																																																						







Mode	35																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5751.81</td><td>55.66</td><td>68.20</td><td>-12.54</td><td>42.60</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>106</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.81	55.66	68.20	-12.54	42.60	34.60	10.37	31.91	0.00	106	110	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.05</td><td>-----</td><td>-----</td><td>96.91</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>106</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.05	-----	-----	96.91	34.60	10.33	31.79	0.00	106	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5751.81	55.66	68.20	-12.54	42.60	34.60	10.37	31.91	0.00	106	110	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	110.05	-----	-----	96.91	34.60	10.33	31.79	0.00	106	110	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.25</td><td>-----</td><td>-----</td><td>89.11</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>106</td><td>110</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.25	-----	-----	89.11	34.60	10.33	31.79	0.00	106	110	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	102.25	-----	-----	89.11	34.60	10.33	31.79	0.00	106	110	AVERAGE																																																																																							




Mode	35																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5742.25</td><td>56.15</td><td>68.20</td><td>-12.05</td><td>43.07</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>102</td><td>218</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.25	56.15	68.20	-12.05	43.07	34.60	10.36	31.88	0.00	102	218	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.09</td><td>-----</td><td>-----</td><td>95.95</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>102</td><td>218</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.09	-----	-----	95.95	34.60	10.33	31.79	0.00	102	218
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5742.25	56.15	68.20	-12.05	43.07	34.60	10.36	31.88	0.00	102	218	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.09	-----	-----	95.95	34.60	10.33	31.79	0.00	102	218	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.81</td><td>-----</td><td>-----</td><td>87.68</td><td>34.60</td><td>10.33</td><td>31.80</td><td>0.00</td><td>102</td><td>218</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.81	-----	-----	87.68	34.60	10.33	31.80	0.00	102	218	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	100.81	-----	-----	87.68	34.60	10.33	31.80	0.00	102	218	AVERAGE																																																																																							



Mode	36																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																												
ANT	CDD 8+10																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5403.28</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>40.73</td><td>34.71</td><td>9.94</td><td>31.76</td><td>0.00</td><td>106 110 PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>55.37</td><td>68.20</td><td>-12.83</td><td>42.29</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>106 110 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5403.28	53.62	74.00	-20.38	40.73	34.71	9.94	31.76	0.00	106 110 PEAK	2	5467.60	55.37	68.20	-12.83	42.29	34.76	10.04	31.72	0.00	106 110 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>108.36</td><td>-----</td><td>-----</td><td>95.27</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>106 110 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	108.36	-----	-----	95.27	34.68	10.11	31.70	0.00	106 110 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5403.28	53.62	74.00	-20.38	40.73	34.71	9.94	31.76	0.00	106 110 PEAK																																																																																																			
2	5467.60	55.37	68.20	-12.83	42.29	34.76	10.04	31.72	0.00	106 110 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	108.36	-----	-----	95.27	34.68	10.11	31.70	0.00	106 110 PEAK																																																																																																			
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>30.38</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>106 110 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.46	54.00	-10.54	30.38	34.78	10.03	31.73	0.00	106 110 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>99.42</td><td>-----</td><td>-----</td><td>86.33</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>106 110 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.42	-----	-----	86.33	34.68	10.11	31.70	0.00	106 110 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.92	43.46	54.00	-10.54	30.38	34.78	10.03	31.73	0.00	106 110 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	99.42	-----	-----	86.33	34.68	10.11	31.70	0.00	106 110 AVERAGE																																																																																																			




Mode	36																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.62</td><td>55.02</td><td>68.20</td><td>-13.18</td><td>41.95</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>106</td><td>110</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.62	55.02	68.20	-13.18	41.95	34.60	10.36	31.89	0.00	106	110	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5745.62	55.02	68.20	-13.18	41.95	34.60	10.36	31.89	0.00	106	110	PEAK																																												





Mode	36																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																			
ANT	CDD 8+10																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5370.16</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>42.62</td><td>34.64</td><td>9.92</td><td>31.77</td><td>0.00</td><td>100</td><td>358 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>54.15</td><td>68.20</td><td>-14.05</td><td>41.07</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>358 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.16	55.41	74.00	-18.59	42.62	34.64	9.92	31.77	0.00	100	358 PEAK	2	5469.68	54.15	68.20	-14.05	41.07	34.76	10.04	31.72	0.00	100	358 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5370.16	55.41	74.00	-18.59	42.62	34.64	9.92	31.77	0.00	100	358 PEAK																																																									
2	5469.68	54.15	68.20	-14.05	41.07	34.76	10.04	31.72	0.00	100	358 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>43.92</td><td>54.00</td><td>-10.08</td><td>30.84</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>358 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	43.92	54.00	-10.08	30.84	34.78	10.03	31.73	0.00	100	358 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.76	43.92	54.00	-10.08	30.84	34.78	10.03	31.73	0.00	100	358 AVERAGE																																																									
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>107.49</td><td>-----</td><td>-----</td><td>94.40</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>358 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.49	-----	-----	94.40	34.70	10.09	31.70	0.00	100	358 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	107.49	-----	-----	94.40	34.70	10.09	31.70	0.00	100	358 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>97.95</td><td>-----</td><td>-----</td><td>84.86</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>358 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	97.95	-----	-----	84.86	34.70	10.09	31.70	0.00	100	358 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	97.95	-----	-----	84.86	34.70	10.09	31.70	0.00	100	358 AVERAGE																																																									







Mode	36																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.81</td><td>55.75</td><td>68.20</td><td>-12.45</td><td>42.65</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>350</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.81	55.75	68.20	-12.45	42.65	34.60	10.35	31.85	0.00	100	350	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5729.81	55.75	68.20	-12.45	42.65	34.60	10.35	31.85	0.00	100	350	PEAK																																											




Mode	36																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																																													
ANT	CDD 8+10																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7707.30</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>66.08</td><td>35.90</td><td>12.06</td><td>60.74</td><td>0.00</td><td>100</td><td>240</td><td>Peak</td></tr><tr><td>2</td><td>7707.30</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>57.44</td><td>35.90</td><td>12.06</td><td>60.74</td><td>0.00</td><td>100</td><td>240</td><td>Average</td></tr><tr><td>3</td><td>11020.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>54.89</td><td>38.00</td><td>14.58</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7707.30	53.30	74.00	-20.70	66.08	35.90	12.06	60.74	0.00	100	240	Peak	2	7707.30	44.66	54.00	-9.34	57.44	35.90	12.06	60.74	0.00	100	240	Average	3	11020.00	46.25	74.00	-27.75	54.89	38.00	14.58	61.22	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7714.00</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>70.07</td><td>35.90</td><td>12.07</td><td>60.73</td><td>0.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>7714.00</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>59.89</td><td>35.90</td><td>12.07</td><td>60.73</td><td>0.00</td><td>100</td><td>307</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>56.01</td><td>38.00</td><td>14.58</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7714.00	57.31	74.00	-16.69	70.07	35.90	12.07	60.73	0.00	100	307	PEAK	2	7714.00	47.13	54.00	-6.87	59.89	35.90	12.07	60.73	0.00	100	307	AVERAGE	3	11020.00	47.37	74.00	-26.63	56.01	38.00	14.58	61.22	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7707.30	53.30	74.00	-20.70	66.08	35.90	12.06	60.74	0.00	100	240	Peak																																																																																																																																																		
2	7707.30	44.66	54.00	-9.34	57.44	35.90	12.06	60.74	0.00	100	240	Average																																																																																																																																																		
3	11020.00	46.25	74.00	-27.75	54.89	38.00	14.58	61.22	0.00	---	---	PEAK																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7714.00	57.31	74.00	-16.69	70.07	35.90	12.07	60.73	0.00	100	307	PEAK																																																																																																																																																		
2	7714.00	47.13	54.00	-6.87	59.89	35.90	12.07	60.73	0.00	100	307	AVERAGE																																																																																																																																																		
3	11020.00	47.37	74.00	-26.63	56.01	38.00	14.58	61.22	0.00	---	---	PEAK																																																																																																																																																		







	37																																																																																																																																		
Mode	Band Edge - L																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																																																																																																		
ANT	CDD 8+10																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5440.00</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>43.84</td><td>34.78</td><td>10.00</td><td>31.74</td><td>0.00</td><td>102</td><td>116 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>54.06</td><td>68.20</td><td>-14.14</td><td>40.97</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>102</td><td>116 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5440.00	56.88	74.00	-17.12	43.84	34.78	10.00	31.74	0.00	102	116 PEAK	2	5466.00	54.06	68.20	-14.14	40.97	34.77	10.04	31.72	0.00	102	116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>107.01</td><td>-----</td><td>-----</td><td>93.92</td><td>34.69</td><td>10.10</td><td>31.70</td><td>0.00</td><td>102</td><td>116 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	107.01	-----	-----	93.92	34.69	10.10	31.70	0.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5440.00	56.88	74.00	-17.12	43.84	34.78	10.00	31.74	0.00	102	116 PEAK																																																																																																																								
2	5466.00	54.06	68.20	-14.14	40.97	34.77	10.04	31.72	0.00	102	116 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5510.00	107.01	-----	-----	93.92	34.69	10.10	31.70	0.00	102	116 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5456.88</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>29.93</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>102</td><td>116 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5456.88	43.01	54.00	-10.99	29.93	34.79	10.02	31.73	0.00	102	116 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>98.40</td><td>-----</td><td>-----</td><td>85.31</td><td>34.69</td><td>10.10</td><td>31.70</td><td>0.00</td><td>102</td><td>116 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	98.40	-----	-----	85.31	34.69	10.10	31.70	0.00	102	116 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5456.88	43.01	54.00	-10.99	29.93	34.79	10.02	31.73	0.00	102	116 AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5510.00	98.40	-----	-----	85.31	34.69	10.10	31.70	0.00	102	116 AVERAGE																																																																																																																								




Mode	37																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.74</td><td>55.46</td><td>68.20</td><td>-12.74</td><td>42.40</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>102</td><td>116</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.74	55.46	68.20	-12.74	42.40	34.60	10.37	31.91	0.00	102	116	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5751.74	55.46	68.20	-12.74	42.40	34.60	10.37	31.91	0.00	102	116	PEAK																																											







Mode	37																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																																			
ANT	CDD 8+10																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.32</td><td>62.62</td><td>74.00</td><td>-11.38</td><td>49.54</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>101</td><td>2 PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>56.31</td><td>68.20</td><td>-11.89</td><td>43.22</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>101</td><td>2 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.32	62.62	74.00	-11.38	49.54	34.80	10.01	31.73	0.00	101	2 PEAK	2	5466.80	56.31	68.20	-11.89	43.22	34.77	10.04	31.72	0.00	101	2 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5450.32	62.62	74.00	-11.38	49.54	34.80	10.01	31.73	0.00	101	2 PEAK																																																									
2	5466.80	56.31	68.20	-11.89	43.22	34.77	10.04	31.72	0.00	101	2 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>107.01</td><td>-----</td><td>-----</td><td>93.92</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>101</td><td>2 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.01	-----	-----	93.92	34.70	10.09	31.70	0.00	101	2 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	107.01	-----	-----	93.92	34.70	10.09	31.70	0.00	101	2 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>30.36</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>101</td><td>2 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	43.44	54.00	-10.56	30.36	34.78	10.03	31.73	0.00	101	2 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.96	43.44	54.00	-10.56	30.36	34.78	10.03	31.73	0.00	101	2 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.74</td><td>-----</td><td>-----</td><td>85.65</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>101</td><td>2 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.74	-----	-----	85.65	34.70	10.09	31.70	0.00	101	2 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	98.74	-----	-----	85.65	34.70	10.09	31.70	0.00	101	2 AVERAGE																																																									




Mode	37																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																													
ANT	CDD 8+10																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.73</td><td>54.10</td><td>68.20</td><td>-14.10</td><td>40.99</td><td>34.60</td><td>10.35</td><td>31.04</td><td>0.00</td><td>101</td><td>2</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.73	54.10	68.20	-14.10	40.99	34.60	10.35	31.04	0.00	101	2	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5725.73	54.10	68.20	-14.10	40.99	34.60	10.35	31.04	0.00	101	2	PEAK																																		







Mode	38																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5411.00</td><td>53.84</td><td>74.00</td><td>-20.16</td><td>40.92</td><td>34.72</td><td>9.95</td><td>31.75</td><td>0.00</td><td>102 109 PEAK</td></tr><tr><td>2</td><td>5461.40</td><td>51.69</td><td>68.20</td><td>-16.51</td><td>38.60</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>102 109 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.00	53.84	74.00	-20.16	40.92	34.72	9.95	31.75	0.00	102 109 PEAK	2	5461.40	51.69	68.20	-16.51	38.60	34.78	10.03	31.72	0.00	102 109 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5411.00	53.84	74.00	-20.16	40.92	34.72	9.95	31.75	0.00	102 109 PEAK																																																								
2	5461.40	51.69	68.20	-16.51	38.60	34.78	10.03	31.72	0.00	102 109 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>108.26</td><td>-----</td><td>-----</td><td>95.17</td><td>34.60</td><td>10.17</td><td>31.68</td><td>0.00</td><td>102 109 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	108.26	-----	-----	95.17	34.60	10.17	31.68	0.00	102 109 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5550.00	108.26	-----	-----	95.17	34.60	10.17	31.68	0.00	102 109 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.00</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>29.90</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>102 109 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	42.98	54.00	-11.02	29.90	34.78	10.03	31.73	0.00	102 109 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.00	42.98	54.00	-11.02	29.90	34.78	10.03	31.73	0.00	102 109 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>98.93</td><td>-----</td><td>-----</td><td>85.84</td><td>34.60</td><td>10.17</td><td>31.68</td><td>0.00</td><td>102 109 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	98.93	-----	-----	85.84	34.60	10.17	31.68	0.00	102 109 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5550.00	98.93	-----	-----	85.84	34.60	10.17	31.68	0.00	102 109 AVERAGE																																																								




Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.56</td><td>56.12</td><td>68.20</td><td>-12.08</td><td>43.03</td><td>34.60</td><td>10.36</td><td>31.87</td><td>0.00</td><td>102</td><td>109</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.56	56.12	68.20	-12.08	43.03	34.60	10.36	31.87	0.00	102	109	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.56	56.12	68.20	-12.08	43.03	34.60	10.36	31.87	0.00	102	109	PEAK																																												





Mode	38																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																			
ANT	CDD 8+10																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.40</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>40.65</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>103</td><td>218 PEAK</td></tr><tr><td>2</td><td>5460.60</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>39.21</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>103</td><td>218 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.40	53.67	74.00	-20.33	40.65	34.77	9.99	31.74	0.00	103	218 PEAK	2	5460.60	52.29	68.20	-15.91	39.21	34.78	10.03	31.73	0.00	103	218 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5437.40	53.67	74.00	-20.33	40.65	34.77	9.99	31.74	0.00	103	218 PEAK																																																									
2	5460.60	52.29	68.20	-15.91	39.21	34.78	10.03	31.73	0.00	103	218 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>106.91</td><td>-----</td><td>-----</td><td>93.83</td><td>34.60</td><td>10.16</td><td>31.68</td><td>0.00</td><td>103</td><td>218 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	106.91	-----	-----	93.83	34.60	10.16	31.68	0.00	103	218 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5550.00	106.91	-----	-----	93.83	34.60	10.16	31.68	0.00	103	218 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.80</td><td>42.71</td><td>54.00</td><td>-11.29</td><td>29.63</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>103</td><td>218 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	42.71	54.00	-11.29	29.63	34.78	10.03	31.73	0.00	103	218 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.80	42.71	54.00	-11.29	29.63	34.78	10.03	31.73	0.00	103	218 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>97.90</td><td>-----</td><td>-----</td><td>84.82</td><td>34.60</td><td>10.16</td><td>31.68</td><td>0.00</td><td>103</td><td>218 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.90	-----	-----	84.82	34.60	10.16	31.68	0.00	103	218 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5550.00	97.90	-----	-----	84.82	34.60	10.16	31.68	0.00	103	218 AVERAGE																																																									







Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.27</td><td>54.97</td><td>68.20</td><td>-13.23</td><td>41.93</td><td>34.60</td><td>10.37</td><td>31.93</td><td>0.00</td><td>103</td><td>218</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.27	54.97	68.20	-13.23	41.93	34.60	10.37	31.93	0.00	103	218	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5760.27	54.97	68.20	-13.23	41.93	34.60	10.37	31.93	0.00	103	218	PEAK																																												



Mode	38																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																													
ANT	CDD 8+10																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7770.00</td><td>52.04</td><td>68.20</td><td>-16.16</td><td>64.64</td><td>35.90</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>55.47</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7770.00	52.04	68.20	-16.16	64.64	35.90	12.12	60.62	0.00	---	---	PEAK	2	11100.00	46.89	74.00	-27.11	55.47	38.00	14.63	61.21	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7770.00</td><td>53.23</td><td>68.20</td><td>-14.97</td><td>65.83</td><td>35.90</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>55.58</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7770.00	53.23	68.20	-14.97	65.83	35.90	12.12	60.62	0.00	---	---	PEAK	2	11100.00	47.00	74.00	-27.00	55.58	38.00	14.63	61.21	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7770.00	52.04	68.20	-16.16	64.64	35.90	12.12	60.62	0.00	---	---	PEAK																																																																																																																		
2	11100.00	46.89	74.00	-27.11	55.47	38.00	14.63	61.21	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7770.00	53.23	68.20	-14.97	65.83	35.90	12.12	60.62	0.00	---	---	PEAK																																																																																																																		
2	11100.00	47.00	74.00	-27.00	55.58	38.00	14.63	61.21	0.00	---	---	PEAK																																																																																																																		







Mode	39																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.96</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>41.14</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>53.13</td><td>68.20</td><td>-15.07</td><td>40.04</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.96	53.87	74.00	-20.13	41.14	34.60	9.91	31.78	0.00	100	100 PEAK	2	5466.16	53.13	68.20	-15.07	40.04	34.77	10.04	31.72	0.00	100	100 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>108.00</td><td>-----</td><td>-----</td><td>94.87</td><td>34.60</td><td>10.29</td><td>31.68</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.00	-----	-----	94.87	34.60	10.29	31.68	0.00	100	100 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5350.96	53.87	74.00	-20.13	41.14	34.60	9.91	31.78	0.00	100	100 PEAK																																																																																																						
2	5466.16	53.13	68.20	-15.07	40.04	34.77	10.04	31.72	0.00	100	100 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	108.00	-----	-----	94.87	34.60	10.29	31.68	0.00	100	100 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.36</td><td>42.48</td><td>54.00</td><td>-11.52</td><td>29.40</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>100 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.36	42.48	54.00	-11.52	29.40	34.79	10.02	31.73	0.00	100	100 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.74</td><td>-----</td><td>-----</td><td>86.53</td><td>34.60</td><td>10.29</td><td>31.68</td><td>0.00</td><td>100</td><td>100 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.74	-----	-----	86.53	34.60	10.29	31.68	0.00	100	100 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5453.36	42.48	54.00	-11.52	29.40	34.79	10.02	31.73	0.00	100	100 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	99.74	-----	-----	86.53	34.60	10.29	31.68	0.00	100	100 AVERAGE																																																																																																						




Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5765.00</td><td>55.80</td><td>68.20</td><td>-12.40</td><td>42.76</td><td>34.60</td><td>10.38</td><td>31.94</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5765.00	55.80	68.20	-12.40	42.76	34.60	10.38	31.94	0.00	100	100	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5765.00	55.80	68.20	-12.40	42.76	34.60	10.38	31.94	0.00	100	100	PEAK																																												





Mode	39																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.28</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>41.02</td><td>34.62</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>217 PEAK</td></tr><tr><td>2</td><td>5465.84</td><td>53.92</td><td>68.20</td><td>-14.28</td><td>40.83</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>217 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.28	53.78	74.00	-20.22	41.02	34.62	9.92	31.78	0.00	100	217 PEAK	2	5465.84	53.92	68.20	-14.28	40.83	34.77	10.04	31.72	0.00	100	217 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>106.75</td><td>-----</td><td>-----</td><td>93.57</td><td>34.60</td><td>10.31</td><td>31.73</td><td>0.00</td><td>100</td><td>217 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.75	-----	-----	93.57	34.60	10.31	31.73	0.00	100	217 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5359.28	53.78	74.00	-20.22	41.02	34.62	9.92	31.78	0.00	100	217 PEAK																																																																																																						
2	5465.84	53.92	68.20	-14.28	40.83	34.77	10.04	31.72	0.00	100	217 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	106.75	-----	-----	93.57	34.60	10.31	31.73	0.00	100	217 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.28</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>29.33</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>217 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.28	42.41	54.00	-11.59	29.33	34.79	10.02	31.73	0.00	100	217 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>97.75</td><td>-----</td><td>-----</td><td>84.56</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>100</td><td>217 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.75	-----	-----	84.56	34.60	10.30	31.71	0.00	100	217 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.28	42.41	54.00	-11.59	29.33	34.79	10.02	31.73	0.00	100	217 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	97.75	-----	-----	84.56	34.60	10.30	31.71	0.00	100	217 AVERAGE																																																																																																						







Mode	39																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.69</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>44.03</td><td>34.60</td><td>10.36</td><td>31.87</td><td>0.00</td><td>100</td><td>217</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.69	57.12	68.20	-11.08	44.03	34.60	10.36	31.87	0.00	100	217	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5738.69	57.12	68.20	-11.08	44.03	34.60	10.36	31.87	0.00	100	217	PEAK																																											




Mode	39																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																									
ANT	CDD 8+10																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 7938.00</td><td>54.64</td><td>68.20</td><td>-13.56</td><td>66.69</td><td>35.90</td><td>12.34</td><td>60.29</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2 11340.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>53.83</td><td>38.04</td><td>14.00</td><td>61.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7938.00	54.64	68.20	-13.56	66.69	35.90	12.34	60.29	0.00	---	--- PEAK	2 11340.00	45.48	74.00	-28.52	53.83	38.04	14.00	61.19	0.00	---	--- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 7938.00</td><td>52.14</td><td>68.20</td><td>-16.06</td><td>64.19</td><td>35.90</td><td>12.34</td><td>60.29</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2 11340.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>54.45</td><td>38.04</td><td>14.00</td><td>61.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7938.00	52.14	68.20	-16.06	64.19	35.90	12.34	60.29	0.00	---	--- PEAK	2 11340.00	46.10	74.00	-27.90	54.45	38.04	14.00	61.19	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 7938.00	54.64	68.20	-13.56	66.69	35.90	12.34	60.29	0.00	---	--- PEAK																																																																																																																
2 11340.00	45.48	74.00	-28.52	53.83	38.04	14.00	61.19	0.00	---	--- PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 7938.00	52.14	68.20	-16.06	64.19	35.90	12.34	60.29	0.00	---	--- PEAK																																																																																																																
2 11340.00	46.10	74.00	-27.90	54.45	38.04	14.00	61.19	0.00	---	--- PEAK																																																																																																																







Mode	40																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.16</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>40.50</td><td>34.78</td><td>10.00</td><td>31.74</td><td>0.00</td><td>101 110 PEAK</td></tr><tr><td>2</td><td>5460.72</td><td>52.42</td><td>68.20</td><td>-15.78</td><td>39.34</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>101 110 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.16	53.54	74.00	-20.46	40.50	34.78	10.00	31.74	0.00	101 110 PEAK	2	5460.72	52.42	68.20	-15.78	39.34	34.78	10.03	31.73	0.00	101 110 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>107.46</td><td>-----</td><td>-----</td><td>94.29</td><td>34.60</td><td>10.31</td><td>31.74</td><td>0.00</td><td>101 110 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.46	-----	-----	94.29	34.60	10.31	31.74	0.00	101 110 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5442.16	53.54	74.00	-20.46	40.50	34.78	10.00	31.74	0.00	101 110 PEAK																																																																																																				
2	5460.72	52.42	68.20	-15.78	39.34	34.78	10.03	31.73	0.00	101 110 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	107.46	-----	-----	94.29	34.60	10.31	31.74	0.00	101 110 PEAK																																																																																																				
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.84</td><td>42.45</td><td>54.00</td><td>-11.55</td><td>29.38</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>101 110 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	42.45	54.00	-11.55	29.38	34.78	10.02	31.73	0.00	101 110 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>99.05</td><td>-----</td><td>-----</td><td>85.88</td><td>34.60</td><td>10.31</td><td>31.74</td><td>0.00</td><td>101 110 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.05	-----	-----	85.88	34.60	10.31	31.74	0.00	101 110 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5457.84	42.45	54.00	-11.55	29.38	34.78	10.02	31.73	0.00	101 110 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	99.05	-----	-----	85.88	34.60	10.31	31.74	0.00	101 110 AVERAGE																																																																																																				




Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.68</td><td>55.19</td><td>68.20</td><td>-13.01</td><td>42.15</td><td>34.60</td><td>10.37</td><td>31.93</td><td>0.00</td><td>101</td><td>110</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.68	55.19	68.20	-13.01	42.15	34.60	10.37	31.93	0.00	101	110	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.68	55.19	68.20	-13.01	42.15	34.60	10.37	31.93	0.00	101	110	PEAK																																												







Mode	40																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5377.84</td><td>53.66</td><td>74.00</td><td>-20.34</td><td>40.84</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>2</td><td>5463.28</td><td>52.31</td><td>68.20</td><td>-15.89</td><td>39.23</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.84	53.66	74.00	-20.34	40.84	34.66	9.93	31.77	0.00	100	213 PEAK	2	5463.28	52.31	68.20	-15.89	39.23	34.77	10.03	31.72	0.00	100	213 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.50</td><td>-----</td><td>-----</td><td>94.31</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.50	-----	-----	94.31	34.60	10.30	31.71	0.00	100	213 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5377.84	53.66	74.00	-20.34	40.84	34.66	9.93	31.77	0.00	100	213 PEAK																																																																																																						
2	5463.28	52.31	68.20	-15.89	39.23	34.77	10.03	31.72	0.00	100	213 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	107.50	-----	-----	94.31	34.60	10.30	31.71	0.00	100	213 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.88</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>29.31</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.88	42.39	54.00	-11.61	29.31	34.79	10.02	31.73	0.00	100	213 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>98.23</td><td>-----</td><td>-----</td><td>85.04</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.23	-----	-----	85.04	34.60	10.30	31.71	0.00	100	213 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.88	42.39	54.00	-11.61	29.31	34.79	10.02	31.73	0.00	100	213 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	98.23	-----	-----	85.04	34.60	10.30	31.71	0.00	100	213 AVERAGE																																																																																																						




Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.21</td><td>55.36</td><td>68.20</td><td>-12.84</td><td>42.28</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.21	55.36	68.20	-12.84	42.28	34.60	10.36	31.88	0.00	100	213	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5740.21	55.36	68.20	-12.84	42.28	34.60	10.36	31.88	0.00	100	213	PEAK																																												







Mode	41																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																											
ANT	CDD 8+10																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																						
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5423.62</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>44.59</td><td>34.75</td><td>9.97</td><td>31.74</td><td>0.00</td><td>100 107 PEAK</td></tr><tr><td>2</td><td>5463.40</td><td>56.03</td><td>68.20</td><td>-12.17</td><td>42.95</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>100 107 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.62	57.57	74.00	-16.43	44.59	34.75	9.97	31.74	0.00	100 107 PEAK	2	5463.40	56.03	68.20	-12.17	42.95	34.77	10.03	31.72	0.00	100 107 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>104.58</td><td>-----</td><td>-----</td><td>91.50</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>100 107 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.58	-----	-----	91.50	34.65	10.12	31.69	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5423.62	57.57	74.00	-16.43	44.59	34.75	9.97	31.74	0.00	100 107 PEAK																																																																																																		
2	5463.40	56.03	68.20	-12.17	42.95	34.77	10.03	31.72	0.00	100 107 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5530.00	104.58	-----	-----	91.50	34.65	10.12	31.69	0.00	100 107 PEAK																																																																																																		
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.42</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>33.09</td><td>34.00</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100 107 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.42	46.18	54.00	-7.82	33.09	34.00	10.02	31.73	0.00	100 107 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.91</td><td>-----</td><td>-----</td><td>82.83</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>100 107 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.91	-----	-----	82.83	34.65	10.12	31.69	0.00	100 107 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5452.42	46.18	54.00	-7.82	33.09	34.00	10.02	31.73	0.00	100 107 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5530.00	95.91	-----	-----	82.83	34.65	10.12	31.69	0.00	100 107 AVERAGE																																																																																																		




Mode	41																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																					
ANT	CDD 8+10																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.40</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>42.77</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>107 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.40	55.87	68.20	-12.33	42.77	34.60	10.35	31.85	0.00	100	107 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5727.40	55.87	68.20	-12.33	42.77	34.60	10.35	31.85	0.00	100	107 PEAK																																											





Mode	41																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.86</td><td>55.15</td><td>74.00</td><td>-18.85</td><td>42.07</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr><tr><td>2</td><td>5466.46</td><td>55.60</td><td>68.20</td><td>-12.60</td><td>42.51</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.86	55.15	74.00	-18.85	42.07	34.79	10.02	31.73	0.00	100	219 PEAK	2	5466.46	55.60	68.20	-12.60	42.51	34.77	10.04	31.72	0.00	100	219 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>104.15</td><td>-----</td><td>-----</td><td>91.07</td><td>34.60</td><td>10.16</td><td>31.68</td><td>0.00</td><td>100</td><td>219 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.15	-----	-----	91.07	34.60	10.16	31.68	0.00	100	219 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5453.86	55.15	74.00	-18.85	42.07	34.79	10.02	31.73	0.00	100	219 PEAK																																																																																																						
2	5466.46	55.60	68.20	-12.60	42.51	34.77	10.04	31.72	0.00	100	219 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	104.15	-----	-----	91.07	34.60	10.16	31.68	0.00	100	219 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.30</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>32.29</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>219 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.30	45.37	54.00	-8.63	32.29	34.79	10.02	31.73	0.00	100	219 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.58</td><td>-----</td><td>-----</td><td>81.50</td><td>34.63</td><td>10.14</td><td>31.69</td><td>0.00</td><td>100</td><td>219 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.58	-----	-----	81.50	34.63	10.14	31.69	0.00	100	219 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.30	45.37	54.00	-8.63	32.29	34.79	10.02	31.73	0.00	100	219 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	94.58	-----	-----	81.50	34.63	10.14	31.69	0.00	100	219 AVERAGE																																																																																																						







Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.85</td><td>54.72</td><td>68.20</td><td>-13.48</td><td>41.66</td><td>34.60</td><td>10.36</td><td>31.90</td><td>0.00</td><td>100</td><td>219</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.85	54.72	68.20	-13.48	41.66	34.60	10.36	31.90	0.00	100	219	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5747.85	54.72	68.20	-13.48	41.66	34.60	10.36	31.90	0.00	100	219	PEAK																																												




	41																																																																																																																																																												
Mode	Harmonic																																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																																												
ANT	CDD 8+10																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7742.00</td><td>50.67</td><td>74.00</td><td>-23.33</td><td>63.36</td><td>35.90</td><td>12.09</td><td>60.68</td><td>0.00</td><td>256</td><td>156</td><td>PEAK</td></tr><tr><td>2</td><td>7742.00</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>56.78</td><td>35.90</td><td>12.09</td><td>60.68</td><td>0.00</td><td>256</td><td>156</td><td>Average</td></tr><tr><td>3</td><td>11060.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>54.67</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7742.00	50.67	74.00	-23.33	63.36	35.90	12.09	60.68	0.00	256	156	PEAK	2	7742.00	44.09	54.00	-9.91	56.78	35.90	12.09	60.68	0.00	256	156	Average	3	11060.00	46.06	74.00	-27.94	54.67	38.00	14.61	61.22	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7742.00</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>61.42</td><td>35.90</td><td>12.09</td><td>60.68</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7742.00</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>53.00</td><td>35.90</td><td>12.09</td><td>60.68</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>54.45</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7742.00	48.73	74.00	-25.27	61.42	35.90	12.09	60.68	0.00	100	360	PEAK	2	7742.00	40.31	54.00	-13.69	53.00	35.90	12.09	60.68	0.00	100	360	AVERAGE	3	11060.00	45.84	74.00	-28.16	54.45	38.00	14.61	61.22	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7742.00	50.67	74.00	-23.33	63.36	35.90	12.09	60.68	0.00	256	156	PEAK																																																																																																																																																	
2	7742.00	44.09	54.00	-9.91	56.78	35.90	12.09	60.68	0.00	256	156	Average																																																																																																																																																	
3	11060.00	46.06	74.00	-27.94	54.67	38.00	14.61	61.22	0.00	---	---	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7742.00	48.73	74.00	-25.27	61.42	35.90	12.09	60.68	0.00	100	360	PEAK																																																																																																																																																	
2	7742.00	40.31	54.00	-13.69	53.00	35.90	12.09	60.68	0.00	100	360	AVERAGE																																																																																																																																																	
3	11060.00	45.84	74.00	-28.16	54.45	38.00	14.61	61.22	0.00	---	---	PEAK																																																																																																																																																	







Mode	42																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																																																																															
ANT	CDD 8+10																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.62</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>42.10</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2</td><td>5469.34</td><td>60.71</td><td>68.20</td><td>-7.49</td><td>47.63</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.62	55.18	74.00	-18.82	42.10	34.80	10.01	31.73	0.00	100	111 PEAK	2	5469.34	60.71	68.20	-7.49	47.63	34.76	10.04	31.72	0.00	100	111 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>103.72</td><td>-----</td><td>-----</td><td>90.63</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.72	-----	-----	90.63	34.68	10.11	31.70	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5450.62	55.18	74.00	-18.82	42.10	34.80	10.01	31.73	0.00	100	111 PEAK																																																																																																					
2	5469.34	60.71	68.20	-7.49	47.63	34.76	10.04	31.72	0.00	100	111 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	103.72	-----	-----	90.63	34.68	10.11	31.70	0.00	100	111 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.98</td><td>43.20</td><td>54.00</td><td>-10.80</td><td>30.12</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	43.20	54.00	-10.80	30.12	34.78	10.03	31.73	0.00	100	111 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.00</td><td>-----</td><td>-----</td><td>81.92</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.00	-----	-----	81.92	34.65	10.12	31.69	0.00	100	111 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.98	43.20	54.00	-10.80	30.12	34.78	10.03	31.73	0.00	100	111 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	95.00	-----	-----	81.92	34.65	10.12	31.69	0.00	100	111 AVERAGE																																																																																																					




Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.27</td><td>55.11</td><td>68.20</td><td>-13.09</td><td>42.03</td><td>34.60</td><td>10.36</td><td>31.08</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.27	55.11	68.20	-13.09	42.03	34.60	10.36	31.08	0.00	100	111	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5741.27	55.11	68.20	-13.09	42.03	34.60	10.36	31.08	0.00	100	111	PEAK																																												







		42																																																																	
Mode	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																																		
ANT	CDD 8+10																																																																		
Pol.	Vertical																																																																		
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5429.20</td><td>62.45</td><td>74.00</td><td>-11.55</td><td>49.45</td><td>34.76</td><td>9.98</td><td>31.74</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>5464.48</td><td>59.64</td><td>68.20</td><td>-8.56</td><td>46.56</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.20	62.45	74.00	-11.55	49.45	34.76	9.98	31.74	0.00	100	0 PEAK	2	5464.48	59.64	68.20	-8.56	46.56	34.77	10.03	31.72	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5429.20	62.45	74.00	-11.55	49.45	34.76	9.98	31.74	0.00	100	0 PEAK																																																								
2	5464.48	59.64	68.20	-8.56	46.56	34.77	10.03	31.72	0.00	100	0 PEAK																																																								
Fundamental																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>104.94</td><td>-----</td><td>-----</td><td>91.85</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.94	-----	-----	91.85	34.70	10.09	31.70	0.00	100	0 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	104.94	-----	-----	91.85	34.70	10.09	31.70	0.00	100	0 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.72</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>30.57</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.72	43.64	54.00	-10.36	30.57	34.78	10.02	31.73	0.00	100	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5458.72	43.64	54.00	-10.36	30.57	34.78	10.02	31.73	0.00	100	0 AVERAGE																																																								
Fundamental																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>95.47</td><td>-----</td><td>-----</td><td>82.38</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.47	-----	-----	82.38	34.70	10.09	31.70	0.00	100	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	95.47	-----	-----	82.38	34.70	10.09	31.70	0.00	100	0 AVERAGE																																																								




Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.85</td><td>54.97</td><td>68.20</td><td>-13.23</td><td>41.90</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.85	54.97	68.20	-13.23	41.90	34.60	10.36	31.89	0.00	100	0	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5743.85	54.97	68.20	-13.23	41.90	34.60	10.36	31.89	0.00	100	0	PEAK																																												







		43																																																																	
Mode		Band Edge - L																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																	
ANT		CDD 8+10																																																																	
Pol.		Horizontal					Fundamental																																																												
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.72</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>41.31</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>2</td><td>5461.96</td><td>53.10</td><td>68.20</td><td>-15.10</td><td>40.01</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.72	54.04	74.00	-19.96	41.31	34.60	9.91	31.78	0.00	100	109 PEAK	2	5461.96	53.10	68.20	-15.10	40.01	34.78	10.03	31.72	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5350.72	54.04	74.00	-19.96	41.31	34.60	9.91	31.78	0.00	100	109 PEAK																																																								
2	5461.96	53.10	68.20	-15.10	40.01	34.78	10.03	31.72	0.00	100	109 PEAK																																																								
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.78</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>30.14</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>109 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.78	43.22	54.00	-10.78	30.14	34.79	10.02	31.73	0.00	100	109 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5452.78	43.22	54.00	-10.78	30.14	34.79	10.02	31.73	0.00	100	109 AVERAGE																																																								
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.18</td><td>-----</td><td>-----</td><td>91.95</td><td>34.60</td><td>10.27</td><td>31.64</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.18	-----	-----	91.95	34.60	10.27	31.64	0.00	100	109 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5610.00	105.18	-----	-----	91.95	34.60	10.27	31.64	0.00	100	109 PEAK																																																								
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>96.50</td><td>-----</td><td>-----</td><td>83.28</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>109 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.50	-----	-----	83.28	34.60	10.26	31.64	0.00	100	109 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5610.00	96.50	-----	-----	83.28	34.60	10.26	31.64	0.00	100	109 AVERAGE																																																								



Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.80</td><td>56.32</td><td>68.20</td><td>-11.88</td><td>43.24</td><td>34.60</td><td>10.35</td><td>31.87</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.80	56.32	68.20	-11.88	43.24	34.60	10.35	31.87	0.00	100	109	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5736.80	56.32	68.20	-11.88	43.24	34.60	10.35	31.87	0.00	100	109	PEAK																																												





Mode	43																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5417.68</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>40.77</td><td>34.74</td><td>9.96</td><td>31.75</td><td>0.00</td><td>114 211 PEAK</td></tr><tr><td>2</td><td>5461.24</td><td>53.73</td><td>68.20</td><td>-14.47</td><td>40.64</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>114 211 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5417.68	53.72	74.00	-20.28	40.77	34.74	9.96	31.75	0.00	114 211 PEAK	2	5461.24	53.73	68.20	-14.47	40.64	34.78	10.03	31.72	0.00	114 211 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>104.66</td><td>-----</td><td>-----</td><td>91.43</td><td>34.60</td><td>10.27</td><td>31.64</td><td>0.00</td><td>114 211 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.66	-----	-----	91.43	34.60	10.27	31.64	0.00	114 211 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5417.68	53.72	74.00	-20.28	40.77	34.74	9.96	31.75	0.00	114 211 PEAK																																																																																																				
2	5461.24	53.73	68.20	-14.47	40.64	34.78	10.03	31.72	0.00	114 211 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	104.66	-----	-----	91.43	34.60	10.27	31.64	0.00	114 211 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.94</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>29.71</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>114 211 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.94	42.79	54.00	-11.21	29.71	34.79	10.02	31.73	0.00	114 211 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.87</td><td>-----</td><td>-----</td><td>81.64</td><td>34.60</td><td>10.27</td><td>31.64</td><td>0.00</td><td>114 211 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.87	-----	-----	81.64	34.60	10.27	31.64	0.00	114 211 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5454.94	42.79	54.00	-11.21	29.71	34.79	10.02	31.73	0.00	114 211 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	94.87	-----	-----	81.64	34.60	10.27	31.64	0.00	114 211 AVERAGE																																																																																																				







Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.39</td><td>56.46</td><td>68.20</td><td>-11.74</td><td>43.38</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>114</td><td>211</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.39	56.46	68.20	-11.74	43.38	34.60	10.36	31.88	0.00	114	211	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.39	56.46	68.20	-11.74	43.38	34.60	10.36	31.88	0.00	114	211	PEAK																																												




Mode	43																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																												
ANT	CDD 8+10																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7854.00</td><td>52.11</td><td>68.20</td><td>-16.09</td><td>64.45</td><td>35.90</td><td>12.22</td><td>60.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>53.86</td><td>38.00</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7854.00	52.11	68.20	-16.09	64.45	35.90	12.22	60.46	0.00	---	---	PEAK	2	11220.00	45.38	74.00	-28.62	53.86	38.00	14.72	61.20	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7854.00</td><td>49.47</td><td>68.20</td><td>-18.73</td><td>61.81</td><td>35.90</td><td>12.22</td><td>60.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>54.06</td><td>38.00</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7854.00	49.47	68.20	-18.73	61.81	35.90	12.22	60.46	0.00	---	---	PEAK	2	11220.00	45.58	74.00	-28.42	54.06	38.00	14.72	61.20	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7854.00	52.11	68.20	-16.09	64.45	35.90	12.22	60.46	0.00	---	---	PEAK																																																																																																																	
2	11220.00	45.38	74.00	-28.62	53.86	38.00	14.72	61.20	0.00	---	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7854.00	49.47	68.20	-18.73	61.81	35.90	12.22	60.46	0.00	---	---	PEAK																																																																																																																	
2	11220.00	45.58	74.00	-28.42	54.06	38.00	14.72	61.20	0.00	---	---	PEAK																																																																																																																	







Mode	44																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5404.72</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>40.93</td><td>34.71</td><td>9.94</td><td>31.75</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2</td><td>5466.82</td><td>53.75</td><td>68.20</td><td>-14.45</td><td>40.66</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.72	53.83	74.00	-20.17	40.93	34.71	9.94	31.75	0.00	100	111 PEAK	2	5466.82	53.75	68.20	-14.45	40.66	34.77	10.04	31.72	0.00	100	111 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>105.24</td><td>-----</td><td>-----</td><td>92.00</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.24	-----	-----	92.00	34.60	10.27	31.63	0.00	100	111 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5404.72	53.83	74.00	-20.17	40.93	34.71	9.94	31.75	0.00	100	111 PEAK																																																																																																						
2	5466.82	53.75	68.20	-14.45	40.66	34.77	10.04	31.72	0.00	100	111 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	105.24	-----	-----	92.00	34.60	10.27	31.63	0.00	100	111 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.98</td><td>42.71</td><td>54.00</td><td>-11.29</td><td>29.63</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	42.71	54.00	-11.29	29.63	34.78	10.03	31.73	0.00	100	111 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>95.57</td><td>-----</td><td>-----</td><td>82.33</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.57	-----	-----	82.33	34.60	10.28	31.64	0.00	100	111 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.98	42.71	54.00	-11.29	29.63	34.78	10.03	31.73	0.00	100	111 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	95.57	-----	-----	82.33	34.60	10.28	31.64	0.00	100	111 AVERAGE																																																																																																						




Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.54</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>41.91</td><td>34.60</td><td>10.37</td><td>31.93</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.54	54.95	68.20	-13.25	41.91	34.60	10.37	31.93	0.00	100	111	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5760.54	54.95	68.20	-13.25	41.91	34.60	10.37	31.93	0.00	100	111	PEAK																																												







Mode	44																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5411.02</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>40.76</td><td>34.72</td><td>9.95</td><td>31.75</td><td>0.00</td><td>101</td><td>212 PEAK</td></tr><tr><td>2</td><td>5460.16</td><td>52.79</td><td>68.20</td><td>-15.41</td><td>39.71</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>101</td><td>212 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.02	53.68	74.00	-20.32	40.76	34.72	9.95	31.75	0.00	101	212 PEAK	2	5460.16	52.79	68.20	-15.41	39.71	34.78	10.03	31.73	0.00	101	212 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>104.50</td><td>-----</td><td>-----</td><td>91.26</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>101</td><td>212 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.50	-----	-----	91.26	34.60	10.27	31.63	0.00	101	212 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5411.02	53.68	74.00	-20.32	40.76	34.72	9.95	31.75	0.00	101	212 PEAK																																																																																																						
2	5460.16	52.79	68.20	-15.41	39.71	34.78	10.03	31.73	0.00	101	212 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	104.50	-----	-----	91.26	34.60	10.27	31.63	0.00	101	212 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.10</td><td>42.55</td><td>54.00</td><td>-11.45</td><td>29.47</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>101</td><td>212 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.10	42.55	54.00	-11.45	29.47	34.79	10.02	31.73	0.00	101	212 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.62</td><td>-----</td><td>-----</td><td>81.38</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>101</td><td>212 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.62	-----	-----	81.38	34.60	10.28	31.64	0.00	101	212 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.10	42.55	54.00	-11.45	29.47	34.79	10.02	31.73	0.00	101	212 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	94.62	-----	-----	81.38	34.60	10.28	31.64	0.00	101	212 AVERAGE																																																																																																						



Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.65</td><td>55.84</td><td>68.20</td><td>-12.36</td><td>42.80</td><td>34.60</td><td>10.37</td><td>31.93</td><td>0.00</td><td>101</td><td>212</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.65	55.84	68.20	-12.36	42.80	34.60	10.37	31.93	0.00	101	212	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5762.65	55.84	68.20	-12.36	42.80	34.60	10.37	31.93	0.00	101	212	PEAK																																												







Mode	45																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																																																																														
ANT	CDD 8+10																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.12</td><td>60.07</td><td>74.00</td><td>-13.93</td><td>47.05</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>105 109 PEAK</td></tr><tr><td>2</td><td>5462.20</td><td>57.25</td><td>68.20</td><td>-10.95</td><td>44.16</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>105 109 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.12	60.07	74.00	-13.93	47.05	34.77	9.99	31.74	0.00	105 109 PEAK	2	5462.20	57.25	68.20	-10.95	44.16	34.78	10.03	31.72	0.00	105 109 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>103.27</td><td>-----</td><td>-----</td><td>90.05</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>105 109 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	103.27	-----	-----	90.05	34.60	10.26	31.64	0.00	105 109 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5437.12	60.07	74.00	-13.93	47.05	34.77	9.99	31.74	0.00	105 109 PEAK																																																																																																					
2	5462.20	57.25	68.20	-10.95	44.16	34.78	10.03	31.72	0.00	105 109 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5570.00	103.27	-----	-----	90.05	34.60	10.26	31.64	0.00	105 109 PEAK																																																																																																					
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.62</td><td>49.51</td><td>54.00</td><td>-4.49</td><td>36.43</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>105 109 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.62	49.51	54.00	-4.49	36.43	34.79	10.02	31.73	0.00	105 109 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>93.33</td><td>-----</td><td>-----</td><td>80.22</td><td>34.60</td><td>10.18</td><td>31.67</td><td>0.00</td><td>105 109 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.33	-----	-----	80.22	34.60	10.18	31.67	0.00	105 109 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5453.62	49.51	54.00	-4.49	36.43	34.79	10.02	31.73	0.00	105 109 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5570.00	93.33	-----	-----	80.22	34.60	10.18	31.67	0.00	105 109 AVERAGE																																																																																																					




Mode	45																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.17</td><td>63.09</td><td>68.20</td><td>-5.11</td><td>50.00</td><td>34.60</td><td>10.35</td><td>31.06</td><td>0.00</td><td>105</td><td>109</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.17	63.09	68.20	-5.11	50.00	34.60	10.35	31.06	0.00	105	109	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5735.17	63.09	68.20	-5.11	50.00	34.60	10.35	31.06	0.00	105	109	PEAK																																												





		45																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																																																																								
ANT		CDD 8+10																																																																																																								
Pol.		Vertical					Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5407.64	57.34	74.00	-16.66	44.42	34.72	9.95	31.75	0.00	101	218 PEAK	2	5465.28	57.74	68.20	-10.46	44.66	34.77	10.03	31.72	0.00	101	218 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>100.39</td><td>-----</td><td>-----</td><td>87.27</td><td>34.60</td><td>10.19</td><td>31.67</td><td>0.00</td><td>101</td><td>218 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.39	-----	-----	87.27	34.60	10.19	31.67	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5407.64	57.34	74.00	-16.66	44.42	34.72	9.95	31.75	0.00	101	218 PEAK																																																																																															
2	5465.28	57.74	68.20	-10.46	44.66	34.77	10.03	31.72	0.00	101	218 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5570.00	100.39	-----	-----	87.27	34.60	10.19	31.67	0.00	101	218 PEAK																																																																																															
Avg																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	47.64	54.00	-6.36	34.56	34.79	10.02	31.73	0.00	101	218 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.91</td><td>-----</td><td>-----</td><td>78.79</td><td>34.60</td><td>10.19</td><td>31.67</td><td>0.00</td><td>101</td><td>218 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.91	-----	-----	78.79	34.60	10.19	31.67	0.00	101	218 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5455.60	47.64	54.00	-6.36	34.56	34.79	10.02	31.73	0.00	101	218 AVERAGE																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5570.00	91.91	-----	-----	78.79	34.60	10.19	31.67	0.00	101	218 AVERAGE																																																																																															







Mode	45																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.31</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>46.73</td><td>34.60</td><td>10.35</td><td>31.87</td><td>0.00</td><td>101</td><td>218</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.31	59.81	68.20	-8.39	46.73	34.60	10.35	31.87	0.00	101	218	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5737.31	59.81	68.20	-8.39	46.73	34.60	10.35	31.87	0.00	101	218	PEAK																																											




Mode	45																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																																																																																													
ANT	CDD 8+10																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7798.00</td><td>44.42</td><td>68.20</td><td>-23.78</td><td>56.94</td><td>35.90</td><td>12.15</td><td>60.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11140.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>54.58</td><td>38.00</td><td>14.66</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7798.00	44.42	68.20	-23.78	56.94	35.90	12.15	60.57	0.00	---	---	PEAK	2	11140.00	46.03	74.00	-27.97	54.58	38.00	14.66	61.21	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7798.00</td><td>47.66</td><td>68.20</td><td>-20.54</td><td>60.18</td><td>35.90</td><td>12.15</td><td>60.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11140.00</td><td>46.76</td><td>74.00</td><td>-27.24</td><td>55.31</td><td>38.00</td><td>14.66</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7798.00	47.66	68.20	-20.54	60.18	35.90	12.15	60.57	0.00	---	---	PEAK	2	11140.00	46.76	74.00	-27.24	55.31	38.00	14.66	61.21	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7798.00	44.42	68.20	-23.78	56.94	35.90	12.15	60.57	0.00	---	---	PEAK																																																																																																																		
2	11140.00	46.03	74.00	-27.97	54.58	38.00	14.66	61.21	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7798.00	47.66	68.20	-20.54	60.18	35.90	12.15	60.57	0.00	---	---	PEAK																																																																																																																		
2	11140.00	46.76	74.00	-27.24	55.31	38.00	14.66	61.21	0.00	---	---	PEAK																																																																																																																		







Mode	46																																																																			
	Band Edge - L																																																																			
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																																			
ANT	CDD 8+10																																																																			
Pol.	Horizontal																																																																			
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.70</td><td>59.44</td><td>74.00</td><td>-14.56</td><td>46.38</td><td>34.79</td><td>10.00</td><td>31.73</td><td>0.00</td><td>101</td><td>113 PEAK</td></tr><tr><td>2</td><td>5460.88</td><td>57.21</td><td>68.20</td><td>-10.99</td><td>44.13</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>101</td><td>113 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5445.70	59.44	74.00	-14.56	46.38	34.79	10.00	31.73	0.00	101	113 PEAK	2	5460.88	57.21	68.20	-10.99	44.13	34.78	10.03	31.73	0.00	101	113 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5445.70	59.44	74.00	-14.56	46.38	34.79	10.00	31.73	0.00	101	113 PEAK																																																									
2	5460.88	57.21	68.20	-10.99	44.13	34.78	10.03	31.73	0.00	101	113 PEAK																																																									
Fundamental	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>101.35</td><td>-----</td><td>-----</td><td>88.26</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>101</td><td>113 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	101.35	-----	-----	88.26	34.68	10.11	31.70	0.00	101	113 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5570.00	101.35	-----	-----	88.26	34.68	10.11	31.70	0.00	101	113 PEAK																																																									
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.30</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>30.73</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>101</td><td>113 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.30	43.81	54.00	-10.19	30.73	34.80	10.01	31.73	0.00	101	113 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5452.30	43.81	54.00	-10.19	30.73	34.80	10.01	31.73	0.00	101	113 AVERAGE																																																									
Fundamental	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.98</td><td>-----</td><td>-----</td><td>78.89</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>101</td><td>113 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	91.98	-----	-----	78.89	34.68	10.11	31.70	0.00	101	113 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5570.00	91.98	-----	-----	78.89	34.68	10.11	31.70	0.00	101	113 AVERAGE																																																									




Mode	46																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.20</td><td>57.30</td><td>68.20</td><td>-10.90</td><td>44.19</td><td>34.60</td><td>10.35</td><td>31.04</td><td>0.00</td><td>101</td><td>113</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.20	57.30	68.20	-10.90	44.19	34.60	10.35	31.04	0.00	101	113	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5726.20	57.30	68.20	-10.90	44.19	34.60	10.35	31.04	0.00	101	113	PEAK																																											



Mode	46																																																																			
	Band Edge - L																																																																			
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																																			
ANT	CDD 8+10																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.34</td><td>60.98</td><td>74.00</td><td>-13.02</td><td>47.90</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>5462.20</td><td>62.74</td><td>68.20</td><td>-5.46</td><td>49.65</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.34	60.98	74.00	-13.02	47.90	34.80	10.01	31.73	0.00	100	0 PEAK	2	5462.20	62.74	68.20	-5.46	49.65	34.78	10.03	31.72	0.00	100	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5448.34	60.98	74.00	-13.02	47.90	34.80	10.01	31.73	0.00	100	0 PEAK																																																									
2	5462.20	62.74	68.20	-5.46	49.65	34.78	10.03	31.72	0.00	100	0 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>101.76</td><td>-----</td><td>-----</td><td>88.67</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.76	-----	-----	88.67	34.68	10.11	31.70	0.00	100	0 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	101.76	-----	-----	88.67	34.68	10.11	31.70	0.00	100	0 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.98</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>31.54</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.98	44.62	54.00	-9.38	31.54	34.80	10.01	31.73	0.00	100	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5450.98	44.62	54.00	-9.38	31.54	34.80	10.01	31.73	0.00	100	0 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>92.45</td><td>-----</td><td>-----</td><td>79.36</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	92.45	-----	-----	79.36	34.70	10.09	31.70	0.00	100	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	92.45	-----	-----	79.36	34.70	10.09	31.70	0.00	100	0 AVERAGE																																																									





Mode	46																																																																	
	Band Edge - R																																																																	
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Vertical						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.17</td><td>54.81</td><td>68.20</td><td>-13.39</td><td>41.72</td><td>34.60</td><td>10.35</td><td>31.06</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.17	54.81	68.20	-13.39	41.72	34.60	10.35	31.06	0.00	100											0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5735.17	54.81	68.20	-13.39	41.72	34.60	10.35	31.06	0.00	100																																																								
										0 PEAK																																																								





Mode	26	
	18-40G	
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full_5250MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg		





		26																																																																																																							
Mode	30-1G																																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full_5250MHz																																																																																																								
ANT	CDD 8+10																																																																																																								
Pol.	Horizontal																																																																																																								
Peak																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>30.00</td><td>26.31</td><td>40.00</td><td>-13.69</td><td>32.76</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>57.16</td><td>19.73</td><td>40.00</td><td>-20.27</td><td>38.59</td><td>12.85</td><td>1.04</td><td>32.75</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>154.16</td><td>28.00</td><td>43.50</td><td>-14.70</td><td>42.82</td><td>16.82</td><td>1.81</td><td>32.65</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>253.10</td><td>30.00</td><td>46.00</td><td>-15.92</td><td>42.13</td><td>18.09</td><td>2.12</td><td>33.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>373.38</td><td>30.73</td><td>46.00</td><td>-15.27</td><td>39.81</td><td>21.20</td><td>2.87</td><td>33.15</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>818.61</td><td>29.28</td><td>46.00</td><td>-16.72</td><td>29.78</td><td>28.36</td><td>4.24</td><td>33.10</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	30.00	26.31	40.00	-13.69	32.76	25.74	0.76	32.95	0.00	---	Peak	2	57.16	19.73	40.00	-20.27	38.59	12.85	1.04	32.75	0.00	---	Peak	3	154.16	28.00	43.50	-14.70	42.82	16.82	1.81	32.65	0.00	---	Peak	4	253.10	30.00	46.00	-15.92	42.13	18.09	2.12	33.06	0.00	---	Peak	5	373.38	30.73	46.00	-15.27	39.81	21.20	2.87	33.15	0.00	---	Peak	6	818.61	29.28	46.00	-16.72	29.78	28.36	4.24	33.10	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	1	30.00	26.31	40.00	-13.69	32.76	25.74	0.76	32.95	0.00	---	Peak																																																																																													
	2	57.16	19.73	40.00	-20.27	38.59	12.85	1.04	32.75	0.00	---	Peak																																																																																													
	3	154.16	28.00	43.50	-14.70	42.82	16.82	1.81	32.65	0.00	---	Peak																																																																																													
	4	253.10	30.00	46.00	-15.92	42.13	18.09	2.12	33.06	0.00	---	Peak																																																																																													
	5	373.38	30.73	46.00	-15.27	39.81	21.20	2.87	33.15	0.00	---	Peak																																																																																													
	6	818.61	29.28	46.00	-16.72	29.78	28.36	4.24	33.10	0.00	---	Peak																																																																																													
Vertical																																																																																																									
																																																																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>30.00</td><td>23.34</td><td>40.00</td><td>-16.66</td><td>29.79</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>61.04</td><td>32.16</td><td>40.00</td><td>-7.84</td><td>51.32</td><td>12.48</td><td>1.08</td><td>32.72</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>167.74</td><td>24.98</td><td>43.50</td><td>-18.52</td><td>39.83</td><td>15.98</td><td>1.89</td><td>32.72</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>249.22</td><td>23.69</td><td>46.00</td><td>-22.31</td><td>36.24</td><td>18.44</td><td>2.09</td><td>33.08</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>369.50</td><td>26.44</td><td>46.00</td><td>-19.56</td><td>35.61</td><td>21.11</td><td>2.85</td><td>33.13</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>634.31</td><td>27.61</td><td>46.00</td><td>-18.39</td><td>31.07</td><td>26.37</td><td>3.70</td><td>33.53</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	30.00	23.34	40.00	-16.66	29.79	25.74	0.76	32.95	0.00	---	Peak	2	61.04	32.16	40.00	-7.84	51.32	12.48	1.08	32.72	0.00	---	Peak	3	167.74	24.98	43.50	-18.52	39.83	15.98	1.89	32.72	0.00	---	Peak	4	249.22	23.69	46.00	-22.31	36.24	18.44	2.09	33.08	0.00	---	Peak	5	369.50	26.44	46.00	-19.56	35.61	21.11	2.85	33.13	0.00	---	Peak	6	634.31	27.61	46.00	-18.39	31.07	26.37	3.70	33.53	0.00	---	Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
1	30.00	23.34	40.00	-16.66	29.79	25.74	0.76	32.95	0.00	---	Peak																																																																																														
2	61.04	32.16	40.00	-7.84	51.32	12.48	1.08	32.72	0.00	---	Peak																																																																																														
3	167.74	24.98	43.50	-18.52	39.83	15.98	1.89	32.72	0.00	---	Peak																																																																																														
4	249.22	23.69	46.00	-22.31	36.24	18.44	2.09	33.08	0.00	---	Peak																																																																																														
5	369.50	26.44	46.00	-19.56	35.61	21.11	2.85	33.13	0.00	---	Peak																																																																																														
6	634.31	27.61	46.00	-18.39	31.07	26.37	3.70	33.53	0.00	---	Peak																																																																																														




		47																																																																																																																																																		
Mode		Harmonic																																																																																																																																																		
		U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																																		
ANT		CDD 8+10																																																																																																																																																		
Pol.		Horizontal					Vertical																																																																																																																																													
Peak Avg																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8008.00</td><td>44.74</td><td>68.20</td><td>-23.46</td><td>56.69</td><td>35.80</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>54.26</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8008.00	44.74	68.20	-23.46	56.69	35.80	12.43	60.18	0.00	---	PEAK	2	11440.00	46.08	74.00	-27.92	54.26	38.14	14.87	61.19	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8008.00</td><td>50.19</td><td>68.20</td><td>-18.01</td><td>62.14</td><td>35.80</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>48.27</td><td>74.00</td><td>-25.73</td><td>56.45</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>37.56</td><td>54.00</td><td>-16.44</td><td>45.74</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8008.00	50.19	68.20	-18.01	62.14	35.80	12.43	60.18	0.00	---	PEAK	2	11440.00	48.27	74.00	-25.73	56.45	38.14	14.87	61.19	0.00	100	360 PEAK	3	11440.00	37.56	54.00	-16.44	45.74	38.14	14.87	61.19	0.00	100	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	8008.00	44.74	68.20	-23.46	56.69	35.80	12.43	60.18	0.00	---	PEAK																																																																																																																																									
2	11440.00	46.08	74.00	-27.92	54.26	38.14	14.87	61.19	0.00	---	PEAK																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	8008.00	50.19	68.20	-18.01	62.14	35.80	12.43	60.18	0.00	---	PEAK																																																																																																																																									
2	11440.00	48.27	74.00	-25.73	56.45	38.14	14.87	61.19	0.00	100	360 PEAK																																																																																																																																									
3	11440.00	37.56	54.00	-16.44	45.74	38.14	14.87	61.19	0.00	100	360 AVERAGE																																																																																																																																									





Mode	48																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																																																
ANT	CDD 8+10																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8008.00</td><td>45.58</td><td>68.20</td><td>-22.62</td><td>57.53</td><td>35.80</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>54.31</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8008.00	45.58	68.20	-22.62	57.53	35.80	12.43	60.18	0.00	---	--- PEAK	2	11440.00	46.13	74.00	-27.87	54.31	38.14	14.87	61.19	0.00	---	--- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8008.00</td><td>51.83</td><td>68.20</td><td>-16.37</td><td>63.78</td><td>35.80</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>55.87</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8008.00	51.83	68.20	-16.37	63.78	35.80	12.43	60.18	0.00	---	--- PEAK	2	11440.00	46.89	74.00	-27.11	55.87	38.14	14.87	61.19	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	8008.00	45.58	68.20	-22.62	57.53	35.80	12.43	60.18	0.00	---	--- PEAK																																																																																																																						
2	11440.00	46.13	74.00	-27.87	54.31	38.14	14.87	61.19	0.00	---	--- PEAK																																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	8008.00	51.83	68.20	-16.37	63.78	35.80	12.43	60.18	0.00	---	--- PEAK																																																																																																																						
2	11440.00	46.89	74.00	-27.11	55.87	38.14	14.87	61.19	0.00	---	--- PEAK																																																																																																																						






		49																																																																			
Mode		Harmonic																																																																			
		U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																			
ANT		CDD 8+10																																																																			
Pol.		Horizontal																																																																			
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7994.00</td><td>45.13</td><td>68.20</td><td>-23.07</td><td>57.08</td><td>35.81</td><td>12.42</td><td>60.18</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>53.20</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7994.00	45.13	68.20	-23.07	57.08	35.81	12.42	60.18	0.00	---	--- PEAK	2	11420.00	44.99	74.00	-29.01	53.20	38.12	14.86	61.19	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	7994.00	45.13	68.20	-23.07	57.08	35.81	12.42	60.18	0.00	---	--- PEAK																																																										
2	11420.00	44.99	74.00	-29.01	53.20	38.12	14.86	61.19	0.00	---	--- PEAK																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7994.00</td><td>48.74</td><td>68.20</td><td>-19.46</td><td>60.69</td><td>35.81</td><td>12.42</td><td>60.18</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>53.16</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7994.00	48.74	68.20	-19.46	60.69	35.81	12.42	60.18	0.00	---	--- PEAK	2	11420.00	44.95	74.00	-29.05	53.16	38.12	14.86	61.19	0.00	---	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	7994.00	48.74	68.20	-19.46	60.69	35.81	12.42	60.18	0.00	---	--- PEAK																																																										
2	11420.00	44.95	74.00	-29.05	53.16	38.12	14.86	61.19	0.00	---	--- PEAK																																																										





Mode	50																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																																																												
ANT	CDD 8+10																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7966.00</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>57.18</td><td>35.87</td><td>12.38</td><td>60.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>52.59</td><td>38.08</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7966.00	45.19	68.20	-23.01	57.18	35.87	12.38	60.24	0.00	---	---	PEAK	2	11380.00	44.31	74.00	-29.69	52.59	38.08	14.83	61.19	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7966.00</td><td>47.82</td><td>68.20</td><td>-20.38</td><td>59.81</td><td>35.87</td><td>12.38</td><td>60.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>52.42</td><td>38.08</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7966.00	47.82	68.20	-20.38	59.81	35.87	12.38	60.24	0.00	---	---	PEAK	2	11380.00	44.14	74.00	-29.86	52.42	38.08	14.83	61.19	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7966.00	45.19	68.20	-23.01	57.18	35.87	12.38	60.24	0.00	---	---	PEAK																																																																																																																	
2	11380.00	44.31	74.00	-29.69	52.59	38.08	14.83	61.19	0.00	---	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7966.00	47.82	68.20	-20.38	59.81	35.87	12.38	60.24	0.00	---	---	PEAK																																																																																																																	
2	11380.00	44.14	74.00	-29.86	52.42	38.08	14.83	61.19	0.00	---	---	PEAK																																																																																																																	



		51																																																																																										
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5643.79</td><td>55.55</td><td>68.20</td><td>-12.65</td><td>42.31</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>52.95</td><td>68.87</td><td>-15.92</td><td>39.72</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr><tr><td>3</td><td>5701.79</td><td>57.28</td><td>105.80</td><td>-48.52</td><td>44.13</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>58.01</td><td>111.04</td><td>-53.03</td><td>44.90</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5643.79	55.55	68.20	-12.65	42.31	34.60	10.28	31.64	0.00	100	104 PEAK	2	5650.90	52.95	68.87	-15.92	39.72	34.60	10.29	31.66	0.00	100	104 PEAK	3	5701.79	57.28	105.80	-48.52	44.13	34.60	10.33	31.78	0.00	100	104 PEAK	4	5720.06	58.01	111.04	-53.03	44.90	34.60	10.34	31.83	0.00	100	104 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5643.79	55.55	68.20	-12.65	42.31	34.60	10.28	31.64	0.00	100	104 PEAK																																																																																	
2	5650.90	52.95	68.87	-15.92	39.72	34.60	10.29	31.66	0.00	100	104 PEAK																																																																																	
3	5701.79	57.28	105.80	-48.52	44.13	34.60	10.33	31.78	0.00	100	104 PEAK																																																																																	
4	5720.06	58.01	111.04	-53.03	44.90	34.60	10.34	31.83	0.00	100	104 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.10</td><td>-----</td><td>-----</td><td>100.02</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.10	-----	-----	100.02	34.60	10.36	31.88	0.00	100	104 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	113.10	-----	-----	100.02	34.60	10.36	31.88	0.00	100	104 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.07</td><td>-----</td><td>-----</td><td>91.00</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>104 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.07	-----	-----	91.00	34.60	10.36	31.89	0.00	100	104 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	104.07	-----	-----	91.00	34.60	10.36	31.89	0.00	100	104 AVERAGE																																																																																	
		Blank																																																																																										






		51																																																																														
Mode		Band Edge																																																																														
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																														
ANT		CDD 8+10																																																																														
Pol.		Fundamental																																																																														
Peak	Vertical																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5648.43</td><td>55.47</td><td>68.20</td><td>-12.73</td><td>42.24</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>206 PEAK</td></tr><tr><td>2</td><td>5652.06</td><td>53.89</td><td>69.73</td><td>-15.84</td><td>40.66</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>206 PEAK</td></tr><tr><td>3</td><td>5717.31</td><td>60.62</td><td>110.15</td><td>-49.53</td><td>47.50</td><td>34.60</td><td>10.34</td><td>31.82</td><td>0.00</td><td>100</td><td>206 PEAK</td></tr><tr><td>4</td><td>5721.66</td><td>60.66</td><td>114.67</td><td>-54.01</td><td>47.55</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>206 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5648.43	55.47	68.20	-12.73	42.24	34.60	10.28	31.65	0.00	100	206 PEAK	2	5652.06	53.89	69.73	-15.84	40.66	34.60	10.29	31.66	0.00	100	206 PEAK	3	5717.31	60.62	110.15	-49.53	47.50	34.60	10.34	31.82	0.00	100	206 PEAK	4	5721.66	60.66	114.67	-54.01	47.55	34.60	10.34	31.83	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
1	5648.43	55.47	68.20	-12.73	42.24	34.60	10.28	31.65	0.00	100	206 PEAK																																																																					
2	5652.06	53.89	69.73	-15.84	40.66	34.60	10.29	31.66	0.00	100	206 PEAK																																																																					
3	5717.31	60.62	110.15	-49.53	47.50	34.60	10.34	31.82	0.00	100	206 PEAK																																																																					
4	5721.66	60.66	114.67	-54.01	47.55	34.60	10.34	31.83	0.00	100	206 PEAK																																																																					
Avg	Blank																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.43</td><td>-----</td><td>-----</td><td>90.36</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>206 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	103.43	-----	-----	90.36	34.60	10.36	31.89	0.00	100	206 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
1	5745.00	103.43	-----	-----	90.36	34.60	10.36	31.89	0.00	100	206 AVERAGE																																																																					




		51																																																																																															
Mode		Harmonic																																																																																															
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																															
ANT		CDD 8+10																																																																																															
Pol.		Horizontal						Vertical																																																																																									
Peak Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8043.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>56.98</td><td>35.80</td><td>12.44</td><td>60.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>54.14</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8043.00	44.98	74.00	-29.02	56.98	35.80	12.44	60.24	0.00	---	---	PEAK	2	11490.00	46.06	74.00	-27.94	54.14	38.19	14.91	61.18	0.00	---	---	PEAK																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	8043.00	44.98	74.00	-29.02	56.98	35.80	12.44	60.24	0.00	---	---	PEAK																																																																																					
2	11490.00	46.06	74.00	-27.94	54.14	38.19	14.91	61.18	0.00	---	---	PEAK																																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8043.00</td><td>49.52</td><td>74.00</td><td>-24.48</td><td>61.52</td><td>35.80</td><td>12.44</td><td>60.24</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>8043.00</td><td>40.76</td><td>54.00</td><td>-13.24</td><td>52.76</td><td>35.80</td><td>12.44</td><td>60.24</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>48.20</td><td>74.00</td><td>-25.80</td><td>56.28</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>11490.00</td><td>37.49</td><td>54.00</td><td>-16.51</td><td>45.57</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8043.00	49.52	74.00	-24.48	61.52	35.80	12.44	60.24	0.00	100	360	PEAK	2	8043.00	40.76	54.00	-13.24	52.76	35.80	12.44	60.24	0.00	100	360	AVERAGE	3	11490.00	48.20	74.00	-25.80	56.28	38.19	14.91	61.18	0.00	100	360	PEAK	4	11490.00	37.49	54.00	-16.51	45.57	38.19	14.91	61.18	0.00	100	360	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	8043.00	49.52	74.00	-24.48	61.52	35.80	12.44	60.24	0.00	100	360	PEAK																																																																																					
2	8043.00	40.76	54.00	-13.24	52.76	35.80	12.44	60.24	0.00	100	360	AVERAGE																																																																																					
3	11490.00	48.20	74.00	-25.80	56.28	38.19	14.91	61.18	0.00	100	360	PEAK																																																																																					
4	11490.00	37.49	54.00	-16.51	45.57	38.19	14.91	61.18	0.00	100	360	AVERAGE																																																																																					



Mode	52																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																		
ANT	CDD 8+10																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5613.14</td><td>54.64</td><td>68.20</td><td>-13.56</td><td>41.43</td><td>34.60</td><td>10.25</td><td>31.64</td><td>0.00</td><td>110</td><td>104 PEAK</td></tr><tr><td>2</td><td>5658.69</td><td>53.00</td><td>68.71</td><td>-15.71</td><td>39.77</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>110</td><td>104 PEAK</td></tr><tr><td>3</td><td>5702.68</td><td>54.28</td><td>106.05</td><td>-51.77</td><td>41.13</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>110</td><td>104 PEAK</td></tr><tr><td>4</td><td>5720.25</td><td>53.53</td><td>111.47</td><td>-57.94</td><td>40.42</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>110</td><td>104 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5613.14	54.64	68.20	-13.56	41.43	34.60	10.25	31.64	0.00	110	104 PEAK	2	5658.69	53.00	68.71	-15.71	39.77	34.60	10.29	31.66	0.00	110	104 PEAK	3	5702.68	54.28	106.05	-51.77	41.13	34.60	10.33	31.78	0.00	110	104 PEAK	4	5720.25	53.53	111.47	-57.94	40.42	34.60	10.34	31.83	0.00	110	104 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>112.42</td><td>-----</td><td>-----</td><td>99.41</td><td>34.60</td><td>10.39</td><td>31.90</td><td>0.00</td><td>110</td><td>104 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	112.42	-----	-----	99.41	34.60	10.39	31.90	0.00	110	104 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5613.14	54.64	68.20	-13.56	41.43	34.60	10.25	31.64	0.00	110	104 PEAK																																																																																																								
2	5658.69	53.00	68.71	-15.71	39.77	34.60	10.29	31.66	0.00	110	104 PEAK																																																																																																								
3	5702.68	54.28	106.05	-51.77	41.13	34.60	10.33	31.78	0.00	110	104 PEAK																																																																																																								
4	5720.25	53.53	111.47	-57.94	40.42	34.60	10.34	31.83	0.00	110	104 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5785.00	112.42	-----	-----	99.41	34.60	10.39	31.90	0.00	110	104 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>104.28</td><td>-----</td><td>-----</td><td>91.28</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>110</td><td>104 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	104.28	-----	-----	91.28	34.60	10.40	32.00	0.00	110	104 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5785.00	104.28	-----	-----	91.28	34.60	10.40	32.00	0.00	110	104 AVERAGE																																																																																																								




Mode	52																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																															
ANT	CDD 8+10																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.47</td><td>55.42</td><td>112.12</td><td>-56.70</td><td>42.41</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>110</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>5868.99</td><td>55.92</td><td>106.98</td><td>-51.06</td><td>42.83</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>110</td><td>104</td><td>PEAK</td></tr><tr><td>3</td><td>5923.27</td><td>54.83</td><td>69.48</td><td>-14.65</td><td>41.44</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>110</td><td>104</td><td>PEAK</td></tr><tr><td>4</td><td>5928.88</td><td>55.33</td><td>68.20</td><td>-12.87</td><td>41.90</td><td>35.07</td><td>10.52</td><td>32.16</td><td>0.00</td><td>110</td><td>104</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.47	55.42	112.12	-56.70	42.41	34.72	10.45	32.16	0.00	110	104	PEAK	2	5868.99	55.92	106.98	-51.06	42.83	34.78	10.47	32.16	0.00	110	104	PEAK	3	5923.27	54.83	69.48	-14.65	41.44	35.04	10.51	32.16	0.00	110	104	PEAK	4	5928.88	55.33	68.20	-12.87	41.90	35.07	10.52	32.16	0.00	110	104	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.47	55.42	112.12	-56.70	42.41	34.72	10.45	32.16	0.00	110	104	PEAK																																																																																				
2	5868.99	55.92	106.98	-51.06	42.83	34.78	10.47	32.16	0.00	110	104	PEAK																																																																																				
3	5923.27	54.83	69.48	-14.65	41.44	35.04	10.51	32.16	0.00	110	104	PEAK																																																																																				
4	5928.88	55.33	68.20	-12.87	41.90	35.07	10.52	32.16	0.00	110	104	PEAK																																																																																				





Mode	52										
	Band Edge - L										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz										
ANT	CDD 8+10										
Pol.	Vertical										
Peak	<										






Mode	52																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5854.96</td><td>56.08</td><td>110.99</td><td>-54.91</td><td>43.07</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>2</td><td>5874.10</td><td>54.76</td><td>105.55</td><td>-50.79</td><td>41.65</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>3</td><td>5922.45</td><td>55.05</td><td>70.09</td><td>-15.04</td><td>41.67</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>4</td><td>5935.48</td><td>56.26</td><td>68.20</td><td>-11.94</td><td>42.79</td><td>35.11</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5854.96	56.08	110.99	-54.91	43.07	34.72	10.45	32.16	0.00	100	203 PEAK	2	5874.10	54.76	105.55	-50.79	41.65	34.00	10.47	32.16	0.00	100	203 PEAK	3	5922.45	55.05	70.09	-15.04	41.67	35.03	10.51	32.16	0.00	100	203 PEAK	4	5935.48	56.26	68.20	-11.94	42.79	35.11	10.52	32.16	0.00	100	203 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1	5854.96	56.08	110.99	-54.91	43.07	34.72	10.45	32.16	0.00	100	203 PEAK																																																																																	
2	5874.10	54.76	105.55	-50.79	41.65	34.00	10.47	32.16	0.00	100	203 PEAK																																																																																	
3	5922.45	55.05	70.09	-15.04	41.67	35.03	10.51	32.16	0.00	100	203 PEAK																																																																																	
4	5935.48	56.26	68.20	-11.94	42.79	35.11	10.52	32.16	0.00	100	203 PEAK																																																																																	






		52																																																																			
Mode		Harmonic																																																																			
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																			
ANT		CDD 8+10																																																																			
Pol.		Horizontal																																																																			
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8099.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>56.62</td><td>35.80</td><td>12.44</td><td>60.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>54.12</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8099.00	44.54	74.00	-29.46	56.62	35.80	12.44	60.32	0.00	---	PEAK	2	11570.00	46.16	74.00	-27.84	54.12	38.27	14.97	61.20	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	8099.00	44.54	74.00	-29.46	56.62	35.80	12.44	60.32	0.00	---	PEAK																																																										
2	11570.00	46.16	74.00	-27.84	54.12	38.27	14.97	61.20	0.00	---	PEAK																																																										
																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8099.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>59.32</td><td>35.80</td><td>12.44</td><td>60.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>54.75</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8099.00	47.24	74.00	-26.76	59.32	35.80	12.44	60.32	0.00	---	PEAK	2	11570.00	46.79	74.00	-27.21	54.75	38.27	14.97	61.20	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	8099.00	47.24	74.00	-26.76	59.32	35.80	12.44	60.32	0.00	---	PEAK																																																										
2	11570.00	46.79	74.00	-27.21	54.75	38.27	14.97	61.20	0.00	---	PEAK																																																										



Mode	53																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>56.36</td><td>111.18</td><td>-54.82</td><td>43.35</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr><tr><td>2</td><td>5873.50</td><td>56.43</td><td>105.72</td><td>-49.29</td><td>43.33</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr><tr><td>3</td><td>5922.88</td><td>54.49</td><td>69.77</td><td>-15.28</td><td>41.10</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr><tr><td>4</td><td>5948.25</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>41.47</td><td>35.19</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	56.36	111.18	-54.82	43.35	34.72	10.45	32.16	0.00	100	104 PEAK	2	5873.50	56.43	105.72	-49.29	43.33	34.79	10.47	32.16	0.00	100	104 PEAK	3	5922.88	54.49	69.77	-15.28	41.10	35.04	10.51	32.16	0.00	100	104 PEAK	4	5948.25	55.03	68.20	-13.17	41.47	35.19	10.54	32.17	0.00	100	104 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.99</td><td>-----</td><td>-----</td><td>99.00</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>104 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	111.99	-----	-----	99.00	34.66	10.43	32.10	0.00	100	104 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.88	56.36	111.18	-54.82	43.35	34.72	10.45	32.16	0.00	100	104 PEAK																																																																																																																														
2	5873.50	56.43	105.72	-49.29	43.33	34.79	10.47	32.16	0.00	100	104 PEAK																																																																																																																														
3	5922.88	54.49	69.77	-15.28	41.10	35.04	10.51	32.16	0.00	100	104 PEAK																																																																																																																														
4	5948.25	55.03	68.20	-13.17	41.47	35.19	10.54	32.17	0.00	100	104 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	111.99	-----	-----	99.00	34.66	10.43	32.10	0.00	100	104 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.19</td><td>-----</td><td>-----</td><td>90.19</td><td>34.65</td><td>10.43</td><td>32.08</td><td>0.00</td><td>100</td><td>104 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.19	-----	-----	90.19	34.65	10.43	32.08	0.00	100	104 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	103.19	-----	-----	90.19	34.65	10.43	32.08	0.00	100	104 AVERAGE																																																																																																																														






Mode	53																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Vertical										Fundamental																																																																																																			
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5825 to 5950 MHz. The plot shows a red limit line and a blue signal line. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.75</td><td>55.94</td><td>111.47</td><td>-55.53</td><td>42.93</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>2 5874.25</td><td>57.22</td><td>105.51</td><td>-48.29</td><td>44.11</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>3 5924.25</td><td>55.37</td><td>68.75</td><td>-13.38</td><td>41.97</td><td>35.05</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>4 5934.88</td><td>56.38</td><td>68.20</td><td>-11.82</td><td>42.91</td><td>35.11</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5854.75	55.94	111.47	-55.53	42.93	34.72	10.45	32.16	0.00	100	202 PEAK	2 5874.25	57.22	105.51	-48.29	44.11	34.00	10.47	32.16	0.00	100	202 PEAK	3 5924.25	55.37	68.75	-13.38	41.97	35.05	10.51	32.16	0.00	100	202 PEAK	4 5934.88	56.38	68.20	-11.82	42.91	35.11	10.52	32.16	0.00	100	202 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A single sharp peak is visible at 5825 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.56</td><td>-----</td><td>-----</td><td>96.57</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5825.00	109.56	-----	-----	96.57	34.66	10.43	32.10	0.00	100	202 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5854.75	55.94	111.47	-55.53	42.93	34.72	10.45	32.16	0.00	100	202 PEAK																																																																																																				
2 5874.25	57.22	105.51	-48.29	44.11	34.00	10.47	32.16	0.00	100	202 PEAK																																																																																																				
3 5924.25	55.37	68.75	-13.38	41.97	35.05	10.51	32.16	0.00	100	202 PEAK																																																																																																				
4 5934.88	56.38	68.20	-11.82	42.91	35.11	10.52	32.16	0.00	100	202 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5825.00	109.56	-----	-----	96.57	34.66	10.43	32.10	0.00	100	202 PEAK																																																																																																				
Avg	Blank										 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A single sharp peak is visible at 5825 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.56</td><td>-----</td><td>-----</td><td>88.57</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>202 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5825.00	101.56	-----	-----	88.57	34.66	10.43	32.10	0.00	100	202 AVERAGE																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5825.00	101.56	-----	-----	88.57	34.66	10.43	32.10	0.00	100	202 AVERAGE																																																																																																				



		53																																																																																																																																																													
Mode		Harmonic																																																																																																																																																													
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																													
ANT		CDD 8+10																																																																																																																																																													
Pol.		Horizontal											Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7766.70</td><td>49.29</td><td>68.20</td><td>-18.91</td><td>61.90</td><td>35.90</td><td>12.12</td><td>60.63</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8155.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>56.69</td><td>35.80</td><td>12.45</td><td>60.41</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>54.73</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.70	49.29	68.20	-18.91	61.90	35.90	12.12	60.63	0.00	---	Peak	2	8155.00	44.53	74.00	-29.47	56.69	35.80	12.45	60.41	0.00	---	PEAK	3	11650.00	46.88	74.00	-27.12	54.73	38.35	15.02	61.22	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7766.70</td><td>47.90</td><td>68.20</td><td>-20.30</td><td>60.51</td><td>35.90</td><td>12.12</td><td>60.63</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8155.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>56.42</td><td>35.80</td><td>12.45</td><td>60.41</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>55.37</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.70	47.90	68.20	-20.30	60.51	35.90	12.12	60.63	0.00	---	Peak	2	8155.00	44.26	74.00	-29.74	56.42	35.80	12.45	60.41	0.00	---	PEAK	3	11650.00	47.52	74.00	-26.48	55.37	38.35	15.02	61.22	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	7766.70	49.29	68.20	-18.91	61.90	35.90	12.12	60.63	0.00	---	Peak																																																																																																																																																				
2	8155.00	44.53	74.00	-29.47	56.69	35.80	12.45	60.41	0.00	---	PEAK																																																																																																																																																				
3	11650.00	46.88	74.00	-27.12	54.73	38.35	15.02	61.22	0.00	---	PEAK																																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	7766.70	47.90	68.20	-20.30	60.51	35.90	12.12	60.63	0.00	---	Peak																																																																																																																																																				
2	8155.00	44.26	74.00	-29.74	56.42	35.80	12.45	60.41	0.00	---	PEAK																																																																																																																																																				
3	11650.00	47.52	74.00	-26.48	55.37	38.35	15.02	61.22	0.00	---	PEAK																																																																																																																																																				




Mode	54																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.69</td><td>55.10</td><td>68.20</td><td>-13.10</td><td>41.87</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>54.48</td><td>68.54</td><td>-14.06</td><td>41.26</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>3</td><td>5702.95</td><td>55.21</td><td>106.13</td><td>-50.92</td><td>42.07</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>4</td><td>5721.51</td><td>62.40</td><td>114.34</td><td>-51.94</td><td>49.29</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.69	55.10	68.20	-13.10	41.87	34.60	10.28	31.65	0.00	100	109 PEAK	2	5650.46	54.48	68.54	-14.06	41.26	34.60	10.28	31.66	0.00	100	109 PEAK	3	5702.95	55.21	106.13	-50.92	42.07	34.60	10.33	31.79	0.00	100	109 PEAK	4	5721.51	62.40	114.34	-51.94	49.29	34.60	10.34	31.83	0.00	100	109 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.16</td><td>-----</td><td>-----</td><td>99.09</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.16	-----	-----	99.09	34.60	10.36	31.89	0.00	100	109 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5646.69	55.10	68.20	-13.10	41.87	34.60	10.28	31.65	0.00	100	109 PEAK																																																																																																																														
2	5650.46	54.48	68.54	-14.06	41.26	34.60	10.28	31.66	0.00	100	109 PEAK																																																																																																																														
3	5702.95	55.21	106.13	-50.92	42.07	34.60	10.33	31.79	0.00	100	109 PEAK																																																																																																																														
4	5721.51	62.40	114.34	-51.94	49.29	34.60	10.34	31.83	0.00	100	109 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	112.16	-----	-----	99.09	34.60	10.36	31.89	0.00	100	109 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.34</td><td>-----</td><td>-----</td><td>90.27</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.34	-----	-----	90.27	34.60	10.36	31.89	0.00	100	109 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.34	-----	-----	90.27	34.60	10.36	31.89	0.00	100	109 AVERAGE																																																																																																																														






	54																																																																																						
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																						
ANT	CDD 8+10																																																																																						
Pol.	Vertical						Fundamental																																																																																
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5601.74</td><td>54.85</td><td>68.20</td><td>-13.35</td><td>41.66</td><td>34.60</td><td>10.24</td><td>31.65</td><td>0.00</td><td>127</td><td>208 PEAK</td></tr><tr><td>2 5650.17</td><td>52.47</td><td>68.33</td><td>-15.86</td><td>39.25</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>127</td><td>208 PEAK</td></tr><tr><td>3 5700.92</td><td>54.22</td><td>105.56</td><td>-51.34</td><td>41.07</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>127</td><td>208 PEAK</td></tr><tr><td>4 5720.06</td><td>57.01</td><td>111.04</td><td>-54.03</td><td>43.90</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>127</td><td>208 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5601.74	54.85	68.20	-13.35	41.66	34.60	10.24	31.65	0.00	127	208 PEAK	2 5650.17	52.47	68.33	-15.86	39.25	34.60	10.28	31.66	0.00	127	208 PEAK	3 5700.92	54.22	105.56	-51.34	41.07	34.60	10.33	31.78	0.00	127	208 PEAK	4 5720.06	57.01	111.04	-54.03	43.90	34.60	10.34	31.83	0.00	127
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5601.74	54.85	68.20	-13.35	41.66	34.60	10.24	31.65	0.00	127	208 PEAK																																																																													
2 5650.17	52.47	68.33	-15.86	39.25	34.60	10.28	31.66	0.00	127	208 PEAK																																																																													
3 5700.92	54.22	105.56	-51.34	41.07	34.60	10.33	31.78	0.00	127	208 PEAK																																																																													
4 5720.06	57.01	111.04	-54.03	43.90	34.60	10.34	31.83	0.00	127	208 PEAK																																																																													
Avg																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>110.67</td><td>-----</td><td>-----</td><td>97.61</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>127</td><td>208 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	110.67	-----	-----	97.61	34.60	10.37	31.91	0.00	127	208 PEAK																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	110.67	-----	-----	97.61	34.60	10.37	31.91	0.00	127	208 PEAK																																																																													
Blank																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.43</td><td>-----</td><td>-----</td><td>88.37</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>127</td><td>208 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.43	-----	-----	88.37	34.60	10.37	31.91	0.00	127	208 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	101.43	-----	-----	88.37	34.60	10.37	31.91	0.00	127	208 AVERAGE																																																																													



Mode	54																																																																														
	Harmonic																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																														
ANT	CDD 8+10																																																																														
Pol.	Horizontal																																																																														
Peak Avg																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8043.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>56.96</td><td>35.80</td><td>12.44</td><td>60.24</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>53.61</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8043.00	44.96	74.00	-29.04	56.96	35.80	12.44	60.24	0.00	---	PEAK	2	11490.00	45.53	74.00	-28.47	53.61	38.19	14.91	61.18	0.00	---	PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	8043.00	44.96	74.00	-29.04	56.96	35.80	12.44	60.24	0.00	---	PEAK																																																																				
2	11490.00	45.53	74.00	-28.47	53.61	38.19	14.91	61.18	0.00	---	PEAK																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8043.00</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>62.47</td><td>35.80</td><td>12.44</td><td>60.24</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>8043.00</td><td>40.41</td><td>54.00</td><td>-13.59</td><td>52.41</td><td>35.80</td><td>12.44</td><td>60.24</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>55.34</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8043.00	50.47	74.00	-23.53	62.47	35.80	12.44	60.24	0.00	100	360 PEAK	2	8043.00	40.41	54.00	-13.59	52.41	35.80	12.44	60.24	0.00	100	360 AVERAGE	3	11490.00	47.26	74.00	-26.74	55.34	38.19	14.91	61.18	0.00	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	8043.00	50.47	74.00	-23.53	62.47	35.80	12.44	60.24	0.00	100	360 PEAK																																																																				
2	8043.00	40.41	54.00	-13.59	52.41	35.80	12.44	60.24	0.00	100	360 AVERAGE																																																																				
3	11490.00	47.26	74.00	-26.74	55.34	38.19	14.91	61.18	0.00	---	PEAK																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8043.00</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>62.47</td><td>35.80</td><td>12.44</td><td>60.24</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>8043.00</td><td>40.41</td><td>54.00</td><td>-13.59</td><td>52.41</td><td>35.80</td><td>12.44</td><td>60.24</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>55.34</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8043.00	50.47	74.00	-23.53	62.47	35.80	12.44	60.24	0.00	100	360 PEAK	2	8043.00	40.41	54.00	-13.59	52.41	35.80	12.44	60.24	0.00	100	360 AVERAGE	3	11490.00	47.26	74.00	-26.74	55.34	38.19	14.91	61.18	0.00	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	8043.00	50.47	74.00	-23.53	62.47	35.80	12.44	60.24	0.00	100	360 PEAK																																																																				
2	8043.00	40.41	54.00	-13.59	52.41	35.80	12.44	60.24	0.00	100	360 AVERAGE																																																																				
3	11490.00	47.26	74.00	-26.74	55.34	38.19	14.91	61.18	0.00	---	PEAK																																																																				







		55																																																																																									
Mode	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																										
ANT	CDD 8+10																																																																																										
Pol.	Horizontal																																																																																										
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.53</td><td>55.27</td><td>68.20</td><td>-12.93</td><td>42.03</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>105</td><td>110 PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>52.76</td><td>68.33</td><td>-15.57</td><td>39.54</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>105</td><td>110 PEAK</td></tr><tr><td>3</td><td>5702.66</td><td>55.88</td><td>106.05</td><td>-50.17</td><td>42.73</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>105</td><td>110 PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>52.59</td><td>111.37</td><td>-58.78</td><td>39.48</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>105</td><td>110 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.53	55.27	68.20	-12.93	42.03	34.60	10.27	31.63	0.00	105	110 PEAK	2	5650.17	52.76	68.33	-15.57	39.54	34.60	10.28	31.66	0.00	105	110 PEAK	3	5702.66	55.88	106.05	-50.17	42.73	34.60	10.33	31.78	0.00	105	110 PEAK	4	5720.21	52.59	111.37	-58.78	39.48	34.60	10.34	31.83	0.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5635.53	55.27	68.20	-12.93	42.03	34.60	10.27	31.63	0.00	105	110 PEAK																																																																																
2	5650.17	52.76	68.33	-15.57	39.54	34.60	10.28	31.66	0.00	105	110 PEAK																																																																																
3	5702.66	55.88	106.05	-50.17	42.73	34.60	10.33	31.78	0.00	105	110 PEAK																																																																																
4	5720.21	52.59	111.37	-58.78	39.48	34.60	10.34	31.83	0.00	105	110 PEAK																																																																																
Fundamental																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.00</td><td>-----</td><td>-----</td><td>97.72</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>105</td><td>110 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.00	-----	-----	97.72	34.60	10.36	31.88	0.00	105	110 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	110.00	-----	-----	97.72	34.60	10.36	31.88	0.00	105	110 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.38</td><td>-----</td><td>-----</td><td>90.30</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>105</td><td>110 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.38	-----	-----	90.30	34.60	10.36	31.88	0.00	105	110 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	103.38	-----	-----	90.30	34.60	10.36	31.88	0.00	105	110 AVERAGE																																																																																




Mode	55																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5623.78</td><td>54.74</td><td>68.20</td><td>-13.46</td><td>41.52</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>105</td><td>211 PEAK</td></tr><tr><td>2</td><td>5658.90</td><td>54.79</td><td>68.87</td><td>-14.08</td><td>41.56</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>105</td><td>211 PEAK</td></tr><tr><td>3</td><td>5700.49</td><td>55.97</td><td>105.44</td><td>-49.47</td><td>42.83</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>105</td><td>211 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>52.76</td><td>111.04</td><td>-58.28</td><td>39.65</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>105</td><td>211 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5623.78	54.74	68.20	-13.46	41.52	34.60	10.26	31.64	0.00	105	211 PEAK	2	5658.90	54.79	68.87	-14.08	41.56	34.60	10.29	31.66	0.00	105	211 PEAK	3	5700.49	55.97	105.44	-49.47	42.83	34.60	10.32	31.78	0.00	105	211 PEAK	4	5720.06	52.76	111.04	-58.28	39.65	34.60	10.34	31.83	0.00	105	211 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5623.78	54.74	68.20	-13.46	41.52	34.60	10.26	31.64	0.00	105	211 PEAK																																																																																	
2	5658.90	54.79	68.87	-14.08	41.56	34.60	10.29	31.66	0.00	105	211 PEAK																																																																																	
3	5700.49	55.97	105.44	-49.47	42.83	34.60	10.32	31.78	0.00	105	211 PEAK																																																																																	
4	5720.06	52.76	111.04	-58.28	39.65	34.60	10.34	31.83	0.00	105	211 PEAK																																																																																	
Avg	Blank																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.44</td><td>-----</td><td>-----</td><td>97.36</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>105</td><td>211 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.44	-----	-----	97.36	34.60	10.36	31.88	0.00	105	211 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	110.44	-----	-----	97.36	34.60	10.36	31.88	0.00	105	211 PEAK																																																																																	






Mode	56																																																																																
	Band Edge - L																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																
ANT	CDD 8+10																																																																																
Pol.	Horizontal																																																																																
Peak																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5638.48</td><td>55.25</td><td>68.20</td><td>-12.95</td><td>42.00</td><td>34.60</td><td>10.28</td><td>31.63</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2</td><td>5658.32</td><td>52.28</td><td>68.44</td><td>-16.16</td><td>39.06</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>3</td><td>5700.64</td><td>53.92</td><td>105.48</td><td>-51.56</td><td>40.77</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>4</td><td>5720.25</td><td>54.65</td><td>111.47</td><td>-56.82</td><td>41.54</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5638.48	55.25	68.20	-12.95	42.00	34.60	10.28	31.63	0.00	100	111 PEAK	2	5658.32	52.28	68.44	-16.16	39.06	34.60	10.28	31.66	0.00	100	111 PEAK	3	5700.64	53.92	105.48	-51.56	40.77	34.60	10.33	31.78	0.00	100	111 PEAK	4	5720.25	54.65	111.47	-56.82	41.54	34.60	10.34	31.83	0.00	100	111 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
1	5638.48	55.25	68.20	-12.95	42.00	34.60	10.28	31.63	0.00	100	111 PEAK																																																																						
2	5658.32	52.28	68.44	-16.16	39.06	34.60	10.28	31.66	0.00	100	111 PEAK																																																																						
3	5700.64	53.92	105.48	-51.56	40.77	34.60	10.33	31.78	0.00	100	111 PEAK																																																																						
4	5720.25	54.65	111.47	-56.82	41.54	34.60	10.34	31.83	0.00	100	111 PEAK																																																																						
Avg	Blank																																																																																
																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>111.78</td><td>-----</td><td>-----</td><td>98.78</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	111.78	-----	-----	98.78	34.60	10.40	32.00	0.00	100	111 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
1	5785.00	111.78	-----	-----	98.78	34.60	10.40	32.00	0.00	100	111 PEAK																																																																						
Fundamental																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>103.11</td><td>-----</td><td>-----</td><td>90.11</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	103.11	-----	-----	90.11	34.60	10.40	32.00	0.00	100	111 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
1	5785.00	103.11	-----	-----	90.11	34.60	10.40	32.00	0.00	100	111 AVERAGE																																																																						
Avg																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>103.11</td><td>-----</td><td>-----</td><td>90.11</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	103.11	-----	-----	90.11	34.60	10.40	32.00	0.00	100	111 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
1	5785.00	103.11	-----	-----	90.11	34.60	10.40	32.00	0.00	100	111 AVERAGE																																																																						




Mode	56																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.47</td><td>54.10</td><td>112.12</td><td>-58.02</td><td>41.09</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2</td><td>5873.61</td><td>54.55</td><td>105.69</td><td>-51.14</td><td>41.45</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>54.52</td><td>68.75</td><td>-14.23</td><td>41.12</td><td>35.05</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>4</td><td>5941.42</td><td>54.98</td><td>68.20</td><td>-13.22</td><td>41.47</td><td>35.15</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.47	54.10	112.12	-58.02	41.09	34.72	10.45	32.16	0.00	100	111 PEAK	2	5873.61	54.55	105.69	-51.14	41.45	34.79	10.47	32.16	0.00	100	111 PEAK	3	5924.26	54.52	68.75	-14.23	41.12	35.05	10.51	32.16	0.00	100	111 PEAK	4	5941.42	54.98	68.20	-13.22	41.47	35.15	10.53	32.17	0.00	100	111 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.47	54.10	112.12	-58.02	41.09	34.72	10.45	32.16	0.00	100	111 PEAK																																																																																	
2	5873.61	54.55	105.69	-51.14	41.45	34.79	10.47	32.16	0.00	100	111 PEAK																																																																																	
3	5924.26	54.52	68.75	-14.23	41.12	35.05	10.51	32.16	0.00	100	111 PEAK																																																																																	
4	5941.42	54.98	68.20	-13.22	41.47	35.15	10.53	32.17	0.00	100	111 PEAK																																																																																	



	56																																																																																																																		
Mode	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																		
ANT	CDD 8+10																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5631.82</td><td>56.00</td><td>68.20</td><td>-12.20</td><td>42.76</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>2</td><td>5650.51</td><td>54.09</td><td>68.58</td><td>-14.49</td><td>40.87</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>3</td><td>5701.75</td><td>55.49</td><td>105.79</td><td>-50.30</td><td>42.34</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>51.94</td><td>111.05</td><td>-59.11</td><td>38.83</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5631.82	56.00	68.20	-12.20	42.76	34.60	10.27	31.63	0.00	100	204 PEAK	2	5650.51	54.09	68.58	-14.49	40.87	34.60	10.28	31.66	0.00	100	204 PEAK	3	5701.75	55.49	105.79	-50.30	42.34	34.60	10.33	31.78	0.00	100	204 PEAK	4	5720.07	51.94	111.05	-59.11	38.83	34.60	10.34	31.83	0.00	100	204 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>108.82</td><td>-----</td><td>-----</td><td>95.81</td><td>34.60</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	108.82	-----	-----	95.81	34.60	10.39	31.98	0.00	100	204 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5631.82	56.00	68.20	-12.20	42.76	34.60	10.27	31.63	0.00	100	204 PEAK																																																																																																								
2	5650.51	54.09	68.58	-14.49	40.87	34.60	10.28	31.66	0.00	100	204 PEAK																																																																																																								
3	5701.75	55.49	105.79	-50.30	42.34	34.60	10.33	31.78	0.00	100	204 PEAK																																																																																																								
4	5720.07	51.94	111.05	-59.11	38.83	34.60	10.34	31.83	0.00	100	204 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5785.00	108.82	-----	-----	95.81	34.60	10.39	31.98	0.00	100	204 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>101.89</td><td>-----</td><td>-----</td><td>88.88</td><td>34.60</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td>204 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	101.89	-----	-----	88.88	34.60	10.39	31.98	0.00	100	204 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5785.00	101.89	-----	-----	88.88	34.60	10.39	31.98	0.00	100	204 AVERAGE																																																																																																								






Mode	56																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>52.90</td><td>111.37</td><td>-58.47</td><td>39.89</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>2</td><td>5874.27</td><td>54.58</td><td>105.51</td><td>-50.93</td><td>41.47</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>3</td><td>5924.59</td><td>54.23</td><td>68.50</td><td>-14.27</td><td>40.82</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>4</td><td>5937.30</td><td>54.55</td><td>68.20</td><td>-13.65</td><td>41.06</td><td>35.12</td><td>10.53</td><td>32.16</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	52.90	111.37	-58.47	39.89	34.72	10.45	32.16	0.00	100	204 PEAK	2	5874.27	54.58	105.51	-50.93	41.47	34.80	10.47	32.16	0.00	100	204 PEAK	3	5924.59	54.23	68.50	-14.27	40.82	35.05	10.52	32.16	0.00	100	204 PEAK	4	5937.30	54.55	68.20	-13.65	41.06	35.12	10.53	32.16	0.00	100	204 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	52.90	111.37	-58.47	39.89	34.72	10.45	32.16	0.00	100	204 PEAK																																																																																	
2	5874.27	54.58	105.51	-50.93	41.47	34.80	10.47	32.16	0.00	100	204 PEAK																																																																																	
3	5924.59	54.23	68.50	-14.27	40.82	35.05	10.52	32.16	0.00	100	204 PEAK																																																																																	
4	5937.30	54.55	68.20	-13.65	41.06	35.12	10.53	32.16	0.00	100	204 PEAK																																																																																	






		56																																																																															
Mode		Harmonic																																																																															
		U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																															
ANT		CDD 8+10																																																																															
Pol.		Horizontal																																																																															
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8099.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>56.71</td><td>35.80</td><td>12.44</td><td>60.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>53.87</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8099.00	44.63	74.00	-29.37	56.71	35.80	12.44	60.32	0.00	---	PEAK	2	11570.00	45.91	74.00	-28.09	53.87	38.27	14.97	61.20	0.00	---	PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	8099.00	44.63	74.00	-29.37	56.71	35.80	12.44	60.32	0.00	---	PEAK																																																																						
2	11570.00	45.91	74.00	-28.09	53.87	38.27	14.97	61.20	0.00	---	PEAK																																																																						
		Vertical																																																																															
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8099.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>58.86</td><td>35.80</td><td>12.44</td><td>60.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>48.14</td><td>74.00</td><td>-25.86</td><td>56.10</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>36.10</td><td>54.00</td><td>-17.90</td><td>44.05</td><td>38.28</td><td>14.97</td><td>61.20</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8099.00	46.78	74.00	-27.22	58.86	35.80	12.44	60.32	0.00	---	PEAK	2	11570.00	48.14	74.00	-25.86	56.10	38.27	14.97	61.20	0.00	100	360 PEAK	3	11570.00	36.10	54.00	-17.90	44.05	38.28	14.97	61.20	0.00	100	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	8099.00	46.78	74.00	-27.22	58.86	35.80	12.44	60.32	0.00	---	PEAK																																																																						
2	11570.00	48.14	74.00	-25.86	56.10	38.27	14.97	61.20	0.00	100	360 PEAK																																																																						
3	11570.00	36.10	54.00	-17.90	44.05	38.28	14.97	61.20	0.00	100	360 AVERAGE																																																																						



Mode	57																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																														
ANT	CDD 8+10																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.75</td><td>53.33</td><td>111.47</td><td>-58.14</td><td>40.32</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>5874.88</td><td>55.34</td><td>105.33</td><td>-49.99</td><td>42.23</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.15</td><td>68.20</td><td>-13.05</td><td>41.74</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>4</td><td>5932.25</td><td>55.63</td><td>68.20</td><td>-12.57</td><td>42.18</td><td>35.09</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>104</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.75	53.33	111.47	-58.14	40.32	34.72	10.45	32.16	0.00	100	104	PEAK	2	5874.88	55.34	105.33	-49.99	42.23	34.00	10.47	32.16	0.00	100	104	PEAK	3	5925.00	55.15	68.20	-13.05	41.74	35.05	10.52	32.16	0.00	100	104	PEAK	4	5932.25	55.63	68.20	-12.57	42.18	35.09	10.52	32.16	0.00	100	104	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.60</td><td>-----</td><td>-----</td><td>97.61</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>104</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	110.60	-----	-----	97.61	34.66	10.43	32.10	0.00	100	104	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5854.75	53.33	111.47	-58.14	40.32	34.72	10.45	32.16	0.00	100	104	PEAK																																																																																																																																			
2	5874.88	55.34	105.33	-49.99	42.23	34.00	10.47	32.16	0.00	100	104	PEAK																																																																																																																																			
3	5925.00	55.15	68.20	-13.05	41.74	35.05	10.52	32.16	0.00	100	104	PEAK																																																																																																																																			
4	5932.25	55.63	68.20	-12.57	42.18	35.09	10.52	32.16	0.00	100	104	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	110.60	-----	-----	97.61	34.66	10.43	32.10	0.00	100	104	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.69</td><td>-----</td><td>-----</td><td>89.70</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>104</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.69	-----	-----	89.70	34.66	10.43	32.10	0.00	100	104	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	102.69	-----	-----	89.70	34.66	10.43	32.10	0.00	100	104	AVERAGE																																																																																																																																			






Mode	57																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>53.81</td><td>110.90</td><td>-57.09</td><td>40.00</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>2</td><td>5873.38</td><td>55.16</td><td>105.75</td><td>-50.59</td><td>42.06</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>53.49</td><td>68.38</td><td>-14.89</td><td>40.00</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>4</td><td>5930.13</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>42.21</td><td>35.08</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	53.81	110.90	-57.09	40.00	34.72	10.45	32.16	0.00	100	203 PEAK	2	5873.38	55.16	105.75	-50.59	42.06	34.79	10.47	32.16	0.00	100	203 PEAK	3	5924.75	53.49	68.38	-14.89	40.00	35.05	10.52	32.16	0.00	100	203 PEAK	4	5930.13	55.65	68.20	-12.55	42.21	35.08	10.52	32.16	0.00	100	203 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.68</td><td>-----</td><td>-----</td><td>95.68</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.68	-----	-----	95.68	34.65	10.43	32.00	0.00	100	203 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5855.00	53.81	110.90	-57.09	40.00	34.72	10.45	32.16	0.00	100	203 PEAK																																																																																																																														
2	5873.38	55.16	105.75	-50.59	42.06	34.79	10.47	32.16	0.00	100	203 PEAK																																																																																																																														
3	5924.75	53.49	68.38	-14.89	40.00	35.05	10.52	32.16	0.00	100	203 PEAK																																																																																																																														
4	5930.13	55.65	68.20	-12.55	42.21	35.08	10.52	32.16	0.00	100	203 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	100.68	-----	-----	95.68	34.65	10.43	32.00	0.00	100	203 PEAK																																																																																																																														
Avg	Blank						 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.67</td><td>-----</td><td>-----</td><td>87.68</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>203 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.67	-----	-----	87.68	34.66	10.43	32.10	0.00	100	203 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	100.67	-----	-----	87.68	34.66	10.43	32.10	0.00	100	203 AVERAGE																																																																																																																														






Mode	57																																																																																																																																																																
	Harmonic																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																																																
ANT	CDD 8+10																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7766.70</td><td>49.93</td><td>68.20</td><td>-18.27</td><td>62.54</td><td>35.90</td><td>12.12</td><td>60.63</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8155.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>55.92</td><td>35.00</td><td>12.45</td><td>60.41</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>54.94</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7766.70	49.93	68.20	-18.27	62.54	35.90	12.12	60.63	0.00	---	Peak	2	8155.00	43.76	74.00	-30.24	55.92	35.00	12.45	60.41	0.00	---	PEAK	3	11650.00	47.09	74.00	-26.91	54.94	38.35	15.02	61.22	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7766.70</td><td>48.75</td><td>68.20</td><td>-19.45</td><td>61.36</td><td>35.90</td><td>12.12</td><td>60.63</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8155.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>56.24</td><td>35.80</td><td>12.45</td><td>60.41</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>48.71</td><td>74.00</td><td>-25.29</td><td>56.56</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>4</td><td>11650.00</td><td>36.61</td><td>54.00</td><td>-17.39</td><td>44.45</td><td>38.35</td><td>15.03</td><td>61.22</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7766.70	48.75	68.20	-19.45	61.36	35.90	12.12	60.63	0.00	---	Peak	2	8155.00	44.08	74.00	-29.92	56.24	35.80	12.45	60.41	0.00	---	PEAK	3	11650.00	48.71	74.00	-25.29	56.56	38.35	15.02	61.22	0.00	100	360 PEAK	4	11650.00	36.61	54.00	-17.39	44.45	38.35	15.03	61.22	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7766.70	49.93	68.20	-18.27	62.54	35.90	12.12	60.63	0.00	---	Peak																																																																																																																																																						
2	8155.00	43.76	74.00	-30.24	55.92	35.00	12.45	60.41	0.00	---	PEAK																																																																																																																																																						
3	11650.00	47.09	74.00	-26.91	54.94	38.35	15.02	61.22	0.00	---	PEAK																																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7766.70	48.75	68.20	-19.45	61.36	35.90	12.12	60.63	0.00	---	Peak																																																																																																																																																						
2	8155.00	44.08	74.00	-29.92	56.24	35.80	12.45	60.41	0.00	---	PEAK																																																																																																																																																						
3	11650.00	48.71	74.00	-25.29	56.56	38.35	15.02	61.22	0.00	100	360 PEAK																																																																																																																																																						
4	11650.00	36.61	54.00	-17.39	44.45	38.35	15.03	61.22	0.00	100	360 AVERAGE																																																																																																																																																						






Mode	58																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.88</td><td>54.16</td><td>111.18</td><td>-57.02</td><td>41.15</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>106 PEAK</td></tr><tr><td>2</td><td>5869.25</td><td>54.76</td><td>106.91</td><td>-52.15</td><td>41.67</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>106 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>54.17</td><td>68.20</td><td>-14.03</td><td>40.76</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>106 PEAK</td></tr><tr><td>4</td><td>5937.13</td><td>55.69</td><td>68.20</td><td>-12.51</td><td>42.20</td><td>35.12</td><td>10.53</td><td>32.16</td><td>0.00</td><td>100</td><td>106 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	54.16	111.18	-57.02	41.15	34.72	10.45	32.16	0.00	100	106 PEAK	2	5869.25	54.76	106.91	-52.15	41.67	34.78	10.47	32.16	0.00	100	106 PEAK	3	5925.00	54.17	68.20	-14.03	40.76	35.05	10.52	32.16	0.00	100	106 PEAK	4	5937.13	55.69	68.20	-12.51	42.20	35.12	10.53	32.16	0.00	100	106 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>108.87</td><td>-----</td><td>-----</td><td>95.88</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>106 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.87	-----	-----	95.88	34.66	10.43	32.10	0.00	100	106 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.88	54.16	111.18	-57.02	41.15	34.72	10.45	32.16	0.00	100	106 PEAK																																																																																																																														
2	5869.25	54.76	106.91	-52.15	41.67	34.78	10.47	32.16	0.00	100	106 PEAK																																																																																																																														
3	5925.00	54.17	68.20	-14.03	40.76	35.05	10.52	32.16	0.00	100	106 PEAK																																																																																																																														
4	5937.13	55.69	68.20	-12.51	42.20	35.12	10.53	32.16	0.00	100	106 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	108.87	-----	-----	95.88	34.66	10.43	32.10	0.00	100	106 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.61</td><td>-----</td><td>-----</td><td>88.62</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>106 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.61	-----	-----	88.62	34.66	10.43	32.10	0.00	100	106 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	101.61	-----	-----	88.62	34.66	10.43	32.10	0.00	100	106 AVERAGE																																																																																																																														




Mode	58																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																							
ANT	CDD 8+10																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>53.10</td><td>110.90</td><td>-57.80</td><td>40.09</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>214 PEAK</td></tr><tr><td>2</td><td>5866.25</td><td>56.89</td><td>107.75</td><td>-50.86</td><td>43.83</td><td>34.76</td><td>10.46</td><td>32.16</td><td>0.00</td><td>100</td><td>214 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>54.06</td><td>68.20</td><td>-14.14</td><td>40.65</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>214 PEAK</td></tr><tr><td>4</td><td>5944.38</td><td>54.67</td><td>68.20</td><td>-13.53</td><td>41.14</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>214 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	53.10	110.90	-57.80	40.09	34.72	10.45	32.16	0.00	100	214 PEAK	2	5866.25	56.89	107.75	-50.86	43.83	34.76	10.46	32.16	0.00	100	214 PEAK	3	5925.00	54.06	68.20	-14.14	40.65	35.05	10.52	32.16	0.00	100	214 PEAK	4	5944.38	54.67	68.20	-13.53	41.14	35.17	10.53	32.17	0.00	100	214 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.30</td><td>-----</td><td>-----</td><td>95.31</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>214 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.30	-----	-----	95.31	34.66	10.43	32.10	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5855.00	53.10	110.90	-57.80	40.09	34.72	10.45	32.16	0.00	100	214 PEAK																																																																																																																													
2	5866.25	56.89	107.75	-50.86	43.83	34.76	10.46	32.16	0.00	100	214 PEAK																																																																																																																													
3	5925.00	54.06	68.20	-14.14	40.65	35.05	10.52	32.16	0.00	100	214 PEAK																																																																																																																													
4	5944.38	54.67	68.20	-13.53	41.14	35.17	10.53	32.17	0.00	100	214 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	108.30	-----	-----	95.31	34.66	10.43	32.10	0.00	100	214 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.81</td><td>-----</td><td>-----</td><td>86.82</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>214 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.81	-----	-----	86.82	34.66	10.43	32.10	0.00	100	214 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	99.81	-----	-----	86.82	34.66	10.43	32.10	0.00	100	214 AVERAGE																																																																																																																													






Mode	59																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.19</td><td>55.28</td><td>68.20</td><td>-12.92</td><td>42.05</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>53.91</td><td>68.25</td><td>-14.34</td><td>40.68</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>3</td><td>5700.13</td><td>54.16</td><td>105.34</td><td>-51.18</td><td>41.02</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>53.76</td><td>111.54</td><td>-57.78</td><td>40.65</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.19	55.28	68.20	-12.92	42.05	34.60	10.28	31.65	0.00	100	109 PEAK	2	5650.07	53.91	68.25	-14.34	40.68	34.60	10.28	31.65	0.00	100	109 PEAK	3	5700.13	54.16	105.34	-51.18	41.02	34.60	10.32	31.78	0.00	100	109 PEAK	4	5720.28	53.76	111.54	-57.78	40.65	34.60	10.34	31.83	0.00	100	109 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.28</td><td>-----</td><td>-----</td><td>92.20</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.28	-----	-----	92.20	34.60	10.36	31.88	0.00	100	109 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5646.19	55.28	68.20	-12.92	42.05	34.60	10.28	31.65	0.00	100	109 PEAK																																																																																																																														
2	5650.07	53.91	68.25	-14.34	40.68	34.60	10.28	31.65	0.00	100	109 PEAK																																																																																																																														
3	5700.13	54.16	105.34	-51.18	41.02	34.60	10.32	31.78	0.00	100	109 PEAK																																																																																																																														
4	5720.28	53.76	111.54	-57.78	40.65	34.60	10.34	31.83	0.00	100	109 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	105.28	-----	-----	92.20	34.60	10.36	31.88	0.00	100	109 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.71</td><td>-----</td><td>-----</td><td>84.64</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.71	-----	-----	84.64	34.60	10.36	31.89	0.00	100	109 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	97.71	-----	-----	84.64	34.60	10.36	31.89	0.00	100	109 AVERAGE																																																																																																																														




Mode	59																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>52.98</td><td>112.60</td><td>-59.62</td><td>39.97</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>54.34</td><td>105.38</td><td>-51.04</td><td>41.23</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>53.16</td><td>68.46</td><td>-15.30</td><td>39.75</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>4</td><td>5942.79</td><td>55.57</td><td>68.20</td><td>-12.63</td><td>42.05</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	52.98	112.60	-59.62	39.97	34.72	10.45	32.16	0.00	100	109 PEAK	2	5874.73	54.34	105.38	-51.04	41.23	34.80	10.47	32.16	0.00	100	109 PEAK	3	5924.65	53.16	68.46	-15.30	39.75	35.05	10.52	32.16	0.00	100	109 PEAK	4	5942.79	55.57	68.20	-12.63	42.05	35.16	10.53	32.17	0.00	100	109 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.26	52.98	112.60	-59.62	39.97	34.72	10.45	32.16	0.00	100	109 PEAK																																																																																	
2	5874.73	54.34	105.38	-51.04	41.23	34.80	10.47	32.16	0.00	100	109 PEAK																																																																																	
3	5924.65	53.16	68.46	-15.30	39.75	35.05	10.52	32.16	0.00	100	109 PEAK																																																																																	
4	5942.79	55.57	68.20	-12.63	42.05	35.16	10.53	32.17	0.00	100	109 PEAK																																																																																	






Mode	59																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																																																																							
ANT	CDD 8+10																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.51</td><td>54.40</td><td>68.20</td><td>-13.80</td><td>41.17</td><td>34.60</td><td>10.27</td><td>31.64</td><td>0.00</td><td>106</td><td>211 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>53.55</td><td>68.36</td><td>-14.81</td><td>40.33</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>106</td><td>211 PEAK</td></tr><tr><td>3</td><td>5702.61</td><td>53.87</td><td>106.03</td><td>-52.16</td><td>40.72</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>106</td><td>211 PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>52.94</td><td>112.25</td><td>-59.31</td><td>39.83</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>106</td><td>211 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5626.51	54.40	68.20	-13.80	41.17	34.60	10.27	31.64	0.00	106	211 PEAK	2	5650.22	53.55	68.36	-14.81	40.33	34.60	10.28	31.66	0.00	106	211 PEAK	3	5702.61	53.87	106.03	-52.16	40.72	34.60	10.33	31.78	0.00	106	211 PEAK	4	5720.59	52.94	112.25	-59.31	39.83	34.60	10.34	31.83	0.00	106	211 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>104.71</td><td>-----</td><td>-----</td><td>91.65</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>106</td><td>211 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	104.71	-----	-----	91.65	34.60	10.37	31.91	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5626.51	54.40	68.20	-13.80	41.17	34.60	10.27	31.64	0.00	106	211 PEAK																																																																																																																													
2	5650.22	53.55	68.36	-14.81	40.33	34.60	10.28	31.66	0.00	106	211 PEAK																																																																																																																													
3	5702.61	53.87	106.03	-52.16	40.72	34.60	10.33	31.78	0.00	106	211 PEAK																																																																																																																													
4	5720.59	52.94	112.25	-59.31	39.83	34.60	10.34	31.83	0.00	106	211 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	104.71	-----	-----	91.65	34.60	10.37	31.91	0.00	106	211 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.33</td><td>-----</td><td>-----</td><td>83.25</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>106</td><td>211 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	96.33	-----	-----	83.25	34.60	10.36	31.88	0.00	106	211 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	96.33	-----	-----	83.25	34.60	10.36	31.88	0.00	106	211 AVERAGE																																																																																																																													




Mode	59																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>52.73</td><td>112.15</td><td>-59.42</td><td>39.72</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>106</td><td>211 PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>55.24</td><td>105.38</td><td>-50.14</td><td>42.13</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>106</td><td>211 PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>53.20</td><td>68.75</td><td>-15.55</td><td>39.80</td><td>35.05</td><td>10.51</td><td>32.16</td><td>0.00</td><td>106</td><td>211 PEAK</td></tr><tr><td>4</td><td>5934.79</td><td>55.23</td><td>68.20</td><td>-12.97</td><td>41.76</td><td>35.11</td><td>10.52</td><td>32.16</td><td>0.00</td><td>106</td><td>211 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	52.73	112.15	-59.42	39.72	34.72	10.45	32.16	0.00	106	211 PEAK	2	5874.73	55.24	105.38	-50.14	42.13	34.80	10.47	32.16	0.00	106	211 PEAK	3	5924.26	53.20	68.75	-15.55	39.80	35.05	10.51	32.16	0.00	106	211 PEAK	4	5934.79	55.23	68.20	-12.97	41.76	35.11	10.52	32.16	0.00	106	211 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.45	52.73	112.15	-59.42	39.72	34.72	10.45	32.16	0.00	106	211 PEAK																																																																																	
2	5874.73	55.24	105.38	-50.14	42.13	34.80	10.47	32.16	0.00	106	211 PEAK																																																																																	
3	5924.26	53.20	68.75	-15.55	39.80	35.05	10.51	32.16	0.00	106	211 PEAK																																																																																	
4	5934.79	55.23	68.20	-12.97	41.76	35.11	10.52	32.16	0.00	106	211 PEAK																																																																																	






	60																																																																																																																						
Mode	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																						
ANT	CDD 8+10																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.26</td><td>55.14</td><td>68.20</td><td>-13.06</td><td>41.90</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>102</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>52.54</td><td>68.71</td><td>-16.17</td><td>39.31</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>102</td><td>106</td><td>PEAK</td></tr><tr><td>3</td><td>5715.63</td><td>58.60</td><td>109.68</td><td>-51.08</td><td>45.48</td><td>34.60</td><td>10.34</td><td>31.82</td><td>0.00</td><td>102</td><td>106</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>58.11</td><td>111.89</td><td>-53.78</td><td>45.00</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>102</td><td>106</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5645.26	55.14	68.20	-13.06	41.90	34.60	10.28	31.64	0.00	102	106	PEAK	2	5650.69	52.54	68.71	-16.17	39.31	34.60	10.29	31.66	0.00	102	106	PEAK	3	5715.63	58.60	109.68	-51.08	45.48	34.60	10.34	31.82	0.00	102	106	PEAK	4	5720.44	58.11	111.89	-53.78	45.00	34.60	10.34	31.83	0.00	102	106	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>108.70</td><td>-----</td><td>-----</td><td>95.65</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>102</td><td>106</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	108.70	-----	-----	95.65	34.60	10.37	31.92	0.00	102	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5645.26	55.14	68.20	-13.06	41.90	34.60	10.28	31.64	0.00	102	106	PEAK																																																																																																											
2	5650.69	52.54	68.71	-16.17	39.31	34.60	10.29	31.66	0.00	102	106	PEAK																																																																																																											
3	5715.63	58.60	109.68	-51.08	45.48	34.60	10.34	31.82	0.00	102	106	PEAK																																																																																																											
4	5720.44	58.11	111.89	-53.78	45.00	34.60	10.34	31.83	0.00	102	106	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5755.00	108.70	-----	-----	95.65	34.60	10.37	31.92	0.00	102	106	PEAK																																																																																																											
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.13</td><td>-----</td><td>-----</td><td>86.08</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>102</td><td>106</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	99.13	-----	-----	86.08	34.60	10.37	31.92	0.00	102	106	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5755.00	99.13	-----	-----	86.08	34.60	10.37	31.92	0.00	102	106	AVERAGE																																																																																																											




Mode	60																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																															
ANT	CDD 8+10																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.04</td><td>53.22</td><td>111.26</td><td>-58.04</td><td>40.21</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>102</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>56.18</td><td>105.92</td><td>-49.74</td><td>43.08</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>102</td><td>106</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>53.96</td><td>68.31</td><td>-14.35</td><td>40.55</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>102</td><td>106</td><td>PEAK</td></tr><tr><td>4</td><td>5949.61</td><td>54.66</td><td>68.20</td><td>-13.54</td><td>41.09</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>102</td><td>106</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.04	53.22	111.26	-58.04	40.21	34.72	10.45	32.16	0.00	102	106	PEAK	2	5872.78	56.18	105.92	-49.74	43.08	34.79	10.47	32.16	0.00	102	106	PEAK	3	5924.85	53.96	68.31	-14.35	40.55	35.05	10.52	32.16	0.00	102	106	PEAK	4	5949.61	54.66	68.20	-13.54	41.09	35.20	10.54	32.17	0.00	102	106	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.04	53.22	111.26	-58.04	40.21	34.72	10.45	32.16	0.00	102	106	PEAK																																																																																				
2	5872.78	56.18	105.92	-49.74	43.08	34.79	10.47	32.16	0.00	102	106	PEAK																																																																																				
3	5924.85	53.96	68.31	-14.35	40.55	35.05	10.52	32.16	0.00	102	106	PEAK																																																																																				
4	5949.61	54.66	68.20	-13.54	41.09	35.20	10.54	32.17	0.00	102	106	PEAK																																																																																				





Mode	60																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.44</td><td>54.96</td><td>68.20</td><td>-13.24</td><td>41.71</td><td>34.60</td><td>10.28</td><td>31.63</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>2</td><td>5658.69</td><td>53.40</td><td>68.71</td><td>-15.31</td><td>40.17</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>3</td><td>5705.40</td><td>56.05</td><td>106.81</td><td>-50.76</td><td>42.91</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>58.15</td><td>111.19</td><td>-53.04</td><td>45.04</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5638.44	54.96	68.20	-13.24	41.71	34.60	10.28	31.63	0.00	100	204 PEAK	2	5658.69	53.40	68.71	-15.31	40.17	34.60	10.29	31.66	0.00	100	204 PEAK	3	5705.40	56.05	106.81	-50.76	42.91	34.60	10.33	31.79	0.00	100	204 PEAK	4	5720.13	58.15	111.19	-53.04	45.04	34.60	10.34	31.83	0.00	100	204 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5638.44	54.96	68.20	-13.24	41.71	34.60	10.28	31.63	0.00	100	204 PEAK																																																																																	
2	5658.69	53.40	68.71	-15.31	40.17	34.60	10.29	31.66	0.00	100	204 PEAK																																																																																	
3	5705.40	56.05	106.81	-50.76	42.91	34.60	10.33	31.79	0.00	100	204 PEAK																																																																																	
4	5720.13	58.15	111.19	-53.04	45.04	34.60	10.34	31.83	0.00	100	204 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>106.38</td><td>-----</td><td>-----</td><td>93.32</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.38	-----	-----	93.32	34.60	10.37	31.91	0.00	100	204 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	106.38	-----	-----	93.32	34.60	10.37	31.91	0.00	100	204 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>97.56</td><td>-----</td><td>-----</td><td>84.50</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>100</td><td>204 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.56	-----	-----	84.50	34.60	10.37	31.91	0.00	100	204 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	97.56	-----	-----	84.50	34.60	10.37	31.91	0.00	100	204 AVERAGE																																																																																	






Mode	60																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>52.93</td><td>111.71</td><td>-58.78</td><td>39.92</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>2</td><td>5872.59</td><td>53.65</td><td>105.98</td><td>-52.33</td><td>40.55</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>3</td><td>5921.53</td><td>55.72</td><td>70.76</td><td>-15.04</td><td>42.34</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>4</td><td>5941.42</td><td>55.64</td><td>68.20</td><td>-12.56</td><td>42.13</td><td>35.15</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	52.93	111.71	-58.78	39.92	34.72	10.45	32.16	0.00	100	204 PEAK	2	5872.59	53.65	105.98	-52.33	40.55	34.79	10.47	32.16	0.00	100	204 PEAK	3	5921.53	55.72	70.76	-15.04	42.34	35.03	10.51	32.16	0.00	100	204 PEAK	4	5941.42	55.64	68.20	-12.56	42.13	35.15	10.53	32.17	0.00	100	204 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.65	52.93	111.71	-58.78	39.92	34.72	10.45	32.16	0.00	100	204 PEAK																																																																																	
2	5872.59	53.65	105.98	-52.33	40.55	34.79	10.47	32.16	0.00	100	204 PEAK																																																																																	
3	5921.53	55.72	70.76	-15.04	42.34	35.03	10.51	32.16	0.00	100	204 PEAK																																																																																	
4	5941.42	55.64	68.20	-12.56	42.13	35.15	10.53	32.17	0.00	100	204 PEAK																																																																																	




Mode	60																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																												
ANT	CDD 8+10																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8057.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>56.11</td><td>35.80</td><td>12.44</td><td>60.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>53.49</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8057.00	44.09	74.00	-29.91	56.11	35.80	12.44	60.26	0.00	---	---	PEAK	2	11510.00	45.44	74.00	-28.56	53.49	38.21	14.92	61.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8057.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>59.46</td><td>35.80</td><td>12.44</td><td>60.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>53.82</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8057.00	47.44	74.00	-26.56	59.46	35.80	12.44	60.26	0.00	---	---	PEAK	2	11510.00	45.77	74.00	-28.23	53.82	38.21	14.92	61.18	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	8057.00	44.09	74.00	-29.91	56.11	35.80	12.44	60.26	0.00	---	---	PEAK																																																																																																																	
2	11510.00	45.44	74.00	-28.56	53.49	38.21	14.92	61.18	0.00	---	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	8057.00	47.44	74.00	-26.56	59.46	35.80	12.44	60.26	0.00	---	---	PEAK																																																																																																																	
2	11510.00	45.77	74.00	-28.23	53.82	38.21	14.92	61.18	0.00	---	---	PEAK																																																																																																																	






Mode	61																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5632.96</td><td>53.47</td><td>68.20</td><td>-14.73</td><td>40.23</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>111</td><td>104 PEAK</td></tr><tr><td>2 5650.12</td><td>51.54</td><td>68.29</td><td>-16.75</td><td>38.31</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>111</td><td>104 PEAK</td></tr><tr><td>3 5701.01</td><td>53.20</td><td>105.58</td><td>-52.38</td><td>40.05</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>111</td><td>104 PEAK</td></tr><tr><td>4 5720.12</td><td>52.78</td><td>111.17</td><td>-58.39</td><td>39.67</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>111</td><td>104 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5632.96	53.47	68.20	-14.73	40.23	34.60	10.27	31.63	0.00	111	104 PEAK	2 5650.12	51.54	68.29	-16.75	38.31	34.60	10.28	31.65	0.00	111	104 PEAK	3 5701.01	53.20	105.58	-52.38	40.05	34.60	10.33	31.78	0.00	111	104 PEAK	4 5720.12	52.78	111.17	-58.39	39.67	34.60	10.34	31.83	0.00	111	104 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>108.05</td><td>-----</td><td>-----</td><td>95.05</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>111</td><td>104 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	108.05	-----	-----	95.05	34.60	10.40	32.00	0.00	111	104 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5632.96	53.47	68.20	-14.73	40.23	34.60	10.27	31.63	0.00	111	104 PEAK																																																																																																																										
2 5650.12	51.54	68.29	-16.75	38.31	34.60	10.28	31.65	0.00	111	104 PEAK																																																																																																																										
3 5701.01	53.20	105.58	-52.38	40.05	34.60	10.33	31.78	0.00	111	104 PEAK																																																																																																																										
4 5720.12	52.78	111.17	-58.39	39.67	34.60	10.34	31.83	0.00	111	104 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	108.05	-----	-----	95.05	34.60	10.40	32.00	0.00	111	104 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>98.33</td><td>-----</td><td>-----</td><td>85.33</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>111</td><td>104 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	98.33	-----	-----	85.33	34.60	10.40	32.00	0.00	111	104 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	98.33	-----	-----	85.33	34.60	10.40	32.00	0.00	111	104 AVERAGE																																																																																																																										




Mode	61																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																														
ANT	CDD 8+10																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.52</td><td>110.93</td><td>-56.41</td><td>41.51</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>111 104 PEAK</td></tr><tr><td>2</td><td>5874.67</td><td>55.90</td><td>105.39</td><td>-49.49</td><td>42.79</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>111 104 PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>53.08</td><td>68.28</td><td>-15.20</td><td>39.67</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>111 104 PEAK</td></tr><tr><td>4</td><td>5943.96</td><td>56.30</td><td>68.20</td><td>-11.90</td><td>42.78</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>111 104 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	54.52	110.93	-56.41	41.51	34.72	10.45	32.16	0.00	111 104 PEAK	2	5874.67	55.90	105.39	-49.49	42.79	34.00	10.47	32.16	0.00	111 104 PEAK	3	5924.89	53.08	68.28	-15.20	39.67	35.05	10.52	32.16	0.00	111 104 PEAK	4	5943.96	56.30	68.20	-11.90	42.78	35.16	10.53	32.17	0.00	111 104 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.99	54.52	110.93	-56.41	41.51	34.72	10.45	32.16	0.00	111 104 PEAK																																																																					
2	5874.67	55.90	105.39	-49.49	42.79	34.00	10.47	32.16	0.00	111 104 PEAK																																																																					
3	5924.89	53.08	68.28	-15.20	39.67	35.05	10.52	32.16	0.00	111 104 PEAK																																																																					
4	5943.96	56.30	68.20	-11.90	42.78	35.16	10.53	32.17	0.00	111 104 PEAK																																																																					





Mode	61																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																							
ANT	CDD 8+10																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.64</td><td>54.72</td><td>68.20</td><td>-13.48</td><td>41.48</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>2</td><td>5658.70</td><td>51.68</td><td>68.72</td><td>-17.04</td><td>38.45</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>3</td><td>5700.04</td><td>52.86</td><td>105.31</td><td>-52.45</td><td>39.72</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>53.56</td><td>111.17</td><td>-57.61</td><td>40.45</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.64	54.72	68.20	-13.48	41.48	34.60	10.27	31.63	0.00	100	203 PEAK	2	5658.70	51.68	68.72	-17.04	38.45	34.60	10.29	31.66	0.00	100	203 PEAK	3	5700.04	52.86	105.31	-52.45	39.72	34.60	10.32	31.78	0.00	100	203 PEAK	4	5720.12	53.56	111.17	-57.61	40.45	34.60	10.34	31.83	0.00	100	203 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.57</td><td>-----</td><td>-----</td><td>92.58</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	105.57	-----	-----	92.58	34.60	10.40	32.01	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5637.64	54.72	68.20	-13.48	41.48	34.60	10.27	31.63	0.00	100	203 PEAK																																																																																																																													
2	5658.70	51.68	68.72	-17.04	38.45	34.60	10.29	31.66	0.00	100	203 PEAK																																																																																																																													
3	5700.04	52.86	105.31	-52.45	39.72	34.60	10.32	31.78	0.00	100	203 PEAK																																																																																																																													
4	5720.12	53.56	111.17	-57.61	40.45	34.60	10.34	31.83	0.00	100	203 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	105.57	-----	-----	92.58	34.60	10.40	32.01	0.00	100	203 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.37</td><td>-----</td><td>-----</td><td>83.38</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>203 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	96.37	-----	-----	83.38	34.60	10.40	32.01	0.00	100	203 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	96.37	-----	-----	83.38	34.60	10.40	32.01	0.00	100	203 AVERAGE																																																																																																																													






Mode	61																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>52.62</td><td>111.29</td><td>-58.67</td><td>39.61</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>2</td><td>5874.21</td><td>55.22</td><td>105.52</td><td>-50.30</td><td>42.11</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>55.71</td><td>68.28</td><td>-12.57</td><td>42.30</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>4</td><td>5933.88</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>41.99</td><td>35.10</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.83	52.62	111.29	-58.67	39.61	34.72	10.45	32.16	0.00	100	203 PEAK	2	5874.21	55.22	105.52	-50.30	42.11	34.00	10.47	32.16	0.00	100	203 PEAK	3	5924.89	55.71	68.28	-12.57	42.30	35.05	10.52	32.16	0.00	100	203 PEAK	4	5933.88	55.45	68.20	-12.75	41.99	35.10	10.52	32.16	0.00	100	203 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.83	52.62	111.29	-58.67	39.61	34.72	10.45	32.16	0.00	100	203 PEAK																																																																																	
2	5874.21	55.22	105.52	-50.30	42.11	34.00	10.47	32.16	0.00	100	203 PEAK																																																																																	
3	5924.89	55.71	68.28	-12.57	42.30	35.05	10.52	32.16	0.00	100	203 PEAK																																																																																	
4	5933.88	55.45	68.20	-12.75	41.99	35.10	10.52	32.16	0.00	100	203 PEAK																																																																																	




Mode	61																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																														
ANT	CDD 8+10																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8113.00</td><td>43.70</td><td>74.00</td><td>-30.30</td><td>55.80</td><td>35.80</td><td>12.45</td><td>60.35</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>53.62</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8113.00	43.70	74.00	-30.30	55.80	35.80	12.45	60.35	0.00	---	--- PEAK	2	11590.00	45.68	74.00	-28.32	53.62	38.29	14.98	61.21	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8113.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>57.94</td><td>35.80</td><td>12.45</td><td>60.35</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>53.54</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8113.00	45.84	74.00	-28.16	57.94	35.80	12.45	60.35	0.00	---	--- PEAK	2	11590.00	45.60	74.00	-28.40	53.54	38.29	14.98	61.21	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	8113.00	43.70	74.00	-30.30	55.80	35.80	12.45	60.35	0.00	---	--- PEAK																																																																																																																				
2	11590.00	45.68	74.00	-28.32	53.62	38.29	14.98	61.21	0.00	---	--- PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	8113.00	45.84	74.00	-28.16	57.94	35.80	12.45	60.35	0.00	---	--- PEAK																																																																																																																				
2	11590.00	45.60	74.00	-28.40	53.54	38.29	14.98	61.21	0.00	---	--- PEAK																																																																																																																				






Mode	62																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.43</td><td>54.31</td><td>68.20</td><td>-13.89</td><td>41.09</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>103</td><td>113 PEAK</td></tr><tr><td>2</td><td>5651.09</td><td>54.29</td><td>69.01</td><td>-14.72</td><td>41.06</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>103</td><td>113 PEAK</td></tr><tr><td>3</td><td>5701.40</td><td>54.02</td><td>105.69</td><td>-51.67</td><td>40.87</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>103</td><td>113 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>50.82</td><td>111.17</td><td>-60.35</td><td>37.71</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>103</td><td>113 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.43	54.31	68.20	-13.89	41.09	34.60	10.26	31.64	0.00	103	113 PEAK	2	5651.09	54.29	69.01	-14.72	41.06	34.60	10.29	31.66	0.00	103	113 PEAK	3	5701.40	54.02	105.69	-51.67	40.87	34.60	10.33	31.78	0.00	103	113 PEAK	4	5720.12	50.82	111.17	-60.35	37.71	34.60	10.34	31.83	0.00	103	113 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.86</td><td>-----</td><td>-----</td><td>92.88</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>103</td><td>113 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	105.86	-----	-----	92.88	34.61	10.41	32.04	0.00	103	113 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5622.43	54.31	68.20	-13.89	41.09	34.60	10.26	31.64	0.00	103	113 PEAK																																																																																																																														
2	5651.09	54.29	69.01	-14.72	41.06	34.60	10.29	31.66	0.00	103	113 PEAK																																																																																																																														
3	5701.40	54.02	105.69	-51.67	40.87	34.60	10.33	31.78	0.00	103	113 PEAK																																																																																																																														
4	5720.12	50.82	111.17	-60.35	37.71	34.60	10.34	31.83	0.00	103	113 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	105.86	-----	-----	92.88	34.61	10.41	32.04	0.00	103	113 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.20</td><td>-----</td><td>-----</td><td>84.21</td><td>34.62</td><td>10.42</td><td>32.05</td><td>0.00</td><td>103</td><td>113 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.20	-----	-----	84.21	34.62	10.42	32.05	0.00	103	113 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	97.20	-----	-----	84.21	34.62	10.42	32.05	0.00	103	113 AVERAGE																																																																																																																														




Mode	62																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																		
ANT	CDD 8+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.99</td><td>51.87</td><td>110.93</td><td>-59.06</td><td>38.06</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>103</td><td>113 PEAK</td></tr><tr><td>2</td><td>5872.81</td><td>53.55</td><td>105.91</td><td>-52.36</td><td>40.45</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>103</td><td>113 PEAK</td></tr><tr><td>3</td><td>5924.43</td><td>52.28</td><td>68.63</td><td>-16.35</td><td>38.87</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>103</td><td>113 PEAK</td></tr><tr><td>4</td><td>5944.11</td><td>54.55</td><td>68.20</td><td>-13.65</td><td>41.03</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>103</td><td>113 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.99	51.87	110.93	-59.06	38.06	34.72	10.45	32.16	0.00	103	113 PEAK	2	5872.81	53.55	105.91	-52.36	40.45	34.79	10.47	32.16	0.00	103	113 PEAK	3	5924.43	52.28	68.63	-16.35	38.87	35.05	10.52	32.16	0.00	103	113 PEAK	4	5944.11	54.55	68.20	-13.65	41.03	35.16	10.53	32.17	0.00	103	113 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	5854.99	51.87	110.93	-59.06	38.06	34.72	10.45	32.16	0.00	103	113 PEAK																																																																								
2	5872.81	53.55	105.91	-52.36	40.45	34.79	10.47	32.16	0.00	103	113 PEAK																																																																								
3	5924.43	52.28	68.63	-16.35	38.87	35.05	10.52	32.16	0.00	103	113 PEAK																																																																								
4	5944.11	54.55	68.20	-13.65	41.03	35.16	10.53	32.17	0.00	103	113 PEAK																																																																								



Mode	62																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5603.12</td><td>54.65</td><td>68.20</td><td>-13.55</td><td>41.46</td><td>34.60</td><td>10.24</td><td>31.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>2 5650.70</td><td>52.92</td><td>68.72</td><td>-15.80</td><td>39.69</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3 5702.57</td><td>53.06</td><td>106.02</td><td>-52.96</td><td>39.91</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>4 5720.12</td><td>51.42</td><td>111.17</td><td>-59.75</td><td>38.31</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5603.12	54.65	68.20	-13.55	41.46	34.60	10.24	31.65	0.00	100	213 PEAK	2 5650.70	52.92	68.72	-15.80	39.69	34.60	10.29	31.66	0.00	100	213 PEAK	3 5702.57	53.06	106.02	-52.96	39.91	34.60	10.33	31.78	0.00	100	213 PEAK	4 5720.12	51.42	111.17	-59.75	38.31	34.60	10.34	31.83	0.00	100	213 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>103.78</td><td>-----</td><td>-----</td><td>90.79</td><td>34.60</td><td>10.41</td><td>32.02</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	103.78	-----	-----	90.79	34.60	10.41	32.02	0.00	100	213 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5603.12	54.65	68.20	-13.55	41.46	34.60	10.24	31.65	0.00	100	213 PEAK																																																																																																																										
2 5650.70	52.92	68.72	-15.80	39.69	34.60	10.29	31.66	0.00	100	213 PEAK																																																																																																																										
3 5702.57	53.06	106.02	-52.96	39.91	34.60	10.33	31.78	0.00	100	213 PEAK																																																																																																																										
4 5720.12	51.42	111.17	-59.75	38.31	34.60	10.34	31.83	0.00	100	213 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	103.78	-----	-----	90.79	34.60	10.41	32.02	0.00	100	213 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>95.35</td><td>-----</td><td>-----</td><td>82.36</td><td>34.60</td><td>10.41</td><td>32.02</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	95.35	-----	-----	82.36	34.60	10.41	32.02	0.00	100	213 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	95.35	-----	-----	82.36	34.60	10.41	32.02	0.00	100	213 AVERAGE																																																																																																																										



Mode	62																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5854.99</td><td>52.87</td><td>110.93</td><td>-58.06</td><td>39.06</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>2</td><td>5873.59</td><td>53.90</td><td>105.70</td><td>-51.80</td><td>40.80</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>5922.41</td><td>55.61</td><td>70.11</td><td>-14.50</td><td>42.23</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>4</td><td>5945.51</td><td>54.93</td><td>68.20</td><td>-13.27</td><td>41.40</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5854.99	52.87	110.93	-58.06	39.06	34.72	10.45	32.16	0.00	100	213 PEAK	2	5873.59	53.90	105.70	-51.80	40.80	34.79	10.47	32.16	0.00	100	213 PEAK	3	5922.41	55.61	70.11	-14.50	42.23	35.03	10.51	32.16	0.00	100	213 PEAK	4	5945.51	54.93	68.20	-13.27	41.40	35.17	10.53	32.17	0.00	100	213 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1	5854.99	52.87	110.93	-58.06	39.06	34.72	10.45	32.16	0.00	100	213 PEAK																																																																																	
2	5873.59	53.90	105.70	-51.80	40.80	34.79	10.47	32.16	0.00	100	213 PEAK																																																																																	
3	5922.41	55.61	70.11	-14.50	42.23	35.03	10.51	32.16	0.00	100	213 PEAK																																																																																	
4	5945.51	54.93	68.20	-13.27	41.40	35.17	10.53	32.17	0.00	100	213 PEAK																																																																																	