







Mode	63																																																																																							
	Band Edge																																																																																							
	CO-TX																																																																																							
ANT	6																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2485.06</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>47.44</td><td>30.49</td><td>4.92</td><td>33.53</td><td>286</td><td>360</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2485.06	49.32	74.00	-24.68	47.44	30.49	4.92	33.53	286	360	PEAK	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>99.34</td><td>74.00</td><td>25.34</td><td>97.07</td><td>30.64</td><td>5.06</td><td>33.43</td><td>286</td><td>360</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	99.34	74.00	25.34	97.07	30.64	5.06	33.43	286	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 2485.06	49.32	74.00	-24.68	47.44	30.49	4.92	33.53	286	360	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 2478.00	99.34	74.00	25.34	97.07	30.64	5.06	33.43	286	360	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.57</td><td>41.11</td><td>54.00</td><td>-12.89</td><td>39.23</td><td>30.49</td><td>4.92</td><td>33.53</td><td>286</td><td>360</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.57	41.11	54.00	-12.89	39.23	30.49	4.92	33.53	286	360	AVERAGE	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>97.75</td><td>54.00</td><td>43.75</td><td>95.48</td><td>30.64</td><td>5.06</td><td>33.43</td><td>286</td><td>360</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	97.75	54.00	43.75	95.48	30.64	5.06	33.43	286	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 2483.57	41.11	54.00	-12.89	39.23	30.49	4.92	33.53	286	360	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 2478.00	97.75	54.00	43.75	95.48	30.64	5.06	33.43	286	360	AVERAGE																																																																														



Mode	63																																																																																
	Band Edge																																																																																
	CO-TX																																																																																
ANT	6																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 2492.85</td><td>49.54</td><td>74.00</td><td>-24.46</td><td>47.63</td><td>30.50</td><td>4.93</td><td>33.52</td><td>352 278 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2492.85	49.54	74.00	-24.46	47.63	30.50	4.93	33.52	352 278 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 2478.00</td><td>99.64</td><td>74.00</td><td>25.64</td><td>97.37</td><td>30.64</td><td>5.06</td><td>33.43</td><td>352 278 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2478.00	99.64	74.00	25.64	97.37	30.64	5.06	33.43
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 2492.85	49.54	74.00	-24.46	47.63	30.50	4.93	33.52	352 278 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 2478.00	99.64	74.00	25.64	97.37	30.64	5.06	33.43	352 278 PEAK																																																																									
Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 2486.73</td><td>41.16</td><td>54.00</td><td>-12.84</td><td>39.28</td><td>30.49</td><td>4.92</td><td>33.53</td><td>352 278 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2486.73	41.16	54.00	-12.84	39.28	30.49	4.92	33.53	352 278 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 2478.00</td><td>97.29</td><td>54.00</td><td>43.29</td><td>95.02</td><td>30.64</td><td>5.06</td><td>33.43</td><td>352 278 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2478.00	97.29	54.00	43.29	95.02	30.64	5.06	33.43
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 2486.73	41.16	54.00	-12.84	39.28	30.49	4.92	33.53	352 278 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 2478.00	97.29	54.00	43.29	95.02	30.64	5.06	33.43	352 278 AVERAGE																																																																									







Mode	63										
	Harmonic										
	CO-XT										
ANT	CDD5+4										
Pol.	Horizontal										
Peak Avg	Data: 3 Level (dBuV/m) </										







Mode	64																																																																																																						
	Band Edge																																																																																																						
	CO-XT																																																																																																						
ANT	4																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-02-27 PEAK_BE(UNII)_6E						Level (dBuV/m) Date: 2025-02-27 PEAK_BE(UNII)_6E																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.32</td><td>41.58</td><td>88.20</td><td>-46.62</td><td>30.63</td><td>36.30</td><td>8.62</td><td>33.97</td><td>200</td><td>255</td><td>PEAK</td></tr><tr><td>2</td><td>7313.96</td><td>42.42</td><td>74.00</td><td>-31.58</td><td>31.23</td><td>36.30</td><td>8.94</td><td>34.05</td><td>200</td><td>255</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7214.32	41.58	88.20	-46.62	30.63	36.30	8.62	33.97	200	255	PEAK	2	7313.96	42.42	74.00	-31.58	31.23	36.30	8.94	34.05	200	255	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>70.50</td><td>119.20</td><td>-48.70</td><td>59.34</td><td>36.30</td><td>8.73</td><td>33.87</td><td>200</td><td>255</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	70.50	119.20	-48.70	59.34	36.30	8.73	33.87	200	255
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7214.32	41.58	88.20	-46.62	30.63	36.30	8.62	33.97	200	255	PEAK																																																																																												
2	7313.96	42.42	74.00	-31.58	31.23	36.30	8.94	34.05	200	255	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7085.00	70.50	119.20	-48.70	59.34	36.30	8.73	33.87	200	255	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-02-27 AVG_BE(UNII)_6E						Level (dBuV/m) Date: 2025-02-27 AVG_BE(UNII)_6E																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7191.27</td><td>32.41</td><td>68.20</td><td>-35.79</td><td>21.47</td><td>36.30</td><td>8.59</td><td>33.95</td><td>200</td><td>255</td><td>AVERAGE</td></tr><tr><td>2</td><td>7284.02</td><td>32.16</td><td>54.00</td><td>-21.84</td><td>21.05</td><td>36.30</td><td>8.84</td><td>34.03</td><td>200</td><td>255</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7191.27	32.41	68.20	-35.79	21.47	36.30	8.59	33.95	200	255	AVERAGE	2	7284.02	32.16	54.00	-21.84	21.05	36.30	8.84	34.03	200	255	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>60.92</td><td>99.20</td><td>-38.28</td><td>49.76</td><td>36.30</td><td>8.73</td><td>33.87</td><td>200</td><td>255</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	60.92	99.20	-38.28	49.76	36.30	8.73	33.87	200	255
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7191.27	32.41	68.20	-35.79	21.47	36.30	8.59	33.95	200	255	AVERAGE																																																																																												
2	7284.02	32.16	54.00	-21.84	21.05	36.30	8.84	34.03	200	255	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7085.00	60.92	99.20	-38.28	49.76	36.30	8.73	33.87	200	255	AVERAGE																																																																																												



Mode	64																																																																																																		
	Band Edge																																																																																																		
	CO-XT																																																																																																		
ANT	4																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-02-27 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.64</td><td>32.10</td><td>88.20</td><td>-56.10</td><td>21.02</td><td>36.30</td><td>8.68</td><td>33.90</td><td>100</td><td>91 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.64	32.10	88.20	-56.10	21.02	36.30	8.68	33.90	100	91 PEAK	 Level (dBuV/m) Date: 2025-02-27 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>78.29</td><td>119.20</td><td>-40.91</td><td>67.13</td><td>36.30</td><td>8.73</td><td>33.87</td><td>100</td><td>91 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	78.29	119.20	-40.91	67.13	36.30	8.73	33.87	100	91 PEAK											
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.64	32.10	88.20	-56.10	21.02	36.30	8.68	33.90	100	91 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7085.00	78.29	119.20	-40.91	67.13	36.30	8.73	33.87	100	91 PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2025-02-27 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.55</td><td>32.36</td><td>68.20</td><td>-35.84</td><td>21.28</td><td>36.30</td><td>8.68</td><td>33.90</td><td>100</td><td>91 AVERAGE</td></tr><tr><td>2</td><td>7280.31</td><td>32.21</td><td>54.00</td><td>-21.79</td><td>21.11</td><td>36.30</td><td>8.83</td><td>34.03</td><td>100</td><td>91 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.55	32.36	68.20	-35.84	21.28	36.30	8.68	33.90	100	91 AVERAGE	2	7280.31	32.21	54.00	-21.79	21.11	36.30	8.83	34.03	100	91 AVERAGE	 Level (dBuV/m) Date: 2025-02-27 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>70.25</td><td>99.20</td><td>-28.95</td><td>59.09</td><td>36.30</td><td>8.73</td><td>33.87</td><td>100</td><td>91 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	70.25	99.20	-28.95	59.09	36.30	8.73	33.87	100	91 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.55	32.36	68.20	-35.84	21.28	36.30	8.68	33.90	100	91 AVERAGE																																																																																									
2	7280.31	32.21	54.00	-21.79	21.11	36.30	8.83	34.03	100	91 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7085.00	70.25	99.20	-28.95	59.09	36.30	8.73	33.87	100	91 AVERAGE																																																																																									







Mode	64																																																																																							
	Band Edge - L																																																																																							
	CO-TX																																																																																							
ANT	6																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak																																																																																								
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.63</td><td>55.54</td><td>74.00</td><td>-18.46</td><td>54.00</td><td>30.44</td><td>4.80</td><td>33.70</td><td></td><td>100</td><td>334</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.63	55.54	74.00	-18.46	54.00	30.44	4.80	33.70		100	334	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>96.84</td><td>74.00</td><td>22.84</td><td>94.57</td><td>30.64</td><td>5.06</td><td>33.43</td><td></td><td>100</td><td>334</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	96.84	74.00	22.84	94.57	30.64	5.06	33.43		100	334
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2389.63	55.54	74.00	-18.46	54.00	30.44	4.80	33.70		100	334	PEAK																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2422.00	96.84	74.00	22.84	94.57	30.64	5.06	33.43		100	334	PEAK																																																																												
Avg																																																																																								
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.74</td><td>45.91</td><td>54.00</td><td>-8.09</td><td>44.37</td><td>30.44</td><td>4.80</td><td>33.70</td><td></td><td>100</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.74	45.91	54.00	-8.09	44.37	30.44	4.80	33.70		100	334	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>90.03</td><td>54.00</td><td>36.03</td><td>87.76</td><td>30.64</td><td>5.06</td><td>33.43</td><td></td><td>100</td><td>334</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	90.03	54.00	36.03	87.76	30.64	5.06	33.43		100	334
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2389.74	45.91	54.00	-8.09	44.37	30.44	4.80	33.70		100	334	AVERAGE																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2422.00	90.03	54.00	36.03	87.76	30.64	5.06	33.43		100	334	AVERAGE																																																																												



Mode	64									
	Band Edge - R									
	CO-TX									
ANT	6									
Pol.	Horizontal					Fundamental				
Peak										



Mode	64																																																																																
	Band Edge - L																																																																																
	CO-TX																																																																																
ANT	6																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak																																																																																	
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.74</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>48.86</td><td>30.43</td><td>4.79</td><td>33.71</td><td>362</td><td>285</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2388.74	50.37	74.00	-23.63	48.86	30.43	4.79	33.71	362	285	PEAK	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2422.00</td><td>86.60</td><td>74.00</td><td>12.60</td><td>84.33</td><td>30.64</td><td>5.06</td><td>33.43</td><td>362</td><td>285</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2422.00	86.60	74.00	12.60	84.33	30.64	5.06	33.43	362	285
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2388.74	50.37	74.00	-23.63	48.86	30.43	4.79	33.71	362	285	PEAK																																																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2422.00	86.60	74.00	12.60	84.33	30.64	5.06	33.43	362	285	PEAK																																																																						
Avg																																																																																	
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.74</td><td>41.10</td><td>54.00</td><td>-12.90</td><td>39.56</td><td>30.44</td><td>4.80</td><td>33.70</td><td>362</td><td>285</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.74	41.10	54.00	-12.90	39.56	30.44	4.80	33.70	362	285	AVERAGE	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2422.00</td><td>79.34</td><td>54.00</td><td>25.34</td><td>77.07</td><td>30.64</td><td>5.06</td><td>33.43</td><td>362</td><td>285</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2422.00	79.34	54.00	25.34	77.07	30.64	5.06	33.43	362	285
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2389.74	41.10	54.00	-12.90	39.56	30.44	4.80	33.70	362	285	AVERAGE																																																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2422.00	79.34	54.00	25.34	77.07	30.64	5.06	33.43	362	285	AVERAGE																																																																						



Mode	64										
	Band Edge - R										
	CO-TX										
ANT	6										
Pol.	Vertical						Fundamental				
Peak											




Mode	64																																																																																																																											
	Harmonic																																																																																																																											
	CO-XT																																																																																																																											
ANT	4																																																																																																																											
Pol.	Horizontal								Vertical																																																																																																																			
Peak Avg	Data: 3 <table><thead><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>36.58</td><td>-37.42</td><td>74.00</td><td>51.54</td><td>33.84</td><td>7.76</td><td>56.56 --- --- Peak</td></tr><tr><td>2</td><td>7266.00</td><td>43.56</td><td>-30.44</td><td>74.00</td><td>57.64</td><td>36.30</td><td>8.83</td><td>59.21 --- --- Peak</td></tr><tr><td>3</td><td>14170.00</td><td>49.72</td><td>-18.58</td><td>68.30</td><td>56.45</td><td>39.04</td><td>12.73</td><td>58.50 --- --- Peak</td></tr></tbody></table> Data: 4 <table><thead><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>36.49</td><td>-37.51</td><td>74.00</td><td>51.45</td><td>33.84</td><td>7.76</td><td>56.56 --- --- Peak</td></tr><tr><td>2</td><td>7266.00</td><td>44.26</td><td>-29.74</td><td>74.00</td><td>58.34</td><td>36.30</td><td>8.83</td><td>59.21 --- --- Peak</td></tr><tr><td>3</td><td>14170.00</td><td>47.55</td><td>-20.75</td><td>68.30</td><td>54.28</td><td>39.04</td><td>12.73</td><td>58.50 --- --- Peak</td></tr></tbody></table>									Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		1	4844.00	36.58	-37.42	74.00	51.54	33.84	7.76	56.56 --- --- Peak	2	7266.00	43.56	-30.44	74.00	57.64	36.30	8.83	59.21 --- --- Peak	3	14170.00	49.72	-18.58	68.30	56.45	39.04	12.73	58.50 --- --- Peak		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		1	4844.00	36.49	-37.51	74.00	51.45	33.84	7.76	56.56 --- --- Peak	2	7266.00	44.26	-29.74	74.00	58.34	36.30	8.83	59.21 --- --- Peak	3	14170.00	47.55	-20.75	68.30	54.28	39.04	12.73	58.50 --- --- Peak								
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																																																				
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																																																					
1	4844.00	36.58	-37.42	74.00	51.54	33.84	7.76	56.56 --- --- Peak																																																																																																																				
2	7266.00	43.56	-30.44	74.00	57.64	36.30	8.83	59.21 --- --- Peak																																																																																																																				
3	14170.00	49.72	-18.58	68.30	56.45	39.04	12.73	58.50 --- --- Peak																																																																																																																				
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																																																					
1	4844.00	36.49	-37.51	74.00	51.45	33.84	7.76	56.56 --- --- Peak																																																																																																																				
2	7266.00	44.26	-29.74	74.00	58.34	36.30	8.83	59.21 --- --- Peak																																																																																																																				
3	14170.00	47.55	-20.75	68.30	54.28	39.04	12.73	58.50 --- --- Peak																																																																																																																				

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.93	1.391	0.719	0.75KHZ
802.11ax HE20	95.93	1.014	0.986	1KHZ
802.11ax HE40	92.57	0.536	1.866	2KHZ
802.11ax HE80	87.58	0.289	3.460	3.6KHZ
802.11ax HE160	92.27	0.513	1.949	2KHZ
802.11ax HE20_RU26	97.10	1.442	0.693	0.75KHZ
802.11ax HE20_RU52	98.59	-	-	10HZ
802.11ax HE20_RU106	98.20	-	-	10HZ

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160






802.11ax HE20_RU26



802.11ax HE20_RU52





802.11ax HE20_RU106

