Request for Modular/Limited Modular Approval

Date: May 14, 2025			
Subject: Manufacturer's Declaration for ☑ - Modular Approval ☐ - Sp	plit Modular Approval		
□ - Limited Modular Approval □ - Li	imited Split Modular Appr	roval	
Confidentiality Request for: FCC ID: 2ABEU-THMG21			
8 Basic Requirements – FCC Part 15.212(a)(1) For Items Marked "NO(*)", the Limited Module Description Must be Filled O	Out on the Following Pages		
Modular Approval Requirement		Requirement Met	
1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)		□ - NO(*)	
Details: The module contains a metal shield which covers all RF components and circuitry. The shield is located on the top of the board.			
2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provensure that the module will comply with FCC requirements under conditions of excessive dover-modulation. 15.212(a)(1)(ii)		□ - NO(*)	
Details: Data to the modulation circuit is buffered as described in the operational descri	ption provided with the applic	eation.	
3. The modular transmitter must have its own power supply regulation on the module. This is ensure that the module will comply with FCC requirements regardless of the design of the p supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)		□ - NO(*)	
Details: The module contains its own power supply regulation. Please refer to schematic filed with this application.			
4. The modular transmitter must comply with the antenna and transmission system requirement §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be perma attached or employ a "unique" antenna coupler (at all connections between the module and antenna, including the cable). The "professional installation" provision of § 15.203 is not a to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(anently I the	□ - NO(*)	
Details: EUT uses permanently attached antenna to the intentional radiator, please refer	to the internal photos for deta	uils.	
5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must inside another device during testing. This is intended to demonstrate that the module is capa complying with Part 15 emission limits regardless of the device into which it is eventually it. Unless the transmitter module will be battery powered, it must comply with the AC line con requirements found in Section 15.207. AC or DC power lines and data input/output lines con the module must not contain ferrites, unless they will be marketed with the module (see Sec 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unless to centimeters to insure that there is no coupling between the case of the module and sequipment. Any accessories, peripherals, or support equipment connected to the module during shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)	able of installed. inducted innected to intion inknown, at supporting	□ - NO(*)	
Details: The module was tested stand-alone as shown in test setup photographs filed with	this application.		

Modular Approval Requirement		ment Met
6. The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wordi such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee meither provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)	ng e e EXI - YES	□ - NO(*)
7. The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	y Z - YES	□ - NO(*)
Details: The module complies with FCC Part 15C requirements. Instructions to the OEM installer installation manual filed with this application.	are provided in	the
8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f. 15.253(f)) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure	ee 🗷 - YES	□ - NO(*)

Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement	Requirement Requirement Met		et
 For non-Software Defined Radio transmitter modules where soft compliance of the device, technical description must be provided control is implemented to ensure prevention of third-party modified Publication 594280. 	l about how such	☑ - Provided in Separate Cover Letter	□ - N/A
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>			
 For <u>Software Defined Radio (SDR)</u> devices, transmitter module provide a software security description; see KDB Publication 44 		☐ - Provided in Separate Cover Letter	Z - N/A
Details: <example -n="" a=""></example>			

Split Modular Requirements			
Requirement	Provided in Manual		
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	ℤ - N/A	
Details: <example a="" n="" –=""></example>			

	OEM Integration Manual Guidance – KDB 996369 D03 Section 2			
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures				
for third-parties to use and/or integrate the module into a host device.				
	Requirement			
	-		□ - No,	
			If No, and LMA applies, the applicant ca	n optionally choose to not
			make the following detailed info public.	
	Is this module intended for sale to third parties? The sale to third parties to be basic integration instructions for information below must still be income.		to be basic integration instructions for	
1			description. If the applicant wishes to ke	
			this will require a separate statement co	
			module is not for sale to third parties	s and that integration
	Itom	s required to be in the mar	instructions are internal confide nual – See KDB 996369 D03, Section 2	ntial documents.
A			of the installation of the	Modular transmitter
appli	icants should include informat	ion in their instructions for	r all these items indicating clearly when the	y are not applicable. For
			"Not Applicable". Also if a module is limited	
pro			instructions may not need to be detailed and ut this should include a cover letter as cited	
1.	List of applicable FCC rules. K			above.
	* *	ated to the transmitter.		
2.	Summarize the specific operatio			
			loss, reduction of power for point to point	
2	systems, profession Limited Module Procedures. KE	onal installation info		
3.			ses to verify the host meets the necessary	
	limiting condition			🗷 - All Items shown to
			tate how control will be maintained such	the left are provided in
1	that compliance i Trace antenna designs. KDB 99	s ensured, such as Class II fo	or new hosts, etc.	the Modular Integration
4.			nnectors, isolation requirements, tests for	Guide (or UM) for Full
	design verification, and production test procedures for ensuring compliance. If Modular Approval (MA) or LMA.			
			ential must be identified and information	of Livita.
5	provided in the of RF exposure considerations. KD	perational description.		☐ - An LMA applies
3.			low host manufacturers to use the module.	and is approved ONLY
	Two types of inst	ructions are necessary: first	to the host manufacturer to define	for use by the grantee in
			ody) and second additional text needed to be	their own products, and
6	Antennas. KDB 996369 D03, Se	nd user in the host product m	nanuals.	not intended for sale to
0.			nd all applicable professional installer	3 rd parties as provided in a separate cover letter.
	instructions when	applicable. The antenna list	t shall also identify the antenna types	Therefore the
			ni-directional" is not considered a type)	information shown to the
/.	Label and compliance information a. Advice to host in		on 2.8 rovide a physical or e-label stating	left is found in the theory of operation.
		D: " with their finished prod	* *	theory of operation.
8.	Information on test modes and a	dditional testing requiremen	ts. KDB 996369 D03, Section 2.9	
			ration by host integrators including	
		essary for stand-alone and si ion on how to configure test	imultaneous configurations.	
9.	Additional testing, Part 15 Subp			
Sinc	erely,	Tiana		
	zhaoni	ng. Jiang		
By:			Zhaoning Jiang	
	(Signa	ture/Title)	(Print name)	