Product Specification

Product Name: Smart Gateway

Model Name: DSGW-093

Revision History

Specification		Sect. Update Description		Ву
Rev	Date			
1.0	2022-9-20		New version release	Li
1.1	2022-9-29		Adjust tuya zigbee product feature	

Approvals

Organization	Name	Title	Date

www. dusunremotes.com

幢 8 楼

杭州市大关路 189 号万通中心 A Tel: 86 - 571 - 86769027 / 8 8810480 Website: www. dusuniot. Floor 8 , Building A , Wantong Center
Hangzhou, China
www. dusunlock . com





Model List

	Feature	Ethern	Bluetooth	Zigbee3.0	Z -Wave	Wifi	LTE-Cat 1
Mode		e t	5.2				
DSGW -093		•	•	•	•	•	•

Ha	ngzh	ou Koombanker Technology Co., Ltd	A Dusun Company	
1	Intro	duction		4
	1.1	Purpose& Description		4
	1.2	Product Feature Summary		4
	1.3	Hardware block diagram		4
2	Mech	hanical Requirement		5
	2.1	Drawings		5
3	Speci	fications		6
	3.1	Technical Specification		6
	3.2	Performance Requirement		6
4	QA R	equirements		8
	11	Quality & Testing Information		ç

Hangzhou Roombanker Technology Co., Ltd

A Dusun Company

1 Introduction


1.1 Purpose& Description

DSGW-093 is a IoT Linux Gateway that with multiple wireless protocol. It provides reliable connectivity for a wide range of wireless IoT devices. The gateway's modular architecture provides the ability to customize many gateway features providing an off-the-shelf solution that meets your exact needs. Wireless protocol option including Bluetooth, Wi- Fi, Ethernet, USB, ZigBee, Z-wave.

1.2 Product Feature Summary

- OS: Linux
- USB 5V type C Power supply and PoE Power supply
- Processor: Quad-core Cortex-A35 up to 1.3GHz
- RAM: 512MB
- eMMC:8GB
- Support IEEE802 . 11n, IEEE802 .11g, IEEE 802.11b, IEEE 802. 11ac Protocol
- Support Z-WAVE
- Support Zigbee3.0
- Support Bluetooth 5.2
- One WAN/LAN variable network port

1.3 Hardware block diagram



幢 8 楼

杭州市大关路 189 号万通中心 A Tel: 86 - 571 - 86769027 / 8 8810480 Website: www. dusuniot. Floor 8 , Building A , Wantong Center Hangzhou, China www. dusunlock . com


Hangzhou Roombanker Technology Co., Ltd

A Dusun Company


2 Mechanical Requirement

2.1 Drawings





Anti-theft screw to lock the gateway and mounting bracket



杭州市大关路 189 号万通中心 A Tel: 86 - 571 - 86769027 / 8 8810480 Website: www. dusuniot. 幢 8 楼

Floor 8 , Building A , Wantong Center Hangzhou, China www. dusunlock . com

Hangzhou Roombanker Technology Co., Ltd

A Dusun Company

4 QA Requirements

4.1 Quality & Testing Information

Information Description	Standard (Yes) custom(No)
ESD Testing	YES
RF Antenna Analysis	YES
Environmental Testing	YES
Reliability Testing	YES
Certification	FCC,CE,IC, BQB J Z-wave plus, RoHs

FCC Statement:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, Pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.