

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.5GHz

802.11b

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	2352.75	52.98	47.22	5.76	74.00	-21.02	100	208 Peak	Horizontal	
2 *	2412.00	99.05	93.12	5.93	74.00	25.05	100	208 Peak	Horizontal	
3	2498.86	52.82	46.67	6.15	74.00	-21.18	100	208 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	2339.98	52.98	47.28	5.70	74.00	-21.02	100	203 Peak	Vertical	
2 *	2412.00	96.81	90.88	5.93	74.00	22.81	100	203 Peak	Vertical	
3	2496.35	52.88	45.93	6.15	74.00	-21.92	100	203 Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.11	40.37	34.53	5.84	54.00	-13.63	100	208	Average	Horizontal		
2 *	2412.00	96.23	90.30	5.93	54.00	42.23	100	208	Average	Horizontal		
3	2484.15	39.31	33.17	6.14	54.00	-14.69	100	208	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.00	39.68	33.84	5.84	54.00	-14.32	100	203	Average	Vertical		
2 *	2412.00	94.00	88.07	5.93	54.00	40.00	100	203	Average	Vertical		
3	2495.21	39.24	33.10	6.14	54.00	-14.76	100	203	Average	Vertical		

802.11b


Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	2378.76	39.03	33.23	5.00	54.00	-14.97	138	212 Average	Horizontal	
2 *	2437.00	95.54	89.48	6.06	54.00	41.54	138	212 Average	Horizontal	
3	2491.37	39.28	33.13	6.15	54.00	-14.72	138	212 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	2389.23	39.11	33.26	5.05	54.00	-14.89	100	207 Average	Vertical	
2 *	2437.00	93.65	87.59	6.06	54.00	39.65	100	207 Average	Vertical	
3	2487.61	39.26	33.12	6.14	54.00	-14.74	100	207 Average	Vertical	

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2354.04	52.71	46.95	5.76	74.00	-21.29	132	211	Peak	Horizontal		
2 *	2462.00	95.36	89.24	6.12	74.00	21.36	132	211	Peak	Horizontal		
3	2488.37	53.02	46.88	6.14	74.00	-20.98	132	211	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.57	53.08	47.23	5.85	74.00	-20.92	100	204	Peak	Vertical		
2 *	2462.00	92.54	86.42	6.12	74.00	18.54	100	204	Peak	Vertical		
3	2492.02	53.91	47.77	6.14	74.00	-20.09	100	204	Peak	Vertical		

802.11b

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2347.05	39.05	33.32	5.73	54.00	-14.95	132	211	Average	Horizontal		
2 *	2462.00	92.52	86.40	6.12	54.00	38.52	132	211	Average	Horizontal		
3	2487.88	39.79	33.65	6.14	54.00	-14.21	132	211	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.91	38.92	33.07	5.85	54.00	-15.08	100	204	Average	Vertical		
2 *	2462.00	89.64	83.52	6.12	54.00	35.64	100	204	Average	Vertical		
3	2484.80	39.29	33.15	6.14	54.00	-14.71	100	204	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.33	53.18	47.34	5.84	74.00	-20.82	180	209	Peak	Horizontal		
2 *	2412.00	101.02	95.09	5.93	74.00	-27.02	180	209	Peak	Horizontal		
3	2498.37	52.81	46.66	6.15	74.00	-21.19	180	209	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.81	53.19	47.34	5.85	74.00	-20.81	182	208	Peak	Vertical		
2 *	2412.00	99.20	93.27	5.93	74.00	-25.20	182	208	Peak	Vertical		
3	2489.55	52.89	46.74	6.15	74.00	-21.11	182	208	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.84	40.29	34.44	5.85	54.00	-13.71	180	209	Average	Horizontal		
2 *	2412.00	92.30	86.37	5.93	54.00	38.30	180	209	Average	Horizontal		
3	2498.78	39.87	33.72	6.15	54.00	-14.13	180	209	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	39.35	33.50	5.85	54.00	-14.65	182	208	Average	Vertical		
2 *	2412.00	89.79	83.86	5.93	54.00	35.79	182	208	Average	Vertical		
3	2497.07	39.17	33.02	6.15	54.00	-14.83	182	208	Average	Vertical		

802.11g

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.39	53.40	47.56	5.84	74.00	-20.60	100	213	Peak	Horizontal		
2 *	2437.00	100.49	94.43	6.06	74.00	26.49	100	213	Peak	Horizontal		
3	2489.55	53.20	47.05	6.15	74.00	-20.80	100	213	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.95	53.46	47.61	5.85	74.00	-20.54	100	205	Peak	Vertical		
2 *	2437.00	98.67	92.61	6.06	74.00	24.67	100	205	Peak	Vertical		
3	2494.68	52.67	46.53	6.14	74.00	-21.33	100	205	Peak	Vertical		

802.11g

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2365.48	53.10	47.32	5.78	74.00	-20.90	100	212	Peak	Horizontal	
2 *	2462.00	99.10	92.98	6.12	74.00	25.18	100	212	Peak	Horizontal	
3	2485.14	53.45	47.31	6.14	74.00	-20.55	100	212	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.77	53.73	47.88	5.85	74.00	-20.27	100	201	Peak	Vertical	
2 *	2462.00	97.54	91.42	6.12	74.00	23.54	100	201	Peak	Vertical	
3	2483.85	52.62	46.48	6.14	74.00	-21.38	100	201	Peak	Vertical	

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2360.00	39.64	33.86	5.78	54.00	-14.36	100	212	Average	Horizontal		
2 *	2462.00	89.07	82.95	6.12	54.00	35.07	100	212	Average	Horizontal		
3	2485.60	39.90	33.76	6.14	54.00	-14.10	100	212	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.88	39.40	33.55	5.85	54.00	-14.60	100	201	Average	Vertical		
2 *	2462.00	87.36	81.24	6.12	54.00	33.36	100	201	Average	Vertical		
3	2485.94	39.60	33.46	6.14	54.00	-14.40	100	201	Average	Vertical		

802.11ax HE20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.88	56.44	50.59	5.85	74.00	-17.56	100	209	Peak	Horizontal		
2 *	2412.00	103.20	97.27	5.93	74.00	29.20	100	209	Peak	Horizontal		
3	2495.36	53.47	47.33	6.14	74.00	-20.53	100	209	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.89	55.13	49.28	5.85	74.00	-18.87	100	202	Peak	Vertical		
2 *	2412.00	101.03	95.10	5.93	74.00	27.03	100	202	Peak	Vertical		
3	2499.92	53.65	47.50	6.15	74.00	-20.35	100	202	Peak	Vertical		

802.11ax HE20

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2328.18	53.27	47.67	5.60	74.00	-20.73	100	212	Peak	Horizontal		
2 *	2437.00	102.76	96.70	6.06	74.00	-20.76	100	212	Peak	Horizontal		
3	2495.97	53.88	47.74	6.14	74.00	-20.12	100	212	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.93	54.52	48.67	5.85	74.00	-19.48	100	203	Peak	Vertical		
2 *	2437.00	101.00	94.94	6.06	74.00	-27.00	100	203	Peak	Vertical		
3	2486.21	53.64	47.50	6.14	74.00	-20.36	100	203	Peak	Vertical		

802.11ax HE 20


Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.00	55.80	49.95	5.85	74.00	-18.20	100	203 Peak		Vertical	
2 *	2402.00	99.63	93.51	6.12	74.00	25.63	100	203 Peak		Vertical	
3	2403.74	55.30	49.16	6.14	74.00	-18.70	100	203 Peak		Vertical	

802.11ax HE20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.17	39.56	33.71	5.85	54.00	-14.44	128	211 Average	Horizontal	
2 *	2462.00	89.00	82.68	6.12	54.00	35.00	128	211 Average	Horizontal	
3	2486.24	40.33	34.19	6.14	54.00	-13.67	128	211 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.65	39.49	33.64	5.85	54.00	-14.51	100	203 Average	Vertical	
2 *	2462.00	87.17	81.05	6.12	54.00	33.17	100	203 Average	Vertical	
3	2484.04	39.79	33.65	6.14	54.00	-14.21	100	203 Average	Vertical	

802.11ax HE40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.24	54.05	48.20	5.85	74.00	-19.95	100	211	Peak	Horizontal		
2 *	2422.00	101.00	95.01	5.99	74.00	27.00	100	211	Peak	Horizontal		
3	2499.35	53.20	47.05	6.15	74.00	-20.80	100	211	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.34	53.88	48.03	5.85	74.00	-20.12	100	207	Peak	Vertical		
2 *	2422.00	99.35	93.36	5.99	74.00	25.35	100	207	Peak	Vertical		
3	2497.91	53.54	47.39	6.15	74.00	-20.46	100	207	Peak	Vertical		

802.11ax HE40

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.36	41.01	35.16	5.85	54.00	-12.99	100	211	Average	Horizontal		
2 *	2422.00	89.52	83.53	5.99	54.00	35.52	100	211	Average	Horizontal		
3	2485.48	40.26	34.12	6.14	54.00	-13.74	100	211	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.04	40.46	34.61	5.85	54.00	-13.54	100	207	Average	Vertical		
2 *	2422.00	88.00	82.01	5.99	54.00	34.00	100	207	Average	Vertical		
3	2486.66	40.28	34.14	6.14	54.00	-13.72	100	207	Average	Vertical		

802.11ax HE40

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2357.69	54.03	48.26	5.77	74.00	-19.97	100			212 Peak	Horizontal	
2 *	2437.00	99.10	93.04	6.06	74.00	25.10	100			212 Peak	Horizontal	
3	2496.77	53.36	47.21	6.15	74.00	-20.64	100			212 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.62	53.57	47.72	5.85	74.00	-20.43	100			202 Peak	Vertical	
2 *	2437.00	98.46	92.40	6.06	74.00	24.46	100			202 Peak	Vertical	
3	2491.75	53.29	47.14	6.15	74.00	-20.71	100			202 Peak	Vertical	

802.11ax HE40

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.23	53.78	47.93	5.85	74.00	-20.22	100	211	Peak	Horizontal		
2 *	2452.00	100.90	94.78	6.12	74.00	26.90	100	211	Peak	Horizontal		
3	2489.97	53.55	47.40	6.15	74.00	-20.45	100	211	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.12	53.91	48.06	5.85	74.00	-20.09	100	204	Peak	Vertical		
2 *	2452.00	98.72	92.60	6.12	74.00	24.72	100	204	Peak	Vertical		
3	2495.25	53.64	47.70	6.14	74.00	-20.16	100	204	Peak	Vertical		

802.11ax HE40


High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11ax HE20

High Channel(Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.03	60.30	40.75	19.55	119.13	-58.83	100	171	Peak	Open		
2	0.05	44.42	24.97	19.45	113.11	-68.69	100	343	Peak	Open		
3	0.06	41.28	21.99	19.29	111.84	-70.56	100	233	Peak	Open		
4	0.08	33.89	14.93	18.96	109.74	-75.85	100	145	Peak	Open		
5	0.09	32.74	14.09	18.65	108.16	-75.42	100	53	Peak	Open		
6	0.11	32.28	13.74	18.54	106.82	-74.54	100	187	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.21	46.03	27.26	18.77	101.17	-55.14	100	183	Peak	Open		
2	1.43	42.22	23.22	19.00	64.48	-22.26	100	144	Peak	Open		
3	4.42	38.32	18.97	19.35	69.50	-31.18	100	350	Peak	Open		
4	11.02	35.94	14.82	21.12	69.50	-33.56	100	118	Peak	Open		
5	18.00	35.22	13.26	21.96	69.50	-34.28	100	293	Peak	Open		
6	25.73	36.31	13.94	22.37	69.50	-33.19	100	306	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	61.04	27.65	35.32	-7.67	40.00	-12.35	280	0 Peak	Horizontal	
2	142.52	31.73	39.19	-7.46	43.50	-11.77	200	240 Peak	Horizontal	
3	210.42	34.31	44.02	-9.71	43.50	-9.19	100	298 Peak	Horizontal	
4	454.86	28.42	31.17	-2.75	46.00	-17.58	100	49 Peak	Horizontal	
5	737.13	32.84	30.36	2.48	46.00	-13.16	100	329 Peak	Horizontal	
6	850.62	34.50	30.18	4.32	46.00	-11.50	100	246 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	61.04	29.13	36.80	-7.67	40.00	-10.87	300	108 Peak	Vertical	
2	125.06	31.22	40.74	-9.52	43.50	-12.28	100	224 Peak	Vertical	
3	238.55	26.41	34.21	-7.80	46.00	-19.59	200	198 Peak	Vertical	
4	564.47	28.72	29.19	-0.47	46.00	-17.28	200	331 Peak	Vertical	
5	741.98	32.76	30.03	2.73	46.00	-13.24	100	207 Peak	Vertical	
6	849.77	34.25	30.02	4.23	46.00	-11.75	200	348 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	32.47	22.66	9.81	54.00	-21.53	131	88	Average	Horizontal	
2	4824.00	45.80	35.99	9.81	74.00	-28.20	131	88	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	31.12	21.31	9.81	54.00	-22.68	100	300	Average	Vertical	
2	4824.00	44.72	34.91	9.81	74.00	-29.28	100	300	Peak	Vertical	

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	31.78	21.91	9.87	54.00	-22.22	180	359	Average	Horizontal		
2	4874.00	46.17	36.30	9.87	74.00	-27.83	180	359	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	31.57	21.70	9.87	54.00	-22.43	280	227	Average	Vertical		
2	4874.00	42.49	32.62	9.87	74.00	-31.51	280	227	Peak	Vertical		

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	34.70	24.68	10.02	54.00	-19.30	480	137	Average	Horizontal		
2	4924.00	45.47	35.45	10.02	74.00	-28.53	480	137	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	31.64	21.62	10.02	54.00	-22.36	300	355	Average	Vertical		
2	4924.00	45.47	35.45	10.02	74.00	-28.53	300	355	Peak	Vertical		


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	32.11	22.30	9.81	54.00	-21.89	200	8	Average	Horizontal		
2	4824.00	45.92	36.11	9.81	74.00	-28.08	200	8	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	32.36	22.55	9.81	54.00	-21.64	200	300	Average	Vertical		
2	4824.00	46.52	36.71	9.81	74.00	-27.48	200	300	Peak	Vertical		

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	32.33	22.46	9.87	54.00	-21.67	200	360	Average	Horizontal		
2	4874.00	45.59	35.72	9.87	74.00	-28.41	200	360	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	32.36	22.49	9.87	54.00	-21.64	100	225	Average	Vertical		
2	4874.00	45.47	35.60	9.87	74.00	-28.53	100	225	Peak	Vertical		


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	32.53	22.51	10.02	54.00	-21.47	200	295	Average	Horizontal		
2	4924.00	45.83	35.61	10.02	74.00	-28.17	200	295	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	32.63	22.61	10.02	54.00	-21.37	100	96	Average	Vertical		
2	4924.00	46.17	36.15	10.02	74.00	-27.83	100	96	Peak	Vertical		


802.11ax HE20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	31.68	21.87	9.81	54.00	-22.32	180	368	Average	Horizontal		
2	4824.00	45.77	35.96	9.81	74.00	-28.23	180	368	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	31.78	21.97	9.81	54.00	-22.22	180	326	Average	Vertical		
2	4824.00	46.46	36.65	9.81	74.00	-27.54	180	326	Peak	Vertical		

802.11ax HE20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	32.34	22.47	9.87	54.00	-21.66	152	360	Average	Horizontal		
2	4874.00	45.52	35.65	9.87	74.00	-28.48	132	360	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	33.31	23.44	9.87	54.00	-20.69	200	190	Average	Vertical		
2	4874.00	49.05	39.18	9.87	74.00	-24.95	200	190	Peak	Vertical		

802.11ax HE20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	32.45	22.43	10.02	54.00	-21.55	200	132	Average	Horizontal		
2	4924.00	45.19	35.17	10.02	74.00	-28.81	200	132	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	32.36	22.34	10.02	54.00	-21.64	192	360	Average	Vertical		
2	4924.00	42.30	32.28	10.02	74.00	-31.70	192	360	Peak	Vertical		


802.11ax HE40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.00	32.93	23.05	9.88	54.00	-21.07	100	204	Average	Horizontal		
2	4844.00	45.94	36.06	9.88	74.00	-28.06	100	204	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.00	32.97	23.09	9.88	54.00	-21.03	139	360	Average	Vertical		
2	4844.00	45.86	35.98	9.88	74.00	-28.14	139	360	Peak	Vertical		

802.11ax HE40

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.00	33.13	23.26	9.87	54.00	-20.87	100	92	Average	Horizontal		
2	4904.00	46.13	36.26	9.87	74.00	-27.87	100	92	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.00	33.15	23.28	9.87	54.00	-20.85	194	360	Average	Vertical		
2	4904.00	46.16	36.29	9.87	74.00	-27.84	194	360	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	Factor	dB	dB		
1	0.15	25.21	15.58	9.63	55.96	-30.75 Average	line1
2	0.15	46.31	36.68	9.63	65.96	-19.65 QP	line1
3	0.52	15.90	6.27	9.63	46.00	-30.10 Average	line1
4	0.52	21.63	12.00	9.63	56.00	-34.37 QP	line1
5	2.11	18.08	8.42	9.66	46.00	-27.92 Average	line1
6	2.11	28.94	19.28	9.66	56.00	-27.06 QP	line1
7	3.35	20.30	10.62	9.68	46.00	-25.70 Average	line1
8	3.35	30.15	20.47	9.68	56.00	-25.85 QP	line1
9	8.67	29.13	19.39	9.74	50.00	-20.87 Average	line1
10	8.67	36.17	26.43	9.74	60.00	-23.83 QP	line1
11	16.17	23.57	13.83	9.74	50.00	-26.43 Average	line1
12	16.17	29.36	19.62	9.74	60.00	-30.64 QP	line1



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	Factor	dB	dB		
1	0.16	28.19	18.55	9.64	55.21	-27.02 Average	neutral
2	0.16	45.89	36.25	9.64	65.21	-19.32 QP	neutral
3	0.30	26.54	16.91	9.63	50.29	-23.75 Average	neutral
4	0.30	33.66	24.03	9.63	60.29	-26.63 QP	neutral
5	1.68	17.51	7.85	9.66	46.00	-28.49 Average	neutral
6	1.68	22.91	13.25	9.66	56.00	-33.09 QP	neutral
7	3.12	17.84	8.16	9.68	46.00	-28.16 Average	neutral
8	3.12	25.84	16.16	9.68	56.00	-30.16 QP	neutral
9	9.02	23.02	13.26	9.76	50.00	-26.98 Average	neutral
10	9.02	28.86	19.10	9.76	60.00	-31.14 QP	neutral
11	17.60	19.43	9.59	9.84	50.00	-30.57 Average	neutral
12	17.60	24.72	14.88	9.84	60.00	-35.28 QP	neutral