



Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.11 Antenna Port Test Data and Results for LTE Band 13:

Serial Number:	CR21110087-S1	Test Date:	2021/12/01~2021/12/17
Test Site:	RF	Test Mode:	Transmitting
Tester:	Wolf Mo	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.3~24	Relative Humidity: (%)	31~59	ATM Pressure: (kPa)	101.3~101.5
----------------------	---------	------------------------------	-------	---------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	Spectrum Analyzer	101474	2021/7/22	2022/7/21
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D09	N/A	N/A
Weinschel	Coaxial Attenuators	53-20-34	LN751	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2021/7/22	2022/7/21
BACL	TEMP&HUMI Test Chamber	BTH-150	30026	2021/7/22	2022/7/22
UNI-T	Multimeter	UT39A+	C210582554	2021/9/30	2022/9/30
E-Microwave	Two-way Splitter	ODP-1-6	OE0120176	Each Time	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

EUT Information@LTE Band 13▲:

Antenna Gain (dBi):	3	Antenna Gain (dBd):	0.85	Cable Loss (dB):	0.1
Operation Voltage(V _{DC}):					
Lowest:	3.5	Normal:	3.7	Highest:	4.2

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
5MHz	779.5	782	784.5
10MHz	/	782	/

Test Data:**FCC§2.1046;§ 27.50(c) (10)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP(dBm)	ERP Limit(dBm)
		Lowest Channel	Middle Channel	Highest Channel		
5MHz QPSK	RB1#0	23.55	23.68	23.40	24.43	34.77
	RB1#13	23.27	23.27	23.41		
	RB1#24	23.49	23.04	23.39		
	RB15#0	22.58	22.51	22.54		
	RB15#10	22.49	22.47	22.53		
	RB25#0	22.65	22.56	22.56		
5MHz 16QAM	RB1#0	22.03	22.63	22.66	23.41	34.77
	RB1#13	21.51	22.44	22.47		
	RB1#24	21.72	22.41	22.61		
	RB15#0	21.41	21.27	21.34		
	RB15#10	21.34	21.25	21.36		
	RB25#0	21.66	21.54	21.55		
10MHz QPSK	RB1#0	/	23.60	/	24.42	34.77
	RB1#25	/	23.67	/		
	RB1#49	/	23.39	/		
	RB25#0	/	22.61	/		
	RB25#25	/	22.53	/		
	RB50#0	/	22.56	/		
10MHz 16QAM	RB1#0	/	22.77	/	23.52	34.77
	RB1#25	/	22.56	/		
	RB1#49	/	22.48	/		
	RB25#0	/	21.49	/		
	RB25#25	/	21.43	/		
	RB50#0	/	21.54	/		

Note: ERP=Conducted Power(dBm) - Cable loss(dB) + Antenna Gain(dBd)

Result:**Pass**

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0		3.65		13
	RB50#0		4.99		13
10MHz 16QAM	RB1#0	/	4.81	/	13
	RB50#0	/	6.06	/	13
Result:					Pass

FCC §2.1049, §27.53:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
5MHz QPSK	4.531	4.511	4.511	5.060	5.040	5.020
5MHz 16QAM	4.531	4.531	4.511	5.040	5.040	5.040
10MHz QPSK	/	8.942	/	/	9.760	/
10MHz 16QAM	/	8.942	/	/	9.680	/
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.

FCC §2.1051, §27.53:Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.


FCC §2.1055, §27.54: Frequency Stability

Test Mode:	10M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	777.528	777.00	786.470	787.00
	-20	3.7	777.528	777.00	786.470	787.00
	-10	3.7	777.529	777.00	786.472	787.00
	0	3.7	777.529	777.00	786.471	787.00
	10	3.7	777.529	777.00	786.470	787.00
	20	3.7	777.529	777.00	786.471	787.00
	30	3.7	777.528	777.00	786.471	787.00
	40	3.7	777.529	777.00	786.471	787.00
	50	3.7	777.527	777.00	786.472	787.00
Frequency Stability vs. Voltage	20	3.5	777.527	777.00	786.472	787.00
	20	4.2	777.529	777.00	786.472	787.00
Result:					Pass	


Test Mode:	10M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	777.528	777.00	786.470	787.00
	-20	3.7	777.528	777.00	786.470	787.00
	-10	3.7	777.529	777.00	786.472	787.00
	0	3.7	777.529	777.00	786.471	787.00
	10	3.7	777.529	777.00	786.470	787.00
	20	3.7	777.529	777.00	786.471	787.00
	30	3.7	777.528	777.00	786.471	787.00
	40	3.7	777.529	777.00	786.471	787.00
	50	3.7	777.527	777.00	786.472	787.00
Frequency Stability vs. Voltage	20	3.5	777.527	777.00	786.472	787.00
	20	4.2	777.529	777.00	786.472	787.00
Result:					Pass	

Test Plots:

Occupied Bandwidth



Occupied Bandwidth





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest






Spurious Emissions at Antenna Terminal

Channel

5MHz Bandwidth QPSK-Additional Frequency Band

Middle





Spurious Emissions at Antenna Terminal

Channel

10MHz Bandwidth QPSK

Middle






Spurious Emissions at Antenna Terminal


Channel

10MHz Bandwidth QPSK-Additional Frequency Band


Middle



Out of band emission, Band Edge



Out of band emission, Band Edge



4.12 Antenna Port Test Data and Results for LTE Band 25:

Serial Number:	CR21110087-S1	Test Date:	2021/12/01~2021/12/14
Test Site:	RF	Test Mode:	Transmitting
Tester:	Wolf Mo	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.3~22.7	Relative Humidity: (%)	31~44	ATM Pressure: (kPa)	101.5~101.9
----------------------	-----------	------------------------------	-------	---------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	Spectrum Analyzer	101474	2021/7/22	2022/7/21
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D09	N/A	N/A
Weinschel	Coaxial Attenuators	53-20-34	LN751	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2021/7/22	2022/7/21
BACL	TEMP&HUMI Test Chamber	BTH-150	30026	2021/7/22	2022/7/22
UNI-T	Multimeter	UT39A+	C210582554	2021/9/30	2022/9/30
E-Microwave	Two-way Splitter	ODP-1-6	OE0120176	Each Time	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

EUT Information@ LTE Band 25▲:

Antenna Gain (dBi):	-1	Cable Loss (dB):	0.2
Operation Voltage(V _{DC}):			
Lowest:	3.5	Normal:	3.7
		Highest:	4.2

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1850.7	1882.5	1914.3
3MHz	1851.5	1882.5	1913.5
5MHz	1852.5	1882.5	1912.5
10MHz	1855	1882.5	1910
15MHz	1857.5	1882.5	1907.5
20MHz	1860	1882.5	1905

Test Data:**FCC§2.1046;§ 24.232****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	22.32	22.09	22.05	21.17	33
	RB1#3	22.27	22.08	22.08		
	RB1#5	22.37	22.07	22.05		
	RB3#0	22.35	22.26	22.14		
	RB3#3	22.31	22.14	22.15		
	RB6#0	21.30	21.12	21.11		
1.4MHz 16QAM	RB1#0	21.35	20.69	21.09	20.15	33
	RB1#3	20.96	20.88	21.22		
	RB1#5	20.99	20.71	20.70		
	RB3#0	21.01	20.93	21.11		
	RB3#3	21.15	20.92	20.78		
	RB6#0	20.30	20.42	20.03		
3MHz QPSK	RB1#0	22.34	22.14	21.89	21.14	33
	RB1#8	22.34	21.91	21.79		
	RB1#14	22.28	21.99	21.99		
	RB6#0	21.28	21.10	21.05		
	RB6#9	21.26	21.09	20.98		
	RB15#0	21.29	21.11	21.10		
3MHz 16QAM	RB1#0	21.58	21.56	20.79	20.38	33
	RB1#8	21.30	21.29	20.44		
	RB1#14	21.49	21.41	20.68		
	RB6#0	20.28	20.33	20.06		
	RB6#9	20.39	20.23	20.08		
	RB15#0	20.32	20.25	20.23		
5MHz QPSK	RB1#0	22.22	21.97	21.89	21.02	33
	RB1#13	22.18	21.95	21.94		
	RB1#24	22.19	22.13	22.01		
	RB15#0	21.28	21.13	21.15		
	RB15#10	21.26	21.11	21.04		
	RB25#0	21.32	21.05	21.15		
5MHz 16QAM	RB1#0	20.64	21.13	20.64	19.93	33
	RB1#13	20.52	21.08	20.49		
	RB1#24	20.56	20.95	20.48		
	RB15#0	20.28	19.88	20.06		
	RB15#10	20.26	19.88	19.94		
	RB25#0	20.37	19.92	19.99		
10MHz QPSK	RB1#0	22.35	22.33	22.13	21.35	33

	RB1#25	22.55	22.43	22.15		
	RB1#49	22.32	22.09	22.08		
	RB25#0	21.37	21.09	21.32		
	RB25#25	21.33	21.05	21.05		
	RB50#0	21.28	21.08	21.16		
10MHz 16QAM	RB1#0	21.60	21.43	21.21	20.5	33
	RB1#25	21.59	21.70	21.09		
	RB1#49	21.18	21.30	20.70		
	RB25#0	20.39	20.40	20.54		
	RB25#25	20.34	20.24	20.03		
	RB50#0	20.28	20.26	20.27		
15MHz QPSK	RB1#0	22.35	22.10	22.16	21.15	33
	RB1#38	22.18	22.01	22.30		
	RB1#74	22.18	22.10	22.08		
	RB36#0	21.36	21.20	21.26		
	RB36#39	21.27	21.04	21.14		
	RB75#0	21.28	21.09	21.24		
15MHz 16QAM	RB1#0	21.46	21.33	21.54	20.34	33
	RB1#38	21.39	21.01	21.37		
	RB1#74	21.30	21.26	21.33		
	RB36#0	20.35	20.26	20.39		
	RB36#39	20.23	20.11	20.02		
	RB75#0	20.34	20.27	20.36		
20MHz QPSK	RB1#0	22.52	22.39	22.36	21.47	33
	RB1#50	22.47	22.67	22.53		
	RB1#99	22.34	22.35	22.10		
	RB50#0	21.33	21.25	21.13		
	RB50#50	21.24	21.15	21.06		
	RB100#0	21.29	21.14	21.06		
20MHz 16QAM	RB1#0	21.61	21.60	21.67	21.11	33
	RB1#50	21.45	21.69	22.31		
	RB1#99	21.06	21.69	21.45		
	RB50#0	20.55	20.20	20.01		
	RB50#50	20.24	20.12	19.99		
	RB100#0	20.38	20.22	20.15		
Note: EIRP=Conducted Power(dBm) - Cable loss(dB) + Antenna Gain(dBi)						
					Result:	Pass

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	4.93	5.04	4.72	13
	RB100#0	5.19	5.33	4.81	13
20MHz 16QAM	RB1#0	6.03	6.23	5.71	13
	RB100#0	6.09	6.29	5.77	13
				Result:	Pass

FCC §2.1049, §24.238:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.108	1.108	1.314	1.320	1.296
1.4MHz 16QAM	1.102	1.096	1.102	1.338	1.308	1.308
3MHz QPSK	2.695	2.695	2.683	2.940	2.952	2.964
3MHz 16QAM	2.695	2.683	2.683	2.964	2.964	2.964
5MHz QPSK	4.531	4.511	4.511	5.060	5.040	5.020
5MHz 16QAM	4.511	4.551	4.531	5.020	5.060	5.060
10MHz QPSK	8.942	8.942	8.901	9.720	9.680	9.680
10MHz 16QAM	8.942	8.942	8.901	9.600	9.760	9.640
15MHz QPSK	13.473	13.473	13.413	14.760	14.700	14.700
15MHz 16QAM	13.473	13.473	13.473	14.640	14.640	14.700
20MHz QPSK	17.884	17.964	17.884	19.280	19.200	19.280
20MHz 16QAM	17.964	17.884	17.884	19.280	19.520	19.440
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, § 24.238 (a):Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.


FCC §2.1051, § 24.238 (a):Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §24.235: Frequency Stability					
Test Mode:	20 MHz QPSK		Test Channel:	1882.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Result
			(Hz)	(ppm)	
Frequency Stability vs. Temperature	-30	3.7	1.20	0.001	Pass
	-20	3.7	9.68	0.005	Pass
	-10	3.7	8.77	0.005	Pass
	0	3.7	8.52	0.005	Pass
	10	3.7	8.18	0.004	Pass
	20	3.7	-5.04	-0.003	Pass
	30	3.7	-9.23	-0.005	Pass
	40	3.7	-5.56	-0.003	Pass
	50	3.7	-5.21	-0.003	Pass
Frequency Stability vs. Voltage	20	3.5	8.05	0.004	Pass
	20	4.2	-7.16	-0.004	Pass
				Result:	Pass


Test Mode:	20 MHz 16QAM		Test Channel:	1882.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Result
			(Hz)	(ppm)	
Frequency Stability vs. Temperature	-30	3.7	-0.46	0.000	Pass
	-20	3.7	-7.47	-0.004	Pass
	-10	3.7	9.10	0.005	Pass
	0	3.7	9.03	0.005	Pass
	10	3.7	-7.92	-0.004	Pass
	20	3.7	-7.83	-0.004	Pass
	30	3.7	8.10	0.004	Pass
	40	3.7	-8.07	-0.004	Pass
	50	3.7	-5.88	-0.003	Pass
Frequency Stability vs. Voltage	20	3.5	-8.65	-0.005	Pass
	20	4.2	-5.15	-0.003	Pass
				Result:	Pass

Test Plots:


Occupied Bandwidth




Occupied Bandwidth




Occupied Bandwidth



Occupied Bandwidth



Occupied Bandwidth



Occupied Bandwidth

