





## Restrict Band NVNT ac40 5230MHz Ant4 Peak



## Restrict Band NVNT ac40 5230MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5210MHz Ant4 Peak



## Restrict Band NVNT ac80 5210MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5210MHz Ant4 Peak



## Restrict Band NVNT ac80 5210MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## Mimo

| Condition | Mode     | Frequency (MHz) | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|----------|-----------------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT      | n20mimo  | 5180            | 4500            | -51.48      | 8.05       | -                | 51.80      | Peak     | 68.2           | Pass    |
| NVNT      | n20mimo  | 5180            | 4500            | -58.73      | 8.05       | 0.28             | 44.83      | Average  | 54             | Pass    |
| NVNT      | n20mimo  | 5180            | 5148.9          | -44.67      | 8.05       | -                | 58.61      | Peak     | 68.2           | Pass    |
| NVNT      | n20mimo  | 5180            | 5148.9          | -55.97      | 8.05       | 0.28             | 47.59      | Average  | 54             | Pass    |
| NVNT      | n20mimo  | 5180            | 5150            | -45.42      | 8.05       | -                | 57.86      | Peak     | 68.2           | Pass    |
| NVNT      | n20mimo  | 5180            | 5150            | -56.4       | 8.05       | 0.28             | 47.16      | Average  | 54             | Pass    |
| NVNT      | n20mimo  | 5240            | 5350            | -48.6       | 8.05       | -                | 54.68      | Peak     | 68.2           | Pass    |
| NVNT      | n20mimo  | 5240            | 5350            | -57.38      | 8.05       | 0.28             | 46.18      | Average  | 54             | Pass    |
| NVNT      | n20mimo  | 5240            | 5423.76         | -47.38      | 8.05       | -                | 55.90      | Peak     | 68.2           | Pass    |
| NVNT      | n20mimo  | 5240            | 5351.76         | -56.48      | 8.05       | 0.28             | 47.08      | Average  | 54             | Pass    |
| NVNT      | n20mimo  | 5240            | 5460            | -49.94      | 8.05       | -                | 53.34      | Peak     | 68.2           | Pass    |
| NVNT      | n20mimo  | 5240            | 5460            | -58.13      | 8.05       | 0.28             | 45.43      | Average  | 54             | Pass    |
| NVNT      | n40mimo  | 5190            | 4500            | -50.86      | 8.05       | -                | 52.42      | Peak     | 68.2           | Pass    |
| NVNT      | n40mimo  | 5190            | 4500            | -58.48      | 8.05       | 0.24             | 45.04      | Average  | 54             | Pass    |
| NVNT      | n40mimo  | 5190            | 5148.97         | -45.13      | 8.05       | -                | 58.15      | Peak     | 68.2           | Pass    |
| NVNT      | n40mimo  | 5190            | 5149.7          | -54.92      | 8.05       | 0.24             | 48.60      | Average  | 54             | Pass    |
| NVNT      | n40mimo  | 5190            | 5150            | -45.78      | 8.05       | -                | 57.50      | Peak     | 68.2           | Pass    |
| NVNT      | n40mimo  | 5190            | 5150            | -54.92      | 8.05       | 0.24             | 48.60      | Average  | 54             | Pass    |
| NVNT      | n40mimo  | 5230            | 5350            | -49.81      | 8.05       | -                | 53.47      | Peak     | 68.2           | Pass    |
| NVNT      | n40mimo  | 5230            | 5350            | -57.16      | 8.05       | 0.24             | 46.36      | Average  | 54             | Pass    |
| NVNT      | n40mimo  | 5230            | 5383.05         | -47.72      | 8.05       | -                | 55.56      | Peak     | 68.2           | Pass    |
| NVNT      | n40mimo  | 5230            | 5390.07         | -56.9       | 8.05       | 0.24             | 46.62      | Average  | 54             | Pass    |
| NVNT      | n40mimo  | 5230            | 5460            | -50.91      | 8.05       | -                | 52.37      | Peak     | 68.2           | Pass    |
| NVNT      | n40mimo  | 5230            | 5460            | -58.25      | 8.05       | 0.24             | 45.27      | Average  | 54             | Pass    |
| NVNT      | ac20mimo | 5180            | 4500            | -49.75      | 8.05       | -                | 53.53      | Peak     | 68.2           | Pass    |
| NVNT      | ac20mimo | 5180            | 4500            | -58.24      | 8.05       | 0.28             | 45.32      | Average  | 54             | Pass    |
| NVNT      | ac20mimo | 5180            | 5148.9          | -43.66      | 8.05       | -                | 59.62      | Peak     | 68.2           | Pass    |
| NVNT      | ac20mimo | 5180            | 5149.6          | -55.19      | 8.05       | 0.28             | 48.37      | Average  | 54             | Pass    |
| NVNT      | ac20mimo | 5180            | 5150            | -46.52      | 8.05       | -                | 56.76      | Peak     | 68.2           | Pass    |
| NVNT      | ac20mimo | 5180            | 5150            | -54.96      | 8.05       | 0.28             | 48.60      | Average  | 54             | Pass    |
| NVNT      | ac20mimo | 5240            | 5350            | -47.73      | 8.05       | -                | 55.55      | Peak     | 68.2           | Pass    |
| NVNT      | ac20mimo | 5240            | 5350            | -57.06      | 8.05       | 0.28             | 46.50      | Average  | 54             | Pass    |
| NVNT      | ac20mimo | 5240            | 5455.92         | -46.77      | 8.05       | -                | 56.51      | Peak     | 68.2           | Pass    |
| NVNT      | ac20mimo | 5240            | 5350.56         | -56.72      | 8.05       | 0.28             | 46.84      | Average  | 54             | Pass    |
| NVNT      | ac20mimo | 5240            | 5460            | -51.03      | 8.05       | -                | 52.25      | Peak     | 68.2           | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





|      |          |      |         |        |      |      |       |         |      |      |
|------|----------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ac20mimo | 5240 | 5460    | -57.71 | 8.05 | 0.28 | 45.85 | Average | 54   | Pass |
| NVNT | ac40mimo | 5190 | 4500    | -49.88 | 8.05 | -    | 53.40 | Peak    | 68.2 | Pass |
| NVNT | ac40mimo | 5190 | 4500    | -58.32 | 8.05 | 0.23 | 45.19 | Average | 54   | Pass |
| NVNT | ac40mimo | 5190 | 5145.32 | -40.63 | 8.05 | -    | 62.65 | Peak    | 68.2 | Pass |
| NVNT | ac40mimo | 5190 | 5149.7  | -52.93 | 8.05 | 0.23 | 50.58 | Average | 54   | Pass |
| NVNT | ac40mimo | 5190 | 5150    | -41.22 | 8.05 | -    | 62.06 | Peak    | 68.2 | Pass |
| NVNT | ac40mimo | 5190 | 5150    | -52.93 | 8.05 | 0.23 | 50.58 | Average | 54   | Pass |
| NVNT | ac40mimo | 5230 | 5350    | -49.84 | 8.05 | -    | 53.44 | Peak    | 68.2 | Pass |
| NVNT | ac40mimo | 5230 | 5350    | -57.62 | 8.05 | 0.24 | 45.90 | Average | 54   | Pass |
| NVNT | ac40mimo | 5230 | 5377.65 | -47.54 | 8.05 | -    | 55.74 | Peak    | 68.2 | Pass |
| NVNT | ac40mimo | 5230 | 5369.28 | -57.12 | 8.05 | 0.24 | 46.40 | Average | 54   | Pass |
| NVNT | ac40mimo | 5230 | 5460    | -49.58 | 8.05 | -    | 53.70 | Peak    | 68.2 | Pass |
| NVNT | ac40mimo | 5230 | 5460    | -57.79 | 8.05 | 0.24 | 45.73 | Average | 54   | Pass |
| NVNT | ac80mimo | 5210 | 5350    | -47.84 | 8.05 | -    | 55.44 | Peak    | 68.2 | Pass |
| NVNT | ac80mimo | 5210 | 5350    | -56.48 | 8.05 | 0.25 | 47.05 | Average | 54   | Pass |
| NVNT | ac80mimo | 5210 | 5353.74 | -45.46 | 8.05 | -    | 57.82 | Peak    | 68.2 | Pass |
| NVNT | ac80mimo | 5210 | 5351.43 | -55.75 | 8.05 | 0.25 | 47.78 | Average | 54   | Pass |
| NVNT | ac80mimo | 5210 | 5460    | -49.1  | 8.05 | -    | 54.18 | Peak    | 68.2 | Pass |
| NVNT | ac80mimo | 5210 | 5460    | -57.6  | 8.05 | 0.25 | 45.93 | Average | 54   | Pass |
| NVNT | ac80mimo | 5210 | 4500    | -51.1  | 8.05 | -    | 52.18 | Peak    | 68.2 | Pass |
| NVNT | ac80mimo | 5210 | 4500    | -58.7  | 8.05 | 0.25 | 44.83 | Average | 54   | Pass |
| NVNT | ac80mimo | 5210 | 5147.8  | -44.04 | 8.05 | -    | 59.24 | Peak    | 68.2 | Pass |
| NVNT | ac80mimo | 5210 | 5147.8  | -54.53 | 8.05 | 0.25 | 49.00 | Average | 54   | Pass |
| NVNT | ac80mimo | 5210 | 5150    | -43.71 | 8.05 | -    | 59.57 | Peak    | 68.2 | Pass |
| NVNT | ac80mimo | 5210 | 5150    | -54.58 | 8.05 | 0.25 | 48.95 | Average | 54   | Pass |





## B.5 Frequency Stability


| Condition | Mode | Frequency (MHz) | Antenna | Measured Frequency (MHz) | Frequency Error (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|-----------|------|-----------------|---------|--------------------------|----------------------|-----------------|-------------|---------|
| NVNT      | n40  | 5190            | Ant4    | 5189.96                  | -40000               | -7.71           | 25          | Pass    |
| NVNT      | n40  | 5230            | Ant4    | 5230                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac20 | 5180            | Ant4    | 5180                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac20 | 5200            | Ant4    | 5199.98                  | -20000               | -3.85           | 25          | Pass    |
| NVNT      | ac20 | 5240            | Ant4    | 5239.98                  | -20000               | -3.82           | 25          | Pass    |
| NVNT      | ac40 | 5190            | Ant4    | 5190                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac40 | 5230            | Ant4    | 5229.96                  | -40000               | -7.65           | 25          | Pass    |
| NVNT      | ac80 | 5210            | Ant4    | 5210                     | 0                    | 0               | 25          | Pass    |






## Test Graphs

## Freq. Stability NVNT n40 5190MHz Ant3



## Freq. Stability NVNT n40 5230MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5180MHz Ant3



## Freq. Stability NVNT ac20 5200MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Freq. Stability NVNT ac20 5240MHz Ant3



## Freq. Stability NVNT ac40 5190MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac40 5230MHz Ant3



## Freq. Stability NVNT ac80 5210MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




| Condition | Mode | Frequency (MHz) | Antenna | Measured Frequency (MHz) | Frequency Error (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|-----------|------|-----------------|---------|--------------------------|----------------------|-----------------|-------------|---------|
| NVNT      | n40  | 5190            | Ant4    | 5190                     | 0                    | 0               | 25          | Pass    |
| NVNT      | n40  | 5230            | Ant4    | 5229.96                  | -40000               | -7.65           | 25          | Pass    |
| NVNT      | ac20 | 5180            | Ant4    | 5179.98                  | -20000               | -3.86           | 25          | Pass    |
| NVNT      | ac20 | 5200            | Ant4    | 5199.98                  | -20000               | -3.85           | 25          | Pass    |
| NVNT      | ac20 | 5240            | Ant4    | 5239.98                  | -20000               | -3.82           | 25          | Pass    |
| NVNT      | ac40 | 5190            | Ant4    | 5190                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac40 | 5230            | Ant4    | 5230                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac80 | 5210            | Ant4    | 5210                     | 0                    | 0               | 25          | Pass    |






## Test Graphs

## Freq. Stability NVNT n40 5190MHz Ant4



## Freq. Stability NVNT n40 5230MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Freq. Stability NVNT ac20 5180MHz Ant4



## Freq. Stability NVNT ac20 5200MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5240MHz Ant4



## Freq. Stability NVNT ac40 5190MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac40 5230MHz Ant4



## Freq. Stability NVNT ac80 5210MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## B.6 Duty Cycle

| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | a    | 5180            | Ant3    | 94.56          | 0.24                   | 0.91      |
| NVNT      | a    | 5200            | Ant3    | 94.56          | 0.24                   | 0.91      |
| NVNT      | a    | 5240            | Ant3    | 94.65          | 0.24                   | 0.91      |
| NVNT      | n20  | 5180            | Ant3    | 93.77          | 0.28                   | 1.07      |
| NVNT      | n20  | 5200            | Ant3    | 93.77          | 0.28                   | 1.07      |
| NVNT      | n20  | 5240            | Ant3    | 93.67          | 0.28                   | 1.07      |
| NVNT      | n40  | 5190            | Ant3    | 94.71          | 0.24                   | 0.9       |
| NVNT      | n40  | 5230            | Ant3    | 94.71          | 0.24                   | 0.9       |
| NVNT      | ac20 | 5180            | Ant3    | 93.82          | 0.28                   | 1.06      |
| NVNT      | ac20 | 5200            | Ant3    | 93.82          | 0.28                   | 1.06      |
| NVNT      | ac20 | 5240            | Ant3    | 93.82          | 0.28                   | 1.06      |
| NVNT      | ac40 | 5190            | Ant3    | 94.8           | 0.23                   | 0.9       |
| NVNT      | ac40 | 5230            | Ant3    | 94.72          | 0.24                   | 0.9       |
| NVNT      | ac80 | 5210            | Ant3    | 94.32          | 0.25                   | 0.97      |









## Test Graphs

## Duty Cycle NVNT a 5180MHz Ant3



## Duty Cycle NVNT a 5200MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT a 5240MHz Ant3



Duty Cycle NVNT n20 5180MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT n20 5200MHz Ant3



## Duty Cycle NVNT n20 5240MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT n40 5190MHz Ant3



## Duty Cycle NVNT n40 5230MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Duty Cycle NVNT ac20 5180MHz Ant3



## Duty Cycle NVNT ac20 5200MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac20 5240MHz Ant3



## Duty Cycle NVNT ac40 5190MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac40 5230MHz Ant3



## Duty Cycle NVNT ac80 5210MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | a    | 5180            | Ant4    | 94.56          | 0.24                   | 0.91      |
| NVNT      | a    | 5200            | Ant4    | 94.56          | 0.24                   | 0.91      |
| NVNT      | a    | 5240            | Ant4    | 94.57          | 0.24                   | 0.91      |
| NVNT      | n20  | 5180            | Ant4    | 93.77          | 0.28                   | 1.07      |
| NVNT      | n20  | 5200            | Ant4    | 93.67          | 0.28                   | 1.07      |
| NVNT      | n20  | 5240            | Ant4    | 93.67          | 0.28                   | 1.07      |
| NVNT      | n40  | 5190            | Ant4    | 97.23          | 0.12                   | 0.46      |
| NVNT      | n40  | 5230            | Ant4    | 97.23          | 0.12                   | 0.46      |
| NVNT      | ac20 | 5180            | Ant4    | 93.72          | 0.28                   | 1.06      |
| NVNT      | ac20 | 5200            | Ant4    | 93.82          | 0.28                   | 1.06      |
| NVNT      | ac20 | 5240            | Ant4    | 93.72          | 0.28                   | 1.06      |
| NVNT      | ac40 | 5190            | Ant4    | 94.72          | 0.24                   | 0.9       |
| NVNT      | ac40 | 5230            | Ant4    | 94.72          | 0.24                   | 0.9       |
| NVNT      | ac80 | 5210            | Ant4    | 94.32          | 0.25                   | 0.97      |









## Test Graphs

## Duty Cycle NVNT a 5180MHz Ant4



## Duty Cycle NVNT a 5200MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT a 5240MHz Ant4



Duty Cycle NVNT n20 5180MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT n20 5200MHz Ant4



## Duty Cycle NVNT n20 5240MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT n40 5190MHz Ant4



## Duty Cycle NVNT n40 5230MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Duty Cycle NVNT ac20 5180MHz Ant4



Duty Cycle NVNT ac20 5200MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT ac20 5240MHz Ant4



Duty Cycle NVNT ac40 5190MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac40 5230MHz Ant4



## Duty Cycle NVNT ac80 5210MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity