



In Collaboration with

s p e a g
CALIBRATION LABORATORY

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China

Tel: +86-10-62304633-2117

E-mail: emf@caict.ac.cn

<http://www.caict.ac.cn>

10427	AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	WLAN	8.41	± 9.6 %
10430	AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	LTE-FDD	8.28	± 9.6 %
10431	AAC	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	LTE-FDD	8.38	± 9.6 %
10432	AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10433	AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10434	AAG	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	± 9.6 %
10435	AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10447	AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.56	± 9.6 %
10448	AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.53	± 9.6 %
10449	AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.51	± 9.6 %
10450	AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.48	± 9.6 %
10451	AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	± 9.6 %
10453	AAC	Validation (Square, 10ms, 1ms)	Test	10.00	± 9.6 %
10456	AAC	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc dc)	WLAN	8.63	± 9.6 %
10457	AAC	UMTS-FDD (DC-HSDPA)	WCDMA	6.62	± 9.6 %
10458	AAC	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	CDMA2000	6.55	± 9.6 %
10459	AAC	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	CDMA2000	8.25	± 9.6 %
10460	AAC	UMTS-FDD (WCDMA, AMR)	WCDMA	2.39	± 9.6 %
10461	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10462	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.30	± 9.6 %
10463	AAD	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.56	± 9.6 %
10464	AAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10465	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10466	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10467	AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10468	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10469	AAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.56	± 9.6 %
10470	AAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10471	AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10472	AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10473	AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10474	AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10475	AAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10477	AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10478	AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10479	AAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10480	AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.18	± 9.6 %
10481	AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	± 9.6 %
10482	AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.71	± 9.6 %
10483	AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, Sub)	LTE-TDD	8.39	± 9.6 %
10484	AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.47	± 9.6 %
10485	AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.59	± 9.6 %
10486	AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.38	± 9.6 %
10487	AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.60	± 9.6 %
10488	AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.70	± 9.6 %
10489	AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 9.6 %
10490	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10491	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10492	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.41	± 9.6 %
10493	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 %
10494	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10495	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.37	± 9.6 %
10496	AAE	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10497	AAE	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 9.6 %
10498	AAE	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.40	± 9.6 %
10499	AAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.68	± 9.6 %
10500	AAF	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 9.6 %
10501	AAF	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Sub)	LTE-TDD	8.44	± 9.6 %
10502	AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.52	± 9.6 %



In Collaboration with

s p e a g
CALIBRATION LABORATORY

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
 Tel: +86-10-62304633-2117
 E-mail: emf@caict.ac.cn <http://www.caict.ac.cn>

10503	AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.72	± 9.6 %
10504	AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 9.6 %
10505	AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10506	AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10507	AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.36	± 9.6 %
10508	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 %
10509	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.99	± 9.6 %
10510	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.49	± 9.6 %
10511	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.51	± 9.6 %
10512	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10513	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.42	± 9.6 %
10514	AAE	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	± 9.6 %
10515	AAE	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc dc)	WLAN	1.58	± 9.6 %
10516	AAE	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc dc)	WLAN	1.57	± 9.6 %
10517	AAF	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc dc)	WLAN	1.58	± 9.6 %
10518	AAF	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10519	AAF	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc dc)	WLAN	8.39	± 9.6 %
10520	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc dc)	WLAN	8.12	± 9.6 %
10521	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc dc)	WLAN	7.97	± 9.6 %
10522	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc dc)	WLAN	8.45	± 9.6 %
10523	AAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc dc)	WLAN	8.08	± 9.6 %
10524	AAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc dc)	WLAN	8.27	± 9.6 %
10525	AAC	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc dc)	WLAN	8.36	± 9.6 %
10526	AAF	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc dc)	WLAN	8.42	± 9.6 %
10527	AAF	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc dc)	WLAN	8.21	± 9.6 %
10528	AAF	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc dc)	WLAN	8.36	± 9.6 %
10529	AAF	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc dc)	WLAN	8.36	± 9.6 %
10531	AAF	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc dc)	WLAN	8.43	± 9.6 %
10532	AAF	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10533	AAE	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc dc)	WLAN	8.38	± 9.6 %
10534	AAE	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc dc)	WLAN	8.45	± 9.6 %
10535	AAE	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc dc)	WLAN	8.45	± 9.6 %
10536	AAF	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc dc)	WLAN	8.32	± 9.6 %
10537	AAF	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc dc)	WLAN	8.44	± 9.6 %
10538	AAF	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc dc)	WLAN	8.54	± 9.6 %
10540	AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc dc)	WLAN	8.39	± 9.6 %
10541	AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc dc)	WLAN	8.46	± 9.6 %
10542	AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc dc)	WLAN	8.65	± 9.6 %
10543	AAC	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc dc)	WLAN	8.65	± 9.6 %
10544	AAC	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc dc)	WLAN	8.47	± 9.6 %
10545	AAC	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10546	AAC	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc dc)	WLAN	8.35	± 9.6 %
10547	AAC	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc dc)	WLAN	8.49	± 9.6 %
10548	AAC	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc dc)	WLAN	8.37	± 9.6 %
10550	AAC	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc dc)	WLAN	8.38	± 9.6 %
10551	AAC	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc dc)	WLAN	8.50	± 9.6 %
10552	AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc dc)	WLAN	8.42	± 9.6 %
10553	AAC	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc dc)	WLAN	8.45	± 9.6 %
10554	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc dc)	WLAN	8.48	± 9.6 %
10555	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc dc)	WLAN	8.47	± 9.6 %
10556	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc dc)	WLAN	8.50	± 9.6 %
10557	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc dc)	WLAN	8.52	± 9.6 %
10558	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc dc)	WLAN	8.61	± 9.6 %
10560	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc dc)	WLAN	8.73	± 9.6 %
10561	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc dc)	WLAN	8.56	± 9.6 %
10562	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc dc)	WLAN	8.69	± 9.6 %
10563	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc dc)	WLAN	8.77	± 9.6 %
10564	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc dc)	WLAN	8.25	± 9.6 %
10565	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc dc)	WLAN	8.45	± 9.6 %



Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn <http://www.caict.ac.cn>

10566	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc dc)	WLAN	8.13	± 9.6 %
10567	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc dc)	WLAN	8.00	± 9.6 %
10568	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc dc)	WLAN	8.37	± 9.6 %
10569	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc dc)	WLAN	8.10	± 9.6 %
10570	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc dc)	WLAN	8.30	± 9.6 %
10571	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc dc)	WLAN	1.99	± 9.6 %
10572	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc dc)	WLAN	1.99	± 9.6 %
10573	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10574	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10575	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc dc)	WLAN	8.59	± 9.6 %
10576	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6 %
10577	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc dc)	WLAN	8.70	± 9.6 %
10578	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc dc)	WLAN	8.49	± 9.6 %
10579	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc dc)	WLAN	8.36	± 9.6 %
10580	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc dc)	WLAN	8.76	± 9.6 %
10581	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc dc)	WLAN	8.35	± 9.6 %
10582	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	± 9.6 %
10583	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc dc)	WLAN	8.59	± 9.6 %
10584	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6 %
10585	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc dc)	WLAN	8.70	± 9.6 %
10586	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc dc)	WLAN	8.49	± 9.6 %
10587	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc dc)	WLAN	8.36	± 9.6 %
10588	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc dc)	WLAN	8.76	± 9.6 %
10589	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc dc)	WLAN	8.35	± 9.6 %
10590	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	± 9.6 %
10591	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc dc)	WLAN	8.63	± 9.6 %
10592	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10593	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc dc)	WLAN	8.64	± 9.6 %
10594	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10595	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc dc)	WLAN	8.74	± 9.6 %
10596	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc dc)	WLAN	8.71	± 9.6 %
10597	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc dc)	WLAN	8.72	± 9.6 %
10598	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc dc)	WLAN	8.50	± 9.6 %
10599	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc dc)	WLAN	8.79	± 9.6 %
10600	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10601	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc dc)	WLAN	8.82	± 9.6 %
10602	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc dc)	WLAN	8.94	± 9.6 %
10603	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc dc)	WLAN	9.03	± 9.6 %
10604	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc dc)	WLAN	8.76	± 9.6 %
10605	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc dc)	WLAN	8.97	± 9.6 %
10606	AAC	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 %
10607	AAC	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc dc)	WLAN	8.64	± 9.6 %
10608	AAC	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc dc)	WLAN	8.77	± 9.6 %
10609	AAC	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc dc)	WLAN	8.57	± 9.6 %
10610	AAC	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc dc)	WLAN	8.78	± 9.6 %
10611	AAC	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10612	AAC	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10613	AAC	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc dc)	WLAN	8.94	± 9.6 %
10614	AAC	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc dc)	WLAN	8.59	± 9.6 %
10615	AAC	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10616	AAC	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc dc)	WLAN	8.82	± 9.6 %
10617	AAC	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc dc)	WLAN	8.81	± 9.6 %
10618	AAC	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc dc)	WLAN	8.58	± 9.6 %
10619	AAC	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc dc)	WLAN	8.86	± 9.6 %
10620	AAC	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc dc)	WLAN	8.87	± 9.6 %
10621	AAC	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10622	AAC	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc dc)	WLAN	8.68	± 9.6 %
10623	AAC	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 %
10624	AAC	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc dc)	WLAN	8.96	± 9.6 %



In Collaboration with

s p e a g
CALIBRATION LABORATORY

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China

Tel: +86-10-62304633-2117

E-mail: emf@caict.ac.cn

<http://www.caict.ac.cn>

10625	AAC	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc dc)	WLAN	8.96	± 9.6 %
10626	AAC	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10627	AAC	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10628	AAC	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc dc)	WLAN	8.71	± 9.6 %
10629	AAC	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10630	AAC	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc dc)	WLAN	8.72	± 9.6 %
10631	AAC	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc dc)	WLAN	8.81	± 9.6 %
10632	AAC	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10633	AAC	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc dc)	WLAN	8.83	± 9.6 %
10634	AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc dc)	WLAN	8.80	± 9.6 %
10635	AAC	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10636	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10637	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10638	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc dc)	WLAN	8.86	± 9.6 %
10639	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10640	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc dc)	WLAN	8.98	± 9.6 %
10641	AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc dc)	WLAN	9.06	± 9.6 %
10642	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc dc)	WLAN	9.06	± 9.6 %
10643	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc dc)	WLAN	8.89	± 9.6 %
10644	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc dc)	WLAN	9.05	± 9.6 %
10645	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc dc)	WLAN	9.11	± 9.6 %
10646	AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10647	AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10648	AAC	CDMA2000 (1x Advanced)	CDMA2000	3.45	± 9.6 %
10652	AAC	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.91	± 9.6 %
10653	AAC	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	± 9.6 %
10654	AAC	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	± 9.6 %
10655	AAC	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	± 9.6 %
10658	AAC	Pulse Waveform (200Hz, 10%)	Test	10.00	± 9.6 %
10659	AAC	Pulse Waveform (200Hz, 20%)	Test	6.99	± 9.6 %
10660	AAC	Pulse Waveform (200Hz, 40%)	Test	3.98	± 9.6 %
10661	AAC	Pulse Waveform (200Hz, 60%)	Test	2.22	± 9.6 %
10662	AAC	Pulse Waveform (200Hz, 80%)	Test	0.97	± 9.6 %
10670	AAC	Bluetooth Low Energy	Bluetooth	2.19	± 9.6 %
10671	AAD	IEEE 802.11ax (20MHz, MCS0, 90pc dc)	WLAN	9.09	± 9.6 %
10672	AAD	IEEE 802.11ax (20MHz, MCS1, 90pc dc)	WLAN	8.57	± 9.6 %
10673	AAD	IEEE 802.11ax (20MHz, MCS2, 90pc dc)	WLAN	8.78	± 9.6 %
10674	AAD	IEEE 802.11ax (20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10675	AAD	IEEE 802.11ax (20MHz, MCS4, 90pc dc)	WLAN	8.90	± 9.6 %
10676	AAD	IEEE 802.11ax (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10677	AAD	IEEE 802.11ax (20MHz, MCS6, 90pc dc)	WLAN	8.73	± 9.6 %
10678	AAD	IEEE 802.11ax (20MHz, MCS7, 90pc dc)	WLAN	8.78	± 9.6 %
10679	AAD	IEEE 802.11ax (20MHz, MCS8, 90pc dc)	WLAN	8.89	± 9.6 %
10680	AAD	IEEE 802.11ax (20MHz, MCS9, 90pc dc)	WLAN	8.80	± 9.6 %
10681	AAG	IEEE 802.11ax (20MHz, MCS10, 90pc dc)	WLAN	8.62	± 9.6 %
10682	AAF	IEEE 802.11ax (20MHz, MCS11, 90pc dc)	WLAN	8.83	± 9.6 %
10683	AAA	IEEE 802.11ax (20MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10684	AAC	IEEE 802.11ax (20MHz, MCS1, 99pc dc)	WLAN	8.26	± 9.6 %
10685	AAC	IEEE 802.11ax (20MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10686	AAC	IEEE 802.11ax (20MHz, MCS3, 99pc dc)	WLAN	8.28	± 9.6 %
10687	AAE	IEEE 802.11ax (20MHz, MCS4, 99pc dc)	WLAN	8.45	± 9.6 %
10688	AAE	IEEE 802.11ax (20MHz, MCS5, 99pc dc)	WLAN	8.29	± 9.6 %
10689	AAD	IEEE 802.11ax (20MHz, MCS6, 99pc dc)	WLAN	8.55	± 9.6 %
10690	AAE	IEEE 802.11ax (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10691	AAB	IEEE 802.11ax (20MHz, MCS8, 99pc dc)	WLAN	8.25	± 9.6 %
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc dc)	WLAN	8.29	± 9.6 %
10693	AAA	IEEE 802.11ax (20MHz, MCS10, 99pc dc)	WLAN	8.25	± 9.6 %
10694	AAA	IEEE 802.11ax (20MHz, MCS11, 99pc dc)	WLAN	8.57	± 9.6 %
10695	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc dc)	WLAN	8.78	± 9.6 %



Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China

Tel: +86-10-62304633-2117

E-mail: emf@caict.ac.cn

<http://www.caict.ac.cn>

10696	AAA	IEEE 802.11ax (40MHz, MCS1, 90pc dc)	WLAN	8.91	± 9.6 %
10697	AAA	IEEE 802.11ax (40MHz, MCS2, 90pc dc)	WLAN	8.61	± 9.6 %
10698	AAA	IEEE 802.11ax (40MHz, MCS3, 90pc dc)	WLAN	8.89	± 9.6 %
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc dc)	WLAN	8.82	± 9.6 %
10700	AAA	IEEE 802.11ax (40MHz, MCS5, 90pc dc)	WLAN	8.73	± 9.6 %
10701	AAA	IEEE 802.11ax (40MHz, MCS6, 90pc dc)	WLAN	8.86	± 9.6 %
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc dc)	WLAN	8.70	± 9.6 %
10703	AAA	IEEE 802.11ax (40MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc dc)	WLAN	8.56	± 9.6 %
10705	AAA	IEEE 802.11ax (40MHz, MCS10, 90pc dc)	WLAN	8.69	± 9.6 %
10706	AAC	IEEE 802.11ax (40MHz, MCS11, 90pc dc)	WLAN	8.66	± 9.6 %
10707	AAC	IEEE 802.11ax (40MHz, MCS0, 99pc dc)	WLAN	8.32	± 9.6 %
10708	AAC	IEEE 802.11ax (40MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10709	AAC	IEEE 802.11ax (40MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10710	AAC	IEEE 802.11ax (40MHz, MCS3, 99pc dc)	WLAN	8.29	± 9.6 %
10711	AAC	IEEE 802.11ax (40MHz, MCS4, 99pc dc)	WLAN	8.39	± 9.6 %
10712	AAC	IEEE 802.11ax (40MHz, MCS5, 99pc dc)	WLAN	8.67	± 9.6 %
10713	AAC	IEEE 802.11ax (40MHz, MCS6, 99pc dc)	WLAN	8.33	± 9.6 %
10714	AAC	IEEE 802.11ax (40MHz, MCS7, 99pc dc)	WLAN	8.26	± 9.6 %
10715	AAC	IEEE 802.11ax (40MHz, MCS8, 99pc dc)	WLAN	8.45	± 9.6 %
10716	AAC	IEEE 802.11ax (40MHz, MCS9, 99pc dc)	WLAN	8.30	± 9.6 %
10717	AAC	IEEE 802.11ax (40MHz, MCS10, 99pc dc)	WLAN	8.48	± 9.6 %
10718	AAC	IEEE 802.11ax (40MHz, MCS11, 99pc dc)	WLAN	8.24	± 9.6 %
10719	AAC	IEEE 802.11ax (80MHz, MCS0, 90pc dc)	WLAN	8.81	± 9.6 %
10720	AAC	IEEE 802.11ax (80MHz, MCS1, 90pc dc)	WLAN	8.87	± 9.6 %
10721	AAC	IEEE 802.11ax (80MHz, MCS2, 90pc dc)	WLAN	8.76	± 9.6 %
10722	AAC	IEEE 802.11ax (80MHz, MCS3, 90pc dc)	WLAN	8.55	± 9.6 %
10723	AAC	IEEE 802.11ax (80MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10724	AAC	IEEE 802.11ax (80MHz, MCS5, 90pc dc)	WLAN	8.90	± 9.6 %
10725	AAC	IEEE 802.11ax (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10726	AAC	IEEE 802.11ax (80MHz, MCS7, 90pc dc)	WLAN	8.72	± 9.6 %
10727	AAC	IEEE 802.11ax (80MHz, MCS8, 90pc dc)	WLAN	8.66	± 9.6 %
10728	AAC	IEEE 802.11ax (80MHz, MCS9, 90pc dc)	WLAN	8.65	± 9.6 %
10729	AAC	IEEE 802.11ax (80MHz, MCS10, 90pc dc)	WLAN	8.64	± 9.6 %
10730	AAC	IEEE 802.11ax (80MHz, MCS11, 90pc dc)	WLAN	8.67	± 9.6 %
10731	AAC	IEEE 802.11ax (80MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10732	AAC	IEEE 802.11ax (80MHz, MCS1, 99pc dc)	WLAN	8.46	± 9.6 %
10733	AAC	IEEE 802.11ax (80MHz, MCS2, 99pc dc)	WLAN	8.40	± 9.6 %
10734	AAC	IEEE 802.11ax (80MHz, MCS3, 99pc dc)	WLAN	8.25	± 9.6 %
10735	AAC	IEEE 802.11ax (80MHz, MCS4, 99pc dc)	WLAN	8.33	± 9.6 %
10736	AAC	IEEE 802.11ax (80MHz, MCS5, 99pc dc)	WLAN	8.27	± 9.6 %
10737	AAC	IEEE 802.11ax (80MHz, MCS6, 99pc dc)	WLAN	8.36	± 9.6 %
10738	AAC	IEEE 802.11ax (80MHz, MCS7, 99pc dc)	WLAN	8.42	± 9.6 %
10739	AAC	IEEE 802.11ax (80MHz, MCS8, 99pc dc)	WLAN	8.29	± 9.6 %
10740	AAC	IEEE 802.11ax (80MHz, MCS9, 99pc dc)	WLAN	8.48	± 9.6 %
10741	AAC	IEEE 802.11ax (80MHz, MCS10, 99pc dc)	WLAN	8.40	± 9.6 %
10742	AAC	IEEE 802.11ax (80MHz, MCS11, 99pc dc)	WLAN	8.43	± 9.6 %
10743	AAC	IEEE 802.11ax (160MHz, MCS0, 90pc dc)	WLAN	8.94	± 9.6 %
10744	AAC	IEEE 802.11ax (160MHz, MCS1, 90pc dc)	WLAN	9.16	± 9.6 %
10745	AAC	IEEE 802.11ax (160MHz, MCS2, 90pc dc)	WLAN	8.93	± 9.6 %
10746	AAC	IEEE 802.11ax (160MHz, MCS3, 90pc dc)	WLAN	9.11	± 9.6 %
10747	AAC	IEEE 802.11ax (160MHz, MCS4, 90pc dc)	WLAN	9.04	± 9.6 %
10748	AAC	IEEE 802.11ax (160MHz, MCS5, 90pc dc)	WLAN	8.93	± 9.6 %
10749	AAC	IEEE 802.11ax (160MHz, MCS6, 90pc dc)	WLAN	8.90	± 9.6 %
10750	AAC	IEEE 802.11ax (160MHz, MCS7, 90pc dc)	WLAN	8.79	± 9.6 %
10751	AAC	IEEE 802.11ax (160MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10752	AAC	IEEE 802.11ax (160MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10753	AAC	IEEE 802.11ax (160MHz, MCS10, 90pc dc)	WLAN	9.00	± 9.6 %
10754	AAC	IEEE 802.11ax (160MHz, MCS11, 90pc dc)	WLAN	8.94	± 9.6 %



In Collaboration with

s p e a g
CALIBRATION LABORATORY

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China

Tel: +86-10-62304633-2117

E-mail: emf@caict.ac.cn

<http://www.caict.ac.cn>

10755	AAC	IEEE 802.11ax (160MHz, MCS0, 99pc dc)	WLAN	8.64	± 9.6 %
10756	AAC	IEEE 802.11ax (160MHz, MCS1, 99pc dc)	WLAN	8.77	± 9.6 %
10757	AAC	IEEE 802.11ax (160MHz, MCS2, 99pc dc)	WLAN	8.77	± 9.6 %
10758	AAC	IEEE 802.11ax (160MHz, MCS3, 99pc dc)	WLAN	8.69	± 9.6 %
10759	AAC	IEEE 802.11ax (160MHz, MCS4, 99pc dc)	WLAN	8.58	± 9.6 %
10760	AAC	IEEE 802.11ax (160MHz, MCS5, 99pc dc)	WLAN	8.49	± 9.6 %
10761	AAC	IEEE 802.11ax (160MHz, MCS6, 99pc dc)	WLAN	8.58	± 9.6 %
10762	AAC	IEEE 802.11ax (160MHz, MCS7, 99pc dc)	WLAN	8.49	± 9.6 %
10763	AAC	IEEE 802.11ax (160MHz, MCS8, 99pc dc)	WLAN	8.53	± 9.6 %
10764	AAC	IEEE 802.11ax (160MHz, MCS9, 99pc dc)	WLAN	8.54	± 9.6 %
10765	AAC	IEEE 802.11ax (160MHz, MCS10, 99pc dc)	WLAN	8.54	± 9.6 %
10766	AAC	IEEE 802.11ax (160MHz, MCS11, 99pc dc)	WLAN	8.51	± 9.6 %
10767	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	± 9.6 %
10768	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10769	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10770	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10771	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10772	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.23	± 9.6 %
10773	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	± 9.6 %
10774	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10775	AAC	5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10776	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10777	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10778	AAC	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10779	AAC	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10780	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10781	AAC	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10782	AAC	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10783	AAC	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10784	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %
10785	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10786	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10787	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
10788	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10789	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10790	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
10792	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
10793	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	± 9.6 %
10794	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10795	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 %
10796	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10797	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10798	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10801	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10805	AAD	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10806	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10809	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10810	AAD	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10812	AAD	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10817	AAD	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10818	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10819	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	± 9.6 %
10820	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10821	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10822	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %



In Collaboration with

s p e a g
CALIBRATION LABORATORY

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China

Tel: +86-10-62304633-2117

E-mail: emf@caict.ac.cn

<http://www.caict.ac.cn>

10823	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10824	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAD	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAD	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAD	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAD	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAD	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAD	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10840	AAD	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAD	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10854	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10855	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10856	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10857	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10858	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10859	AAD	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10860	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10861	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10863	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10866	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10868	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	± 9.6 %
10869	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10870	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10879	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	± 9.6 %
10880	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10886	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10887	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10888	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	± 9.6 %
10892	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10897	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	± 9.6 %
10898	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %



Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China

Tel: +86-10-62304633-2117

E-mail: emf@caict.ac.cn

http://www.caict.ac.cn

10899	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10900	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10901	AAD	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10902	AAD	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10903	AAD	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10904	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10905	AAD	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10906	AAD	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10907	AAD	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6 %
10908	AAD	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10909	AAD	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6 %
10910	AAD	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10911	AAD	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10912	AAD	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10913	AAD	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10914	AAD	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	± 9.6 %
10915	AAD	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10916	AAD	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10917	AAD	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10918	AAD	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10919	AAD	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10920	AAD	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10921	AAD	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10922	AAD	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %
10923	AAD	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAD	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAD	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAD	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAB	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAC	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAB	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAB	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAB	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAB	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAB	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAB	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAB	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAB	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAC	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAB	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAB	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAB	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAB	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAB	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %
10954	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %



Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn <http://www.caict.ac.cn>

10958	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAB	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %
10972	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	11.59	± 9.6 %
10973	AAB	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	± 9.6 %
10974	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.28	± 9.6 %
10978	AAA	ULLA BDR	ULLA	1.16	± 9.6 %
10979	AAA	ULLA HDR4	ULLA	8.58	± 9.6 %
10980	AAA	ULLA HDR8	ULLA	10.32	± 9.6 %
10981	AAA	ULLA HDRp4	ULLA	3.19	± 9.6 %
10982	AAA	ULLA HDRp8	ULLA	3.43	± 9.6 %
10983	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.31	± 9.6 %
10984	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10985	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.54	± 9.6 %
10986	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.50	± 9.6 %
10987	AAA	5G NR DL (CP-OFDM, TM 3.1, 60 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.53	± 9.6 %
10988	AAA	5G NR DL (CP-OFDM, TM 3.1, 70 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.38	± 9.6 %
10989	AAA	5G NR DL (CP-OFDM, TM 3.1, 80 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.33	± 9.6 %
10990	AAA	5G NR DL (CP-OFDM, TM 3.1, 90 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.52	± 9.6 %

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Appendix D. Conducted RF Output Power Table

The detailed power table are shown as follows.

WWAN Full Power&DSI-2 Power&DSI-1 Power_Ant1(MAIN)

Band	GSM850				GSM1900			
Channel	128	189	251	Max. Tune-up Power (dBm)	512	661	810	Max. Tune-up Power (dBm)
Frequency (MHz)	824.2	836.4	848.8		1850.2	1880	1909.8	
GSM	32.40	32.31	32.33	33.50	29.75	29.72	29.70	30.50
GPRS 1Tx Slot	32.38	32.29	32.30	33.50	29.73	29.72	29.69	30.50
GPRS 2Tx Slot	31.69	31.55	31.60	32.50	29.04	29.05	28.98	30.00
GPRS 3Tx Slot	29.94	29.81	29.88	30.50	27.32	27.33	27.25	28.00
GPRS 4Tx Slot	28.79	28.81	28.75	29.50	26.28	26.27	26.21	27.00
EDGE 1Tx Slot	26.18	26.17	25.88	28.00	26.23	26.32	25.94	27.00
EDGE 2Tx Slot	23.08	22.80	22.89	25.00	22.90	22.48	22.44	24.00
EDGE 3Tx Slot	20.84	20.43	20.57	23.00	20.53	20.13	20.16	22.00
EDGE 4Tx Slot	19.40	19.18	19.43	22.00	19.30	19.23	19.15	21.00

Source-Based Time-Averaged Power								
Band	GSM850			Max. Tune-up Power (dBm)	GSM1900			Max. Tune-up Power (dBm)
Channel	128	189	251		512	661	810	
GSM	23.40	23.31	23.33	24.50	20.75	20.72	20.70	21.50
GPRS 1Tx Slot	23.38	23.29	23.30	24.50	20.73	20.72	20.69	21.50
GPRS 2Tx Slot	25.69	25.55	25.60	26.50	23.04	23.05	22.98	24.00
GPRS 3Tx Slot	25.68	25.55	25.62	26.24	23.06	23.07	22.99	23.74
GPRS 4Tx Slot	25.79	25.81	25.75	26.50	23.28	23.27	23.21	24.00
EDGE 1Tx Slot	17.18	17.17	16.88	19.00	17.23	17.32	16.94	18.00
EDGE 2Tx Slot	17.08	16.80	16.89	19.00	16.90	16.48	16.44	18.00
EDGE 3Tx Slot	16.58	16.17	16.31	18.74	16.27	15.87	15.90	17.74
EDGE 4Tx Slot	16.40	16.18	16.43	19.00	16.30	16.23	16.15	18.00

Band	WCDMA II			WCDMA II	WCDMA IV			WCDMA IV	WCDMA V			WCDMA V
TX Channel	9262	9400	9538	Max. Tune-up Power (dBm)	1312	1413	1513	Max. Tune-up Power (dBm)	4132	4182	4233	Max. Tune-up Power (dBm)
Rx Channel	9662	9800	9938		1537	1638	1738		4357	4407	4458	
Frequency (MHz)	1852.4	1880	1907.6		1712.4	1732.6	1752.6		826.4	836.4	846.6	
RMC 12.2K	24.53	24.49	24.50	25.50	24.41	24.35	24.35	25.50	24.23	24.28	24.26	25.50
HSDPA Subtest-1	23.43	23.49	23.43	23.50	23.38	23.33	23.33	23.50	23.27	23.20	23.20	23.50
HSDPA Subtest-2	23.43	23.48	23.42	23.50	23.40	23.24	23.33	23.50	23.20	23.26	23.25	23.50
HSDPA Subtest-3	22.48	22.40	22.49	23.50	22.38	22.28	22.25	23.50	22.26	22.27	22.21	23.50
HSDPA Subtest-4	22.52	22.47	22.50	23.50	22.40	22.31	22.31	23.50	22.16	22.28	22.22	23.50
DC-HSDPA Subtest-1	23.44	23.42	23.42	23.50	23.45	23.29	23.26	23.50	23.26	23.22	23.26	23.50
DC-HSDPA Subtest-2	23.52	23.44	23.39	23.50	23.39	23.35	23.26	23.50	23.19	23.21	23.28	23.50
DC-HSDPA Subtest-3	22.48	22.47	22.41	23.50	22.40	22.27	22.32	23.50	22.17	22.20	22.28	23.50
DC-HSDPA Subtest-4	22.51	22.44	22.40	23.50	22.43	22.30	22.25	23.50	22.18	22.26	22.19	23.50
HSUPA Subtest-1	22.02	21.96	21.96	22.50	21.94	21.80	21.83	22.50	21.75	21.78	21.73	22.50
HSUPA Subtest-2	21.45	21.48	21.45	22.50	21.45	21.33	21.27	22.50	21.16	21.21	21.29	22.50
HSUPA Subtest-3	22.43	22.48	22.43	22.50	22.44	22.30	22.29	22.50	22.21	22.26	22.28	22.50
HSUPA Subtest-4	21.02	20.90	20.97	22.50	20.92	20.81	20.79	22.50	20.69	20.69	20.72	22.50
HSUPA Subtest-5	22.50	22.44	22.46	22.50	22.47	22.28	22.29	22.50	22.25	22.20	22.21	22.50
HSPA+ Subtest-1	21.43	21.49	21.48	22.50	21.38	21.35	21.32	22.50	21.23	21.20	21.28	22.50

LTE Band 2										
BW	Modulation	RB Size	RB Offset	Channel	Low	Mid	High	SCPP	Max. Time-up (dBm)	
				Frequency (MHz)	1870	1880	1910	MPR (dB)		
20M	QPSK	16QAM	0	1	24.17	24.07	24.04	0	25.5	
				1	50	24.20	24.23	24.25	0	25.5
				1	99	23.96	23.89	23.85	0	25.5
				50	0	23.35	23.25	23.22	1	24.5
				50	25	23.31	23.19	23.22	1	24.5
				50	50	23.21	23.09	23.11	1	24.5
				100	0	23.27	23.19	23.21	1	24.5
				1	0	23.37	23.26	23.19	1	24.5
				1	50	23.49	23.35	23.33	1	24.5
				1	99	23.06	23.09	23.96	1	24.5
20M	16QAM	0	0	50	0	22.27	22.27	22.21	2	23.5
				50	25	22.24	22.24	22.19	2	23.5
				50	50	22.22	22.11	22.13	2	23.5
				100	0	22.24	22.22	22.21	2	23.5
				1	0	22.13	22.12	22.05	2	23.5
				1	50	22.27	22.13	22.17	2	23.5
				1	99	22.00	21.96	21.91	2	23.5
				50	0	21.15	21.03	21.00	3	22.5
				50	25	21.06	21.09	20.97	3	22.5
				50	50	21.01	20.99	20.89	3	22.5
20M	64QAM	0	0	100	0	21.10	20.99	20.97	3	22.5
				1	0	21.10	20.99	20.97	3	22.5
				1	50	21.10	20.99	20.97	3	22.5
				1	99	21.10	20.99	20.97	3	22.5
				50	0	21.10	20.99	20.97	3	22.5
				50	25	21.10	20.99	20.97	3	22.5
				50	50	21.10	20.99	20.97	3	22.5
				100	0	21.10	20.99	20.97	3	22.5
				1	0	21.10	20.99	20.97	3	22.5
				1	50	21.10	20.99	20.97	3	22.5
BW	Modulation	RB Size	RB Offset	Channel	Low	Mid	High	SCPP	Max. Time-up (dBm)	
				Frequency (MHz)	1875	1880	1910	MPR (dB)		
10M	QPSK	16QAM	0	1	0	24.16	24.06	24.00	0	25.5
				1	37	24.23	24.15	24.12	0	25.5
				1	74	23.65	23.89	23.75	0	25.5
				36	0	23.34	23.14	23.13	1	24.5
				36	19	23.22	23.13	23.18	1	24.5
				36	39	23.12	23.05	23.07	1	24.5
				75	0	23.17	23.10	23.09	1	24.5
				1	0	23.31	23.22	23.15	1	24.5
				1	37	23.42	23.32	23.32	1	24.5
				1	74	23.05	23.08	22.88	1	24.5
10M	16QAM	0	0	36	0	22.22	22.16	22.17	2	23.5
				36	19	22.15	22.22	22.19	2	23.5
				36	39	22.19	22.00	22.11	2	23.5
				75	0	22.22	22.12	22.19	2	23.5
				1	0	22.12	22.04	22.03	2	23.5
				1	37	22.15	22.12	22.10	2	23.5
				1	74	21.97	21.87	21.87	2	23.5
				36	0	21.04	20.98	20.88	3	22.5
				36	19	20.98	21.09	20.90	3	22.5
				36	39	21.00	20.93	20.91	3	22.5
10M	64QAM	0	0	75	0	21.02	20.88	20.93	3	22.5
				1	0	21.02	20.88	20.93	3	22.5
				1	37	21.02	20.88	20.93	3	22.5
				1	74	21.02	20.88	20.93	3	22.5
				36	0	21.02	20.88	20.93	3	22.5
				36	19	21.02	20.88	20.93	3	22.5
				36	39	21.02	20.88	20.93	3	22.5
				75	0	21.02	20.88	20.93	3	22.5
				1	0	21.02	20.88	20.93	3	22.5
				1	37	21.02	20.88	20.93	3	22.5
BW	Modulation	RB Size	RB Offset	Channel	Low	Mid	High	SCPP	Max. Time-up (dBm)	
				Frequency (MHz)	1885	1890	1910	MPR (dB)		
10M	QPSK	16QAM	0	1	0	24.06	24.06	24.00	0	25.5
				1	24	24.28	24.20	24.16	0	25.5
				1	49	23.89	23.82	23.76	0	25.5
				25	0	23.26	23.23	23.17	1	24.5
				25	12	23.24	23.08	23.12	1	24.5
				25	25	23.16	23.01	23.10	1	24.5
				50	0	23.21	23.10	23.13	1	24.5
				1	0	23.33	23.17	23.09	1	24.5
				1	24	23.49	23.29	23.28	1	24.5
				1	49	23.03	23.06	22.88	1	24.5
10M	16QAM	0	0	25	0	22.26	22.26	22.20	2	23.5
				25	12	22.12	22.12	22.17	2	23.5
				25	25	22.21	22.02	22.08	2	23.5
				50	0	22.24	22.12	22.21	2	23.5
				1	0	22.11	22.11	21.97	2	23.5
				1	24	22.15	22.10	22.07	2	23.5
				1	49	21.89	21.93	21.79	2	23.5
				25	0	21.12	20.96	20.95	3	22.5
				25	12	21.02	21.09	20.92	3	22.5
				25	25	20.96	20.96	20.89	3	22.5
10M	64QAM	0	0	50	0	21.02	20.87	20.97	3	22.5
				1	0	21.02	20.87	20.97	3	22.5
				1	24	21.02	20.87	20.97	3	22.5
				1	49	21.02	20.87	20.97	3	22.5
				25	0	21.02	20.87	20.97	3	22.5
				25	12	21.02	20.87	20.97	3	22.5
				25	25	21.02	20.87	20.97	3	22.5
				50	0	21.02	20.87	20.97	3	22.5
				1	0	21.02	20.87	20.97	3	22.5
				1	24	21.02	20.87	20.97	3	22.5
BW	Modulation	RB Size	RB Offset	Channel	Low	Mid	High	SCPP	Max. Time-up (dBm)	
				Frequency (MHz)	1885	1890	1910	MPR (dB)		
10M	QPSK	16QAM	0	1	0	24.14	23.97	23.98	0	25.5
				1	12	24.17	24.16	24.14	0	25.5
				1	24	23.84	23.77	23.76	0	25.5
				12	0	23.32	23.19	23.19	1	24.5
				12	6	23.22	23.13	23.22	1	24.5
				12	13	23.21	23.02	23.01	1	24.5
				25	0	23.16	23.07	23.16	1	24.5
				1	0	23.36	23.25	23.16	1	24.5
				1	12	23.46	23.29	23.25	1	24.5
				1	24	23.03	23.06	22.91	1	24.5
10M	16QAM	0	0	12	0	22.22	22.20	22.12	2	23.5
				12	6	22.23	22.23	22.17	2	23.5
				12	13	22.23	22.20	22.04	2	23.5
				25	0	22.16	22.15	22.09	2	23.5
				1	0	22.08	22.05	22.05	2	23.5
				1	12	22.26	22.07	22.09	2	23.5
				1	24	21.98	21.95	21.92	2	23.5
				1	49	21.89	21.93	21.79	2	23.5
				25	0	21.12	20.96	20.95	3	22.5
				25	12	21.02	21.09	20.92	3	22.5
10M	64QAM	0	0	25	0	21.02	20.87	20.97	3	22.5
				25	12	21.02	20.87	20.97	3	22.5
				25	25	21.02	20.87	20.97	3	22.5
				50	0	21.02	20.87	20.97	3	22.5
				1	0	21.02	20.87	20.97	3	22.5
				1	12	21.02	20.87	20.97	3	22.5

LTE Band 7								
BW	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		20850	21100	21350		
		Frequency (MHz)		2510	2535	2560		
20M	QPSK	1	0	24.29	24.24	24.32	0	25.5
		1	50	24.56	24.57	24.63	0	25.5
		1	99	24.33	24.25	24.36	0	25.5
		50	0	23.36	23.29	23.47	1	24.5
		50	25	23.62	23.57	23.57	1	24.5
		50	50	23.55	23.49	23.58	1	24.5
		100	0	23.45	23.37	23.53	1	24.5
		1	0	23.42	23.38	23.44	1	24.5
	16QAM	1	50	23.73	23.60	23.75	1	24.5
		1	99	23.48	23.43	23.50	1	24.5
		50	0	22.33	22.30	22.36	2	23.5
		50	25	22.58	22.45	22.59	2	23.5
		50	50	22.55	22.49	22.50	2	23.5
		100	0	22.43	22.36	22.54	2	23.5
		1	0	22.27	22.23	22.25	2	23.5
		1	50	22.55	22.49	22.67	2	23.5
	64QAM	1	99	22.35	22.30	22.42	2	23.5
		50	0	21.25	21.14	21.20	3	22.5
		50	25	21.37	21.30	21.40	3	22.5
		50	50	21.41	21.36	21.44	3	22.5
		100	0	21.32	21.29	21.30	3	22.5
15M	QPSK	Channel		20825	21100	21375	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2507.5	2535	2562.5		
		1	0	24.21	24.18	24.28		
		1	37	24.55	24.56	24.59		
		1	74	24.26	24.24	24.28		
		36	0	23.29	23.21	23.47		
		36	19	23.55	23.47	23.45		
		36	39	23.53	23.45	23.49		
	16QAM	75	0	23.42	23.31	23.45	1	24.5
		1	0	23.40	23.28	23.41	1	24.5
		1	37	23.66	23.49	23.65	1	24.5
		1	74	23.45	23.35	23.43	1	24.5
		36	0	22.31	22.28	22.29	2	23.5
		36	19	22.49	22.44	22.59	2	23.5
		36	39	22.46	22.44	22.46	2	23.5
		75	0	22.38	22.24	22.48	2	23.5
	64QAM	1	0	22.16	22.18	22.19	2	23.5
		1	37	22.47	22.42	22.61	2	23.5
		1	74	22.34	22.28	22.36	2	23.5
		36	0	21.21	21.10	21.12	3	22.5
		36	19	21.37	21.26	21.30	3	22.5
		36	39	21.34	21.29	21.42	3	22.5
		75	0	21.22	21.23	21.29	3	22.5
10M	QPSK	Channel		20800	21100	21400	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2580	2535	2565		
		1	0	24.28	24.20	24.26		
		1	24	24.54	24.49	24.59		
		1	49	24.30	24.14	24.31		
		25	0	23.34	23.22	23.41	1	24.5
		25	12	23.52	23.48	23.57	1	24.5
		25	25	23.53	23.38	23.54	1	24.5
	16QAM	50	0	23.43	23.30	23.48	1	24.5
		1	0	23.31	23.35	23.36	1	24.5
		1	24	23.73	23.49	23.68	1	24.5
		1	49	23.38	23.34	23.44	1	24.5
		25	0	22.25	22.21	22.32	2	23.5
		25	12	22.56	22.42	22.52	2	23.5
		25	25	22.47	22.41	22.48	2	23.5
		50	0	22.33	22.35	22.45	2	23.5
	64QAM	1	0	22.16	22.14	22.18	2	23.5
		1	24	22.52	22.44	22.60	2	23.5
		1	49	22.30	22.21	22.39	2	23.5
		25	0	21.24	21.04	21.16	3	22.5
		25	12	21.31	21.21	21.40	3	22.5
		25	25	21.35	21.24	21.43	3	22.5
		50	0	21.20	21.08	21.17	3	22.5
5M	QPSK	Channel		20775	21100	21425	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2502.5	2535	2567.5		
		1	0	24.19	24.24	24.25		
		1	12	24.47	24.53	24.61		
		1	24	24.26	24.18	24.36		
		12	0	23.31	23.28	23.45	1	24.5
		12	6	23.52	23.53	23.52	1	24.5
		12	13	23.50	23.40	23.52	1	24.5
	16QAM	25	0	23.34	23.30	23.52	1	24.5
		1	0	23.40	23.37	23.37	1	24.5
		1	12	23.69	23.49	23.72	1	24.5
		1	24	23.37	23.43	23.49	1	24.5
		12	0	22.24	22.21	22.33	2	23.5
		12	6	22.48	22.34	22.52	2	23.5
		12	13	22.45	22.40	22.45	2	23.5
		25	0	22.38	22.28	22.47	2	23.5
	64QAM	1	0	22.15	22.17	22.19	2	23.5
		1	12	22.53	22.46	22.60	2	23.5
		1	24	22.25	22.21	22.39	2	23.5
		12	0	21.24	21.12	21.14	3	22.5
		12	6	21.27	21.20	21.39	3	22.5
		12	13	21.33	21.26	21.38	3	22.5
		25	0	21.13	21.09	21.16	3	22.5

LTE Band 38								
BW	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		37850	38000	38150		
		Frequency (MHz)		2580	2595	2610		
20M	QPSK	1	0	24.45	24.43	24.46	0	25.5
		1	50	24.60	24.55	24.62	0	25.5
		1	99	24.46	24.37	24.41	0	25.5
		50	0	23.31	23.35	23.28	1	24.5
		50	25	23.38	23.38	23.39	1	24.5
		50	50	23.41	23.41	23.38	1	24.5
	16QAM	100	0	23.52	23.38	23.42	1	24.5
		1	0	23.13	23.02	23.09	1	24.5
		1	50	23.29	23.31	23.29	1	24.5
		1	99	23.19	23.10	23.07	1	24.5
		50	0	22.35	22.32	22.29	2	23.5
		50	25	22.40	22.30	22.38	2	23.5
	64QAM	50	50	22.44	22.42	22.35	2	23.5
		100	0	22.53	22.51	22.56	2	23.5
		1	0	22.00	21.91	21.92	2	23.5
		1	50	22.32	22.25	22.23	2	23.5
		1	99	21.99	22.00	21.99	2	23.5
		50	0	21.34	21.21	21.31	3	22.5
		50	25	21.34	21.34	21.30	3	22.5
		50	50	21.39	21.38	21.34	3	22.5
		100	0	21.33	21.24	21.34	3	22.5
BW	Modulation	Channel	37825	38000	38175	3GPP MPR (dB)	Max. Tune-up (dBm)	
		Frequency (MHz)	2577.5	2595	2612.5			
15M	QPSK	1	0	24.34	24.41	24.40	0	25.5
		1	37	24.58	24.46	24.50	0	25.5
		1	74	24.45	24.30	24.31	0	25.5
		36	0	23.29	23.31	23.19	1	24.5
		36	19	23.37	23.31	23.34	1	24.5
		36	39	23.41	23.37	23.32	1	24.5
		75	0	23.43	23.37	23.33	1	24.5
		16QAM	1	0	23.10	23.02	22.98	1
	1		37	23.21	23.25	23.22	1	24.5
	1		74	23.16	22.99	23.03	1	24.5
	36		0	22.34	22.30	22.25	2	23.5
	36		19	22.30	22.18	22.32	2	23.5
	36		39	22.37	22.36	22.27	2	23.5
	75		0	22.50	22.40	22.51	2	23.5
	64QAM		1	0	21.97	21.85	21.87	2
		1	37	22.25	22.21	22.12	2	23.5
		1	74	21.98	21.93	21.96	2	23.5
		36	0	21.31	21.16	21.29	3	22.5
		36	19	21.29	21.25	21.26	3	22.5
		36	39	21.29	21.30	21.26	3	22.5
		75	0	21.31	21.23	21.30	3	22.5
BW	Modulation	Channel	37800	38000	38200	3GPP MPR (dB)	Max. Tune-up (dBm)	
		Frequency (MHz)	2575	2595	2615			
10M	QPSK	1	0	24.37	24.35	24.45	0	25.5
		1	24	24.56	24.45	24.61	0	25.5
		1	49	24.41	24.29	24.38	0	25.5
		25	0	23.27	23.30	23.23	1	24.5
		25	12	23.27	23.37	23.33	1	24.5
		25	25	23.38	23.30	23.32	1	24.5
	16QAM	50	0	23.49	23.32	23.37	1	24.5
		1	0	23.07	23.00	22.98	1	24.5
		1	24	23.25	23.27	23.27	1	24.5
		1	49	23.17	23.06	23.03	1	24.5
		25	0	22.35	22.29	22.26	2	23.5
		25	12	22.37	22.27	22.32	2	23.5
	64QAM	25	25	22.33	22.33	22.25	2	23.5
		50	0	22.53	22.45	22.45	2	23.5
		1	0	21.96	21.82	21.90	2	23.5
		1	24	22.25	22.20	22.12	2	23.5
		1	49	21.97	21.89	21.96	2	23.5
		25	0	21.32	21.21	21.23	3	22.5
		25	12	21.23	21.33	21.28	3	22.5
		25	25	21.30	21.37	21.26	3	22.5
		50	0	21.21	21.16	21.33	3	22.5
BW	Modulation	Channel	37775	38000	38225	3GPP MPR (dB)	Max. Tune-up (dBm)	
		Frequency (MHz)	2572.5	2595	2617.5			
5M	QPSK	1	0	24.38	24.36	24.37	0	25.5
		1	12	24.54	24.55	24.52	0	25.5
		1	24	24.45	24.28	24.33	0	25.5
		12	0	23.22	23.31	23.17	1	24.5
		12	6	23.34	23.27	23.28	1	24.5
		12	13	23.35	23.37	23.27	1	24.5
	16QAM	25	0	23.48	23.33	23.40	1	24.5
		1	0	23.07	23.02	22.99	1	24.5
		1	12	23.18	23.28	23.24	1	24.5
		1	24	23.17	23.09	23.02	1	24.5
		12	0	22.35	22.31	22.19	2	23.5
		12	6	22.32	22.19	22.38	2	23.5
	64QAM	12	13	22.33	22.42	22.30	2	23.5
		25	0	22.45	22.42	22.56	2	23.5
		1	0	21.90	21.82	21.83	2	23.5
		1	12	22.29	22.23	22.18	2	23.5
		1	24	21.91	21.96	21.89	2	23.5
		12	0	21.25	21.11	21.23	3	22.5
		12	6	21.32	21.26	21.29	3	22.5
		12	13	21.32	21.29	21.24	3	22.5
		25	0	21.24	21.13	21.34	3	22.5

LTE Band 41 (2496 ~ 2690MHz)											
BW	Modulation	RB Size	RB Offset	Low	Low Mid	Mid	High Mid	High	3GPP MPR (dB)	Max. Time-up (dBm)	
		Channel		38750	40185	40620	41055	41490			
		Frequency (MHz)		2860	2946.5	2993	3080.5	3167			
20M	QPSK	1	0	24.37	24.31	24.26	24.32	24.25	0	25.5	
		1	50	24.55	24.51	24.50	24.51	24.42	0	25.5	
		1	99	24.28	24.23	24.34	24.30	24.26	0	25.5	
		50	0	23.31	23.18	23.30	23.23	23.23	1	24.5	
		50	25	23.37	23.28	23.24	23.28	23.27	1	24.5	
		50	50	23.25	23.17	23.24	23.25	23.23	1	24.5	
		100	0	23.37	23.38	23.33	23.40	23.32	1	24.5	
		1	0	22.99	22.94	23.01	22.96	22.99	1	24.5	
		1	50	23.23	23.16	23.23	23.17	23.16	1	24.5	
		1	99	23.06	22.98	22.95	22.94	22.89	1	24.5	
	16QAM	50	0	22.20	22.18	22.21	22.23	22.24	2	23.5	
		50	25	22.27	22.27	22.29	22.24	22.25	2	23.5	
		50	50	22.32	22.28	22.27	22.28	22.29	2	23.5	
		100	0	22.46	22.38	22.46	22.40	22.42	2	23.5	
		1	0	21.88	21.74	21.81	21.75	21.79	2	23.5	
		1	50	22.16	22.03	22.09	22.02	22.01	2	23.5	
		1	99	21.89	21.85	21.81	21.82	21.83	2	23.5	
		50	0	21.12	21.06	21.05	21.10	20.99	3	22.5	
		50	25	21.28	21.11	21.23	21.13	21.16	3	22.5	
		50	50	21.23	21.12	21.20	21.17	21.11	3	22.5	
	64QAM	100	0	21.17	21.11	21.16	21.07	21.11	3	22.5	
BW	Modulation	Channel		38725	40173	40620	41068	41515	3GPP MPR (dB)	Max. Time-up (dBm)	
		Frequency (MHz)		2863.5	2948.3	2993	3087.8	3182.5			
		1	0	24.30	24.24	24.23	24.23	24.14	0	25.5	
	QPSK	1	37	24.51	24.43	24.44	24.47	24.31	0	25.5	
		1	74	24.18	24.17	24.22	24.30	24.26	0	25.5	
		36	0	23.23	23.09	23.21	23.19	23.17	1	24.5	
		36	19	23.26	23.17	23.14	23.23	23.17	1	24.5	
		36	39	23.18	23.09	23.18	23.14	23.16	1	24.5	
		76	0	23.26	23.36	23.21	23.28	23.24	1	24.5	
	16QAM	1	0	22.85	22.80	22.96	22.88	22.85	1	24.5	
		1	37	23.18	23.10	23.16	23.10	23.07	1	24.5	
		1	74	23.04	22.97	22.87	22.93	22.77	1	24.5	
		36	0	22.18	22.11	22.09	22.20	22.18	2	23.5	
		36	19	22.17	22.27	22.18	22.18	22.19	2	23.5	
		36	39	22.24	22.21	22.20	22.27	22.21	2	23.5	
		75	0	22.40	22.23	22.39	22.32	22.35	2	23.5	
		1	0	21.80	21.68	21.78	21.68	21.77	2	23.5	
		1	37	22.04	22.01	22.02	21.94	21.99	2	23.5	
		1	74	21.87	21.79	21.81	21.80	21.79	2	23.5	
	64QAM	36	0	21.10	20.96	20.99	21.02	20.93	3	22.5	
		36	19	21.14	21.05	21.13	21.03	21.13	3	22.5	
		36	39	21.22	21.06	21.17	21.16	21.10	3	22.5	
		75	0	21.10	21.06	21.15	21.01	21.06	3	22.5	
BW	Modulation	Channel		38760	40189	40620	41088	41540	3GPP MPR (dB)	Max. Time-up (dBm)	
		Frequency (MHz)		2881	2947	2993	3078	3165			
		1	0	24.26	24.23	24.22	24.27	24.13	0	25.5	
	QPSK	1	24	24.47	24.43	24.46	24.46	24.39	0	25.5	
		1	49	24.26	24.13	24.28	24.30	24.15	0	25.5	
		25	0	23.28	23.12	23.24	23.20	23.12	1	24.5	
		25	12	23.26	23.22	23.23	23.19	23.18	1	24.5	
		25	25	23.22	23.13	23.13	23.17	23.12	1	24.5	
		50	0	23.26	23.23	23.23	23.32	23.26	1	24.5	
	16QAM	1	0	22.89	22.88	22.89	22.85	22.92	1	24.5	
		1	24	23.20	23.05	23.17	23.16	23.12	1	24.5	
		1	49	23.02	22.92	22.95	22.83	22.78	1	24.5	
		25	0	22.10	22.08	22.16	22.22	22.13	2	23.5	
		25	12	22.21	22.20	22.28	22.23	22.18	2	23.5	
		25	25	22.21	22.22	22.18	22.24	22.20	2	23.5	
		50	0	22.37	22.35	22.46	22.35	22.38	2	23.5	
		1	0	21.82	21.70	21.85	21.74	21.67	2	23.5	
		1	24	22.10	21.86	22.08	21.93	21.99	2	23.5	
		1	49	21.81	21.81	21.71	21.70	21.76	2	23.5	
	64QAM	25	0	21.11	20.99	21.02	21.01	20.96	3	22.5	
		25	12	21.23	21.03	21.21	21.02	21.13	3	22.5	
		25	25	21.18	21.10	21.12	21.11	21.09	3	22.5	
		50	0	21.14	21.02	21.16	21.01	21.04	3	22.5	
BW	Modulation	Channel		38675	40148	40620	41093	41565	3GPP MPR (dB)	Max. Time-up (dBm)	
		Frequency (MHz)		2868.5	2946.8	2993	3040.3	3087.5			
		1	0	24.32	24.29	24.19	24.31	24.19	0	25.5	
	QPSK	1	12	24.53	24.48	24.43	24.42	24.40	0	25.5	
		1	24	24.16	24.19	24.34	24.27	24.24	0	25.5	
		12	0	23.29	23.17	23.18	23.18	23.14	1	24.5	
		12	6	23.31	23.16	23.16	23.19	23.20	1	24.5	
		12	13	23.17	23.10	23.20	23.17	23.18	1	24.5	
		25	0	23.31	23.28	23.29	23.38	23.31	1	24.5	
	16QAM	1	0	22.96	22.89	22.93	22.86	22.97	1	24.5	
		1	12	23.17	23.10	23.15	23.14	23.11	1	24.5	
		1	24	23.00	22.95	22.86	22.85	22.86	1	24.5	
		12	0	22.19	22.10	22.11	22.20	22.18	2	23.5	
		12	6	22.17	22.15	22.27	22.18	22.14	2	23.5	
		12	13	22.28	22.21	22.26	22.19	22.24	2	23.5	
		25	0	22.40	22.29	22.42	22.37	22.36	2	23.5	
		1	0	21.79	21.69	21.77	21.69	21.72	2	23.5	
		1	12	22.15	22.00	22.03	21.94	21.94	2	23.5	
		1	24	21.87	21.80	21.78	21.79	21.75	2	23.5	
	64QAM	12	0	21.02	21.01	21.04	21.00	20.99	3	22.5	
		12	6	21.24	21.04	21.15	21.07	21.14	3	22.5	
		12	13	21.12	21.10	21.16	21.09	21.07	3	22.5	
		25	0	21.12	21.01	21.12	20.97	21.00	3	22.5	

LTE Band 66											
BW	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Time-up (dBm)			
		Channel		13072	13232	13272					
		Frequency (MHz)		1726	1746	1776					
20M	QPSK	1	0	24.14	24.18	24.32	0	25.5			
		1	50	23.96	24.08	23.77	0	25.5			
		1	99	23.84	23.93	23.75	0	25.5			
		50	0	23.03	23.15	22.96	1	24.5			
		50	25	23.00	23.07	22.90	1	24.5			
		50	50	23.00	23.06	22.84	1	24.5			
		100	0	23.08	23.16	22.98	1	24.5			
		1	0	23.11	23.15	23.01	1	24.5			
		1	50	23.23	23.37	23.15	1	24.5			
		1	99	23.03	23.14	22.89	1	24.5			
	16QAM	50	0	22.03	22.13	22.00	2	23.5			
		50	25	22.00	22.15	21.94	2	23.5			
		50	50	22.00	22.12	21.91	2	23.5			
		100	0	22.07	22.17	21.92	2	23.5			
		1	0	21.96	22.06	21.87	2	23.5			
		1	50	22.16	22.14	22.01	2	23.5			
		1	99	21.84	21.89	21.73	2	23.5			
		50	0	20.88	21.01	20.77	3	22.5			
		50	25	20.85	20.95	20.74					

WWAN DSI-3 Power&DSI-4 Power_Ant1(MAIN)

Band	GSM850				GSM1900			
Channel	128	189	251	Max. Tune-up Power (dBm)	512	661	810	Max. Tune-up Power (dBm)
Frequency (MHz)	824.2	836.4	848.8		1850.2	1880	1909.8	
GSM	32.40	32.31	32.33	33.50	28.69	28.53	28.53	29.50
GPRS 1Tx Slot	32.38	32.29	32.30	33.50	28.68	28.52	28.50	29.50
GPRS 2Tx Slot	31.69	31.55	31.60	32.50	26.84	26.69	26.68	28.00
GPRS 3Tx Slot	29.94	29.81	29.88	30.50	25.32	25.18	25.17	26.00
GPRS 4Tx Slot	28.79	28.81	28.75	29.50	24.24	24.13	24.10	25.00
EDGE 1Tx Slot	26.18	26.17	25.88	28.00	26.23	26.32	25.94	27.00
EDGE 2Tx Slot	23.08	22.80	22.89	25.00	22.90	22.48	22.44	24.00
EDGE 3Tx Slot	20.84	20.43	20.57	23.00	20.53	20.13	20.16	22.00
EDGE 4Tx Slot	19.40	19.18	19.43	22.00	19.30	19.23	19.15	21.00

Source-Based Time-Averaged Power								
Band	GSM850			Max. Tune-up Power (dBm)	GSM1900			Max. Tune-up Power (dBm)
Channel	128	189	251		512	661	810	
GSM	23.40	23.31	23.33	24.50	19.69	19.53	19.53	20.50
GPRS 1Tx Slot	23.38	23.29	23.30	24.50	19.68	19.52	19.50	20.50
GPRS 2Tx Slot	25.69	25.55	25.60	26.50	20.84	20.69	20.68	22.00
GPRS 3Tx Slot	25.68	25.55	25.62	26.24	21.06	20.92	20.91	21.74
GPRS 4Tx Slot	25.79	25.81	25.75	26.50	21.24	21.13	21.10	22.00
EDGE 1Tx Slot	17.18	17.17	16.88	19.00	17.23	17.32	16.94	18.00
EDGE 2Tx Slot	17.08	16.80	16.89	19.00	16.90	16.48	16.44	18.00
EDGE 3Tx Slot	16.58	16.17	16.31	18.74	16.27	15.87	15.90	17.74
EDGE 4Tx Slot	16.40	16.18	16.43	19.00	16.30	16.23	16.15	18.00

Band	WCDMA II			Max. Tune-up Power (dBm)	WCDMA IV			Max. Tune-up Power (dBm)	WCDMA V			Max. Tune-up Power (dBm)
TX Channel	9262	9400	9538		1312	1413	1513		4132	4182	4233	
Rx Channel	9662	9800	9938	Max. Tune-up Power (dBm)	1537	1638	1738	Max. Tune-up Power (dBm)	4357	4407	4458	Max. Tune-up Power (dBm)
Frequency (MHz)	1852.4	1880	1907.6		1712.4	1732.6	1752.6		826.4	836.4	846.6	
RMC 12.2K	21.40	21.38	21.35	22.50	19.79	19.80	19.81	21.00	24.23	24.28	24.26	25.50
HSDPA Subtest-1	20.33	20.32	20.26	20.50	18.69	18.74	18.80	19.00	23.27	23.20	23.20	23.50
HSDPA Subtest-2	20.31	20.33	20.31	20.50	18.77	18.75	18.74	19.00	23.20	23.26	23.25	23.50
HSDPA Subtest-3	19.33	19.33	19.28	20.50	17.75	17.70	17.74	19.00	22.26	22.27	22.21	23.50
HSDPA Subtest-4	19.32	19.32	19.24	20.50	17.79	17.73	17.74	19.00	22.16	22.28	22.22	23.50
DC-HSDPA Subtest-1	20.36	20.30	20.30	20.50	18.79	18.77	18.79	19.00	23.26	23.22	23.26	23.50
DC-HSDPA Subtest-2	20.37	20.35	20.35	20.50	18.76	18.75	18.73	19.00	23.19	23.21	23.28	23.50
DC-HSDPA Subtest-3	19.33	19.31	19.27	20.50	17.76	17.76	17.75	19.00	22.17	22.20	22.28	23.50
DC-HSDPA Subtest-4	19.32	19.28	19.25	20.50	17.76	17.78	17.71	19.00	22.18	22.26	22.19	23.50
HSUPA Subtest-1	18.88	18.78	18.83	19.50	17.26	17.23	17.20	18.00	21.75	21.78	21.73	22.50
HSUPA Subtest-2	18.39	18.30	18.26	19.50	16.78	16.78	16.70	18.00	21.16	21.21	21.29	22.50
HSUPA Subtest-3	19.36	19.34	19.25	19.50	17.79	17.80	17.73	18.00	22.21	22.26	22.28	22.50
HSUPA Subtest-4	17.80	17.84	17.83	19.50	16.24	16.28	16.24	18.00	20.69	20.69	20.72	22.50
HSUPA Subtest-5	19.39	19.37	19.27	19.50	17.76	17.78	17.76	18.00	22.25	22.20	22.21	22.50
HSPA+ Subtest-1	18.40	18.38	18.30	19.50	16.69	16.77	16.74	18.00	21.23	21.20	21.28	22.50

LTE Band 2						
BW	Modulation	RB Size	RB Offset	Low	Mid	High
		Channel	18750	18850	18950	Max. Tune-up (dBm)
		Frequency (MHz)	1880	1885	1890	
20M	QPSK	1	0	21.11	21.11	22.5
		1	50	21.06	21.25	22.5
		1	99	21.19	20.96	20.93
		50	0	21.19	20.99	20.95
		50	25	21.24	21.06	21.07
		50	50	21.18	20.93	20.93
	16QAM	100	0	21.20	20.96	21.03
		1	0	21.29	21.02	21.07
		1	50	21.35	21.09	21.16
		1	99	20.99	20.81	20.73
		50	0	21.25	21.01	21.07
		50	25	21.32	21.07	21.09
20M	16QAM	50	50	21.14	20.90	20.93
		100	0	21.30	21.06	20.96
		1	0	21.18	20.94	21.04
		1	50	21.35	21.02	21.07
		1	99	21.21	20.87	20.89
		50	0	21.24	20.96	21.01
	64QAM	50	25	21.30	21.04	21.02
		50	50	21.16	20.96	20.92
		100	0	21.26	20.97	20.98
20M	QPSK	Channel	18875	18890	18925	Max. Tune-up (dBm)
		Frequency (MHz)	1887.5	1888	1892.5	
		1	0	21.30	21.06	21.06
		1	37	21.45	21.21	22.5
		1	74	21.08	20.94	20.91
		36	0	21.18	20.91	20.94
15M	QPSK	36	19	21.17	20.96	21.03
		36	39	21.15	20.85	20.87
		75	0	21.10	20.96	20.94
	16QAM	1	0	21.19	20.95	20.96
		1	37	21.23	21.06	21.10
		1	74	20.90	20.74	20.70
15M	16QAM	36	0	21.25	21.03	22.5
		36	19	21.24	20.96	20.98
		36	39	21.04	20.81	20.80
		75	0	21.29	20.95	20.91
		1	0	21.08	20.84	20.99
		1	37	21.23	20.93	21.05
15M	64QAM	1	74	21.13	20.82	20.86
		36	0	21.24	20.92	20.98
		36	19	21.19	20.93	20.95
		36	39	21.16	20.87	20.87
		75	0	21.25	20.91	20.87
		75	0	21.25	20.91	20.87
20M	QPSK	Channel	18850	18860	18910	Max. Tune-up (dBm)
		Frequency (MHz)	1885	1886	1891	
		1	0	21.29	21.08	20.99
		1	24	21.37	21.15	21.19
		1	49	21.18	20.93	20.93
		25	0	21.13	20.98	20.93
10M	QPSK	25	12	21.16	21.04	20.96
		25	25	21.07	20.89	20.86
		50	0	21.20	20.96	20.94
		1	0	21.21	21.02	21.07
		1	24	21.33	20.98	21.06
		1	49	20.97	20.73	20.68
10M	16QAM	25	0	21.24	21.02	21.06
		25	12	21.22	21.02	21.09
		25	25	21.13	20.83	20.91
		50	0	21.20	20.96	20.92
		1	0	21.08	20.87	21.03
		1	24	21.32	21.04	22.5
10M	64QAM	1	49	21.14	20.94	20.79
		25	0	21.21	20.95	20.96
		25	12	21.29	20.93	20.98
		25	25	21.05	20.88	20.85
		50	0	21.24	20.95	20.92
		50	0	21.24	20.95	20.92
20M	QPSK	Channel	18825	18830	18975	Max. Tune-up (dBm)
		Frequency (MHz)	1882.5	1883	1897.5	
		1	0	21.33	21.08	21.08
		1	12	21.45	21.18	21.21
		1	24	21.11	20.87	20.87
		12	0	21.16	20.89	20.84
5M	QPSK	12	6	21.21	21.02	21.05
		12	13	21.13	20.89	20.89
		25	0	21.10	20.95	20.94
		1	0	21.21	20.96	20.98
		1	12	21.23	20.96	21.13
		1	24	20.95	20.71	20.65
5M	16QAM	12	0	21.25	20.93	21.06
		12	6	21.23	20.96	21.04
		12	13	21.09	20.78	20.85
		25	0	21.20	21.00	20.93
		1	0	21.15	20.88	20.99
		1	12	21.35	21.02	21.02
5M	64QAM	1	24	21.32	20.96	22.5
		1	49	21.14	20.94	20.79
		12	0	21.16	20.94	20.89
		12	6	21.29	21.02	20.97
		12	13	21.05	20.91	20.88
		25	0	21.24	20.92	20.89
20M	QPSK	Channel	18815	18820	18965	Max. Tune-up (dBm)
		Frequency (MHz)	1881.5	1882	1896.5	
		1	0	21.32	21.08	21.01
		1	7	21.35	21.14	21.20
		1	14	21.15	20.93	20.89
		8	0	21.15	20.92	20.86
3M	QPSK	8	3	21.24	20.96	21.01
		8	7	21.15	20.86	20.83
		15	0	21.18	20.94	21.02
		1	0	21.21	20.93	21.03
		1	7	21.34	20.98	21.13
		1	14	20.92	20.77	20.68
3M	16QAM	8	0	21.18	20.93	20.96
		8	3	21.24	21.06	21.05
		8	7	21.12	20.89	20.93
		15	0	21.23	21.01	20.85
		1	0	21.14	20.87	20.97
		1	7	21.29	21.00	21.03
3M	64QAM	1	14	21.17	20.75	20.82
		8	0	21.12	20.91	20.90
		8	3	21.22	20.98	21.01
		8	7	21.12	20.95	20.89
		15	0	21.24	20.97	20.97
		25	0	21.24	20.92	20.89
20M	QPSK	Channel	18807	18810	18953	Max. Tune-up (dBm)
		Frequency (MHz)	1880.7	1881	1895.3	
		1	0	21.34	21.03	21.10
		1	2	21.34	21.19	21.18
		1	5	21.17	20.92	20.84
		3	1	21.09	20.83	20.82
1.4M	QPSK	3	1	21.15	21.00	21.05
		3	3	21.18	20.93	20.90
		6	0	21.12	20.85	20.94
		1	0	21.25	21.00	21.00
		1	2	21.28	21.02	21.14
		1	5	20.98	20.74	20.63
1.4M	16QAM	3	0	21.13	20.89	21.03
		3	1	21.23	20.99	21.00
		3	3	21.08	20.83	20.82
		6	0	21.24	21.04	20.86
		1	0	21.11	20.84	20.93
		1	2	21.31	20.93	21.07
1.4M	64QAM	1	5	21.16	20.82	20.88
		3	0	21.14	20.91	20.97
		3	1	21.24	20.97	20.99
		3	3	21.11	20.89	20.89
		6	0	21.14	20.95	20.95
		6	0	21.14	20.95	20.95

LTE Band 4									
BW	Modulation	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)		
		Channel	20850	20975	21050				
20M	QPSK	Frequency (MHz)	2128	2122.5	2126				
		1	0	19.49	19.62	19.77	21		
		1	50	19.73	19.83	19.92	21		
		1	99	19.37	19.44	19.59	21		
		50	0	19.35	19.44	19.50	21		
		50	25	19.36	19.43	19.61	21		
		50	50	19.39	19.47	19.64	21		
		100	0	19.36	19.41	19.63	21		
		1	0	19.53	19.51	19.68	21		
		1	50	19.60	19.73	19.80	21		
20M	16QAM	50	25	19.39	19.45	19.58	21		
		50	50	19.43	19.57	19.63	21		
		100	0	19.37	19.48	19.67	21		
		1	0	19.43	19.47	19.59	21		
		1	50	19.49	19.55	19.73	21		
		1	99	19.14	19.25	19.43	21		
		50	0	19.34	19.51	19.57	21		
		50	25	19.45	19.52	19.60	21		
		50	50	19.53	19.50	19.64	21		
		100	0	19.49	19.53	19.70	21		
20M	64QAM	Channel	20825	20975	21025	Max. Tune-up (dBm)			
		Frequency (MHz)	2117.5	2122.5	2127.5				
		1	0	19.41	19.59	19.66	21		
		1	37	19.27	19.24	19.20	21		
		1	74	19.26	19.35	19.48	21		
		36	0	19.32	19.33	19.40	21		
		36	19	19.25	19.36	19.52	21		
		36	39	19.33	19.31	19.55	21		
		75	0	19.34	19.35	19.53	21		
		1	0	19.49	19.43	19.60	21		
15M	16QAM	1	37	19.58	19.67	19.75	21		
		1	74	19.26	19.36	19.45	21		
		36	0	19.34	19.41	19.53	21		
		36	19	19.33	19.48	19.59	21		
		36	39	19.39	19.51	19.64	21		
		75	0	19.36	19.36	19.56	21		
		1	0	19.43	19.38	19.57	21		
		1	37	19.39	19.51	19.62	21		
		1	74	19.05	19.22	19.33	21		
		36	0	19.31	19.49	19.46	21		
15M	64QAM	36	19	19.21	19.42	19.56	21		
		36	39	19.47	19.41	19.54	21		
		75	0	19.40	19.50	19.66	21		
		Channel	20860	20975	21090	Max. Tune-up (dBm)			
		Frequency (MHz)	2116	2121.5	2128				
		1	0	19.41	19.52	19.67	21		
		1	24	19.67	19.80	19.86	21		
		1	49	19.27	19.38	19.57	21		
		25	0	19.28	19.39	19.39	21		
		25	12	19.28	19.33	19.61	21		
25	25	19.30	19.42	19.56	21				
10M	QPSK	50	0	19.27	19.39	19.59	21		
		1	0	19.51	19.43	19.62	21		
		1	24	19.54	19.62	19.77	21		
		12	49	19.32	19.35	19.45	21		
		25	0	19.29	19.35	19.48	21		
		25	12	19.35	19.50	19.57	21		
		25	25	19.36	19.47	19.57	21		
		50	0	19.35	19.45	19.67	21		
		1	0	19.36	19.39	19.48	21		
		1	24	19.46	19.50	19.70	21		
10M	16QAM	1	49	19.11	19.16	19.40	21		
		25	0	19.29	19.44	19.46	21		
		25	12	19.11	19.43	19.56	21		
		25	25	19.48	19.46	19.61	21		
		50	0	19.39	19.50	19.69	21		
		Channel	20875	20975	21075	Max. Tune-up (dBm)			
		Frequency (MHz)	2112.5	2121.5	2128.5				
		1	0	19.42	19.52	19.73	21		
		1	12	19.62	19.72	19.80	21		
		1	24	19.29	19.41	19.51	21		
12	0	19.33	19.36	19.41	21				
12	6	19.29	19.34	19.51	21				
12	12	19.31	19.40	19.53	21				
25	0	19.34	19.36	19.60	21				
5M	QPSK	1	0	19.45	19.42	19.65	21		
		1	12	19.57	19.71	19.69	21		
		12	24	19.28	19.36	19.45	21		
		12	6	19.42	19.49	19.54	21		
		12	12	19.44	19.47	19.48	21		
		25	0	19.35	19.47	19.64	21		
		12	0	19.32	19.42	19.47	21		
		1	12	19.46	19.54	19.63	21		
		1	24	19.04	19.18	19.42	21		
		12	0	19.23	19.45	19.46	21		
5M	16QAM	12	6	19.42	19.50	19.51	21		
		12	13	19.46	19.48	19.62	21		
		25	0	19.48	19.44	19.70	21		
		Channel	19865	20975	21085	Max. Tune-up (dBm)			
		Frequency (MHz)	2111.5	2121.5	2128.5				
		1	0	19.45	19.53	19.68	21		
		1	7	19.62	19.78	19.82	21		
		1	14	19.36	19.43	19.54	21		
		8	0	19.34	19.41	19.43	21		
		8	3	19.26	19.38	19.60	21		
3M	QPSK	8	7	19.33	19.40	19.60	21		
		15	0	19.34	19.33	19.54	21		
		1	0	19.43	19.49	19.59	21		
		1	14	19.51	19.70	19.70	21		
		8	0	19.31	19.38	19.48	21		
		8	3	19.36	19.54	19.59	21		
		8	7	19.42	19.41	19.60	21		
		15	0	19.25	19.47	19.55	21		
		8	0	19.36	19.38	19.58	21		
		1	7	19.38	19.49	19.65	21		
3M	16QAM	1	14	19.04	19.21	19.38	21		
		8	0	19.26	19.47	19.52	21		
		8	3	19.38	19.51	19.59	21		
		8	7	19.40	19.39	19.54	21		
		15	0	19.46	19.42	19.68	21		
		Channel	19887	20975	21093	Max. Tune-up (dBm)			
		Frequency (MHz)	2118.5	2121.5	2128.5				
		1	0	19.45	19.53	19.68	21		
		1	7	19.62	19.77	19.81	21		
		1	5	19.26	19.37	19.54	21		
3	0	19.29	19.33	19.38	21				
1.4M	QPSK	3	1	19.28	19.39	19.60	21		
		3	7	19.37	19.41	19.55	21		
		6	0	19.28	19.37	19.60	21		
		1	0	19.47	19.44	19.57	21		
		1	2	19.50	19.72	19.78	21		
		1	5	19.36	19.33	19.46	21		
		3	0	19.29	19.32	19.38	21		
		3	1	19.39	19.55	19.56	21		
		3	3	19.45	19.47	19.59	21		
		6	0	19.30	19.37	19.55	21		
1.4M	16QAM	6	0	19.31	19.44	19.54	21		
		1	2	19.48	19.50	19.64	21		
		1	5	19.09	19.18	19.36	21		
		3	0	19.29	19.41	19.52	21		
		3	1	19.38	19.42	19.53	21		
		6	0	19.46	19.46	19.63	21		
		6	0	19.44	19.42	19.69	21		
		Channel	19897	20975	21093	Max. Tune-up (dBm)			
		Frequency (MHz)	2119.5	2121.5	2128.5				
		1	0	19.45	19.53	19.68	21		
1	7	19.62	19.77	19.81	21				
1	5	19.26	19.37	19.54	21				
3	0	19.29	19.33	19.38	21				
3	1	19.28	19.39	19.60	21				
3	7	19.37	19.41	19.55	21				
6	0	19.28	19.37	19.60	21				
1	0	19.47	19.44	19.57	21				
1	2	19.50	19.72	19.78	21				
1	5	19.36	19.33	19.46	21				
3	0	19.29	19.32	19.38	21				
3	1	19.39	19.55	19.56	21				
3	3	19.45	19.47	19.59	21				
6	0	19.30	19.37	19.55	21				
6	0	19.31	19.44	19.54	21				
1	2	19.48	19.50	19.64	21				
1	5	19.09	19.18	19.36	21				
3	0	19.29	19.41	19.52	21				
3	1	19.38	19.42	19.53	21				
6	0	19.46	19.46	19.63	21				
6	0	19.44	19.42	19.69	21				

LTE Band 7							
BW	Modulation	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)
		Channel		28850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	20.73	20.85	20.72	22
		1	50	21.00	21.14	21.04	22
		1	99	20.81	20.87	20.86	22
		50	0	20.97	21.04	20.94	22
		50	25	20.93	20.99	20.92	22
		50	50	20.88	20.95	20.92	22
		100	0	20.89	20.95	20.86	22
		1	0	20.65	20.74	20.63	22
	16QAM	1	50	20.93	21.06	20.99	22
		1	99	20.87	20.97	20.91	22
		50	0	20.86	20.94	20.80	22
		50	25	20.85	20.98	20.90	22
		50	50	20.94	20.97	20.91	22
		100	0	20.83	20.98	20.83	22
	64QAM	1	0	20.57	20.70	20.56	22
		1	50	20.89	21.01	20.91	22
		1	99	20.69	20.79	20.73	22
		50	0	20.82	20.93	20.91	22
		50	25	20.90	20.92	20.85	22
		50	50	20.85	21.03	20.84	22
		100	0	20.89	20.95	20.80	22
		Channel		20825	21100	21375	Max. Tune-up (dBm)
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	20.62	20.75	20.65	22
		1	37	20.97	21.07	20.94	22
		1	74	20.72	20.78	20.84	22
		36	0	20.86	20.95	20.89	22
		36	19	20.82	20.88	20.90	22
		36	39	20.82	20.90	20.89	22
		75	0	20.81	20.85	20.80	22
		1	0	20.54	20.71	20.59	22
	16QAM	1	37	20.90	20.99	20.93	22
		1	74	20.80	20.91	20.85	22
		36	0	20.81	20.88	20.74	22
		36	19	20.77	20.97	20.79	22
		36	39	20.93	20.92	20.84	22
		75	0	20.75	20.94	20.80	22
	64QAM	1	0	20.47	20.69	20.56	22
		1	37	20.84	20.94	20.89	22
		1	74	20.68	20.74	20.68	22
		36	0	20.73	20.85	20.86	22
		36	19	20.80	20.86	20.73	22
		36	39	20.79	20.98	20.81	22
		75	0	20.84	20.93	20.70	22
		Channel		25800	21100	21400	Max. Tune-up (dBm)
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	20.67	20.78	20.61	22
		1	24	20.91	21.13	21.00	22
		1	49	20.76	20.79	20.81	22
		25	0	20.86	20.97	20.89	22
		25	12	20.85	20.87	20.92	22
		25	25	20.79	20.93	20.81	22
		50	0	20.79	20.94	20.75	22
		1	0	20.57	20.69	20.61	22
	16QAM	1	24	20.82	20.97	20.90	22
		1	49	20.82	20.90	20.87	22
		25	0	20.81	20.84	20.74	22
		25	12	20.84	20.96	20.86	22
		25	25	20.87	20.90	20.80	22
		50	0	20.74	20.89	20.79	22
	64QAM	1	0	20.52	20.61	20.55	22
		1	24	20.80	20.93	20.86	22
		1	49	20.65	20.77	20.66	22
		25	0	20.75	20.86	20.84	22
		25	12	20.81	20.89	20.81	22
		25	25	20.85	20.97	20.75	22
		50	0	20.78	20.93	20.69	22
		Channel		29775	21100	21425	Max. Tune-up (dBm)
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	20.62	20.84	20.64	22
		1	12	20.93	21.06	21.03	22
		1	24	20.81	20.78	20.83	22
		12	0	20.90	21.01	20.84	22
		12	6	20.87	20.92	20.91	22
		12	13	20.86	20.87	20.92	22
		25	0	20.83	20.91	20.85	22
		1	0	20.65	20.74	20.61	22
	16QAM	1	12	20.89	21.05	20.94	22
		1	24	20.86	20.93	20.88	22
		12	0	20.79	20.91	20.75	22
		12	6	20.79	20.97	20.89	22
		12	13	20.82	20.88	20.91	22
		25	0	20.74	20.96	20.74	22
	64QAM	1	0	20.45	20.60	20.50	22
		1	12	20.85	20.98	20.84	22
		1	24	20.63	20.68	20.63	22
		12	0	20.77	20.85	20.80	22
		12	6	20.86	20.81	20.80	22
		12	13	20.81	21.01	20.79	22
		25	0	20.83	20.89	20.79	22

LTE Band 38								
BW	Modulation	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)	
		Channel		37850	38000	38150		
		Frequency (MHz)		2580	2595	2610		
20M	QPSK	1	0	22.55	22.52	22.51	23.5	
		1	50	22.69	22.73	22.68	23.5	
		1	99	22.53	22.51	22.52	23.5	
		50	0	22.39	22.49	22.40	23.5	
		50	25	22.52	22.51	22.54	23.5	
		50	50	22.41	22.46	22.42	23.5	
		100	0	22.45	22.56	22.50	23.5	
	16QAM	1	0	22.22	22.23	22.24	23.5	
		1	50	22.31	22.38	22.40	23.5	
		1	99	22.20	22.16	22.20	23.5	
		50	0	22.40	22.47	22.36	23.5	
		50	25	22.40	22.50	22.45	23.5	
		50	50	22.36	22.39	22.44	23.5	
		100	0	22.54	22.63	22.58	23.5	
	64QAM	1	0	22.16	22.23	22.16	23.5	
		1	50	22.41	22.37	22.36	23.5	
		1	99	22.20	22.27	22.14	23.5	
		50	0	21.47	21.50	21.49	22.5	
		50	25	21.47	21.52	21.55	22.5	
		50	50	21.51	21.62	21.59	22.5	
		100	0	21.53	21.55	21.45	22.5	
	BW	Modulation	Channel		37825	38000	38175	Max. Tune-up (dBm)
			Frequency (MHz)		2577.5	2595	2612.5	
15M	QPSK	1	0	22.44	22.44	22.46	23.5	
		1	37	22.62	22.71	22.65	23.5	
		1	74	22.44	22.45	22.50	23.5	
		36	0	22.32	22.39	22.34	23.5	
		36	19	22.41	22.41	22.53	23.5	
		36	39	22.32	22.35	22.35	23.5	
		75	0	22.35	22.52	22.49	23.5	
		1	0	22.13	22.20	22.14	23.5	
	16QAM	1	37	22.26	22.37	22.32	23.5	
		1	74	22.19	22.12	22.17	23.5	
		36	0	22.31	22.39	22.28	23.5	
		36	19	22.29	22.48	22.34	23.5	
		36	39	22.34	22.35	22.35	23.5	
		75	0	22.51	22.54	22.47	23.5	
		1	0	22.04	22.13	22.10	23.5	
		1	37	22.30	22.27	22.26	23.5	
	64QAM	1	74	22.15	22.25	22.07	23.5	
		36	0	21.47	21.38	21.39	22.5	
		36	19	21.45	21.41	21.49	22.5	
		36	39	21.42	21.56	21.58	22.5	
		75	0	21.52	21.46	21.35	22.5	
		Channel		37800	38000	38200	Max. Tune-up (dBm)	
		Frequency (MHz)		2575	2595	2615		
BW		Modulation	Channel		37800	38000	38200	Max. Tune-up (dBm)
		Frequency (MHz)		2575	2595	2615		
10M	QPSK	1	0	22.55	22.47	22.47	23.5	
		1	24	22.65	22.66	22.59	23.5	
		1	49	22.44	22.42	22.47	23.5	
		25	0	22.37	22.47	22.36	23.5	
		25	12	22.48	22.49	22.46	23.5	
		25	25	22.39	22.34	22.30	23.5	
		50	0	22.36	22.45	22.44	23.5	
		1	0	22.18	22.19	22.19	23.5	
	16QAM	1	24	22.29	22.26	22.30	23.5	
		1	49	22.12	22.04	22.17	23.5	
		25	0	22.34	22.45	22.29	23.5	
		25	12	22.37	22.46	22.39	23.5	
		25	25	22.32	22.29	22.32	23.5	
		50	0	22.52	22.53	22.55	23.5	
		1	0	22.13	22.15	22.15	23.5	
		1	24	22.33	22.35	22.27	23.5	
	64QAM	1	49	22.15	22.15	22.02	23.5	
		25	0	21.36	21.43	21.39	22.5	
		25	12	21.45	21.51	21.48	22.5	
		25	25	21.45	21.53	21.49	22.5	
		50	0	21.50	21.53	21.45	22.5	
		Channel		37775	38000	38225	Max. Tune-up (dBm)	
		Frequency (MHz)		2572.5	2595	2617.5		
BW		Modulation	Channel		37775	38000	38225	Max. Tune-up (dBm)
		Frequency (MHz)		2572.5	2595	2617.5		
5M	QPSK	1	0	22.54	22.47	22.45	23.5	
		1	12	22.67	22.70	22.64	23.5	
		1	24	22.42	22.45	22.52	23.5	
		12	0	22.35	22.42	22.32	23.5	
		12	6	22.52	22.43	22.52	23.5	
		12	13	22.30	22.39	22.34	23.5	
		25	0	22.44	22.45	22.44	23.5	
	16QAM	1	0	22.14	22.12	22.17	23.5	
		1	12	22.22	22.27	22.34	23.5	
		1	24	22.20	22.08	22.18	23.5	
		12	0	22.39	22.46	22.29	23.5	
		12	6	22.38	22.45	22.36	23.5	
		12	13	22.24	22.37	22.43	23.5	
		25	0	22.45	22.62	22.56	23.5	
	64QAM	1	0	22.11	22.20	22.09	23.5	
		1	12	22.29	22.36	22.30	23.5	
		1	24	22.15	22.18	22.09	23.5	
		12	0	21.45	21.46	21.40	22.5	
		12	6	21.45	21.47	21.46	22.5	
		12	13	21.47	21.59	21.50	22.5	
		25	0	21.51	21.50	21.42	22.5	

LTE Band 41 (2496 ~ 2690MHz)									
BW	Modulation	RB Size	RB Offset	Low	Low Mid	Mid	High Mid	High	Max. Tune-up (dBm)
		Channel		3975.0	4016.5	4062.0	4105.5	4149.0	
		Frequency (MHz)		2896	2949.5	2993	3036.5	3080	
20M	QPSK	1	0	22.50	22.47	22.57	22.47	22.50	23.5
		1	50	22.50	22.66	22.68	22.66	22.54	23.5
		1	99	22.51	22.42	22.51	22.49	22.40	23.5
		50	0	22.34	22.43	22.41	22.46	22.36	23.5
		50	25	22.45	22.41	22.42	22.40	22.37	23.5
		50	50	22.35	22.42	22.35	22.37	22.29	23.5
		100	0	22.46	22.55	22.58	22.46	22.47	23.5
		1	0	22.16	22.13	22.23	22.23	22.06	23.5
		1	50	22.38	22.32	22.42	22.30	22.32	23.5
		1	99	22.18	22.09	22.24	22.16	22.09	23.5
	16QAM	50	0	22.41	22.36	22.43	22.42	22.31	23.5
		50	25	22.40	22.44	22.46	22.47	22.34	23.5
		50	50	22.37	22.44	22.50	22.41	22.38	23.5
		100	0	22.50	22.55	22.56	22.57	22.52	23.5
		1	0	22.17	22.20	22.24	22.15	22.18	23.5
		1	50	22.36	22.33	22.43	22.43	22.34	23.5
		1	99	22.05	22.18	22.16	22.16	22.03	23.5
		50	0	21.45	21.45	21.46	21.39	21.32	22.5
		50	25	21.47	21.44	21.47	21.50	21.40	22.5
		50	50	21.41	21.41	21.45	21.37	21.38	22.5
		100	0	21.44	21.44	21.50	21.47	21.40	22.5
20M	16QAM	1	0	22.17	22.20	22.24	22.15	22.18	23.5
		1	50	22.36	22.33	22.43	22.43	22.34	23.5
		1	99	22.05	22.18	22.16	22.16	22.03	23.5
		50	0	21.45	21.45	21.46	21.39	21.32	22.5
		50	25	21.47	21.44	21.47	21.50	21.40	22.5
		50	50	21.41	21.41	21.45	21.37	21.38	22.5
		100	0	21.44	21.44	21.50	21.47	21.40	22.5
	64QAM	1	0	22.17	22.20	22.24	22.15	22.18	23.5
		1	50	22.36	22.33	22.43	22.43	22.34	23.5
		1	99	22.05	22.18	22.16	22.16	22.03	23.5
		50	0	21.45	21.45	21.46	21.39	21.32	22.5
		50	25	21.47	21.44	21.47	21.50	21.40	22.5
		50	50	21.41	21.41	21.45	21.37	21.38	22.5
		100	0	21.44	21.44	21.50	21.47	21.40	22.5
20M	QPSK	1	0	22.49	22.45	22.54	22.38	22.39	23.5
		1	37	22.49	22.61	22.66	22.62	22.44	23.5
		1	74	22.46	22.37	22.44	22.43	22.40	23.5
		36	0	22.27	22.37	22.37	22.36	22.35	23.5
		36	19	22.33	22.36	22.39	22.30	22.31	23.5
		36	39	22.30	22.31	22.31	22.27	22.20	23.5
		75	0	22.44	22.51	22.58	22.38	22.46	23.5
	16QAM	1	0	22.13	22.05	22.11	22.17	21.99	23.5
		1	37	22.37	22.30	22.37	22.25	22.23	23.5
		1	74	22.10	22.04	22.15	22.09	22.00	23.5
		36	0	22.16	22.27	22.36	22.23	22.25	23.5
		36	19	22.34	22.40	22.35	22.43	22.23	23.5
		36	39	22.26	22.32	22.41	22.31	22.27	23.5
		75	0	22.42	22.48	22.46	22.52	22.51	23.5
	64QAM	1	0	22.06	22.13	22.23	22.14	22.04	23.5
		1	37	22.35	22.22	22.38	22.40	22.32	23.5
		1	74	22.05	22.06	22.06	22.05	22.02	23.5
		36	0	21.43	21.35	21.40	21.31	21.22	22.5
		36	19	21.45	21.41	21.42	21.38	21.29	22.5
		36	39	21.38	21.31	21.41	21.30	21.26	22.5
		75	0	21.36	21.33	21.43	21.37	21.38	22.5
20M	QPSK	1	0	22.50	22.47	22.57	22.47	22.50	23.5
		1	24	22.51	22.65	22.69	22.57	22.48	23.5
		1	49	22.46	22.42	22.51	22.44	22.31	23.5
		25	0	22.30	22.37	22.40	22.35	22.27	23.5
		25	12	22.42	22.36	22.32	22.38	22.35	23.5
		25	25	22.23	22.36	22.27	22.26	22.27	23.5
		50	0	22.40	22.44	22.53	22.43	22.25	23.5
		1	0	22.15	22.02	22.19	22.17	21.97	23.5
		1	24	22.33	22.20	22.38	22.24	22.24	23.5
		1	49	22.11	22.03	22.13	22.12	21.98	23.5
	16QAM	25	0	22.30	22.27	22.41	22.25	22.21	23.5
		25	12	22.37	22.43	22.45	22.38	22.28	23.5
		25	25	22.36	22.35	22.42	22.36	22.38	23.5
		50	0	22.44	22.46	22.55	22.52	22.45	23.5
		1	0	22.16	22.13	22.15	22.06	22.03	23.5
		1	24	22.27	22.23	22.34	22.36	22.32	23.5
		1	49	22.03	22.07	22.07	22.10	21.95	23.5
		25	0	21.43	21.37	21.43	21.31	21.27	22.5
		25	12	21.40	21.36	21.44	21.42	21.35	22.5
		25	25	21.38	21.34	21.43	21.32	21.29	22.5
		50	0	21.43	21.40	21.39	21.40	21.34	22.5
20M	QPSK	1	0	22.41	22.44	22.53	22.35	22.46	23.5
		1	12	22.49	22.65	22.61	22.59	22.50	23.5
		1	24	22.47	22.34	22.40	22.45	22.32	23.5
		12	0	22.32	22.33	22.29	22.36	22.36	23.5
		12	6	22.38	22.38	22.34	22.39	22.27	23.5
		12	13	22.24	22.41	22.31	22.26	22.22	23.5
		25	0	22.46	22.52	22.58	22.39	22.42	23.5
		1	0	22.05	22.02	22.11	22.12	21.94	23.5
		1	12	22.27	22.21	22.36	22.18	22.21	23.5
		1	24	22.12	22.05	22.15	22.04	22.01	23.5
	16QAM	12	0	22.33	22.24	22.41	22.35	22.27	23.5
		12	6	22.29	22.42	22.39	22.44	22.25	23.5
		12	13	22.32	22.43	22.39	22.33	22.29	23.5
		25	0	22.38	22.46	22.52	22.48	22.48	23.5
		1	0	22.11	22.13	22.19	22.04	22.11	23.5
		1	12	22.24	22.29	22.32	22.36	22.30	23.5
		1	24	21.97	22.10	22.09	22.11	22.01	23.5
		12	0	21.40	21.34	21.42	21.35	21.28	22.5
		12	6	21.47	21.34	21.38	21.46	21.38	22.5
		12	13	21.31	21.32	21.39	21.30	21.29	22.5
		25	0	21.41	21.32	21.43	21.43	21.36	22.5

LTE Band 66									
BW	Modulation	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)		
		Channel		13287.2	13332	13287.2			
		Frequency (MHz)		1726	1746	1776			
20M	QPSK	1	0	20.26	20.26	20.25	21.5		
		1	50	20.14	20.14	20.10	21.5		
		1	99	20.02	20.12	19.95	21.5		
		50	0	20.10	20.18	20.03	21.5		
		50	25	20.14	20.20	19.99	21.5		
		50	50	20.13	20.15	20.05	21.5		
		100	0	20.04	20.19	19.94	21.5		
		1	0	20.13	20.26	20.07	21.5		
		1	50	20.24	20.38	20.12	21.5		
		1	99	20.03	20.14	19.95	21.5		
	16QAM	50	0	20.03	20.20	19.98	21.5		
		50	25	20.10	20.24	20.01	21.5		
		50	50	20.06	20.20	19.98	21.5		
		100	0	20.11	20.17	20.00	21.5		
		1	0	19.95	20.15	19.91	21.5		
		1	50	20.16	20.29	20.10	21.5		
		1	99	19.88	19.94	19.77	21.5		
		50	0	20.01	20.22	20.01	21.5		
		50	25	20.12	20.22	20.10	21.5		
		50	50	20.13	20.20	20.01	21.5		
		100	0	20.05	20.25	19.99	21.5		
20M	QPSK	1	0	20.20	20.35	20.15	21.5		
		1	37	20.11	20.14	20.02	21.5		
		1	74	19.94	20.05	19.93	21.5		
		36	0	20.07	20.08	19.92	21.5		
		36	19	20.05	20.11	19.95			

WWAN Full Power&DSI-2_Ant2(DIV)

Band	GSM850				GSM1900			
Channel	128	189	251	Max. Tune-up Power (dBm)	512	661	810	Max. Tune-up Power (dBm)
Frequency (MHz)	824.2	836.4	848.8		1850.2	1880	1909.8	
GSM	32.21	32.24	32.16	33.50	29.61	29.60	29.53	30.50
GPRS 1Tx Slot	32.19	32.23	32.14	33.50	29.60	29.58	29.52	30.50
GPRS 2Tx Slot	31.47	31.52	31.39	32.50	28.94	28.91	28.82	30.00
GPRS 3Tx Slot	29.70	29.77	29.62	30.50	27.23	27.21	27.10	28.00
GPRS 4Tx Slot	28.53	28.62	28.49	29.50	26.28	26.26	26.16	27.00
EDGE 1Tx Slot	25.70	25.73	25.66	28.00	26.50	25.97	26.14	27.00
EDGE 2Tx Slot	22.61	22.57	22.55	25.00	23.10	22.88	22.89	24.00
EDGE 3Tx Slot	20.07	20.18	20.14	23.00	20.71	20.56	20.52	22.00
EDGE 4Tx Slot	18.62	18.94	18.73	22.00	19.76	19.48	19.54	21.00

Source-Based Time-Averaged Power								
Band	GSM850				GSM1900			Max. Tune-up Power (dBm)
Channel	128	189	251	Max. Tune-up Power (dBm)	512	661	810	
GSM	23.21	23.24	23.16		20.61	20.60	20.53	21.50
GPRS 1Tx Slot	23.19	23.23	23.14	24.50	20.60	20.58	20.52	21.50
GPRS 2Tx Slot	25.47	25.52	25.39	26.50	22.94	22.91	22.82	24.00
GPRS 3Tx Slot	25.44	25.51	25.36	26.24	22.97	22.95	22.84	23.74
GPRS 4Tx Slot	25.53	25.62	25.49	26.50	23.28	23.26	23.16	24.00
EDGE 1Tx Slot	16.70	16.73	16.66	19.00	17.50	16.97	17.14	18.00
EDGE 2Tx Slot	16.61	16.57	16.55	19.00	17.10	16.88	16.89	18.00
EDGE 3Tx Slot	15.81	15.92	15.88	18.74	16.45	16.30	16.26	17.74
EDGE 4Tx Slot	15.62	15.94	15.73	19.00	16.76	16.48	16.54	18.00

Band	WCDMA II			WCDMA II	WCDMA IV			WCDMA IV	WCDMA V			WCDMA V
TX Channel	9262	9400	9538	Max. Tune-up Power (dBm)	1312	1413	1513	Max. Tune-up Power (dBm)	4132	4182	4233	Max. Tune-up Power (dBm)
Rx Channel	9662	9800	9938		1537	1638	1738		4357	4407	4458	
Frequency (MHz)	1852.4	1880	1907.6	Max. Tune-up Power (dBm)	1712.4	1732.6	1752.6	Max. Tune-up Power (dBm)	826.4	836.4	846.6	Max. Tune-up Power (dBm)
RMC 12.2K	24.40	24.42	24.36		24.27	24.40	24.31		24.23	24.26	24.18	
HSDPA Subtest-1	23.45	23.43	23.30	23.50	23.18	23.37	23.22	23.50	23.17	23.07	23.15	23.50
HSDPA Subtest-2	23.45	23.41	23.26	23.50	23.22	23.40	23.26	23.50	23.17	23.13	23.11	23.50
HSDPA Subtest-3	22.44	22.43	22.32	23.50	22.20	22.37	22.20	23.50	22.23	22.06	22.14	23.50
HSDPA Subtest-4	22.44	22.51	22.35	23.50	22.25	22.43	22.22	23.50	22.15	22.04	22.11	23.50
DC-HSDPA Subtest-1	23.45	23.44	23.26	23.50	23.24	23.40	23.30	23.50	23.16	23.09	23.10	23.50
DC-HSDPA Subtest-2	23.41	23.43	23.31	23.50	23.18	23.41	23.28	23.50	23.18	23.12	23.16	23.50
DC-HSDPA Subtest-3	22.47	22.52	22.28	23.50	22.18	22.45	22.31	23.50	22.22	22.06	22.16	23.50
DC-HSDPA Subtest-4	22.37	22.46	22.26	23.50	22.22	22.46	22.25	23.50	22.21	22.05	22.08	23.50
HSUPA Subtest-1	21.93	21.93	21.78	22.50	21.67	21.94	21.73	22.50	21.65	21.61	21.62	22.50
HSUPA Subtest-2	21.41	21.51	21.29	22.50	21.20	21.39	21.27	22.50	21.13	21.09	21.14	22.50
HSUPA Subtest-3	22.44	22.49	22.35	22.50	22.23	22.35	22.25	22.50	22.22	22.13	22.13	22.50
HSUPA Subtest-4	20.96	20.96	20.77	22.50	20.75	20.94	20.71	22.50	20.73	20.55	20.59	22.50
HSUPA Subtest-5	22.46	22.44	22.34	22.50	22.24	22.36	22.25	22.50	22.16	22.08	22.08	22.50
HSPA+ Subtest-1	21.46	21.46	21.31	22.50	21.24	21.44	21.23	22.50	21.13	21.05	21.12	22.50

LTE Band 2									
BW	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP	Max.	
		Channel	Frequency (MHz)	1870	1880	1890	MPR	Time-up (dBm)	
20M	QPSK	1	0	24.17	24.12	24.14	0	25.5	
		1	50	24.26	24.20	24.31	0	25.5	
		1	99	23.93	23.87	23.93	0	25.5	
		50	0	23.20	23.16	23.23	1	24.5	
		50	25	23.30	23.15	23.20	1	24.5	
	16QAM	50	50	23.19	23.08	23.15	1	24.5	
		100	0	23.26	23.20	23.17	1	24.5	
		1	0	23.29	23.25	23.22	1	24.5	
		1	50	23.48	23.34	23.34	1	24.5	
		1	99	23.24	23.10	23.10	1	24.5	
10M	16QAM	50	0	22.19	22.11	22.17	2	23.5	
		50	25	22.20	22.19	22.18	2	23.5	
		50	50	22.14	22.10	22.10	2	23.5	
		100	0	22.16	22.16	22.11	2	23.5	
		1	0	22.12	22.08	22.05	2	23.5	
	64QAM	1	50	22.27	22.22	22.21	2	23.5	
		1	99	22.02	21.92	21.95	2	23.5	
		50	0	21.16	21.05	21.12	3	22.5	
		50	25	21.13	21.07	21.04	3	22.5	
		50	50	21.00	20.99	20.99	3	22.5	
5M	QPSK	100	0	21.06	20.99	21.05	3	22.5	
		1	0	21.06	20.99	21.05	3	22.5	
		1	37	24.29	24.15	24.28	0	25.5	
		1	74	23.86	23.84	23.91	0	25.5	
		36	0	23.18	23.14	23.11	1	24.5	
	16QAM	36	19	23.29	23.15	23.19	1	24.5	
		36	39	23.17	23.02	23.06	1	24.5	
		75	0	23.19	23.12	23.17	1	24.5	
		1	0	23.25	23.23	23.17	1	24.5	
		1	37	23.43	23.25	23.26	1	24.5	
2.5M	16QAM	1	74	23.20	23.10	23.08	1	24.5	
		36	0	22.15	22.01	22.07	2	23.5	
		36	19	22.10	22.14	22.10	2	23.5	
		36	39	22.04	22.09	22.09	2	23.5	
		75	0	22.15	22.16	22.10	2	23.5	
	64QAM	1	0	22.05	22.06	22.02	2	23.5	
		1	37	22.18	22.10	22.11	2	23.5	
		1	74	21.92	21.91	21.88	2	23.5	
		36	0	21.09	21.00	21.02	3	22.5	
		36	19	21.05	21.04	20.97	3	22.5	
1.4M	QPSK	36	39	20.95	20.98	20.96	3	22.5	
		75	0	21.04	20.91	21.01	3	22.5	
		1	0	21.04	20.92	21.01	3	22.5	
		1	37	24.29	24.15	24.23	0	25.5	
		1	74	23.86	23.85	23.88	0	25.5	
	16QAM	25	0	23.15	23.09	23.19	1	24.5	
		25	12	23.26	23.12	23.09	1	24.5	
		25	25	23.18	23.02	23.10	1	24.5	
		50	0	23.15	23.08	23.15	1	24.5	
		1	0	23.25	23.16	23.12	1	24.5	
0.7M	16QAM	1	24	23.38	23.23	23.31	1	24.5	
		1	49	23.14	23.08	23.05	1	24.5	
		25	0	22.08	22.01	22.12	2	23.5	
		25	12	22.19	22.14	22.16	2	23.5	
		25	25	22.07	22.00	22.04	2	23.5	
	64QAM	50	0	22.14	22.05	22.06	2	23.5	
		1	0	22.11	22.02	21.99	2	23.5	
		1	24	22.15	22.11	22.12	2	23.5	
		1	49	22.00	21.89	21.95	2	23.5	
		25	0	21.08	20.99	21.03	3	22.5	
0.3M	QPSK	25	12	21.08	21.00	20.96	3	22.5	
		25	25	20.91	20.90	20.94	3	22.5	
		50	0	21.04	20.92	21.01	3	22.5	
		1	0	21.04	20.92	21.01	3	22.5	
		1	37	24.29	24.15	24.23	0	25.5	
	16QAM	1	12	24.20	24.16	24.23	0	25.5	
		1	24	23.82	23.84	23.85	0	25.5	
		12	0	23.17	23.09	23.23	1	24.5	
		12	6	23.18	23.07	23.12	1	24.5	
		12	13	23.09	22.99	23.14	1	24.5	
0.18M	16QAM	25	0	23.22	23.17	23.10	1	24.5	
		1	0	23.23	23.15	23.20	1	24.5	
		1	12	23.48	23.28	23.22	1	24.5	
		1	24	23.14	23.03	23.00	1	24.5	
		12	0	22.15	22.07	22.15	2	23.5	
	64QAM	12	6	22.12	22.06	22.08	2	23.5	
		12	13	22.02	22.06	22.08	2	23.5	
		25	0	22.08	22.09	22.04	2	23.5	
		1	0	22.04	22.03	22.05	2	23.5	
		1	12	22.23	22.20	22.20	2	23.5	
0.09M	QPSK	1	14	21.95	21.84	21.85	2	23.5	
		8	0	21.09	21.05	21.10	3	22.5	
		8	3	21.10	21.01	20.93	3	22.5	
		8	7	20.99	20.92	20.97	3	22.5	
		15	0	21.01	20.94	20.96	3	22.5	
	16QAM	1	0	21.01	20.94	20.96	3	22.5	
		1	7	22.16	22.14	22.21	2	23.5	
		1	14	21.95	21.82	21.88	2	23.5	
		8	0	21.09	21.05	21.10	3	22.5	
		8	3	21.10	21.01	20.93	3	22.5	
0.045M	QPSK	8	7	20.99	20.92	20.97	3	22.5	
		15	0	21.01	20.94	20.96	3	22.5	
		1	0	21.01	20.94	20.96	3	22.5	
		1	37	24.29	24.15	24.23	0	25.5	
		1	74	23.86	23.85	23.88	0	25.5	
	16QAM	36	0	23.18	23.14	23.11	1	24.5	
		3	1	24.21	24.15	24.12	0	25.5	
		3	3	24.08	24.04	24.10	0	25.5	
		6	0	23.23	23.19	23.10	1	24.5	
		1	0	23.24	23.24	23.14	1	24.5	
0.0225M	16QAM	1	2	23.46	23.27	23.29	1	24.5	
		1	5	23.17	22.98	23.05	1	24.5	
		3	0	23.13	23.09	23.17	1	24.5	
		3	1	23.18	23.14	23.10	1	24.5	
		3	3	23.12	23.06	23.06	1	24.5	
	64QAM	6	0	22.12	22.14	22.02	2	23.5	
		1	0	22.07	21.99	22.02	2	23.5	
		1	2	22.25	22.20	22.21	2	23.5	
		1	5	21.92	21.82	21.87	2	23.5	
		3	0	21.11	21.04	22.03	2	23.5	
0.01125M	QPSK	3	1	22.06	22.01	22.01	2	23.5	
		3	3	22.00	21.96	21.96	2	23.5	
		6	0	21.05	20.93	21.00	3	22.5	
		1	0	21.05	20.93	21.00	3	22.5	
		1	37	24.29	24.15	24.23	0	25.5	
	16QAM	1	74	23.86	23.85	23.88	0	25.5	
		36	0	23.18	23.14	23.11	1	24.5	
		3	1	24.21	24.15	24.12	0	25.5	
		3	3	24.08	24.04	24.10	0	25.5	
		6	0	23.23	23.19	23.10	1	24.5	

LTE Band 4									
BW	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Time-up (dBm)	
		Channel	Frequency (MHz)	20500	20575	20600			
20M	QPSK	1	0	24.23	24.30	24.17	0	25.5	
		1	50	24.29	24.37	24.36	0	25.5	
		1	99	24.03	24.12	23.98	0	25.5	
		50	0	23.33	23.42	23.30	1	24.5	
		50	25	23.31	23.37	23.28	1	24.5	
		50	50	23.34	23.33	23.27	1	24.5	
		100	0	23.27	23.27	23.26	1	24.5	
		1	0	23.40	23.34	23.40	1	24.5	
		1	50	23.51	23.52	23.39	1	24.5	
		1	99	23.21	23.22	23.16	1	24.5	
	16QAM	50	0	22.22	22.28	22.30	2	23.5	
		50	25	22.36	22.28	22.29	2	23.5	
		50	50	22.25	22.31	22.32	2	23.5	
		100	0	22.31	22.25	22.27	2	23.5	
		1	0	22.28	22.34	22.26	2	23.5	
	64QAM	1	50	22.36	22.42	22.39	2	23.5	
		1	99	22.09	22.11	22.09	2	23.5	
		50	0	21.13	21.16	21.16	3	22.5	
		50	25	21.11	21.22	21.13	3	22.5	
		50	50	21.09	21.13	21.05	3	22.5	
10M	QPSK	1	0	21.10	21.09	21.08	3	22.5	
		1	37	24.27	24.30	24.32	0	25.5	
		1	74	23.94	23.91	24.06	0	25.5	
		36	0	23.27	23.20	23.42	1	24.5	
		36	19	23.23	23.23	23.27	1	24.5	
		36	39	23.23	23.23	23.21	1	24.5	
		75	0	23.24	23.21	23.16	1	24.5	
		1	0	23.32	23.31	23.32	1	24.5	
		1	37	24.41	23.33	23.45	1	24.5	
		1	74	23.31	23.31	23.07	1	24.5	
	16QAM	36	0	22.20	22.23	22.25	2	23.5	
		36	19	22.33	22.25	22.22	2	23.5	
		36	39	22.19	22.24	22.29	2	23.5	
		75	0	22.29	22.19	22.26	2	23.5	
		1	0	22.21	22.21	22.24	2	23.5	
	64QAM	1	37	22.29	22.33	22.40	2	23.5	
		1	74	21.88	22.00	21.99	2	23.5	
		36	0	21.02	21.14	21.08	3	22.5	
		36	19	21.03	21.14	21.15	3	22.5	
		36	39	21.00	20.95	21.06	3	22.5	
5M	QPSK	75	0	21.08	21.07	21.08	3	22.5	
		1	0	24.14	24.16	24.19	0	25.5	
		1	24	24.25	24.33	24.25	0	25.5	
		1	49	23.86	23.87	24.09	0	25.5	
		25	0	23.33	23.27	23.43	1	24.5	
		25	12	23.30	23.22	23.32	1	24.5	
		25	25	23.32	23.15	23.31	1	24.5	
		50	0	23.26	23.20	23.29	1	24.5	
		1	0	23.38	23.35	23.26	1	24.5	
		1	24	24.33	23.31	23.45	1	24.5	
	16QAM	25	0	22.19	22.26	22.23	2	23.5	
		25	12	22.30	22.31	22.25	2	23.5	
		25	25	22.21	22.23	22.22	2	23.5	
		50	0	22.29	22.24	22.16	2	23.5	
		1	0	22.21	22.24	22.30	2	23.5	
	64QAM	1	24	22.32	22.33	22.32	2	23.5	
		1	49	22.01	22.02	22.05	2	23.5	
		25	0	21.04	21.09	21.05	3	22.5	
		25	12	21.04	21.11	21.15	3	22.5	
		25	25	20.99	20.93	21.03	3	22.5	
BW	QPSK	50	0	21.00	20.97	21.04	3	22.5	
		1	0	19.75	19.75	19.80	3	22.5	
		1	24	24.15	24.16	24.22	0	25.5	
		1	24	24.26	24.33	24.25	0	25.5	
		12	0	23.22	23.20	23.21	1	24.5	
		12	6	23.25	23.19	23.27	1	24.5	
		12	13	23.21	23.21	23.27	1	24.5	
		25	0	23.18	23.24	23.18	1	24.5	
		1	0	23.40	23.33	23.34	1	24.5	
		1	12	24.41	23.27	23.42	1	24.5	
	16QAM	1	24	23.12	23.11	23.02	1	24.5	
		12	0	22.20	22.24	22.21	2	23.5	
		12	6	22.34	22.23	22.25	2	23.5	
		12	13	22.23	22.22	22.21	2	23.5	
		25	0	22.20	22.19	22.19	2	23.5	
	64QAM	1	0	22.16	22.12	22.25	2	23.5	
		1	12	22.20	22.31	22.28	2	23.5	
		1	24	22.05	22.00	22.11	2	23.5	
		12	0	21.06	21.08	21.10	3	22.5	
		12	6	21.08	21.08	21.17	3	22.5	
3M	QPSK	12	13	21.03	21.04	21.05	3	22.5	
		25	0	20.99	21.04	21.05	3	22.5	
		1	0	19.66	19.75	19.83	3	22.5	
		1	0	24.15	24.16	24.22	0	25.5	
		1	14	24.02	23.93	24.01	0	25.5	
		8	0	23.23	23.27	23.31	1	24.5	
		8	3	23.20	23.22	23.30	1	24.5	
		8	7	23.25	23.25	23.27	1	24.5	
		15	0	23.24	23.14	23.25	1	24.5	
		1	0	23.39	23.29	23.31	1	24.5	
	16QAM	1	14	23.14	23.07	23.52	1	24.5	
		8	0	22.20	22.24	22.21	2	23.5	
		8	3	22.33	22.20	22.23	2	23.5	
		8	7	22.22	22.17	22.27	2	23.5	
		15	0	22.23	22.22	22.22	2	23.5	
	64QAM	1	0	22.20	22.16	22.28	2	23.5	
		1	7	22.20	22.33	22.33	2	23.5	
		1	14	21.87	21.88	22.03	2	23.5	
		8	0	21.01	21.05	21.01	3	22.5	
		8	3	21.07	21.06	21.15	3	22.5	
BW	QPSK	8	7	21.01	21.00	21.01	3	22.5	
		15	0	21.03	21.01	20.99	3	22.5	
		1	0	24.20	24.14	24.26	0	25.5	
		1	2	24.11	24.24	24.35	0	25.5	
		1	5	23.97	23.80	24.05	0	25.5	
		3	0	23.23	23.22	23.31	0	25.5	
		3	1	24.22	24.27	24.36	0	25.5	
		3	2	24.28	24.25	24.31	0	25.5	
		6	0	23.19	23.25	23.19	1	24.5	
		1	0	23.29	23.39	23.23	1	24.5	
	16QAM	1	2	23.40	23.39	23.42	1	24.5	
		1	5	23.15	23.10	23.05	1	24.5	
		0	23.1	23.1	23.08	1	24.5		
		3	1	23.32	23.21	23.23	1	24.5	
		3	3	23.19	23.25	23.22	1	24.5	
	64QAM	6	0	22.25	22.16	22.25	2	23.5	
		1	0	22.21	22.16	22.28	2	23.5	
		1	2	22.25	22.29	22.24	2	23.5	
		1	5	22.03	22.09	22.03	2	23.5	
		3	0	22.07	22.11	22.06	2	23.5	
1.4M	QPSK	3	1	22.04	22.01	22.07	2	23.5	
		3	1	22.10	22.15	22.10	2	23.5	
		6	0	21.08	21.05	21.07	3	22.5	
		1	0	19.87	19.75	19.83	3	22.5	
		1	0	24.15	24.16	24.22	0	25.5	
		1	14	24.02	23.93	24.01	0	25.5	
		8	0	23.23	23.27	23.31	1	24.5	
		8	3	23.20	23.22	23.30	1	24.5	
		8	7	23.25	23.25	23.27	1	24.5	
		15	0	23.24	23.14	23.25	1	24.5	
	16QAM	1	0	23.39	23.29	23.31	1	24.5	
		1	2	23.40	23.39	23.42	1	24.5	
		1	5	23.15	23.10	23.05	1	24.5	
		0	23.1	23.1	23.08	1	24.5		
		3	1	23.32	23.21	23.23	1	24.5	
	64QAM	3	3	23.19	23.25	23.22	1	24.5	
		6	0	22.25	22.16	22.25	2	23.5	
		1	0	22.21	22.16	22.28	2	23.5	
		1	2	22.25	22.29	22.24	2	23.5	
		1	5	22.03	22.09	22.03	2	23.5	

LTE Band 7								
BW	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		20850	21100	21350		
		Frequency (MHz)		2510	2535	2560		
20M	QPSK	1	0	24.06	24.12	24.16	0	25.5
		1	50	24.36	24.41	24.45	0	25.5
		1	99	24.07	24.08	24.16	0	25.5
		50	0	23.11	23.21	23.24	1	24.5
		50	25	23.28	23.28	23.39	1	24.5
		50	50	23.25	23.26	23.31	1	24.5
		100	0	23.17	23.26	23.36	1	24.5
	16QAM	1	0	23.11	23.17	23.25	1	24.5
		1	50	23.42	23.45	23.47	1	24.5
		1	99	23.21	23.22	23.23	1	24.5
		50	0	22.14	22.09	22.15	2	23.5
		50	25	22.26	22.31	22.40	2	23.5
		50	50	22.15	22.23	22.30	2	23.5
		100	0	22.17	22.25	22.27	2	23.5
	64QAM	1	0	22.08	22.13	22.14	2	23.5
		1	50	22.39	22.46	22.44	2	23.5
		1	99	22.18	22.22	22.25	2	23.5
		50	0	20.97	21.05	21.06	3	22.5
		50	25	21.15	21.16	21.20	3	22.5
		50	50	21.06	21.09	21.20	3	22.5
		100	0	21.01	21.16	21.16	3	22.5
BW	Modulation	Channel	20825	21100	21375	3GPP MPR (dB)	Max. Tune-up (dBm)	
		Frequency (MHz)	2507.5	2535	2562.5			
15M	QPSK	1	0	23.96	24.03	24.07	0	25.5
		1	37	24.26	24.37	24.36	0	25.5
		1	74	24.01	23.98	24.09	0	25.5
		36	0	23.06	23.20	23.13	1	24.5
		36	19	23.27	23.20	23.33	1	24.5
		36	39	23.17	23.23	23.22	1	24.5
		75	0	23.11	23.16	23.25	1	24.5
	16QAM	1	0	23.07	23.17	23.16	1	24.5
		1	37	23.31	23.36	23.44	1	24.5
		1	74	23.17	23.12	23.22	1	24.5
		36	0	22.10	21.99	22.11	2	23.5
		36	19	22.15	22.21	22.35	2	23.5
		36	39	22.08	22.11	22.25	2	23.5
		75	0	22.12	22.25	22.20	2	23.5
	64QAM	1	0	22.02	22.07	22.08	2	23.5
		1	37	22.33	22.39	22.33	2	23.5
		1	74	22.18	22.13	22.15	2	23.5
		36	0	20.97	21.04	21.00	3	22.5
		36	19	21.12	21.08	21.09	3	22.5
		36	39	20.96	21.02	21.17	3	22.5
		75	0	21.01	21.07	21.14	3	22.5
BW	Modulation	Channel	20800	21100	21400	3GPP MPR (dB)	Max. Tune-up (dBm)	
		Frequency (MHz)	2505	2535	2565			
10M	QPSK	1	0	24.03	24.00	24.05	0	25.5
		1	24	24.27	24.34	24.43	0	25.5
		1	49	23.98	24.06	24.13	0	25.5
		25	0	23.09	23.18	23.22	1	24.5
		25	12	23.23	23.25	23.30	1	24.5
		25	25	23.21	23.16	23.26	1	24.5
		50	0	23.05	23.23	23.33	1	24.5
	16QAM	1	0	23.02	23.06	23.22	1	24.5
		1	24	23.34	23.44	23.46	1	24.5
		1	49	23.10	23.16	23.15	1	24.5
		25	0	22.09	22.04	22.13	2	23.5
		25	12	22.19	22.22	22.28	2	23.5
		25	25	22.08	22.13	22.25	2	23.5
		50	0	22.07	22.21	22.26	2	23.5
	64QAM	1	0	21.98	22.08	22.12	2	23.5
		1	24	22.28	22.38	22.38	2	23.5
		1	49	22.08	22.11	22.24	2	23.5
		25	0	20.96	20.95	20.94	3	22.5
		25	12	21.06	21.14	21.18	3	22.5
		25	25	20.95	21.00	21.09	3	22.5
		50	0	20.92	21.08	21.06	3	22.5
BW	Modulation	Channel	20775	21100	21425	3GPP MPR (dB)	Max. Tune-up (dBm)	
		Frequency (MHz)	2502.5	2535	2567.5			
5M	QPSK	1	0	24.05	24.01	24.10	0	25.5
		1	12	24.25	24.41	24.46	0	25.5
		1	24	24.00	24.06	24.08	0	25.5
		12	0	23.03	23.16	23.13	1	24.5
		12	6	23.20	23.18	23.38	1	24.5
		12	13	23.25	23.20	23.29	1	24.5
		25	0	23.10	23.20	23.36	1	24.5
	16QAM	1	0	23.09	23.12	23.14	1	24.5
		1	12	23.37	23.38	23.41	1	24.5
		1	24	23.21	23.11	23.18	1	24.5
		12	0	22.02	22.01	22.14	2	23.5
		12	6	22.17	22.19	22.34	2	23.5
		12	13	22.09	22.15	22.23	2	23.5
		25	0	22.10	22.13	22.21	2	23.5
	64QAM	1	0	22.02	22.04	22.06	2	23.5
		1	12	22.34	22.39	22.35	2	23.5
		1	24	22.06	22.21	22.17	2	23.5
		12	0	20.96	20.99	20.99	3	22.5
		12	6	21.04	21.05	21.10	3	22.5
		12	13	20.95	21.06	21.14	3	22.5
		25	0	20.98	21.08	21.11	3	22.5

LTE Band 41 (2496 ~ 2690MHz)										
BW	Modulation	RB Size	RB Offset	Low	Low Mid	Mid	High Mid	High	3GPP	Max.
		Channel		38750	40185	40620	41055	41480	MPE	Time-up (dBm)
20M	QPSK	Frequency (MHz)	2886	2846.5	2893	2838.5	2880	2880	0	25.5
		1	0	24.12	24.10	24.11	24.13	24.11	0	25.5
		1	50	24.31	24.30	24.23	24.25	24.28	0	25.5
		1	99	24.10	24.02	24.03	24.05	24.02	0	25.5
		50	0	22.99	23.02	22.94	22.97	22.99	1	24.5
		50	25	23.04	22.99	22.95	22.96	23.04	1	24.5
		50	50	23.06	22.97	22.98	22.98	22.92	1	24.5
		100	0	23.11	23.08	23.06	23.06	23.08	1	24.5
		1	0	22.81	22.81	22.80	22.74	22.83	1	24.5
		1	50	22.97	22.98	22.99	22.90	23.01	1	24.5
20M	16QAM	1	99	22.71	22.80	22.71	22.73	22.69	1	24.5
		50	0	22.13	22.07	22.04	22.01	22.11	2	23.5
		50	25	21.97	22.04	21.95	21.90	22.06	2	23.5
		50	50	22.18	22.19	22.16	22.19	22.22	2	23.5
		100	0	22.10	22.13	22.08	22.05	22.12	2	23.5
		1	0	21.80	21.75	21.65	21.68	21.87	2	23.5
		1	50	21.86	21.91	21.91	21.81	21.86	2	23.5
		1	99	21.75	21.72	21.64	21.65	21.64	2	23.5
		50	0	21.06	20.97	20.88	20.95	20.94	3	22.5
		50	25	20.97	21.01	20.96	20.90	20.91	3	22.5
20M	64QAM	50	50	20.95	20.93	20.91	20.90	20.98	3	22.5
		100	0	21.05	21.06	20.99	20.91	21.00	3	22.5
		1	0	21.86	21.91	21.91	21.81	21.86	2	23.5
		1	99	21.75	21.72	21.64	21.65	21.64	2	23.5
		50	0	21.06	20.97	20.88	20.95	20.94	3	22.5
		50	25	20.97	21.01	20.96	20.90	20.91	3	22.5
		50	50	20.95	20.93	20.91	20.90	20.98	3	22.5
		100	0	21.05	21.06	20.99	20.91	21.00	3	22.5
		1	0	21.86	21.91	21.91	21.81	21.86	2	23.5
		1	99	21.75	21.72	21.64	21.65	21.64	2	23.5
BW	Modulation	Channel	38725	40173	40620	41068	41515	3GPP	Max.	
		Frequency (MHz)	2883.5	2847.8	2893	2841.3	2886	2880	MPE	Time-up (dBm)
15M	QPSK	1	0	24.05	24.02	24.03	24.07	24.02	0	25.5
		1	37	24.21	24.19	24.19	24.16	24.19		
		1	74	24.02	23.92	23.98	24.00	23.95		
		36	0	22.89	22.96	22.88	22.87	22.87		
		36	19	23.01	22.94	22.95	22.89	22.93		
		36	39	22.94	22.86	22.94	22.83	22.92		
		75	0	23.04	23.01	22.98	23.03	23.05		
		1	0	22.72	22.72	22.77	22.63	22.74		
		1	37	22.85	22.88	22.98	22.83	23.00		
		1	74	22.63	22.73	22.61	22.65	22.64		
15M	16QAM	36	0	22.09	21.98	22.00	21.98	22.01	2	23.5
		36	19	21.95	22.01	21.84	21.80	22.02		
		36	39	22.10	22.16	22.06	22.19	22.20		
		75	0	22.04	22.12	22.02	21.99	22.03		
		1	0	21.79	21.86	21.61	21.68	21.60		
		1	37	21.77	21.86	21.85	21.80	21.77		
		1	74	21.65	21.65	21.56	21.64	21.60		
		36	0	20.99	20.97	20.86	20.85	20.85		
		36	19	20.86	20.90	20.88	20.82	20.84		
		36	39	20.89	20.83	20.86	20.83	20.86		
15M	64QAM	75	0	21.02	20.98	20.89	20.80	20.99	3	22.5
		1	0	21.79	21.86	21.61	21.68	21.60		
		1	37	21.77	21.86	21.85	21.80	21.77		
		1	74	21.65	21.65	21.56	21.64	21.60		
		36	0	20.99	20.97	20.86	20.85	20.85		
		36	19	20.86	20.90	20.88	20.82	20.84		
		36	39	20.89	20.83	20.86	20.83	20.86		
		75	0	21.02	20.98	20.89	20.80	20.99		
		1	0	21.79	21.86	21.61	21.68	21.60		
		1	37	21.77	21.86	21.85	21.80	21.77		
BW	Modulation	Channel	38750	40189	40620	41080	41540	3GPP	Max.	
		Frequency (MHz)	2881	2847	2893	2843	2887	2880	MPE	Time-up (dBm)
10M	QPSK	1	0	24.06	24.03	24.07	24.07	23.99	0	25.5
		1	24	24.23	24.26	24.14	24.18	24.25		
		1	49	23.99	24.00	24.03	24.02	23.95		
		25	0	22.87	22.93	22.84	22.89	22.88		
		25	12	23.03	22.98	22.87	22.88	22.98		
		25	25	23.00	22.94	22.85	22.77	22.90		
		50	0	23.01	23.05	22.98	22.95	23.02		
		1	0	22.79	22.79	22.73	22.69	22.73		
		1	24	22.91	22.96	22.87	22.84	22.92		
		1	49	22.63	22.78	22.63	22.72	22.58		
10M	16QAM	25	0	22.04	22.01	22.00	21.91	22.04	2	23.5
		25	12	21.96	21.97	21.90	21.88	22.02		
		25	25	22.17	22.15	22.13	22.15	22.16		
		50	0	22.05	22.06	22.01	22.00	22.10		
		1	0	21.77	21.66	21.54	21.59	21.59		
		1	24	21.75	21.79	21.66	21.81	21.75		
		1	49	21.64	21.68	21.60	21.64	21.55		
		25	0	20.99	20.97	20.84	20.92	20.87		
		25	12	20.86	20.93	20.87	20.84	20.85		
		25	25	20.92	20.81	20.90	20.87	20.95		
10M	64QAM	50	0	20.94	21.02	20.91	20.90	20.96	3	22.5
		1	0	21.77	21.66	21.54	21.59	21.59		
		1	24	21.75	21.79	21.66	21.81	21.75		
		1	49	21.64	21.68	21.60	21.64	21.55		
		25	0	20.99	20.97	20.84	20.92	20.87		
		25	12	20.86	20.93	20.87	20.84	20.85		
		25	25	20.92	20.81	20.90	20.87	20.95		
		50	0	20.94	21.02	20.91	20.90	20.96		
		1	0	21.77	21.66	21.54	21.59	21.59		
		1	24	21.75	21.79	21.66	21.81	21.75		
BW	Modulation	Channel	38675	40148	40620	41090	41565	3GPP	Max.	
		Frequency (MHz)	2868.5	2846.8	2893	2846.3	2887.5	2880	MPE	Time-up (dBm)
5M	QPSK	1	0	24.10	24.09	24.06	24.04	24.08	0	25.5
		1	12	24.23	24.25	24.22	24.15	24.29		
		1	24	23.96	23.96	23.93	23.97	24.05		
		12	0	22.97	22.99	22.82	22.93	22.98		
		12	6	22.97	22.97	22.86	22.87	22.98		
		12	13	22.85	22.87	22.96	22.87	23.05		
		25	0	22.99	23.08	22.99	22.96	23.05		
		1	0	22.76	22.72	22.73	22.70	22.70		
		1	12	22.98	22.87	22.96	22.78	22.92		
		1	24	22.66	22.79	22.66	22.66	22.66		
5M	16QAM	12	0	22.02	21.98	21.94	21.91	22.03	2	23.5
		12	6	22.01	21.99	21.84	21.80	21.86		
		12	13	22.16	22.08	22.13	22.08	22.18		
		25	0	22.01	22.04	22.00	21.97	22.03		
		1	0	21.58	21.65	21.53	21.57	21.75		
		1	12	21.85	21.80	21.82	21.81	21.82		
		1	24	21.54	21.66	21.59	21.59	21.64		
		12	0	20.94	20.92	20.77	20.93	21.03		
		12	6	20.94	20.92	20.77	20.93	21.03		
		12	13	20.84	20.84	20.82	20.85	20.83		
5M	64QAM	25	0	20.90	20.95	20.88	20.86	20.95	3	22.5
		1	0	21.77	21.66	21.54	21.59	21.59		
		1	12	21.85	21.80	21.82	21.81	21.82		
		1	24	21.54	21.66	21.59	21.59	21.64		
		12	0	20.94	20.92	20.77	20.93	21.03		
		12	6	20.94	20.92	20.77	20.93	21.03		
		12	13	20.84	20.84	20.82	20.85	20.83		
		25	0	20.90	20.95	20.88	20.86	20.95		
		1	0	21.77	21.66	21.54	21.59	21.59		
		1	12	21.85	21.80	21.82	21.81	21.82		

WWAN DSI-1 Power_Ant2(DIV)

Band	GSM850				GSM1900			
Channel	128	189	251	Max. Tune-up Power (dBm)	512	661	810	Max. Tune-up Power (dBm)
Frequency (MHz)	824.2	836.4	848.8		1850.2	1880	1909.8	
GSM	31.17	31.23	31.13	32.50	26.68	26.64	26.67	27.50
GPRS 1Tx Slot	31.13	31.15	31.13	32.50	26.66	26.62	26.66	27.50
GPRS 2Tx Slot	29.41	29.46	29.29	30.50	24.63	24.60	24.66	26.00
GPRS 3Tx Slot	27.65	27.75	27.60	28.50	23.12	23.10	23.14	24.00
GPRS 4Tx Slot	26.46	26.55	26.41	27.50	22.41	22.33	22.37	23.00
EDGE 1Tx Slot	25.70	25.73	25.66	28.00	26.50	25.97	26.14	27.00
EDGE 2Tx Slot	22.61	22.57	22.55	25.00	23.10	22.88	22.89	24.00
EDGE 3Tx Slot	20.07	20.18	20.14	23.00	20.71	20.56	20.52	22.00
EDGE 4Tx Slot	18.62	18.94	18.73	22.00	19.76	19.48	19.54	21.00

Source-Based Time-Averaged Power								
Band	GSM850				GSM1900			Max. Tune-up Power (dBm)
Channel	128	189	251	Max. Tune-up Power (dBm)	512	661	810	
GSM	22.17	22.23	22.13		17.68	17.64	17.67	18.50
GPRS 1Tx Slot	22.13	22.15	22.13	23.50	17.66	17.62	17.66	18.50
GPRS 2Tx Slot	23.41	23.46	23.29	24.50	18.63	18.60	18.66	20.00
GPRS 3Tx Slot	23.39	23.49	23.34	24.24	18.86	18.84	18.88	19.74
GPRS 4Tx Slot	23.46	23.55	23.41	24.50	19.41	19.33	19.37	20.00
EDGE 1Tx Slot	16.70	16.73	16.66	19.00	17.50	16.97	17.14	18.00
EDGE 2Tx Slot	16.61	16.57	16.55	19.00	17.10	16.88	16.89	18.00
EDGE 3Tx Slot	15.81	15.92	15.88	18.74	16.45	16.30	16.26	17.74
EDGE 4Tx Slot	15.62	15.94	15.73	19.00	16.76	16.48	16.54	18.00

Band	WCDMA II			WCDMA II	WCDMA IV			WCDMA IV	WCDMA V			WCDMA V
TX Channel	9262	9400	9538	Max. Tune-up Power (dBm)	1312	1413	1513	Max. Tune-up Power (dBm)	4132	4182	4233	Max. Tune-up Power (dBm)
Rx Channel	9662	9800	9938		1537	1638	1738		4357	4407	4458	
Frequency (MHz)	1852.4	1880	1907.6	Max. Tune-up Power (dBm)	1712.4	1732.6	1752.6	Max. Tune-up Power (dBm)	826.4	836.4	846.6	Max. Tune-up Power (dBm)
RMC 12.2K	18.00	18.06	18.05		15.96	16.00	15.94		23.21	23.25	23.20	
HSDPA Subtest-1	16.95	16.99	16.94	17.00	14.85	14.99	14.92	15.00	22.19	22.25	22.17	22.50
HSDPA Subtest-2	16.93	16.97	16.98	17.00	14.95	14.95	14.89	15.00	22.15	22.24	22.19	22.50
HSDPA Subtest-3	15.98	16.04	15.98	17.00	13.93	13.93	13.93	15.00	21.16	21.15	21.15	22.50
HSDPA Subtest-4	15.93	16.00	16.01	17.00	13.93	13.92	13.84	15.00	21.17	21.18	21.10	22.50
DC-HSDPA Subtest-1	17.00	16.96	16.97	17.00	14.88	14.94	14.91	15.00	22.12	22.14	22.14	22.50
DC-HSDPA Subtest-2	16.98	17.05	17.04	17.00	14.85	14.92	14.92	15.00	22.17	22.22	22.09	22.50
DC-HSDPA Subtest-3	15.95	15.98	16.04	17.00	13.88	13.98	13.90	15.00	21.13	21.22	21.14	22.50
DC-HSDPA Subtest-4	15.96	16.04	16.00	17.00	13.93	13.97	13.91	15.00	21.21	21.18	21.11	22.50
HSUPA Subtest-1	15.47	15.46	15.50	16.00	13.41	13.47	13.34	14.00	20.64	20.66	20.63	21.50
HSUPA Subtest-2	14.98	14.98	14.96	16.00	12.88	12.95	12.84	14.00	20.12	20.18	20.16	21.50
HSUPA Subtest-3	15.96	15.95	16.03	16.00	13.95	13.97	13.86	14.00	21.13	21.20	21.13	21.50
HSUPA Subtest-4	14.41	14.50	14.45	16.00	12.39	12.48	12.34	14.00	19.60	19.72	19.67	21.50
HSUPA Subtest-5	15.95	16.01	16.04	16.00	13.86	13.97	13.89	14.00	21.15	21.25	21.12	21.50
HSPA+ Subtest-1	14.90	14.98	14.98	16.00	12.93	12.90	12.91	14.00	20.13	20.16	20.16	21.50

LTE Band 2										
BW	Modulation	RB Size	RB Offset	Low	Mid	High	Max. Time-up (dBm)			
		Channel	18700	18800	18900					
20M	QPSK	1	0	17.76	17.83	17.74	19			
		1	50	17.89	17.82	17.92	19			
		1	99	17.67	17.56	17.56	19			
		50	0	17.80	17.85	17.91	19			
		50	25	17.83	17.80	17.76	19			
	16QAM	50	50	17.70	17.64	17.73	19			
		100	0	17.74	17.72	17.79	19			
		1	0	17.83	17.79	17.82	19			
		1	50	17.91	17.84	17.83	19			
		1	99	17.62	17.52	17.68	19			
10M	QPSK	50	0	17.68	17.59	17.67	19			
		50	25	17.80	17.69	17.66	19			
		50	50	17.66	17.59	17.58	19			
		100	0	17.67	17.70	17.63	19			
		1	0	17.65	17.58	17.58	19			
	16QAM	1	50	17.85	17.76	17.73	19			
		1	99	17.67	17.60	17.57	19			
		50	0	17.71	17.59	17.61	19			
		50	25	17.72	17.74	17.76	19			
		50	50	17.67	17.61	17.66	19			
5M	QPSK	100	0	17.74	17.64	17.65	19			
		1	0	17.78	17.78	17.74	19			
		1	37	17.80	17.76	17.81	19			
		1	74	17.63	17.55	17.67	19			
		36	0	17.62	17.53	17.62	19			
	16QAM	36	19	17.77	17.64	17.65	19			
		36	39	17.56	17.59	17.54	19			
		75	0	17.56	17.68	17.58	19			
		1	0	17.54	17.52	17.57	19			
		1	37	17.74	17.74	17.67	19			
2.5M	QPSK	1	74	17.58	17.56	17.48	19			
		36	0	17.70	17.58	17.52	19			
		36	19	17.62	17.71	17.65	19			
		36	39	17.58	17.60	17.57	19			
		75	0	17.63	17.53	17.64	19			
	1.4M	QPSK	1	0	17.69	17.64	17.64	19		
			1	24	17.84	17.79	17.84	19		
			1	49	17.57	17.50	17.46	19		
			25	0	17.86	17.78	17.87	19		
			25	12	17.76	17.72	17.65	19		
16QAM		25	25	17.67	17.56	17.64	19			
		50	0	17.64	17.63	17.69	19			
		1	0	17.83	17.73	17.76	19			
		1	24	17.80	17.76	17.74	19			
		1	49	17.73	17.53	17.67	19			
0.7M	QPSK	25	0	17.86	17.78	17.87	19			
		25	12	17.76	17.72	17.65	19			
		25	25	17.67	17.56	17.64	19			
		50	0	17.64	17.63	17.69	19			
		1	0	17.83	17.73	17.76	19			
	16QAM	1	24	17.80	17.76	17.74	19			
		1	49	17.73	17.53	17.67	19			
		25	0	17.86	17.78	17.87	19			
		25	12	17.76	17.72	17.65	19			
		25	25	17.67	17.56	17.64	19			
0.35M	QPSK	50	0	17.64	17.63	17.69	19			
		1	0	17.83	17.73	17.76	19			
		1	24	17.80	17.76	17.74	19			
		1	49	17.73	17.53	17.67	19			
		25	0	17.86	17.78	17.87	19			
	16QAM	25	12	17.76	17.72	17.65	19			
		25	25	17.67	17.56	17.64	19			
		50	0	17.64	17.63	17.69	19			
		1	0	17.83	17.73	17.76	19			
		1	24	17.80	17.76	17.74	19			
0.175M	QPSK	1	49	17.61	17.54	17.46	19			
		25	0	17.86	17.78	17.87	19			
		25	12	17.62	17.61	17.71	19			
		25	25	17.55	17.52	17.61	19			
		50	0	17.70	17.61	17.62	19			
	0.0875M	QPSK	1	0	17.69	17.64	17.64	19		
			1	12	17.80	17.73	17.89	19		
			1	24	17.63	17.43	17.47	19		
			12	0	17.86	17.76	17.91	19		
			12	6	17.78	17.69	17.72	19		
16QAM		12	13	17.62	17.57	17.70	19			
		25	0	17.62	17.72	17.78	19			
		1	0	17.74	17.75	17.77	19			
		1	12	17.86	17.75	17.80	19			
		1	24	17.62	17.56	17.61	19			
0.04375M	QPSK	12	0	17.63	17.56	17.66	19			
		12	6	17.73	17.62	17.54	19			
		12	13	17.64	17.58	17.58	19			
		25	0	17.65	17.65	17.61	19			
		1	0	17.68	17.65	17.52	19			
	16QAM	1	12	17.85	17.72	17.71	19			
		1	24	17.64	17.56	17.52	19			
		12	0	17.67	17.57	17.59	19			
		12	12	17.63	17.71	17.74	19			
		12	13	17.59	17.59	17.60	19			
0.021875M	QPSK	25	0	17.68	17.63	17.54	19			
		1	0	17.69	17.64	17.64	19			
		1	14	17.79	17.42	17.54	19			
		8	0	17.85	17.79	17.80	19			
		8	3	17.76	17.76	17.67	19			
	16QAM	8	7	17.69	17.57	17.62	19			
		15	0	17.65	17.64	17.68	19			
		1	0	17.74	17.69	17.71	19			
		1	7	17.86	17.81	17.72	19			
		1	14	17.62	17.56	17.62	19			
0.0109375M	QPSK	8	0	17.57	17.48	17.50	19			
		8	3	17.78	17.57	17.61	19			
		8	7	17.62	17.58	17.52	19			
		15	0	17.63	17.64	17.58	19			
		1	0	17.64	17.62	17.57	19			
	16QAM	1	7	17.83	17.67	17.66	19			
		1	14	17.63	17.52	17.48	19			
		8	0	17.65	17.58	17.57	19			
		8	3	17.69	17.70	17.71	19			
		8	7	17.55	17.53	17.63	19			
0.00546875M	QPSK	15	0	17.67	17.61	17.57	19			
		1	0	17.79	17.78	17.71	19			
		1	2	17.84	17.76	17.78	19			
		5	0	17.65	17.55	17.66	19			
		3	1	17.76	17.78	17.75	19			
	16QAM	3	3	17.68	17.68	17.69	19			
		6	0	17.66	17.67	17.69	19			
		1	0	17.79	17.78	17.71	19			
		1	2	17.84	17.76	17.78	19			
		5	0	17.67	17.54	17.57	19			
0.002734375M	QPSK	3	1	17.62	17.62	17.62	19			
		3	1	17.76	17.76	17.65	19			
		3	1	17.76	17.76	17.65	19			
		6	0	17.66	17.67	17.69	19			
		1	0	17.61	17.62	17.58	19			
	16QAM	1	2	17.76	17.75	17.61	19			
		1	5	17.67	17.63	17.57	19			
		3	0	17.67	17.54	17.57	19			
		3	1	17.62	17.64	17.59	19			
		3	1	17.71	17.56	17.65	19			

LTE Band 4									
BW	Modulation	RB Size	RB Offset	Low	Mid	High	Max. Time-up (dBm)		
		Channel	20800	20900	21000				
		Frequency (MHz)	21000	21050	21100				
20M	QPSK	1	0	15.67	15.67	15.67	17		
		1	50	15.72	15.60	15.72	17		
		1	99	15.48	15.75	15.58	17		
		50	0	15.63	15.82	15.63	17		
		50	25	15.47	15.72	15.56	17		
		50	50	15.52	15.69	15.47	17		
		100	0	15.59	15.83	15.55	17		
	16QAM	1	0	15.67	15.81	15.59	17		
		1	50	15.67	15.93	15.71	17		
		1	99	15.48	15.85	15.46	17		
		50	0	15.62	15.80	15.65	17		
		50	25	15.56	15.82	15.50	17		
		50	50	15.49	15.73	15.53	17		
		100	0	15.56	15.78	15.65	17		
		1	0	15.45	15.69	15.43	17		
		1	50	15.56	15.88	15.55	17		
		1	99	15.29	15.62	15.26	17		
10M	QPSK	1	0	15.62	15.87	15.66	17		
		50	25	15.59	15.86	15.53	17		
		50	50	15.51	15.82	15.50	17		
		100	0	15.63	15.87	15.53	17		
	16QAM	1	0	15.60	15.78	15.52	17		
		1	37	15.59	15.87	15.67	17		
		1	74	15.55	15.80	15.47	17		
		36	0	15.63	15.71	15.63	17		
		36	19	15.44	15.82	15.44	17		
		36	39	15.41	15.70	15.44	17		
		75	0	15.51	15.74	15.64	17		
		1	0	15.47	15.68	15.62	17		
		1	37	15.45	15.82	15.47	17		
		1	74	15.23	15.58	15.16	17		
5M	QPSK	1	0	15.61	15.77	15.59	17		
		36	19	15.50	15.81	15.52	17		
		36	39	15.47	15.71	15.49	17		
		75	0	15.54	15.78	15.51	17		
	16QAM	1	0	15.58	15.75	15.50	17		
		1	24	15.67	15.93	15.70	17		
		1	49	15.60	15.76	15.44	17		
		25	0	15.61	15.80	15.60	17		
		25	12	15.49	15.71	15.39	17		
		25	25	15.40	15.68	15.45	17		
		50	0	15.51	15.75	15.65	17		
		1	0	15.36	15.69	15.36	17		
		1	24	15.61	15.84	15.46	17		
		1	49	15.18	15.60	15.22	17		
10M	QPSK	1	0	15.61	15.84	15.56	17		
		25	0	15.61	15.84	15.56	17		
		25	12	15.47	15.81	15.41	17		
		25	25	15.43	15.81	15.49	17		
		50	0	15.62	15.71	15.62	17		
	16QAM	1	0	15.57	15.73	15.56	17		
		1	24	15.61	15.84	15.46	17		
		1	49	15.18	15.60	15.22	17		
		25	0	15.61	15.84	15.56	17		
		25	12	15.47	15.81	15.41	17		
		25	25	15.43	15.81	15.49	17		
		50	0	15.62	15.71	15.62	17		
		1	0	15.36	15.69	15.36	17		
		1	24	15.61	15.84	15.46	17		
		1	49	15.18	15.60	15.22	17		
5M	QPSK	1	0	15.61	15.84	15.56	17		
		25	0	15.61	15.84	15.56	17		
		25	12	15.47	15.81	15.41	17		
		25	25	15.43	15.81	15.49	17		
		50	0	15.62	15.71	15.62	17		
	16QAM	1	0	15.57	15.73	15.56	17		
		1	24	15.61	15.84	15.46	17		
		1	49	15.18	15.60	15.22	17		
		25	0	15.61	15.84	15.56	17		
		25	12	15.47	15.81	15.41	17		
		25	25	15.43	15.81	15.49	17		
		50	0	15.62	15.71	15.62	17		
		1	0	15.36	15.69	15.36	17		
		1	24	15.61	15.84	15.46	17		
		1	49	15.18	15.60	15.22	17		
10M	QPSK	1	0	15.61	15.84	15.56	17		
		25	0	15.61	15.84	15.56	17		
		25	12	15.47	15.81	15.41	17		
		25	25	15.43	15.81	15.49</			

LTE Band 7									
BW	Modulation	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)		
		Channel		20850	21100	21350			
		Frequency (MHz)		2510	2535	2560			
20M	QPSK	1	0	19.79	19.75	20.00	21		
		1	50	20.07	20.08	20.17	21		
		1	99	19.98	20.03	20.14	21		
		50	0	19.80	19.74	19.96	21		
		50	25	19.92	19.78	20.09	21		
		50	50	19.88	19.90	20.05	21		
	16QAM	100	0	19.85	19.84	19.96	21		
		1	0	19.80	19.77	20.00	21		
		1	50	20.05	20.02	20.16	21		
		1	99	20.00	20.01	20.15	21		
		50	0	19.71	19.71	19.88	21		
		50	25	19.82	19.89	20.02	21		
	64QAM	50	50	19.93	19.84	20.05	21		
		100	0	19.90	19.84	19.97	21		
		1	0	19.66	19.70	19.82	21		
		1	50	19.99	19.86	20.15	21		
		1	99	19.87	19.83	20.04	21		
		50	0	19.76	19.71	19.91	21		
		50	25	19.86	19.82	20.01	21		
		50	50	19.95	19.94	20.07	21		
		100	0	19.83	19.81	19.99	21		
		BW	Modulation	Channel		20825	21100	21375	Max. Tune-up (dBm)
		Frequency (MHz)		2507.5	2535	2562.5			
		15M	QPSK	1	0	19.77	19.70	19.92	21
1	37			19.97	20.04	20.09	21		
1	74			19.93	20.03	20.06	21		
36	0			19.72	19.68	19.93	21		
36	19			19.89	19.77	20.05	21		
36	39			19.85	19.81	20.03	21		
16QAM	75		0	19.83	19.76	19.90	21		
	1		0	19.73	19.72	19.93	21		
	1		37	20.01	19.97	20.11	21		
	1		74	19.95	19.97	20.10	21		
	36		0	19.69	19.71	19.81	21		
	36		19	19.80	19.87	19.90	21		
64QAM	36		39	19.87	19.78	20.02	21		
	75		0	19.86	19.83	19.91	21		
	1		0	19.58	19.62	19.79	21		
	1		37	19.95	19.78	20.11	21		
	1		74	19.84	19.76	19.95	21		
	36		0	19.66	19.61	19.81	21		
	36		19	19.82	19.77	19.93	21		
	36		39	19.88	19.94	19.99	21		
	75		0	19.82	19.79	19.92	21		
	BW		Modulation	Channel		20800	21100	21400	Max. Tune-up (dBm)
	Frequency (MHz)		2505	2535	2565				
	10M		QPSK	1	0	19.67	19.65	19.98	21
1		24		20.02	19.99	20.08	21		
1		49		19.91	19.94	20.11	21		
25		0		19.69	19.68	19.90	21		
25		12		19.84	19.74	20.06	21		
25		25		19.86	19.82	19.97	21		
16QAM		50	0	19.77	19.77	19.95	21		
		1	0	19.69	19.77	19.92	21		
		1	24	20.05	19.92	20.15	21		
		1	49	19.91	19.98	20.09	21		
		25	0	19.70	19.63	19.87	21		
		25	12	19.80	19.80	19.95	21		
64QAM		25	25	19.82	19.81	19.99	21		
		50	0	19.80	19.79	19.95	21		
		1	0	19.65	19.61	19.77	21		
		1	24	19.91	19.78	20.10	21		
		1	49	19.78	19.81	19.99	21		
		25	0	19.71	19.60	19.90	21		
		25	12	19.79	19.80	19.90	21		
		25	25	19.91	19.84	20.00	21		
		50	0	19.77	19.73	19.89	21		
		BW	Modulation	Channel		20775	21100	21425	Max. Tune-up (dBm)
		Frequency (MHz)		2502.5	2535	2567.5			
		5M	QPSK	1	0	19.72	19.70	19.94	21
1	12			19.96	20.04	20.07	21		
1	24			19.88	20.00	20.07	21		
12	0			19.74	19.66	19.86	21		
12	6			19.89	19.74	20.02	21		
12	13			19.78	19.87	19.95	21		
16QAM	25		0	19.80	19.75	19.89	21		
	1		0	19.70	19.73	19.99	21		
	1		12	20.04	19.95	20.06	21		
	1		24	19.97	19.98	20.11	21		
	12		0	19.63	19.61	19.78	21		
	12		6	19.75	19.79	19.99	21		
64QAM	12		13	19.88	19.74	19.97	21		
	25		0	19.85	19.81	19.88	21		
	1		0	19.61	19.62	19.79	21		
	1		12	19.97	19.84	20.11	21		
	1		24	19.79	19.80	19.95	21		
	12		0	19.71	19.65	19.89	21		
	12		6	19.78	19.70	19.99	21		
	12		13	19.89	19.89	20.07	21		
	25		0	19.78	19.73	19.93	21		

LTE Band 38							
BW	Modulation	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	20.85	20.91	20.87	22
		1	50	21.05	21.08	21.17	22
		1	99	20.79	20.92	20.87	22
		50	0	20.88	20.86	20.85	22
		50	25	20.81	20.85	20.82	22
		50	50	20.87	20.93	20.91	22
	16QAM	100	0	20.77	20.89	20.92	22
		1	0	20.60	20.56	20.59	22
		1	50	20.79	20.80	20.86	22
		1	99	20.57	20.59	20.61	22
		50	0	20.76	20.88	20.82	22
		50	25	20.87	20.92	20.93	22
	64QAM	50	50	20.82	20.85	20.80	22
		100	0	20.95	20.96	20.97	22
		1	0	20.52	20.54	20.59	22
		1	50	20.73	20.88	20.83	22
		1	99	20.55	20.65	20.65	22
		50	0	20.91	20.86	20.93	22
		50	25	20.94	20.91	20.93	22
		50	50	20.91	20.97	20.97	22
	100	0	20.91	20.90	20.85	22	
BW	Modulation	Channel		37825	38000	38175	Max. Tune-up (dBm)
Frequency (MHz)		2577.5	2595	2612.5			
15M	QPSK	1	0	20.79	20.88	20.76	22
		1	37	21.01	21.05	21.06	22
		1	74	20.74	20.89	20.80	22
		36	0	20.83	20.78	20.82	22
		36	19	20.79	20.76	20.77	22
		36	39	20.77	20.88	20.85	22
	16QAM	75	0	20.75	20.78	20.91	22
		1	0	20.59	20.49	20.50	22
		1	37	20.69	20.69	20.81	22
		1	74	20.48	20.49	20.59	22
		36	0	20.68	20.83	20.78	22
		36	19	20.77	20.85	20.82	22
		36	39	20.75	20.84	20.78	22
		75	0	20.90	20.93	20.92	22
	64QAM	1	0	20.42	20.43	20.51	22
		1	37	20.73	20.78	20.81	22
		1	74	20.44	20.57	20.65	22
		36	0	20.83	20.78	20.91	22
		36	19	20.94	20.81	20.92	22
		36	39	20.81	20.90	20.91	22
		75	0	20.89	20.88	20.81	22
BW	Modulation	Channel		37800	38000	38200	Max. Tune-up (dBm)
Frequency (MHz)		2575	2595	2615			
10M	QPSK	1	0	20.85	20.91	20.85	22
		1	24	21.00	21.02	21.12	22
		1	49	20.77	20.91	20.83	22
		25	0	20.79	20.78	20.74	22
		25	12	20.72	20.80	20.77	22
		25	25	20.75	20.87	20.85	22
	16QAM	50	0	20.66	20.89	20.89	22
		1	0	20.50	20.54	20.50	22
		1	24	20.68	20.76	20.79	22
		1	49	20.55	20.52	20.53	22
		25	0	20.67	20.80	20.73	22
		25	12	20.76	20.81	20.87	22
	64QAM	25	25	20.80	20.77	20.75	22
		50	0	20.89	20.87	20.93	22
		1	0	20.46	20.44	20.49	22
		1	24	20.61	20.87	20.82	22
		1	49	20.50	20.59	20.57	22
		25	0	20.83	20.78	20.93	22
		25	12	20.93	20.81	20.91	22
		25	25	20.82	20.94	20.93	22
	50	0	20.84	20.90	20.83	22	
BW	Modulation	Channel		37775	38000	38225	Max. Tune-up (dBm)
Frequency (MHz)		2572.5	2595	2617.5			
5M	QPSK	1	0	20.77	20.82	20.77	22
		1	12	20.93	20.96	21.08	22
		1	24	20.68	20.88	20.86	22
		12	0	20.78	20.78	20.78	22
		12	6	20.76	20.83	20.73	22
		12	13	20.77	20.82	20.90	22
	16QAM	25	0	20.76	20.86	20.90	22
		1	0	20.56	20.52	20.58	22
		1	12	20.70	20.75	20.74	22
		1	24	20.45	20.57	20.54	22
		12	0	20.64	20.82	20.72	22
		12	6	20.86	20.86	20.84	22
		12	13	20.72	20.80	20.72	22
		25	0	20.89	20.92	20.87	22
	64QAM	1	0	20.51	20.50	20.56	22
		1	12	20.67	20.82	20.83	22
		1	24	20.43	20.64	20.63	22
		12	0	20.84	20.84	20.86	22
		12	6	20.90	20.79	20.83	22
		12	13	20.86	20.91	20.94	22
		25	0	20.87	20.87	20.80	22

LTE Band 41 (2496 ~ 2690MHz)									
BW	Modulation	RB Size	RB Offset	Low	Low Mid	Mid	High Mid	High	Max. Tune-up (dBm)
		Channel		3875.0	4016.5	4062.0	4108.5	4149.0	
		Frequency (MHz)		2896	2848.5	2893	2836.5	2890	
20M	QPSK	1	0	21.09	21.00	21.01	20.99	20.92	22
		1	50	21.22	21.13	21.20	21.15	21.15	22
		1	99	21.05	20.88	20.98	20.97	20.87	22
		50	0	21.11	20.91	21.05	20.98	20.92	22
		50	25	21.19	20.99	21.08	21.12	21.19	22
		50	50	21.16	20.94	21.01	20.97	21.04	22
		100	0	21.09	20.88	20.91	20.93	20.94	22
		1	0	20.83	20.60	20.72	20.69	20.64	22
		1	50	20.99	20.88	20.98	20.84	20.84	22
		1	99	20.76	20.63	20.73	20.60	20.61	22
	16QAM	50	0	20.59	20.85	20.89	20.88	20.88	22
		50	25	20.97	20.88	20.94	20.91	20.89	22
		50	50	21.03	20.82	20.90	20.90	20.88	22
		100	0	21.17	20.99	21.02	20.99	21.04	22
		1	0	20.75	20.59	20.72	20.61	20.68	22
		1	50	21.04	20.86	20.89	20.90	20.85	22
		1	99	20.82	20.59	20.68	20.65	20.63	22
		50	0	20.98	20.91	20.88	20.90	20.90	22
		50	25	21.04	20.93	20.97	20.93	20.89	22
		50	50	21.04	20.85	20.90	20.93	20.92	22
	64QAM	100	0	21.01	20.96	21.02	20.88	20.89	22
10M	QPSK	1	0	21.03	20.97	20.93	20.91	20.81	22
		1	37	21.13	21.02	21.09	21.12	21.15	22
		1	74	20.97	20.86	20.95	20.90	20.80	22
		36	0	21.10	20.81	21.02	20.91	20.83	22
		36	19	21.10	20.92	20.99	21.01	21.09	22
		36	39	21.14	20.89	20.90	20.93	20.95	22
		75	0	20.88	20.80	20.89	20.89	20.82	22
	16QAM	1	0	20.80	20.49	20.61	20.66	20.63	22
		1	37	20.99	20.86	20.90	20.75	20.75	22
		1	74	20.69	20.61	20.73	20.56	20.58	22
		36	0	20.87	20.60	20.80	20.87	20.86	22
		36	19	20.90	20.85	20.85	20.87	20.83	22
		36	39	21.02	20.77	20.85	20.78	20.85	22
		75	0	21.06	20.95	20.93	20.92	20.93	22
		1	0	20.67	20.57	20.71	20.62	20.67	22
		1	37	20.96	20.80	20.78	20.80	20.83	22
	64QAM	1	74	20.76	20.54	20.64	20.53	20.61	22
BW	QPSK	36	0	20.92	20.85	20.86	20.90	20.80	22
		36	19	20.92	20.88	20.96	20.90	20.86	22
		36	39	20.95	20.79	20.82	20.82	20.82	22
		75	0	21.00	20.90	21.00	20.79	20.80	22
	16QAM	1	0	21.07	20.99	20.98	20.98	20.89	22
		1	24	21.19	21.10	21.15	21.12	21.05	22
		1	49	20.94	20.78	20.88	20.93	20.77	22
		25	0	21.07	20.86	20.94	20.97	20.91	22
		25	12	21.15	20.91	21.00	21.06	21.10	22
		25	25	21.11	20.89	20.91	20.88	20.93	22
		50	0	21.01	20.87	20.88	20.89	20.90	22
		1	0	20.90	20.57	20.65	20.68	20.52	22
		1	24	20.91	20.82	20.93	20.73	20.77	22
		1	49	20.73	20.62	20.62	20.51	20.59	22
	64QAM	25	0	20.92	20.78	20.86	20.85	20.84	22
BW	QPSK	25	12	20.93	20.77	20.93	20.89	20.85	22
		25	25	20.98	20.80	20.78	20.89	20.87	22
		50	0	21.12	20.91	20.97	20.88	20.92	22
		1	0	20.66	20.50	20.69	20.61	20.64	22
		1	24	20.93	20.83	20.87	20.81	20.80	22
		1	49	20.80	20.49	20.65	20.61	20.54	22
		25	0	20.89	20.91	20.82	20.90	20.85	22
		25	12	20.94	20.86	20.96	20.84	20.81	22
		25	25	20.98	20.79	20.81	20.89	20.81	22
		50	0	20.99	20.89	20.90	20.78	20.85	22
	16QAM	1	0	20.71	20.59	20.60	20.50	20.62	22
		1	12	20.92	20.79	20.84	20.88	20.76	22
		1	24	20.81	20.57	20.69	20.55	20.60	22
		12	0	20.96	20.81	20.88	20.89	20.83	22
		12	6	21.02	20.83	20.85	20.92	20.77	22
		12	13	20.96	20.83	20.82	20.86	20.92	22
		25	0	20.99	20.86	21.00	20.77	20.82	22
BW	QPSK	1	0	21.04	20.91	20.90	20.98	20.87	22
		1	12	21.16	21.09	21.10	21.06	21.04	22
		1	24	20.99	20.94	20.94	20.91	20.92	22
		12	0	21.11	20.90	21.02	20.89	20.82	22
		12	6	21.15	20.89	21.00	21.10	21.15	22
		12	13	21.15	20.83	20.93	20.95	21.02	22
		25	0	21.06	20.76	20.82	20.85	20.88	22
	16QAM	1	0	20.78	20.68	20.63	20.69	20.60	22
		1	12	20.93	20.84	20.89	20.73	20.74	22
		1	24	20.71	20.53	20.68	20.56	20.50	22
		12	0	20.99	20.85	20.79	20.85	20.77	22
		12	6	20.90	20.96	20.93	20.79	20.78	22
		12	13	20.92	20.72	20.84	20.84	20.77	22
		25	0	21.06	20.95	21.00	20.91	21.04	22
	64QAM	1	0	20.71	20.59	20.60	20.50	20.62	22
		1	12	20.92	20.79	20.84	20.88	20.76	22
		1	24	20.81	20.57	20.69	20.55	20.60	22
		12	0	20.96	20.81	20.88	20.89	20.83	22

LTE Band 66										
BW	Modulation	RB Size	RB Offset	Low	Mid	High				
		Channel	Frequency (MHz)	13287.2	13322	13287.2	Max. Tx Power (dBm)	Time-up (ms)		
20M	QPSK	1	0	15.71	15.75	15.64	17			
		1	50	15.87	15.76	15.71	17			
		1	99	15.74	15.75	15.65	17			
		50	0	15.73	15.65	15.54	17			
		50	25	15.73	15.70	15.63	17			
		50	50	15.59	15.55	15.42	17			
	16QAM	100	0	15.65	15.58	15.57	17			
		1	0	15.78	15.69	15.72	17			
		1	50	15.81	15.85	15.75	17			
		1	99	15.62	15.96	15.76	17			
		50	0	15.69	15.39	15.34	17			
		50	25	15.69	15.62	15.47	17			
	64QAM	50	0	15.77	15.74	15.60	17			
		50	25	15.76	15.73	15.60	17			
		50	50	15.54	15.54	15.43	17			
		100	0	15.76	15.68	15.61	17			
		1	0	15.79	15.50	15.49	17			
		1	50	15.86	15.62	15.56	17			
10M	QPSK	1	99	15.84	15.54	15.49	17			
		50	0	15.69	15.39	15.34	17			
		50	25	15.69	15.62	15.47	17			
		50	50	15.79	15.62	15.49	17			
		100	0	15.85	15.62	15.57	17			
		16QAM	1	0	15.78	15.69	15.72	17		
	1		50	15.81	15.85	15.75	17			
	1		37	15.81	15.66	15.67	17			
	1		74	15.66	15.69	15.60	17			
	36		0	15.62	15.64	15.42	17			
	36		19	15.68	15.59	15.57	17			
	64QAM	36	39	15.58	15.48	15.42	17			
		75	0	15.56	15.53	15.48	17			
		1	0	15.77	15.60	15.69	17			
		1	37	15.74	15.73	15.65	17			
		1	74	15.79	15.80	15.61	17			
		36	0	15.71	15.54	15.51	17			
	5M	QPSK	36	19	15.72	15.67	15.55	17		
36			39	15.53	15.43	15.34	17			
75			0	15.74	15.58	15.54	17			
1			0	15.69	15.46	15.45	17			
1			37	15.82	15.53	15.52	17			
1			74	15.83	15.49	15.44	17			
16QAM		36	0	15.60	15.35	15.22	17			
		36	19	15.75	15.48	15.35	17			
		36	39	15.77	15.57	15.42	17			
		75	0	15.82	15.60	15.46	17			
		64QAM	1	0	15.67	15.44	15.38	17		
			1	24	15.82	15.53	15.47	17		
1			49	15.77	15.44	15.37	17			
25			0	15.59	15.37	15.30	17			
25			12	15.72	15.47	15.41	17			
25			25	15.75	15.51	15.45	17			
2.5M		QPSK	50	0	15.76	15.54	15.46	17		
			1	0	15.61	15.67	15.57	17		
	1		12	15.78	15.74	15.67	17			
	1		24	15.67	15.68	15.65	17			
	12		0	15.66	15.61	15.43	17			
	12		6	15.62	15.59	15.42	17			
	16QAM	12	13	15.58	15.47	15.34	17			
		25	0	15.58	15.50	15.46	17			
		1	0	15.74	15.63	15.68	17			
		1	12	15.79	15.77	15.72	17			
		1	24	15.71	15.76	15.70	17			
		12	0	15.68	15.67	15.61	17			
	64QAM	12	6	15.65	15.64	15.52	17			
		12	13	15.45	15.53	15.39	17			
		25	0	15.69	15.61	15.52	17			
		1	0	15.78	15.46	15.44	17			
		1	12	15.78	15.51	15.48	17			
		1	24	15.78	15.52	15.41	17			
1.4M	QPSK	12	0	15.65	15.33	15.33	17			
		12	6	15.72	15.51	15.41	17			
		12	13	15.73	15.51	15.42	17			
		25	0	15.83	15.51	15.46	17			
		16QAM	1	0	15.66	15.65	15.62	17		
			1	7	15.76	15.69	15.60	17		
	1		14	15.73	15.71	15.64	17			
	8		0	15.69	15.61	15.48	17			
	8		3	15.72	15.62	15.46	17			
	8		7	15.71	15.54	15.46	17			
	64QAM	15	0	15.62	15.46	15.48	17			
		1	0	15.71	15.60	15.68	17			
		1	7	15.81	15.82	15.72	17			
		1	14	15.79	15.82	15.68	17			
		8	0	15.69	15.67	15.51	17			
		8	3	15.75	15.64	15.49	17			
	700K	QPSK	15	0	15.65	15.63	15.51	17		
			1	0	15.74	15.47	15.40	17		
1			7	15.82	15.58	15.44	17			
1			14	15.80	15.50	15.38	17			
8			0	15.58	15.38	15.30	17			
8			3	15.75	15.54	15.45	17			
16QAM		8	7	15.71	15.57	15.47	17			
		15	0	15.73	15.57	15.46	17			
		64QAM	1	0	15.70	15.68	15.52	17		
			1	2	15.78	15.70	15.68	17		
			1	5	15.69	15.65	15.61	17		
			3	0	15.69	15.59	15.46	17		
3			1	15.72	15.69	15.59	17			
6			0	15.55	15.49	15.54	17			
300K		QPSK	1	0	15.78	15.64	15.63	17		
			1	2	15.80	15.80	15.67	17		
			1	5	15.74	15.77	15.69	17		
			3	0	15.69	15.62	15.48	17		
	3		1	15.69	15.66	15.50	17			
	3		3	15.46	15.43	15.41	17			
	16QAM	6	0	15.65	15.59	15.46	17			
		1	2	15.69	15.39	15.36	17			
		1	5	15.80	15.47	15.38	17			
		3	0	15.65	15.36	15.29	17			
		3	1	15.75	15.49	15.41	17			
		3	3	15.74	15.51	15.47	17			
	64QAM	6	0	15.77	15.57	15.53	17			

WWAN DSI-4 Power_Ant2(DIV)

Band	GSM850				GSM1900			
Channel	128	189	251	Max. Tune-up Power (dBm)	512	661	810	Max. Tune-up Power (dBm)
Frequency (MHz)	824.2	836.4	848.8		1850.2	1880	1909.8	
GSM	32.21	32.24	32.16	33.50	28.79	28.75	28.76	29.50
GPRS 1Tx Slot	32.19	32.23	32.14	33.50	28.78	28.73	28.75	29.50
GPRS 2Tx Slot	31.47	31.52	31.39	32.50	26.95	26.90	26.94	28.00
GPRS 3Tx Slot	29.70	29.77	29.62	30.50	25.44	25.40	25.44	26.00
GPRS 4Tx Slot	28.53	28.62	28.49	29.50	24.36	24.34	24.38	25.00
EDGE 1Tx Slot	25.70	25.73	25.66	28.00	26.50	25.97	26.14	27.00
EDGE 2Tx Slot	22.61	22.57	22.55	25.00	23.10	22.88	22.89	24.00
EDGE 3Tx Slot	20.07	20.18	20.14	23.00	20.71	20.56	20.52	22.00
EDGE 4Tx Slot	18.62	18.94	18.73	22.00	19.76	19.48	19.54	21.00

Source-Based Time-Averaged Power								
Band	GSM850				GSM1900			Max. Tune-up Power (dBm)
Channel	128	189	251	Max. Tune-up Power (dBm)	512	661	810	
GSM	23.21	23.24	23.16		19.79	19.75	19.76	20.50
GPRS 1Tx Slot	23.19	23.23	23.14	24.50	19.78	19.73	19.75	20.50
GPRS 2Tx Slot	25.47	25.52	25.39	26.50	20.95	20.90	20.94	22.00
GPRS 3Tx Slot	25.44	25.51	25.36	26.24	21.18	21.14	21.18	21.74
GPRS 4Tx Slot	25.53	25.62	25.49	26.50	21.36	21.34	21.38	22.00
EDGE 1Tx Slot	16.70	16.73	16.66	19.00	17.50	16.97	17.14	18.00
EDGE 2Tx Slot	16.61	16.57	16.55	19.00	17.10	16.88	16.89	18.00
EDGE 3Tx Slot	15.81	15.92	15.88	18.74	16.45	16.30	16.26	17.74
EDGE 4Tx Slot	15.62	15.94	15.73	19.00	16.76	16.48	16.54	18.00

Band	WCDMA II			WCDMA II	WCDMA IV			WCDMA IV	WCDMA V			WCDMA V
TX Channel	9262	9400	9538	Max. Tune-up Power (dBm)	1312	1413	1513	Max. Tune-up Power (dBm)	4132	4182	4233	Max. Tune-up Power (dBm)
Rx Channel	9662	9800	9938		1537	1638	1738		4357	4407	4458	
Frequency (MHz)	1852.4	1880	1907.6	Max. Tune-up Power (dBm)	1712.4	1732.6	1752.6	Max. Tune-up Power (dBm)	826.4	836.4	846.6	Max. Tune-up Power (dBm)
RMC 12.2K	20.04	20.05	20.09		17.97	18.00	17.92		24.23	24.26	24.18	
HSDPA Subtest-1	18.95	19.03	19.06	19.00	16.87	16.92	16.82	17.00	23.17	23.07	23.15	23.50
HSDPA Subtest-2	19.03	18.96	19.08	19.00	16.94	16.96	16.85	17.00	23.17	23.13	23.11	23.50
HSDPA Subtest-3	18.04	17.97	18.09	19.00	15.93	15.94	15.92	17.00	22.23	22.06	22.14	23.50
HSDPA Subtest-4	18.04	17.95	18.04	19.00	15.89	15.97	15.88	17.00	22.15	22.04	22.11	23.50
DC-HSDPA Subtest-1	18.97	18.95	18.99	19.00	16.92	16.95	16.82	17.00	23.16	23.09	23.10	23.50
DC-HSDPA Subtest-2	18.98	19.05	19.04	19.00	16.95	17.00	16.87	17.00	23.18	23.12	23.16	23.50
DC-HSDPA Subtest-3	18.02	17.95	17.99	19.00	15.89	15.99	15.82	17.00	22.22	22.06	22.16	23.50
DC-HSDPA Subtest-4	17.95	17.96	18.02	19.00	15.93	15.97	15.89	17.00	22.21	22.05	22.08	23.50
HSUPA Subtest-1	17.44	17.51	17.48	18.00	15.47	15.41	15.36	16.00	21.65	21.61	21.62	22.50
HSUPA Subtest-2	16.99	16.97	17.05	18.00	14.95	14.90	14.83	16.00	21.13	21.09	21.14	22.50
HSUPA Subtest-3	18.03	18.04	17.98	18.00	15.96	15.92	15.84	16.00	22.22	22.13	22.13	22.50
HSUPA Subtest-4	16.51	16.53	16.48	18.00	14.36	14.43	14.42	16.00	20.73	20.55	20.59	22.50
HSUPA Subtest-5	17.96	18.03	18.02	18.00	15.87	15.97	15.86	16.00	22.16	22.08	22.08	22.50
HSPA+ Subtest-1	17.00	17.02	16.98	18.00	14.92	14.99	14.90	16.00	21.13	21.05	21.12	22.50

LTE Band 2							
BW	Modulation	RB Size	RB Offset	Low	Mid	High	
		Channel		18875	18950	19150	
20M	QPSK	Frequency (MHz)		1880	1890	1920	
		1	0	19.85	19.85	19.75	21
		1	50	20.00	19.87	19.83	21
		1	99	19.86	19.64	19.51	21
		50	0	19.86	19.85	19.75	21
		50	25	19.85	19.57	19.42	21
		50	50	19.68	19.55	19.47	21
		100	0	19.58	19.59	19.53	21
		1	0	19.72	19.66	19.52	21
		1	50	19.91	19.85	19.68	21
20M	18QAM	50	0	19.86	19.86	19.75	21
		50	0	19.63	19.60	19.56	21
		50	25	19.64	19.62	19.59	21
		50	50	19.66	19.56	19.44	21
		100	0	19.66	19.67	19.47	21
		1	0	19.60	19.59	19.54	21
		1	50	19.72	19.75	19.57	21
		1	99	19.42	19.41	19.22	21
		50	0	19.62	19.65	19.50	21
		50	25	19.71	19.67	19.52	21
20M	64QAM	50	50	19.70	19.56	19.54	21
		100	0	19.68	19.63	19.55	21
		1	0	19.80	19.58	19.47	21
		1	37	19.34	19.86	19.80	21
		1	74	19.80	19.55	19.47	21
		36	0	19.80	19.79	19.74	21
		36	19	19.59	19.58	19.54	21
		36	39	19.63	19.54	19.37	21
		75	0	19.46	19.51	19.43	21
		1	0	19.70	19.62	19.40	21
20M	18QAM	1	37	19.89	19.82	19.59	21
		1	74	19.57	19.45	19.40	21
		36	0	19.62	19.55	19.50	21
		36	19	19.57	19.57	19.57	21
		36	39	19.55	19.48	19.42	21
		75	0	19.60	19.58	19.48	21
		1	0	19.54	19.54	19.44	21
		1	37	19.72	19.65	19.54	21
		1	74	19.36	19.38	19.17	21
		36	0	19.60	19.64	19.45	21
20M	64QAM	36	0	19.60	19.58	19.45	21
		36	19	19.64	19.58	19.40	21
		36	39	19.67	19.45	19.53	21
		75	0	19.61	19.57	19.54	21
		1	0	19.85	19.78	19.70	21
		1	24	19.83	19.83	19.76	21
		1	49	19.62	19.63	19.45	21
		25	0	19.80	19.74	19.71	21
		25	12	19.56	19.45	19.45	21
		25	25	19.57	19.50	19.39	21
20M	18QAM	50	0	19.50	19.53	19.47	21
		1	0	19.60	19.61	19.45	21
		1	24	19.89	19.74	19.66	21
		1	49	19.49	19.45	19.40	21
		25	0	19.56	19.55	19.49	21
		25	12	19.57	19.52	19.58	21
		25	25	19.66	19.52	19.40	21
		50	0	19.53	19.56	19.48	21
		1	0	19.53	19.58	19.48	21
		1	24	19.67	19.64	19.52	21
20M	64QAM	1	49	19.31	19.39	19.12	21
		25	0	19.59	19.63	19.39	21
		25	12	19.66	19.62	19.40	21
		25	25	19.65	19.49	19.49	21
		50	0	19.68	19.59	19.52	21
		1	0	19.82	19.80	19.75	21
		1	12	19.91	19.76	19.70	21
		1	24	19.83	19.83	19.76	21
		12	0	19.80	19.74	19.70	21
		12	6	19.57	19.51	19.42	21
20M	QPSK	12	13	19.80	19.52	19.40	21
		25	0	19.49	19.58	19.50	21
		1	0	19.62	19.65	19.45	21
		1	12	19.84	19.77	19.68	21
		1	24	19.56	19.52	19.40	21
		12	0	19.52	19.56	19.48	21
		12	6	19.59	19.54	19.58	21
		12	13	19.63	19.49	19.37	21
		25	0	19.51	19.56	19.41	21
		1	0	19.55	19.54	19.44	21
20M	18QAM	1	12	19.72	19.69	19.56	21
		1	24	19.39	19.31	19.19	21
		12	0	19.56	19.64	19.45	21
		12	6	19.68	19.65	19.42	21
		12	13	19.62	19.49	19.49	21
		25	0	19.63	19.62	19.47	21
		1	0	19.65	19.66	19.52	21
		1	12	19.85	19.77	19.64	21
		1	24	19.57	19.57	19.45	21
		12	0	19.62	19.59	19.42	21
20M	64QAM	12	6	19.68	19.65	19.42	21
		12	13	19.62	19.49	19.49	21
		25	0	19.63	19.62	19.47	21
		1	0	19.65	19.66	19.52	21
		1	12	19.85	19.77	19.64	21
		1	24	19.57	19.57	19.45	21
		12	0	19.62	19.59	19.42	21
		12	6	19.68	19.65	19.42	21
		12	13	19.62	19.49	19.49	21
		25	0	19.65	19.63	19.49	21
20M	QPSK	Frequency (MHz)		18875	1890	19150	
		1	0	19.85	19.74	19.76	21
		1	7	19.95	19.80	19.81	21
		1	14	19.57	19.58	19.51	21
		8	0	19.81	19.79	19.74	21
		8	3	19.57	19.56	19.41	21
		8	7	19.77	19.57	19.41	21
		15	0	19.57	19.50	19.49	21
		1	0	19.60	19.55	19.44	21
		1	7	19.80	19.74	19.56	21
3M	18QAM	1	7	19.87	19.87	19.83	21
		8	0	19.54	19.50	19.43	21
		8	3	19.61	19.54	19.51	21
		8	7	19.56	19.51	19.39	21
		15	0	19.61	19.54	19.41	21
		1	0	19.61	19.51	19.51	21
		1	7	19.67	19.66	19.48	21
		1	14	19.39	19.40	19.16	21
		8	0	19.62	19.59	19.42	21
		8	3	19.59	19.58	19.52	21
3M	64QAM	8	7	19.64	19.50	19.54	21
		15	0	19.65	19.63	19.49	21
		1	0	19.85	19.74	19.76	21
		1	5	19.64	19.63	19.47	21
		3	0	19.85	19.74	19.65	21
		3	1	19.57	19.57	19.43	21
		3	3	19.63	19.57	19.40	21
		6	0	19.47	19.56	19.47	21
		1	0	19.61	19.55	19.42	21
		1	2	19.89	19.76	19.59	21
1.4M	18QAM	5	0	19.51	19.46	19.48	21
		3	0	19.56	19.57	19.54	21
		3	1	19.56	19.57	19.50	21
		3	3	19.54	19.51	19.34	21
		6	0	19.59	19.54	19.44	21
		1	0	19.64	19.61	19.52	21
		1	2	19.70	19.71	19.47	21
		1	5	19.31	19.35	19.15	21
		3	0	19.53	19.59	19.39	21
		3	1	19.68	19.62	19.42	21
1.4M	64QAM	3	0	19.68	19.62	19.48	21
		6	0	19.68	19.59	19.49	21

LTE Band 7								
BW	Modulation	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)	
		Channel		20850	21100	21350		
		Frequency (MHz)		2510	2535	2560		
20M	QPSK	1	0	19.51	19.54	19.62	21	
		1	50	19.79	19.80	19.92	21	
		1	99	19.62	19.72	19.77	21	
		50	0	19.41	19.55	19.53	21	
		50	25	19.58	19.65	19.67	21	
		50	50	19.60	19.66	19.75	21	
	16QAM	100	0	19.59	19.55	19.65	21	
		1	0	19.50	19.56	19.68	21	
		1	50	19.78	19.82	19.91	21	
		1	99	19.68	19.63	19.79	21	
		50	0	19.54	19.53	19.63	21	
		50	25	19.55	19.56	19.62	21	
	64QAM	50	50	19.63	19.56	19.64	21	
		100	0	19.52	19.62	19.63	21	
		1	0	19.32	19.37	19.42	21	
		1	50	19.60	19.58	19.68	21	
		1	99	19.48	19.52	19.59	21	
		50	0	19.32	19.32	19.34	21	
		50	25	19.51	19.56	19.71	21	
		50	50	19.57	19.66	19.68	21	
		100	0	19.54	19.60	19.65	21	
		BW	Modulation	Channel	20825	21100	21375	Max. Tune-up (dBm)
				Frequency (MHz)	2507.5	2535	2562.5	
15M	QPSK	1	0	19.40	19.53	19.52	21	
		1	37	19.74	19.77	19.91	21	
		1	74	19.58	19.69	19.74	21	
		36	0	19.34	19.51	19.45	21	
		36	19	19.53	19.62	19.62	21	
		36	39	19.51	19.56	19.75	21	
	16QAM	75	0	19.50	19.50	19.59	21	
		1	0	19.45	19.49	19.63	21	
		1	37	19.67	19.81	19.90	21	
		1	74	19.58	19.53	19.79	21	
		36	0	19.45	19.52	19.61	21	
		36	19	19.43	19.44	19.60	21	
	64QAM	36	39	19.57	19.44	19.56	21	
		75	0	19.52	19.61	19.57	21	
		1	0	19.23	19.33	19.33	21	
		1	37	19.49	19.53	19.57	21	
		1	74	19.41	19.52	19.55	21	
		36	0	19.26	19.22	19.24	21	
		36	19	19.40	19.55	19.69	21	
		36	39	19.54	19.63	19.63	21	
		75	0	19.50	19.50	19.54	21	
		BW	Modulation	Channel	20800	21100	21400	Max. Tune-up (dBm)
				Frequency (MHz)	2505	2535	2565	
10M	QPSK	1	0	19.46	19.49	19.57	21	
		1	24	19.79	19.72	19.89	21	
		1	49	19.56	19.70	19.68	21	
		25	0	19.31	19.48	19.51	21	
		25	12	19.55	19.63	19.62	21	
		25	25	19.58	19.56	19.67	21	
	16QAM	50	0	19.48	19.52	19.63	21	
		1	0	19.42	19.49	19.64	21	
		1	24	19.76	19.71	19.79	21	
		1	49	19.58	19.56	19.72	21	
		25	0	19.49	19.44	19.58	21	
		25	12	19.53	19.48	19.60	21	
	64QAM	25	25	19.53	19.50	19.54	21	
		50	0	19.44	19.55	19.54	21	
		1	0	19.31	19.36	19.32	21	
		1	24	19.56	19.47	19.62	21	
		1	49	19.44	19.50	19.50	21	
		25	0	19.20	19.27	19.25	21	
		25	12	19.46	19.51	19.65	21	
		25	25	19.56	19.60	19.63	21	
		50	0	19.44	19.55	19.63	21	
		BW	Modulation	Channel	20775	21100	21425	Max. Tune-up (dBm)
				Frequency (MHz)	2502.5	2535	2567.5	
5M	QPSK	1	0	19.41	19.44	19.53	21	
		1	12	19.72	19.77	19.81	21	
		1	24	19.55	19.71	19.75	21	
		12	0	19.36	19.54	19.50	21	
		12	6	19.49	19.59	19.57	21	
		12	13	19.49	19.63	19.73	21	
	16QAM	25	0	19.52	19.50	19.64	21	
		1	0	19.38	19.45	19.66	21	
		1	12	19.76	19.79	19.82	21	
		1	24	19.67	19.54	19.72	21	
		12	0	19.47	19.50	19.61	21	
		12	6	19.50	19.52	19.59	21	
	64QAM	12	13	19.54	19.51	19.53	21	
		25	0	19.42	19.55	19.59	21	
		1	0	19.28	19.33	19.38	21	
		1	12	19.52	19.54	19.64	21	
		1	24	19.46	19.46	19.59	21	
		12	0	19.32	19.29	19.29	21	
		12	6	19.46	19.45	19.62	21	
		12	13	19.48	19.60	19.67	21	
		25	0	19.52	19.53	19.54	21	

LTE Band 41 (2496 ~ 2690MHz)									
BW	Modulation	RB Size	RB Offset	Low	Low Mid	Mid	High Mid	High	Max. Tune-up (dBm)
		Channel		3975	40165	40620	41055	41490	
20M	QPSK	Frequency (MHz)		2595	2649.5	2693	2636.5	2690	
		1	0	22.22	22.25	22.26	22.28	22.24	23.5
		1	50	22.30	22.40	22.45	22.44	22.44	23.5
		1	99	22.19	22.20	22.26	22.18	22.22	23.5
		50	0	22.04	22.06	22.15	22.15	22.14	23.5
	16QAM	50	25	22.17	22.29	22.30	22.26	22.22	23.5
		50	50	22.19	22.15	22.14	22.15	22.15	23.5
		100	0	22.31	22.31	22.28	22.27	22.26	23.5
		1	0	21.98	21.91	21.95	21.97	21.91	23.5
		1	50	22.11	22.09	22.12	22.13	22.08	23.5
64QAM	1	99	21.88	21.88	21.99	21.88	21.95	23.5	
	50	0	22.10	22.08	22.16	22.10	22.06	23.5	
	50	25	22.12	22.15	22.26	22.15	22.12	23.5	
	50	50	22.18	22.23	22.22	22.15	22.15	23.5	
	100	0	22.26	22.31	22.29	22.38	22.30	23.5	
	1	0	21.88	21.93	21.91	21.83	21.88	23.5	
	1	50	22.05	22.15	22.17	22.17	22.10	23.5	
	1	99	21.84	21.94	21.98	21.92	21.89	23.5	
	50	0	21.34	21.39	21.42	21.38	21.39	22.5	
	50	25	21.40	21.45	21.53	21.49	21.42	22.5	
100	0	21.40	21.44	21.47	21.36	21.37	22.5		
20M	QPSK	Channel		3975	40165	40620	41055	41490	Max. Tune-up (dBm)
		Frequency (MHz)		2595.5	2649.5	2693	2637.5	2693.5	
		1	37	22.23	22.33	22.37	22.41	22.32	23.5
		1	74	22.13	22.10	22.17	22.18	22.17	23.5
		36	0	21.96	21.95	22.05	22.04	22.14	23.5
		36	19	22.15	22.19	22.19	22.22	22.12	23.5
	16QAM	36	39	22.16	22.11	22.11	22.08	22.04	23.5
		75	0	22.25	22.26	22.23	22.23	22.21	23.5
		1	0	21.90	21.83	21.89	21.89	21.89	23.5
		1	37	22.11	22.09	22.03	22.07	21.97	23.5
		1	74	21.84	21.87	21.96	21.86	21.94	23.5
		36	0	22.02	22.03	22.04	22.08	22.02	23.5
	64QAM	36	19	22.02	22.07	22.23	22.09	22.12	23.5
		36	39	22.18	22.15	22.13	22.10	22.15	23.5
		75	0	22.16	22.20	22.19	22.28	22.24	23.5
		1	0	21.78	21.91	21.89	21.85	21.86	23.5
		1	37	21.93	22.08	22.16	22.16	22.06	23.5
		1	74	21.73	21.83	21.89	21.88	21.85	23.5
20M	QPSK	36	0	21.29	21.36	21.32	21.30	21.29	22.5
		36	19	21.31	21.39	21.49	21.49	21.32	22.5
		36	39	21.30	21.36	21.39	21.42	21.31	22.5
	16QAM	75	0	21.29	21.36	21.41	21.35	21.34	22.5
		1	0	21.78	21.91	21.89	21.85	21.86	23.5
		1	37	21.93	22.08	22.16	22.16	22.06	23.5
	64QAM	1	74	21.73	21.83	21.89	21.88	21.85	23.5
		36	0	21.29	21.36	21.32	21.30	21.29	22.5
		36	19	21.31	21.39	21.49	21.49	21.32	22.5
		36	39	21.30	21.36	21.39	21.42	21.31	22.5
		75	0	21.29	21.36	21.41	21.35	21.34	22.5
		1	0	21.78	21.91	21.89	21.85	21.86	23.5
20M	QPSK	Channel		3975	40165	40620	41055	41490	Max. Tune-up (dBm)
		Frequency (MHz)		2591	2649	2693	2633	2693	
		1	24	22.27	22.13	22.35	22.32	22.33	23.5
		1	49	22.16	22.18	22.21	22.15	22.15	23.5
		25	0	21.96	21.94	22.10	22.11	22.08	23.5
		25	12	22.15	22.18	22.19	22.24	22.03	23.5
	16QAM	25	35	22.15	22.10	22.12	22.09	22.13	23.5
		50	0	22.19	22.25	22.24	22.26	22.15	23.5
		1	0	21.89	21.81	21.89	21.93	21.82	23.5
		1	24	22.03	22.01	22.07	22.02	22.05	23.5
		1	49	21.84	21.87	21.96	21.86	21.95	23.5
		25	0	22.01	22.00	22.06	22.02	22.01	23.5
	64QAM	25	12	22.06	22.06	22.16	22.04	22.10	23.5
		25	35	22.10	22.13	22.20	22.09	22.10	23.5
		50	0	22.21	22.22	22.22	22.28	22.27	23.5
		1	0	21.79	21.88	21.81	21.87	21.82	23.5
		1	24	22.00	22.14	22.06	22.16	22.05	23.5
		1	49	21.83	21.91	21.88	21.85	21.81	23.5
64QAM	25	0	21.24	21.35	21.32	21.29	21.29	22.5	
	25	12	21.24	21.44	21.38	21.39	21.29	22.5	
	25	35	21.38	21.32	21.43	21.39	21.36	22.5	
	50	0	21.31	21.34	21.41	21.27	21.30	22.5	
	1	0	21.78	21.91	21.89	21.85	21.86	23.5	
	1	24	22.00	22.14	22.06	22.16	22.05	23.5	
20M	QPSK	Channel		3967.5	40160	40620	41050	41485	Max. Tune-up (dBm)
		Frequency (MHz)		2588.5	2646.5	2690	2630.5	2687.5	
		1	12	22.30	22.26	22.39	22.40	22.32	23.5
		1	24	22.14	22.10	22.25	22.07	22.02	23.5
		12	0	22.02	22.01	22.09	22.13	22.10	23.5
		12	6	22.06	22.26	22.21	22.24	22.11	23.5
	16QAM	12	13	22.21	22.11	22.18	22.12	22.07	23.5
		1	0	22.23	22.27	22.20	22.23	22.17	23.5
		25	0	21.94	21.81	21.92	21.88	21.85	23.5
		1	12	21.99	21.99	22.05	22.09	22.03	23.5
		1	24	21.82	21.89	21.91	21.87	21.84	23.5
		12	0	22.03	22.04	22.06	22.00	22.04	23.5
	64QAM	12	6	22.06	22.07	22.25	22.07	22.03	23.5
		12	13	22.17	22.18	22.16	22.05	22.15	23.5
		25	0	22.20	22.23	22.23	22.36	22.22	23.5
		1	0	21.81	21.88	21.81	21.87	21.84	23.5
		1	12	21.97	22.06	22.11	22.10	21.99	23.5
		1	24	21.80	21.93	21.90	21.83	21.89	23.5
64QAM	12	0	21.27	21.30	21.31	21.30	21.29	22.5	
	12	13	21.39	21.38	21.41	21.45	21.39	22.5	
	12	13	21.38	21.31	21.40	21.36	21.38	22.5	
	25	0	21.36	21.37	21.36	21.33	21.34	22.5	
	1	0	21.78	21.91	21.89	21.85	21.86	23.5	
	1	24	22.00	22.14	22.06	22.16	22.05	23.5	

WLAN DSI-2&Full Power

2.4GHz WLAN						
2.4GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11b 1Mbps	1	2412	18.19	19.50	18.0
		6	2437	19.14	20.50	18.5
		11	2462	19.20	20.50	18.5
	802.11g 6Mbps	1	2412	18.40	19.50	18.0
		6	2437	18.11	19.50	18.5
		11	2462	17.26	19.50	16.5
	802.11n-HT20 MCS0	1	2412	18.30	19.50	18.0
		6	2437	17.95	19.50	17.5
		11	2462	18.12	19.50	17.5

5GHz WLAN						
5.2GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11a 6Mbps	36	5180	14.36	15.50	13.5
		40	5200	14.24	15.50	13.5
		44	5220	14.39	15.50	13.5
		48	5240	14.44	15.50	13.5
	802.11n-HT20 MCS0	36	5180	14.18	15.50	13.5
		40	5200	14.24	15.50	13.5
		44	5220	14.22	15.50	13.5
		48	5240	14.29	15.50	13.5
	802.11n-HT40 MCS0	38	5190	14.23	15.50	13.5
		46	5230	14.22	15.50	13.5
	802.11ac-VHT20 MCS0	36	5180	14.12	15.50	13.5
		40	5200	14.22	15.50	13.5
		44	5220	14.18	15.50	13.5
		48	5240	14.22	15.50	13.5
	802.11ac-VHT40 MCS0	38	5190	14.29	15.50	13.5
		46	5230	14.25	15.50	13.5
	802.11ac-VHT80 MCS0	42	5210	13.72	15.00	13.0

5GHz WLAN						
5.3GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11a 6Mbps	52	5260	14.27	15.50	13.5
		56	5280	14.25	15.50	13.5
		60	5300	14.30	15.50	13.5
		64	5320	14.41	15.50	13.5
	802.11n-HT20 MCS0	52	5260	14.20	15.50	13.5
		56	5280	14.24	15.50	13.5
		60	5300	14.17	15.50	13.5
		64	5320	14.33	15.50	13.5
	802.11n-HT40 MCS0	54	5270	14.21	15.50	13.5
		62	5310	14.30	15.50	13.5
	802.11ac-VHT20 MCS0	52	5260	14.18	15.50	13.5
		56	5280	14.26	15.50	13.5
		60	5300	14.32	15.50	13.5
		64	5320	14.33	15.50	13.5
	802.11ac-VHT40 MCS0	54	5270	14.20	15.50	13.5
		62	5310	14.25	15.50	13.5
	802.11ac-VHT80 MCS0	58	5290	13.89	15.50	13.5

5GHz WLAN						
5.5GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11a 6Mbps	100	5500	15.88	17.00	15.0
		116	5580	15.93	17.00	15.0
		124	5620	15.89	17.00	15.0
		132	5660	15.90	17.00	15.0
		140	5700	15.92	17.00	15.0
	802.11n-HT20 MCS0	100	5500	15.88	17.00	15.0
		116	5580	15.86	17.00	15.0
		124	5620	15.84	17.00	15.0
		132	5660	15.79	17.00	15.0
		140	5700	15.70	17.00	15.0
	802.11n-HT40 MCS0	102	5510	15.09	16.50	14.5
		110	5550	15.20	16.50	14.5
		126	5630	15.18	16.50	14.5
		134	5670	15.16	16.50	14.5
	802.11ac-VHT20 MCS0	100	5500	15.87	17.00	15.0
		116	5580	15.83	17.00	15.0
		124	5620	15.80	17.00	15.0
		132	5660	15.77	17.00	15.0
		140	5700	15.79	17.00	15.0
	802.11ac-VHT40 MCS0	102	5510	15.29	16.50	14.5
		110	5550	15.15	16.50	14.5
		126	5630	15.22	16.50	14.5
		134	5670	14.17	16.50	13.5
	802.11ac-VHT80 MCS0	106	5530	14.51	16.00	14.0
		122	5610	14.47	16.00	14.0

5GHz WLAN						
5.8GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11a 6Mbps	149	5745	13.83	15.00	13.0
		157	5785	13.82	15.00	13.0
		165	5825	13.84	15.00	13.0
	802.11n-HT20 MCS0	149	5745	13.78	15.00	13.0
		157	5785	13.71	15.00	13.0
		165	5825	13.68	15.00	13.0
	802.11n-HT40 MCS0	151	5755	13.71	15.00	13.0
		159	5795	13.76	15.00	13.0
	802.11ac-VHT20 MCS0	149	5745	13.72	15.00	13.0
		157	5785	13.71	15.00	13.0
		165	5825	13.68	15.00	13.0
	802.11ac-VHT40 MCS0	151	5755	13.83	15.00	13.0
		159	5795	13.81	15.00	13.0
	802.11ac-VHT80 MCS0	155	5775	14.13	15.50	13.5

BT 2.0

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	9.82	7.89	6.75
	CH 39	2441	10.88	8.95	7.80
	CH 78	2480	9.07	7.19	6.07
Tune-up Limit(dBm)			12.5	10.5	10.5

BT 5.0

Mode	Channel	Frequency (MHz)	Average power (dBm)			
			1Mbps	2Mbps	s2	s8
LE	CH 00	2402	0.41	1.45	0.45	0.58
	CH 19	2440	1.40	2.05	1.45	1.58
	CH 39	2480	0.16	0.86	0.20	0.34
Tune-up Limit(dBm)			2.5	2.5	2.5	2.5

WLAN Power DSI-1

2.4GHz WLAN						
2.4GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11b 1Mbps	1	2412	16.42	18.00	16.0
		6	2437	16.79	18.00	16.0
		11	2462	16.88	18.00	16.0
	802.11g 6Mbps	1	2412	16.37	18.00	16.0
		6	2437	16.75	18.00	16.0
		11	2462	16.79	18.00	16.0
	802.11n-HT20 MCS0	1	2412	16.43	18.00	16.0
		6	2437	16.77	18.00	16.0
		11	2462	16.80	18.00	16.0

5GHz WLAN						
5.2GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11a 6Mbps	36	5180	10.46	11.50	10.0
		40	5200	10.32	11.50	10.0
		44	5220	10.45	11.50	10.0
		48	5240	10.50	11.50	10.0
	802.11n-HT20 MCS0	36	5180	10.30	11.50	10.0
		40	5200	10.44	11.50	10.0
		44	5220	10.34	11.50	10.0
		48	5240	10.47	11.50	10.0
	802.11n-HT40 MCS0	38	5190	10.35	11.50	10.0
		46	5230	10.40	11.50	10.0
	802.11ac-VHT20 MCS0	36	5180	10.38	11.50	10.0
		40	5200	10.32	11.50	10.0
		44	5220	10.36	11.50	10.0
		48	5240	10.28	11.50	10.0
	802.11ac-VHT40 MCS0	38	5190	10.41	11.50	10.0
		46	5230	10.43	11.50	10.0
	802.11ac-VHT80 MCS0	42	5210	10.36	11.50	10.0

5GHz WLAN						
5.3GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11a 6Mbps	52	5260	10.41	11.50	10.0
		56	5280	10.45	11.50	10.0
		60	5300	10.51	11.50	10.0
		64	5320	10.58	11.50	10.0
	802.11n-HT20 MCS0	52	5260	10.41	11.50	10.0
		56	5280	10.43	11.50	10.0
		60	5300	10.35	11.50	10.0
		64	5320	10.50	11.50	10.0
	802.11n-HT40 MCS0	54	5270	10.44	11.50	10.0
		62	5310	10.47	11.50	10.0
	802.11ac-VHT20 MCS0	52	5260	10.37	11.50	10.0
		56	5280	10.46	11.50	10.0
		60	5300	10.53	11.50	10.0
		64	5320	10.50	11.50	10.0
	802.11ac-VHT40 MCS0	54	5270	10.43	11.50	10.0
		62	5310	10.42	11.50	10.0
	802.11ac-VHT80 MCS0	58	5290	10.37	11.50	10.0

5GHz WLAN						
5.5GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11a 6Mbps	100	5500	10.55	11.50	10.0
		116	5580	10.42	11.50	10.0
		124	5620	10.56	11.50	10.0
		132	5660	10.53	11.50	10.0
		140	5700	10.53	11.50	10.0
	802.11n-HT20 MCS0	100	5500	10.47	11.50	10.0
		116	5580	10.52	11.50	10.0
		124	5620	10.43	11.50	10.0
		132	5660	10.42	11.50	10.0
		140	5700	10.46	11.50	10.0
	802.11n-HT40 MCS0	102	5510	10.37	11.50	10.0
		110	5550	10.46	11.50	10.0
		126	5630	10.42	11.50	10.0
		134	5670	10.40	11.50	10.0
	802.11ac-VHT20 MCS0	100	5500	10.54	11.50	10.0
		116	5580	10.42	11.50	10.0
		124	5620	10.47	11.50	10.0
		132	5660	10.55	11.50	10.0
		140	5700	10.53	11.50	10.0
	802.11ac-VHT40 MCS0	102	5510	10.51	11.50	10.0
		110	5550	10.43	11.50	10.0
		126	5630	10.46	11.50	10.0
		134	5670	10.41	11.50	10.0
	802.11ac-VHT80 MCS0	106	5530	10.40	11.50	10.0
		122	5610	10.39	11.50	10.0

5GHz WLAN						
5.8GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit (dBm)	Power Setting
	802.11a 6Mbps	149	5745	10.57	11.50	10.0
		157	5785	10.36	11.50	10.0
		165	5825	10.58	11.50	10.0
	802.11n-HT20 MCS0	149	5745	10.51	11.50	10.0
		157	5785	10.43	11.50	10.0
		165	5825	10.40	11.50	10.0
	802.11n-HT40 MCS0	151	5755	10.47	11.50	10.0
		159	5795	10.48	11.50	10.0
	802.11ac-VHT20 MCS0	149	5745	10.47	11.50	10.0
		157	5785	10.49	11.50	10.0
		165	5825	10.40	11.50	10.0
	802.11ac-VHT40 MCS0	151	5755	10.50	11.50	10.0
		159	5795	10.49	11.50	10.0
	802.11ac-VHT80 MCS0	155	5775	10.33	11.50	10.0

Appendix E. Photographs of EUT and Setup