



4.7.2.46 11N20_100 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6765.6883	45.80	22.99	54.00	8.20	150	326	Horizontal
2	6800.4900	54.84	23.35	74.00	19.16	150	68	Horizontal
3	11000.0000	38.32	-4.28	54.00	15.68	150	169	Horizontal
4	11000.0000	50.17	-4.28	74.00	23.83	150	119	Horizontal
5	16500.0000	51.80	-3.62	74.00	22.20	150	119	Horizontal
6	16500.0000	39.60	-3.62	54.00	14.40	150	270	Horizontal
7	17526.4263	45.75	0.69	54.00	8.25	150	220	Horizontal



4.7.2.47 11N20_116 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6851.4926	55.03	23.47	74.00	18.97	150	220	Horizontal
2	6859.2930	46.31	23.49	54.00	7.69	150	68	Horizontal
3	11160.0000	40.25	-3.43	54.00	13.75	150	69	Horizontal
4	11160.0000	51.73	-3.43	74.00	22.27	150	360	Horizontal
5	16740.0000	50.45	-3.33	74.00	23.55	150	170	Horizontal
6	16740.0000	39.46	-3.33	54.00	14.54	150	69	Horizontal
7	17531.3766	45.09	0.75	54.00	8.91	150	220	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.7.2.48 11N20_140 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6878.1939	55.70	23.53	74.00	18.30	150	119	Horizontal
2	6913.2957	46.42	23.65	54.00	7.58	150	170	Horizontal
3	11400.0000	38.27	-4.42	54.00	15.73	150	120	Horizontal
4	11400.0000	49.76	-4.42	74.00	24.24	150	271	Horizontal
5	17100.0000	51.91	-3.09	74.00	22.09	150	321	Horizontal
6	17100.0000	41.76	-3.09	54.00	12.24	150	271	Horizontal
7	17525.3263	45.43	0.67	54.00	8.57	150	321	Horizontal




4.7.2.49 11N20_144 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6871.2936	46.67	24.35	54.00	7.33	150	289	Horizontal
2	6943.2972	56.54	24.95	74.00	17.46	150	88	Horizontal
3	11440.0000	44.43	2.93	54.00	9.57	150	241	Horizontal
4	11440.0000	56.29	2.93	74.00	17.71	150	191	Horizontal
5	17160.0000	58.11	2.26	74.00	15.89	150	0	Horizontal
6	17160.0000	46.36	2.26	54.00	7.64	150	191	Horizontal
7	17611.1306	48.27	4.09	54.00	5.73	150	191	Horizontal



4.7.2.50 11N20_149 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6917.7959	46.71	23.67	54.00	7.29	150	18	Horizontal
2	6962.4981	55.41	23.90	74.00	18.59	150	18	Horizontal
3	11490.0000	36.00	-5.65	54.00	18.00	150	319	Horizontal
4	11490.0000	48.77	-5.65	74.00	25.23	150	218	Horizontal
5	17235.0000	55.40	-1.47	74.00	18.60	150	218	Horizontal
6	17235.0000	42.62	-1.47	54.00	11.38	150	360	Horizontal
7	17612.7806	45.10	1.30	54.00	8.90	150	218	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.7.2.51 11N20_157 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6870.6935	45.60	23.51	54.00	8.40	150	325	Horizontal
2	6961.8981	57.03	23.90	74.00	16.97	150	18	Horizontal
3	11570.0000	38.11	-3.87	54.00	15.89	150	321	Horizontal
4	11570.0000	49.33	-3.87	74.00	24.67	150	169	Horizontal
5	17355.0000	54.04	-1.07	74.00	19.96	150	68	Horizontal
6	17355.0000	42.78	-1.07	54.00	11.22	150	118	Horizontal
7	17614.4307	45.28	1.25	54.00	8.72	150	220	Horizontal




4.7.2.52 11N20_165 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6684.6842	54.72	22.30	74.00	19.28	150	273	Horizontal
2	6857.1929	46.27	23.48	54.00	7.73	150	122	Horizontal
3	11650.0000	39.27	-3.16	54.00	14.73	150	320	Horizontal
4	11650.0000	50.20	-3.16	74.00	23.80	150	320	Horizontal
5	17475.0000	54.00	0.02	74.00	20.00	150	18	Horizontal
6	17475.0000	43.07	0.02	54.00	10.93	150	118	Horizontal
7	17524.2262	45.25	0.66	54.00	8.75	150	220	Horizontal




4.7.2.53 11N40_38 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6762.9881	45.04	22.97	54.00	8.96	150	140	Vertical
2	6848.1924	55.29	23.46	74.00	18.71	150	0	Vertical
3	10380.0000	37.56	-5.36	54.00	16.44	150	342	Vertical
4	10380.0000	49.30	-5.36	74.00	24.70	150	35	Vertical
5	15570.0000	48.08	-4.02	74.00	25.92	150	135	Vertical
6	15570.0000	37.23	-4.02	54.00	16.77	150	236	Vertical
7	17797.5899	45.14	-0.77	54.00	8.86	150	287	Vertical




4.7.2.54 11N40_46 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6332.7666	53.97	21.60	74.00	20.03	150	191	Vertical
2	6744.3872	45.01	22.77	54.00	8.99	150	0	Vertical
3	10460.0000	38.67	-4.70	54.00	15.33	150	292	Vertical
4	10460.0000	50.86	-4.70	74.00	23.14	150	190	Vertical
5	15690.0000	50.20	-2.93	74.00	23.80	150	0	Vertical
6	15690.0000	39.14	-2.93	54.00	14.86	150	292	Vertical
7	17783.2892	45.20	-0.80	54.00	8.80	150	241	Vertical




4.7.2.55 11N40_54 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6766.2883	54.67	23.00	74.00	19.33	150	0	Vertical
2	6798.3899	45.32	23.33	54.00	8.68	150	40	Vertical
3	10540.0000	39.17	-4.46	54.00	14.83	150	291	Vertical
4	10540.0000	50.58	-4.46	74.00	23.42	150	291	Vertical
5	15810.0000	50.89	-2.42	74.00	23.11	150	39	Vertical
6	15810.0000	39.64	-2.42	54.00	14.36	150	241	Vertical
7	17536.3268	45.10	0.81	54.00	8.90	150	140	Vertical




4.7.2.56 11N40_62 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6747.3874	54.77	22.80	74.00	19.23	150	41	Vertical
2	6853.2927	45.96	23.47	54.00	8.04	150	292	Vertical
3	10620.0000	39.30	-4.72	54.00	14.70	150	90	Vertical
4	10620.0000	50.35	-4.72	74.00	23.65	150	241	Vertical
5	15930.0000	49.72	-3.73	74.00	24.28	150	140	Vertical
6	15930.0000	38.05	-3.73	54.00	15.95	150	140	Vertical
7	17529.1765	45.02	0.72	54.00	8.98	150	40	Vertical




4.7.2.57 11N40_102 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6669.9835	45.55	22.29	54.00	8.45	150	41	Vertical
2	6782.4891	55.08	23.17	74.00	18.92	150	192	Vertical
3	11020.0000	38.92	-4.09	54.00	15.08	150	292	Vertical
4	11020.0000	49.77	-4.09	74.00	24.23	150	90	Vertical
5	16530.0000	50.41	-3.84	74.00	23.59	150	90	Vertical
6	16530.0000	39.44	-3.84	54.00	14.56	150	0	Vertical
7	17521.4761	45.17	0.62	54.00	8.83	150	90	Vertical




4.7.2.58 11N40_110 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6852.9927	45.41	23.47	54.00	8.59	150	292	Vertical
2	6868.8934	56.96	23.51	74.00	17.04	150	0	Vertical
3	11100.0000	40.41	-3.36	54.00	13.59	150	241	Vertical
4	11100.0000	51.68	-3.36	74.00	22.32	150	89	Vertical
5	16650.0000	51.02	-4.20	74.00	22.98	150	241	Vertical
6	16650.0000	39.47	-4.20	54.00	14.53	150	241	Vertical
7	17529.1765	45.05	0.72	54.00	8.95	150	39	Vertical




4.7.2.59 11N40_134 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6792.6896	45.61	23.27	54.00	8.39	150	291	Vertical
2	6888.0944	56.10	23.55	74.00	17.90	150	191	Vertical
3	11340.0000	39.25	-4.59	54.00	14.75	150	342	Vertical
4	11340.0000	49.73	-4.59	74.00	24.27	150	192	Vertical
5	17010.0000	50.76	-3.20	74.00	23.24	150	91	Vertical
6	17010.0000	39.63	-3.20	54.00	14.37	150	0	Vertical
7	17529.7265	45.31	0.73	54.00	8.69	150	342	Vertical



4.7.2.60 11N40_142 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6949.2975	56.84	25.02	74.00	17.16	150	320	Vertical
2	6998.1999	47.72	24.77	54.00	6.28	150	168	Vertical
3	11420.0000	45.11	2.99	54.00	8.89	150	274	Vertical
4	11420.0000	56.35	2.99	74.00	17.65	150	274	Vertical
5	17130.0000	57.30	1.88	74.00	16.70	150	123	Vertical
6	17130.0000	46.50	1.88	54.00	7.50	150	18	Vertical
7	17985.1493	47.44	1.86	54.00	6.56	150	18	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.7.2.61 11N40_151 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6834.3917	45.25	23.43	54.00	8.75	150	90	Vertical
2	6870.3935	55.26	23.51	74.00	18.74	150	40	Vertical
3	11510.0000	36.38	-5.50	54.00	17.62	150	190	Vertical
4	11510.0000	47.49	-5.50	74.00	26.51	150	140	Vertical
5	17265.0000	52.85	-1.33	74.00	21.15	150	0	Vertical
6	17265.0000	42.92	-1.33	54.00	11.08	150	241	Vertical
7	17529.1765	45.13	0.72	54.00	8.87	150	40	Vertical




4.7.2.62 11N40_159 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6882.9942	46.22	23.54	54.00	7.78	150	292	Vertical
2	6888.0944	55.68	23.55	74.00	18.32	150	292	Vertical
3	11590.0000	38.51	-3.32	54.00	15.49	150	39	Vertical
4	11590.0000	49.84	-3.32	74.00	24.16	150	190	Vertical
5	17385.0000	54.15	-1.02	74.00	19.85	150	0	Vertical
6	17385.0000	43.21	-1.02	54.00	10.79	150	342	Vertical
7	17525.8763	45.41	0.68	54.00	8.59	150	39	Vertical




4.7.2.63 11N40_38 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6834.9918	45.28	23.43	54.00	8.72	150	69	Horizontal
2	6855.6928	55.46	23.48	74.00	18.54	150	69	Horizontal
3	10380.0000	37.29	-5.36	54.00	16.71	150	321	Horizontal
4	10380.0000	48.90	-5.36	74.00	25.10	150	321	Horizontal
5	15570.0000	47.96	-4.02	74.00	26.04	150	18	Horizontal
6	15570.0000	36.78	-4.02	54.00	17.22	150	321	Horizontal
7	17608.9304	45.03	1.40	54.00	8.97	150	321	Horizontal




4.7.2.64 11N40_46 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6554.1777	54.23	22.05	74.00	19.77	150	68	Horizontal
2	6838.5919	45.37	23.44	54.00	8.63	150	171	Horizontal
3	10460.0000	38.81	-4.70	54.00	15.19	150	270	Horizontal
4	10460.0000	50.14	-4.70	74.00	23.86	150	69	Horizontal
5	15690.0000	50.05	-2.93	74.00	23.95	150	220	Horizontal
6	15690.0000	39.48	-2.93	54.00	14.52	150	119	Horizontal
7	17533.0267	45.00	0.77	54.00	9.00	150	69	Horizontal




4.7.2.65 11N40_54 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6592.8796	44.60	22.20	54.00	9.40	150	360	Horizontal
2	6693.9847	54.95	22.31	74.00	19.05	150	220	Horizontal
3	10540.0000	39.38	-4.46	54.00	14.62	150	320	Horizontal
4	10540.0000	50.37	-4.46	74.00	23.63	150	270	Horizontal
5	15810.0000	50.75	-2.42	74.00	23.25	150	320	Horizontal
6	15810.0000	39.62	-2.42	54.00	14.38	150	270	Horizontal
7	17474.1737	44.03	0.00	54.00	9.97	150	270	Horizontal



4.7.2.66 11N40_62 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6790.5895	45.25	23.25	54.00	8.75	150	168	Horizontal
2	6834.9918	55.15	23.43	74.00	18.85	150	319	Horizontal
3	10620.0000	39.74	-4.72	54.00	14.26	150	220	Horizontal
4	10620.0000	51.30	-4.72	74.00	22.70	150	220	Horizontal
5	15930.0000	49.87	-3.73	74.00	24.13	150	320	Horizontal
6	15930.0000	38.83	-3.73	54.00	15.17	150	320	Horizontal
7	17602.3301	45.23	1.57	54.00	8.77	150	18	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.7.2.67 11N40_102 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6839.7920	45.69	23.44	54.00	8.31	150	68	Horizontal
2	6878.1939	55.46	23.53	74.00	18.54	150	171	Horizontal
3	11020.0000	38.74	-4.09	54.00	15.26	150	269	Horizontal
4	11020.0000	51.16	-4.09	74.00	22.84	150	320	Horizontal
5	16530.0000	50.74	-3.84	74.00	23.26	150	169	Horizontal
6	16530.0000	39.46	-3.84	54.00	14.54	150	119	Horizontal
7	17517.6259	45.40	0.58	54.00	8.60	150	360	Horizontal




4.7.2.68 11N40_110 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6903.6952	45.55	23.60	54.00	8.45	150	325	Horizontal
2	6909.0955	55.33	23.63	74.00	18.67	150	18	Horizontal
3	11100.0000	40.25	-3.36	54.00	13.75	150	18	Horizontal
4	11100.0000	51.35	-3.36	74.00	22.65	150	170	Horizontal
5	16650.0000	51.10	-4.20	74.00	22.90	150	360	Horizontal
6	16650.0000	39.24	-4.20	54.00	14.76	150	270	Horizontal
7	17793.7397	45.09	-0.78	54.00	8.91	150	170	Horizontal




4.7.2.69 11N40_134 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6911.7956	54.80	23.64	74.00	19.20	150	360	Horizontal
2	6929.4965	46.28	23.73	54.00	7.72	150	169	Horizontal
3	11340.0000	39.16	-4.59	54.00	14.84	150	68	Horizontal
4	11340.0000	50.65	-4.59	74.00	23.35	150	170	Horizontal
5	17010.0000	50.56	-3.20	74.00	23.44	150	68	Horizontal
6	17010.0000	39.46	-3.20	54.00	14.54	150	170	Horizontal
7	17529.7265	45.24	0.73	54.00	8.76	150	68	Horizontal




4.7.2.70 11N40_142 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6885.3943	56.66	24.43	74.00	17.34	150	41	Horizontal
2	6944.1972	46.85	24.96	54.00	7.15	150	41	Horizontal
3	11420.0000	45.19	2.99	54.00	8.81	150	41	Horizontal
4	11420.0000	55.99	2.99	74.00	18.01	150	41	Horizontal
5	17130.0000	58.09	1.88	74.00	15.91	150	291	Horizontal
6	17130.0000	46.16	1.88	54.00	7.84	150	342	Horizontal
7	17915.2958	47.39	2.54	54.00	6.61	150	142	Horizontal




4.7.2.71 11N40_151 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6828.3914	45.41	23.42	54.00	8.59	150	275	Horizontal
2	6853.8927	55.43	23.47	74.00	18.57	150	325	Horizontal
3	11510.0000	36.23	-5.50	54.00	17.77	150	271	Horizontal
4	11510.0000	47.20	-5.50	74.00	26.80	150	119	Horizontal
5	17265.0000	53.11	-1.33	74.00	20.89	150	119	Horizontal
6	17265.0000	42.68	-1.33	54.00	11.32	150	18	Horizontal
7	17620.4810	45.23	1.10	54.00	8.77	150	18	Horizontal




4.7.2.72 11N40_159 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6873.0937	45.83	23.52	54.00	8.17	150	319	Horizontal
2	6966.0983	55.56	23.92	74.00	18.44	150	69	Horizontal
3	11590.0000	38.31	-3.32	54.00	15.69	150	221	Horizontal
4	11590.0000	49.60	-3.32	74.00	24.40	150	360	Horizontal
5	17385.0000	54.49	-1.02	74.00	19.51	150	322	Horizontal
6	17385.0000	43.44	-1.02	54.00	10.56	150	322	Horizontal
7	17525.8763	45.50	0.68	54.00	8.50	150	18	Horizontal



4.7.2.73 11AC20_36 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6744.0872	45.47	22.77	54.00	8.53	150	0	Vertical
2	6903.6952	55.93	23.60	74.00	18.07	150	292	Vertical
3	10360.0000	37.64	-5.35	54.00	16.36	150	342	Vertical
4	10360.0000	48.52	-5.35	74.00	25.48	150	342	Vertical
5	15540.0000	49.76	-3.26	74.00	24.24	150	40	Vertical
6	15540.0000	37.45	-3.26	54.00	16.55	150	241	Vertical
7	17835.5418	45.13	-0.89	54.00	8.87	150	292	Vertical




4.7.2.74 11AC20_44 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6445.5723	53.79	21.91	74.00	20.21	150	191	Vertical
2	6607.5804	44.78	22.24	54.00	9.22	150	141	Vertical
3	10440.0000	38.77	-4.92	54.00	15.23	150	88	Vertical
4	10440.0000	49.97	-4.92	74.00	24.03	150	240	Vertical
5	15660.0000	48.25	-3.54	74.00	25.75	150	0	Vertical
6	15660.0000	38.42	-3.54	54.00	15.58	150	0	Vertical
7	17528.0764	45.05	0.71	54.00	8.95	150	240	Vertical




4.7.2.75 11AC20_48 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6742.5871	45.73	22.75	54.00	8.27	150	40	Vertical
2	6846.3923	54.67	23.46	74.00	19.33	150	342	Vertical
3	10480.0000	39.16	-4.49	54.00	14.84	150	141	Vertical
4	10480.0000	50.96	-4.49	74.00	23.04	150	141	Vertical
5	15720.0000	50.71	-2.65	74.00	23.29	150	40	Vertical
6	15720.0000	39.82	-2.65	54.00	14.18	150	90	Vertical
7	17523.6762	44.98	0.65	54.00	9.02	150	292	Vertical




4.7.2.76 11AC20_52 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6399.9700	53.98	21.96	74.00	20.02	150	240	Vertical
2	6740.4870	44.89	22.73	54.00	9.11	150	40	Vertical
3	10520.0000	39.16	-4.37	54.00	14.84	150	242	Vertical
4	10520.0000	50.01	-4.37	74.00	23.99	150	90	Vertical
5	15780.0000	50.72	-2.36	74.00	23.28	150	40	Vertical
6	15780.0000	39.30	-2.36	54.00	14.70	150	0	Vertical
7	17603.9802	45.03	1.53	54.00	8.97	150	291	Vertical




4.7.2.77 11AC20_60 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6284.4642	54.30	21.24	74.00	19.70	150	141	Vertical
2	6735.6868	44.74	22.68	54.00	9.26	150	141	Vertical
3	10600.0000	39.23	-4.75	54.00	14.77	150	0	Vertical
4	10600.0000	51.01	-4.75	74.00	22.99	150	141	Vertical
5	15900.0000	48.58	-3.75	74.00	25.42	150	40	Vertical
6	15900.0000	38.61	-3.75	54.00	15.39	150	292	Vertical
7	17540.7270	44.81	0.87	54.00	9.19	150	40	Vertical




4.7.2.78 11AC20_64 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6795.0898	54.63	23.30	74.00	19.37	150	291	Vertical
2	6846.6923	45.65	23.46	54.00	8.35	150	241	Vertical
3	10640.0000	39.23	-4.69	54.00	14.77	150	342	Vertical
4	10640.0000	50.63	-4.69	74.00	23.37	150	342	Vertical
5	15960.0000	48.86	-3.70	74.00	25.14	150	292	Vertical
6	15960.0000	37.73	-3.70	54.00	16.27	150	39	Vertical
7	17603.9802	45.11	1.53	54.00	8.89	150	39	Vertical




4.7.2.79 11AC20_100 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6413.1707	53.96	21.94	74.00	20.04	150	342	Vertical
2	6452.7726	45.10	21.90	54.00	8.90	150	342	Vertical
3	11000.0000	38.58	-4.28	54.00	15.42	150	40	Vertical
4	11000.0000	50.53	-4.28	74.00	23.47	150	292	Vertical
5	16500.0000	50.52	-3.62	74.00	23.48	150	90	Vertical
6	16500.0000	39.61	-3.62	54.00	14.39	150	40	Vertical
7	17525.8763	45.25	0.68	54.00	8.75	150	342	Vertical




4.7.2.80 11AC20_116 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6815.4908	55.54	23.39	74.00	18.46	150	40	Vertical
2	6815.4908	45.79	23.39	54.00	8.21	150	241	Vertical
3	11160.0000	40.40	-3.43	54.00	13.60	150	134	Vertical
4	11160.0000	51.11	-3.43	74.00	22.89	150	188	Vertical
5	16740.0000	50.51	-3.33	74.00	23.49	150	188	Vertical
6	16740.0000	39.28	-3.33	54.00	14.72	150	238	Vertical
7	17530.8265	45.16	0.74	54.00	8.84	150	238	Vertical




4.7.2.81 11AC20_140 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6849.0925	45.98	23.46	54.00	8.02	150	241	Vertical
2	6966.3983	55.36	23.93	74.00	18.64	150	241	Vertical
3	11400.0000	38.49	-4.42	54.00	15.51	150	191	Vertical
4	11400.0000	48.96	-4.42	74.00	25.04	150	41	Vertical
5	17100.0000	52.38	-3.09	74.00	21.62	150	41	Vertical
6	17100.0000	40.93	-3.09	54.00	13.07	150	141	Vertical
7	17819.0410	44.89	-0.83	54.00	9.11	150	41	Vertical




4.7.2.82 11AC20_144 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6919.8960	47.08	24.71	54.00	6.92	150	119	Vertical
2	6999.7000	55.53	24.76	74.00	18.47	150	270	Vertical
3	11440.0000	44.79	2.93	54.00	9.21	150	18	Vertical
4	11440.0000	56.30	2.93	74.00	17.70	150	219	Vertical
5	17160.0000	57.91	2.26	74.00	16.09	150	168	Vertical
6	17160.0000	46.50	2.26	54.00	7.50	150	118	Vertical
7	17606.1803	47.88	4.19	54.00	6.12	150	219	Vertical




4.7.2.83 11AC20_149 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6600.3800	55.32	22.23	74.00	18.68	150	192	Vertical
2	6793.5897	45.16	23.28	54.00	8.84	150	141	Vertical
3	11490.0000	36.52	-5.65	54.00	17.48	150	140	Vertical
4	11490.0000	47.21	-5.65	74.00	26.79	150	140	Vertical
5	17235.0000	55.01	-1.47	74.00	18.99	150	140	Vertical
6	17235.0000	42.62	-1.47	54.00	11.38	150	39	Vertical
7	17557.7779	44.95	1.09	54.00	9.05	150	190	Vertical




4.7.2.84 11AC20_157 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6480.0740	53.98	21.86	74.00	20.02	150	342	Vertical
2	6719.1860	44.89	22.51	54.00	9.11	150	91	Vertical
3	11570.0000	38.25	-3.87	54.00	15.75	150	292	Vertical
4	11570.0000	48.74	-3.87	74.00	25.26	150	342	Vertical
5	17355.0000	54.53	-1.07	74.00	19.47	150	192	Vertical
6	17355.0000	42.72	-1.07	54.00	11.28	150	241	Vertical
7	17553.9277	45.12	1.04	54.00	8.88	150	342	Vertical




4.7.2.85 11AC20_165 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6835.8918	46.53	23.43	54.00	7.47	150	0	Vertical
2	6870.3935	54.87	23.51	74.00	19.13	150	90	Vertical
3	11650.0000	39.24	-3.16	54.00	14.76	150	0	Vertical
4	11650.0000	50.54	-3.16	74.00	23.46	150	342	Vertical
5	17475.0000	53.91	0.02	74.00	20.09	150	40	Vertical
6	17475.0000	43.28	0.02	54.00	10.72	150	141	Vertical
7	17522.0261	45.02	0.63	54.00	8.98	150	191	Vertical




4.7.2.86 11AC20_36 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6347.7674	53.78	21.68	74.00	20.22	150	220	Horizontal
2	6657.0829	44.38	22.28	54.00	9.62	150	18	Horizontal
3	10360.0000	37.74	-5.35	54.00	16.26	150	170	Horizontal
4	10360.0000	48.98	-5.35	74.00	25.02	150	221	Horizontal
5	15540.0000	49.46	-3.26	74.00	24.54	150	360	Horizontal
6	15540.0000	37.74	-3.26	54.00	16.26	150	18	Horizontal
7	17606.1803	45.30	1.47	54.00	8.70	150	119	Horizontal




4.7.2.87 11AC20_44 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6553.8777	44.46	22.05	54.00	9.54	150	18	Horizontal
2	6598.2799	53.75	22.22	74.00	20.25	150	69	Horizontal
3	10440.0000	38.57	-4.92	54.00	15.43	150	220	Horizontal
4	10440.0000	49.73	-4.92	74.00	24.27	150	119	Horizontal
5	15660.0000	50.81	-3.54	74.00	23.19	150	220	Horizontal
6	15660.0000	38.07	-3.54	54.00	15.93	150	170	Horizontal
7	17546.2273	44.90	0.94	54.00	9.10	150	69	Horizontal



4.7.2.88 11AC20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6685.8843	53.88	22.30	74.00	20.12	150	18	Horizontal
2	6785.1893	45.14	23.20	54.00	8.86	150	18	Horizontal
3	10480.0000	39.12	-4.49	54.00	14.88	150	219	Horizontal
4	10480.0000	49.52	-4.49	74.00	24.48	150	219	Horizontal
5	15720.0000	51.24	-2.65	74.00	22.76	150	119	Horizontal
6	15720.0000	39.31	-2.65	54.00	14.69	150	360	Horizontal
7	17509.9255	45.00	0.48	54.00	9.00	150	219	Horizontal



4.7.2.89 11AC20_52 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6364.8682	45.02	21.77	54.00	8.98	150	170	Horizontal
2	6708.6854	54.62	22.40	74.00	19.38	150	360	Horizontal
3	10520.0000	39.05	-4.37	54.00	14.95	150	18	Horizontal
4	10520.0000	50.67	-4.37	74.00	23.33	150	68	Horizontal
5	15780.0000	50.33	-2.36	74.00	23.67	150	271	Horizontal
6	15780.0000	39.66	-2.36	54.00	14.34	150	360	Horizontal
7	17520.3760	45.17	0.61	54.00	8.83	150	68	Horizontal




4.7.2.90 11AC20_60 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6538.5769	54.18	21.99	74.00	19.82	150	18	Horizontal
2	6703.8852	45.52	22.35	54.00	8.48	150	324	Horizontal
3	10600.0000	39.49	-4.75	54.00	14.51	150	321	Horizontal
4	10600.0000	51.15	-4.75	74.00	22.85	150	220	Horizontal
5	15900.0000	49.32	-3.75	74.00	24.68	150	69	Horizontal
6	15900.0000	38.05	-3.75	54.00	15.95	150	271	Horizontal
7	17817.9409	45.16	-0.83	54.00	8.84	150	18	Horizontal




4.7.2.91 11AC20_64 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6336.6668	53.57	21.62	74.00	20.43	150	270	Horizontal
2	6402.6701	44.36	21.96	54.00	9.64	150	320	Horizontal
3	10640.0000	39.25	-4.69	54.00	14.75	150	220	Horizontal
4	10640.0000	50.47	-4.69	74.00	23.53	150	270	Horizontal
5	15960.0000	49.52	-3.70	74.00	24.48	150	169	Horizontal
6	15960.0000	37.59	-3.70	54.00	16.41	150	320	Horizontal
7	17526.4263	44.94	0.69	54.00	9.06	150	360	Horizontal




4.7.2.92 11AC20_100 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6514.8757	44.68	21.90	54.00	9.32	150	321	Horizontal
2	6534.3767	54.11	21.97	74.00	19.89	150	360	Horizontal
3	11000.0000	38.85	-4.28	54.00	15.15	150	220	Horizontal
4	11000.0000	49.25	-4.28	74.00	24.75	150	69	Horizontal
5	16500.0000	51.18	-3.62	74.00	22.82	150	220	Horizontal
6	16500.0000	39.24	-3.62	54.00	14.76	150	170	Horizontal
7	17528.6264	45.11	0.72	54.00	8.89	150	220	Horizontal




4.7.2.93 11AC20_116 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6473.4737	53.52	21.87	74.00	20.48	150	274	Horizontal
2	6677.7839	44.68	22.29	54.00	9.32	150	325	Horizontal
3	11160.0000	40.39	-3.43	54.00	13.61	150	322	Horizontal
4	11160.0000	50.87	-3.43	74.00	23.13	150	119	Horizontal
5	16740.0000	50.18	-3.33	74.00	23.82	150	171	Horizontal
6	16740.0000	38.87	-3.33	54.00	15.13	150	272	Horizontal
7	17527.5264	45.11	0.70	54.00	8.89	150	119	Horizontal




4.7.2.94 11AC20_140 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6756.6878	45.13	22.90	54.00	8.87	150	173	Horizontal
2	6864.9933	55.10	23.50	74.00	18.90	150	123	Horizontal
3	11400.0000	38.18	-4.42	54.00	15.82	150	320	Horizontal
4	11400.0000	49.67	-4.42	74.00	24.33	150	18	Horizontal
5	17100.0000	52.09	-3.09	74.00	21.91	150	118	Horizontal
6	17100.0000	41.05	-3.09	54.00	12.95	150	270	Horizontal
7	17605.6303	45.21	1.48	54.00	8.79	150	118	Horizontal




4.7.2.95 11AC20_144 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.3977	47.37	25.00	54.00	6.63	150	292	Horizontal
2	6960.9981	56.55	24.97	74.00	17.45	150	292	Horizontal
3	11440.0000	44.93	2.93	54.00	9.07	150	342	Horizontal
4	11440.0000	55.28	2.93	74.00	18.72	150	191	Horizontal
5	17160.0000	57.47	2.26	74.00	16.53	150	142	Horizontal
6	17160.0000	46.86	2.26	54.00	7.14	150	191	Horizontal
7	17906.4953	47.59	2.63	54.00	6.41	150	142	Horizontal




4.7.2.96 11AC20_149 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6776.1888	45.15	23.10	54.00	8.85	150	170	Horizontal
2	6826.8913	55.71	23.41	74.00	18.29	150	119	Horizontal
3	11490.0000	36.16	-5.65	54.00	17.84	150	270	Horizontal
4	11490.0000	46.71	-5.65	74.00	27.29	150	270	Horizontal
5	17235.0000	54.50	-1.47	74.00	19.50	150	270	Horizontal
6	17235.0000	42.76	-1.47	54.00	11.24	150	321	Horizontal
7	17783.8392	45.15	-0.80	54.00	8.85	150	360	Horizontal




4.7.2.97 11AC20_157 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6864.6932	46.12	23.50	54.00	7.88	150	69	Horizontal
2	6902.1951	56.51	23.59	74.00	17.49	150	69	Horizontal
3	11570.0000	38.25	-3.87	54.00	15.75	150	320	Horizontal
4	11570.0000	48.80	-3.87	74.00	25.20	150	119	Horizontal
5	17355.0000	53.63	-1.07	74.00	20.37	150	360	Horizontal
6	17355.0000	42.94	-1.07	54.00	11.06	150	219	Horizontal
7	17532.4766	45.04	0.77	54.00	8.96	150	360	Horizontal




4.7.2.98 11AC20_165 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6874.5937	46.06	23.52	54.00	7.94	150	119	Horizontal
2	6910.8955	55.39	23.64	74.00	18.61	150	220	Horizontal
3	11650.0000	39.17	-3.16	54.00	14.83	150	360	Horizontal
4	11650.0000	50.04	-3.16	74.00	23.96	150	270	Horizontal
5	17475.0000	54.08	0.02	74.00	19.92	150	360	Horizontal
6	17475.0000	43.00	0.02	54.00	11.00	150	220	Horizontal
7	17526.4263	45.17	0.69	54.00	8.83	150	220	Horizontal



4.7.2.99 11AC40_38 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6712.2856	54.95	22.44	74.00	19.05	150	118	Vertical
2	6895.2948	45.75	23.57	54.00	8.25	150	321	Vertical
3	10380.0000	37.73	-5.36	54.00	16.27	150	342	Vertical
4	10380.0000	49.23	-5.36	74.00	24.77	150	241	Vertical
5	15570.0000	48.64	-4.02	74.00	25.36	150	39	Vertical
6	15570.0000	36.66	-4.02	54.00	17.34	150	190	Vertical
7	17527.5264	45.29	0.70	54.00	8.71	150	342	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.7.2.100 11AC40_46 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6618.6809	44.37	22.24	54.00	9.63	150	39	Vertical
2	6828.0914	55.93	23.41	74.00	18.07	150	241	Vertical
3	10460.0000	38.33	-4.70	54.00	15.67	150	190	Vertical
4	10460.0000	51.23	-4.70	74.00	22.77	150	241	Vertical
5	15690.0000	51.09	-2.93	74.00	22.91	150	139	Vertical
6	15690.0000	38.92	-2.93	54.00	15.08	150	190	Vertical
7	17545.1273	45.02	0.93	54.00	8.98	150	38	Vertical




4.7.2.101 11AC40_54 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6328.5664	54.11	21.58	74.00	19.89	150	292	Vertical
2	6476.7738	44.24	21.87	54.00	9.76	150	241	Vertical
3	10540.0000	39.16	-4.46	54.00	14.84	150	342	Vertical
4	10540.0000	50.10	-4.46	74.00	23.90	150	292	Vertical
5	15810.0000	51.05	-2.42	74.00	22.95	150	292	Vertical
6	15810.0000	39.43	-2.42	54.00	14.57	150	40	Vertical
7	17616.6308	45.09	1.20	54.00	8.91	150	342	Vertical




4.7.2.102 11AC40_62 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6431.7716	44.95	21.92	54.00	9.05	150	342	Vertical
2	6926.7963	56.37	23.72	74.00	17.63	150	89	Vertical
3	10620.0000	39.25	-4.72	54.00	14.75	150	90	Vertical
4	10620.0000	49.97	-4.72	74.00	24.03	150	140	Vertical
5	15930.0000	49.65	-3.73	74.00	24.35	150	39	Vertical
6	15930.0000	38.06	-3.73	54.00	15.94	150	292	Vertical
7	17530.2765	45.03	0.74	54.00	8.97	150	292	Vertical



4.7.2.103 11AC40_102 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6764.1882	54.19	22.98	74.00	19.81	150	90	Vertical
2	6867.9934	45.94	23.51	54.00	8.06	150	140	Vertical
3	11020.0000	38.71	-4.09	54.00	15.29	150	41	Vertical
4	11020.0000	50.34	-4.09	74.00	23.66	150	41	Vertical
5	16530.0000	50.18	-3.84	74.00	23.82	150	91	Vertical
6	16530.0000	39.89	-3.84	54.00	14.11	150	291	Vertical
7	17524.2262	45.09	0.66	54.00	8.91	150	192	Vertical

