



EXHIBIT 8

Section 2.1033 (c) (11) FCC IDENTIFICATION LABEL

SPEC DRAWING
FOR REFERENCE ONLY
(DO NOT USE FOR REPRODUCTION)

ORIGINAL ARTWORK
USE FOR REPRODUCTION
COMPOSITE



Ideal Jacobs Corporation • 515 Valley Street • Maplewood, NJ 07040 • 973-275-5100 • FAX: 973-275-5161 • email: info@idealjacobs.com
Ideal Jacobs (Xiamen) Corporation • 319 East Hubin Road • Xiamen, Fujian 361012 • 0592-506-4000 • FAX: 0592-507-4000 • email: info@idealjacobs.com.cn

Title: B13 RRH4X30 Label	Materials: 10mil velvet/matte polycarbonate 8B35 with 3M 467.		
P/N(Comcode): 3JR53395AAAA	Inks: Subsurface print Black, Safety Yellow, PMS 266C and Cool Gray 1 as per OS20000.		
Cust. Rev#: 04	Text: Match.	Die Strike: .02"	
Engineer: ---	Dwg. Date: ---	Client: ASB	Job#: P14----

Certifications: Labels shall meet UL and CSA requirements where applicable. Vendor must be UL and/or CSA approved. Documentation verifying the vendor's certifications for the material shall be provided by the vendor with each package/container. Labels are RoHS compliant.

All units are in millimeters • Tolerance is: 2 places .25mm • Symbology agrees with: ISO 1101 and ISO 1302

IJREV	DESCRIPTION	DRAWN	CHECKED	DATE	APPROVED	DATE
1	Initial release.	JX	CC	06-25-14	---	---
2	Updated to match Rev 02 Drawing.	JX/DOL	CC/IOL	02-11-15	---	---
3	Updated to match Rev 04 Drawing.	JX	CC	02-28-15	---	---

EXHIBIT 8

Section 2.1033 (c) (11) FCC IDENTIFICATION LABEL

FCC Identification Label Location

