



## **Exhibit: Test Setup Photos**

FCC ID: 2ADLKNEE20  
IC: 12505A-NEE20

Report File #: 7169004546R-000

Client	Nymi™	
Product	Nymi Band 2.0	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 1 – EUT Close Up

Client	Nymi™	
Product	Nymi Band 2.0	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 2 – Radiated Emissions Setup

Client	Nymi™	
Product	Nymi Band 2.0	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 3 – Radiated Emissions Setup



Client	Nymi™	
Product	Nymi Band 2.0	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 4 – Radiated Emissions Setup

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.

Client	Nymi™	
Product	Nymi Band 2.0	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 5 – Radiated Emissions Setup

Note: As per ANSI C63.10-2013 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.

Client	Nymi™	
Product	Nymi Band 2.0	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	




Figure 6 – Antenna Port Conducted Emissions Setup



Client	Nymi™	
Product	Nymi Band 2.0	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 7 – Conducted Emissions Setup