





FR1 n71 / 10MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge



12:05:40 AM 09/28/2024


Highest Band Edge



12:09:47 AM 09/28/2024


FR1 n71 / 10MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge



12:06:28 AM 09/28/2024

Highest Band Edge




12:10:35 AM 09/28/2024




FR1 n71 / 10MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge



12:07:18 AM 09/28/2024


Highest Band Edge



12:11:25 AM 09/28/2024


FR1 n71 / 10MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



12:38:40 AM 10/15/2024

Highest Band Edge




12:39:27 AM 10/15/2024




FR1 n71 / 15MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge



12:12:19 AM 09/28/2024


Highest Band Edge



12:16:26 AM 09/28/2024


FR1 n71 / 15MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge



12:13:07 AM 09/28/2024

Highest Band Edge




12:17:15 AM 09/28/2024




FR1 n71 / 15MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge



12:13:55 AM 09/28/2024


Highest Band Edge



12:18:03 AM 09/28/2024


FR1 n71 / 15MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge



12:14:44 AM 09/28/2024

Highest Band Edge




12:16:52 AM 09/28/2024




FR1 n71 / 15MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge




Highest Band Edge




FR1 n71 / 15MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge






FR1 n71 / 20MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge



12:20:36 AM 09/28/2024


Highest Band Edge



12:24:43 AM 09/28/2024


FR1 n71 / 20MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge



12:21:24 AM 09/28/2024

Highest Band Edge




12:25:31 AM 09/28/2024




FR1 n71 / 20MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n71 / 20MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge




Highest Band Edge






FR1 n71 / 20MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge




Highest Band Edge




FR1 n71 / 20MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge







Conducted Spurious Emission

FR1 n71 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n71 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0002	PASS
40	Normal Voltage	0.0012	
30	Normal Voltage	0.0015	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0058	
0	Normal Voltage	0.0050	
-10	Normal Voltage	0.0011	
-20	Normal Voltage	0.0058	
-30	Normal Voltage	0.0039	
20	Maximum Voltage	0.0027	
20	Normal Voltage	0.0037	
20	Minimum Voltage	0.0024	

Note:

1. Normal Voltage = 4.2 V. ; Minimum Voltage = 3.4 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

Test Conditions		FR1 n71 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 5MHz	Note 2.
		Frequency Offset (Δf) (Hz)	Result
50	Normal Voltage	5.2	PASS
40	Normal Voltage	-5.7	
30	Normal Voltage	-2.7	
20(Ref.)	Normal Voltage	2.7	
10	Normal Voltage	7.5	
0	Normal Voltage	1.8	
-10	Normal Voltage	-6.6	
-20	Normal Voltage	-5.5	
-30	Normal Voltage	3.1	
20	Maximum Voltage	5	
20	Normal Voltage	7.4	
20	Minimum Voltage	-2.3	

Note:

1. Normal Voltage = 4.2 V. ; Minimum Voltage = 3.4 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBUV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 27N	NR SA n71	M	1343	-58.13	RMS	25.87	-32.56	0.68	-95.23	43.11	-13.00	-45.13	H	0
2	Part 27N	NR SA n71	M	2015	-47.37	RMS	26.92	-31.39	0.06	-95.23	52.27	-13.00	-34.37	V	2
3	Part 27N	NR SA n71	H	2037	-48.45	RMS	27.10	-31.36	0.08	-95.23	50.96	-13.00	-35.45	V	0+2
1	Part 27L	NR SA n66	H	6959	-51.24	RMS	35.82	-26.52	0.19	-95.23	34.50	-13.00	-38.24	V	0
2	Part 27L	NR SA n66	H	6959	-51.71	RMS	35.82	-26.52	0.19	-95.23	34.03	-13.00	-38.71	V	1
3	Part 27L	NR SA n66	H	6959	-51.05	RMS	35.82	-26.52	0.19	-95.23	34.69	-13.00	-38.05	V	2
4	Part 27L	NR SA n66	H	6959	-51.62	RMS	35.82	-26.52	0.19	-95.23	34.12	-13.00	-38.62	H	3
5	Part 27L	NR SA n66	M	6900	-51.61	RMS	35.80	-26.54	0.25	-95.23	34.11	-13.00	-38.61	H	0+2
1	Part 27L	NR SA n70	M	6792	-52.85	RMS	35.90	-26.58	0.36	-95.23	32.70	-13.00	-39.85	V	0
2	Part 27L	NR SA n70	M	3391	-52.53	RMS	29.68	-29.66	1.07	-95.23	41.61	-13.00	-39.53	V	0
3	Part 27L	NR SA n70	M	3396	-52.60	RMS	29.69	-29.65	1.07	-95.23	41.52	-13.00	-39.60	V	1
4	Part 27L	NR SA n70	M	6783	-53.36	RMS	35.90	-26.58	0.36	-95.23	32.19	-13.00	-40.36	H	1
5	Part 27L	NR SA n70	M	6792	-51.23	RMS	35.90	-26.58	0.36	-95.23	34.32	-13.00	-38.23	V	2
6	Part 27L	NR SA n70	M	6783	-50.48	RMS	35.90	-26.58	0.36	-95.23	35.07	-13.00	-37.48	V	2
7	Part 27L	NR SA n70	H	3401	-51.88	RMS	29.70	-29.65	1.06	-95.23	42.24	-13.00	-38.88	V	3
8	Part 27L	NR SA n70	M	6783	-53.43	RMS	35.90	-26.58	0.36	-95.23	32.12	-13.00	-40.43	V	3



Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
9	Part 27L	NR SA n70	H	3401	-52.39	RMS	29.70	-29.65	1.06	-95.23	41.78	-13.00	-39.34	V	0+2
10	Part 27L	NR SA n70	M	6783	-53.30	RMS	35.90	-26.58	0.36	-95.23	32.25	-13.00	-40.30	H	0+2




Ant. 0

Part 27N Mode 1

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: NR SA N71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-60.06	RMS	25.81	-32.58	0.68	-95.23	41.26	-13.00	-47.06
2	1992.00	-60.50	RMS	26.74	-31.42	0.06	-95.23	39.35	-13.00	-47.50
3	2657.00	-61.74	RMS	28.21	-30.43	0.21	-95.23	35.50	-13.00	-48.74



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: NR SA N71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-62.89	RMS	25.81	-32.58	0.68	-95.23	38.43	-13.00	-49.89
2	1992.00	-63.92	RMS	26.74	-31.42	0.06	-95.23	35.93	-13.00	-50.92
3	2657.00	-61.77	RMS	28.21	-30.43	0.21	-95.23	35.47	-13.00	-48.77




Ant. 0

Part 27N Mode 1

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: NR SA N71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1343.00	-58.13	RMS	25.87	-32.56	0.68	-95.23	43.11	-13.00	-45.13
2	2015.00	-63.72	RMS	26.92	-31.39	0.06	-95.23	35.92	-13.00	-50.72
3	2687.00	-61.41	RMS	28.27	-30.39	0.22	-95.23	35.72	-13.00	-48.41



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: NR SA N71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1343.00	-61.02	RMS	25.87	-32.56	0.68	-95.23	40.22	-13.00	-48.02
2	2015.00	-62.20	RMS	26.92	-31.39	0.06	-95.23	37.44	-13.00	-49.20
3	2687.00	-61.44	RMS	28.27	-30.39	0.22	-95.23	35.69	-13.00	-48.44




Ant. 0

Part 27N Mode 1

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

NR SA N71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-61.38	RMS	25.92	-32.53	0.68	-95.23	39.78	-13.00	-48.38	Horizontal
2	2037.00	-63.86	RMS	27.10	-31.36	0.08	-95.23	35.55	-13.00	-50.86	Horizontal
3	2717.00	-61.54	RMS	28.30	-30.35	0.23	-95.23	35.51	-13.00	-48.54	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

NR SA N71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-62.45	RMS	25.92	-32.53	0.68	-95.23	38.71	-13.00	-49.45	Vertical
2	2037.00	-63.05	RMS	27.10	-31.36	0.08	-95.23	36.36	-13.00	-50.05	Vertical
3	2717.00	-61.97	RMS	28.30	-30.35	0.23	-95.23	35.08	-13.00	-48.97	Vertical




Ant. 2

Part 27N Mode 2

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: NR SA N71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-62.80	RMS	25.81	-32.58	0.68	-95.23	38.52	-13.00	-49.80
2	1992.00	-61.15	RMS	26.74	-31.42	0.06	-95.23	38.70	-13.00	-48.15
3	2657.00	-62.06	RMS	28.21	-30.43	0.21	-95.23	35.18	-13.00	-49.06



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: NR SA N71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-61.19	RMS	25.81	-32.58	0.68	-95.23	40.13	-13.00	-48.19
2	1992.00	-61.20	RMS	26.74	-31.42	0.06	-95.23	38.65	-13.00	-48.20
3	2657.00	-61.27	RMS	28.21	-30.43	0.21	-95.23	35.97	-13.00	-48.27




Ant. 2

Part 27N Mode 2

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: NR SA N71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	1343.00	-63.60	RMS	25.87	-32.56	0.68	-95.23	37.64	-13.00	-50.60	Horizontal		
2	2015.00	-58.35	RMS	26.92	-31.39	0.06	-95.23	41.29	-13.00	-45.35	Horizontal		
3	2687.00	-61.54	RMS	28.27	-30.39	0.22	-95.23	35.59	-13.00	-48.54	Horizontal		



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: NR SA N71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	1343.00	-64.32	RMS	25.87	-32.56	0.68	-95.23	36.92	-13.00	-51.32	Vertical		
2	2015.00	-47.37	RMS	26.92	-31.39	0.06	-95.23	52.27	-13.00	-34.37	Vertical		
3	2687.00	-61.51	RMS	28.27	-30.39	0.22	-95.23	35.62	-13.00	-48.51	Vertical		




Ant. 2

Part 27N Mode 2

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: NR SA N71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-61.51	RMS	25.92	-32.53	0.68	-95.23	39.65	-13.00	-48.51	Horizontal
2	2037.00	-63.88	RMS	27.10	-31.36	0.08	-95.23	35.53	-13.00	-50.88	Horizontal
3	2717.00	-62.19	RMS	28.30	-30.35	0.23	-95.23	34.86	-13.00	-49.19	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: NR SA N71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-60.90	RMS	25.92	-32.53	0.68	-95.23	40.26	-13.00	-47.90	Vertical
2	2037.00	-61.39	RMS	27.10	-31.36	0.08	-95.23	38.02	-13.00	-48.39	Vertical
3	2717.00	-62.17	RMS	28.30	-30.35	0.23	-95.23	34.88	-13.00	-49.17	Vertical




Ant. 0 + Ant. 2

Part 27N Mode 3

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: NR SA N71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-63.57	RMS	25.81	-32.58	0.68	-95.23	37.75	-13.00	-50.57	Horizontal
2	1992.00	-63.55	RMS	26.74	-31.42	0.06	-95.23	36.30	-13.00	-50.55	Horizontal
3	2657.00	-62.44	RMS	28.21	-30.43	0.21	-95.23	34.80	-13.00	-49.44	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: NR SA N71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-61.90	RMS	25.81	-32.58	0.68	-95.23	39.42	-13.00	-48.90	Vertical
2	1992.00	-63.35	RMS	26.74	-31.42	0.06	-95.23	36.50	-13.00	-50.35	Vertical
3	2657.00	-62.52	RMS	28.21	-30.43	0.21	-95.23	34.72	-13.00	-49.52	Vertical




Ant. 0 + Ant. 2

Part 27N Mode 3

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: NR SA N71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1343.00	-64.50	RMS	25.87	-32.56	0.68	-95.23	36.74	-13.00	-51.50
2	2015.00	-62.56	RMS	26.92	-31.39	0.06	-95.23	37.08	-13.00	-49.56
3	2687.00	-61.81	RMS	28.27	-30.39	0.22	-95.23	35.32	-13.00	-48.81



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: NR SA N71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1343.00	-63.95	RMS	25.87	-32.56	0.68	-95.23	37.29	-13.00	-50.95
2	2015.00	-63.38	RMS	26.92	-31.39	0.06	-95.23	36.26	-13.00	-50.38
3	2687.00	-61.80	RMS	28.27	-30.39	0.22	-95.23	35.33	-13.00	-48.80




Ant. 0 + Ant. 2

Part 27N Mode 3

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

NR SA N71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	1358.00	-63.41	RMS	25.92	-32.53	0.68	-95.23	37.75	-13.00	-50.41	Horizontal		
2	2037.00	-50.95	RMS	27.10	-31.36	0.08	-95.23	48.46	-13.00	-37.95	Horizontal		
3	2717.00	-62.22	RMS	28.30	-30.35	0.23	-95.23	34.83	-13.00	-49.22	Horizontal		



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

NR SA N71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	1358.00	-64.31	RMS	25.92	-32.53	0.68	-95.23	36.85	-13.00	-51.31	Vertical		
2	2037.00	-48.45	RMS	27.10	-31.36	0.08	-95.23	50.96	-13.00	-35.45	Vertical		
3	2717.00	-61.80	RMS	28.30	-30.35	0.23	-95.23	35.25	-13.00	-48.80	Vertical		




Ant. 0

Part 27L Mode 1

NR SA n66 45M Ch346500 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch346500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	3429.00	-59.61	RMS	29.64	-29.62	1.04	-95.23	34.56	-13.00	-46.61	Horizontal
2	5144.00	-56.16	RMS	33.18	-27.94	0.50	-95.23	33.33	-13.00	-43.16	Horizontal
3	6859.00	-53.11	RMS	35.80	-26.56	0.30	-95.23	32.58	-13.00	-40.11	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch346500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	3429.00	-58.38	RMS	29.64	-29.62	1.04	-95.23	35.79	-13.00	-45.38	Vertical
2	5144.00	-56.08	RMS	33.18	-27.94	0.50	-95.23	33.41	-13.00	-43.08	Vertical
3	6859.00	-52.66	RMS	35.80	-26.56	0.30	-95.23	33.03	-13.00	-39.66	Vertical




Ant. 0

Part 27L Mode 1

NR SA n66 45M Ch349000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	3454.00	-56.99	RMS	29.59	-29.60	1.03	-95.23	37.22	-13.00	-43.99	Horizontal		
2	5181.00	-56.43	RMS	33.08	-27.91	0.51	-95.23	33.12	-13.00	-43.43	Horizontal		
3	6909.00	-53.05	RMS	35.80	-26.54	0.24	-95.23	32.68	-13.00	-40.05	Horizontal		



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	3454.00	-56.25	RMS	29.59	-29.60	1.03	-95.23	37.96	-13.00	-43.25	Vertical		
2	5181.00	-56.12	RMS	33.08	-27.91	0.51	-95.23	33.43	-13.00	-43.12	Vertical		
3	6909.00	-52.88	RMS	35.80	-26.54	0.24	-95.23	32.85	-13.00	-39.88	Vertical		




Ant. 0

Part 27L Mode 1

NR SA n66 45M Ch351500 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3479.00	-59.29	RMS	29.54	-29.58	1.01	-95.23	34.97	-13.00	-46.29	Horizontal
2	5219.00	-57.00	RMS	33.00	-27.87	0.50	-95.23	32.60	-13.00	-44.00	Horizontal
3	6959.00	-53.12	RMS	35.82	-26.52	0.19	-95.23	32.62	-13.00	-40.12	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3479.00	-59.02	RMS	29.54	-29.58	1.01	-95.23	35.24	-13.00	-46.02	Vertical
2	5219.00	-56.90	RMS	33.00	-27.87	0.50	-95.23	32.70	-13.00	-43.90	Vertical
3	6959.00	-51.24	RMS	35.82	-26.52	0.19	-95.23	34.50	-13.00	-38.24	Vertical




Ant. 1

Part 27L Mode 2

NR SA n66 45M Ch346500 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch346500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm	dB	
1	3429.00	-59.50	RMS	29.64	-29.62	1.04	-95.23	34.67	-13.00	-46.50	Horizontal
2	5144.00	-56.41	RMS	33.18	-27.94	0.50	-95.23	33.08	-13.00	-43.41	Horizontal
3	6859.00	-53.26	RMS	35.80	-26.56	0.30	-95.23	32.43	-13.00	-40.26	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch346500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm	dB	
1	3429.00	-58.45	RMS	29.64	-29.62	1.04	-95.23	35.72	-13.00	-45.45	Vertical
2	5144.00	-56.34	RMS	33.18	-27.94	0.50	-95.23	33.15	-13.00	-43.34	Vertical
3	6859.00	-53.17	RMS	35.80	-26.56	0.30	-95.23	32.52	-13.00	-40.17	Vertical




Ant. 1

Part 27L Mode 2

NR SA n66 45M Ch349000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dBuV	dBm		
1	3454.00	-59.60	RMS	29.59	-29.60	1.03 -95.23	34.61	-13.00	-46.60	Horizontal
2	5181.00	-56.41	RMS	33.08	-27.91	0.51 -95.23	33.14	-13.00	-43.41	Horizontal
3	6909.00	-53.06	RMS	35.80	-26.54	0.24 -95.23	32.67	-13.00	-40.06	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dBuV	dBm		
1	3454.00	-57.67	RMS	29.59	-29.60	1.03 -95.23	36.54	-13.00	-44.67	Vertical
2	5181.00	-56.45	RMS	33.08	-27.91	0.51 -95.23	33.10	-13.00	-43.45	Vertical
3	6909.00	-53.22	RMS	35.80	-26.54	0.24 -95.23	32.51	-13.00	-40.22	Vertical




Ant. 1

Part 27L Mode 2

NR SA n66 45M Ch351500 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3479.00	-58.05	RMS	29.54	-29.58	1.01	-95.23	36.21	-13.00	-45.05	Horizontal
2	5219.00	-57.10	RMS	33.00	-27.87	0.50	-95.23	32.50	-13.00	-44.10	Horizontal
3	6959.00	-53.32	RMS	35.82	-26.52	0.19	-95.23	32.42	-13.00	-40.32	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3479.00	-54.29	RMS	29.54	-29.58	1.01	-95.23	39.97	-13.00	-41.29	Vertical
2	5219.00	-56.99	RMS	33.00	-27.87	0.50	-95.23	32.61	-13.00	-43.99	Vertical
3	6959.00	-51.71	RMS	35.82	-26.52	0.19	-95.23	34.03	-13.00	-38.71	Vertical




Ant. 2

Part 27L Mode 3

NR SA n66 45M Ch346500 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

Mode : SA N66 45M Ch346500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3429.00	-58.65	RMS	29.64	-29.62	1.04	-95.23	35.52	-13.00	-45.65	Horizontal
2	5144.00	-55.97	RMS	33.18	-27.94	0.50	-95.23	33.52	-13.00	-42.97	Horizontal
3	6859.00	-52.73	RMS	35.80	-26.56	0.30	-95.23	32.96	-13.00	-39.73	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

Mode : SA N66 45M Ch346500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3429.00	-59.29	RMS	29.64	-29.62	1.04	-95.23	34.88	-13.00	-46.29	Vertical
2	5144.00	-56.16	RMS	33.18	-27.94	0.50	-95.23	33.33	-13.00	-43.16	Vertical
3	6859.00	-52.77	RMS	35.80	-26.56	0.30	-95.23	32.92	-13.00	-39.77	Vertical




Ant. 2

Part 27L Mode 3

NR SA n66 45M Ch349000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

Mode : SA N66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3454.00	-58.69	RMS	29.59	-29.60	1.03	-95.23	35.52	-13.00	-45.69	Horizontal
2	5181.00	-56.39	RMS	33.08	-27.91	0.51	-95.23	33.16	-13.00	-43.39	Horizontal
3	6909.00	-52.88	RMS	35.80	-26.54	0.24	-95.23	32.85	-13.00	-39.88	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

Mode : SA N66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3454.00	-59.33	RMS	29.59	-29.60	1.03	-95.23	34.88	-13.00	-46.33	Vertical
2	5181.00	-56.15	RMS	33.08	-27.91	0.51	-95.23	33.40	-13.00	-43.15	Vertical
3	6909.00	-53.15	RMS	35.80	-26.54	0.24	-95.23	32.58	-13.00	-40.15	Vertical




Ant. 2

Part 27L Mode 3

NR SA n66 45M Ch351500 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

Mode : SA N66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3479.00	-59.58	RMS	29.54	-29.58	1.01	-95.23	34.68	-13.00	-46.58	Horizontal
2	5219.00	-56.23	RMS	33.00	-27.87	0.50	-95.23	33.37	-13.00	-43.23	Horizontal
3	6959.00	-53.03	RMS	35.82	-26.52	0.19	-95.23	32.71	-13.00	-40.03	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

Mode : SA N66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3479.00	-58.05	RMS	29.54	-29.58	1.01	-95.23	36.21	-13.00	-45.05	Vertical
2	5219.00	-56.42	RMS	33.00	-27.87	0.50	-95.23	33.18	-13.00	-43.42	Vertical
3	6959.00	-51.05	RMS	35.82	-26.52	0.19	-95.23	34.69	-13.00	-38.05	Vertical




Ant. 3

Part 27L Mode 4

NR SA n66 45M Ch346500 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch36500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3429.00	-59.15	RMS	29.64	-29.62	1.04	-95.23	35.02	-13.00	-46.15	Horizontal
2	5144.00	-56.23	RMS	33.18	-27.94	0.50	-95.23	33.26	-13.00	-43.23	Horizontal
3	6859.00	-53.13	RMS	35.80	-26.56	0.30	-95.23	32.56	-13.00	-40.13	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch36500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3429.00	-58.85	RMS	29.64	-29.62	1.04	-95.23	35.32	-13.00	-45.85	Vertical
2	5144.00	-56.47	RMS	33.18	-27.94	0.50	-95.23	33.02	-13.00	-43.47	Vertical
3	6859.00	-53.46	RMS	35.80	-26.56	0.30	-95.23	32.23	-13.00	-40.46	Vertical




Ant. 3

Part 27L Mode 4

NR SA n66 45M Ch349000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3454.00	-58.33	RMS	29.59	-29.60	1.03	-95.23	35.88	-13.00	-45.33	Horizontal
2	5181.00	-56.12	RMS	33.08	-27.91	0.51	-95.23	33.43	-13.00	-43.12	Horizontal
3	6909.00	-53.17	RMS	35.80	-26.54	0.24	-95.23	32.56	-13.00	-40.17	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3454.00	-53.44	RMS	29.59	-29.60	1.03	-95.23	40.77	-13.00	-40.44	Vertical
2	5181.00	-56.91	RMS	33.08	-27.91	0.51	-95.23	32.64	-13.00	-43.91	Vertical
3	6909.00	-53.16	RMS	35.80	-26.54	0.24	-95.23	32.57	-13.00	-40.16	Vertical




Ant. 3

Part 27L Mode 4

NR SA n66 45M Ch351500 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	3479.00	-59.79	RMS	29.54	-29.58	1.01	-95.23	34.47	-13.00	-46.79	Horizontal		
2	5219.00	-57.13	RMS	33.00	-27.87	0.50	-95.23	32.47	-13.00	-44.13	Horizontal		
3	6959.00	-51.62	RMS	35.82	-26.52	0.19	-95.23	34.12	-13.00	-38.62	Horizontal		



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	3479.00	-55.67	RMS	29.54	-29.58	1.01	-95.23	38.59	-13.00	-42.67	Vertical		
2	5219.00	-56.50	RMS	33.00	-27.87	0.50	-95.23	33.10	-13.00	-43.50	Vertical		
3	6959.00	-51.95	RMS	35.82	-26.52	0.19	-95.23	33.79	-13.00	-38.95	Vertical		




Ant. 0 + Ant. 2

Part 27L Mode 5

NR SA n66 45M Ch346500 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch346500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm	dB	
1	3435.00	-59.35	RMS	29.63	-29.62	1.04	-95.23	34.83	-13.00	-46.35	Horizontal
2	5152.00	-56.37	RMS	33.19	-27.93	0.50	-95.23	33.10	-13.00	-43.37	Horizontal
3	6870.00	-53.56	RMS	35.80	-26.55	0.28	-95.23	32.14	-13.00	-40.56	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch346500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm	dB	
1	3435.00	-56.37	RMS	29.63	-29.62	1.04	-95.23	37.81	-13.00	-43.37	Vertical
2	5152.00	-56.48	RMS	33.19	-27.93	0.50	-95.23	32.99	-13.00	-43.48	Vertical
3	6870.00	-53.17	RMS	35.80	-26.55	0.28	-95.23	32.53	-13.00	-40.17	Vertical




Ant. 0 + Ant. 2

Part 27L Mode 5

NR SA n66 45M Ch349000 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3450.00	-59.41	RMS	29.60	-29.60	1.03	-95.23	34.79	-13.00	-46.41	Horizontal
2	5215.00	-56.71	RMS	33.00	-27.88	0.50	-95.23	32.90	-13.00	-43.71	Horizontal
3	6900.00	-51.61	RMS	35.80	-26.54	0.25	-95.23	34.11	-13.00	-38.61	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3450.00	-55.03	RMS	29.60	-29.60	1.03	-95.23	39.17	-13.00	-42.03	Vertical
2	5168.00	-56.95	RMS	33.13	-27.92	0.50	-95.23	32.57	-13.00	-43.95	Vertical
3	6900.00	-51.75	RMS	35.80	-26.54	0.25	-95.23	33.97	-13.00	-38.75	Vertical




Ant. 0 + Ant. 2

Part 27L Mode 5

NR SA n66 45M Ch351500 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	3480.00	-60.14	RMS	29.54	-29.58	1.01	-95.23	34.12	-13.00	-47.14	Horizontal
2	5220.00	-57.09	RMS	33.00	-27.87	0.50	-95.23	32.51	-13.00	-44.09	Horizontal
3	6960.00	-53.25	RMS	35.82	-26.52	0.18	-95.23	32.50	-13.00	-40.25	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 45M Ch351500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	3480.00	-58.17	RMS	29.54	-29.58	1.01	-95.23	36.09	-13.00	-45.17	Vertical
2	5220.00	-57.13	RMS	33.00	-27.87	0.50	-95.23	32.47	-13.00	-44.13	Vertical
3	6960.00	-53.48	RMS	35.82	-26.52	0.18	-95.23	32.27	-13.00	-40.48	Vertical




Ant. 0

Part 27L Mode 1

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-57.08	RMS	29.68	-29.66	1.08	-95.23	0.00	-13.00	-44.08	Horizontal
2	5086.00	-56.21	RMS	33.00	-27.99	0.49	-95.23	33.52	-13.00	-43.21	Horizontal
3	6782.00	-53.55	RMS	35.90	-26.59	0.36	-95.23	32.01	-13.00	-40.55	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-54.37	RMS	29.68	-29.66	1.08	-95.23	39.76	-13.00	-41.37	Vertical
2	5086.00	-56.43	RMS	33.00	-27.99	0.49	-95.23	33.30	-13.00	-43.43	Vertical
3	6782.00	-53.41	RMS	35.90	-26.59	0.36	-95.23	32.15	-13.00	-40.41	Vertical




Ant. 0

Part 27L Mode 1

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3396.00	-57.52	RMS	29.69	-29.65	1.07	-95.23	36.60	-13.00	-44.52	Horizontal
2	5094.00	-56.51	RMS	33.00	-27.99	0.49	-95.23	33.22	-13.00	-43.51	Horizontal
3	6792.00	-53.06	RMS	35.90	-26.58	0.36	-95.23	32.49	-13.00	-40.06	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3396.00	-54.66	RMS	29.69	-29.65	1.07	-95.23	39.46	-13.00	-41.66	Vertical
2	5094.00	-56.28	RMS	33.00	-27.99	0.49	-95.23	33.45	-13.00	-43.28	Vertical
3	6792.00	-52.85	RMS	35.90	-26.58	0.36	-95.23	32.70	-13.00	-39.85	Vertical




Ant. 0

Part 27L Mode 1

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-59.44	RMS	29.70	-29.65	1.06	-95.23	34.68	-13.00	-46.44	Horizontal
2	5101.00	-56.27	RMS	33.00	-27.98	0.49	-95.23	33.45	-13.00	-43.27	Horizontal
3	6802.00	-53.02	RMS	35.90	-26.58	0.36	-95.23	32.53	-13.00	-40.02	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-58.68	RMS	29.70	-29.65	1.06	-95.23	35.44	-13.00	-45.68	Vertical
2	5101.00	-56.09	RMS	33.00	-27.98	0.49	-95.23	33.63	-13.00	-43.09	Vertical
3	6802.00	-53.10	RMS	35.90	-26.58	0.36	-95.23	32.45	-13.00	-40.10	Vertical




Ant. 0

Part 27L Mode 2

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

Mode : SA N70 15M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB		dB	dBuV	dBm	dB
1	3391.68	-57.19	RMS	29.68	-29.66	1.07	-95.23	36.95	-13.00	-44.19 Horizontal
2	5087.52	-56.50	RMS	33.00	-27.99	0.49	-95.23	33.23	-13.00	-43.50 Horizontal
3	6783.36	-53.47	RMS	35.90	-26.58	0.36	-95.23	32.08	-13.00	-40.47 Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

Mode : SA N70 15M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB		dB	dBuV	dBm	dB
1	3391.68	-52.53	RMS	29.68	-29.66	1.07	-95.23	41.61	-13.00	-39.53 Vertical
2	5087.52	-56.39	RMS	33.00	-27.99	0.49	-95.23	33.34	-13.00	-43.39 Vertical
3	6783.36	-53.75	RMS	35.90	-26.58	0.36	-95.23	31.80	-13.00	-40.75 Vertical




Ant. 1

Part 27L Mode 3

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 15M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-57.61	RMS	29.68	-29.66	1.08	-95.23	36.52	-13.00	-44.61	Horizontal	
2	5086.00	-56.30	RMS	33.00	-27.99	0.49	-95.23	33.43	-13.00	-43.30	Horizontal	
3	6782.00	-53.37	RMS	35.90	-26.59	0.36	-95.23	32.19	-13.00	-40.37	Horizontal	



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 15M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-53.16	RMS	29.68	-29.66	1.08	-95.23	40.97	-13.00	-40.16	Vertical	
2	5086.00	-56.40	RMS	33.00	-27.99	0.49	-95.23	33.33	-13.00	-43.40	Vertical	
3	6782.00	-53.32	RMS	35.90	-26.59	0.36	-95.23	32.24	-13.00	-40.32	Vertical	




Ant. 1

Part 27L Mode 3

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	Amp\Cb		1					
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	3396.00	-57.17	RMS	29.69	-29.65	1.07	-95.23	36.95	-13.00	-44.17	Horizontal	
2	5094.00	-56.51	RMS	33.00	-27.99	0.49	-95.23	33.22	-13.00	-43.51	Horizontal	
3	6792.00	-52.72	RMS	35.90	-26.58	0.36	-95.23	32.83	-13.00	-39.72	Horizontal	



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	Amp\Cb		1					
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	3396.00	-52.60	RMS	29.69	-29.65	1.07	-95.23	41.52	-13.00	-39.60	Vertical	
2	5094.00	-56.37	RMS	33.00	-27.99	0.49	-95.23	33.36	-13.00	-43.37	Vertical	
3	6792.00	-53.11	RMS	35.90	-26.58	0.36	-95.23	32.44	-13.00	-40.11	Vertical	




Ant. 1

Part 27L Mode 3

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 15M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-58.47	RMS	29.70	-29.65	1.06	-95.23	35.65	-13.00	-45.47	Horizontal
2	5101.00	-56.48	RMS	33.00	-27.98	0.49	-95.23	33.24	-13.00	-43.48	Horizontal
3	6802.00	-53.33	RMS	35.90	-26.58	0.36	-95.23	32.22	-13.00	-40.33	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 15M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-55.20	RMS	29.70	-29.65	1.06	-95.23	38.92	-13.00	-42.20	Vertical
2	5101.00	-56.53	RMS	33.00	-27.98	0.49	-95.23	33.19	-13.00	-43.53	Vertical
3	6802.00	-53.43	RMS	35.90	-26.58	0.36	-95.23	32.12	-13.00	-40.43	Vertical




Ant. 1

Part 27L Mode 4

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-58.45	RMS	29.68	-29.66	1.08	-95.23	35.68	-13.00	-45.45	Horizontal
2	5087.00	-56.34	RMS	33.00	-27.99	0.49	-95.23	33.39	-13.00	-43.34	Horizontal
3	6783.00	-53.36	RMS	35.90	-26.58	0.36	-95.23	32.19	-13.00	-40.36	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-54.14	RMS	29.68	-29.66	1.08	-95.23	39.99	-13.00	-41.14	Vertical
2	5087.00	-55.65	RMS	33.00	-27.99	0.49	-95.23	34.08	-13.00	-42.65	Vertical
3	6783.00	-53.50	RMS	35.90	-26.58	0.36	-95.23	32.05	-13.00	-40.50	Vertical




Ant. 2

Part 27L Mode 5

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-55.24	RMS	29.68	-29.66	1.08	-95.23	38.89	-13.00	-42.24	Horizontal
2	5086.00	-56.47	RMS	33.00	-27.99	0.49	-95.23	33.26	-13.00	-43.47	Horizontal
3	6782.00	-53.41	RMS	35.90	-26.59	0.36	-95.23	32.15	-13.00	-40.41	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-51.23	RMS	29.68	-29.66	1.08	-95.23	42.90	-13.00	-38.23	Vertical
2	5086.00	-56.56	RMS	33.00	-27.99	0.49	-95.23	33.17	-13.00	-43.56	Vertical
3	6782.00	-51.65	RMS	35.90	-26.59	0.36	-95.23	33.91	-13.00	-38.65	Vertical




Ant. 2

Part 27L Mode 5

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3396.00	-56.88	RMS	29.69	-29.65	1.07	-95.23	37.24	-13.00	-43.88 Horizontal
2	5094.00	-56.48	RMS	33.00	-27.99	0.49	-95.23	33.25	-13.00	-43.48 Horizontal
3	6792.00	-52.29	RMS	35.90	-26.58	0.36	-95.23	33.26	-13.00	-39.29 Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3396.00	-51.52	RMS	29.69	-29.65	1.07	-95.23	42.60	-13.00	-38.52 Vertical
2	5094.00	-56.55	RMS	33.00	-27.99	0.49	-95.23	33.18	-13.00	-43.55 Vertical
3	6792.00	-51.23	RMS	35.90	-26.58	0.36	-95.23	34.32	-13.00	-38.23 Vertical




Ant. 2

Part 27L Mode 5

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-58.96	RMS	29.70	-29.65	1.06	-95.23	35.16	-13.00	-45.96	Horizontal
2	5101.00	-56.46	RMS	33.00	-27.98	0.49	-95.23	33.26	-13.00	-43.46	Horizontal
3	6802.00	-53.05	RMS	35.90	-26.58	0.36	-95.23	32.50	-13.00	-40.05	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-56.20	RMS	29.70	-29.65	1.06	-95.23	37.92	-13.00	-43.20	Vertical
2	5101.00	-56.56	RMS	33.00	-27.98	0.49	-95.23	33.16	-13.00	-43.56	Vertical
3	6802.00	-53.13	RMS	35.90	-26.58	0.36	-95.23	32.42	-13.00	-40.13	Vertical




Ant. 2

Part 27L Mode 6

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

Mode : SA N70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.68	-55.54	RMS	29.68	-29.66	1.07	-95.23	38.60	-13.00	-42.54	Horizontal
2	5087.52	-56.17	RMS	33.00	-27.99	0.49	-95.23	33.56	-13.00	-43.17	Horizontal
3	6783.36	-53.10	RMS	35.90	-26.58	0.36	-95.23	32.45	-13.00	-40.10	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

Mode : SA N70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.68	-51.97	RMS	29.68	-29.66	1.07	-95.23	42.17	-13.00	-38.97	Vertical
2	5087.52	-55.57	RMS	33.00	-27.99	0.49	-95.23	34.16	-13.00	-42.57	Vertical
3	6783.36	-50.48	RMS	35.90	-26.58	0.36	-95.23	35.07	-13.00	-37.48	Vertical




Ant. 3

Part 27L Mode 7

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-57.35	RMS	29.68	-29.66	1.08	-95.23	36.78	-13.00	-44.35	Horizontal
2	5086.00	-56.30	RMS	33.00	-27.99	0.49	-95.23	33.43	-13.00	-43.30	Horizontal
3	6782.00	-53.69	RMS	35.90	-26.59	0.36	-95.23	31.87	-13.00	-40.69	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-53.04	RMS	29.68	-29.66	1.08	-95.23	41.09	-13.00	-40.04	Vertical
2	5086.00	-55.96	RMS	33.00	-27.99	0.49	-95.23	33.77	-13.00	-42.96	Vertical
3	6782.00	-53.80	RMS	35.90	-26.59	0.36	-95.23	31.76	-13.00	-40.80	Vertical




Ant. 3

Part 27L Mode 7

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			1			g			
1	3396.00	-60.04	RMS	29.69	-29.65	1.07	-95.23	34.08	-13.00	-47.04	Horizontal
2	5094.00	-56.42	RMS	33.00	-27.99	0.49	-95.23	33.31	-13.00	-43.42	Horizontal
3	6792.00	-53.14	RMS	35.90	-26.58	0.36	-95.23	32.41	-13.00	-40.14	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			1			g			
1	3396.00	-55.87	RMS	29.69	-29.65	1.07	-95.23	38.25	-13.00	-42.87	Vertical
2	5094.00	-56.06	RMS	33.00	-27.99	0.49	-95.23	33.67	-13.00	-43.06	Vertical
3	6792.00	-52.96	RMS	35.90	-26.58	0.36	-95.23	32.59	-13.00	-39.96	Vertical




Ant. 3

Part 27L Mode 7

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	3401.00	-57.05	RMS	29.70	-29.65	1.06	-95.23	37.07	-13.00	-44.05	Horizontal
2	5101.00	-56.40	RMS	33.00	-27.98	0.49	-95.23	33.32	-13.00	-43.40	Horizontal
3	6802.00	-52.97	RMS	35.90	-26.58	0.36	-95.23	32.58	-13.00	-39.97	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	3401.00	-51.88	RMS	29.70	-29.65	1.06	-95.23	42.24	-13.00	-38.88	Vertical
2	5101.00	-56.62	RMS	33.00	-27.98	0.49	-95.23	33.10	-13.00	-43.62	Vertical
3	6802.00	-53.36	RMS	35.90	-26.58	0.36	-95.23	32.19	-13.00	-40.36	Vertical




Ant. 3

Part 27L Mode 8

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n66 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-57.88	RMS	29.68	-29.66	1.08	-95.23	36.25	-13.00	-44.88	Horizontal
2	5087.00	-56.17	RMS	33.00	-27.99	0.49	-95.23	33.56	-13.00	-43.17	Horizontal
3	6783.00	-53.57	RMS	35.90	-26.58	0.36	-95.23	31.98	-13.00	-40.57	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n66 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-53.52	RMS	29.68	-29.66	1.08	-95.23	40.61	-13.00	-40.52	Vertical
2	5087.00	-56.13	RMS	33.00	-27.99	0.49	-95.23	33.60	-13.00	-43.13	Vertical
3	6783.00	-53.43	RMS	35.90	-26.58	0.36	-95.23	32.12	-13.00	-40.43	Vertical




Ant. 0 + Ant. 2

Part 27L Mode 9

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	3405.00	-57.29	RMS	29.69	-29.64	1.06	-95.23	36.83	-13.00	-44.29	Horizontal
2	5085.00	-56.28	RMS	33.00	-27.99	0.49	-95.23	33.45	-13.00	-43.28	Horizontal
3	6782.00	-53.57	RMS	35.90	-26.59	0.36	-95.23	31.99	-13.00	-40.57	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	3405.00	-53.83	RMS	29.69	-29.64	1.06	-95.23	40.29	-13.00	-40.83	Vertical
2	5086.00	-56.38	RMS	33.00	-27.99	0.49	-95.23	33.35	-13.00	-43.38	Vertical
3	6780.00	-53.13	RMS	35.90	-26.59	0.36	-95.23	32.43	-13.00	-40.13	Vertical




Ant. 0 + Ant. 2

Part 27L Mode 9

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3396.00	-58.49	RMS	29.69	-29.65	1.07	-95.23	35.63	-13.00	-45.49	Horizontal
2	5094.00	-56.52	RMS	33.00	-27.99	0.49	-95.23	33.21	-13.00	-43.52	Horizontal
3	6792.00	-52.16	RMS	35.90	-26.58	0.36	-95.23	33.39	-13.00	-39.16	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3396.00	-54.79	RMS	29.69	-29.65	1.07	-95.23	39.33	-13.00	-41.79	Vertical
2	5094.00	-56.64	RMS	33.00	-27.99	0.49	-95.23	33.09	-13.00	-43.64	Vertical
3	6792.00	-51.91	RMS	35.90	-26.58	0.36	-95.23	33.64	-13.00	-38.91	Vertical




Ant. 0 + Ant. 2

Part 27L Mode 9

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-57.15	RMS	29.70	-29.65	1.06	-95.23	36.97	-13.00	-44.15	Horizontal
2	5101.00	-56.57	RMS	33.00	-27.98	0.49	-95.23	33.15	-13.00	-43.57	Horizontal
3	6802.00	-53.02	RMS	35.90	-26.58	0.36	-95.23	32.53	-13.00	-40.02	Horizontal



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-52.39	RMS	29.70	-29.65	1.06	-95.23	41.73	-13.00	-39.39	Vertical
2	5101.00	-56.40	RMS	33.00	-27.98	0.49	-95.23	33.32	-13.00	-43.40	Vertical
3	6802.00	-53.22	RMS	35.90	-26.58	0.36	-95.23	32.33	-13.00	-40.22	Vertical




Ant. 0 + Ant. 2

Part 27L Mode 10

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Horizontal

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3391.00	-58.35	RMS	29.68	-29.66	1.08	-95.23	35.78	-13.00	-45.35	Horizontal		
2	5087.00	-56.00	RMS	33.00	-27.99	0.49	-95.23	33.73	-13.00	-43.00	Horizontal		
3	6783.00	-53.30	RMS	35.90	-26.58	0.36	-95.23	32.25	-13.00	-40.30	Horizontal		



Site : 03CH15-HY

Condition: -13 3m BBHA 9120 D_9120D-02294 Vertical

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3391.00	-55.35	RMS	29.68	-29.66	1.08	-95.23	38.78	-13.00	-42.35	Vertical		
2	5087.00	-56.32	RMS	33.00	-27.99	0.49	-95.23	33.41	-13.00	-43.32	Vertical		
3	6783.00	-53.81	RMS	35.90	-26.58	0.36	-95.23	31.74	-13.00	-40.81	Vertical		




Ant. 2

Part 27N Mode 2

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH15-HY

Condition: -13 3m CBL 6111D & 00800N1D01N-06_41912&05 Horizontal

: NR SA N71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	672.14	18.96	Average	26.02	3.00	0.00	-95.23	85.17	-13.00	31.96	Horizontal



Site : 03CH15-HY

Condition: -13 3m CBL 6111D & 00800N1D01N-06_41912&05 Vertical

: NR SA N71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	675.05	6.20	Average	25.94	3.01	0.00	-95.23	72.48	-13.00	19.20	Vertical

Remark: #1 is fundamental signal which can be ignored.