


July 31, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^{II} k =
0112	CAH	LTE-FOD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-FDD	1.50	±9.6
0113	CAH	LTE-FOD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-FDD	6.62	±9.6
0114	CAE	IEEE 802.11n (HT Greenfield, 13.5 Moos, BPSK)	WEAN	8.10	±9.6
0115	CAE	IEEE 802,11n (HT Greentield, S1 Mtps, 16-QAM)	WLAN	8,46	+9.6
1116	CAE	IEEE 802.11n (HT Greenfield, 135 Mbps. 64-QAM)	WLAN	B.15	±9.6
0117	CAE	IEEE 802,11n (HT Mixed, 13.5 Mbps, BP5K)	WLAN	8.07	注导,母
118	CAE	IEEE 802.11n (HT Mixed, 81 Mops, 16-CAM)	WEAN	8.59	±9.6
1118	CAE	IEEE 882.11n (HT Mixed, 135 Mopa, 64-QAM)	WLAN	8.13	±9,6
0140	CAF	LTE-FDD (SC-FDMA, 100% R8, 15 MHz, 16-GAM)	LTE-FDD	6,49	19.6
0141	CAF	LTE-FDD (SC-FDMA, 100% R8, 15MHz, 64-QAM)	LTE-FDD	6.53	±9,6
0142	CAF	LTE-FDD (SC-FDMA, 100% R8, 3 MHz, QPSK)	LTE-FDD	5.73	±9.6
0143	CAF	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-OAM)	LTE-FDD	6.35	±9.6
0144	CAF	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-FDD	6.65	±9.6
0145	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-FDD	5.76	主印,6
0146	CAG	LTE-FDO (SO-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.41	±9.6
0147	CAG	LTE-FDO (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6,72	:::9,6
0149	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-FDD	6,42	±9,6
0150	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	±9.6
0151	GAH	LTE-TOD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-TDO	9.28	±9,6
0152	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-TDD	9.92	±9.6
0153	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 54-GAM)	LTE-TDD	10,05	±9,6
0.154	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-FDO	5.75	±9,6
0155	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-GAM)	LTE-FDO	6.43	±9.6
0156	CAH	LTE-FDD (SC-FDMA, 50% RB, 5MHz, QPSK)	LTE-FDD	5,79	±9.6
10.157	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-GAM)	LTE-FDO	6.49	19.6
10150	CAH	LTE-FDD (SC-FDMA, 50% R8, 10 MHz, 64-QAM)	LTE-FDO	6.62	±9.6
0158	GAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-FDO	6,56	±9.6
0160	ÇAF	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-FDO	5.82	±9.6
10:181	CAF	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-FDO	6.43	19.6
10162	ÇAF	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-CAM)	LTE-FDO	6.58	+9.6
10166	CAG	LTE-FD0 (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-FDD	5.46	19.6
10167	CAG	LTE-FDD (SC-FDMA, 50% RE, 1.4 MHz, 16-QAM)	LTE-FDD LTE-FDD	6.21	±9.6 ±9.6
10168	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-0AM)	LTE-FOD	5.73	19.5
10169	CAF	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-FDD	8.52	19.6
10170	AAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 18-QAM)	LTE-FDD	6.49	±9/0 ±9.8
10172	CAH	LTE-FDD (SC-FDMA, 1 RB, 20 MHz; 64-QAM) LTE-TDO (SC-FDMA, 1 RB, 20 MHz; OPSK)	LTE-TDD	9.21	±9.5
10173	CAH	LTE-TOD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-TDD	9.48	19.6
10174	CAH	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-TDD	10.25	±9.6
10175	CAH	LTE-FDD (SC-FDMA, 1 RB, 10MHz, QPSK)	LTE-FDD	5.72	19.5
10176	CAH	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 18-GAM)	LTE-FDD	6.52	19.6
10177	CAJ	LTE-FDO (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-FDD	5.73	=9.6
10178	CAH	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-FDD	6.52	=9.6
10179	CAH	LTE-FOD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-FDD	6.50	±0.6
10180	CAH	LTE-FOD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-FDD	6,50	±9.6
10181	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, QPSK)	LTE-FDD	5.72	=9.6
10182	CAF	LTE-FDO (SC-FDMA, 1 P8, 15 MHz, 16-QAM)	LTE-FDD	6,52	±9.6
10183	AAE	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-FDD	6.50	±9.6
10184	CAF	LTE-FOD (SC-FDMA, 1 RB, 3 MHz, QP5K)	LTE-FDD	5,73	= 9.6
10185	CAF	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-FDD	6.51	±9,6
10188	AAF	LTE-FDD (SC-FDMA, 1 R8, 3 MHz, 64-QAM)	LTE-FDD	6.50	±9,6
10.187	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-FDD	5.73	±9,6
10188	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.52	±9,5
10189	AAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-FDD	5.50	±9.6
10193	CAE	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	WLAN	8.09	±9.6
10194	CAE	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	WLAN	8.12	±9.6
10195	CAE	IEEE 802.11n (HT Greenfield, 85 Mbps, 64-QAM)	WEAN	8.21	±9.6
0196	CAE	IEEE 802.11n (HT Mixed, 6.5 Mbps, 8PSK)	WLAN	8,10	±9,6
10197	CAE	IEEE 802.11n (HT Mixed, 39 Mbps, 16-GAM)	WLAN	8,13	±9.6
10198	CAE	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	WLAN	8.27	±9.8
10219	CAE	IEEE 802.11n (HT Mixed, 7.2 Mbps, 8PSK)	WLAN	8,03	±9,8
10220	CAE	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8,13	± 0.6
10221	CAE	1EEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	WLAN	8.27	=9,6
10222	CAE	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	WLAN	8,06	±9.5
10223	CAE	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	WLAN	6.48	±9.6
10224	CAE	IEEE 802.11n (HT Mixed, 150 Mbps, 64-GAM)	WLAN	8.08	±9.6

Certificate No: EX-3903_Jul24

Page 11 of 21





July 31, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unp ^E k =
10225	CAC	UMTS-EDD (HSPA+)	WCDMA	5.97	19.5
10226	CAC	LTE-TDD (SC-FDMA, 1 RB, 1,4MHz, 16-QAM)	LTE-TDD	9.49	±0.0
0.227	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-TOD	10.26	±9.6
0228	CAG	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9.22	±9.6
0228	CAE	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-TDD	9.48	±9.8
0220	CAE	LTE-TDD (SG-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-TOD	10.25	19.6
0231	CAE	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TDD	9,19	±9.6
	CAH	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-TOD	9.48	19.6
0232	CAH	LTE-TOD (SC-FDMA, 1 RB, 5 MHz, 54-QAM)	LTE-TDD	10.25	±9.6
0233	CAH	LTE-TDD (SC-FDMA, 1 RB, 5MHz, OPSK)	LTE-TDD	9.21	±9.6
0234	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 18-GAM)	LTE-TDD	9.48	±9.6
0235			LTE-TDD	10.25	±9.6
0236	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-GAM) LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.21	±9,0
0237	a second second		LTE-TDD	9,48	+9.6
0.238	CAG	LTE-TOD (SC-FDMA, 1 RB, 15MHz, 16-QAM) LTE-TOD (SC-FDMA, 1 RB, 15MHz, 64-QAM)	LTE-TDD	10.25	29.6
0.239	CAG		LTE-TDD	9.21	+9.6
0240	CAG	LTE-TOD (SC-FDMA, 1 RB, 15MHz, QPSK)	LTE-TDD	9,82	±9.6
0241	CAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-GAM)	the state of the s	9,82	19.6
0242	CAC	LTE-TDD (SC-FDMA, 50% R8, 1.4 MHz, 64-QAM)	LTE-TDD	9.86	and the second sec
0243	CAC	LTE-TDD (SC-FDMA, 50% R8, 1.4 MHz, QPSK)	LTE-TDO	and a sub-first from the	±9.6
0244	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TDD	10.06	±9.6
0245	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-TDD	10.06	19.6
0246	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TOD	9.30	±9.6
0247	CAH	LTE-TDO (SC-FDMA, 50% RB, 5MHz, 16-QAM)	LTE-TOD	9,91	±9,8
0248	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10,09	±9.6
0249	CAH	LTE-TDD (SC-FDMA, 50% FIB, 5MHz, OPSK)	LTE-TDD	9,29	±9,6
0250	CAH	LTE-TOD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	9.61	=9.8
10251	CAH	LTE-TOD (SC-FDMA, 50% AB, 10 MHz, 64-QAM)	LTE-TOD	10,17	±9,6
0.252	CAH	LTE-TDD (SC-FDMA, 50% RE, 10 MHz, OPSK)	LTE-TDD	9,24	±9.6
10.253	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-TDD	9,90	±9.6
0.254	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-TOD	10,14	±9,6
0.255	GAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	1.TE-700	9.20	±9.6
10258	CAG	LTE-TDD (SC-FDMA, 100% RB, 1,4 MHz, 18-QAM)	LTE-TDO	0.96	±9.6
10257	CAC	LTE-TDD (SC-FDMA, 100% RB, 1,4 MHz, 64-QAM)	LTE-TDO	10.0#	±9.6
10258	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.34	±9.6
10.259	CAE	LTE-TDD (SC-FDMA, 100% R8, 3 MHz, 16-QAM)	LTE-TDO	9.98	±9.6
10260	CAE	LTE-TDD (SC-FDMA, 100% R8, 3 MHz, 64-QAM)	LTE-TOO	9.97	±9.6
10261	CAE	LTE-TDD (SC-FDMA, 100% R8, 3 MHz, QPSK)	LTE-TOO	8.24	±9.6
10262	CAH	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-TDD	9.83	±9.6
10263	CAH	LTE-TDD (SC-FDMA, 100% R8, SMHz, 64-QAM)	LTE-TOO	10.16	19.6
10264	CAH	LTE-TDD (SC-FDMA, 100% RB, 5MHz, QPSK)	LTE-TDD	9.23	±9.6
10265	CAH	LTE-TDD (SC-FDMA, 100% R8, 10 MHz, 16-QAM)	LTE-TOD	9.92	±9.6
10266	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz; 64-QAM)	LTE-TOD	10.07	±9.6
10267	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TOD	0.30	±9.6
10268	CAG	LTE-TDD (SC-FDMA, 100% RB, 15MHz, 16-QAM)	LTE-TOD	10.06	±9.8
10268		LTE-TDD (SC-FDMA, 100% RB, 15MHz, 64-QAM)	LTE-TOD	10.13	+9.6
10270	CAG	LTE-TDD (SC-FDMA, 100% RB, 15MHz, QPSK)	LTE-TDD	0.58	±9.6
10274	CAC	UMTS-FOD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	±9.6
10:275	and the second sec	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	=9.5
10277		PHS (QPSK)	PHS	11.81	=9,6
10278		PHS (QPSK, BW 884 MHz, Rolloft 0.5)	PHS	11.81	=9.8
10279	and an other states of the second	PHS (QPSK, BW 884 MHz, Rolloff 0.38)	PHS	12,18	±9.6
10290	distant and the second	CDMA2000, RC1, S055, Full Pate	CDMA2000	3.91	+9.6
10291	AAB	CDMA2000, RC3, SO55, Full Rate	CDMA2000	3,48	±9:6
10292		CDMA2000, RC3, SO32, Full Rate	CDMA2000	3.38	±9.6
10293	and the second second	CDMA2000, RC3, BO3, Full Rate	GDMA2000	3.50	=0.6
10295		CDMA2000, RC1, SO3, 1/8th Rate 25 tr.	CDMA2000	12,49	=9.6
0297		LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-FDD	5.81	±9:6
10,298	-	LTE-FOD (SC-FDMA, 50% RB, 3MHz, QPSK)	LTE-FDD	5.72	=9.6
10299	and the second se	LTE-FOD (3C-FDMA, 50% RB, 3 MHz, 0F3A)	LTE-FDD	6.39	=9.6
10300		LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM) IEEE 802,16e WIMAX (29:18, 5ms, 10 MHz, QPSK, PUSC)	LTE-FDD	6,60	±9;8
10301	and includes		WIMAX	12.03	±9.6
10302	and the second se	IEEE 802.15a WMAX (29:18, 5ms, 10MHz, OPSK, PUSC, 3 CTHL symbols)	WIMAX	12.57	+9.6
10303		IEEE 802.16a WMAX (31:15, 5ms, 10 MHz, 64 QAM, PUSC)	WMAX	12.52	±9,6
10304		IEEE 802.16e WIMAX (28:18, 5ms, 10 MHz, 64 QAM, PUSC)	WIMAX	11.86	±9.8
10305		IEEE 602.15e WIMAX (31.15, 10 ms, 10 MHz, 64QAM, PUSC, 15 symbols)	WMAX	15.24	±9.6
10305	AAA	IEEE 802.16a WIMAX (29:18, 10 ma, 10 MHz, 64QAM, PUSC, 18 symbola)	WIMAX	14,67	±9.6

Certificate No: EX-3903_Jul24

Page 12 of 21



July 31, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^R R =
10367	AAA	IEEE 802.18e WIMAX (29-18, 10 ms, 10 MHz, QPSK, PUSC, 18 symbols)	WIMAX	14,49	±9.6
0308	AAA	IEEE 802.16e WMAX (29-18, 10 ms. 10 MHz, 16QAM, PUSC)	WIMAX	14.46	±8.6
6309	AAA	IEEE 802,15e WMAX (29:18, 10 ms. 10 MHz, 16QAM, AMC 2x3, 18 symbols)	WIMAX	14.58	±9.8
0310	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, QPSK, AMC 2x3, 18 symbols)	WIMAX	14.57	±9.6
0311	AAE	LTE-FDD (SC-FDMA, 100% R8, 15 MHz, GPSK)	LTE-FOD	6.06	19.8
0313	AAA	IDEN 1:3	IDEN	10.51	19.6
	AAA	IDEN 14	IDEN .	13.48	±8.6
0314	and the second	IEEE 802,11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	WLAN	1,71	19.6
0315	AAB	IEEE 802,110 WIPI 2.4 GHz (DBSS, THINKS, SALE DBY CYCIA) IEEE 802,110 WIPI 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycla)	WLAN	8.36	±9.6
0316	AAB		WLAN	8.36	±9.6
0317	AAE	IEEE 802.11a WFI 5 GHz (OFDM, 8 Mbps, 96pc duty cycle)	Generic	10.00	49.6
0.352	AAA	Pulse Waveform (200Hz, 10%)	Generic	6.99	+9.6
0.953	AAA	Pulse Waveform (200Hz, 20%)	Generic	3.98	±0.6
0354	AAA.	Pulse Waveform (200Hz, 40%)	Beneric	2.22	+9.6
0355	A,A,A	Pulse Waveform (200Hz, 60%)		0.97	±9.6
0356	AAA	Puise Waveform (200Hz, 80%)	Generic Generic	5.10	±9.6
0387	AAA	QPSK Waveform, 1 MHz		5.22	±9.6
0388	AAA	GPSK Waveform, 10 MHz	Generic:	and a state of the	
0396	AAA	64-QAM Waveform, 100 kHz	Generic	8,27	±9,6
0399	AAA	64-QAM Waveform, 40 MHz	Generic	6,27	±9.8
0400	AAF	IEEE 802.11ac WIFI (20 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.37	±9.6
0.401	A,A,F	IEEE 802.11ac WIFI (40 MHz, 64-QAM, 99pc duty cycle)	WILAN	8,60	±9,6
0.402	AAF	IEEE 802,11ac WiFi (80 MHz, 64-QAM, 99pc duty cycle)	WEAN	8,52	±9,6
0403	AAB	CDMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.76	±9.6
0.404	AAB	CDMA2000 (1xEV-DO, Rev. A)	GDMA2000	3,77	±9.6
10.406	AAB	CDMA2000, RC3, SQ32, SCH0, Full Rate	CDMA2000	5,22	±9,6
10410	AAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4)	LTE-TDD	7.82	±9.6
10414	AAA	WLAN CCDF, 64-QAM, 40 MHz	Generic	8.54	±9.6
10415	AAA	IEEE 802,11b WIFI 2.4 GHz (DSSS, 1 Maps, 99pc duty cycle)	WLAN	1.54	+9.6
10416	AAA	IEEE 802,11g WIFI 2.4 GHz (ERP-OFDM, 6 Maps, 98pc duty cycle)	WLAN	8.23	±9.6
10417	AAD	IEEE 802,11a/h WIFI 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	±9.6
10418	AAA	IEEE 802.11p WIFI 2.4 GHz (DSSS-OFDM, 6 Mbox, 99pc duty cycle, Long preembule)	WLAN	8.14	+9.6
10419	AAA.	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preambule)	WLAN	8.19	19.6
10422	AAD	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	WLAN	8.32	±9.6
10423	AAD	IEEE 802,11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	±9.6
10424	AAD	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	WLAN	8.40	19.6
10425	AAD	IEEE 802,11n (HT Greenfield, 15 Mbps, BPSK)	WLAN	8.41	±9.6
10425	AAD	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WLAN	8.45	±9.6
10427	AAD	IEEE 802.11n (HT Greenfield, 50 Mbps, 64-GAM)	WLAN	8.41	±9.6
10430	AAE	LTE-FDD (OFDMA, 5MHz, E-TM 3.1)	LTE-FDD	8.28	19.6
	AAE		LTE-FDD	8.38	19.0
10431		LTE-FDD (OFDMA, 10MHz, E-TM 3.1)		and the second second second	
10432	AAD	LTE-FDD (OFDMA, 15MHz, E-TM 3.1)	LTE-FDD	B.34	19,6
10433	AAD	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8.34	±9.6
10434	AAB	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	±9.8
10435	AAG	LTE-TDD (SC-FDMA, 1 RB; 20 MHz, OPSK, UL Subframe=2,3,4,7,8.9)	LTE-TDD	7.82	±9,6
10447	AAE	LTE-FDD (DFDMA, 5 MHz, E-TM 3.1, Olipping 44%)	LTE-FDD	7.56	±9.6
10448	AAE	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clippin 44%)	LTE-FDD	7,53	±9,6
10440	AAD	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Cliping 44%)	LTE-FDD	7.51	±9.5
10450	AAD	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-FOD	7,48	±9,6
10451	AAB	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	±9.6
10453	AAE	Validation (Square, 10 ms. 1 ms)	Test	10.00	±/9,8
10.456	AAD	IEEE 802.11ac WIFI (160 MHz; 84-QAM, 99pc duty cycle)	WLAN	18.63	太早, 5
10457	AAB	UMTS-FDD (DC-HSDPA)	WCDMA	6.62	±9.6
10.458	AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	CDMA2000	6.55	±9.6
10459	AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	CDMA2000	8,25	±9.6
10.460	AAB	UMTS-FDD (WCDMA, AMP)	WCDMA	2.39	±9.6
10461	AAC	LTE-TDD (SC-FDMA, 1 RB, 1,4 MHz, OPSK, UL Subhame=2,3,4,7,8,9)	LTE-TDD	7.82	±9,6
0462	and the second second	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe-2,3,4,7,8,9)	LTE-TDD	8.30	19.6
10463		LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe-2,3,4,7,8,9)	LTE-TOD	8.56	±9.6
10464	AAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe-2,3,4,7,8,9)	LTE-TOD	7.82	+9.6
10465	AAD	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 16-QAM, UL Subframe-2,3.4,7.8.9)	LTE-TOD	8.32	±9.6
10466	AAD	LTE-TOD (SC-FDMA, 1 R8, 3MHz, 64-QAM, UL Subframe-2.3.4.7.8.9)	LTE-TDD	8.57	19.5
10467	AAG	LTE-TDD (SC-FDMA, 1 R8, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.82	19.5
10468	AAG	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 16-GAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.32	±9.6
10469	AAG	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 64-QAM, UL Subframe-2,3,4,7,8,9)			
10469	AAG.	LTE-TDD (SC-FDMA, 1 R8, 5MHz, 5H-GAM, UL Subframew2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 R8, 10MHz, QPSK, UL Subframew2,3,4,7,8,9)	LTE-TOD	8.50	±9.5
The state of the local division of the local		LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 0FSA, 0L Subtrame=2.3.4,7,8,8)	LTE-TOD	7.82	19.5
10471	AAG	LUETDUCTORTOWN, LHD, 10 MINE, 10 GAM, UL SUDIAMER2,3,4,7,8,9)	LTE-TOD	8.32	±9.6

Certificate No: EX-3903 Jul24

Page 13 of 21





July 31, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k = 3
10472	AAG	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subtrame=2.3,4,7,8,9)	LTE-TDD	8.57	主導音
0473	AAF	LTE-TOD (SC-FDMA, 1 RB, 15 MHz, GPSK, UL Subframe=2.3.4.7.8,9)	LTE-TDD	7.82	±9,8
10.474	AAF	LTE-TOD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subtrame=2.3.4,7,8.9)	LTE-TOD	B.32	±9.6
0.475	AAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subtrame=2.3.4,7.8.9)	LTE-TDD	8,57	±9.5
10.477	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3.4,7.8.9)	LTE-TDD	8.02	±9.6
0.478	6AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subtrame-2.3,4,7,8,9)	LTE-TOD	8.57	±9.6
10.479	AAC	LTE-TDD (SC-FDMA, 50% RB, 1,4 MHz, OPSK, UL Subbame=2,3,4,7,8,9)	LTE-TOD	7,74	±9,6
10.480	AAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.18	±9.6
10481	AAC	LTE-TDD (SC-FDMA; 50% RB; 1.4 MHz; 64-GAM; UL Subframe=2,3,4,7,8,9)	LTE-TOD	B.45	:9.6
10.482	AAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	7.71	±9,6
10483	AAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.39	±9.6
10484	AAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframev2.3,4,7,8,9)	LTE-TD0	B.47	±9.6
10485	AAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe-2,3,4,7,8,9)	LTE-TOD	7.59	±9.6
10.486	AAG	LTE-TDD (SC-FDMA, 50% RB, 5MHz, 1E-QAM, UL Subframe-2,3,4,7,8,9)	LTE-TDD	8.38	±9.6
10.487	AAG	LTE-TDD (SC-FDMA, 50% RB, 5MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.60	19,6
10488	AAG	LTE-TDD (SC-FDMA, 50% AB, 10 MHz, QPSK, UL Subitame=2,3,4,7,8,9)	LTE-TOD	7.70	±9.6
10489	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subitame=2,3,4,7,8,9)	LTE-TOD	8,31	±9,6
10490	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 84-QAM, UL Subframe=2,3.4,7.8,9)	LTE-TDD	8.54	±9.6
10491	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7,74	±9,8
10492	AAE	LTE-TOD (SC-FDMA, 50% RB, 15MHz, 16-QAM, UL Subhame=2,3,4,7,8,9)	LTE-TOD	8.41	8,6±
10,493	AAF	LTE TOD (SC-FDMA, 50% RB, 15 MHz, 64-DAM, UL Subframe=2.3.4.7.8.9)	LTE-TDD	8,55	±9.6
10.494	AAG.	LTE-TDD (SC-FDMA, 60% RB, 20 MHz, QPSK, UL Subltame=2,3,4,7,8,9)	LTE-TDD	7,74	±9.6
10495	AAG	LTE-TDD (SC-FDMA, 50% HB, 20 MHz, 16-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TOD	8,37	±9.6
10.495	,A,A/G	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 84-QAM, UL Subframe=2,3,4,7,6,9)	LTE-TDD	8.54	±9,6
10497	AAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Sutstrame=2,3,4,7,8,9)	LTE-TDD	7.67	±9.6
10488	AAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8.9)	LTE-TDO	8.40	±9.6
10499	AAG	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8,68	±9.6
10/500	AAD	LTE-TDD (SC-FDMA, 100% R8, 3 MHz, OPSK, UL Subhame=2,3,4,7,8,9)	TLE-1DD	7.87	士泉后
10501	AAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subfreme=2,3,4,7,8,9)	LTE-TDO	8,#4	±9.6
10502	AAD	LTE-TDD (SC-FDMA, 100% R8, 3 MHz, 64-QAM, UL Subframe-2,3,4,7,8,9)	LTE-TDO	8.52	±9.6
10503	AAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subhame=2,3,4,7,6,9)	LTE-TDO	7.72	±9.6
10504	AAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOO	8.31	±9.6
10505	AAG	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 64-GAM, UL Subframe=2,3,4,7,8,8)	LTE-TDO	8.54	±9.6
10506	AAG	LTE-TDD (SC-FDMA, 100% RB, 10MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7,74	19.6
10607	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subhame=2,3,4,7,8,9)	LTE-TOO	8.36	±9,6
10508	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDO	8.55	±9.8
10509	and the second	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.99	19.5
10510		LTE-TDD (SC-FDMA, 100% R8, 15MHz, 18-QAM, UI, Subframe=2,3,4,7,6,9)	LTE-TOO	8.49	±9.6
10511	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDO	8.51	±9.6
10-512		LTE-TDD (SC-FDMA, 100% RB, 20 MHz; OPSK, LIL Subframe=2,3,4,7,8,9)	LTE-TDO	7,74	±9.6
10513	and the second se	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.42	19.6
10514		LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe-2,3,4,7,8,9)	LTE-TDO	8,45	±9,6
10515	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	WLAN	1.58	±9.6
10516		IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	WLAN	1.57	±9,6
10517	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	WLAN	1.58	±9.6
10518	CAA	IEEE 802.11 wh WIFI 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.23	±9.6
10518	AAD	IEEE 802.11a/h WIFI 5 GHz (GFDM, 12 Mbps, 98pc duty cycle)	WLAN	8.39	±9,6
10520	AAD	IEEE 802,11 a/h WIFI S GHz (OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8,12	±9.6
10521	AAD	IEEE 802.11a/h WIFI 5 GHz (CFDM, 24 Mbps, 99pc duty cycle)	WLAN	7,97	+9,6
10522	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8,45	±9.6
10523	AAD	IEEE 802.11i/h WFI 5 GHz (OFDM, 48 Mbps; 99pc duty cycle)	WLAN	8,08	±9.6
10524	AAD AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.27	±9.6
10.525	AAD	IEEE 802.11ac WFI (20 MHz, MCS0, 99pc duty cycle)	WLAN	8:36	±9,6
10.526		IEEE 802.11ac WFI (20 MHz, MCS1, 98pc duly cycle)	WLAN	8,42	±9.6
10527	AAD	IEEE 802,11ac WFI (20 MHz, MCS2, 99pc duty cycle)	WLAN	8.21	±9.6
10528	Contraction of the local section.	IEEE 802.11ac WFI (20 MHz, MCS3, 99pc duty cycle)	WLAN	9.36	±9.6
10529	in the state of th	IEEE 802.11ac WFI (20 MHz, MCS4, IRpc duly cycle)	WLAN	8.36	19.5
10531	AAD	IEEE 802.11as WFI (20 MHz, MCS8, 98pc duty cycle)	WLAN	8.43	±9.6
10532	_	IEEE 802,11ac WFI (20 MHz, MCS7, 98pc duty cycle)	WLAN	8.29	±9,6
10533		IEEE 802.11ac WFI (20 MHz, MCS8, 99pc duty cycle)	WLAN	9.38	±9.6
10534	AAD	IEEE 802,11ap WiFi (40 MHz, MCS0, 90pc duty cycle)	WLAN	8.45	±9.6
10535		IEEE 802.11ac WIFI (40 MHz, MCS1, 99pc duty cycle)	WLAN	8,45	土兒母
10.536	AAD	IEEE 802.11ac WiFi (40 MHz, MCS2, 99pc duty cycle)	WLAN	8.32	±9,6
10537	AAD	IEEE 802.11ap WiFi (40 MHz, MCS3, 99pc duty cycle)	WLAN	B.44	.±9.6
10.538	CAA	IEEE 802.11ac WIFI (40 MHz. MCS4, 99pc duty cycle)	WLAN	8,54	±9,8
10540	CLAA	IEEE 802.11 Hc WIFI (40 MHz, MCS6, 99pc duty cycle)	WLAN	8.39	+9.6

Certificate No: EX-3903_Jul24

Page 14 of 21





July 31, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10541	AAD	IEEE 802.11ac WIFI (40 MHz, MCS7, 99pc duty cycle)	WLAN	8.46	±9.6
0542	AAD	IEEE 602.11ac WiFi (40 MHz, MCS8, 99pc duty cycle)	WLAN	8.85	19.6
0543	AAD	IEEE 802.11ac WiFi (40 MHz, MC59, 99pc duty cycle)	WLAN	8.65	3.9.6
0544	AAD	IEEE 802 11ac WIFI (80 MHz, MCS0, 99pc duty cycle)	WLAN	B.47	1.9.6
0545	AAD	IEEE 802.11ec WIFI (80 MHz, MCS1, 99pc duty cycle)	WEAN	8.66	±9.6
0546	AAD	IEEE 802.11as WiFi (80 MHz, MCS2, 99pc duty cycle)	WLAN	8.35	19.6
0547	AAD	IEEE 802,11ac WIFI (60 MHz, MCS3, 99pc duly cycle)	WLAN	8,49	+9.6
0548	AAD	IEEE 802,11ac WiFI (80 MHz, MCS4, 99pc duty cycle)	WEAN	8.37	19.8
0550	AAD	IEEE 802.11ac WIFI (80 MHz. MCS8, 99pc duty cycle)	WLAN	8.38	19.6
0.551	AAD	IEEE 802.11ec WIFI (80 MHz, MCS7, 99pc duty cycle)	WLAN	H.50	±9.6
0552	AAD	IEEE 802,11ac WIFI (80 MHz, MCS8, 99bc duty cycle)	WLAN	8.42	±9.8
0553	AAD	IEEE 802.11ac WIFI (80 MHz, MCS9, 99pc duty cycle)	WLAN	8.45	19.6
0554	AAE	IEEE 802.11ac WIFI (160 MHz, MCS0, 99pc duty cycle)	WLAN	8.48	±9.6
0555	AAE	IEEE 802,11ac WIFi (160 MHz, MCS1, 99pc duty cycle)	WLAN	8.47	±9.6
0556	AAE	EEE 802,11ac WFF (160 MHz, MCS2, 98pc duty cycle)	WLAN	8.50	±9.6
0557	AAE	IEEE 802.11ac WiFI (160 MHz, MCS3, 96pc duty cycle)	WLAN	8.52	±9.8
0558	AAE	IEEE 802,11ec WiFi (160 MHz, MCS4, 99pc duty cycle)	WLAN	8.61	±9.5
	AAE	IEEE 802,1100 WFF (160 MHz, MCS4, 99pc duty cycle)	WLAN	8.73	19.6
0560	AAE	IEEE 802,11ac WiFI (160 MHz, MCS9, 96pc duty cycle)	WLAN	8.56	±9.6
0561		A second s	WLAN	8.69	±9.5
0562	AAE	IEEE 802,11ac WIFI (160 MHz, MC58, 99pc duty cycle) IEEE 802,11ac WIFI (160 MHz, MC59, 99pc duty cycle)	WLAN	8.77	±9.6
0563	AAE	IEEE 802.11ac WiFi (160 MHz, MUS8, 99pc duty cycle) IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.25	29.0
0.564	AAA	IEEE 802 11g WFI 2.4 GHz (DSSS-OFDM, 9 Mops, 990c duty cycle)	WLAN	8.45	±9.6
0565	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS-OFDM, 12 Mbps, 950c duty cycle)	WLAN	8.13	±9.6
0566			WLAN	8.00	±9.0 ±9.0
0557	AAA	IEEE 602.11g WFI 2.4 GHz (DSSS-OFDM, 24 Mbps, 98pc duty cycle)	WLAN	8.37	±9,6
0568	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	WLAN	B.10	±9.6
0569	A,A,A	TEEE 802.11g W/FI 2.4 GHz (DS55-OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.30	±9.6
0570	4,4,4	IEEE 802,11g WIFI 2 A GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	O THE R		
0.571	AAA	IEEE 802.11b WFI 2.4 GHz (DSSS, 1 Mbpt, 90pc duty cycle)	WLAN WLAN	1,99	:::::::::::::::::::::::::::::::::::::::
0.572	AAA.	(EEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)			19.6
0573	AAA	IEEE 802,11b WIFI 2.4 GHz (DSSS, 5.5 Mops, 90pc duty cycle)	WLAN	1.98	19.6
0674	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS. 11 Mbps, 90pc duty cycle)	WLAN	1.98	±9.6
0575	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	WLAN	ft.59	±9.6
0576	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.50	±9.6
0577	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	19.5
0578	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8,49	±9.6
0579	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 24 Maps, 90pc duty cycle)	WLAN	8,36	±9,8
0580	AAA AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 36 Mops, 90pc duty cycle)	WLAN	8.76	+9,6
0581	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	19.6
0582		IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	±9.6
0583	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 8 Mops, 90pc duty cycle)	WLAN	8.59	±9.6
0584	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	19.5
0585	AAD	IEEE 802.11a/h WIFI 3 GHz (OFDM, 12 Mops, 90pc duty cycle)	WLAN	8.70	±9.6
0586	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.45	+9.6
0587	AAD	IEEE 802.11a/h WIFI 5 GHz (CFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.56	:±9.6
0588	AAD.	IEEE 802.11a/h WIFI 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	19.6
0589	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	WLAN	6.35	19.6
0590	AAD	IEEE 802,11a/h WIFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8,67	19.6
0.591	GAA	IEEE 802,11n (HT Mixed, 20 MHz, MCS0, 90pc duty cycle)	WLAN	8,63	19.6
0592	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS1, 90pc duty cycle)	WLAN	8.79	±9.6
0593	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS2, 90pc duty cycle)	WLAN	8,64	19.6
0594	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS3, 90pc duty cycle)	WLAN	8,74	19.6
0585	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS4, 90pc duty cycle)	WLAN	8,74	±9.6
0596	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS5, 90pc duty cycle)	WLAN	8.71	±9.6
0597	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS6, 90pc duty rycle)	WLAN	8.72	±9.6
0598	and the second sec	IEEE 802.11n (HT Mixed, 20 MHz, MCS7, 90pc duty cycle)	WLAN	8.50	±9,8
0598	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS0, 90pc duty cycle)	WLAN	8.79	±9.6
0600	AAD	IEEE 802,11n (HT Mixed, 40 MHz, MCS1, 90pc duty cycle)	WLAN	8.68	19.8
0601	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS2, 90pc duty cycle)	WLAN	8.82	±9,6
0602	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS3, 90pc duty cycle)	WLAN	8.94	±9.6
0603	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS4, 90pc duty cycle)	WLAN	9.03	±9.6
0804	AAD	IEEE 882.1 tn (HT Mixed, 40 MHz, MCS5, 90pc duty cycle)	WLAN	8,76	±9.6
0505	AAD	IEEE 802.11/I (HT Mixed, 40 MHz, MCS6, 90pc duty cycle)	WLAN	8.97	±9,8
0606	AAD.	IEEE 802.11n (HT Mixed, 40 MHz, MCS7, 90pc duty cycle)	WLAN	8.82	±9.6
0607	AAD	IEEE 802.11ac WIFI (20 MHz, MCS0, 90pc duty cycle)	WLAN	8,64	±9.6
0.608	AAD.	IEEE 802,11ac WFI (20 MHz, MCS1, 90pc duty cycle)	WLAN	8.77	19,8

Certificate No: EX-3903_Jul24

Page 15 of 21




July 31, 2024

UID Re	V Communication System Name	Group	PAR (dB)	Unc ^E k =
10609 AA		WLAN	8,57	±9,6
00010 AA		WLAN	8,78	±9.6
DETI AA		WLAN	8.70	=9.6
0512 AA		WLAN	8.77	±9.6
and the second sec		WEAN	8.94	+9.6
100000000000000000000000000000000000000		WLAN	8.59	±9.6
0514 AA		WLAN	8.82	±9.6
0515 AA		WLAN	8.82	19.6
0616. AA	The second se	h the second sec		
0617 A		WLAN	8,81	±9.6
0618 AA		WLAN	8.58	±9.6
0619 A/		WLAN	8,86	±9,6
0620 A/	D IEEE 802.11ab WiFI (40 MHz; MCS4, 90pc duty cycle)	WLAN	8.87	±9,6
0621 A/	D IEEE 802.11ac WiFI (40 MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
0.622 A#	D IEEE 802.11ac WiFi (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.68	±9,6
0.623 A/	D IEEE 802.11ac WIFI (40 MHz, MCS7, 90pc duty cycle)	WLAN	8.82	±9.6
0-624 A#	D IEEE 802.11 do WIFI (40 MHz, MCS8, 90pc duty cycle)	WLAN	8,96	±9.6
0825 AA	D IEEE 802.11ac WFI (40 MHz, MCS9, 90pc duty cycle)	WLAN	B.96	±9.6
0-628 A/	and the second	WLAN	8.83	19.6
D627 A/		WLAN	8.88	19.6
0828 A/	the second se	WLAN	8.71	19.6
0629 A/		WLAN	35.6	19.6
10830 A/		WLAN	8.72	±9.6
0631 A/		WLAN	8.81	+9.5
10632 AJ	the second state of the se	WLAN	8.74	19.6
24,22,44,4,1,2,44	and the second	WLAN	8.83	19.8
		WLAN	8.80	±9.6
and the second se		10192017	8.81	
10835 A/	and the second	WLAN		±0.6
10636 A/		WLAN	8.83	+9.6
10637 A/		WLAN	8.79	±9,8
10638 A/		WLAN	8,86	±9,8
10639 AJ		WLAN	8.85	±9,6
10840 A	E IEEE 802.11ec WIFI (160 MHz, MCS4, 90pc duty cycle)	WLAN	8.98	±9.6
10541 AJ	E IEEE 802,11ab WIFI [160 MHz, MCS5, 90pc duty cycle)	WLAN	8.06	±9,8
10642 A	E IEEE 802,11ac WIFI (160 MHz, MCS8, 90pc duty cycle)	WLAN	9.06	±9,6
10543 AJ	E IEEE 802,11ac WIFI (160 MHz, MCS7, 90pc duty cycle)	WLAN	8.89	±9.6
10644 AJ	E IEEE 802.11ac WIFI (160 MHz, MCS8, 90pc duty cycle)	WLAN	9,05	±9,8
10:545 A/	E IEEE 802.11 ac WIFI (160 MHz, MCS9, 90pc duty cycle)	WLAN	8.11	±9.6
10548 A	H LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11.98	±9.6
10/647 A	G LTE-TOD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11,96	±9.6
10648 A	A COMA2000 (1x Advanced)	COMA2000	3.45	±9.8
10652 A	E LTE-TDD (OFDMA, 5 MHz, E-TM 3.1. Clipping 44%)	LTE-TDD	6.91	±9.6
10653 A		LTE-TDD	7,42	±9.6
10.654 A		LTE-TOD	6.96	±9.8
10-555 AJ		LTE-TDD	7.21	=9.6
10858 AJ		Test	10.00	19.6
10659 A/		Test	6.99	
10660 A		Teet		=9.6
10651 AJ		1110000	3.98	=9.6
and the second se	No. And Anna	Test	2.22	±9.6
10862 AJ		Test	0.97	±9.6
10670 AJ		Bluetoath	2,19	±9.8
10671 A/	The second s	WLAN	9.09	煮9.5
10672 AJ	Construction of the second	WLAN	8,57	±9,6
10873 A/		WLAN	8.78	±9.6
10674 A/	- Comparison of a section of the design of the section of the s	WLAN	8.74	±9,5
10675 A/		WLAN	(8,90	±9.6
10676 A/		WLAN	8.77	±9.8
0677 A/		WLAN	8.73	±9.8
0678 AJ	IC IEEE 802.11ax (25 MHz, MCS7, 90pc duty cycle)	WLAN	8.78	±9.6
10679 AJ	C IEEE 802.11ax (20 MHz; MCS8, 90pc duty cycle)	WLAN	8,89	=9,8
10680 AJ		WLAN	8.80	=9.6
10681 A/		WLAN	8.62	±9.6
10682 A/		WLAN	8,83	=9.6
10683 A		WLAN	8,42	±9.6
10684 AJ		WLAN		
10685 AJ			8,26	=9.8
10686 AJ		WLAN	8,33	±9.6
NUCCO I A	C IEEE 602.11ax (20 MHz, MCS3, 99pc duty cycle)	WLAN	8.28	=9.6

Certificate No: EX-3903_Jul24

Page 16 of 21





July 31, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10687	AAG	IEEE 802.11ax (20 MHz, MCS4, 99pc duty cycle)	WLAN	8,45	土兒 司
0688	AAC	IEEE 802.11 ax (20 MHz, MCS5, 99pc duty cycle)	WLAN	8.29	±9.6
0.689	AAC	IEEE 802.11ax (20 MHz, MC58, 99pc duty cycle)	WLAN	8.55	±9.6
0.690	AAC	IEEE 802.11ax (20 MHz, MCS7, 99pc duty cycle)	WLAN	8.29	±9.6
0691	AAC	IEEE 802,11ax (20 MHz, MCS8, 99pc duty cycle)	WLAN	8.25	±9.8
0682	AAC	IEEE 802,11an (20 MHz, MCS9, 99pc duty cycle)	WLAN	6.29	±9.6
and the second se	AAC	IEEE 802,11ex (20 MHz, MCS10, 99pc duty cycle)	WLAN	8.25	±9.6
0693	AAC	EEE 802,11ax (20 MHz, MCS11, 99pc duty cycle)	WLAN	8.57	±9.6
0-69-4		IEEE 802.11ax (40 MHz, MCS0, 90pc duty cycle)	WLAN	8.78	±9,6
0685	AAC	IEEE 802.11ax (40 MHz, MCS1, 90pc duty cycle)	WLAN	8.91	=9.8
0696	A day himself	IEEE 802.11ax (40 MHz, MCS2, 90pc duty cycle)	WLAN	8,61	±9.6
0697	AAG	IEEE 802, 11ax (40 MHz, MCS3, 90pc duty cycle)	WLAN	8.89	±9.6
0698	AAC	IEEE 802.11ax (40 MHz, MCS4, 80pc duty cycle)	WLAN	8.82	±8,6
0599	and the state of the	IEEE 802.11ax (40 MHz, MCS5, 90pc duty cycle)	WLAN	8,73	±9.6
0700	AAC		WLAN	8.86	+9.6
0701	AAC	IEEE 802.11 mx (40 MHz, MCS6, 90pc duty cycle)	WLAN	8,70	±9.6
0702	AAG	IEEE 802.11 ax (40 MHz, MCS7, 90pc duty cycle)	WLAN	B.82	±9.6
0703	AAC	IEEE 882.11ax (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.56	±9.6
0704	AAG	IEEE 802,11ax (40 MHz, MCS9, 90pc duty cycle)	WLAN	8.69	19.6
0705	AAC	IEEE 802.11ax (40 MHz, MCS10, 90pc duty cycle)	WLAN	8.66	±9.5
0706	AAG	IEEE 802.11Ax (40 MHz, MCS11, 50pc duty cycle)	WLAN	8.32	±9.6
10707	AAG	IEEE 802,11 dx (40 MHz, MCS0, 99pc duty cycle)	WLAN	8.55	±9.8
10708	AAC	IEEE 802.11ax (40 MHz, MCS1, 98pc duty cycle)	Allowed and the second s	and the section from the sector of the	
10709	AAC	IEEE 802.11ax (40 MHz, MCS2, 99pc duty cycle)	WLAN WI AN	8.33	±9.5 ±9.5
10710	AAG	IEEE 802.11ax (40 MHz, MCS3, 99pc duty cycle)	WLAN	and the second distance of the second distanc	
10711	AAC	IEEE 802.11ax (40 MHz, MCS4, 9Rpc duty cycle)	WLAN	8.39	=9.6
10712	AAC	IEEE 802.11ms (40 MHz, MCSS, 99pc duty cycle)	WLAN	8,67	=9,6
10713	AAG	IEEE 802.11as (40 MHz, MCS6, 99pc duty cycle)	WLAN	8,33	±9,6
10714	AAC	IEEE 802.11ex (40 MHz, MC67, 99pc duty cycle)	WLAN	8.26	±9.6
10715	AAC	IEEE 802.11ax (40 MHz, MCS8, 99pc duty cycle)	WLAN	8,45	±9,6
10716	AAC	IEEE 802.11ax (40 MHz, MCS8, 99pc duty cycle)	WLAN	8,30	±9,6
10717	AAC	IEEE 802.11ax (40 MHz, MCS10, 99pc duty cycle)	WLAN	8,48	±9.6
10718	AAC	IEEE 802.11ax (40 MHz, MCS11, 99pc duty cycle)	WLAN	8.24	±9.6
10719	AAC:	IEEE 802.11 ax (80 MHz, MCS0, 90pc duty cycle)	WLAN	8.81	±9.8
10720	AAC	IEEE 802.11ax (80 MHz, MCS1, 90pc duty cycle)	WLAN	8.87	+9.6
10721	AAG	IEEE 802,11ax (80 MHz, MCS2, 90pc duty cycle)	WLAN	8.78	==9.6
10,722	AAC	IEEE 802.11ax (80 MHz, MCS3, 90pc duty cyclo)	WEAN	0.55	±9.6
10723	AAC	IEEE 802,11ax (80 MHz, MCS4, 90pc duty cycle)	WLAN	6.70	±9.6
10724	ANC	IEEE 802.11ax (80 MHz, MCSS, 90pc duty cycle)	WLAN	8.90	19.6
10725	AAG	IEEE 802.11ax (80 MHz, MCS6, 90pc duty cycle)	WLAN	8,74	±9.6
10726	AAC	IEEE 802,11ax (80 MHz, MCS7, 90pc duty cycle)	WLAN	8,72	±9.6
10727	AAG	IEEE 802.11ax (80 MHz, MCS8. 90pc duty cycle)	WLAN	8.66	±9.6
10728	AAC	IEEE 802.11ax (80 MHz, MCS9, 90pc duty cycle)	WLAN	8,65	±9.6
10728	AAO	IEEE 802.11ax (80 MHz, MCS10, 90pc duty cycle)	WLAN	8.64	+9.6
10730	AAC	IEEE 802.11ax (80 MHz, MCS11, 90pc duty cycle)	WLAN	8.67	±9.6
10731	AAC	IEEE 802.11ax (80 MHz, MCS0, 99pc duty cycle)	WLAN	8,42	±9.6
10732	AAG	IEEE 802.11ax (80 MHz, MCS1, 99pc duty cycle)	WLAN	8.46	±9.6
10733	AAG	IEEE 802.11ax (80 MHz, MCS2, 99pc duty cycle)	WLAN	8,40	±9,6
10734	AAC	IEEE 802.11ax (80 MHz, MCS3, 99pc duty cycle)	WLAN	8.25	±9.6
10735	AAC	IEEE 802.11ax (80 MHz, MCS4, 99pc duty cycle)	WEAN	8.33	±9.6
10736	AAC	IEEE 802.11ax (80 MHz, MCS5, 89pc duty cycle)	WEAN	8,27	19.6
10737	AAC	IEEE 802.11ax (80 MHz, MCS6, 59pc duty cycle)	WLAN	8,36	±9.6
10738	AAC	IEEE 802.11ax (80 MHz, MCS7, 99pc duty cycle)	WLAN	8,42	±9.6
10739.	AAC	IEEE 802,11ax (80 MHz, MCS8, 99pc duty cycle)	WLAN	8.29	+9.6
10740	AAC	IEEE 802.11ax (80 MHz, MCS9, 99pc duty cycle)	WLAN	8,48	±9,6
10741	AAC	IEEE 802.11ax (80 MHz, MCS10, 99pc duty cycle)	WLAN	8.40	±9.6
10742	AAC	IEEE 802.11ax (80 MHz, MCS11, 99pc duty cycle)	WLAN	8.43	±9.6
10743		IEEE 802.11ax (160 MHz, MCS0, 90pc duty cycle)	WEAN	8,94	+9.6
10744	AAC	IEEE 802.11ax (160 MHz, MCS1, 90pc duty cycle)	WLAN	9.16	±9.6
10745	AAC	IEEE 802.11ax (160 MHz, MCS2, 90pc duty cycle)	WLAN	8.93	±9.6
10746	AAC	IEEE 802,11ax (160 MHz, MCS3, 90pc duty cycle)	WLAN	8.11	±0.6
10747	AAC	IEEE 802.11ax (160 MHz, MCS4, 90pc duty cycle)	WLAN	9.04	+9.6
10748	AAC	IEEE 802.11ax (160 MHz, MCS5, 90pc duty cycle)	WLAN	8.93	19.6
10749	AAO	IEEE 802.11ax (150 MHz, MCS6, 90pc duty cycle)	WLAN	8.90	±9.6
10750	AAC	IEEE 802.11ax (160 MHz, MCS7, 90pc duty cycle)	WLAN	8.79	+9.6
10751	AAC	IEEE 802.11ax (160 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	19.6
		a second second to the second second second second second second	TT ANT NO.	to-ten-	1, 2, 6, 73

Certificate No: EX-3903_Jul24

Page 17 of 21



July 31, 2024

UID	Flev	Communication System Name	Group	PAR (dB)	Unc ^E & =
0753	AAC	BEEE 802.11ax (160 MHz, MC510, 90pc duty cycle)	WLAN	9.00	±9.6
0754	AAC.	IEEE 802.11ax (160 MHz, MCS11, 90pc duly cycle)	WLAN	8.94	19.6
0755	AAC	IEEE 802.11ax (160 MHz, NCS0, 99pc duty cycle)	WLAN	8.64	19.6
		EEE 802.11ax (160 MHz, MCS1, 98pc duty cycle)	WLAN	8.77	+9.6
0756	AAC		WLAN	8.77	±9.6
0757	AAG	IEEE 802,118x (160 MHz, MCS2, 99pc duty cycle)	WLAN	8.69	±9.8
0758	AAC	IEEE 802.11ax (160 MHz, MCB3, 99pc duty cycle)	WLAN	8.58	±9.6
0758	AAG	IEEE 802.11ax (160 MHz, MCS4, 99pc duty cycle)		8.49	±9.6
0760	AAC	IEEE 802.11ax (160 MHz, MCSS, 99pc duty cycle)	WEAN	8.58	19.6
0761	AAC	IEEE 802.11ax (160 MHz, MC56, 99pc duty cycle)	WLAN		
0762	AAC	IEEE 802.11ax (160 MHz, MCS7, 99pc duty cycle)	WLAN	8,49	±9,6
0763	AAC.	IEEE 802.11ax (160 MHz, MCSB, 99pc duty cycle)	WILAN	8.53	±9.8
0764	AAC	IEEE 802.11ax (160 MHz, MCS9, 99pc duty cycle)	WLAN	8,54	=9,6
0765	AAC	IEEE 802.11ax (160 MHz, MCS10, 99pc duty cycle)	WEAN	8,54	±9.6
0768	AACL.	IEEE 802.11ax (160 MHz, MCS11, 99pc duty cycle)	WEAN	8,51	+9.6
0767	AAG:	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	±9,6
10768	AAE	5G NR (CP-OFDM, 1 RB, 10 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.01	±9.6
0769	AAD	5G NR (CP-OEDM, 1 RB, 15 MHz, OPSK, 15 kHz)	5G NR FR1 TOD	8.01	±9.6
10770	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.02	±9,6
0771	AAD	5G NR (CP-OFDM, 1 R8, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	±9.8
0772	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8,23	±9,6
10773	AAF	SG NR (CP-OFDM, 1 R8, 40 MHz, QPSK, 15kHz)	SG NR FR1 TDD	8.03	±9.6
	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, OPSK, 15 kHz)	50 NR FRI TDD	8,02	=9.6
10.774	AAF	5G NR (CP-OFDM, THE, SOURCE, GF3R, 15KHz) 5G NR (CP-OFDM, 50% RB, 5MHz, OPSK, 15KHz)	5G NR FR1 TDD	8.31	±9.6
10775		5G NR (CP-OFDM, 50% RB, 5 MR2, 0P34, 15 KR2) 5G NR (CP-OFDM, 50% RB, 10 MR2, 0P5K, 15 KH2)	5G NR FR1 TDD	8,30	±9.6
10775	AAE		50 NR FR1 TDD	8.30	±9.6
10777	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	10.0
t0778	AAE	5G NR (CP-OFDM, 50% R8, 20 MHz, QPSK, 15 kHz)			
10779	AAC	5G NR (CP-OFDM, 59% RB, 25 MHz, QPSK, 15 kHz)	SG NR FR1 TD0	8.42	±9.6
10780	AAE	6G NR (CP-OFDM, 50% RB, 30 MHz, QP5K, 15 kHz)	50 NR FR1 TDD	8.38	±9.6
10781	AAF	5G NR (CP-OFDM, 50% R8, 40 MHz, GP5K, 15 HHz)	5G NR FR1 TDD	8.38	±9.8
10782	AAE	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	±9.0
10783	AAG	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	56 NR FR1 TDD	8.31	±9.6
10784	AAE	9G NR (CP-OFDM, 100% RB, 10 MHz, GPSK, 15kHz)	5G NR FR1 TOD	8.29	±9.6
10785	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, GPSK, 15 kHz)	5G NR FR1 TDD	B.40	±9.0
10786	AAE	SG NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	50 NR FRI TOD	8.35	±9.6
10787	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, GPSK, 15 kHz)	5G NR FR1 TDD	8.44	19.8
10768	AAE	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	±9.8
10785	AAF	5G NR (CP-OFDM, 100% RB, 40 MHz, OPSK, 15 kHz)	5G NR FR1 TOD	8.37	±9.8
10790	AAE	5G NR (CP-DEDM, 100% RB, 50 MHz, QPSK, 15 HHz)	5G NR FR1 TDD	8.39	±9.6
10791	AAG	5G NR (CP-OFDM, 1 RE, 5MHz, QPEK, 30kHz)	5G NR FR1 TDD	7.83	±9.6
10792	AAE	50 NR (CP-OFDM, 1 RB, 10 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	7.92	±9.6
10793	AAD	5G NR (CP-OFDM, 1 R8, 15MHz, OPSK, 30kHz)	5G NR FR1 TDD	7.95	±9.6
10794	AAE	5G NR (CP-OFDM, 1 R8, 20 MHz, QPSK, 30 MHz)	5G NR FR1 TDD	7.82	±9.6
10.795	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 MHz)	5G NR FR1 TDD	7.84	±9.0
10795	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	±9.6
10790	AAF	SG NR (CP-OFDM, 1 RB, 40 MHz, GPSK, 30 kHz)	5G NR FR1 TD0	8.01	±9.6
	and the second second			7,89	-
10798	AAE	SG NR (CP-OFCM, 1 RB, 50 MHz, CPSK, 30 kHz)	5G NR FR1 TDD		=9.6
10799	AAF	5G NR (CP-OFCM, 1 RB, 60 MHz, CPSK, 30 kHz)	SG NR FR1 TDD	7.93	=9.6
10.801	AAF	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	50 NR FR1 TDD	7:89	±9.6
10802	AAE	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TD0	7,87	±9.6
10803	AAF	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7,93	±9,6
16805		5G NR (CP-OFDM, SO% R8, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	三兒;6
10.808		5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	SG NR FR1 TDD	8.37	±9.6
10809		SG NR (CP-OFDM, 50% R9, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDO	8,34	±9.6
10810		5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	±9.6
10812	AAF.	5G NR (CP-OFDM, 50% R8, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	±9.6
10.817	AAG	5G NR (CP-OFOM, 100% RB, 5 MHz, QPSK, 30 kHz)	SQ NR FR1 TDD	8.35	±9.6
10.818		5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	±9.6
10819		5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	±9.6
10820		5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	±9.6
10.821		5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	+9.6
10822	-	SG NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8,41	29.6
10823	and straight of the last	5G NR (CP-OFDM, 100% R8, 40 MHz, QP5K, 30 Hz)	5G NH FR1 TDD	8.36	±9.6
	-	Control is a second			
10.824		5G NR (CP-OFEM, 100% RB, 50 MHz, QPSK, 30 KHz)	5G NR FR1 TDD	8.30	±9.6
10825		5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	SG NR FR1 TDD	8.41	18.6
10827	AAP	SG NR (CP-OFDM, 100% RB, 80 MHz, QPSK, S0 kHz)	5G NR FR1 TDD	8.42	±9.6
10828	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8,43	+9.6

Certificate No: EX-3903_Jul24

Page 18 of 21



July 31, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10829	AAF	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	±9.6
0830	AAE	5G NR (CP-OFDM, 1 RB, 10MHz, QPSK, 60 kHz)	5G NR FR1 TUD	7.83	±9.6
0831	AAD	5G NR (CP-OFDM, 1 PB, 15MHz, QPSK, 60 kHz)	5G NR FR1 TOD	7,73	±9.6
0832	AAE	SG NR (CP-OFDM, 1 RB, 20MHz, GPSK, 60 kHz)	5G NR FR1 TDD	7,74	±9.6
0833	AAD	SG NR (CP-OFDM, 1 R8, 25MHz, QPSK, 60kHz)	5G NR FR1 TDD	7,70	±9,6
	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 90 KHz)	5G NR FR1 TDD	7,75	±9.6
0834	and the second se	5G NR (CP-OFDM, 1 RB, 40 MHz, CPSK, 60 kHz)	5G NR FR1 TDD	7.70	±9.6
0.835	AAF	5G NR (CP-OFDM, 1 RB, 50 MHz, GP an, 50 MHz)	5G NR FR1 TDD	7.66	±9.6
0836	AAE		5G NR FR1 TDD	7.68	±9.6
0837	,AAF	5G NR (CP-OFDM, 1 RB, 60 MHz, OPSK, 60 kHz)	5G NR FR1 TDD	7.70	±9.6
0.839	,A,A,F	5G NR (CP-OFDM, 1 RB, 80 MHz, CP5K, 50 kHz)	5G NR FR1 TDD	7.87	+9.6
0.840	AAE	5G NR (CP-OFCM, 1 RB, 90 MHz, OPSK, 60 kHz)	50 NR FR1 TDD	7,71	19.6
0.841	AAF	5G NR (CP-OFOM, 1 RB, 100 MHz, QPSK, 60 MHz)	50 NR FR1 TDD	8.49	+9.6
0.843	AAD	5G NR (CP-OFDM, 50% RB, 15MHz, OPSK, 60kHz)	5G NR FR1 TOD	8.34	±9.6
0.844	AAE	5G NR (CP-OFDM, 50% RB, 20MHz, QP5K, 60NHz)	SG NR FRI TOD		±9.6
0846	AAE	SG NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 KHz)		8.41	and the part of the
0854	AAE	5G NR (CP-OFDM, 100% RB, 10 MHz, GPSK, 60 kHz)	5G NR FR1 TDD	8.34	±9,8
0855	AAD	SG NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	SG NR FR1 TDD	8.36	±9.6
0856	AAE	5G NR (CF-OFDM, 100% RB, 20 MHz, QP5K, 60 kHz)	SG NR FRI TDD	B.37	±9.6
0857	AAD	5G NR (CP-OFDM, 106% RB; 25 MHz; OPSK, 80 kHz)	5G NR FR1 TDD	8.35	=9.6
0858	AAE	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	±9.6
0859	A,A,F	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	±9.6
0880	AAE	5G NR (CP-OFDM, 100% R8, 50 MHz, QPSK, 80 kHz)	5G NR FR1 TDD	8.41	±9,6
0861	AAF	5G NR (CP-OFDM, 100% R8, 60 MHz, QP5K, 60 kHz)	5G NR FR1 TDD	8.40	±9.6
0.863	AAF	5G NR (CP-OFDM, 100% RB, 80 MHz, QP5K, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
0.064	AAE	5G.NR (CP-OFDM, 100% R8, 90 MHz, QPSK, 60 kHz)	3G NR FR1 TDD	8.37	±9.6
0865	AAF	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TOD	8,41	19.6
10866	AAF	SG NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	11G NR FR1 TOD	5.68	19.6
8890	AAF	5G NR (DFT-p-OFDM, 100% 88, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	6.89	±9.6
10869	AAE	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, OPSK, 120 kHz)	56 NR FR2 TOO	5.75	+9.6
10870	AAE	5G NR (DFT-6-OFDM, 100% RB, 100 MHz, GPSK, 120 kHz)	5G NR FR2 TOD	5.88	±9.6
0871	AAE	5G NR (DFT-p-OFDM, 1 RE, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TOD	5.75	±9.6
10872	AAE	5G NR (DFTs-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TOD	6.52	+9.6
			50 NR FR2 TOD	6.61	19.6
10873		5G NR (DFT-6-OFDM, 1 RB, 100 MHz, 64QAM, 120 HHz) 5G NR (DFT-6-OFDM, 100% RB, 100 MHz, 64QAM, 120 HHz)	5G NR FR2 TDD	6.65	±9.6
10874		SG NR (CP-OFDM, 1005 HB, 100 MHz, 0PG4M, 120 HB2)	5G NR FR2 TDD	7.78	19.0
10875			and the second se	8.39	+9.8
10876	AAE	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	SO NR FR2 TOD	1.1.2.2.2.2.1	
15877		5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7,95	±9,8
10878		5G NR (CP-OFDM, 100% RB, 100 MHz, 18CAM, 120 kHz)	5G NR FR2 TOD	8,41	±9,6
10879		5G NR (CP-OFDM, 1 RB, 100 MHz, 64GAM, 120 kHz)	SG NR FR2 TDD	8,12	±9,6
10680	and the second s	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TOD	8.38	±9.6
10881	AAE	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
10882		5G NR (DFT-e-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	SG NR FR2 TDD	5.96	±9,9
10883	AAE	5G NR (DFT-s-OFDM, 1 R8, 50 MHz, 16QAM, 120 kHz)	SG NR FR2 TDD	6,57	±8.8
10684	and the second se	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	±9.6
10885	AAE	5G.NR (DFT-6-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	±9,6
10888	AAE	50 NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 Hz)	50 NR FR2 TOD	6.65	±9,6
10.887	AAE	5G NR (CP-DEDM, 1 RB, 50 MHz, OPSK, 120 kHz)	5G NR FR2 TOD	7.78	±9.0
10885	AAE	5G NR (CP-DFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8,35	±9.6
10889	AAE	5G NR (CP-OFDM, 1 R8, 50 MHz, 160AM, 120 kHz)	53 NR FR2 TDD	8,02	±9,8
10,890	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, 18QAM, 120 kHz)	5G NR FR2 TDD	8,40	±9,6
10.891	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	±9;6
10-592	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 KHz)	5G NR FR2 TDD	8,41	±9.6
10897	and the second	5G NR (DFT-e-OFDM, 1 RB, 5 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5,66	±9.6
10898		5G NR (DFT-6-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	±9.0
10899		5G NR (DFT-s-OFDM, 1 RB, 15 MHz, OPSK, 303Hz)	5G NR FR1 TDD	5.67	+9.6
10900			5G NR FR1 TDD		±9.6
10901	- Andrewski and the second	5G NR (DFT-s-OFDM, 1 R8, 25 MHz, OPSK, 30 kHz)	5G NR FR: TDD	5.68	±9.6
10902		5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 MHz)	5G NR FRI TDD	5.68	+9.6
10903		5G NR (DFTs-OFDM, 1 RB, 40 MHz, QPSK, 30kHz)	5G NR FR1 TDD	5,68	±9.6
10904		5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	50 NR FR1 T00	5,68	
at south this she	- Andrewski and				±9,6
18905		5G NR (DFT-6-OFDM, 1 RB, 60 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10506		5G NR (DFT-s-OFDM, 1 RB, 80 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10907	and the second second	5G NR (DFTis-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	±9,6
10.908		5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 36 kHz)	53 NR FR1 TDD	5.93	±9.8
10.909		5G NR (DFT-9-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NA FR1 TDD	5.96	±9,6
10910	AAC .	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5,83	±9,6

Certificate No: EX-3903_Jul24

Page 19 of 21



July 31, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0911	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	±9.6
0912	AAC	5G NR (DFT-6-OFDM, 50% R8, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	19.6
0913	AAD	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
and the state of	AAC	5G NR (DFT-8-OFOM, 50% R8, 50 MHz, QP5K, 30 kHz)	5G NR FR1 TDD	5.85	19.6
0914		5G NR (DFT-8-OFDM, 50% RB, 50 MHz, QPSK, 30 KHz)	5G NR FR1 TDD	5.83	+9.6
0915	CAA		5G NR FR1 TDD	5.87	±9.6
0915	AAD .	SG NR (DFTs-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	±9.6
0917	AAD	50 NR (DFT-s-OFDM, 50% R8, 100 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.86	+9.6
0918	AAE	5G NR (DFTs-OFDM, 100% RB, 5 MHz, QPSK, 30kHz)	the last of the la	5.86	and the second sec
0919	AAC	5G NR (DFTa-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	and the first statement of	19.5
0.920	AAB	5G NR (DFT:s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	±9,5
0.851	AAC	5G NR (DFTe-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
0922	AAB	5G NR (DFTs-OFDM, 100% RB, 25MHz, GPSK, 30kHz)	5G NR FR1 TDD	5.82	±9.6
0923-	AAG.	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	56 NR FR1 TDD	5.84	±9.6
0924	AAD	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.8
0925	AAC	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	5.95	±9.6
0926	AAD	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	SG NR FR1 TDD	5,84	±9,5
0.927	AAD	5G NR (DFT-8-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5,94	±9,6
0.928	AAD	5G NR (DFT/s-OFDM, 1 RB, 5MHz, QP5K, 158Hz)	SG NR FR1 FDD	5,52	±9.6
0929	AAD	5G NR (DFT-e-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	=9,9
0930	AAC	5G NR (DFT-s-OFDM, 1 RB, 15MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.52	±9.6
0.931	AAC	5G NR (DFTs-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	56 NR FR1 FDD	5.51	±9.6
0.932	AAC	5G NR (DFTs-OFDM, 1 RB, 25 MHz, QPSK, 15 KHz)	5G NR FR1 FDD	5.51	±9.8
0933	AAC	5G NR (DFT-6-OFDM, 1 RB, 30 MHz, OPSK, 15 kHz)	5G NR FR1 FDD	5.51	+9.0
0934	AAC	5G NR (DFTs-OFDM, 1 RB, 40 MHz, OP5K, 15 kHz)	5G NR FR1 FOD	5.51	±9.6
	AAD	SG NR (DFTa-OFDM, 1 RB, 60 MHz, QPSK, 15 kHz)	SG NR FR1 FOD	6.51	±9.6
0935	AAD	SG NR (DFT#GFDM, THB, driving, dr.Sh, Tokkey SG NR (DFT#-OFDM, 50% RB, 5MHz, QPSK, 15 kHz)	50 NR FR1 FDD	5.90	±9.6
10936		and the second	5G NR FR1 FDD	5.77	+9.6
0937	AAD	5G NR (DFT-e-OFDM, 50% RB, 10 MHz, GPSK, 15 kHz)	5G NR FR1 FDD	8.90	±9.6
10938	AAC	SG NR (DFTs-OFDM, 50% RB, 15MHz, QPSK, 15kHz)	and the second se		
10.939	AAC	5G NR (DFT+-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5,82	±9,6
10940	AAC	5G NR (DFT-s-DFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	50 NR FR1 FDD	5,89	±9,6
18941	AAC	5G NR (DFT-6-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FD0	5,83	±9.6
0942	AAC	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	SG NR FR1 FDD	5,85	±9.6
10943	AAD	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	±9,5
10944	AAD	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5,81	±9.6
10945	AAD	5G NR (DFT-9-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5,85	±9.6
10945	AAC	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	±9,6
0947	AAC	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, GPSK, 15 kHz)	5G NR FR1 FDD	5.87	±9,6
10948	AAC	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, OPSK, 15 kHz)	5G NR FR1 FDD	5,94	±9.6
0949	AAC	5G NR (DFT-8-QFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	±0,6
0950	AAC	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	±9.6
0951	DAA	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	±9.6
0952	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-OAM, 15 kHz)	5G NR FR1 FDD	8.25	±9.6
0.953	AAA	5G NR OL (CP-OFOM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	±9.6
0.954	AAA	5G NR DL (CP-OFDM, TM 3.1, 15MHz, 64-GAM, 15kHz)	5G NR FR1 FDD	8.23	±9.8
0955	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8,42	+9.6
0.956	AAA	5G NR DL (CP-OFDM, TM 3.1, 5MHz, 64-QAM, 30 kHz)	50 NR FR1 FDD	8,14	±9.6
0.957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 KHz)	50 NR FR1 FD0	8.31	±0.6
0.958	AAA	5G NR DL (CP-OFOM, TM 3.1, 15 MHz, 54-OAM, 30 kHz)	5G NR FR1 FDD	8.51	±9.6
10959	AAA	SG NR DL (CP-OFDM, TM 3.1, 20MHz, S4-QAM, 30MHz)	5G NR FR1 FDD	8,33	±9.6
	AAE		and the of a section of the local division of the section of the s		
0.061		5G NR DL (CP-OFDM, TM 3.1, 5MHz, 84-QAM, 15kHz)	5G NR FR1 TDD	9.32	±9.8
0.951	AAG	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	=9,6
0.962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9,40	±9.6
0.953	AAC	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	±9.6
0.994	AAE	5G NR DI, (CP-OFDM, TM 3.1, 5MHz, 64-QAM, 30kHz)	5G NR FR1 TDD	9.21	±9.6
0.965	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz; 64-QAM, 30 kHz)	SG NR FR1 TDO	9.37	:9.6
0.966	and the state of t	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 NHz)	5G NR FR1 TDD	9.55	±9.6
0.967	AAC	5G NR DL (CP-OFDM, TM S.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	±9.6
0.968	GAA	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9,49	±9,6
0.972	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	11.59	±9.6
10973	GAA	5G NR (DFT/e-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	0.06	±9.6
0974	(AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 255-QAM, 30 kHz)	50 NR FR1 TDD	10.2#	±0.6
0978	AAA	ULLA BDR	ULLA	1,16	+9.6
10.979	AAA	ULLA HDR4	ULLA	8.58	±9.6
0980	AAA	ULLA HDRE	ULLA	10.32	±9.6
0.981	AAA	ULLA HDRp4	ULLA	3.19	±0.6
10982	AAA	and the second se		and the second second	and the second second second
10.000	1.000	ULLA HDRp8	ULLA	3,43	±9.6

Certificate No: EX-3903_Jul24

Page 20 of 21





July 31, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E R = 2
10983	AAG	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.31	±9.6
10984	AAB	5G NR OL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.42	+9.6
10985	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	SG NR FRI TDD	9,54	±9.6
10985	AAB	5G NR DL (CP-OFDM, TM 1.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.50	±9.6
10985	AAC	SG NR DL (CP-OFDM, TM 3.1, 60 MHz, 64-QAM, 30 kHz)	56 NR FR1 TDD	9.53	±9.6
10902	AAR	5G NR DL (CP-OFDM, TM 3.1, 70 MHz, 54-QAM, 30 kHz)	50 NR FR1 TOD	9.38	19.6
10988	AAC	SG NR DL (CP-OFDM, TM 3.1, 80 MHz, 64-QAM, 30 KHz)	5G NR FR1 TOD	9.33	±9.0
10989	AAB	5G NR DL (CP-OFDM, TM 3.1, 90 MHz, 64-QAM, 30 KHz)	SG NR FR1 TDD	9.52	+9.6
11003	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-GAM, 15 kHz)	5G NR FR1 TOD	10.24	±9.6
	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-GAM, 30 KHz)	5G NR FR1 TDD	10.73	#9.8
11004	AAA	SG NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 15 kHz)	5G NR FR1 FD0	8.70	+9.6
11005	1.400.000	50 NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15 KHz)	5G NR FR1 FDD	8.55	+9.6
11006	AAA	SG NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-GAM, 15 KHz)	5G NR FR1 FDD	8,45	±9.6
11007	and the second	SG NR DL (CP-OFDM, TM 3.1, S0 MHz, 64-QAM, 15 Hz)	5G NR FR1 FDD	8.51	±9.6
11008	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30kHz)	5G NR FR1 FDD	8,76	±9.6
11009	AAA	5G NR DL (CP-OFDM, 1M 3.1, 20 MHz, 64-QAM, 30 Hz)	5G NR FR1 FD0	8,95	+9.6
11010	AAA	SG NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.96	±9.6
	Contraction of the local division of the loc	ISG NR OL (CP-OFDM, TM 3.1, S0 MHz, 64-QAM, 30 MHz)	5G NR FR1 FDD	8.68	+9.6
11012	AAA	IEEE 802.11be (320 MHz, MCS1, 99pc (uty cycle)	WLAN	8.47	+9.6
11013	AAB	EEE 802,11be (320 MHz, MCS2, 99pc duty cycle)	WLAN	8.45	+9.6
11014	AAB	IEEE 802.11be (320 MHz, MCS2, Mpc duty cycle)	WLAN	8.44	19.6
11015	1000	IEEE 802.11be (320 MHz; MCS4, 99pc duty cycle)	WLAN	8.44	±9.6
11016	AAB	IEEE 802.1168 (320 MHz, MCS4, 980c 009 Cycle) IEEE 802.1169 (320 MHz, MCS5, 99pc duty cycle)	WLAN	8,41	+9.6
11017	AAB	IEEE 802,1109 (320 MHz, MCS6, 99pc duty cycle)	WLAN	8,40	=9.6
11018	172.42	IEEE 802.1106 (320 MHz, MCS6, 99)c duty cycle) IEEE 802.11be (320 MHz, MCS7, 99)c duty cycle)	WLAN	8.29	+9.6
11019	AAB	IEEE 802,11bs (320 MHz, MCS7, Stpc duty cycle)	WLAN	8,27	±9.6
11020	AAB	IEEE 802,11bit (320 MHz, MCS9, 99pc duty cycle)	WLAN	8,46	+9:6
11021		IEEE 802.11te (320 MHz, WCS9, table duty dyck) IEEE 802.11te (320 MHz, WCS10, 98pc duty dyck)	WLAN	8.36	+9.6
11022	AAB	IEEE 832,11be (320 MHz, WCS10, Hipc duty cycle) IEEE 832,11be (320 MHz, WCS11, 98pc duty cycle)	WLAN	8.09	+9.6
11023	1.1.0.000		WLAN	8.42	+9.6
11024	AAB	IEEE 602.11be (320 MHz, MCS12, 99pc duty cycle)	WLAN	8.37	19.5
11025	AAB	IEEE 802.11be (320 MHz; MCS19, 99pc duty cycle)	WLAN	8.39	±9.0
11026	AAB	IEEE 802.11be (320 MHz, MCS0, 99pc duty cycle)	WLAN	6.39	19.0

E Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX-3903_Jul24

Page 21 of 21



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland				•	C Se	thweizerischer Kalibrierdien rrvice suisse d'étaionnage rrvizio svizzero di taratura viss Calibration Service
he Swis	s Accreditation Ser	ditation Service (SAS) vice is one of the signatories to the E e recognition of calibration certificate			Accred	litation No.: SCS 0108
lient	lent HCT Gyeonggi-do, Republic of Kores		Certifi	Certificate No. EX-7:		7370_Aug24
CAL	IBRATION CI	ERTIFICATE	곌	당 등	F 74	화 안 자
Object		EX3DV4 - SN:7370	지 4위/19 1 시	7] 21 Sw W2.	71-5	15 M34 2024.00 m
Calibrat	lon procedure(s)	QA CAL-01.v10, QA CAL- QA CAL-25.v8 Calibration procedure for d			nanutiete	CAL-23.v6,
Calibrat	ion date	August 22, 2024				
The me	asurements and the u	cuments the traceability to national stand incertainties with confidence probability a	re given on th	e following	pages and	i are part of the certificate.
		nducted in the closed laboratory facility: e	nvironment te	mperature	(22±3)°C	and humidity < 70%.
Calibrat	ion Equipment used (M&TE critical for calibration)				

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP2	SN: 104778	26-Mar-24 (No. 217-04036/04037)	Mar-25
Power sensor NRP-Z91	SN: 103244	26-Mar-24 (No. 217-04036)	Mar-25
OCP DAK-3.5 (weighted)	SN: 1249	05-Oct-23 (OCP-DAK3.5-1249 Oct23)	Oct-24
OCP DAK-12	SN: 1016	05-Oct-23 (OCP-DAK12-1016 Oct23)	Oct-24
Reference 20 dB Attenuator	SN: CC2552 (20x)	26-Mar-24 (No. 217-04046)	Mar-25
DAE4	SN: 660	23-Feb-24 (No. DAE4-660 Feb24)	Feb-25
Reference Probe EX3DV4	SN: 7349	03-Jun-24 (No. EX3-7349_Jun24)	Jun-25
Secondary Standards	ID	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB41293874	06-Apr-16 (In house check Jun-24)	In house check: Jun-26
Power sensor E4412A	SN: MY41498087	06-Apr-16 (in house check Jun-24)	In house check: Jun-26
Power sensor E4412A	SN: 000110210	06-Apr-16 (in house check Jun-24)	In house check: Jun-26
RF generator HP 8648C	SN: US3642U01700	04-Aug-99 (in house check Jun-24)	In house check: Jun-26
Network Analyzer E8358A	SN: US41080477	31-Mar-14 (in house check Oct-22)	In house check: Oct-24

	Name	Function	Signature
Calibrated by	Joanna Lleshaj	Laboratory Technician	Alfollog
Approved by	Sven Kühn	Technical Manager	Siz
This calibration certificate	shall not be reproduced except in	full without written approval of the lab	Issued: August 22, 2024

Certificate No: EX-7370_Aug24

Page 1 of 22



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kallbrierdienst C Service suisse d'étalonnage Servizio svizzero di taratura S Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary

TSL NORMx,y,z	tissue simulating liquid sensitivity in free space
ConvF	sensitivity in TSL / NORMx,y,z
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization φ	φ rotation around probe axis
Polarization ϑ	ϑ rotation around an axis that is in the plane normal to probe axis (at measurement center), i.e., $\vartheta = 0$ is normal to probe axis
Connector Angle	information used in DASV surteen to align make appear V to the solid paraditate sustem

Connector Angle information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- a) IEC/IEEE 62209-1528, "Measurement Procedure For The Assessment Of Specific Absorption Rate Of Human Exposure To Radio Frequency Fields From Hand-Held And Body-Worn Wireless Communication Devices – Part 1528: Human Models, Instrumentation And Procedures (Frequency Range of 4 MHz to 10 GHz)", October 2020.
- b) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization ∂ = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal. DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z; A, B, C, D are numerical linearization parameters assessed based on the data of
 power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum
 calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for / ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for t > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx.y.z * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ±50 MHz to ±100 MHz.
- Spherical isotropy (3D deviation from isotropy): In a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: EX-7370_Aug24

Page 2 of 22



August 22, 2024

Parameters of Probe: EX3DV4 - SN:7370

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k = 2)
Norm (µV/(V/m)2) A	0.49	0.48	0.43	±10.1%
DCP (mV) B	98.0	106.6	100.0	±4.7%

Calibration Results for Modulation Response

UID	Communication System Name		A dB	B dBõV	С	D dB	VR mV	Max dev.	Max Unc ^E k = 2
0	CW	X	0.00	0.00	1.00	0.00	122.2	±1.7%	±4.7%
	Contraction of the second s	Y	0.00	0.00	1.00		147.2	2	
	Concernant and a product of the second	Z	0.00	0.00	1.00		141.8		
10352	Pulse Waveform (200Hz, 10%)	X	20.00	89.83	19.61	10.00	60.0	±3.4%	±9.6%
		Y	1.72	61.63	7.47		60.0		
		Z	20.00	89.20	19,30		60.0	1	
10353	Pulse Waveform (200Hz, 20%)	X	20.00	92.69	19.78	6.99	80.0	±2.5%	±9.69
		Y	0.93	60.09	5.86	10.53838	80.0	1206535	1755555
		Z	20.00	91.58	19.08	1	80.0		
10354	Pulse Waveform (200Hz, 40%)	X	20.00	100.55	22.12	3.98	95.0	±1.2%	±9.69
		Y	0.51	60.00	5.25		95.0		
		Z	20.00	.97.15	20.22		95.0		_
10355	Pulse Waveform (200Hz, 60%)	X	20.00	112.37	26.19	2.22	120.0	±0.9%	±9.69
		Y	0.36	61.17	5.86		120.0		
		Z	20.00	104.95	22.52		120.0		
10387	QPSK Waveform, 1 MHz	X	1.71	65.44	14,97	1.00	150.0	±1.7%	±9.6%
		Y	1.61	66.97	15.14		150.0 150.0	17625150	1221021
		Z	1.62	65.08	14.43				
10388	QPSK Waveform, 10 MHz	X	2.25	67.63	15.65	0.00	150.0	±1.1%	±9.6%
		Y	2.08	67.54	15.60		150.0		
		Z	2.13	66.79	15.12		150.0	l	
10396	64-QAM Waveform, 100 kHz	X	2.40	66.56	16.97	3.01	150.0	±1.0%	±9.6%
		Y	2.36	68.40	17.78		150.0		
		Z	2.56	68.51	17.90		150.0		
10399	64-QAM Waveform, 40 MHz	X	3.54	66.94	15.76	0.00	150.0	±0.7%	±9.6%
		Y	3.41	67.02	15.68	0.1333550	150.0	100000000	1.1.2.2.2.2.2
		Z	3.49	66.67	15.54		150.0		
10414	WLAN CCDF, 64-QAM, 40 MHz	X	4.94	65.50	15.51	0.00	150.0	±1.5%	±9.6%
	an new year of the second strategy of the second strategy of the second strategy of the second strategy of the	Y	4.70	65.73	15.48		150.0		
		Z	4.88	65.50	15.46		150.0		

Note: For details on UID parameters see Appendix

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

A The uncertainties of Norm X,Y,Z do not affect the E²-field uncertainty inside TSL (see Pages 5 and 5). B Linearization parameter uncertainty for maximum specified field strength. E Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX-7370_Aug24

Page 3 of 22



August 22, 2024

Parameters of Probe: EX3DV4 - SN:7370

Sensor Model Parameters

	C1 fF	C2 fF	и V ⁻¹	T1 ms V ⁻²	T2 msV ⁻¹	T3 ms	T4 V ⁻²	T5 V ⁻¹	T6
x	52.3	392.95	35.98	8.42	0.04	5.03	0.00	0.38	1.00
y	34.0	242.77	32.83	8.09	0.00	4.90	1.47	0.00	1.00
2	45.2	340.45	36.02	5.51	0.11	5.02	1.27	0.14	1.01

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle	+86.1*
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Note: Measurement distance from surface can be increased to 3-4 mm for an Area Scan job.

Certificate No: EX-7370_Aug24

Page 4 of 22



August 22, 2024

Parameters of Probe: EX3DV4 - SN:7370

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^C	Relative Permittivity ^F	Conductivity ^F (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ^Q	Depth ^G (mm)	Unc ^H (k = 2)
750	41.9	0.89	8,87	10.01	9.70	0.40	1.27	±11.0%
835	41.5	0.90	8.67	9.79	9.49	0.39	1.27	±11.0%
900	41.5	0.97	8.53	9.63	9.34	0.39	1.27	±11.0%
1640	40.2	1.31	7.39	8,34	8.09	0.39	1.27	±11.0%
1750	40.1	1.37	7.25	8.18	7.93	0.39	1.27	±11.0%
1900	40.0	1.40	7.10	8.02	7.77	0.39	1.27	±11.0%
2300	39.5	1.67	6.82	7.70	7.46	0.39	1.27	±11.0%
2450	39.2	1.80	6.68	7.54	7.31	0.39	1.27	±11.0%
2600	39.0	1.96	6.55	7.40	7.17	0.39	1.27	±11.0%
3300	38.2	2.71	6.29	7.11	6.89	0.38	1.27	±13.1%
3500	37.9	2.91	6.25	7.05	6.83	0.38	1.27	±13.1%
3700	37.7	3.12	6.22	7.03	6.81	0.38	1.27	±13.1%
3900	37.5	3.32	5.87	6.63	6,42	0.38	1.27	±13.1%
4100	37.2	3.53	5.81	6.56	6.38	0.38	1.27	±13.1%
5250	35.9	4,71	5.03	5.68	5.51	0.33	1.27	±13.1%
5600	35.5	5.07	4.63	5.23	5.07	0.29	1.27	±13.1%
5750	35.4	5.22	4.63	5.22	5.06	0.28	1.27	±13.1%
5800	35.3	5.27	4.66	5.26	5.10	0.27	1.27	±13.1%

^C Frequency validity above 300 MHz of ±100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ±50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ±10, 25, 40, 50 and 70 MHz for ConvF assessed at 13 MHz is 8–19 MHz. Above 5 GHz frequency validity calibration transmissely validity can be extended to ±100 MHz.
^F The probes are calibrated using fissue simulating isguids (TSL) that deviate for *a* and *o* by less than ±5% from the target values (typically better than ±3%) and are valid for TSL with deviations of up to ±10% if SAR correction is appred.
^G Apha/Depth are determined during calibration. SPEAG warrents that the remaining deviation due to the boundary effect after compensation is silvays less than ±1% for trequencies below 3GHz and below ±2% for frequencies between 3–6 GHz at any distance larger than half the probe to diameter from the boundary.

boundary.

^H The stated uncertainty is the total calibration uncertainty (k = 2) of Norm-ConvF. This is equivalent to the uncertainty component with the symbol CF in Table 9 of IEC/IEEE 62209-1528:2020.

Certificate No: EX-7370_Aug24

Page 5 of 22



August 22, 2024

Parameters of Probe: EX3DV4 - SN:7370

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^C	Relative Permittivity ^F	Conductivity ^F (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc ^H (k = 2)
6500	34.5	6.07	5.45	6.15	5.96	0.20	1.27	±18.6%

^C Frequency validity at 6.5 GHz is -800/+700 MHz, and ±700 MHz at or above 7 GHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band.
 ^P The probes are calibrated using fissue simulating liquids (TSL) that deviate for *z* and *x* by less than ±10% from the target values (typically better than ±6%) and are valid for TSL with deviations of up to ±10%.
 ^Q Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ±1% for frequencies below 3 GHz; below ±2% for frequencies below = 3-6 GHz; and below ±4% for frequencies between 6-10 GHz at any distance larger than half the probe tip diameter from the boundary.
 ^M The stated uncertainty is the total calibration uncertainty (*k* = 2) of Norm-ConvF. This is equivalent to the uncertainty component with the symbol CF in Debug on the Convent.


Table 9 of IEC/IEEE 82209-1528:2020.

Certificate No: EX-7370_Aug24

Page 6 of 22



August 22, 2024



Frequency Response of E-Field

Uncertainty of Frequency Response of E-field: ±6.3% (k=2)


Certificate No: EX-7370_Aug24

Page 7 of 22

August 22, 2024



EX3DV4 - SN:7370



Receiving Pattern (ϕ), $\theta = 0^{\circ}$


Certificate No: EX-7370_Aug24


Page 8 of 22

August 22, 2024



EX3DV4 - SN:7370






Uncertainty of Linearity Assessment: ±0.6% (k=2)

Certificate No: EX-7370_Aug24


Page 9 of 22



August 22, 2024



Conversion Factor Assessment



Certificate No: EX-7370_Aug24

Page 10 of 22

F-TP22-03 (Rev. 06)

The report shall not be (partly) reproduced except in full without approval of the laboratory.



August 22, 2024

Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0		CW	CW	0.00	±4.7
01001	CAB	SAR Validation (Square, 100 ms, 10 ms)	Test	10.00	±9.6
0011	CAC	UMTS-FDD (WCDMA)	WCDMA	2.91	±9.6
0012	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mbps)	WLAN	1.87	±9.6
0013	CAB	IEEE 802.11p WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps)	WLAN	9.46	±9.6
0021	DAC	GSM-FDD (TDMA, GMSK)	GSM	9.39	±9.6
0023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	9.57	±9.6
	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	6.56	±9.6
0.024	1		GSM	12.62	19.6
0.025	DAC	EDGE-FDD (TOMA, 8PSK, TN 0)	GSM	9.55	±9.6
0.026	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)			
0.027	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4.80	19.6
0.028	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	GSM	3.55	±9.6
0029	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.78	±9.6
06001	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH1)	Bluetooth	5,30	±9.6
10031	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	Bluedooth	1.87	±9.6
10.032	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	Bluetoath	1.16	±9.6
0033	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	Blustooth	7.74	±9,6
10034	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	Bluetooth	4.53	±9.6
00035	CAA	IEEE 802.15.1 Bluetooth (PV4-DQPSK, DH5)	Bluetooth	3.83	±9.6
10036	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	Bluetooth	8.01	±9.6
10037	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	Bluetooth	4.77	±9.6
10038	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	Bluetooth	4.10	19.6
10009	CAB	CDMA2000 (1xRTT, RC1)	CDMA2000	4.57	19.6
10042	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PV4-DQPSK, Hafrate)	AMPS	7.78	19.6
	and the second second			0.00	
10044	CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	AMPS		±9.6
10048	CAA	DECT (TDD, TDMA/FDM, GFSK, Full Skit, 24)	DECT	13.80	19.6
10049	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	DECT	10.79	±9.6
10056	CAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	TD-SCDMA	11.01	19.6
10.058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	GSM	6.52	19.6
10059	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 2 Mbps)	WLAN	2.12	±9.6
10:080	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps)	WLAN	2.83	±9.6
10061	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	WLAN	3.60	±9.6
10062	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 6 Mbps)	WLAN	8.68	±9.6
10063	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mbps)	WLAN	8.63	19.6
10064	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 12 Mops)	WLAN	9.09	±9.6
10065	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps)	WLAN	9.00	19.6
10056	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 24 Mbps)	WLAN	9.38	19.6
10067	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 36 Mbos)	WLAN	10,12	19.6
10068	CAE	IEEE 802.11wh WIFI 5 GHz (OFDM, 48 Mbps)	WLAN	10.24	19.6
10069	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 64 Mbps)	WLAN	10.56	19.6
10071	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 9 Mbps)	WLAN	9.83	19.6
10072	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	WLAN	9.63	
10073	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 12 Mops)	WLAN	1010000	±9.6
10074			10,327,033	9.94	±9.6
	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 24 Mbps)	WLAN	10.30	±9.6
10075	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 36 Mbps)	WLAN	10.77	19-5
10076	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 48 Mbps)	WLAN	10.94	±9.8
10077	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 54 Mbps)	WLAN	11.00	±9.6
10:081	CAB	CDMA2000 (1xRTT, RC3)	GDMA2000	3.97	±9.6
10.082	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fulkate)	AMPS	4.77	±9.6
10090	DAG	GPRS-FDD (TDMA, GMSK, TN 0-4)	GSM	6.56	19.6
10097	CAC	UMTS-FDD (HSDPA)	WCDMA	3.98	19.6
10098	CAC	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3.98	19.6
10099	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	GSM	9.55	19.6
10100	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-FDD	5.67	19.6
10101	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	19.6
10102	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	19.6
10103	CAH	LTE TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-TDD	9.29	19.6
10104	CAH	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, GFSK)	LTE-TDD	9.29	
10105	CAH	LTE-TOD (SC-FDMA, 100% R8, 20 MHz, 16-QAM)			19.6
10105	CAH		LTE-TDD	10.01	±9.6
		LTE-FOD (SC-FOMA, 100% RB, 10 MHz, QPSK)	LTE-FDD	5.80	19.6
10109	CAH	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-FDO	6,43	±9.6
10110	CAH	LTE-FDD (SC-FDMA, 100% R8, 5MHz, QPSK)	LTE-FDD	5.75	±9.6
10111	CAH	LTE-FDD (SC-FDMA, 100% RB, 5MHz, 16-QAM)	LTE-FDD	8.44	19.6

Certificate No: EX-7370_Aug24

Page 11 of 22





August 22, 2024

UID.	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0112	CAH	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-FDD	6.59	29.6
0113	CAH	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-FDD	6.62	±9.6
0114	CAE	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	WLAN	8.10	29.6
0115	CAE	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-DAM)	WLAN	8.46	±9.6
0116	CAE	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	WLAN	8.15	±9.6
0117	CAE	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	WLAN	8.07	±9.6
0118	CAE	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	WLAN	8.59	±9.6
0119	CAE	IEEE 802.11n (HT Modd, 135 Mbps, 64-QAM)	WLAN	8.13	±9.6
0140	CAF	LTE-FOD (SC-FDMA, 100% RB, 15 MHz, 18-QAM)	LTE-FDD	6,49	±9.6
0141	CAF	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-FDD	6.53	±9.6
0142	CAF	LTE-FDD (SC-FDMA, 100% RB, 3MHz, QPSK)	LTE-FDD	5.73	±9.6
	CAF	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-FDD	6.35	±9.6
0143	CAF	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-GAM)	LTE-F00	6.65	19.6
the second second	CAG	LTE-FOD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-FDD	5.76	±9.6
0145	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-FDD	5.41	±9.6
0146		LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.72	±9.6
0147	CAG		LTE-FDD	6.42	19.6
0149	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-FDD	6.60	±9.6
0150	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	the second se	9.28	19.6
0151	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-TDD		and the second sec
0152	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-TDO	9.92	19.6
0153	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-TDD	10.05	±9.5
0154	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-FDD	5.75	±9.5
0155	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 18-QAM)	LTE-FOD	6.43	±9.6
0156	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-FDD	5.79	±9.6
0157	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-FDD	6.49	±9.6
0158	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-FDD	6.62	±9.6
0159	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-FDD	6.56	29.6
0160	CAF	LTE-FDD (SC-FDMA, 50% RB, 15 MHz; QPSK)	LTE-FDD	5.82	±9.6
0161	CAF	LTE-FDD (SC-FDMA, 50% BB, 15 MHz, 16-QAM)	LTE-FDD	6.43	上9,6
0162	CAF	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-FDD	6.58	±9.6
0166	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-FDD	5.46	±9.6
0167	CAG	LTE-FOD (SC-FOMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.21	±9.6
10168	CAG	LTE-FOD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-FDD	8,79	±9.6
0169	CAF	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-FDD	5.73	±9.6
0170	CAF	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-FDD	6.52	±9.6
0171	AAF	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64 QAM)	LTE-FDD	6,49	±9,6
10172	CAH	LTE-TOD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-TDD	9.21	±9.6
10173	CAH	LTE-TOD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-TDD	9,48	±9.6
0174	CAH	LTE-TOD (SC-FOMA, 1 RB, 20 MHz, 64-QAM)	LTE-TDD	10.25	±9.6
0175	CAH	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-FDD	5.72	±9.6
0176	CAH	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-FDD	6.52	±9.6
0177	CAJ	LTE-FDD (SC-FDMA, 1 RB, 5MHz, QPSK)	LTE-FDD	5.73	±9.6
0178	CAH	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 16-QAM)	LTE-FDD	6.52	±9.6
0179	CAH	LTE-FOD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-FDD	6.50	±9.6
0180	CAH	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 54-QAM)	LTE-FDD	6.50	±9.6
0181	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, QPSK)	LTE-FDD	5.72	±9.6
10182	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 16-QAM)	LTE-FDD	6.52	±9.6
0183	AAE	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-FDD	6.50	±9.6
0184	CAF	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-FDD	5.73	±9.6
0185	CAF	LTE-FOD (SC-FDMA, 1 RB, 3 MHz, 18-QAM)	LTE-FDD	6.51	±9.6
0186	AAF	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 54-QAM)	LTE-FDD	6.50	±9.6
0187	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-FDD	5.73	±9.6
0188	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.52	±9.6
0189	AAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.50	19.6
0193	CAE	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	WLAN	8.09	±9.6
0194	a strend without	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	WEAN	8.12	19.6
0195		IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	WLAN	8.21	19.6
0195	CAE	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	WLAN	8,10	19.6
0 197	and the second sec	IEEE 802.11n (HT Mixed, 39 Mbps, 16-OAM)	WLAN	8.10	-
0.198		IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)		and the second se	±9.6
			WEAN	8.27	19.6
0219	distant and the second	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	WLAN MALAN	8.03	19.6
0220	i de la contra de la contra de	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8.13	+9.6
10221	CAE	IEEE 802.11n (HT Mixed, 72.2 Mpps, 64-QAM)	WLAN	8.27	±9.6
10222		IEEE 802.11n (HT Mixed, 15 Maps, BPSK)	WEAN	8.06	±9.6
0.223	Section and the section of the secti	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	WLAN	8.48	19.6
0224	CAE	IEEE 802.11n (HT Mixed, 150 Mops, 64-QAM)	WLAN	8.08	±9.6

Certificate No: EX-7370_Aug24

Page 12 of 22



August 22, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10225	CAC	UMTS-FDD (HSPA+)	WCDMA	5.97	±9.6
10226	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TOD	9.49	±9.6
10227	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.26	±9.6
10228	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9.22	±9.6
10229	CAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 16-QAM)	LTE-TDD	9.48	±9.6
10230	CAE	LTE-TOD (SC-FDMA, 1 RB, 3MHz, 64-QAM)	LTE-TDD	10.25	±8.6
10231	CAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, QPSK)	LTE-TDD	9.19	±9.6
10232	CAH	LTE-TOD (SC-FDMA, 1 R8, 5MHz, 16 QAM)	LTE-TDD	9.48	±9.6
10233	CAH	LTE-TOD (SC-FDMA, 1 RB, 5MHz, 64-QAM)	LTE-TDD	10.25	±9.6
10234	CAH	LTE-TOD (SC-FDMA, 1 RB, 5MHz, QPSK)	LTE-TOD	9.21	±9.6
10235	CAH	LTE-TOD (SC-FDMA, 1 RB, 10MHz, 16-QAM)	LTE-TDD	9.48	±9.6
10236	CAH	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-TDD	10.25	±9.6
10230	CAH	LTE-TOD (SC-FDMA, 1 RB, 10MHz, GPGMM)	LTE-TOD	9.21	±9.6
	and the second second	and a second	LTE-TDD	9.48	19.6
10238	CAG	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 16-QAM)	LTE-TDD	10.25	±9.6
10239	CAG	LTE-TDO (SC-FDMA, 1 RB, 15MHz, 64-QAM)		and the local prior of second	Contraction of the local distance of the loc
10240	CAG	LTE-TOD (SC-FDMA, 1 RB, 15MHz, OPSK)	LTE-TOD	9.21	±9.6
10241	CAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.82	±9.6
10242	CAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-TDD	9.86	±9.6
10243	CAC	LTE-TOD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-TDD	9,46	±9.6
10244	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TDD	10.06	±9.6
10245	CAE	LTE-TDD (SC-FDMA, 59% RB, 3 MHz, 64-QAM)	LTE-TDD	10.06	±9.6
10248	CAE	LTE-TDD (SC-FDMA, 50% R8, 3 MHz, QPSK)	LTE-TDD	9.30	±9.6
10247	CAH	LTE-TDD (SC-FOMA, 50% R8, 5 MHz, 16-QAM)	ITE-TDD	9,91	±9.6
10248	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10.09	+9.6
10249	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-TDD	9.29	:19.6
10250	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	9.81	±9.6
10251	CAH	LTE-TOD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TDD	10.17	±9.6
10:252	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-TDD	9.24	±9.6
10253	CAG	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 16-QAM)	LTE-TDD	9.90	±9.6
10254	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-TDD	10.14	±9.6
10265	CAG	LTE-TDD (SC-FDMA, 50% RB, 15MHz, QPSK)	LTE-TDD	9.20	±9.8
10256	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 18-QAM)	LTE-TDD	9.96	±9.6
10257	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.08	±9.6
10258	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.34	±9.6
10259	CAE	LTE-TDD (SC-FDMA, 100% RB; 3 MHz, 16-QAM)	LTE-TDD	8.98	±9.6
10260	CAE	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 94-QAM)	LTE-TOD	8.97	±9.6
10261	CAE	LTE-TDD (SC-FDMA, 100% RB, 3MHz, QPSK)	LTE-TDD	9.24	±9.6
10262	CAH	LTE-TDD (SC-FDMA, 100% RB, 5MHz, GF3K)	LTE-TDD	9.83	
10263	CAH		the second second by the second se		±9.6
10264	CAH	LTE-TOD (SC-FDMA, 100% RB, SMHz, 54-QAM)	LTE-TDD	10.16	±9.6
		LTE-TDD (SC-FDMA, 100% RB, 5MHz, QPSK)	LTE-TDD	9.23	±9.6
10265	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-TDD	9.92	±9.6
10.268	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TDD	10.07	±9.6
10267	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TDD	9.30	±9.6
10.268	CAG	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-TDD	10.06	±9.6
10.269	CAG	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-TDD	10.13	±9.6
10270	CAG	LTE-TDD (SC-FDMA, 100% RB, 15MHz, QPSK)	LTE-TDD	9.58	±9.6
10274	CAC	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	士泉商
10275	CAC	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	±9.6
10277	CAA	PHS (QPSK)	PHS	11.81	±9.6
0278	CAA	PHS (QPSK, BW 884 MHz, Rolloff 0.5)	PHS	11.81	±9.6
10.279	CAA	PHS (QPSK, BW 884 MHz, Rolloff 0.38)	PHS	12.18	±9.6
10290	AAB	CDMA2000, RC1, SO55, Full Rate	CDMA2000	3.91	±9.6
10291	AAB	CDMA2000, RC3, SO55, Full Rate	CDMA2800	3.46	±9.6
10292	AAB	CDMA2000, RC3, SO32, Full Rate	CDMA2000	3.39	±9.6
0.293	AAB	CDMA2000, RC3, SO3, Full Rate	CDMA2000	3.50	±9.6
0.295	BAA	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	CDMA2000	12.49	±9.6
0297	AAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-FDD	5.81	±9.6
0.298	AAE	LTE-FDD (SC FDMA, 50% RB, 3 MHz, QPSK)	LTE-FDD	5.72	±9.6
0299	AAE	LTE FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-FDD	6.39	19.6
10300	AAE	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-FDD	6.60	±9.6
10301	AAA	IEEE 802.16e WIMAX (29:18, 5 ms, 10 MHz, QPSK, PUSC)	WMAX	12.03	±9.6
10302	AAA	IEEE 802.16e WIMAX (29:18, 5ms, 10 MHz, OPSK, PUSC, 3 CTHL symbols)	WMAX	12.03	±9.0 ±9.6
10303	AAA	IEEE 802.16e WIMAX (31.15, 5ms, 10 MHz, 64 QAM, PUSC)	WIMAX		
10304	AAA	IEEE 802.16e WMAX (3115, 5ms, 10 MHz, 54QAM, PUSC)		32.52	±9.6
10305	AAA	IEEE 802.166 WIMAX (2516, 5ms, 10 MHz, 64QAM, PUSC) IEEE 802.166 WIMAX (31:15, 10 ms, 10 MHz, 64QAM, PUSC, 15 symbols)	WIMAX	11.86	±9.6
10305	AAA	IEEE 802.16e WIMAX (3115, 10 ms, 10 MHz, 64QAM, PUSC, 15 symbols)	WIMAX	15.24	±9.6
Durin la la	- month	These size role manager (28:10, 10 mills, 10 Mills, 94 Junit, PUSC, 18 Symbols)	WIMAX	14.67	±9.6

Certificate No: EX-7370_Aug24

Page 13 of 22



August 22, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0307	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, QPSK, PUSC, 18 symbols)	WIMAX	14.49	±9.6
0 308	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, 16QAM, PUSC)	WIMAX	14.46	±9.6
0309	AAA	IEEE 802 16e WIMAX (29:18, 10 ms, 10 MHz, 16QAM, AMC 2x3, 18 symbols)	WIMAX	14.58	±9.6
0310	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, QPSK, AMC 2x3, 18 symbols)	WIMAX	14.57	±9.6
0311	AAE	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-FDD	6.05	±9.6
0313	AAA	IDEN 1:3	IDEN	10.51	±9.6
0314	AAA	IDEN 1:5	IDEN	13.48	±9.6
0915	AAB	IEEE 802 11b WIFI 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	WLAN	1.71	±9.6
0316	AAB	IEEE 802.11g WIFI 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	WLAN	8.36	±9.6
0317	AAE	IEEE 802.11a WIFI 5 GHz (OFOM, 6 Mbps, 96pc duty cycle)	WLAN	8.36	±9.6
0.352	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	±9.6
0353	AAA	Pulse Waveform (200Hz, 20%)	Generic	6.99	±9.6
0354	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.98	±9.8
0355	AAA	Pulse Wavelorm (200Hz, 60%)	Generic	2.22	±9.6
0356	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	±9.6
0387	AAA	GPSK Wavelorm, 1 MHz	Generic	5.10	±9.6
0388	AAA	OPSK Waveform, 10 MHz	Generit	5.22	±9.6
0396	AAA	64-QAM Waveform, 100 kHz	Ganado	5.27	±9.6
0389	AAA	64-QAM Waveform, 40 MHz	Generic	6.27	±9.6
0400	AAF	IEEE 802 11ac WIFI (20 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.37	±9.6
0401	AAF	IEEE 802 11ac WiFI (40 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.60	±9.6
0402	AAF	IEEE 802.11ac WIFI (80 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.53	29.6
0403	AAB	CDMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.76	±9.6
0403	AAB	CDMA2000 (1xEV-DO, Rev. A)	COMA2000	3.70	±9.6
0406	AAB	CDMA2000, RC3, SC32, SCH0, Full Rate	CDMA2000	5.22	±9.6
0410	AAH	LTE-TDD (SC-FDMA, 1 RB. 10 MHz, QPSK, UL Subtrame=2.3.4.7.8.9, Subtrame Confi=4)	LTE-TDD	7.82	±9.6
0410	AAA	WLAN CCDF, 64-QAM, 40 MHz	Generic	8.54	±9.6
0415	AAA	IEEE 802.11b WFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	WLAN	1.54	1.000
0416	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS, 1 Mops, 99pc duty cycle) IEEE 802.11g WFI 2.4 GHz (ERP-OFDM, 6 Mops, 99pc duty cycle)	WLAN	8.23	±9.6 ±9.6
0410	AAD	IEEE 802 11g WIFI 2.4 GHz (EHP-OF LW, 6 Mbps, 99pc duty cycle) IEEE 802 11a/h WIFI 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	1.000
	AAA		and the second se	and the second sec	±9.6
0418	Second Section of such such such such such such such such	IEEE 802.11g WFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preambule)	WLAN	8.14	±9.6
0419	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preambule)	WLAN	8,19	±9.6
0422	AAD	IEEE 802.11n (HT Greenfield, 7.2 Mbps, 8PSK)	WLAN	8.32	±9.6
10423	AAD	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	19.6
0424	DAA DAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	WLAN	8.40	±9.6
10425	AAD	IEEE 802.11n (HT Greenfield, 15Mbps, BPSK)	WLAN	8.41	±9.6
10426	AAD	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WI,AN	8.45	±9.6
10427	AAE	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	WLAN	8.41	±9.6
10430	AAE	LTE-FDD (OFDMA, 5MHz, E-TM 3.1)	LTE-FDD	8.28	±9.6
10431	AAD	LTE-FDD (OFDMA, 10MHz, E-TM 3.1)	LTE-FDD	8.38	±9.6
10432		LTE-FOD (OFDMA, 15 MHz, E-TM 3.1)	LTE-FDD	8.34	±9.6
10433	AAD	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8.34	±9.6
10434	AAB	W-CDMA (BS Test Model 1, 64 DPCH)	WCOMA	8.60	±9.6
0.435	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.82	±9.6
0447	AAE	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.56	±9.6
0448	AAE	LTE-FDD (OFDMA, 10MHz, E-TM 3.1, Cippin 44%)	LTE-FDD	7.53	±9.6
0449	AAD	LTE-FDD (OFDMA, 15MHz, E-TM 3.1, Clping 44%)	LTE-FDD	7.51	±9.6
0450	AAD	LTE-FDD (OFDMA, 20MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.48	±9.6
0451	AAB	W-CDMA (85 Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	±9.6
0453	AAE	Validation (Square, 10 ms, 1 ms)	Test	10.00	±9.6
0456	AAD	IEEE 802 11ac WIFI (160 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.63	±9.6
0457	AAB	UMTS-FDD (DC-HSDPA)	WCDMA	6.62	±9.6
0458	AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	CDMA2000	6.55	±9.6
0459	AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriera)	CDMA2000	8.25	±9.6
0460	AAB	UMTS-FDD (WCDMA, AMR)	WCOMA	2.39	±9.6
0461	AAC	LTE-TDD (SC-FBMA, 1 R8, 1.4 MHz, QPSK, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	7.82	±9.6
0.482	AAC	LTE-TDD (SC-FDMA, 1 R8, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.30	±9.6
0463	AAC	LTE-TDD (SC-FDMA, 1 R8, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.56	±9.6
0.464	AAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.82	±9.6
0.465	AAD	LTE-TDD (SC-FDMA, 1 R8, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	±9.6
0.466	AAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.57	±9.6
0.467	AAG	LTE-TDD (SC-FDMA, 1 R8, 5 MHz, QPSK, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	7.82	±9.6
0468	AAG	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 16-QAM, UI, Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	±9.6
	AAG.	LTE-TDD (SC-FDMA, 1 R8, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.56	±9.6
0.468					
0.469 0.470	AAG	LTE-TDD (SC-FDMA, 1 R8, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 R8, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	±9.6

Certificate No: EX-7370_Aug24

Page 14 of 22



August 22, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10472	AAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	±9.6
0473	AAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	±9.6
0474	AAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	±9.6
0475	AAF	LTE-TOD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.57	19.6
0477	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	19.6
0478	AAG	LTE-TOD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2.3,4,7,8,9)	LTE-TDD	8.57	19.6
0479	AAC	LTE-TOD (SC-FDMA, 50% R8, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	±9.6
0.480	AAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 18-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.18	±9.6
0481	AAC	LTE-TOD (SC-FDMA, 50% R8, 1.4 MHz, 64-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	8.45	±9.6
0482	AAD	LTE-TOD (SC-FOMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.71	±9.6
0483	AAD	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.39	±9.6
0484	AAD	LTE-TDD (SC-FDMA, 50% RB, 3MHz, 64-QAM, UL Subframe=2.3.4.7.8.9)	LTE-TDD	8.47	19.6
0485	AAG	LTE-TDD (SC-FDMA, 50% R8, 5MHz, QPSK, UL Subframe=2.3.4.7.8.9)	LTE-TDD	7.59	19.6
0485	AAG	LTE-TOD (SC-FDMA, 50% RB, 5MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.38	19.6
0487	AAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2.3,4,7,8,9)	LTE-TDD	8.60	19.6
0488	AAG	LTE-TDD (SC-FDMA, 50% R8, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.70	±9.6
0489	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 18-QAM, UL Subframe=2.3.4.7.8.9)	LTE-TDD	8.31	19.6
0490	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	±9.6
	AAF	LTE-TOD (SC-FDMA, 50% RB, 15MHz, QPSK, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	7.74	±9.6
0491	AAF				
0492		LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDO	8.41	19.6
0493	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-DAM, UL Subframe-2,3,4,7,8,9)	LTE-TDD	8.65	±9.6
0494		LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	7.74	±9.6
0.495	AAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.37	±9.6
0495	AAG	LTE-TDD (SC FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	B.54	±9.6
0497	AAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	±9.6
0.498	AAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2.3,4,7,8,9)	LTE-TDD	8.40	±9.6
0499	AAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.68	±9.6
0500	CAA.	LTE-TDD (SC-FDMA, 100% R8, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	±9.6
0501	AAD	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	B,44	±9.6
0502	AAD	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.52	±9.6
0503	AAG	LTE-TDD (SC-FDMA, 100% RB, 5MHz, GPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7,72	±9.6
0504	AAG	LTE-TDD (SC-FDMA, 100% RB, 6 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	B.31	±9.6
0505	AAG.	LTE TDD (SC-FDMA, 100% RB, 5MHz, 64-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	8.54	±9.8
0.506	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDO	7,74	±9.6
0507	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe+2,3,4,7,8,9)	LTE-TDD	8.36	±9.6
0508	AAG	LTE-TOD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2.3,4,7,8,9)	LTE-TDD	8.55	±9.6
0509	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe-2,3,4,7,8,9)	LTE-TDD	7.99	±9.6
0510	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.49	±9.6
0511	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.51	±9.6
0512	AAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	±9.6
0513	AAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	8.42	±9.6
0514	AAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subtrame=2.3,4,7,8,9)	LTE-TDD	8.45	±9.6
0515	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	WLAN	1.58	±9.6
0516	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	WLAN	1.57	±9.6
0517	AAA	IEEE 802.11b WIFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	WEAN	1.58	19.6
0518	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.23	19.6
0519	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.39	19.6
0.520	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.12	+9.6
0.621	AAD	IEEE 902.11a/h WIFI 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	WLAN	7.97	±9.6
0522	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 36 Mops, 99pc duty cycle)	WLAN	8.45	±9.6
0523	AAD	IEEE 802.11 wh WIFI 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.08	19.5
0.524	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.27	±9.6
0525	AAD	IEEE 802.11ac WIFI (20 MHz, MCS0, 99pc duty cycle)	WLAN	8.36	±9.0 ±9.6
0526	AAD	IEEE 802.11ac WIFI (20 MHz, MCS1, 99pc duty cycle)	WLAN	8.42	19.6
0527	AAD	IEEE 802.11ac WIFI (20 MHz, MCS2, 99pc duty cycle)	WLAN	8.21	19.6
0528	AAD	IEEE 802.11ac WFI (20 MHz, MCS3, 99pc duty cycle)	WLAN	8.36	±9.6
0529	AAD	IEEE 802.11ac WIFi (20 MHz, MCS4, 99pc duty cycle)	WLAN	8.36	±9.6
0531	AAD	IEEE 802 11ac WFI (20 MHz, MCS8, 99pc duty cycle)	WLAN	8.36	19.6
0532	AAD	IEEE 602.11ac WIFI (20 MHz, MCS7, 99pc duty cycle)	WLAN	and the second se	
0533	AAD	IEEE 802.11ac WFI (20 MHz, MCS7, Mgc duty cycle)	WEAN	8.29	19.6
0534	AAD	IEEE 802.11ac WFI (40 MHz, WCS0, 99pc duty cycle)		8.38	±9.6
0535	AAD		WLAN	8.45	±9.6
	AAD	IEEE 802.11ac WIFI (40 MHz, MCS1, 99pc duty cycle)	WLAN	8.45	±9.6
0535	and the second second	IEEE 802.11ac WiFi (40 MHz, MCS2, 99pc duty cycle)	WLAN	8.32	±9.6
0537	AAD	IEEE 802.11ac WIFI (40 MHz, MCS3, 99pc duty cycle)	WLAN	8.44	±9,6
0538	AAD	IEEE 802.11ac WIFI (40 MHz, MOS4, 99pc duty cycle)	WLAN	8.54	±9.6
0540	AAD	IEEE 802.11ac WiFi (40 MHz, MCS6, 99pc duty cycle)	WLAN	8.39	±9.6

Certificate No: EX-7370_Aug24

Page 15 of 22




August 22, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k = 1
10541	AAD	IEEE 802.11ac WIFI (40 MHz, MCS7, 99pc duty cycle)	WLAN	8,46	±9.6
10542	AAD	IEEE 802.11ac WIFI (40 MHz, MCS8, 99pc duty cycle)	WLAN	8.65	±9.6
10543	AAD	IEEE 802.11ac WIFI (40 MHz, MCS9, 99pc duty cycle)	WLAN	8.65	±9.6
10544	AAD	IEEE 802.11ac WiFI (80 MHz, MCS0, 99pc duty cycle)	WLAN	8,47	±9.6
10545	DAA	IEEE 802.11ac WiFi (80 MHz, MCS1, 99pc duty cycle)	WLAN	8.55	±9.6
10546	DAA	IEEE 802.11ac WIFI (80 MHz, MCS2, 99pc duty cycle)	WLAN	8.35	±9.6
10547	AAD	IEEE 802.11ac WiFi (80 MHz, MCS3, 99pc duty cycle)	WLAN	B.49	±9.6
10548	AAD	IEEE 802.11ac WiFi (80 MHz, MCS4, 99pc duty cycle)	WLAN	8,37	±9.6
10550	AAD	IEEE 802.11ac WiFi (80 MHz, MCS6, 99pc duty cycle)	WLAN	8.38	±9.6
10651	AAD	IEEE 802.11ac WIFi (80 MHz, MCS7, 99pc duty cycle)	WLAN	8.50	±9.6
10552	DAA	IEEE 802.11ac WiFi (80 MHz, MCS8, 99pc duty cycle)	WLAN	8,42	±9.6
10553	AAD	IEEE 802.11ac WIFI (80 MHz, MCS9, 99pc duty cycls)	WLAN	8,45	±9.6
10554	AAE	IEEE 802.11as WiFi (160 MHz, MCS0, 99pc duty cycle)	WLAN	8.48	±9.6
10555	AAE	IEEE 802.11ac WIFI (160 MHz, MCS1, 99pt duty cycle)	WLAN	8.47	±9.6
10556	AAE	IEEE 802.11ac WiFi (160 MHz, MCS2, 99pc duty cycle)	WLAN	8.50	±9.6
10557	AAE	IEEE 802.11ac WFI (160 MHz, MCS3, 99pc duty cycle)	WLAN	8.52	±9.6
10558	AAE	IEEE 802.11ac WIFI (160 MHz, MCS4, 99pc duty cycle)	WLAN	8.61	±9.6
10560	AAE	IEEE 802,11ac WIFI (160 MHz, MCS8, 99pc duty cycle)	WLAN	8.73	±9.6
10561	AAE	IEEE 802.11ac WIFI (160 MHz, MCS7, 99pc duty cycle)	WLAN	8.56	±9.6
10562	A,AE	IEEE 802.11ac WIFI (160 MHz, MCS8, 99pc duty cycle)	WLAN	8,69	19.6
10563	AAE	IEEE 802.11ac WIFi (160 MHz, MCS9, 99pc duty cycle)	WLAN	8.77	±9.6
10564	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	WEAN	8.25	±9.6
10565	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.45	±9.6
10566	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.13	±9.6
10567	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	WLAN	8.00	±9.6
10568	A,A,A	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.37	±9.6
10569	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.10	±9.6
10570	AAA	IEEE 802.11g WIFi 2.4 GHz (DSSS-OFDM, 54 Mops, 99pc duty cycle)	WLAN	8,30	±9.6
10571	A,A,A	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mops, 90pc duty cycle)	WLAN	1.98	±9.6
10572	AAA	IEEE 802.11b WIFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	WLAN	1.99	±9.6
10573	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	WLAN	1.98	±9.6
10574	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	WLAN	1.98	±9.6
10575	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	±9.6
10576	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-DFDM, 9 Mope, 90pc duty cycle)	WLAN	8.60	±9.6
10578	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	±9.6
10579	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle) IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.49	±9.6
10580	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS-OFDM, 24 Mops, 90pc duty cycle)	WLAN	8.36	±9.6
10581	AAA	IEEE 802.11g WF12.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.76	±9.6
10582	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.35	29.6
10583	AAD	IEEE 802.11a/h WFI 5 GHz (OFDM, 0 Mbps, 90pc duty cycle)	WLAN	8.59	±9.6
10584	AAD	IEEE 802.11a/h WFI 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	±9.6
10585	AAD	IEEE 802.11a/h WFI 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	±9.6
10586	AAD	IEEE 802.11a/h WFI 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8,49	±9.6
10587	AAD	IEEE 802.11a/h WFI 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.36	±9.6 ±9.6
10588	AAD	IEEE 802.11a/h WIFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	±9.6
10589	AAD	IEEE 802.11a/h WFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	29.6
10590	AAD	IEEE 802.11a/h WFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	±9.6
10591	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS0, 90pc duty cycle)	WLAN	8.63	±9.6
10592	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS1, 90pc duty cycle)	WLAN	8.79	±9.6
10593	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS2, 90pc duty cycle)	WLAN	8.64	±9.6
10594	AAD	EEE 802.11n (HT Mixed, 20 MHz, MCS3, 90pc duty cycle)	WLAN	8.74	±9.6
10595	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS4, 90pc duty cycle)	WLAN	8.74	±9.6
10598	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS5, 90pc duty cycle)	WLAN	8.71	19.6
10597	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS6, 90pc duty cycle)	WLAN	8.72	±9.6
10598	AAD		WLAN .	8.50	19.6
0.599	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS0, 90pc duty cycle)	WLAN	8.79	±9.6
10600	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS1, 90pc duty cycle)	WLAN	8.88	±9.6
10601	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS2, 90pc duty cycle)	WLAN	8.82	±9.6
10602	AAD	IEEE 802.11n (HT Mosel, 40 MHz, MCS3, 90pc duty cycle)	WLAN	8.94	19.6
10603	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS4, 90pc duty cycle)	WLAN	9.03	±9.6
10604	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MC55, 90pc duty cycle)	WLAN	8.76	±9.6
10605	AAD	IEEE 802.11n (HT Moved, 40 MHz, MCS6, 90pc duty cycle)	WLAN	8.97	19.6
10606	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS7, 90pc duty cycle)	WLAN	8.82	19.6
10607	AAD	IEEE 802.11ac WIFI (20 MHz, MCS0, 90pc duty cycle)	WLAN	8.64	±9.6
10608	AAD	IEEE 802.11ac WIFI (20 MHz, MCS1, 90pc duty cycle)	WLAN	8.77	±9.6

Certificate No: EX-7370_Aug24

Page 16 of 22






August 22, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Und ^E k =
10609	AAD	IEEE 802.11ac WIFI (20 MHz, MCS2, 90pc duty cycle)	WLAN	8.57	±9.6
0610	AAD	IEEE 802.11ac WIFI (20 MHz, MCS3, 90pc duty cycle)	WLAN	8.78	±9.6
0611	AAD	IEEE 802 11ac WIFI (20 MHz, MCS4, 90pc duty cycle)	WLAN	8.70	±9.6
0612	AAD	IEEE 802.11ac WFI (20 MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
0613	AAD	IEEE 802.11ac WFI (20 MHz, MCS6, 90pc duty cycle)	WLAN	8.94	19.6
0614	AAD	IEEE 802.11ac WIFI (20 MHz, MCS7, 90pc duty cycle)	WLAN	8.59	±9.6
0615	AAD	IEEE 802.11ac WFI (20 MHz, MCSH, 80pc duty cycle)	WLAN	8.82	±9.6
0618	AAD	IEEE 802.11ac WFI (20 MHz, MCS0, 90pc duty cycle)	WLAN	8.82	±9.6
	AAD	the second se	WLAN	8.81	±9.6
0617		IEEE 802.11ac WFi (40 MHz, MCS1, 90pc duty cycle)	WLAN	8.58	10.5
0618	AAD	IEEE 802.11 ac WFI (40 MHz, MCS2, 90pc duty cycle)	WLAN	8.86	10.6
0619	AAD	IEEE 802.11ac WiFi (40 MHz, MCS3, 90pc duty cycle)	WLAN	8.87	
0620	AAD	IEEE 802.11ac WFI (40 MHz, MCS4, 90pc duty cycle)	1100000		±9.6
0621	AAD	IEEE 802.11 ac WIFI (40 MHz, MCS5, 90pc duty cycle)	WLAN	8.77	19.6
0622	AAD	IEEE 802.11ac WIFI (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.68	±9.6
0623	AAD	IEEE 802.11ac WIFI (40 MHz; MCS7, 90pc duty cycle)	WLAN	8.82	±9.6
0824	AAD	IEEE 802.11ac WIFI (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.96	±9.6
0625	AAD	IEEE 802.11ac WIFI (40 MHz, MCS9, 90pc duty cycle)	WLAN	8.96	±9.6
0.656	AAD	IEEE 802.11ac WIFI (80 MHz, MCS0, 90pc duty cycle)	WLAN	8.83	±9.6
0.627	AAD	IEEE 802.11ac WIFI (80 MHz, MCS1, 90pc duty cycle)	WLAN	8.88	19.5
0.628	AAD	IEEE 802.11ac WIFI (80 MHz, MCS2, 90pc duty cycle)	WLAN	8,71	±9,6
0.629	AAD	IEEE 802.11sc WiFi (80 MHz, MCS3, 90pc duty cycle)	WLAN	8.85	19.6
0630	AAD	IEEE 802 11ac WIFI (80 MHz, MCS4, 90pc duty cycle)	WLAN	8.72	19.6
0631	AAD	IEEE 802.11ac WIFI (80 MHz, MCS5, 90pc duty cycle)	WLAN	8.81	£9.0
0632	AAD	IEEE 802.11ac WIFI (80 MHz, MC56, 90pc duty cycle)	WLAN	8.74	±9.6
0633	AAD	IEEE 802.11ac WIFI (80 MHz, MCS7, 90pc duty cycle)	WLAN	8.83	±9.6
0.634	AAD	IEEE 802.11ac WIFI (80 MHz, MCS8, 90pc duty cycle)	WLAN	8.80	±9.6
0635	AAD	IEEE 802.11ac WIFI (80 MHz, MCS9, 90pc duty cycle)	WLAN	8.81	±9.6
0636	AAE	IEEE 802.11ac WIFI (160 MHz, MCS0, 90pc duty cycle)	WLAN	8.83	±9.8
0637	AAE	IEEE 802.11ac WIFI (160 MHz, MCS1, 90pc duty cycle)	WLAN	8.79	19.6
0638	AAE	IEEE 802.11ac WIFI (160 MHz, MCS2, 90pc duty cycle)	WLAN	8.86	19.6
0639	AAE	and a strain a strain of the second strain and a strain we have been as the strain of			
		IEEE 802.11ac WIFI (160 MHz, MCS3, 90pc duty cycle)	WLAN	8.85	±9.6
0640	AAE	IEEE 802.11ac WiFi (180 MHz, MCS4, 90pc duty cycle)	WLAN	8.98	±9.6
0641	AAE	IEEE 802.11ac WIFI (160 MHz, MCSS, 90pc duty cycle)	WLAN	9.06	±9.6
0642	AAE	IEEE 802.11ac WIFI (160 MHz, MCS8, 90pc duty cycle)	WLAN	9.06	±9.6
0643	AAE	IEEE 802.11ac WiFi (160 MHz, MCS7, 90pc duty cycle)	WLAN	8.89	±9.6
0-644	AAE	IEEE 802.11ac WIFI (160 MHz, MCS8, 90pc duty cycle)	WEAN	9.05	±9.6
0.645	AAE	IEEE 802.11ac WIFI (160 MHz, MCS9, 90pc duty cycle)	WLAN	9.11	土豆.后
0.646	AAH	LTE-TOD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11.96	±9.6
0.647	AAG	LTE-TOD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	LTE-TOD	11.96	±9.6
0.648	AAA	CDMA2000 (1x Advanced)	CDMA2000	3.45	±9.6
0.652	AAF	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.91	±9.6
0.653	AAF	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	±9.6
0.654	AAE	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-TDO	6.96	±9.6
0.655	AAF	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDO	7.21	±9.6
0658	AAB	Pulse Waveform (200Hz, 10%)	Test	10.00	19.6
0.659	AAB	Pulse Waveform (200Hz, 20%)	Test	6.99	±9.6
0660	AAB	Pulse Waveform (200Hz, 40%)	Teat	3.98	±9.6
0661	AAB	Pulse Waveform (200Hz, 60%)	Test	2.22	19.6
0.682	AAB	Pulse Waveform (200Hz, 80%)	Tast	0.97	±9.6
0.670	AAA	Bluetooth Low Energy	Bluetooth		
0671	AAC	IEEE 802.11ax (20 MHz, MCS0, 90pc duty cycle)	WLAN	2.19	±9.6
0672	AAC	IEEE 802.11ax (20 MHz, MCS1, 90pc duty cycle)	WLAN	9.09	±9.6
0673	AAC			8.57	±9.6
the state of the s	AAC	IEEE 802.11ax (20 MHz, MCS2, 90pc duty cycle)	WLAN	8.78	±9.6
0674	100 C	IEEE 802.11ax (20 MHz, MCS3, 90pc duty cycle)	WLAN	8.74	19.6
	AAC	IEEE 802.11ax (20 MHz, MCS4, 90pc duty cycle)	WLAN	8.90	±9.6
0676	AAC	IEEE 802.11ax (20 MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
0677	AAC	IEEE 802.11ax (20 MHz, MCS6, 90pc duty cycle)	WLAN	8.73	19.6
0678	AAC	IEEE 802.11ax (20 MHz, MCS7, 90pc duty cycle)	WLAN	8.78	±9.6
0679	AAG	IEEE 802.11ax (20 MHz, MCS8, 90pc duty cycle)	WLAN	8.89	±9.6
0680	AAC.	IEEE 802.11ax (20 MHz, MCS9, 90pc duty cycle)	WLAN	8.80	29.6
0681	AAC	IEEE 802.11ax (20 MHz, MCS10, 90pc duty cycle)	WLAN	8.62	±9.6
0682	AAC	IEEE 802.11ax (20 MHz, MCS11, 90pc duty cycle)	WLAN	8.83	±9.6
0.683	AAC	IEEE 802.11ax (20 MHz, MCS0, 99pc duty cycle)	WLAN	8.42	±9.6
0684	AAC	IEEE 802.11ax (20 MHz, MCS1, 99pc duty cycle)	WLAN	8.26	±9.8
0685	AAC	IEEE 802.11ax (20 MHz, MCS2, 99pc duty cycle)	WLAN	8.33	±9.6
0686	AAC	IEEE 802.11ax (20 MHz, MCS3, 99pc duty cycle)	WLAN	8.28	±9.6

Certificate No: EX-7370_Aug24

Page 17 of 22





August 22, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0.687	AAC	IEEE 802, 11ax (20 MHz, MCS4, 99pc duty cycle)	WLAN	8.45	±9.6
0688	ANG	IEEE 802.11ax (20 MHz, MCS5, 99pc duty cycle)	WLAN	8.29	±9.6
0689	AAC	IEEE 802.11ax (20 MHz, MCS6, 99pc duty cycle)	WLAN	8.55	±9.6
0690	AAC	IEEE 802.11ax (20 MHz, MCS7, 99pc duty cycle)	WLAN	8.29	±9.6
0.691	AAC	IEEE 802.11ax (20 MHz, MCS8, 99pc duty cycle)	WLAN	8.25	±9.6
0.692	AAC	IEEE 802.11ax (20 MHz, MCS9, 99pc duty cycle)	WLAN	8.29	±9.6
0.693	AAC	IEEE 802 11ax (20 MHz, MCS10, 99pc duty cycle)	WLAN	8.25	±9.6
	and a local division of the		WLAN	8.57	±9.5
0 694	AAC	IEEE 802 11 ax (20 MHz, MCS11, 99pc duty cycle)	WLAN	8.78	±9.6
0.695	AAC	IEEE 802 11ax (40 MHz, MC80, 90pc duty cycle)	WLAN	8.91	19.6
0696	AAC	IEEE 802.11ax (40 MHz, MCS1, 90pc duty cycla)	WLAN	8.61	
0697	AAC	IEEE 802.11ax (40 MHz, MCS2, 90pc duty cycle)			±9.6
0698	AAC	IEEE 802.11ax (40 MHz, MCS3, 90pc duty cycle)	WLAN	8,89	19.5
0 6 9 9	AAC	IEEE 802.11ax (40 MHz, MCS4, 90pc duty cycle)	WLAN	8.82	±9.6
0700	AAC	IEEE 802.11ax (40 MHz, MCS5, 90pc duty cycle)	WLAN	8.73	±9.5
0701	AAC	IEEE 802.11ax (40 MHz, MCS6, 90pc duty cycle)	WLAN	8.86	±9.6
0702	AAC	IEEE 802.11ax (40 MHz, MCS7, 90pc duty cycle)	WLAN	8.70	±9.6
0703	AAC	IEEE 802.11ax (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	±9.6
0704	AAC	IEEE 802.11ax (40 MHz, MCS9, 90pc duty cycle)	WLAN	8.56	±9.6
0705	AAC	IEEE 802.11ax (40 MHz, MCS10, 90pc duty cycle)	WLAN	8.69	±9.6
0706	AAC	IEEE 802.11ax (40 MHz, MCS11, 90pc duty cycle)	WLAN	8.65	±9.6
0707	AAC	IEEE 802.11ax (40 MHz, MCS0, 99pc duty cycle)	WLAN	8.32	29.6
0708	AAC	IEEE 802.11ax (40 MHz, MCS1, 99pc duty cycle)	WLAN	8.55	:9.6
0709	AAC	IEEE 802.11ax (40 MHz, MCS2, 99pc duty cycle)	WLAN	8.33	±9.6
0710	AAC	IEEE 802.11ax (40 MHz, MCS3, 99pc duty cycle)	WLAN	8.29	±9.6
0711	AAC	IEEE 802.11ax (40 MHz, MCS4, 99pc duty cycle)	WLAN	8.39	±9.6
0712	AAC	IEEE 802.11ax (40 MHz, MCS5, 99pc duly cycle)	WLAN	8.67	19.6
0713	AAC	IEEE 802.11ax (40 MHz, MCS6, 99pc duty cycle)	WLAN	8.33	±9.6
0714	AAC	IEEE 802.11ax (40 MHz, MCS7, 99pc duty cycle)	WLAN	8.26	±9.6
0715	AAC	IEEE 802 11ax (40 MHz, MC58, 99pc duty cycle)	WLAN	8,45	±9.6
0716	AAC	IEEE 802.11ax (40 MHz, MCS9, 99pc duty cycle)	WLAN	8.30	±9.6
0717	AAC	and the second	WLAN	8.48	a contract of the local data
		IEEE 802.11ax (40 MHz, MC510, 99pc duty cycle)			19.6
0718	AAC	IEEE 802.11ax (40 MHz, MCS11, 99pc duty cycle)	WLAN	8,24	±9.6
0719	AAC	IEEE 802.11ax (80 MHz, MCS0, 90pc duty cycle)	WLAN	B.81	±9.6
0720	AAC	IEEE 802.11ax (80 MHz, MCS1, 90pc duty cycle)	WLAN	8.87	±9.6
0721	AAC	IEEE 802.11ax (80 MHz, MCS2, 90pc duty cycle)	WLAN	8.76	±9.6
0722	AAC	IEEE 802.11ax (80 MHz, MCS3, 90pc duty cycle)	WLAN	8.55	±8.6
0723	AAC	IEEE 802.11ax (80 MHz, MCS4, 90pc duty cycle)	WLAN	8.70	±9.6
0724	AAC	IEEE 802.11ax (80 MHz, MCS5, 90pc duty cycle)	WLAN	8.90	±9.6
0725	AAC	IEEE 802.11ax (80 MHz, MCS6, 90pc duty cycle)	WLAN	8.74	29.6
0726	AAC	IEEE 802.11ax (80 MHz, MCS7, 90pc duty cycle)	WLAN.	8.72	±9.6
0727	AAC	IEEE 802.11ax (80 MHz, MCS8, 90pc duty cycle)	WLAN.	8.65	±9.6
0728	AAG	IEEE 802.11ax (80 MHz, MCS9, 90pc duty cycle)	WLAN.	8.65	±9.6
0729	AAC	IEEE 802.11ax (80 MHz, MCS10, 90pc duty cycle)	WLAN	8.64	±8.6
0730	AAC	IEEE 802.11ax (80 MHz, MCS11, 90pc duty cycle)	WLAN.	8.67	±9.6
0731	AAC	IEEE 802 11ax (80 MHz, MCS0, 99pc duty cycle)	WLAN	8.42	±9.6
0732	AAC	IEEE 802.11ax (80 MHz, MCS1, 99pc duty cycle)	WLAN	8.46	±9.6
0733	AAC	IEEE 802 11ax (80 MHz, MCS2, 99pc duty cycle)	WLAN	8.40	19.6
0734	AAC	IEEE 802.11ax (80 MHz, MCS3, 99pc duty cycle)	WLAN	8.25	±9.6
0735	AAG	IEEE 802 11sx (80 MHz, MCS4, 99pc duty cycle)	WLAN	8.33	±9.6
0.736	AAC	IEEE 802.11ax (80 MHz, MCS5, 99pc duty cycle)	WLAN	8.27	±9.6
0737	AAC	IEEE 802 11ax (80 MHz, MCS6, 99pc duty cycle)	WLAN	8.36	
0738	AAC	IEEE 802.11ax (80 MHz, MCS7, 99pc duty cycle)	WLAN	the second se	±9.6
0739	AAC	IEEE 802.11ax (80 MHz, MCSR, 99pc duty cycle)	WLAN	8.42	±9.6
2740	AAC	IEEE 802.11ax (80 MHz, MCS8, 99pc duty cycle)		8.29	±9.6
3741	AAC	IEEE 802.11ax (80 MHz, MCS9, 99pc duty cycle) IEEE 802.11ax (80 MHz, MCS10, 99pc duty cycle)	WLAN	8.48	±9.6
and the second	and the second second		WLAN	8.40	±9.6
1742	AAC	IEEE 802 11ax (80 MHz, MCS11, 99pc duty cycle)	WLAN	8.43	±9.8
0743	AAC	IEEE 802.11ax (160 MHz, MCS0, 90pc duty cycle)	WLAN	8.94	±9.6
1744	AAC	IEEE 802.11ax (160 MHz, MCS1, 90pc duty cycle)	WLAN	9.16	±9.8
0745	AAC	IEEE 802.11ax (160 MHz, MCS2, 90pc duty cycle)	WLAN	8.93	19.6
0746	AAG	IEEE 802.11ax (160 MHz, MCS3, 90pc duty cycle)	WLAN	9.11	±9.6
0747	AAC	IEEE 802.11ax (160 MHz, MCS4, 90pc duty cycle)	WLAN	9.04	±9.6
0748	AAC	IEEE 802.11ax (160 MHz, MCS5, 90pc duty cycle)	WLAN	8.93	±9.8
0740	AAC	IEEE 802.11ax (160 MHz, MCS6, 90pc duty cycle)	WLAN	8.90	±9.6
0750	AAC	IEEE 802.11ax (160 MHz, MCS7, 90pc duty cycle)	WLAN	0.79	±9.6
0751	AAC	IEEE 802.11ax (160 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	19.6
0752	AAC	IEEE 802.11ax (160 MHz, MCS9, 90pc duty cycle)	WLAN	8.81	19.6

Certificate No: EX-7370_Aug24

Page 18 of 22



August 22, 2024

UID	Hev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10753	AAC	IEEE 802.11ax (160 MHz, MCS10, 90pc duty cycle)	WLAN	9.00	±9.6
10764	MAG	IEEE 802.11ax (160 MHz, MCS11, 90pc duty cycle)	WE,AN	8.94	±9.6
0755	AAC	IEEE 802.11ax (160 MHz, MCS0, 99pc duty cycle)	WLAN	8.64	±9.6
0756	AAC	IEEE 802.11ax (160 MHz, MCS1, 99pc duty cycle)	WLAN	8.77	±9.6
0757	AAC	IEEE 802.11ax (160 MHz, MCS2, 99pc duty cycle)	WLAN	8.77	±9.6
0758	AAC	IEEE 802 11ax (160 MHz, MCS3, 99pc duty cycle)	WLAN	8.69	±9.6
0759	AAC	IEEE 802.11ax (160 MHz, MCS4, 99pc duty cycle)	WLAN	8.58	±9.6
0760	AAC	IEEE 802.11ax (160 MHz, MCS5, 99pc duty cycle)	WLAN	8.49	±9.6
10781	AAC	IEEE 802 11ax (160 MHz, MCS6, 99pc duty cycle)	WLAN	8.58	±9.6
10762	AAC	IEEE 802.11ax (160 MHz, MCS7, 99pc duty cycle)	WLAN	8.49	±9.6
10763	AAC	IEEE 802.11ax (160 MHz, MCSB, I9pc duty cycle)	WLAN	8.53	±9.6
0764	AAC	IEEE 802.11ax (160 MHz, MCS9, 99pc duty cycle)	WLAN	8.54	±9.6
10765	AAG	IEEE 802.11ax (160 MHz, MCS10, 99pc duty cycle)	WLAN	8.54	±9.6
0786	AAG	IEEE 802.11ax (160 MHz, MCS11, 99pc duty cycle)	WLAN	8.51	±9.6
0767	AAG	5G NR (CP-OFDM, 1 RB, 5MHz, QPSK, 15kHz)	5G NR FR1 TDD	7.99	±9.6
10768	AAE	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	±9.6
0.768	AAD.	5G NR (CP-OFDM, 1 RB, 15MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.01	29.6
10770	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, QP5K, 15 kHz)	5G NR FR1 TDD	8.02	±9.6
10771	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	±9.6
10772	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.23	±9.6
0773	AAF	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	±9.6
10774	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.02	±9.8
0775	AAF	5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	±9.6
0776	AAE	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	±9.6
0777	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	±9.6
10778	AAE	5G NR (CP-OFDM, 50% RB, 29 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	±9.8
10779	AAC	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.42	29.6
0780	AAE	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	6.38	±9,6
10781	AAF	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	±9.6
0782	AAE	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	±9.6
0783	AAG	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	±9.6
10784	AAE	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	±9.6
10785	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.40	±9.6
10786	AAE	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	±9.6
0787	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, GPSK, 15 kHz)	5G NR FR1 TDD	B.44	±9.6
10788	AAE	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	±9.6
0789	AAF	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	B.37	±9.6
10790	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	±9.6
0791	AAG	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDO	7.83	±9.6
0792	AAE	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	±9.6
0793	AAD	5G NR (CP-OFOM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	±9.6
0794	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	±9.6
0795	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	±9.6
0796	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	±9.6
0797	AAF	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	±9.6
0798	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, GPSK, 30 kHz)	5G NR FR1 TDD	7.89	±9.6
0799	AAF	SG NH (CP-OFDM, 1 RB, 60 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	7.93	±9.8
0802	AAE	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 KHz)	56 NR FR1 TDD	7.89	±9.6
0802	AAE	5G NR (CP-OFDM, 1 R8, 90 MHz, QPSK, 30 kHz) 5G NR (CP-OFDM, 1 R8, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	±9.6
0803	AAE		5G NR FR1 TOD	7.93	±9.6
0.805	AAD	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz) 5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	±9.8
0.809	AAE	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz) 5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	±9.6
0810	AAF	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 KHz)	5G NR FR1 TOD	8.34	±9.6
0812	AAF	5G NR (CP-OFDM, 50% RB, 60 MHz, OPSK, 30 KHz)	5G NR FR1 TDD	8.34	19.6
0817	AAG	SG NR (CP-OFDM, 50% RB, 51MRz, QPSK, 30kHz)	5G NR FR1 TDD	8.35	±9.6
0.618	AAE	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.35	±9.6
0819	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, OPSK, 30 KHz)	5G NR FR1 TDD	8.34	3.6±
0820	AAE	5G NR (CP-OFDM, 100% RB, 20 MHz, OPSK, 30 KHz)	50 NR FR1 TDD	8.33	±9.6
0821	AAD	SG NR (CP-OFDM, 100% RB, 25 MHz, CPSK, 30 kHz)	5G NR FR1 TDD	8.30	±9.6
0822	AAE	5G NR (CP-OFDM, 100% RB, 20 MHz, CPSK, 30 kHz)	5G NR FR1 TDD	8.41	19.5
0823	AAF	5G NR (CP-OFDM, 100% RB, 30 MHz, CP5K, 30 kHz) 5G NR (CP-OFDM, 100% RB, 40 MHz, CP5K, 30 kHz)	5G NR FR1 TDD	8.41	±9.6
0824	AAE	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz) 5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	±9.6
0825	AAF	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz) 5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FRI TDD	8.39	±9.6
0825	AAF	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz) 5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FRI TDD	8.41	±9.6
0828	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz) 5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	±9.6
	TIME	Sister (or or one, took his, summer, GPSK, 300Hg)	5G NR FR1 TDD	8.43	±9.6

Certificate No: EX-7370_Aug24

Page 19 of 22



August 22, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^{II} k =
0829	AAF	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	±9.6
0630	AAE	5G NR (CP-OFDM, 1 R8, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	±9.6
0831	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QP5K, 60 kHz)	5G NR FR1 TDD	7.73	±9.5
0.832	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	±9.6
0.833	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	±9.6
0834	AAE	SG NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	±9.6
0835	AAF	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FRI TDD	7.70	±9.6
0836	AAE	5G NR (CP-OFDM, 1 R8, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	±9.6
0837	AAF	5G NR (CP-OFDM, 1 R8, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	±9.8
10839	AAF	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	19.6
0840	AAE	5G NR (CP-OFDM, 1 R8, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	±9.6
10841	AAF	5G NR (CP-OFDM, 1 R8, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TOD	7.71	±9.6
10843	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	±9.6
10844	AAE	SG NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	±9.6
10846	AAE	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
	AAE	SG NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	±9.6
10854	and the second second		5G NR FR1 TDD	8.36	
0855	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, GPSK, 60 kHz)			±9.6
0856	AAE	5G NR (CP-DFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	SG NR FR1 TDD	8.37	±9,6
10857	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	±9.6
10858	AAE	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	SG NR FR1 TDD	8.36	±9.6
10859	AAF	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FRI TDD	8.34	±9.6
10860	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
10861	AAF	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	±9.6
10863	AAF	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8,41	±9.6
10864	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	±9.6
10865	AAF	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
10866	AAF	5G NR (DFT-8-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FRI TDD	5.68	±9.6
10868	AAF	5G NR (DFT=s-OFDM, 100% R8, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	±9.6
10869	AAE	5G NR (DFT-8-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
10870	AAE	5G NR (DFT-s-OFDM, 100% R8, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	±9.6
10871	AAE	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
10872	AAE	5G NR (DFT-e-OFOM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.52	±9.8
10873	AAE	5G NR (DFT-8-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	19.6
10874	AAE	5G NR (DFT-8-OFOM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	±9.6
10875	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	±9.6
10876	AAE	5G NR (CP-OFDM, 100% R8, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	±9.6
10877	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	±9.6
10878	AAE	5G NR (CP-OFDM, 100% R8, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	±9.6
10879	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	SG NR FR2 TDD	8.12	±9.6
10880	AAE	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	±9.6
10881	AAE	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, OPSK, 120 kHz)	5G NR FR2 TDD	5.75	=9.6
10882	AAE	5G NR (DFT=-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	±9.6
10883	AAE	5G NR (DFT-e-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.57	±9.6
10884	AAE	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	
10885	AAE	SG NR (DFTs-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	the second se		±9.6
10886	AAE	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD 5G NR FR2 TDD	6.61	8,0±
10887	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, 0PSK, 120 kHz)		6.65	±9.6
10888	AAE	5G NR (CP-OFDM, 110% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	±9.5
10889	AAE		5G NR FR2 TDD	8.35	±9.6
the second s	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, 18QAM, 120 kHz)	50 NR FR2 TDD	8.02	±9.6
10890		5G NR (CP-OFDM, 100% AB, 50 MHz, 160AM, 120kHz)	5G NR FR2 TDD	8.40	±9.8
10891	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	±9.6
10892	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	±9.6
10.897	AAE	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	6G NR FR1 TDD	5.66	19.8
10.896	AAC	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.67	±9,6
10899	AAB	5G NR (DFT-s-OFDM, 1 RB, 15MHz, QPSK, 30kHz)	56 NR FR1 TDD	5.67	±9.6
10900		5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10901	AAB		SG NR FR1 TDD	5.68	±9.0
10902	AAC	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10903	AAD	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10904	AAC	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10905	AAD	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	50 NR FR1 TDD	5.68	±9.5
10906	AAD	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.68	19.6
10:907	AAE	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	±9.6
10908	AAC	5G NR (DFTs-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	±9.6
10909	AAB	5G NR (DFT-e-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	±9.6
10910	AAC	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	19.5

Certificate No: EX-7370_Aug24

Page 20 of 22



August 22, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^a à =
10911	AAB	5G NR (DFT-8-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	±9.6
10912	AAC	5G NR (DFT-6-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
10915	AAD	5G NR (DFT-e-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
10914	AAC	5G NR (DFT-9-OFDM, 50% RB, 50 MHz, GPBK, 30 kHz)	5G NR FR1 TDD	5.85	±9.6
10915	AAD	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 KHz)	5G NR FR1 TDD	5.83	±9.6
10916	AAD	5G NR (DFT-8-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	±9.6
10917	AAD	5G NR (DFT-s-OFDM, 50% R8, 100 MHz, QPSK, 30 kHz)	6G NR FR1 TD0	5,94	±9,6
10918	AAE	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	+9.5
10919	AAC	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, GPSK, 30 kHz)	SG NR FR1 TDO	5.86	19.6
10920	AAB	5G NR (DFTs-OFDM, 100% RB, 15 MHz, GPSK, 30 kHz)	SG NR FR1 TDD	5.87	±9.6
10921	AAC	5G NR (DFTs-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	50 NR FR1 TDD	5.84	±9.6
10922	BAA	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, GPSK, 30 kHz)	5G NR FR1 TDD	5.82	±9.8
10923	AAC	5G NR (DFTs-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDO	5.84	±9.6
0.924	AAD	5G NR (DFT-e-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
0925	AAC	5G NR (DFTs-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	±9.6
0.956	AAD	5G NR (DFTs-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	19.8
0.927	AAD	5G NR (DFT=-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	±9.5
0.928	AAD	SG NR (DFTs-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDO	5.52	±9.6
0.929	AAD.	5G NR (DFTs-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	±9,6
0830	AAC	6G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	±9.6
0931	AAC	5G NR (DFTs-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	±9.6
0.035	AAC	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	±9.6
0.833	AAC	5G NR (BFTs-OFDM, 1 R8, 30 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.51	19.5
0934	AAG	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.51	±9.6
0935	AAD	5G NR (DFT-a-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	±9.6
0936	AAD	5G NR (DFT=-OFDM, 50% RB, 5MHz, OPSK, 15kHz)	SG NR FR1 FDD	5.80	±9.6
0937	AAD	5G NR (DFTs-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	±9.6
0938	AAC	5G NR (DFT-s-OFDM, 50% RB, 15MHz, QPSK, 15kHz)	5G NR FR1 FD0	5.90	±9.8
0939	AAG	5G NR (DFTs-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	6.82	±9.6
0940	AAC	5G NR (DFT=OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	±9.6
0941	AAG	5G NR (DFT+-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	±9.6
0.942	AAC	5G NR (DFTs-OFDM, 50% RB, 40 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.85	±9.6
0943	AAD	5G NR (DFT=-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	±9.6
10944	AAD	5G NR (DFT-s-OFDM, 100% RB, 5MHz, QPSK, 15kHz) 5G NR (DFT-s-OFDM, 100% RB, 10MHz, QPSK, 15kHz)	5G NR FR1 FDD 5G NR FR1 FDD	5.81	±9.6
10946	AAC	5G NR (DFTs-OFDM, 100% RB, 15MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.85	±9.6
10940	AAC	5G NR (DFT= OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	±9.6
0948	AAG	5G NR (DFT-e-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	±9.6 ±9.6
10949	AAC	5G NR (DFT=OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	±9.6
10950	AAC	5G NR (DFTs-OFDM, 100% RB, 40 MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.94	±0.0 ±9.6
0951	AAD	5G NR (DFT+ OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	±9.6
0952	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FD0	8.25	±9.6
0953	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FD0	8.15	±9.5
0954	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	6.23	±9.6
0955	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FD0	8.42	19.6
0956	AAA	5G NR OL (CP-OFDM, TM 3.1, 5 MHz, 84-QAM, 30 kHz)	5G NR FR1 FDD	B.14	19.6
10957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDO	8.31	19.6
10958	AAA	5G NR OL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FD0	8.61	±9.6
0959	AAA	5G NR DL (CP-OFDM, TM 3 1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	19.6
0960	AAE	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	±9.6
0961	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	19.5
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	SG NR FR1 TDD	9.40	±9.6
0963	AAC	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	±9.6
0964	AAE	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 54-QAM, 30 kHz)	5G NR FRI TDD	9.29	+9.6
0965	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FRI TDD	9.37	±9.6
0965	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 84-QAM, 30 kHz)	5G NR FR1 TDD	9.55	±9.6
0967	AAC	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	±8.6
6960	AAD	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	19.6
0972	AAC	SG NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	11.59	±9.6
0973	AAD	5G NR (DFT-8-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	±9.6
0974	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.26	±9.6
0978	AAA	ULLA BOR	ULLA	1.16	19.6
0979	AAA	ULLA HDR4	ULLA	8.58	±9.6
0980	AAA	ULLA HDR8	ULLA	10.32	±9.6
0961	AAA	ULLA HDRp4	ULLA	3.19	±9.6
0982	AAA	ULLA HDRo8	ULLA	3.43	±9.6

Certificate No: EX-7370_Aug24

Page 21 of 22



August 22, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^{II} k = 2
10983	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.31	±9.6
10984	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9,42	±9.6
10985	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9,54	±9.6
10986	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	SG NR FR1 TDD	9.50	±9.6
10987	AAC	5G NR DL (CP-OFDM, TM 3.1, 60 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.53	±9.6
10988	AAB	5G NR DL (CP-OFDM, TM 3.1, 70 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.38	±9.6
10989	AAC	5G NR DL (CP-OFDM, TM 3.1, 80 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.33	±9.6
10990	AAB	5G NR DL (CP-OFDM, TM 3.1, 90 MHz, 54-QAM, 30 kHz)	5G NR FR1 TDD	9.52	±9.6
11003	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 84-QAM, 15 kHz)	5G NR FR1 TDD	10.24	±9.6
11004	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	10.73	±9.6
11005	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 54-QAM, 15 kHz)	5G NR FR1 FDD	8.70	±9.6
11008	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.55	19.6
11007	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.46	±9.6
11008	AAA	5G NR DL (CP-OFDM, TM 3 1, 50 MHz, 54-GAM, 15 kHz)	5G NR FR1 FDD	8.51	±9.6
11009	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.76	19.6
11010	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30 kHz)	50 NR FR1 FDD	8.95	±9.6
11011	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	6.96	±9.6
11012	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.68	±9.6
11013	AAB	IEEE 802.11be (320 MHz, MCS1, 99pc duty cycle)	WLAN	8.47	±9.6
11014	AAB	IEEE 802.11be (320 MHz, MCS2, 99pc duty cycle)	WLAN	B.45	±9.6
11015	AAB.	IEEE 802 11be (320 MHz, MCS3, 99pc duty cycle)	WLAN	8.44	±9.6
11016	AAB	IEEE 802.11be (320 MHz, MCS4, 99pc duty cycle)	WLAN	8.44	±9.6
11017	AAB	IEEE 802.11be (320 MHz, MCS5, 99pc duty cycle)	WLAN	8.41	±9.6
11018	AAB	IEEE 802.11be (320 MHz, MC56, 99pc duty cycle)	WLAN	8.40	±9.6
11019	AAB	IEEE 802.11be (320 MHz, MCS7, 99pc duty cycle)	WLAN	8.29	±9.6
11020	AAB	IEEE 802 11be (320 MHz, MCS8, 99pc duty cycle)	WLAN	8.27	±9.8
11021	AAB	IEEE 802.11be (320 MHz, MCS9, 99pc duty cycle)	WLAN	8.46	±9.6
11022	AAB	IEEE 802.11be (320 MHz, MCS10, 99pc duty cycle)	WLAN	8.36	±9.6
11023	AAB	IEEE 802.11be (320 MHz, MCS11, 99pc duty cycle)	WLAN	8.09	±9.8
11024	AAB	IEEE 802.11be (320 MHz, MCS12, 99pc duty cycle)	WLAN	8.42	±9.6
11025	AAB	IEEE 802.11be (320 MHz, MCS13, 99pc duty cycle)	WLAN	8.37	±9.6
11026	AAB	IEEE 802.11be (320 MHz, MCS0, 99pc duty cycle)	WLAN	8.39	±9.6

E Uncertainty is determined using the max. devlation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX-7370_Aug24

Page 22 of 22



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland				$\textcircled{\bullet}$	C Service Servizio	zerischer Kalibrierdien suisse d'étaionnage o svizzero di taratura Calibration Service	
he Swis	s Accreditation Ser	ditation Service (SAS) vice is one of the signatori e recognition of calibration			Accreditatio	n No.: SCS 0108	
liont	HCT Gysonggi-do, Re	public of Korea		Certificate No.	EX-7751	_Sep24	
CAL	IBRATION C	ERTIFICATE	결	코드 기 안	18	[전전전] 토 승 연	
			재	1213		11	
Object		EX3DV4 - SN:775	51 (19/4 2) 4		· · /	Le Lyrie of	
Calibra	tion procedure(s)	QA CAL-01.v10, QA CAL-25.v8 Calibration proces				L-23.v6,	
Calibra	tion date	September 19, 2024					
		cuments the traceability to na uncertainties with confidence					
		nducted in the closed laborat (M&TE critical for calibration)		ment temperature (22±3}°C and †	sumidity < 70%.	
Primary	Standards	ID	Cal Date (Certi	ficate No.)	Sci	heduled Calibration	
Power n	neter NRP2	SN: 104778	26-Mar-24 (No.	217-04036/04037) Ma	r-25	
	sensor NRP-Z91	SN: 103244	26-Mar-24 (No.			r-25	
	AK-3.5 (weighted)	SN: 1249		P-DAK3.5-1249_O		1-24	
OCP DV		SN: 1016		P-DAK12-1018_Oc		-24	
	ce 20 dB Attenuator	SN: CC2552 (20x)	26-Mar-24 (No.			r-25	
DAE4	and the second se	SN: 660		DAE4-660 Feb24		>-25	
Referen	ice Probe EX3DV4	SN: 7349	03-Jun-24 (No.	EX3-7349_Jun24	Jur	1-25	
Second	arv Standards	T ID	Check Date (in	housel	50	heduled Check	
Power meter E4419B		SN: GB41293874		ouse check Jun-24		touse check: Jun-26	
Power sensor E4412A		SN: MY41498087		ouse check Jun-24		touse check: Jun-26	
	sensor E4412A	SN: 000110210		ouse check Jun-24		touse check: Jun-26	
	erator HP 8648C	SN: US3642U01700		ouse check Jun-24		touse check: Jun-26	
	k Analyzer E8358A	SN: US41080477		ouse check Oct-22		touse check: Oct-24	
		Name	Function	1	Signati	Ite	
Calibra	fed by	Joanna Lleshaj	Laborat	ory Technician	the	alleri	

	Name	Function	Signature
Calibrated by	Joanna Lleshaj	Laboratory Technician	Halles
Approved by	Sven Kühn	Technical Manager	3.60
This calibration certifica	te shall not be reproduced except in	full without written approval of the la	Issued: September 20, 2024 boratory.

Certificate No: EX-7751_Sep24

Page 1 of 22



Calibration Laboratory of Schmid & Partner Engineering AG Zeugheusstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kallbrierdienst C Service suisse d'étalonnage Servizio svizzero di taratura S Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary

TSL NORMx.y.z	tissue simulating liquid sensitivity in free space
ConvF	sensitivity in TSL / NORMx,y,z
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization φ	φ rotation around probe axis
Polarization #	Orbitation around an axis that is in the plane normal to probe axis (at measurement center), i.e., 0 is normal to probe axis

Connector Angle information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- a) IEC/IEEE 62209-1528, "Measurement Procedure For The Assessment Of Specific Absorption Rate Of Human Exposure To Radio Frequency Fields From Hand-Held And Body-Worn Wireless Communication Devices – Part 1528: Human Models, Instrumentation And Procedures (Frequency Range of 4 MHz to 10 GHz)", October 2020.
- b) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization ∂ = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal. DCP does not depend on frequency nor media.
- · PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax, y,z; Bx, y,z; Cx, y,z; Dx, y,z; VRx, y,z; A, B, C, D are numerical linearization parameters assessed based on the data of
 power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum
 calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ±50 MHz to ±100 MHz.
- Spherical isotropy (3D deviation from isotropy): In a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- · Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: EX-7751_Sep24

Page 2 of 22



September 19, 2024

Parameters of Probe: EX3DV4 - SN:7751

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k = 2)
Norm (µV/(V/m) ²) A	0.54	0.58	0.61	±10.1%
DCP (mV) B	106.6	106.2	106,2	±4.7%

Calibration Results for Modulation Response

UID	Communication System Name		A dB	B dBõV	с	D dB	WR mV	Max dev.	Max Unc ^E k = 2
0	CW	X	0.00	0.00	1.00	0.00	136.6	±2.0%	±4.7%
		Y	0.00	0.00	1.00		129.7		
		Z	0.00	0.00	1.00	-	145.7		
10352	Pulse Waveform (200Hz, 10%)	X	1.70	61.40	6.74	10.00	60.0	±2.8%	±9.8%
	10 8 08	Y	1.38	60.00	6.09		60.0		
		Z	1.60	61.09	6.63		60.0	l	
10353 Puls	Pulse Waveform (200Hz, 20%)	X	0.80	60.00	4.92	6.99	80.0	±2.4%	±9.6%
		Y	10.00	72.00	9.00		80.0		
		Z	10.00	72.00	9.00	1	80.0		
10354 Pu	Pulse Waveform (200Hz, 40%)	X	0.02	123.03	0.27	3.98	95.0	±2.8%	±9.6%
	The Allowed Allowed Works and Allowed Allo	Y	0.43	60.00	3.84		95.0		
		2	0.00	119.46	0.66	-	95.0	· · · ·	
10355	Pulse Waveform (200Hz, 60%)	X	0.43	60.00	2.53	2.22	120.0	±1.6%	±9.6%
	50 S 33	Y	11.79	132.73	1.23		120.0	1.1.1.1.1	
		Z	11.32	154.86	10.01		120.0		
10387	QPSK Waveform, 1 MHz	X	0.48	82.75	12.13	1.00	150.0	±3.4%	±9.6%
		Y	0.56	64.66	13.13		150.0	1.120.000	
		Z	0.59	63.88	12.39	1	150.0		
10388	QPSK Waveform, 10 MHz	X	1.26	65.62	13.60	0.00	150.0	±1.0%	±9.6%
		Y	1,37	66.76	14.21		150.0		
		Z	1.37	65.74	13.84		150.0	1	
	64-QAM Waveform, 100 kHz	X	1.55	63.28	15.32	3.01	150.0	±1.1%	±9.6%
		Y	1.75	65.15	16.10		150.0	12.00	
		Z	1.69	64.37	15.78		150.0	1	
10399	64-QAM Waveform, 40 MHz	X	2.75	66.18	15.01	0.00	150.0	±1.4%	±9.6%
	Processing and the second states of the second stat	Y	2.85	66.75	15.31	100000	150.0	1.147.1420	0.000
	A CONTRACTOR OF A DESCRIPTION OF A DESCR	Z	2.88	66.31	15.09		150.0		
10414 W	WLAN CCDF, 64-QAM, 40 MHz	X	3.66	65.87	15.12	0.00	150.0	±2.4%	±9.6%
	1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Y	3.79	66.39	15.40		150.0		
		Z	3.87	65.98	15,27	-	150.0		

Note: For details on UID parameters see Appendix

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

A The uncertainties of Norm X, Y,Z do not affect the E²-field uncertainty inside TSL (see Pages 5 and 5).
 ELinearization parameter uncertainty for maximum specified field strength.
 EUncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX-7751_Sep24

Page 3 of 22



September 19, 2024

Parameters of Probe: EX3DV4 - SN:7751

Sensor Model Parameters

	C1 IF	C2 fF	и V ⁻¹	T1 msV ⁻²	T2 msV ⁻¹	T3 ms	T4 V ⁻²	T5 V ⁻¹	Т6
x	8.5	60.79	33.09	2.77	0.00	4.90	0.17	0.00	1.00
y I	8.6	61.89	33.02	3.70	0.00	4.90	0.53	0.00	1.00
Z.	10.1	73.37	33.69	3.40	0.00	4.90	0.41	0.00	1.00

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle	-80.5*
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	tmm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Note: Measurement distance from surface can be increased to 3-4 mm for an Area Scan job.

Certificate No: EX-7751_Sep24

Page 4 of 22



September 19, 2024

Parameters of Probe: EX3DV4 - SN:7751

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^C	Relative Permittivity ^F	Conductivity ^F (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc ^H (k = 2)
750	41.9	0.89	8.91	8.11	8.99	0.40	1.27	±11.0%
835	41.5	0.90	8.75	7.96	8.83	0.40	1.27	±11.0%
900	41.5	0.97	8.64	7.85	8.71	0.40	1.27	±11.0%
1750	40.1	1.37	7.55	7.98	7.66	0.37	1.27	±11.0%
1900	40.0	1.40	7.35	7.78	7.46	0.37	1.27	±11.0%
2300	39.5	1.67	7.02	7.42	7.12	0.37	1.27	±11.0%
2450	39.2	1.80	6.75	7.14	6.85	0.37	1,27	±11.0%
2600	39,0	1.96	6.64	7.03	6.74	0.37	1.27	±11.0%
3300	38.2	2.71	6.49	6.86	6.58	0.37	1.27	±13.1%
3500	37.9	2.91	6.44	6.82	6.54	0.37	1.27	±13.1%
3700	37.7	3.12	6.33	6.70	6.43	0.37	1.27	±13.1%
3900	37.5	3.32	6.25	6.62	6.35	0.36	1.27	±13.1%
4100	37.2	3.53	5.85	6.19	5.93	0.36	1.27	±13.1%
5250	35.9	4.71	5.17	5.47	5.25	0.32	1.27	±13.1%
5600	35.5	5.07	4.71	4.98	4.78	0.29	1.27	±13.1%
5750	35.4	5.22	4.71	4.98	4.78	0.27	1.27	±13.1%
5800	35.3	5.27	4.77	5.05	4.84	0.27	1.27	±13.1%

^C Programmery validity above 300 MHz of ±100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ±50 MHz. The uncertainty is the RSS of the ConvE uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ±10, 25, 40, 50 and 70 MHz for ConvE assessments at 30, 64, 128, 150 and 220 MHz respectively. Validity of ConvE assessed at 5 MHz is 4–9 MHz, and ConvE assessed at 13 MHz is 9–19 MHz. Above 5 GHz frequency validity can be extended to ±10 MHz. The uncertainty is the terrate at a single terrate and instance and an an analysis of the terrate and at the terrate at the terrat

^H The stated uncertainty is the total calibration uncertainty (k = 2) of Norm-ConvF. This is equivalent to the uncertainty component with the symbol CF in Table 9 of IEC/IEEE 62209-1528:2020.

Certificate No: EX-7751_Sep24

Page 5 of 22



September 19, 2024

Parameters of Probe: EX3DV4 - SN:7751

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^C	Relative Permittivity ^F	Conductivity ^F (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc ^H (k = 2)
6500	34.5	6.07	5.33	5.64	5.41	0.20	1.27	±18.6%
7000	33.9	6.65	5.11	5.41	5.19	0.20	1.27	±18.6%
8000	32.7	7.84	5.36	5.67	5.44	0.20	1.27	±18.6%
9000	31.6	9.08	5.61	5.94	5.70	0.20	1.27	±18.6%

^C Frequency validity at 6.5 GHz is -600/+700 MHz, and ±700 MHz at or above 7 GHz. The uncertainty is the RSS of the CorwF uncertainty at calibration frequency and the uncertainty for the indicated frequency band.
^F The probes are calibrated using tissue simulating liquids (TSL) that deviate for *c* and *o* by less than ±10% from the target values (typically better than ±8%) and are valid for TSL with deviations of up to ±10%.
^G Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ±1% for frequencies between 6-10 GHz at any distance larger than half the probe tip diameter from the boundary.


H The stated uncertainty is the total calibration uncertainty (k = 2) of Norm-ConvF. This is equivalent to the uncertainty component with the symbol CF in Table 9 of IEC/IEEE 62209-1528:2020.

Certificate No: EX-7751_Sep24

Page 6 of 22



September 19, 2024



Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide:R22)

Uncertainty of Frequency Response of E-field: ±6.3% (k=2)


Certificate No: EX-7751_Sep24

Page 7 of 22

September 19, 2024



EX3DV4 - SN:7751




Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$

Certificate No: EX-7751_Sep24

Page 8 of 22



September 19, 2024




Certificate No: EX-7751_Sep24

Page 9 of 22



September 19, 2024





Certificate No: EX-7751_Sep24

Page 10 of 22



September 19, 2024

Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
U		CW	CW	0.00	±4.7
0010	CAB	SAR Validation (Square, 100 ms, 10 ms)	Test	10.00	±8.6
10011	CAC	UMTS-FDD (WCDMA)	WCDMA	2.91	±9.6
10012	CAB	IEEE 802.11b WIFi 2.4 GHz (DSSS, 1 Mbps)	WLAN	1.87	±9.6
10013	CAB	IEEE 802.11g WIFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	WLAN	9.46	±9.6
10021	DAC	GSM-FDD (TDMA, GMSK)	GSM	9.39	19.6
10023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	9.67	±9.6
10024	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	6.56	±9.6
10025	DAC	EDGE FDD (TDMA, 8PSK, TN 0)	GSM	12.62	±9.0
10026	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	GSM	9.55	±9.6
10027	DAG	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4.80	±9.6
10028	DAC	GPRS-FDD (TDMA, GM5K, TN 0-1-2-3)	GSM	3.55	±9.6
10029	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.78	±9.6
10030	CAA	IEEE 802.15.1 Bluetocth (GFSK, DH1)	Bluetooth	5.30	±9.6
10031	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	Bluetooth	1.87	19.6
10032	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	Bluetooth	1.16	±9.6
10033	CAA	IEEE 802.15.1 Bluetooth (PIM-DOPSK, OH1)	Bluetooth	7.74	±9.6
10034	CAA	IEEE 802 15.1 Bluetooth (PIV4-DQPSK, OH3)	Bluetooth	4.53	±9.6
10035	CAA	IEEE 802.15.1 Bluetooth (PV4-DQPSK, DH5)	Bluetooth	3.83	±9.5
10036	EAA	IEEE 802.15.1 Bluetooth (PUP DGP SK, DH1)	Bluetooth	8.01	±9.6
10036	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	Bijetooth	4.77	±9.6
10037	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DHS)	Bluetooth	4.10	19.6
10038	CAB	CDMA2000 (1xRTT, RC1)	CDMA2000	4.57	±9.6
10039	CAB	IS-54 / IS-138 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	AMPS	7.78	19.6
10042	CAA	IS-547 IS-138 FUD (TDMA/FUN, PD4-DQFSK, Halitate) IS-91/EIA/TIA-553 FDD (FDMA, FM)	AMPS	0.00	19-912
10044	CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	DECT	13.80	+9.6
10048	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	DECT	10.79	10.6
and the second se	GAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	TD-SCDMA	11.01	±9.6
10058 10058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	GSM	6.52	+9.6
	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 2 Mbps)	WEAN	2.12	19.6
10059	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps)	WLAN	2.83	19.0
10060	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps)	WLAN	3.60	104
10061	CAE	IEEE 802.11b WIFI 5 GHz (DSSS, 11 Maps)	WLAN	8.68	197
	CAE		WLAN	8.63	1.01
10063		IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mbps)	WLAN	9.09	
10064	CAE	IEEE 802.11a/h WIFI 5 GHz (OFOM, 12 Mbps)	WLAN	9.00	±9.1
10065	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps)	WLAN	9.00	+9.
10066	CAE	IEEE 802.11a/h WFI 5 GHz (OFDM, 24 Mbps)	WLAN	10.12	
10087	CAE	IEEE 802.11a/h WIFI 5 GHz (OFOM, 36 Mbps)	WLAN	10.12	±9.6
10.068		IEEE 802.11a/h WFI 5 GHz (OFDM, 48 Mbps)			±9.0
10069	CAE	IEEE 802.11a/h WIFI 5 GHz (OFCM, 54 Mbps)	WLAN	10.56	±9.6
10071	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 9 Mbps)	WLAN	9.83	±9.0
10072	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 12 Mops)	WLAN	9.62	±9.0
10:073	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 18 Mbps)	WLAN	B.94	±9,8
10074	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 24 Mops)	WLAN	10.30	±9.6
10075	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Moos)	WLAN	10.77	±9.6
10078	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 48 Mbps)	WLAN	10.94	±9.0
10077	CAB	IEEE 802.11g WIFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	WLAN	11.00	±9,8
10081	CAB	CDMA2000 (1xRTT, RC3)	CDMA2000	3.97	±9.8
10082	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	AMPS	4,77	±9.0
10090	DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	GSM	6.56	±9.6
10.097	CAC	UMTS-FDD (HSDPA)	WCDMA	3.98	19.
10098	CAC	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3.98	±9.
10099	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	GSM	9.55	±9.1
10100	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-FDD	5.67	±9.
10101	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	±9,
10102	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	±9.6
10103	-	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-TDD	9.29	主日.6
10104		LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-TDD	9.97	±9.6
10105		LTE-TOD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-TDD	10.01	±9.0
10108	CAH	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-FDD	5.90	±9.6
10109		LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 18-QAM)	LTE-FDD	6.43	±9.8
10110	CAH	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-FDD	5.75	±9.6
10111	CAH	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-FOD	5.44	±9.0

Certificate No: EX-7751_Sep24

Page 11 of 22



September 19, 2024

UIID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0112	CAH	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 54-QAM)	LTE-FDD	6.59	±9.6
0113	CAH	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 84-QAM)	LTE-FOD	6.62	±9.6
0114	CAE	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	WLAN	8.10	±9.6
0115	CAE	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	WLAN	8.45	±9.5
0116	CAE	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	WLAN	8.15	±9.8
0117	GAE	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	WLAN	8.07	±9.8
0118	CAE	IEEE 802.11n (HT Mixed, 81 Mbps, 16-GAM)	WLAN	8.59	±9.6
0119	CAE	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	WLAN	8.13	±9.6
0140	CAF	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 18-QAM)	LTE-FDD	6.49	±9.6
0141	CAF	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-FDD	6.53	±9.6
0142	CAF	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-FDD	5.73	±9.6
0143	CAF	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-FDD	6.35	±9.6
0144	CAF	LTE-FDD (SC-FDMA, 100% AB, 3 MHz, 64-QAM)	LTE-FDD	6.65	±9.6
0145	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-FDD	5.76	±9.6
0146	CAG	LTE-FDD (SC-FDMA, 100% R8, 1.4 MHz, 16-QAM)	LTE-FDD	6,41	±9.6
0147	CAG	LTE-FDD (SC-FDMA, 109% RB, 1.4 MHz, 64-DAM)	LTE-FDD	6,72	±9.6
0149	CAF	LTE-FDD (SC-FDMA, 50% R8, 20 MHz, 16-QAM)	LTE-FDD	6.42	±9.6
0150	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	±9.6
0151	CAH	LTE-TDD (SC-FDMA, 50% R8, 20 MHz, QPSK)	LTE-TDD	8.28	±8.6
0152	CAH	LTE-TDD (SC-FDMA, 50% R8, 20 MHz, 16-QAM)	LTE-TOD	9.92	±9.6
0153	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-TDD	10.05	±9.6
0154	CAH	LTE-FDD (SC-FDMA, 50% R8, 10 MHz, GPSK)	LTE-FOD	5.75	±9.6
0155	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	±9.6
0156	CAH	LTE-FDD (SC-FDMA, 50% RB, 5MHz, QPSK)	LTE-FDD	5.79	+9.6
0157	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-FDD	6.49	士皇后
0158	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-FDD	6.62	±9.6
0159	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-FDD	6.56	±9.6
0160	CAF	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, GPSK)	LTE-FDD	5.82	±9.6
0161	CAF	LTE-FDD (BC-FDMA, S0% RB, 15 MHz, 16-QAM)	LTE-FDD	6.43	±9.8
0162	CAF	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-FDD	6,58	±9.6
0166	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-FDD	5.46	±9.6
0167	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-FOD	6.21	±9.6
0168	CAG	LTE-FDO (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-FOD	6.79	±9.6
0169	CAF	LTE-FDD (SC-FDMA, 1 RB, 20MHz, QPSK)	LTE-FOD	5.73	±9.6
0170	CAF	LTE-FDO (SC-FDMA, 1 RB, 20MHz, 16-QAM)	LTE-FDD	6.52	±9.6
0171	CAH	LTE-FDD (SC-FDMA, 1 RB, 20MHz, 64-QAM)	LTE-FOD	6.49	±9.6
0172	CAH	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-TOD	9.21	±0.6 ±9.6
0174	CAH	LTE-TOD (SC-FDMA, 1 RB, 20MHz, 18-GAW)		10.25	
0175	CAH	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD LTE-FDD	5.72	±9.8 ±9.8
0176	CAH	LTE-FDD (SC-FDMA, 1 RB, 10MHz, 16-QAM)	LTE-FDD	6.52	±9.6
0177	CAJ	LTE-FDD (SC-FDMA, 1 RB, 5MHz, QPSK)	LTE-FDD	5.73	±9.6
0178	CAH	LTE-FDD (SC-FDMA, 1 RB, SMHz, 16-QAMI	LTE-FOD	6.52	±9.6
0179	CAH	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-FDD	6.50	±9.6
0180	CAH	LTE-FDD (SC-FDMA, 1 BB, 5MHz, 64-QAM)	LTE-FDD	6.50	±9.6
0181	CAF	LTE-FOD (SC-FDMA, 1 RB, 15MHz, QPSK)	LTE-FDD	5.72	±9.6
0182	CAF	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 18-QAM)	LTE-FDD	6.52	±9.6
0183	AAE	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 64-QAM)	LTE-FDD	6.50	±9.6
0184	CAF	LTE-FDD (SC-FDMA, 1 RB, 3MHz, QPSK)	LTE-FDD	5.73	19.5
0185	CAF	LTE-FDO (SC-FDMA, 1 RB, 3MHz, 16-QAM)	LTE-FDD	6.51	±9:6
0186	AAF	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-FOD	6.50	19.6
0187	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	L7E-FDD	5.73	±9.6
0188	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16 QAM)	LTE-FOD	6.52	±9.6
0189	AAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.50	±9.6
0193	CAE	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	WLAN	8.09	±9.6
0194	CAE	IEEE 802.11n (HT Greenfield, 39 Mops, 16-QAM)	WLAN	8.12	±9.6
0196	CAE	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	WLAN	8.21	±9.6
0196	CAE	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	WLAN	8.10	±9.6
0197	CAE	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	WLAN	8.13	±9.6
0198	CAE	IEEE 802.11n (HT Mored, 65 Mbps, 64-QAM)	WLAN	8.27	±9.6
0215	CAE	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	WLAN	8.03	±9.6
0220	CAE	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8.13	+9.6
0221	CAE	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	WLAN	8.27	±9.6
0222	CAE	IEEE 802.11n (HT Mixed, 15 Mbps, 8PSK)	WLAN	8.06	±9.6
0223	CAE	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	WLAN	8.48	±9.6
0224	CAE	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	WLAN	8.08	±9.6

Certificate No: EX-7751_Sep24

Page 12 of 22



September 19, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Und ^E k =
0.225	CAC	UMTS-FDD (HSPA+)	WCDMA	5,97	±9.5
0226	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TOD	9.49	3.0±
0.227	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.26	±9.6
0228	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDO	9.22	±9.6
0229	CAE	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-TOD	9.48	±9.6
0230	CAE	LTE-TDD (SC-FDMA, 1 R8, 3MHz, 54-QAM)	LTE-TOD	10.25	±9.6
0231	CAE	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TOD	9.19	±9.6
0232	CAH	LTE-TOD (SC-FDMA, 1 RB, 5MHz, 16-QAM)	LTE-TOD	9.48	±9.6
	CAH	LTE-TOD (SC-FDMA, 1 RB, 5MHz, 64-QAM)	LTE-TOD	10.25	±9.6
0233	CAH	LTE-TOD (SC-FDMA, 1 RB, 5MHz, OPSK)	LTE-TDD	9.21	±9.6
0234	and the second	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-TDD	9.48	±9.6
0235	CAH	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, 54-GAM)	LTE-TDD	10.25	±9.6
0238	CAH	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.21	19.6
0237	CAH	LTE-TOD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-TDD	9.48	±9.6
0,238	CAG		LTE-TDO	10.25	±9.6
0.239	CAG	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-GAM)	LTE-TDD	9.21	19.6
0.240	CAG	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)		9.82	±9.6
0241	CAC	LTE-TDD (SC-FDMA, 50% R8, 1.4 MHz, 16-QAM)	LTE-TOD		
0242	CAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 84-QAM)	LTE-TOD	9.86	±9.6
0243	CAC	LTE-TDO (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-TOD	9.46	±9.6
0244	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TOD	10.05	±8.6
0245	CAE	LTE-TOD (SC-FOMA, 50% RB, 3 MHz, 64-QAM)	LTE-TDD	10.06	±9.6
0246	CAE	LTE-TOD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TDD	9.30	#9.8
0247	CAH	LTE-TOD (SC-FOMA, 50% RB, 5 MHz, 16-QAM)	LTE-TDD	9.91	主导,6
0248	CAH	LTE TDD (SC-FDMA, 50% RB, 5MHz, 64-QAM)	LTE-TDD	10.09	±9.6
0249	CAH	LTE TDD (SC FOMA, 50% RB, 5MHz, QPSK)	LTE-TDD	9,29	士母.后
0250	CAH	LTE-TOD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	9.81	±9.6
0251	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TOD	10.17	±9.6
0252	CAH	LTE-TDD (SC-FDMA, 50% RB, 10MHz, OPSK)	LTE-TDD	9.24	±9.6
0253	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-TDO	9.90	19.6
0254	CAG	LTE-TDD (SC-FDMA, 50% PB, 15MHz, 64-QAM)	LTE-TDO	10.14	±9.6
0255	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-TDD	9.20	19.6
0256	CAC	LTE-TDD (SC-FDMA, 100% BB, 1.4 MHz, 16-QAM)	LTE-TDD	9.96	19.5
0257	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.08	±9.6
	CAC	LTE-TOD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.34	+9.6
0258	CAE	LTE-TOD (SC-FDMA, 100% RB, 3 MHz, 18-QAM)	LTE-TOD	9.98	±9.6
the second second			LTE-TDD	9.97	±9.6
0260	CAE	LTE-TOD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-TDD	9.24	±9.6
10261	CAE	LTE TDO (SC-FDMA, 100% RB, 3 MHz, QPSK)	and the state of t	9.83	
10262	CAH	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 16-QAM)	LTE-TDD		±9.6
10263	CAH	LTE-TOD (SC-FDMA, 100% RB, 5MHz, 84-QAM)	LTE-TDD	10.16	±8.6
10264	CAH	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-TOD	9.23	±9.6
10265	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-TDD	9.92	±9.8
10268	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TDD	10.07	49.6
10267	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TDD	9.30	±9.6
10268	CAG	LTE-TDD (SC-FDMA, 100% R8, 15 MHz, 16-QAM)	LTE-TDD	10.06	±9.6
10269	CAG	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-TDD	10.13	:+9.6
10270	CAG	LTE-TDD (SC-FDMA, 100% R8, 15MHz, QPSK)	LTE-TDD	9.58	±9.6
10274	CAC	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	±9.6
10275	CAC	UMTS-FDD (HSUPA, Subtest 5, 33PP Rel8.4)	WODMA	3.96	±9.6
10277	CAA	PHS (QPSK)	PHS	11.81	±9.6
10.278	CAA	PHS (QPSK, BW 884 MHz, Roloff 0.5)	PHS	11.81	±9.6
10.279	CAA	PHS (QPSK, BW 884 MHz, Rolloff 0.38)	PHS	12.18	±9.6
0290	AAB	CDMA2000, RC1, SO55, Full Rate	CDMA2000	3.91	±9.6
0291	AAB	CDMA2000, RC3, SO55, Full Rate	CDMA2000	3.46	±9.6
10.292	AAB	CDMA2000, RC3, SO32, Full Rate	CDMA2000	3.39	19.6
10,283	AAB	CDMA2000, RC3, SO3, Full Rate	CDMA2000	3.50	±9.6
0295	AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 In.	CDMA2800	12.49	±8.6
10297	and the Contractor of the Contractor	LTE-FDD (SC-FDMA, 50% RB, 20MHz, QPSK)	LTE-FDD	5.81	±9.6
10298	AAE	LTE-FDD (SC-FDMA, 50% RB, 3MHz, QPSK)	LTE-FDD	5.72	±9.6
10299	AAE	LTE-FDD (SC-FDMA, 50% RB, 3MHz, 16-QAM)	LTE-FDD	6.39	10.0
10300	and the second second	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-FDD	6.60	19.6
10300	AAA	IEEE 802.18e WIMAX (29:18, 5ms, 10 MHz, OPSK, PUSC)	WMAX	12.03	
					±9.0
10302	Contraction and the	IEEE 802.16e WIMAX (29:18, 5 ms, 10 MHz, OPSK, PUSC, 3 CTRL symbols)	WMAX	12.67	±9.6
10303		IEEE 802.16e WIMAX (31:15, 5 ms, 10 MHz, 64QAM, PUSC)	WIMAX	12.52	±9.6
10304		IEEE 802.16e WIMAX (29:18, 5me, 10 MHz, 64QAM, PUSC)	WMAX	11.86	±9.6
10305	and the second sec	IEEE 802 16e WIMAX (31:15, 10 ms, 10 MHz, 64QAM, PUSC; 15 symbols)	XAMIW	15.24	±9.6
10306	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, 64QAM, PUSC, 18 symbols)	WIMAX	14.87	±9.6

Certificate No: EX-7751_Sep24

Page 13 of 22




September 19, 2024

UID	Rev	Communication Bystem Name	Group	PAR (dB)	$Unc^{II} k = 2$
10307	AAA	IEEE 802.16e WiMAX (29:18, 10 ms, 10 MHz, QPSK, PUSC, 18 symbols)	WMAX	14,49	±9.5
10.308	AAA	EEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, 16QAM, PUSC)	WIMAX	14.46	±9.6
10309	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, 16QAM, AMC 2x3, 18 symbols)	XAMW	14.58	±9.6
10310	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, QPSK, AMC 2x3, 18 symbols)	WIMAX	14.57	±9.6
10311	AAE	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-FDD	6.06	±9.6
10313	AAA	IDEN 13	IDEN .	10.51	8.9±
10314	AAA	IDEN 1:6	IDEN	13,48	±9.6
10315	AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	WLAN	1.71	±9.6
10316	AAB	IEEE 802.11g WIFI 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	WLAN	8.36	19.6
10317	AAE	IEEE 802.11a WIFI 5 GHz (OFDM, 6 Mops. 96pc duty cycle)	WLAN	8.36	±9.6
10352	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	土泉,有
10353	AAA	Pulse Waveform (200Hz, 20%)	Generic	6.99	±9.6
10354	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.96	±9.6
10.355	AAA	Puise Waveform (200Hz; 60%)	Generic	2.22	±9.6
10356	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	±9.8
10387	AAA	QPSK Waveform, 1 MHz	Generic	5:10	±9.6
10388	AAA	OPSK Wavelorm, 10 MHz	Generic	5.22	±9.6
10396	AAA	64-QAM Waveform, 100 kHz	Generic	6.27	±9,6
10399	AAA	84-QAM Waveform, 40MHz	Generic	6.27	±9.8
10400	AAF	IEEE 802.11ac WIFI (20 MHz, 64-QAM, 99pc duty trycle)	WLAN	8.37	±9.6
10401	A,AF	IEEE 802.11ac WIFI (40 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.60	±9.6
10402	AAE	IEEE 802.11ac WiFi (80 MHz; 64-QAM, 99pc duty cycle)	WLAN	8.53	±9.6
10403	AAB	COMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.76	±9,6
10404	AAB	CDMA2000 (1xEV-DO, Rev. A)	CDMA2000	3.77	±9.6
10.408	AAB	COMA2000, RC3, SO32, SCH0, Full Rate	CDMA2000	5.22	±9.6
10410	AAH	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conl=4)	LTE-TOD	7.82	±9.6
10414	AAA	WLAN CCDF, 64-QAM, 40 MHz	Generic	8:54	±9.6
10415	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	WLAN	1,54	±9.6
0416	AAA	IEEE 802 11g WIFI 2.4 GHz (ERP-OFDM, 6 Maps, 99pc duty cycle)	WLAN	8.23	±8.6
10417	AAD	IEEE 802.11 wh WIFI 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	主9.6
10418	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preambule)	WILAN	8,14	±9.6
0419	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preambule)	WLAN	8,19	±9.6
10.422	(AAD	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	WLAN	8,32	±9,6
10423	AAD	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	±9.6
10424	CAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	WLAN	8.40	±9.6
10425	(JAA)	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	WLAN	8.41	±9.0
10428	AAD	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WLAN	8,45	±9.6
10427	AAD	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	WLAN	8.41	±9.6
10430	AAE	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	LTE-FDD	8.28	±9.6
10431	AAE	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	LTE-FDD	8.38	19.6
10432	AAD	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	LTE-FDD	8.34	±9.6
10433	AAD	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8,34	±9,6
10434	AAS	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	±9.6
10435	AAE	LTE-TOD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOO	7,82	±9.6
		LTE-FDD (OFDMA, 5MHz, E-TM 3.1, Glipping 44%)	LTE-FOD	7,56	±8.6
0448	AAE	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Glippin 44%) LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Cliping 44%)	LTE-FDD	7.53	±9.6
10450	AAD	LTE-FDD (OFDMA, 15MHz, E-TM 3.1, Ciping 44%) LTE-FDD (OFDMA, 20MHz, E-TM 3.1, Cipping 44%)	LTE-FDD	7.51	±9.0
0450	AAB	the second second second and the second and and and and an an an an and an an an and an and an an an and an an	LTE-FDD	7,48	±9.6
0453	AAE	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	±9.6
0455	AAD	Validation (Square, 10ms, 1ms) IEEE 802.11ac WIFI (160 MHz, 84-QAM, 98pc duty cycle)	Test	10.00	±9.6
0457	AAB	UMTS-FDD (DC-HSDPA)	WLAN	8.63	±9.6
0458	AAA	CDMA2000 (1xEV-DO, Rev. 8, 2 carriers)	WCDMA COMA2000	6.62	±9.6
0459	AAA	COMA2000 (1xEV-DO, Hev. 6, 2 daners) COMA2000 (1xEV-DO, Hev. 8, 3 camers)	CDMA2000 CDMA2000	6.55	±9.6
0460	AAB	UMTS-FDD (WCOMA, AMR)	WCDMA	2.39	±9.6 ±9.8
0461	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	7.82	the second se
0462	AAC	LTE-TDO ISC-FDMA, 1 RB, 1.4MHz, 16-QAM, UL Subtrame=2.3.4,7.8.9)	LTE-TOD	8.30	±9.6
0463	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subtrame=2.3.4,7,8,9)	LTE-TOD	8.56	±9.6 ±9.6
0464	AAD	LTE-TDD (SC-FDMA, 1 RB, 3MHz, QPSK, UL Subtrame=2.3,4,7,8,9)	LTE-TOD	7.82	±9.6
0465	AAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, LL Subtame-2.3.4,7.8.9)	LTE-TOD	8.32	the local of the local sectors.
0466	AAD	LTE-TDO (SC-FDMA, 1 RB, 3MHz, 64-QAM, UL Subhame=2,3,4,7,8,9)	LTE-TOD		±9.6
0467	AAG	LTE-TDD (SC-FDMA, 1 R8, 5MHz, OPSK, UL Subtame=2.3,4,7,8,9)	LTE-TOD	8.57	±9.6
0468	AAG	LTE-TD0 (SC-FDMA, 1 RB, 5MHz, 16-QAM, UL Subfame=2.3,4,7,8,9)	the second se	7.82	±9.6
0469	AAG	LTE-TD0 (SC-FDMA, 1 RB, SMHz, 64-QAM, UI, Subtramex2,3,4,7,8,9)	LTE-TOD	8.32	±9.6
0470	AAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, OP-SK, UL Subtrame=2.3,4,7,8,9)	LTE-TOD	8.56	19.8±
0471	AAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subtrame=2.3,4,7,8.9) LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subtrame=2.3,4,7,8.9)	LTE-TOO	7.82	±9.6
ALC: N	Lines.	10-10-100-300-10-00-10-00-00-00-00-00-00-00-00-00-0	LTE-TOO	8.32	±8.8

Certificate No: EX-7751_Sep24

Page 14 of 22





September 19, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0472	AAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2.3,4,7,8,9)	LTE-TDD	8.57	±9.6
0473	AAF	LTE-TOD (SC-FOMA, 1 RB, 15MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	±9.6
0474	AAF	LTE-TDD (SC-FDMA, 1 RB, 15MHz, 16-QAM, UL Subframe=2.3.4.7.8.9)	LTE-TOD	8.32	±9.6
0475	AAF	LTE-TOD (SC-FDMA, 1 RB, 15MHz, 64-QAM, UL Subframe=2.3.4,7.8.9)	LTE-TOD	5.57	±9.0
0477	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subtrame=2.3,4,7,8,9)	LTE-TDD	8.32	±9.6
0478	AAG	LTE-TOD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2.3.4,7.8,9)	LTE-TDD	8.57	±9.6
	AAC	LTE-TOD (SC-FDMA, 50% RB, 1.4 MHz, OPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.74	±9.6
0479	And in case of the local division of the loc	the second se	LTE-TOD	8.18	±9.6
0.480	AAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 18-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.45	±9.6
0481	AAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.71	±9.6
0.482	AAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	the second se	and the second se	
0483	AAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.39	±9.6
0.484	AAD	LTE-TDD (SC-FDMA, 60% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.47	±9.6
0485	AAO	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,6,9)	LTE-TOD	7.59	±9.6
0.486	AAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 18-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.38	±9.6
0487	AAG	LTE-TDD (SC-FDMA, 50% R8, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.60	±9.6
0488	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.70	±9.6
0.489	A,AG	LTE TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	±9.6
0.490	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TOD	8.54	±9.6
0.491	AAF	LTE-TDD (SC-FDMA, 50% R8, 15MHz, QPSK, UL Subframe=2.3.4.7.8.9)	LTE-TDD	7.74	±9.6
0.492	AAF	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.41	19.6
0.493	AAF	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 64-QAM, UL Subframe=2.3.4,7.8.9)	LTE-TDD	8.55	±9.6
0.494	AAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	±9.6
0.495	EAA	LTE-TDD (SC-FDMA, 50% RE, 20 MHz, 16 QAM, UL Subframe=2.3,4,7,8,9)	LTE-TOD	8.37	±9.6
0.496	AAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2.3,4,7,8,9)	LTE-TOD	8.64	±9.6
0.497	AAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2.3,4,7,8,9)	LTE-TOD	7.67	±9.6
0.498	AAG	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2.3.4.7.8.9)	LTE-TOO	8.40	±9.6
0499	AAC	LTE-TOD (SC-FDMA, 100% RB. 1.4 MHz, 64-QAM, UL Subframe=2.3.4.7.6.9)	LTE-TDO	8.68	19.6
0500	AAD	LTE-TOD (SC-FDMA, 100% RB. 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.67	±9.6
0501	AAD	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 16-QAM, UL Subframe-2,3,4,7,8,9)	LTE-TDD	8.44	±9.8
0502	AAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subtrame-2,3,4,7,8,9)	LTE-TDD	8.52	±9.6
0503	AAG		LTE-TOD	7.72	
0503	and the second s	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe+2,3,4,7,8,9)	and the second second second	0.000	±9.6
S. C. S. C.	AAG	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	±9.5
0505	AAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 84-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8,54	±9.6
0506	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	±9.6
0507	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subhame=2,3,4,7,8,9)	LTE-TDD	8.36	±9.6
0.508	AAG	LTE-TOD (SC-FDMA, 100% RB, 10 MHz, 84-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	±9.6
0.509	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDO	7.99	\$9.6
0510	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.49	±9.6
0511	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 84-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TOD	8.51	±9.8
0512	AAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOO	7.74	19.6
0513	AAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.42	±9.6
0514	AAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Sublrame=2,3,4,7,8,9)	LTE-TDD	8.45	±9,6
0515	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	WLAN	1.58	±9,6
0516	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	WLAN	1.57	±9.6
0517	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	WLAN	1.58	±9.6
0518	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8,23	±9.6
0519	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.39	±9.6
0520	AAD	IEEE 802.11mh WIFI 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.12	±9.6
0.521	AAD	IEEE 602.11a/h WIFI 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	WLAN	7:97	±9.8
0.522	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	WLAN	B.45	19.6
0523	AAD	IEEE 802.11a/h WFI 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.08	±9.6
0.624	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.27	±9.6
0.525	AAD	IEEE 802.11ac WIFI (20 MHz, MCS0, 99pc duty cycle)	WLAN	8.36	±9.6
0526	AAD	IEEE 802.11ac WIFI (20 MHz, MCS1, 99pc duty cycle)	WLAN	8.42	±9.6
0527	AAD	IEEE 802.11ac WIFI (20 MHz, MCS2, 99pc duty cycle)	WLAN	8.21	±9.0 ±9.6
0528	1.1.1	IEEE 802.11ac WFI (20 MHz, MCS3, 99pc duty cycle)	WLAN	8.36	
0.529	AAD	IEEE 802.11ac WFI (20 MHz, MCS4, 99pc duty cycle)	WLAN	8.36	±9.0
0531	AAD	IEEE 802.11ac WFI (20 MHz, MCS6, 99pc duty cycle)		and the second se	19.6
0532	AAD	IEEE 802.11ac WIFI (20 MHz, MCS8, Mpc duty cycle) IEEE 802.11ac WIFI (20 MHz, MCS7, 99pc duty cycle)	WLAN	8.43	19.6
and the second sec	20.00 K		WLAN	8.29	±9.6
0533	GAA	IEEE 802 11ac WFI (20 MHz, MCS8, 99pc duty cycle)	WLAN	8.38	19.6
0534	AAD	IEEE 802.11ac WiFi (40 MHz, MCS0, 99pc duty cycle)	WLAN	8,45	±9.6
0535	AAD	IEEE 802 11ac WIFI (40 MHz, MCS1, 99pc duty cycle)	WEAN	8.45	±9.6
0,536	AAD	IEEE 802.11ao WIFI (40 MHz, MCS2, 95pc duty cycle)	WLAN	8.32	±9.6
0537	AAD	IEEE 802.11ac WIFI (40 MHz, MCS3, 99pc duty cycle)	WLAN	8.64	±9.6
0538	AAD	IEEE 802.11ac WIFi (40 MHz, MCS4, 99pc duty cycle)	WLAN	8.54	±9.6
0540	AAD	IEEE 802.11ac WiFi (40 MHz, MCS6, 99pc duty cycle)	WLAN	8.39	±9.6

Certificate No: EX-7751_Sep24

Page 15 of 22





September 19, 2024

UID	Hev	Communication System Name	Group	PAR (dB)	Unc ^a k =
10541	AAD	IEEE 802.11ac WIFI (40 MHz, MCS7, 99pc duty cycle)	WLAN	8.46	±9.6
10542	AAD	IEEE 802 11ac WIFI (40 MHz, MCS8, 99pc duty cycle)	WLAN	8.65	±9.8
0.543	AAD	IEEE 802 11ac WIFI (40 MHz, MCS9, 99pc duty cycle)	WLAN	8.65	±9.6
0544	AAD	IEEE 802.11ac WFI (80 MHz, MCS0, 99pc duty cycle)	WLAN	8.47	±9.6
0545	AAD	IEEE 802.11ac WIFI (80 MHz, MCS1, 99pc duty cycle)	WLAN	B.55	±9.6
distant strengthe	AAD	IEEE 802,11ac WFI (80 MHz, MCS2, 99pc duty cycle)	WEAN	8.35	19.6
0546	and the second second	IEEE 802, 11ac WF1 (80 MHz, MCS2, Wpc duty cycle)	WLAN	8.49	±9.6
0547	AAD	and the second se	WLAN	8.37	±9.6
0548	AAD	IEEE 802.11ac WIFI (80 MHz, MCS4, 99pc duty cycle)	WLAN	8.38	±9.6
0.550	AAD	IEEE 802.11ac WIFI (80 MHz, MCS6, 99pc duty cycle)	WLAN	8.50	±9.0 ±9.6
0.551	AAD	IEEE 802.11ac WIFI (80 MHz, MCS7, 99pc duty cycle)			
0552	AAD	IEEE 802.11ac WIFI (80 MHz, MCS8, 99pc duty cycle)	WLAN	8,42	±9.6
0553	AAD	IEEE 802.11ac WFI (80 MHz, MCS9, 99pc duty cycle)	WLAN	8.45	±9.6
0.554	AAE	IEEE 802.11ac WiFi (160 MHz, MCS0, 99pc duty cycle)	WLAN	8.48	±9.5
0565	AAE	IEEE 802.11ac WIFI (160 MHz, MCS1, 99pc duty cycle)	WLAN	8,47	±9.6
0556	AAE	IEEE 802.11ac WiFi (160 MHz, MCS2, 99pc duty cycle)	WLAN	B.50	±9.8
0557	AAE	IEEE 802.11ac WIFI (160 MHz, MCS3, 99pc duty cycle)	WLAN	8.52	±9.6
0558	AAE	IEEE 802.11ac WIFI (160 MHz, MCS4, 96pc duty cycle)	WLAN	8.61	±9.6
0560	AAE	IEEE 802.11ac WIFI (160 MHz, MCS6, 99pc duty cycle)	WLAN	8.73	±9.6
0561	AAE	IEEE 802.11ac WIFI (160 MHz, MCS7, 99pc duty syste)	WLAN	8.58	±9.8
0562	AAE	IEEE 802.11ac WiFI (160 MHz, MCS8, 99pt duty cycle)	WLAN	8.69	±9.6
0563	AAE	IEEE 802 11ac WIFI (160 MHz, MOS9, 99pc duty cycle)	WLAN	8.77	±9.6
0564	AAA	IEEE 802 11g WIFI 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.25	±9.6
0.965	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.45	±9.6
0566	AAA	IEEE 802 11g WFI 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.13	±9.6
0.567	AAA	IEEE 802 11g WIFI 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	WLAN	8.00	±9.6
0.568	AAA	IEEE 802.11g WFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	WILAN	8.37	±9.6
0569	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.10	±9.6
0570	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 46 Maps, 99pc duty cycle)	WLAN	8.30	19.6
4.4.7.4	AAA		WLAN	1.99	
0571		IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)			±9.6
0572	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	WLAN	1.99	±9.6
0573	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	WLAN	1.98	19.6
0574	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	WEAN	1.98	±9.8
0575	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	±9.6
0576	AAA.	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	±9.6
0.577	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	±9.6
0578	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	±9.6
0579	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.36	±9.6
0580	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.75	±9.6
0581	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8:35	±9.6
0.582	A,A,A	IEEE 802.11g WIFi 2.4 GHz (DSSS-OFDM, 54 Mops, 90pc duty cycle)	WLAN	B.67	±9.6
0583	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 6 Mops, 90pc duty cycle)	WLAN	8.50	±9.6
0584	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	±9.6
0585	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	±9.6
0586	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8,49	±9.6
0587	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.36	±9.6
0.588	AAD	IEEE 802 11a/h WIFI 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	±9.6
0.589	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	±9.6
0590	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	WLAN	-8.67	±9.6
0591	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MC50, 90pc duty cycle)	WLAN	8.63	19.6
0592	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS1, 90pc duty cycle)	WLAN	8.79	19-0
0593	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS2, 90pc duty cycle)	WLAN	8.64	-
0594	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS3, 90pc duty cycle)	WLAN	8.74	19.6
0.595	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS4, 90pc duty cycle)	WEAN	1000	±9.6
0596	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS5, 90pc duty cycle)		8.74	±9.6
0598	AAD	IEEE 802.11n (H1 Mixed, 20 MHz, MCSS, 90pc duty cycle) IEEE 802.11n (HT Mixed, 20 MHz, MCSS, 90pc duty cycle)	WLAN	8.71	19.6
and shared	and the local division of the		WLAN	8.72	±9.6
0598	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS7, 90pc duty cycle)	WLAN	8.50	±9.6
0599	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS0, 90pc duty cycle)	WLAN	8.79	±9.6
0600	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS1, 90pc duty cycle)	WLAN	8.88	±9,6
0601	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS2, 90pc duty cycle)	WLAN	8.82	±9.6
0602	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS3, 90pc duty cycle)	WLAN	8.94	±9.6
0.603	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS4, 90pc duty cycle)	WLAN	9,03	±9,6
0604	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MC55, 90pc duty cycle)	WLAN	8.76	±9,6
0605	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS6, 90pc duty cycle)	WLAN	8.97	±9.6
0606	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS7, 90pc duty cycle)	WLAN	8.82	±9.8
0607	AAD	IEEE 802.11ac WIFI (20 MHz, MCB0, 90pc duty cycle)	WLAN	8.64	±9.6
0608	AAD	IEEE 802.11ac WIFI (20 MHz, MCS1, 90pc duty cycle)	WLAN	8.77	±9.6

Certificate No: EX-7751_Sep24

Page 16 of 22



September 19, 2024

uin	Rev	Communication System Name	Group	PAR (dB)	Uno ^t k =
10609	AAD	IEEE 802.11ac WiFi (20 MHz; MCS2, 90pc duty cycle)	WLAN	8,57	±8.6
10610	AAD	IEEE 802.11ac WIFI (20 MHz, MCS3, 90pc duty cycle)	WLAN	8:78	±9.6
0611	AAD	IEEE 802.11ac WIFI (20 MHz, MCS4, 90pc duty cycle)	WLAN	8.70	±9.6
0612	AAD	IEEE 802.11ac WIFI (20 MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
10613	AAD.	IEEE 802.11ac WIFI (20 MHz, MCS6, 90pc duty cycle)	WLAN	8.94	±9.6
0614	AAD	IEEE 802.11ac WIFI (20 MHz, MCS7, 90pc duty cycle)	WLAN	8.59	±9.6
0615	AAD	IEEE 802.11ac WIFI (20 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	±9.6
10618	AAD	IEEE 802.11ac WFI (40 MHz, MCS0, 90pc duty cycle)	WLAN	8.82	±9.6
10617	AAD	IEEE 802.11ac WIFI (40 MHz, MCS1, 90pc duty cycle)	WLAN	8.81	±9.6
10618	AAD	IEEE 802 11ac WIFI (40 MHz, MCS2, 90pc duty cycle)	WLAN	8.58	19.6
10619	AAD	(EEE 802.11ac WiFi (40 MHz, MCS3, 90pc duty cycle)	WLAN	8.86	±9.6
10620	AAD	IEEE 802.11ac WiFi (40 MHz, MCS4, 90pc duty cycle)	WLAN	8.87	±9.6
10621	AAD	IEEE 802.11ac WFI (40 MHz, MCSS, 90pc duty cycle)	WLAN	8.77	±9.6
10622	AAD	IEEE 802.11ac WIFI (40MHz, MCS6, 90pc duty cycle)	WLAN	8.68	19.5
10623	AAD	IEEE 802.11ac WFI (40 MHz, MCS3, 90pc duty cycle)	WLAN	8.82	±9.6
stant in the second					
10624	AAD	IEEE 802 11ac WIFI (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.96	19.6
0625	AAD	IEEE 802.11ac WiFi (40 MHz, MCS9, 90pc duty cycle)	WLAN	8.96	±9.6
10626	AAD	IEEE 802.11ac WIFI (80 MHz, MCS0, 90pc duty cycle)	WLAN	8.83	±9.6
10627	AAD	IEEE 802.11ac WIFI (80 MHz, MCS1, 90pc duty cycle)	WLAN	8.88	±9.6
0628	AAD	IEEE 802.11ac WiFi (80 MHz, MCS2, 90pc duty cycle)	WLAN	8.71	#9.6
0629	AAD	IEEE 802.11ac WIFI (80 MHz, MCS3, 90pc duty cycle)	WLAN	8.85	±9.6
10630	AAD	IEEE 802.11ac WiFi (80 MHz, MCS4, 90pc duty cycle)	WLAN	8.72	±9.6
10631	AAD	IEEE 802.11ac WIFI (80 MHz, MCS5, 90pc duty cycle)	WLAN	8,81	::5.6
10632	(DAA)	IEEE 802.11ac WIFI (80 MHz, MCS6, 90pc duty cycle)	WI.AN	8.74	±8.6
10633	CAA.	IEEE 802.11ac WIFI (80 MHz, MCS7, 90pc duty cycle)	WLAN	8.83	±9.6
10634	AAD	IEEE 802.11ac WIFI (80 MHz, MCSB, 90pc duty cycle)	WLAN	8.80	±9.6
10635	AAD	IEEE 802.11ac WIFI (80 MHz, MCSB, 90pt duty cycle)	WILAN .	8.81	±9.6
10635	AAE	IEEE 802.11ac WIFI (160 MHz, MCS0, 90pc duty cycle)	WLAN	8.83	±9.6
10637	AAE	IEEE 802.11ac WIFI (160 MHz, MCS1, 90pc duty cycle)	WLAN	8.79	±9.6
10638	AAE	JEEE 802.11ac WIFI (160 MHz, MCS2, 90pc duty cycle)	WLAN	8.86	±9.6
10639	A,AE	IEEE 802.11ac WIFI (160 MHz, MCS3, 90pc duty cycle)	WLAN	8.85	19.6
10640	AAE	IEEE 802,11ac WFi (160 MHz, MCS4, 90pc duty cycle)	WLAN	8.98	3.8±
10641	AAE	IEEE 802.11ac WIFI (160 MHz, MC85, 90pc duty cycle)	WLAN	9.06	19.6
10642	AAE	IEEE 802.11ac WFI (160 MHz, MCS6, 90pc duty cycle)	WLAN	9.06	19.6
10643	A,A/E	IEEE 802,11ac WFi (160 MHz, MCS7, 90pc duty cycle)	WLAN	8.89	±9.6
10644	AAE	IEEE 802.11ac W/Fi (160 MHz, MCS8, 90pc duty cycle)	WLAN	9.05	19.6
10645	AAE.	IEEE 802.11ac WFI (160 MHz, MCS9, 90pc duty cycle)	WLAN	9.11	±9.6
10646	AAH	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11.96	±9.6
10647	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11,96	±9.6
10648	AAA	COMA2000 (1x Advanced)	CDMA2000	3.45	±9.6
10652	AAF	LTE-TDD (OFDMA, 5MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.91	±9.6
10653	AAF	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	±9.6
10654	AAE	LTE-TOD (OFDMA, 15MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	±9.6
10655	AAF	LTE-TOD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7,21	±9.6
10658	AAB	Pulse Waveform (200Hz, 10%)	Test	10.00	±9.6
10659	AAB	Puise Waveform (200Hz, 20%)	Test	6.99	29.6
0660	AAB	Pulse Waveform (200Hz, 40%)	Test	3.98	±9.6
0661	AAB	Pulse Waveform (200Hz, 60%)	Test	2.22	±9.6
0662	AAB	Pulse Waveform (200Hz, 80%)	Test	0.97	and the second se
0670	AAA	Bluetooth Low Energy	and an and a second		±9.6
0671	AAC	IEEE 802.11ax (20 MHz, MCS0, 90pc duty cycle)	Bluefooth	2.19	±9.8
0672	AAC	IEEE 802.11ax (20 MHz, MCSU, 90pc duty cycle)	WLAN	9.09	±9.6
0673	AAC	IEEE 802.11ax (20 MHz, MCS1, 90pc duty cycle)	WLAN	8.57	±9.6
0674	AAC	IEEE 802.11ax (20 MHz, MCS2, 90pc duty cycle)	WLAN	8.78	±9.6
0675	AAC	IEEE 802.11ax (20 MHz, MCS4, 90pc duty cycle)	WLAN	8.74	+9.6
0676		IEEE 802.11ax (20 MHz, MCS4, 90pc doty cycle) IEEE 802.11ax (20 MHz, MCS5, 80pc duty cycle)	WLAN	8,90	±9.6
0677	AAC	IEEE 800 11ax /00 Mile, MCG0, 80pc duty cycle)	WLAN	8.77	±9.6
0678	AAC	IEEE 802.11ax (20 MHz, MCS8, 90pc duty cycle) IEEE 802.11ax (20 MHz, MCS7, 90pc duty cycle)	WLAN	8.73	±9.6
10679	AAC		WLAN	8.78	±9.6
and the state of t	and so it is not the	IEEE 802.11ax (20 MHz, MCS8, 90pc duty cycle)	WLAN	8.89	19.6
0880	AAC	IEEE 802.11ax (20 MHz, MCS8, 90pc duty cycle)	WLAN	8.80	±9.6
0661	AAC	IEEE 802, 11ax (20 MHz, MCS10, 90pc duty cycle)	WLAN	8.62	\$9.6
10682	AAC	IEEE 802.11ax (20 MHz, MCS11, 90pc duty cycle)	WLAN	8.83	±9.6
0683	AAC	IEEE 802.11ax (20 MHz, MCS0, 99pc duty cycle)	WLAN	8.42	±9.6
0684	AAC	IEEE 802.11ax (20 MHz, MCS1, 99pc duty cycle)	WLAN	8.26	±9.6
0.685	AAC	EEE 802.11ax (20 MHz, MCS2, 99pc duty cycle)	WLAN	8.33	±9.8
0.686	AAC	IEEE 802.11ax (20 MHz, MCS3, 99pc duty cycle)	WLAN	8.28	±9.6

Certificate No: EX-7751_Sep24

Page 17 of 22



September 19, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k ≈
10687	AAC	IEEE 802.11ax (20 MHz, MCS4, 99pc duty cycle)	WLAN	8.45	19.6
0688	AAC	IEEE 802.11ax (20 MHz, MCS5, 99pc duty cycle)	WEAN.	8.29	±9.6
0689	AAC	IEEE 802.11ax (20 MHz, MCS6, 99pc duty cycle)	WLAN	8.55	±8.6
0690	AAC	IEEE 802 11ax (20 MHz, MCS7, 99pc duty cycle)	WLAN	8.29	±9.6
-	and the second second	IEEE 802.11ax (20 MHz, MCS8, 99pc duty cycle)	WLAN	8.25	±9.6
0691	AAC		WLAN	8.29	19.6
0692	AAC	IEEE 802 11ax (20 MHz, MCS9, 99pc duty cycle)	WLAN	8.25	±9.6
0693	AAC	IEEE 802.11ax (20 MHz, MCS10, 99pc duty cycle)		and the second se	
0.694	AAC	IEEE 802.11ax (20 MHz, MCS11, 99pc duty cycle)	WEAN	8.57	±9.6
0695	AAC	IEEE 802.11ax (40 MHz, MCS0, 90pc duty cycle)	WEAN	8.78	±9.6
0.699	AAC	IEEE 802.11ax (40 MHz, MCS1, 90pc duty cycle)	WLAN	8,91	19.6
0697	AAC	IEEE 802.11ax (40 MHz, MGS2, 90pc duty cycle)	WEAN	8.61	±9.6
0698	AAC	IEEE 802.11ax (40 MHz, MCS3, 90pc duty cycle)	WLAN	8.89	±9.6
0.098	AAC	IEEE 832.11ax (40 MHz, MCS4, 90pc duty cycle)	WLAN	8.82	±9.6
0700	AAC	IEEE 802.11ax (40 MHz, MCS5, 90pc duty cycle)	WLAN	B.73	±9.5
0701	AAC	IEEE 802.11ax (40 MHz, MCS6, 90pc duty cycle)	WEAN	8.86	±9.8
0702	AAC .	IEEE 802,11ax (40 MHz, MCS7, 90pc duty cycle)	WLAN	8.70	±9.8
0703	AAC.	IEEE 802.11ax (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	±9.6
0704	AAC	IEEE 802.11ax (40 MHz, MCS9, 90pc duty cycle)	WLAN	8.56	±9.6
0705	AAC	IEEE 802.11ax (40 MHz, MCS10, 90pc duty cycle)	WLAN	8.69	±9.6
0706	AAG	IEEE 802.11ax (40 MHz, MCS11, 90pc duty cycle)	WLAN	8.66	±9.6
0707	AAC	IEEE 802 11ax (40 MHz, MCS0, 99pc duty cycle)	WLAN	8.32	±9.6
0708	AAC	IEEE 802.11ax (40 MHz, MCS1, 99pc duty cycle)	WLAN	8.55	±9.6
10709	AAC	IEEE 602 11ax (40 MHz, MCG1, Sept duty cycle)	WLAN	8.33	±9.6
0710	AAC	IEEE 602.11ax (40 MHz, MCS3, 89pc duty cycle)	WLAN	8.29	±9.6
10711	AAC	IEEE 802.11ax (40 MHz, MCS3, 99pc doby cycle) IEEE 802.11ax (40 MHz, MCS4, 99pc duty cycle)	WLAN	8.39	±9.6
	AAC	IEEE 802, 11ax (40 MHz, MCS5, 99pc duty cycle)	WLAN	-8.67	=9.6
10712			WLAN	8.33	±9.6
10713	AAC	IEEE 802.11ax (40 MHz, MCS6, 99pc duty cycle)	WLAN	8.26	
10714	AAC	IEEE 802.11ax (40 MHz, MCS7, 99pc duty cycle)			±9.6
10715	AAC	IEEE 802.11ax (40 MHz, MCS8, 99pc duty cycle)	WLAN	8.45	±9.6
10716	AAC	IEEE 802.11ax (40 MHz, MCS9, 99pc duty cycle)	WLAN	8.30	±9.6
10717	AAC	IEEE 802.11ax (40 MHz, MCS10, 99pc duty cycle)	WLAN	8.48	19.6
10718	AAC	IEEE 802.11ax (40 MHz, MCS11, 99pc duty cycle)	WEAN	8,24	±9.6
10718	AAC	IEEE 802.11ax (80 MHz, MCS0, 90pc duty cycle)	WLAN	8.81	19.6
10720	AAC	IEEE 802.11ax (80 MHz, MCS1, 90pc duty cycle)	WLAN	8.87	19.6
10.721	AAC	IEEE 802.11ax (60 MHz, MCS2, 90pc duty cycle)	WLAN	8.76	±9.6
10722	AAC	IEEE 802.11ax (80 MHz, MCS3, 90pc duty cycle)	WLAN	8.55	±9.8
10723	AAG	IEEE 802.11ax (80 MHz, MCS4, 90pc duty cycle)	WLAN	8.70	±9.6
10724	AAC	IEEE 802.11ax (80 MHz, MCS5, 90pc duty cycle)	WLAN	B.90	±9.6
10725	AAC.	IEEE 802.11ax (80 MHz, MCS6, 90pc duty cycle)	WLAN	8.74	19.6
10726	AAC	IEEE 802.11ax (80 MHz, MCS7, 90pc duty cycle)	WLAN	8.72	19.6
10727	AAC	IEEE 802.11ax (80 MHz, MCS8, 90pc duty cycle)	WLAN	8.66	±9.6
10728	AAC	IEEE 802.11ax (80 MHz, MCSB, 90pc duty cycle)	WLAN	8.65	19.6
10729	AAC	IEEE 802.11ax (80 MHz, MCS10, 90pc duty cycle)	WLAN	8.64	+9.6
10730	AAC	IEEE 802.11ax (80 MHz, MCS11, 90pc duty cycle)	WLAN	8.67	19.6
10731	AAC	IEEE 802.11ax (80 MHz, MCS0, 99pc duty cycle)	WLAN	8.42	19.6
10732	AAC	IEEE 802.11ax (80 MHz, MCS1, 99pc duty cycle)	WEAN	8.46	19.6
10733	ANC	IEEE 802.11ax (80 MHz, MCS2, 99pc duty cycle)	WLAN	8.40	19.6
10734	AAC	IEEE 802.11ax (80 MHz, MCS3, 99pc duty cycle)	WLAN	8.25	19.6
10735	AAC	IEEE 802.11ax (80 MHz, MCS4, 99pc duty cycle)	WLAN	8.33	19.6
10706	AAC	IEEE 802.11ax (80 MHz, MCS5, 99pc duty cycle)	WLAN	6.27	19.0
10737	AAC	and the destruction of the second second second second second second second second second	WLAN	and the second se	
10738	AAC	IEEE 802 11ax (80 MHz, MCS8, 99pc duty cycle)		8.36	19.6
the state of the s	and the second s	IEEE 802.11ax (80 MHz, MCS7, 99pc duty cycle)	WLAN	8.42	19.6
10739	AAC	IEEE 802.11ax (80 MHz, MCS8, 99pc duty cycle)	WLAN	8,29	±9.6
10740	AAG	IEEE 802.11ax (80 MHz, MCS9, 99pc duty cycle)	WLAN	8.48	19.6
10741	AAC	IEEE 802.11ax (80 MHz, MCS10, 99pc duty cycle)	WLAN	8.40	19.6
10742	And in case of the local division of	IEEE 802.11ax (60 MHz, MCS11, 98pc duty cycle)	WLAN	8.43	±9.6
10748	-	IEEE 802.11ax (160 MHz, MCS0, 90pc duty cycle)	WLAN	8.94	±9.6
10744	AAC	IEEE 802.11ax (160 MHz, MCS1, 90pc duty cycle)	WLAN	9.16	±9,8
10745	AAC	IEEE 802.11ax (160 MHz, MCS2, 90pc duty cycle)	WLAN	8.93	±9.6
10748	AAC	IEEE 802.11ax (160 MHz, MCS3, B0pc duty cycle)	WLAN	9.11	±9.6
10747	AAC	IEEE 802.11ax (160 MHz, MCS4, 90pc duty cycle)	WLAN	9.04	±9.6
10748	AAC	IEEE 802.11ax (160 MHz, MCS5, 90pc duty cycle)	WLAN	8.93	±9.8
10749	AAC	IEEE 802.11ex (160 MHz, MCS6, 90pc duty cycle)	WLAN	8.90	±9,6
10750	AAC	IEEE 802.11ax (160 MHz, MCS7, 90pc duty cycle)	WLAN	8.79	19.8
10751	AAC	IEEE 802.11ax (160 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	±9.6
10752	AAC	IEEE 802.11ax (160 MHz, MCS9, 90pc duty cycle)	WLAN	8.81	19.6

Certificate No: EX-7751_Sep24

Page 18 of 22



September 19, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10753	AAG	IEEE 802.11ax (160 MHz, MCS10, 90pc duty cycle)	WLAN	9.00	±9.6
0754	AAC	IEEE 802.11ax (160 MHz, MCS11, 90pc duty cycle)	WLAN	8.94	±9.6
0755	AAC	IEEE 802.11ax (160 MHz, MCS0, 99pc duty cycle)	WLAN	8.64	19.6
0756	AAC	IEEE 802.11ax (160 MHz, MCS1, 99pc duty cycle)	WLAN	8.77	±9.6
0757	AAG	IEEE 802.11ax (160 MHz, MCS2, 99pc duty cycle)	WLAN	8.77	±9.6
0758	AAC	IEEE 802.11ax (160 MHz, MC63, 99pc duty cycle)	WLAN	8.69	±9.6
0759	AAC	IEEE 802.11ax (160 MHz, MCS4, 99pc duty cycle)	WLAN	8.55	±9.6
0760	AAC	IEEE 802.11ax (160 MHz, MCS5, 99pc duty cycle)	WLAN	8.49	±9.6
10761	AAC	IEEE 802.11ax (160 MHz, MCS6, 99pc duty cycle)	WLAN	8.58	±9.6
0762	AAC	IEEE 802.11ax (160 MHz, MCS7, 99pc duty cycle)	WLAN	8.49	±9.6
0763	AAC	IEEE 802.11ax (160 MHz, MCS8, 89pc duty cycle)	WLAN	8.53	±9.8
0.764	AAC	IEEE 802 11ax (160 MHz, MCS9, 99pc duty cycle)	WLAN	8.54	±9.5
10765	AAC	IEEE 802.11ax (160 MHz, MCS10, 99pc duty cycle)	WLAN	8.54	±9.6
10766	AAC	IEEE 802.11ax (160 MHz, MCS11, 99pc duty cycle)	WLAN	8.51	29.8
10767	AAG	5G NR (CP-OFDM, 1 RB, 5 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	7.99	±9.6
0768	AAE	5G NR (CP-OFDM, 1 RB, 10 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.81	19.6
0.769	AAD	5G NR (CP-OFDM, 1 RE, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.01	±9.6
10770	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8,02	±9.6
10771	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.02	19.6
0772	AAE	56 NR (CP-OFDM, 1 RB, 30 MHz, OPSK, 15 kHz)	SG NR FR1 TDD	8.23	#9.6
10773	AAF	5G NR (CP-OFDM, 1 RB, 40 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.03	±9.6
0774	AAE	SG NR (CP-OFDM, 1 RB, 50 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.02	29.6
0775	AAF	SG NR (CP-OFDM, 50% R8, 5MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.31	±9.6
0776	AAE	SG NR (CP-OFDM, 50% RB, 10 MHz, GPSK, 15 kHz)	53 NR FR1 TDD	8.30	±9.6
0777	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.30	±9.6
	AAE	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.34	±9.6
10779	AAE	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD 5G NR FR1 TDD	8.42	#9.6
0781	AAF	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz) 5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)		8.38	29.6
0782	AAE	SG NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD 5G NR FR1 TDD	8.38	±9.0
10783	AAG	5G NR (CP-OFDM, 50% HB, 50 MHz, GPSH, 15 kHz) 5G NR (CP-OFDM, 100% RB, 5 MHz, GPSK, 15 kHz)	5G NR FR1 TDD	8,43	29.6
0783	AAE	SG NR (CP-OFDM, 100% RB, 10 MHz, GPSK, 15 kHz) SG NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)		8.31	±9.6
10785	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD 5G NR FR1 TDD	8.29	±8.6
10785	AAE	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 KHz)		8.40	±9.6
0787	AAD	SG NR (CP-OFDM, 100% RB, 25 MHz, OPSK, 15 kHz)	5G NR FR1 TDD 5G NR FR1 TDD	8.35	±9.6
10788	AAE	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 KHz)	5G NR FR1 TDD	8.39	±9.6 ±9.6
10789	AAF	SG NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 KHz)	50 NR FR1 TDD	8.37	±9.6
0790	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	19.6
10791	AAG	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	±9.6
0792	AAE	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 36 kHz)	5G NR FR1 TDD	7.92	±0.6
10793	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	7.95	19.6
0794	AAE	5G NR (CP-OFDM, 1 R8, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	19.0
10795	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	±9.6
0796	AAE	5G NR (CP-OFDM, 1 RE, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	±9.6
0797	AAF	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	±9.6
10798	AAE	50 NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	19.6
10799	AAF	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	±9.6
10801	AAF	5G NR (CP-OFDM, 1 RB, 80 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	7.89	±9.6
0802	.AAE	50 NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	±9.6
60803	AAF	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK; 30 kHz)	5G NR FR1 TDD	7.93	±9.6
0805	AAE	5G NR (CP-OFDM, 50% R8, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.34	±9.6
0806	AAD	50 NR (CP-OFDM, 50% R8, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.37	±9.6
0809	AAE	5G NR (CP-OFDM, 50% R8, 30 MHz, QP5K, 30 kHz)	5G NR FR1 TOD	8.34	±9.6
0810	AAF	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	±9.6
0812	AAF	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.35	±9.8
0817	AAG	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.35	19.6
0818	AAE	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	±9.6
0818	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	±9.6
0820	AAE	50 NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	±9.6
0821	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QP8K, 30 kHz)	50 NR FR1 TOD	8.41	19.6
0822	AAE	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.41	±9.6
0.823	AAF	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	±9.6
0.824	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz; QPSK, 30 kHz)	5G NR FR1 TDD	8.39	±9.8
0825	AAF	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	±9.6
0827	AAF	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	±9.6
0828	AAE	53 NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.43	±9.8

Certificate No: EX-7751_Sep24

Page 19 of 22



September 19, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	$Unc^{E} k =$
10829	AAF	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	±9.6
0680	AAE	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	±9.6
0831	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	50 NR FR1 TDD	7.73	±9.6
0832	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TOD	7.74	±9.6
0833	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TOD	7.70	±9.8
0834	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, OPSK, 60 kHz)	5G NR FR1 TDD	7.75	±9.6
0835	AAF	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TOD	7.70	±9.6
0.836	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	56 NR FR1 TDD	7.66	±9.6
0837	AAF	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FRI TDD	7.68	±9.8
0839	AAF	SG NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	±9.6
0840	AAE	50 NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	±9.6
in sub-section states	AAF	5G NR (CP-OFDM, 1 RB, 100 MHz, CPSK, 60 KHz)	SG NR FR1 TDD	7.71	±9.6
0841	1 1 1 1 N 1 1 1		50 NR FR1 TDD	8.49	±9.6
0843	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)			
0844	AAE	SG NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	SG NR FR1 TDD	8.34	±9.6
10846	AAE	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
10854	AAE	5G NR (CP-OFDM, 100% R8, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	B.34	±9.6
0855	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	50 NR FR1 TD0	8.35	±9.6
10856	AAE	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	±9,6
10857	AAD	5G NR (CP-OFDM, 100% R8, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	±9,6
10858	AAE	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.30	±9.6
10859	AAF	5G NR (CP-OFDM, 100% RB, 40 MHz, QP5K, 60 kHz)	5G NR FR1 TDD	B.34	±9,6
0880	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	19.6
10861	AAF	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	±9,6
10863	AAF	5G NR (CP-OFOM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
10864	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	±9.6
10865	AAF	5G NR (CP-OFOM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	B.41	±9.6
10866	AAF	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10868	AAF	5G NR (DFT-e-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5,89	±9.6
0869	AAE	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
10870	AAE	5G NR (DFT-6-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	±9.6
10871	AAE	5G NR (DFTs-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
0872	AAE	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	±9.6
10873	AAE	5G NR (DFTs-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	19.6
10874	AAE	5G NR (DFTs-OFDM, 100% RB, 100 MHz, 54QAM, 120 kHz)	5G NR FR2 TDD	6.65	19.6
10875	AAE	5G NR (CP-OEDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDO	7.78	19.6
10876	AAE	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDO	8.39	±9.6
10877	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	±9.6
10878	AAE	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDO	8.41	±9.6
10879	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	±9.8
0880	AAE	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	19.6
10.881	AAE	5G NR (DFT= OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
0.882	AAE	5G NR (DFT+OFDM, 100% RB, 50 MHz, OPSK, 120 kHz)	5G NR FR2 TDD		and the second second second second
10.883	AAE	5G NR (DFTs-OFDM, 1 RB, 50 MHz, 16QAM, 120 KHz)		5,96	19.8 10.0
10884	AAE	5G NR (DFT-9-OFDM, 1148, 50 MHz, 16QAM, 120 KHz) 5G NR (DFT-9-OFDM, 100% RB, 50 MHz, 16QAM, 120 KHz)	5G NR FR2 TDD	6.57	±9.6
10 885	AAE	a second s	5G NR FR2 TDD	6.63	±9.6
and and the last	and the state of t	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64 QAM, 120 kHz)	5G NR FR2 TDD	6.61	±9.6
10886	AAE	50 NR (DFT=6-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	±9.6
	-	5G NR (CP-OFDM, 1 RB, 50 MHz, OPSK, 120 kHz)	5G NR FR2 TDD	7,78	±9,6
10888	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	19.6
0889	AAE	50 NR (CP-OFDM, 1 RB, 50 MHz, 160AM, 129 kHz)	5G NR FR2 TDD	8.02	±9.6
0890	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, 160AM, 120kHz)	5G NR FR2 TDD	8.40	±9.6
0891	AAE	5G NB (CP-OFDM, 1 BB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDO	8.13	19.6
10892	A,AE	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	SG NR FR2 TDD	8.41	±9.6
0.897	AAE	50 NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	±9.6
0899	AAC	5G NR (DFTs-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	±9.6
0899	BAA	5G NR (DFT+-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	±9.6
		5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10901	AAB	SG NR (DFT= OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10902	AAC	5G NR (DFT-9-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	+9.6
0903	AAD	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10904	AAC	5G NR (DFTs-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10905	CAA	5G NR (DFT-II-OFDM, 1 RB, 60 MHz, OPSK, 30 kHz)	56 NR FR1 TD0	5.68	±9.6
10906	AAD	5G NR (DFT-e-OFDM, 1 R8, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10907	AAE	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	19.6
60601	AAC	5G NR (DFT-e-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	±9.6
10909	AAB	5G NR (DFTs-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	6G NR FR1 TDD	5.96	19.6
	AAC	5G NR (DFT-s-OFDM, 50% R8, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	1910.0	10.0

Certificate No: EX-7751_Sep24

Page 20 of 22





September 19, 2024

UID	Bev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10911	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	±9.6
10912	AAC.	50 NR (DFT-8-OFDM, 50% RB, 30 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
10913	AAD	5G NR (DFTs-OFDM, 50% R8, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
10914	AAC	5G NR (DFT-e-OFDM, 50% RR, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	±0.6
10915	AAD	5G NR (DFT a-OFDM, 50% RB, 60 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.83	±9.6
10916	AAD	50 NR (DFT+-OFDM, 50% R8, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	±9.6
10917	AAD	5G NR (DFTs-OFDM, 50% R8, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	±9.6
10918	AAE	5G NR (DFT-8-OFDM, 100% R8, 5MHz, QPSK, 30kHz)	5G NR FR1 TDD	5.86	±9.6
10919	AAC	5G NR (DFTs-OFDM, 100% R8, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.88	±9.6
10920	AAB	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	±9.6
10921	AAC	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
10922	AAB	5G NR (DFT & OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	±9.6
10923	AAC	50 NR (DFT-9-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9,6
10924	AAD	5G NR (DFTs-OFDM, 100% RE, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5:84	3.6 ±
10925	AAC	50 NR (DFT-8-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	SG NR FR1 TDD	5.95	±9.6
10926	AAD	5G NR (DFT=s-OFDM, 100% R8, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	±9.6
10927	(AAD)	5G NR (DFT s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	5.8±
10928	AAD.	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	±9.6
10929	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	50 NR FR1 FDD	5.52	±9.8
10930	AAC	5G NR (DFT/s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	6G NR FR1 FDD	5.52	±9.6
10931	AAC:	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	SG NR FR1 FDD	5.51	±9.6
10932	AAC:	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	±9.6
10933	AAC	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	±9.6
10934	AAC	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	SG NR FR1 FDD	5.51	±9.6
10935	AAD.	5G NR (DFT-6-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	±9.6
10936	AAD	5G NR (DFTs-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	±9.6
10937	AAD.	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	±9.6
0938	AAC	5G NR (DFT-e-OFDM, 50% RB, 15MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.90	±9.6
10939	AAC	5G NR (DFTs-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	3.0±
0940	AAC	5G NR (DFTs-OFDM, 50% RB, 25MHz, QPSK, 15KHz)	5G NR FR1 FDD	5.89	±9.6
10941	AAC	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	±9.6
0942	AAC	5G NR (DFT-e-OFDM, 50% R8, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	±9.6
10943	AAD	5G NR (DFT-s-OFDM, 50% R8, 50 MHz, QPSK, 15 xHz)	5G NR FR1 FDD	5.95	土9.6
10944	AAD	50 NR (DFTe-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	SG NR FR1 FDD	5.81	±9.6
10945	AAD	5G NR (DFT-e-OFDM, 100% R8, 10 MHz, QPSK, 15 kHz)	SG NR FR1 FDD	5.85	±9,6
10946	AAC	5G NR (DFTs-OFDM, 100% RB, 15MHz, QPSK, 15kHz)	5G NR FR1 FDD	5:83	±9:6
10947	AAC	50 NR (DFT-6-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	±9.6
10948	AAC	5G NR (DFTs-OFDM, 100% RB, 25MHz, QPSK, 15kHz)	5G NR FR1 FDD	5.94	±9.6
10949	AAC	5G NR (DFT.e-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	±9.8
10950	AAD	5G NR (DFTs-OFDM, 100% R8, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5,94	#9.6
10951	AAA	SG NR (DFTs-OFDM, 100% RB, 50 MHz, GPSK, 15 kHz)	5G NR FR1 FDD	5.92	±9.6
10952	AAA	5G NR DL (CP-OFDM, TM 3.1, 5MHz, 64-QAM, 15kHz)	5G NR FR1 FDD	8.25	±9.8
0954	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 54-QAM, 15 kHz) 5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	±9.6
10955	AAA	5G NR DL (CP-OFDM, 1W 3.1, 15MHz, 64-QAM, 15KHz) 5G NR DL (CP-OFDM, TM 3.1, 20MHz, 64-QAM, 15KHz)	5G NR FR1 FDD	8.23	±9.6
0956	AAA	5G NR DL (CP-OFDM, TH 3.1, 6/MRz, 64-GAM, 15 KHz)	5G NR FR1 FDD	8.42	±9.6
0957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 KHz)	5G NR FR1 FDD	B.14	±9.6
0958	AAA	5G NR DL (CP-OFDM, TM 3.1, 15MHz, 64-QAM, 30 kHz)	SG NR FR1 FDD	8.31	±9.6
10959	AAA	SG NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 KHz)	5G NR FR1 FDD 5G NR FR1 FDD	8.61	=9.6
0960	AAE	5G NR DL (CP-OFDM, TM 3.1, 5MHz, 64-QAM, 35 sHz)	SG NR FRI TDD	8.33	±9.6
0961	AAC	50 NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15kHz)	5G NR FR1 TOD	9.32	±9.6 ±9.6
0962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.30	the second se
0963	AAC	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 KHz)	5G NR FR1 TDD	9.40	±9.6 ±9.6
0964	AAE	5G NR DL (CP-OFDM, TM 3.1, 5MHz, 64-QAM, 30kHz)	5G NR FR1 TOD	9.29	
0965	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TOD	9.29	±9.5
0.966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	SG NR FR1 TDD	9.55	±9.6 ±9.6
0.957	AAC	56 NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	SG NR FR1 TDD	9.42	±9.6
0.960	AAD	5G NR DL (CP-OPDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	53 NR FR1 T00	9,49	19.6 19.6
0972	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15kHz)	5G NR FR1 TDD	11.59	19.6
0973	AAD	5G NR (DFTs-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	±9.6
0974	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.28	19.6
0978	AAA	ULLA BDR	ULLA	1.18	±9.6
0979	AAA	ULLA HDR4	ULLA	B.58	and the second second
0980	AAA	ULLA HDR8	ULLA	10.32	±9.6
0981	AAA	ULLA HDRp4	ULLA	3.19	±9.6
	1.1.2.77.77	ULLA HDRpt		10.12	±9.6

Certificate No: EX-7751_Sep24

Page 21 of 22



September 19, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	$Unc^{E} k = 3$
10983	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 54-QAM, 15 kHz)	5G NR FR1 TDD	9.31	±9.6
10984	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9,42	±9.6
10985	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64 QAM, 30 kHz)	5G NR FR1 TDD	9.54	±9:8
10986	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.50	±9.6
10987	AAC	5G NR DL (CP-OFDM, TM 3.1, 60 MHz, 54 QAM, 30 kHz)	5G NR FR1 TDD	9.53	±9.6
10988	AAB	5G NR DL (CP-OFDM, TM 3.1, 70 MHz, 64-QAM, 30 KHz)	53 NR FR1 TDD	9.38	±9.6
10989	AAC	5G NR DL (CP-OFDM, TM 3.1, 80 MHz, 54-QAM, 30 kHz)	5G NR FR1 TDD	9.33	±9.6
10990	AAB	5G NR DL (CP-OFDM, TM 3.1, 90 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.52	±9.6
11003	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	10.24	±9.6
11004	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64 QAM, 30 kHz)	5G NR FR1 TDD	10.73	±9.6
11005	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.70	±9.6
11008	AAA	5G NR DL (CP-OFDM, TM 3 1, 30 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.55	±9.6
11007	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.46	±9.6
11008	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 54 QAM, 15 kHz)	5G NR FR1 FDD	8.51	±9.6
11009	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.76	±9.6
11010	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	B.95	±9.6
11011	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.96	±9.6
11012	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDO	8.68	±9.6
11013	AAB	IEEE 802.11be (320 MHz, MCS1, 99pc duty cycle)	WLAN	8.47	±9.6
11014	AAB	IEEE 802.11be (320 MHz, MCS2, 99pc duty cycle)	WLAN	8.45	±9.6
11015	AAB	IEEE 802.11be (320 MHz, MCS3, 99pc duty cycle)	WLAN	8.44	±9.6
11018	AAB	IEEE 802.11be (320 MHz, MCS4, 99pc duty cycle)	WLAN	8.44	±9.8
11017	AAB	IEEE 802.11be (320 MHz, MC55, 99pc duty cycle)	WLAN	8.41	±9.0
11018	AAB	IEEE 802.11be (320 MHz, MCS6, 99pc duty cycle)	WLAN	8,40	±9.8
11019	AAB	IEEE 802 11be (320 MHz, MCS7, 99pc duty cycle)	WLAN	8,29	±9.6
11020	AAB	IEEE 802.11be (320 MHz, MCS8, 99pc duty cycle)	WLAN	8,27	±9.6
11021	AAB	IEEE 802.11be (320 MHz, MCS9, 99pc duty cycle)	WLAN	8.45	±9.6
11022	AAB.	IEEE 802.11be (320 MHz, MCS10, 99pc duty cycle)	WLAN	8.36	±9.6
11023	AAB	IEEE 802.11be (320 MHz, MCS11, 99pc duty cycle)	WLAN	8.09	±9.6
11024	AAB	IEEE 802.11be (320 MHz, MCS12, 99pc duty cycle)	WLAN	8.42	±9.6
11025	AAB	IEEE 802.11be (320 MHz, MCS13, 99pc duty cycle)	WLAN	8.37	±9.6
11026	AAB	IEEE 802 11be (320 MHz, MCS0, 99pc duty cycle)	WLAN	8.39	±9.6

E Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX-7751_Sep24

Page 22 of 22



ocredited by the Swis he Swiss Accreditat			S Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura S Swiss Calibration Service Accreditation No.: SCS 0108
ilient HCT Gyeongg	I-do, Republic of Korea	Certificate No.	EX-7655_May24
CALIBRATIC	ON CERTIFICATE	전 - 개	And h.
Object	EX3DV4 - SN		SW 1434 67 1422 2024/06.05 2024/06.05
Calibration procedure	QA CAL-25.ve	10, QA CAL-12.v10, QA CAL- 8 ocedure for dosimetric E-field	
Calibration date	May 28, 2024		
The measurements a All calibrations have	and the uncertainties with confide	boratory facility: environment temperatu	ng pages and are part of the certificate.
Primary Standards	ID	Cal Date (Certilicate No.)	Scheduled Calibration

ID	Cal Date (Certificate No.)	Scheduled Calibration
SN: 104778	26-Mar-24 (No. 217-04036/04037)	Mar-25
SN: 103244	26-Mar-24 (No. 217-04036)	Mar-25
SN: 1249	05-Oct-23 (OCP-DAK3.5-1249_Oct23)	Oct-24
SN: 1016	05-Oct-23 (OCP-DAK12-1016_Oct23)	Oct-24
SN: CC2552 (20x)	26-Mar-24 (No. 217-04046)	Mar-25
SN: 660	23-Feb-24 (No. DAE4-660_Feb24)	Feb-25
SN: 7349	03-Nov-23 (No. EX3-7349_Nov23)	Nov-24
		10
ID	Check Date (in house)	Scheduled Check
SN: GB41293874	06-Apr-16 (in house check Jun-22)	In house check: Jun-24
SN: MY41498087	06-Apr-16 (in house check Jun-22)	In house check: Jun-24
	10.0 A	In harden of starting has 0.6
SN: 000110210	06-Apr-16 (in house check Jun-22)	In house check: Jun-24
SN: 000110210 SN: US3642U01700	06-Apr-16 (in house check Jun-22) 04-Aug-99 (in house check Jun-22)	In house check: Jun-24 In house check: Jun-24
	SN: 103244 SN: 1249 SN: 1016 SN: CC2552 (20x) SN: 660 SN: 7349 ID SN: GB41293874 SN: MY41498087	SN: 104778 26-Mar-24 (No. 217-04036/04037) SN: 103244 26-Mar-24 (No. 217-04036) SN: 1249 05-Oct-23 (OCP-DAK3.5-1249_Oct23) SN: 1016 05-Oct-23 (OCP-DAK12-1016_Oct23) SN: CC2552 (20x) 26-Mar-24 (No. 217-04046) SN: 660 23-Feb-24 (No. DAE4-660_Feb24) SN: 7349 03-Nov-23 (No. EX3-7349_Nov23) ID Check Date (in house) SN: GB41293874 06-Apr-16 (in house check Jun-22) SN: MY41498087 06-Apr-16 (in house check Jun-22)

	Name	Function	Signature
Calibrated by	Joanna Lleshaj	Laboratory Technician	Aplley
Approved by	Sven Kühn	Technical Manager	on
This calibration certificat	te shall not be reproduced except in	i full without written approval of the lab	Issued: May 28, 2024 oratory.

Certificate No: EX-7655_May24

Page 1 of 21



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



•

S

С

s

Schweizerischer Kallbrierdienst Service suisse d'étalonnage Servizio svizzero di taratura

Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary

TSL	tissue simulating liquid
NORMx,y,z	sensitivity in free space
ConvF	sensitivity in TSL / NORMx,y,z
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization @	@ rotation around probe axis
Polarization 8	or orbition around an axis that is in the plane normal to probe axis (at measurement center), i.e., <i>θ</i> = 0 is normal to probe axis
Concentration of the second	Intermetical used to DADV sustains to allog parks concern V to the solutionalizate sustain

Connector Angle information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards: "

- a) IEC/IEEE 62209-1528, "Measurement Procedure For The Assessment Of Specific Absorption Rate Of Human Exposure To Radio Frequency Fields From Hand-Heid And Body-Worn Wireless Communication Devices – Part 1528: Human Models, Instrumentation And Procedures (Frequency Range of 4 MHz to 10 GHz)*, October 2020.
- b) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization ∂ = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal. DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z; A, B, C, D are numerical linearization parameters assessed based on the data of
 power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum
 calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY4 version 4.4 and higher which allows extending the validity from ±50 MHz to ±100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: EX-7655_May24

Page 2 of 21

F-TP22-03 (Rev. 06)



May 28, 2024

Parameters of Probe: EX3DV4 - SN:7655

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k = 2)
Norm (µV/(V/m) ²) A	0.50	0.62	0.51	±10.1%
DCP (mV) B	105.9	105.4	107.8	±4.7%

Calibration Results for Modulation Response

UID	Communication System Name		A dB	B dBõV	с	D dB	VR mV	Max dev.	Max Unc ^E k = 2
0	CW	X	0.00	0.00	1.00	0.00	123.6	±2.8%	±4,7%
		Y	0.00	0.00	1.00		149.0	6	
		Z	0.00	0.00	1.00		150.0		
10352	Pulse Waveform (200Hz, 10%)	X	1.77	61.96	7.33	10.00	60.0	±2.6%	±9.6%
12000		Y	1.53	60.72	6.50	10000000	60.0		
		Z	1.67	61.53	7.27		60.0		
10353	Pulse Waveform (200Hz, 20%)	X	0.84	60.02	5.27	6.99	80.0	±2.0%	±9.6%
	Contract of the second s	Y	46.00	80.00	11.00		80.0		
		Z	0.81	60.00	5.46	P	80.0		
10354	Pulse Waveform (200Hz, 40%)	X	0.03	118.22	0.35	3.98	95.0 ±	±2.7%	±9.6%
1000000		Y	0.51	159.02	10.78		95.0		
		Z	68.00	78.00	9.00	1	95.0		
10355	Pulse Waveform (200Hz, 60%)	X	11.59	154.19	7.09	2.22	120.0	±1.6%	±9.6%
	() where the second second second second	Y	10.49	157.44	14.13	1.55.676.1	120.0	- 19 (d. 17)	
		Z	11.11	154.69	15.41		120.0	1	
10387	QPSK Waveform, 1 MHz	X	0.60	63.80	11.98	1.00	150.0	±4.3%	±9.6%
		Y	0.57	63.21	12.13		150.0		
		Z	0.54	62.15	11.23		150.0	1	
10388	OPSK Waveform, 10 MHz	X	1.35	65.40	13.61	0.00	150.0	±1.3%	±9.6%
193223		Y	1.33	65.35	13.68	10.17222	150.0	0.000	=====077550
		Z	1.28	64.34	13.18		150.0	1 march 1	
10396	64-QAM Waveform, 100 kHz	X	1.74	64.88	15.91	3.01	150.0	±1.2%	±9.6%
		Y	1.55	63.16	15.32		150.0		
		Z	1.63	63.71	15.32		150.0		
10399	64-QAM Waveform, 40 MHz	X	2.85	66.13	14.92	0.00	150.0	±1.7%	±9.6%
1200000		Y	2.82	66.06	14.95		150.0		
		Z	2.75	65.46	14.60	1	150.0	1	
10414	WLAN CCDF, 64-QAM, 40 MHz	X	3.88	65.85	15.16	0.00	150.0	±3.3%	±9.6%
1.5-10-5		Y	3.81	85.73	15.12	1.1015.01	150.0	0.004004.055	
		Z	3.96	66.00	15.25		150.0		

Note: For details on UID parameters see Appendix

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

A The uncertainties of Norm X,Y,Z do not affect the E²-field uncertainty inside TSL (see Page 5). ^{II} Linearization parameter uncertainty for maximum specified field strength. ^{II} Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX-7655_May24

Page 3 of 21

May 28, 2024



EX3DV4 - SN:7655

Parameters of Probe: EX3DV4 - SN:7655

Sensor Model Parameters

	C1 fF	C2 fF	а V ⁻¹	T1 msV ⁻²	T2 ms V ⁻¹	T3 ms	T4 V-2	T5 V ⁻¹	Т6
×	10.8	77.70	33.08	4.16	0.00	4.94	0.56	0.00	1.00
v l	10.1	72.75	33.10	3.11	0.00	4.90	0.05	0.01	1.00
z	11.4	81.54	33.00	3.57	0.00	4.95	0.51	0.00	1.00

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle	86.5°
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 ៣៣
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Note: Measurement distance from surface can be increased to 3-4 mm for an Area Scan job.

Certificate No: EX-7655_May24

Page 4 of 21



May 28, 2024

Parameters of Probe: EX3DV4 - SN:7655

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^C	Relative Permittivity ^F	Conductivity ^F (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc ^H (k = 2)
150	52.3	0.76	12.35	12.35	12.35	0.00	1.25	±13.3%
450	43.5	0.87	11.07	11.07	11.07	0.16	1.30	±13,3%
750	41.9	0.89	9.12	9.70	9.50	0.41	1.27	±11.0%
835	41.5	0.90	9.18	9.32	9.14	0.40	1.27	±11.0%
900	41.5	0.97	8.64	9.28	8.95	0.40	1.27	±11.0%
1450	40.5	1.20	7.90	8.31	7.99	0.38	1.27	±11.0%
1750	40.1	1.37	7.69	8.16	7.84	0.27	1.27	±11.0%
1900	40.0	1.40	7.55	8.06	7.74	0.30	1.27	±11.0%
2300	39.5	1.67	7.33	7.85	7.52	0.31	1.27	±11.0%
2450	39.2	1.80	7.25	7.78	7.45	0.31	1.27	±11.0%
2600	39.0	1.96	7.11	7,65	7.32	0.30	1,27	±11.0%
4400	36.9	3.84	6.01	6,51	6.27	0.40	1.27	±13.1%
4600	36.7	4.04	5.96	6:44	6.17	0.38	1.27	±13.1%
4800	36.4	4.25	5.89	6.37	6.08	0.39	1.27	±13.1%
4950	36.3	4.40	5.53	6.02	5.83	0.43	1.36	±13.1%

^C Frequency validity above 300 MHz of ±100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ±50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ±10, 25, 40, 50 and 70 MHz tor ConvF assessments at 30, 84, 128, 150 and 220 MHz respectively. Validity of ConvF assessment at 6 MHz is 4–9 MHz, and ConvF assessed at 13 MHz to 5–19 MHz. Above 5 GHz frequency validity can be extended to ±10 MHz. ^F The probes are calibrated using itsue simulating liquids (TSL) that deviate for *c* and *o* by less than ±5% from the target values (typically better than ±3%) and are valid for TSL, with deviations of up to ±10% if SAR correction is applied. ^G Apha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ±5% from the factors before. SOM and the uses there were allowed to be the boundary effect after compensation is always less than ±0% if the factors before 200 MHz and 10% if same upper were used.

than ±1% for frequencies below 3 GHz and below ±2% for frequencies between 3–6 GHz at any distance larger than half the probe tip diameter from the boundary.


H The stated uncertainty is the total calibration uncertainty (k = 2) of Norm-ConvF. Therefore, The uncertainty stated is equivalent to the uncertainty component with the symbol CF in Table 9 of IEC/IEEE 62209-1528:2020.

Certificate No: EX-7655_May24

Page 5 of 21



May 28, 2024



Frequency Response of E-Field

Uncertainty of Frequency Response of E-field: ±6.3% (k=2)


Certificate No: EX-7655_May24

Page 6 of 21



May 28, 2024

EX3DV4 - SN:7655




Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$

Certificate No: EX-7655_May24

Page 7 of 21



May 28, 2024




Certificate No: EX-7655_May24

Page 8 of 21



May 28, 2024





Certificate No: EX-7655_May24

Page 9 of 21



May 28, 2024

Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc [®] k =
0	1000	CW	CW	0.00	±4.7
0010	CAB	SAR Validation (Square, 100 ms, 10 ms)	Test	10.00	主見市
0011	CAC	UMTS-FDD (WCDMA)	WCDMA	2.91	±9.6
0012	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mbps)	WLAN	1.87	±9.6
0013	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps)	WLAN	9.46	±9.6
0021	DAC	GSM-FDD (TDMA, GMSK)	GSM	9.39	±9.6
0023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	9.57	±9.6
0.024	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	6.55	±9.6
0025	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	GSM	12.62	±9.6
10026	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	GSM	9.55	±9.6
10027	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4.80	±9.6
0.028	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	GSM	3.55	±9.6
10029	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.78	±9.6
10030	CAA	IEEE 802 15.1 Bluetooth (GFSK, DH1)	Bluetpath	5.30	±9.6
10030	CAA	IEEE 802 15.1 Bluetooth (GFSK, DH3)	Bluetocth	1.87	±9.6
10032	CAA	IEEE 802.15.1 Bluetoath (GFSK, DH5)	Bluetooth	1,16	±9.6
		IEEE 802.15.1 Bluetoath (PV4-DQPSK, DH1)	Bluetooth	7.74	±9.6
0033	CAA		Blueloath	4.53	±9.6
0.034		IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	Bluetoch	3.83	±9.6
0.035	CAA	IEEE 802.15.1 Bluetooth (PV4-DQPSK, DH5)	Bluetoch	8.01	±9.6
0.036	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	Bluetooth	4.77	±9.6
10037	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)			19.6
10038	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	Bluetooth	4.10	
10039	CAB	CDMA2000 (txRTT, RC1)	CDMA2000		19.6
10042	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	AMPS	7.78	:±9.6
10044	CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	AMPS	0.00	29.6
10048	CAA	DECT (TDD, TDMA/FDM, GFSK, Full Stot, 24)	DECT	13.80	±9.6
10049	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	DECT	10.79	±9.6
10056	CAA	UMTS-TDD (TD-SCDMA, 1.28 Mops)	TD-SCDMA	\$1.01	±9.6
10058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	GISM	6.52	19.6
10059	CAB	IEEE 802.11b WIFi 2.4 GHz (DSSS, 2 Mbps)	WLAN	2.12	±9.6
10060	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps)	WLAN	2.83	±9.6
10061	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps)	WLAN	3.60	±9.6
10062	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 6 Mbps)	WLAN	8.68	±9.6
10063	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mops)	WLAN	8,63	±9,6
10064	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 12 Mbps)	WLAN	9.09	±9.6
10.065	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps)	WLAN	9.00	±9.6
10066	CAE	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	WLAN	9.38	±9.6
10067	CAE	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	WLAN	10.12	±9.6
10068	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 48 Mbps)	WLAN	10.24	±9.6
10069	CAE	IEEE 802.11a/h WIFI 5 GHz (OFDM, 54 Mbps)	WLAN	10.56	19.6
10071	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 9 Mbps)	WLAN	9.83	±9.6
10072	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 12 Mbps)	WLAN	9.62	±9.5
10073	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 18 Mbps)	WLAN	9.94	±9.6
10074	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 24 Mbps)	WLAN	10.30	19.5
10075	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 36 Mbps)	WLAN	10.77	±9.6
10076	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 48 Mbps)	WLAN	10.94	±9.6
10077	CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 54 Mbps)	WLAN	11.00	±9.6
10081	CAB	CDMA2000 (1xRTT, RC3)	CDMA2000	3.97	+9.8
10082	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PV4-DQPSK, Fullrate)	AMPS	4.77	±9.5
10090	DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	GSM	8.56	19.6
10097	CAC	UMTS-FDD (HSDPA)	WCDMA	3.98	1.0.0
10096	CAC	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3.98	19.6
10099	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	GSM	9.55	19.6
10100	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-FDD	5.67	±9.6
10101	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	±9.6
10102	CAF	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-FOD	6.60	19.6
10102	CAH		and the second se	2000	
	ALC: NO	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-TOD	9.29	±9.6
10104	CAH	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-TDD	9.97	±9.6
10105	CAH	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-TOD	10.01	±9.6
10108	CAH	LTE-FDD (SC-FDMA, 100% R8, 10 MHz, QPSK)	LTE-FDD	5.80	±9.6
10109	CAH	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 15-QAM)	LTE-FDD	6.43	±9.6
10110	CAH	LTE-FDO (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-FDD	5.75	±9.6
10111	CAH	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-FDD	6.44	±9.6

Certificate No: EX-7655_May24

Page 10 of 21





May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0112	CAH	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-FDD	6.59	±9.6
0113	CAH	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-FDD	6.62	±9.6
0114	CAE	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	WEAN	8.10	±9.6
115	CAE	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	WLAN	8.45	±9.0
0116	CAE	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	WLAN	8,15	±9.6
0117	CAE	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	WLAN	8.07	±9.6
0118	CAE	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	WLAN	8.59	±9.6
0119	CAE	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	WLAN	8,13	±9.6
0140	CAF	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-GAM)	LTE-FDD	6.49	±9.6
0141	CAF	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-FDD	6.53	±9.6
0142	CAF	LTE-FDD (SC-FDMA, 100% HB, 3MHz, QPSK)	LTE-FDD	5.73	±9.6
10143	CAF	LTE-FDD (SC-FDMA, 100% R8, 3 MHz, 16-QAM)	LTE-FDO	6.35	±9.6
10144	CAF	LTE-FDD (SC-FDMA, 100% RB, 3MHz, 64-QAM)	LTE-FDD	6.65	19.6
10145	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-FDD	5.76	±9.6
10146	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.41	±9.6
10147	CAG	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.72	19.6
10149	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-FOD	6.42	±9.6
10150	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-FDD	6.80	±9,6
10151	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-TOD	9.28	±9.6
10152	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-TOD	9.92	±9.6
10153	CAH	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-TDD	10.05	±9.6
10154	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-FDD	5.75	±9.6
10155	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	±9.6
10156	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-FDD	5,79	±9.6
10157	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-FDD	6.49	±9.6
10158	CAH	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-FDD	6.62	19.6
10159	CAH	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-FDD	6.56	±8.6
10160	CAF	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-FDO	5.82	±9.6 ±9.6
10161	CAF	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-FDD	1000	
10162	CAF	LTE-FDD (SC-FDMA, 50% RB, 15MHz, 64-QAM)	LTE-FDO	6.58	±9.6 ±9.6
10166	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-FDD LTE-FDD	6.21	19.6
10167	CAG	LTE-FOD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.21	
10168	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-FDD	5.73	±9.6 ±9.6
10169	CAF	LTE-FOD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-FOD	8.52	19.6
10170	CAF	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-FDD	6.49	±9.6
10171	CAH	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-TOD	9.21	±9.6
10172	CAH	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-GAM)	LTE-TOD	9.48	±9.6
10173	CAH		LTE-TDD	10.25	±9.6
summer a trainents	CAH	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM) LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-FOD	5.72	±9.6
10175	CAH	LTE-FDD (SC-FDMA, 1 R8, 10MHz, 16-QAM)	LTE-FDD	6.52	±9.6
10176	CAJ	LTE-FDD (SC-FDMA, 1 R8, 5MHz, QPSK)	LTE-FDD	5.73	19.6
10178	CAH	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 16-QAM)	LTE-FDD	6.52	±9.6
10178	CAH	LTE-FDD (SC-FDMA, 1 RB, 10MHz, 64-QAM)	LTE-F00	8.50	19.6
10180	CAH	LTE-FDD (SC-FDMA, 1 RB, 5MHz, 64-QAM)	LTE-FDD	6.50	±9.6
10181	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, QPSK)	LTE-FDD	5.72	19.6
10182	CAF	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 16-QAM)	LTE-FDD	6.52	19.6
10182	AAE	LTE-FDD (SC-FDMA, 1 RB, 15MHz, 64-QAM)	LTE-FDD	6.50	±9.6
10184	CAF	LTE-FDD (SC-FDMA, 1 RB, 3MHz, QPSK)	LTE-FDD	5.73	±9.6
10185	CAF	LTE-FDD (SC-FDMA, 1 R8, 3MHz, 16-QAM)	LTE-FDD	8.51	±9.6
10186	AAF	LTE-FDD (SC-FDMA, 1 RB, 3MHz, 84-QAM)	LTE-FDD	6.50	±9.6
10187	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-FDD	5.73	±9.6
10188	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.52	29.6
10189	AAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-FD0	6.50	19.6
10193		IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	WLAN	8.09	19.6
10194	the standard in the later	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	WLAN	8.12	1.9.8
10195		IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	WLAN	8.21	19.6
10196		IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	WLAN	8.10	±9.6
10197		IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	WLAN	8.13	±9.6
10198		IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	WLAN	8.27	±9.6
10219	and the second second	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	WLAN	8.03	±9.8
10220	rest and rest is	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8.13	±9.6
10221	and the second se	IEEE 802.11n (HT Mixed, 72.2 Mbcs, 64-QAM)	WLAN	8.27	19.6
10222	-	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	WLAN	8.06	±9.0
		IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	WLAN	8.48	19.6
10223				001-04	

Certificate No: EX-7655_May24

Page 11 of 21





May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E # =
0225	CAC	UMTS-FDD (HSPA+)	WCDMA.	5.97	±9.6
0226	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TOD	9,49	±9.6
0227	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.26	±9.6
0228	CAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9,22	±9.6
0228	CAE	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 16-QAM)	LTE-TOD	9.48	±9.6
	- CA Com	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 64-QAM)	LTE-TOO	10.25	±9.6
0,230	CAE	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TDD	9.19	±9.6
0.231	CAE	LTE-TDD (SC-FDMA, 1 RB, 5MHz, 16-GAM)	LTE-TDD	9.48	±9.6
0232	CAH	LTE-TOD (SC-FDMA, 1 RB, 5MHz, 64-QAM)	LTE-TOD	10.25	±9.6
0.233	CAH	A second s	LTE-TOD	9.21	±9.6
0234	CAH	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-TOD	9.48	±9.6
0235	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-GAM)	LTE-TOD	10.25	±9.6
0236	CAH	LTE-TDD (SC-FDMA, 1 RB, 10MHz, 64-QAM)	LTE-TDD	9.21	19.6
0237	CAH	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.48	±9.6
0238	CAG	LTE-TDD (SC-FDMA, 1 R8, 15MHz, 16-QAM)	and an and a lot of the lot of th		19.6
0239	CAG	LTE-TDD (SC-FDMA, 1 R8, 15 MHz, 64-QAM)	LTE-TOD	10.25	
0240	CAG	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-TDD	9.21	±9.5
0.241	CAC	LTE-TDD (SC-FDMA, 50% R8, 1.4 MHz, 16-QAM)	LTE-TDO	9.82	±9.6
0242	GAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-TDD	9.86	±9.6
0243	CAC	LTE-TOD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-TDD	9.46	±9.6
0244	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TDD	10.06	±9.6
0245	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-TOD	10.06	±9.6
0246	CAE	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TOD	9.30	±9.6
0247	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-TDD	9.91	±9.6
0248	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10.09	±9.6
0249	CAH	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-TDD	9.29	±9.6
0250	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TOD	9.81	±9.6
10251	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TDD	10.17	±9.6
0252	CAH	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-TDD	9.24	+9.6
10253	CAG	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-TOD	9.90	±9.6
10254	CAG	LTE-TDD (SC-FDMA, 50% RB, 15MHz, 84-QAM)	LTE-TOD	10.14	19.6
10255	CAG	and the local benefits the second state of the	LTE-TDD	9.20	±9.6
	100.000	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK) LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16 QAM)	LTE-TDD	9.96	±9.6
10256	CAC		LTE-TDD	10.08	19.6
10267	CAC	LTE-TOD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	9.34	±9.5
10258	CAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TOD	9.98	±9.6
10259	CAE	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)		9.95	19.6
10260	CAE	LTE-TDD (SC-FDMA, 100% RB, 3MHz, 64-QAM)	LTE-TDD		
10261	CAE	LTE-TDD (SC-FDMA, 100% RB, 3MHz, QPSK)	LTE-TDD	9.24	±9.6
10262	CAH	LTE-TDD (SC-FOMA, 100% BB, 5MHz, 16-QAM)	LTE-TOD	9.83	±9.6
10263	CAH	LTE-TDD (SC-FDMA, 100% RB, 5MHz, 64-QAM)	LTE-TDD	10.16	±9.6
10264	CAH	LTE-TDD (SC-FDMA, 100% RB, 5MHz, QPSK)	LTE-TDD	9.23	±9.6
10265	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-TDD	9.92	19.6
10266	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TDO	10.07	±9.6
10267	CAH	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TDD	9.30	19.8
10268	CAG	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-TDO	10.06	19,6
10269	CAG	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-TDD	10.13	±9.6
10270	CAG	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-TDD	9.58	±9.6
10274	CAC	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	±9.6
10275		UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	±9.6
10277		PHS (QPSK)	PHS	11.81	±9.6
10278		PHS (QPSK, BW 884 MHz, Rolloff 0.5)	PHS	11.81	±9.6
10279	a state of the second	PHS (QPSK, BW 884 MHz, Rollott 0.38)	PHS	12,18	±9.6
10290		CDMA2000, RC1, SO55, Full Rate	CDMA2000	3.91	±9.6
10291	and the second	CDMA2000, RC3, SO55, Full Rate	CDMA2000	3.46	±9.0
10292		CDMA2000, RC3, SO32, Full Rate	CDMA2000	3.39	±9.6
10292	and the local data data	CDMA2000, RC3, SC32, Full Rate	CDMA2000	3.50	±9.6
	-	CDMA2000, RC1, SO3, 1/8th Rate 25 tr	COMA2000	12.49	19.6
10295	Contraction in the local division of the loc	LTE FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-FDD	5,81	19.6
10297		LTE-FDD (SC-FDMA, 50% RB, 20 MPZ, QFSK)	LTE-FDD	5.72	±9.6
10298	All and a straight of the local	the second se	LTE-FDD		
10299	the second second	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	1.7.7.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	6.39	±9.6
10300	the second second	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-GAM)	LTE-FDD	6.60	±9.6
10301	-	IEEE 802.16e WMAX (29:18, 5ms, 10 MHz, QPSK, PUSC)	WIMAX	12.03	±9.6
10302	-	IEEE 802.16e WIMAX (29:18, 5ms, 10 MHz, QPSK, PUSC, 3 CTRL symbols)	WIMAX	12.57	19.6
10303		IEEE 802.16e WIMAX (31:15, 5 ms, 10 MHz, 64QAM, PUSC)	WIMAX	12.52	±9.4
10304	AAA	IEEE 802.16e WIMAX (29:18, 5ms, 10 MHz, 64QAM, PUSC)	WIMAX	11.86	±9.6
10:305	AAA	IEEE 802.16e WIMAX (31:15, 10 ms, 10 MHz, 64QAM, PUSC, 15 symbols)	WIMAX	15.24	±9.6
10306	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, 64QAM, PUSC, 18 symbols)	WiMAX	14.67	±9.0

Certificate No: EX-7655_May24

Page 12 of 21



May 28, 2024

UID.	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0.307	AAA	IEEE 802.16s WIMAX (29:18, 10 ms, 10 MHz, QPSK, PUSC, 18 symbols)	WIMAX	14.49	±9.6
0308	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, 16QAM, PUSC)	WIMAX	14.46	±9.6
0309	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, 16QAM, AMC 2x3, 18 symbols)	WiMAX	14.58	±9.6
0310	AAA	IEEE 802.16e WIMAX (29:18, 10 ms, 10 MHz, QPSK, AMC 2x3, 18 symbols)	WIMAX	14.57	±9.6
0311	AAE	LTE-FDD (SC-FDMA, 100% RB, 15MHz, QPSK)	LTE-FDD	6.06	19.6
0313	AAA	IDEN 1:3	IDEN	10.51	±9.6
0314	AAA	IDEN 1-5	IDEN	13.48	±9.6
0315	AAB	IEEE 802,11b WIFi 2,4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	WLAN	1.71	±9.6
0318	AAB	IEEE 802.11g WIFI 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	WEAN	8.36	±9.6
0317	AAE	IEEE 802.11a WFI 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	WEAN	8.36	±9.6
0352	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	±9.6
0353	AAA	Pulse Waveform (200Hz, 20%)	Generic	6.99	±9.6
0354	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.98	£9.6
0.355	AAA	Pulse Waveform (200Hz, 60%)	Generic	2.22	±9.6
0356	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	±9.6
0387	AAA	OPSK Waveform, 1 MHz	Generic	5.10	±9.6
0388	AAA	QPSK Waveform, 10 MHz	Generic	5.22	±9.6
0396	AAA	64-QAM Waveform, 100 kHz	Generic	6.27	±9.6
0399	AAA	64-QAM Waveform, 40 MHz	Generic	6.27	19.6
0400	AAF	IEEE 802.11ac WIFI (20 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.37	19.6
0401	AAF	IEEE 802.11ac WiFi (40 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.60	±9.6
0.402	AAF	IEEE 802.11ac WiFi (80 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.53	19.5
0403	AAB	CDMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.76	±9.6
0404	AAB	COMA2000 (1xEV-DD, Rev. A)	CDMA2000	3.77	±9.6
0405	AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	CDMA2000	5.22	±9.6
0410	AAH	LTE-TDD (SC-FDMA, 1 R8, 10 MHz, QPSK, UL Subframe=2.3.4,7.8.9, Subframe Conte4)	LTE-TOD	7.82	±9.8
10414	AAA	WLAN CCDF, 64-QAM, 40 MHz	Generic	8.54	19.6
10.415	AAA	IEEE 802 11b WIFI 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	WLAN	1.54	£9.6
10416	AAA	IEEE 802.11g WIFI 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	19.6
10417	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	±9.6
0418	AAA	IEEE 802.11g WiFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preambule)	WLAN	8.14	±9.6
10419	AAA	IEEE 802 11g WIFI 2.4 GHz (DSSS-OFDM, 8 Mbps, 99pc duty cycle, Short preambule)	WLAN	8.19	±9.6
0422	AAD	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	WLAN	8.32	19.6
10423	and the second se	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	±9.6
10424	AAD	IEEE 802.11n (HT Greenfield, 72.2 Mbps. 64-QAM)	WLAN	8,40	±9.6
10425	and the second se	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	WLAN	8.41	±9.6
10426	AAD	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WLAN	8.45	±9.6
10427	AAD	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	WLAN	8.41	:9.6
10430	and the second second	LTE-FDD (OFDMA, SMHz, E-TM 3.1)	LTE-FDO	8.28	±9.8
10431	AAE	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	LTE-FDD	8.38	19.6
10432	AAD	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	LTE-FDD	8.34	±9.6
10433	in a subscript provi	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDO	8.34	±9.6
10434	AAB	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	19.6
10435	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.82	19.6
10447	AAE	LTE-FDD (OFDMA, 5MHz, E-TM 3.1, Clipping 44%)	LTE-FOD	7.56	±9.6
10448	and the second second	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clippin 44%)	LTE-FDD	7.53	±9.6
10449	-	LTE-FDD (OFDMA, 15MHz, E-TM 3.1, Cliping 44%)	LTE-FOD	7.51	±9.6
10450	AAD	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.48	19.6
10451	AAB	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	±9.6
10453	-	Validation (Square, 10 ms, 1 ms)	Test	10.00	±9.6
10456	and the local division of the local division	IEEE 802.11ac WFI (160 MHz, 64-QAM, 99pc duty cycle)	WLAN	8.63	±9.6
10457		UMTS-FDD (DC-HSDPA)	WCDMA	6.62	±9.8
10458		CDMA2000 (1xEV-DO, Rev. 8, 2 carriers)	CDMA2008	6.55	+9.6
10459	and the state of t	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	CDMA2000	8.25	±9.6
10460		UMTS-FDD (WCDMA, AMF)	WCDMA	2.39	±0.6
10461	and the second second	LTE-TDD (SC-FDMA, 1 R8, 1.4 MHz, QPSK, UL Subframe=2.3,4,7,8,9)	LTE-TOD	7.82	±9.6
10462	and a first statements	LTE-TDD (SC-FDMA, 1 R8, 1.4 MHz, 16-QAM, UL Subframe=2.3.4,7.8.9)	LTE-TOD	8.30	±9.6
10.463	and the second data	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2.3.4.7.8.9)	LTE-TDD	8.56	±9.6
10-464	and the part of the local	LTE-TDD (SC-FDMA, 1 RB, 3MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7,82	±9.6
10465	-	LTE-TDD (SC-FDMA, 1 RB, 3MHz, 16-QAM, UL Subframe=2.3.4.7.8.9)	LTE-TOD	8.32	±9.6
10466	- Andrewson and a state of	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2.3.4.7,8.9)	LTE-TOD	8.57	±9.6
10467		LTE-TOD (SC-FDMA, 1 RB, 5MHz, QPSK, UL Subframe=2.3.4.7.8.9)	LTE-TOD	7.82	±9.6
10468	فمحاف ووليا ليقينه	LTE-TDD (SC-FDMA, 1 R8, 5MHz, 16-QAM, UL Subframe=2.3.4,7.8.9)	LTE-TOD	8.32	±9.6
10469	and in case of the local division of the	LTE-TOD (SC-FDMA, 1 RB, 5MHz, 64-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	8.56	:8.6
10405	and the second second	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.82	29.6
10470	_	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, 16-GAM, UL Subframe-2,3,4,7,8,9)	LTE-TOD	8.32	:9.6
- MPRE	1.0.00	Terre care fare, equilate cure to muse to recent of decomplications [914], [070]		. 19,496	29.1

Certificate No: EX-7655_May24

Page 13 of 21





May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
0472	AAG	LTE-TDD (SC FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.57	土身.在
0473	AAF	LTE-TOD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	±9.6
0474	AAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subhame=2,3,4,7,8,9)	LTE-TDD	8.32	±9.6
0475	AAF	LTE-TDD /SC-FDMA, 1 RB, 15MHz, 64-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	8.57	±9,6
0477	AAG	LTE-TOD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.32	±9.6
_	AAG	LTE-TOD (SC-FDMA, 1 RB, 20 MHz, 64-GAM, UL Subhame-2,3,4,7,8,9)	LTE-TDD	8.57	+9.6
0478	1.1.1.1.1.1.1	LTE-TOD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7.8.9)	LTE-TDD	7.74	±9.6
0.479	AAC		LTE-TOD	8.18	±9.6
0480	AAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 18-QAM, UL Subframe-2,3,4,7,8,9)	LTE-TOD	8.45	±9.6
0481	AAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64 QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.71	±9.6
0482	AAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UI, Subframe=2,3,4,7,8,9)	LTE-TOD	8.39	±9.6
0483	AAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7.8,9)	Comparison in the local	8.47	±9.6
0.484	AAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7.8.9)	LTE-TDD		±9.6
0485	AAG	LTE-TDD (SC FDMA, 50% RB, 5MHz, QPSK, UL Subhame+2,3,4,7,8,9)	the second se	7,59	
0486	AAG	LTE-TDD (SC-FDMA, 50% R8, 5MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.38	±9.6
0.487	AAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	8.60	±9.6
0.488	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.70	±9.5
0.489	AAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	±9.8
0490	AAG	LTE-TOD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	±9.6
0.491	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subltame=2,3,4,7,8.9)	LTE-TDD	7.74	±9.6
0492	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.41	±9.8
0493	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe-2,3,4,7,8,9)	LTE-TOD	8.55	±9.6
0494	AAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subtrame=2.3,4,7,8,9)	LTE-TOD	7.74	±9.6
0.495	AAG	LTE-TOD (SC-FDMA, 50% R8, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.37	±9.6
0496	AAG	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8:54	±9.6
0498	AAC	LTE-TOD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2.3,4,7,8,9)	LTE-TDD	7.67	±9.6
0498	AAC	LTE-TDD (SC-FDMA, 100% FB, 1.4 MHz, 15-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.40	19.6
0496	AAC	LTE-TOD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2.3.4.7.8.9)	LTE-TDD	8.68	±9.6
	AAD	LTE-TOD (SC-FDMA, 100% RB, 3MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	19.6
0500	and the second s	LTE-TOD (SC-FDMA, 100% RB, 3MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.44	±9.6
0501	AAD		LTE-TDD	8.52	19.5
0502	AAD	LTE-TOD (SC-FDMA, 100% RB, 3MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.72	19.6
0503	AAG	LTE-TDD (SC-FDMA, 100% RB, 5MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.31	19.6
0504	AAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)			-
0505	AAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.54	19.6
0508	AAG	LTE-TOD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.74	±9.6
0507	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.36	±9.6
0508	AAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64 QAM, UL Subtrame=2,3,4,7,8,9)	LTE-TDD	8.55	±9.6
0.509	AAF	LTE-TOD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TOD	7.99	±9.5
0510	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe+2,3,4,7,8,9)	LTE-TOD	8,49	±9.6
0511	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TOD	8.51	主9.6
0512	AAG	LTE-TDD (SC-FDMA, 100% R8, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	注 9.6
0513	AAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2.3.4.7,8,9)	LTE-TDD	8.42	±9.6
0514	AAG	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.45	±9.6
0515	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	WLAN	1.58	±9.6
0516	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	WLAN	1.57	±9.6
0517	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	WLAN	1,58	±9.6
0518	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.23	19.6
0519	AAD	IEEE 802.11a/h WIFI 5 GHz (OFOM, 12 Mbps, 99pc duty cycle)	WEAN	8.39	±9.6
0520	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.12	19.6
0521	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	WLAN	7.97	±9.0
0522	AAD	IEEE 802.11a/h WFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.45	±9.6
0523	AAD	IEEE 802.11a/h WFI 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.08	±9.6
0524	AAD	IEEE 802.11a/h WiFI 5 GHz (OFDM, 46 Mbps, 99pc duty cycle)	WLAN	8.27	±9.6
0525	AAD	IEEE 802, 11am WiFt Statz (JFDM, SK WORB, Sept duty cycle)	WLAN	8.36	19.6
			WLAN	8.42	19.6
0526	AAD	IEEE 802.11ac WIFI (20 MHz, MCS1, 99pc duty cycle)	WLAN	8.42	-
0527	AAD	IEEE 802 11ac WFI (20 MHz, MCS2, 99pc duty cycle)	the state of the s		19.6
0.528	AAD	IEEE 802.11ac WIFi (20 MHz, MCS3, 99pc duty cycle)	WLAN	8.36	±9.6
0529	AAD	IEEE 802.11ac WFI (20 MHz, MCS4, 99pc duty cycle)	WLAN	8.36	±9.6
0.531	DAA	IEEE 802.11ac WFi (20 MHz, MCS6, 99pc duty cycle)	WLAN	8.43	±9.6
0532		IEEE 802.11ac WIFI (20 MHz, MCS7, 99pc duty cycle)	WLAN	8.29	±9.6
0533	in the second second second	IEEE 802.11ac WIFI (20 MHz, MCS8, 99pc duty cycle)	WLAN	8.38	±9.6
0.534	- And And Annual States	IEEE 802.11ac WFI (40 MHz, MCS0, 99pc duty cycle)	WLAN	8.45	±9.6
10535	AAD	IEEE 802.11ac WIFI (40 MHz, MCS1, 99pc duty cycle)	WLAN	8.45	±9.6
10.536	AAD	IEEE 802.11 ac WIFi (40 MHz, MCS2, 99pc duty cycle)	WLAN	8.32	±9.6
10.537	AAD	IEEE 802.11ac WIFI (40 MHz, MCS3, 99pc duty cycle)	WLAN	8.44	±9.6
10538	AAD	IEEE 802.11ac WIFI (40 MHz, MCS4, 99pc duty cycle)	WLAN	8.54	±9.6
	and it was a state of	IEEE 802.11ac WIFI (40 MHz, MCS6, 99pc duty cycle)	WLAN		±9.6

Certificate No: EX-7655_May24

Page 14 of 21





May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10541	AAD	IEEE 802.11ac WFI (40 MHz, MCS7, 99pc duty cycle)	WLAN	8.46	±9.6
10542	AAD	IEEE 802,11ac WFI (40 MHz, MCS8, 99pc duty cycle)	WLAN	8.65	±9.6
and the second second	CAA	IEEE 802 11ac WFI (40 MHz, MCS9, 99pc duty cycle)	WLAN	8.65	±9.6
0543			WLAN	8.47	±0.6
0544	AAD.	IEEE 802.11ac WFI (80 MHz, MCS0, 99pc duty cycle)	WLAN	8.55	#9.6
0545	AAO	IEEE 802.11ac WIFI (80 MHz, MCS1, 99pc duty cycle)		1111.	and the second sec
10546	AAD	IEEE 802.11ac WIFI (80 MHz, MCS2, 99pc duty cycle)	WLAN	8.35	±9.6
10547	AAD	IEEE 802.11ac WIFI (80 MHz, MCS3, 99pc duty cycle)	WLAN	8.49	:19.6
10548	AAD	IEEE 802.11ac WiFi (80 MHz, MCS4, 99pc duty cycle)	WLAN	8.37	29.6
10550	AAD	IEEE 802.11ac WIFI (80 MHz, MCS6, 99pc duty cycle)	WLAN	8.38	±9.6
10551	AAD	IEEE 802.11ac WFI (80 MHz, MCS7, 99pc duty cycle)	WLAN	8.50	±9.6
10552	AAD	IEEE 802.11ac WIFI (60 MHz, MCS8, 99pc duty cycle)	WLAN	8.42	±9.6
10553	AAD	IEEE 802.11ac WiFi (80 MHz, MCS9, 99pc duty cycle)	WLAN	8.45	±9.6
10554	AAE	IEEE 802.11ac WIFI (160 MHz, MCS0, 99pc duty cycle)	WLAN	8.48	19.6
			WLAN	8.47	±9.6
10555	AAE	IEEE 802.11ac WIFI (160 MHz, MCS1, 99pc duty cycle)	and the second se	8.50	19.6
10558	AAE	IEEE 802.11ac WiFi (160 MHz, MCS2, 99pc duty cycle)	WLAN		and the second se
0557	AAE	IEEE 802.11ac WIFI (160 MHz, MCS3, 99pc duty cycle)	WLAN	8.52	±9.8
0558	AAE	IEEE 802.11ac WIFI (160 MHz, MC54, 99pc duty cycle)	WLAN	8.61	±9.6
10560	AAE	IEEE 802.11ac WIFI (160 MHz, MCS6, 99pc duty cycle)	WLAN	8.73	±9.6
10561	AAE	IEEE 802.11ac WIFI (160 MHz, MCS7, 99pc duty cycle)	WLAN	8.56	±9.6
0562	AAE	IEEE 802.11ac WIFI (160 MHz, MCS8, 99pc duty cycle)	WLAN	8.69	19.6
0563	AAE	IEEE 802 11ac WIFI (180 MHz, MCS9, 96pc duty cycle)	WLAN	8.77	±9.6
0564	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.25	±9.6
and the same of	and the second second		WLAN	8.45	±9.6
0565	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.13	±9.6
10566	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)		100000	-
10567	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS OFDM, 24 Mbps, 99pc duty cycle)	WLAN	8.00	±9.6
10568	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.37	±9.6
10569	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8,10	±9.6
10570	AAA	IEEE 802.11g WiFI 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.30	±9.6
0571	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	WLAN	1.99	3.9.6
0572	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	WLAN	1.99	±9.6
0573	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	WLAN	1.98	±9.6
10574	AAA	IEEE 802,11b WIFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	WLAN	1.98	±9.6
	and the second second		WLAN	8.59	±9.6
10575	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)		and the second se	and the second se
10576	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8,60	19.6
10577	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	±9.6
10578	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	±9.6
10579	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.36	±9,6
10580	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	±9.6
10581	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WEAN	8.35	±9.6
10582	AAA	IEEE 802 11g WIFI 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	±9.6
10583	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	±9.6
10584	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	±9.6
10585	AAD	IEEE 802.11a/h WFI 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	19.6
-	and the state of t				
0586	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	±9.6
10587	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8,36	±9.6
10.588	AAD	IEEE 802.11a/h WiFI 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	19.6
0589	AAD	IEEE 802,11a/h WIFI 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	±9.6
10590	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	土9.6
10591	AAD:	IEEE 802.11n (HT Mixed, 20 MHz, MCS0, 90pc duty cycle)	WLAN	8.63	±9.6
10592	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS1, 90pc duty cycle)	WLAN	8.79	19.6
10593	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS2, 90pc duty cycle)	WLAN	8.64	±9.6
0584	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS3, 90pc duty cycle)	WLAN	8.74	±9.6
0595	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS4, 90pc duty cycle)	WLAN	8.74	±9.6
0596	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS8, 90pc duty cycle)	WLAN	8.71	
	a state and state an				19.6
0597	the second second	IEEE 802.11n (HT Mixed, 20 MHz, MCS6, 90pc duty cycle)	WLAN	8.72	±9.6
0598	AAD	IEEE 802.11n (HT Mixed, 20 MHz, MCS7, 90pc duty cycle)	WLAN	8.50	±9.6
0599		IEEE 802.11n (HT Mixed, 40 MHz, MCS0, 90pc duty cycle)	WLAN	8.79	±9.6
0660	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS1, 90pc duty cycle)	WLAN	8.88	19.6
10601	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS2, 90pc duty cycle)	WLAN	8.82	19.6
10602	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS3, 90pc duty cycle)	WLAN	8.94	±9.5
10603	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS4, 90pc duty cycle)	WLAN	9.03	±9.6
10604	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MC55, 90pc duty cycle)	WLAN	8.76	19.6
10605	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS6, 90pc duty cycle)	WLAN	Contract of the last	and the second se
distant per statuti	Contractor (Contractor)	and the state of t		8.97	±9,6
10606	AAD	IEEE 802.11n (HT Mixed, 40 MHz, MCS7, 90pc duty cycle)	WLAN	8.82	±9.6
10607	AAD	IEEE 802.11ac WIFI (20 MHz; MCS0, 90pc duty cycle)	WLAN	8.64	±9.6
0608	AAD	IEEE 802.11ac WIFI (20.MHz, MCS1, 90pc duty cycle)	WLAN	8.77	19.6

Certificate No: EX-7655_May24

Page 15 of 21





May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E & =
0609	AAD	IEEE 802.11ac WIFI (20 MHz, MCS2, 90pc duty cycle)	WLAN	8.57	±9.6
0610	AAD	IEEE 802.11ac WIFI (20 MHz, MCS3, 90pc duty cycle)	WLAN	8.78	±9.6
0611	AAD	IEEE 802.11 ac WIFI (20 MHz, MCS4, 90pc duty cycle)	WLAN	8.70	±9.6
0612	AAD	IEEE 802.11ac WIFI (20 MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.6
0613	AAD	IEEE 802.11ac WIFI (20 MHz, MCS6, 90pc duty cycle)	WLAN	8.94	19.5
0614	AAD	IEEE 802.11ac WIFI (20 MHz, MCS7, 90pc duty cycle)	WLAN	8.59	±9.6
0615	AAD	IEEE 802.11ac WIFI (20 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	±9.6
0616	AAD	IEEE 802.11ac WIFI (40 MHz, MCS0, 90pc duty cycle)	WLAN	8.82	±9.6
0617	AAD	IEEE 802.11ac WIFI (40 MHz, MCS1, 90pc duty cycle)	WLAN	8.81	±9.6
	and the second second	IEEE 802 11ac WFF (40 MHz, MCS2, 90pc duty cycle)	WLAN	8.58	±9.6
0618	AAD	IEEE 802 11ac WFI (40 MHz, MCS3, 90pc duty cycle)	WLAN	8.86	±9.6
0619	and the strends of	IEEE 802 11ac WFI (40 MHz, MCS4, 90pc duty cycle)	WLAN	8.87	±9.6
0620	AAD	IEEE 802 11ac WFI (40 MHz, WCS5, 90pc duty cycle)	WLAN	8.77	±9.6
0621	AAD		WLAN	8.68	±9.6
0622	AAD	IEEE 802.11ac WFI (40 MHz, MCS6, 90pc duty cycle)	WLAN	8.82	±9.6
0623	AAD	IEEE 802.11ac WIFI (40 MHz, MCS7, 90pc duty cycle)	WLAN	8.96	±9.6
0624	AAD	IEEE 802.11ac WIFI (40 MHz, MCS8, 90pc duty cycle)	WLAN	8.96	±9.6
0625	AAD	IEEE 802.11ac WIFI (40 MHz, MCS9, 90pc duty cycle)	WLAN	8.83	±9.6
0626	AAD	IEEE 802.11ac WIFI (80 MHz, MCS0, 90pc duty cycle)	WLAN	8.88	19.6
0627	AAD	IEEE 802.11ac WIFI (80 MHz, MCS1, 90pc duly cycle)		8.71	
0628	AAD	IEEE 802.11ac WiFi (80 MHz, MCS2, 90pc duty cycle)	WLAN	8.85	±9.6 ±9.6
0629	AAD	IEEE 802,11ac WIFI (80 MHz, MCS3, 90pc duty cycle)	WLAN	and the second se	And the second sec
0630	AAD	IEEE 802.11ac WiFi (80 MHz, MCS4, 90pc duty cycle)	WLAN	8.72	±9.6
0-631	AAD	IEEE 802.11ac WIFI (80 MHz, MCS5, 90pc duty cycle)	WLAN	8.81	±9.6
0632	AAD	IEEE 802.11ac WIFI (80 MHz, MCS6, 90pc duty cycle)	WLAN	8.74	±9.6
0633	AAD	IEEE 802.11ac WIFI (80 MHz, MCS7, 90pc duty cycle)	WLAN	8.83	±9.6
0634	CAA.	IEEE 802.11ac WIFI (80 MHz, MCS8, 90pc duty cycle)	WLAN	8.80	±9.6
0635	AAD	IEEE 802.11ac WiFi (80 MHz, MCS9, 90pc duty cycle)	WLAN	8.81	±9.6
0636	AAE	IEEE 802.11ac WIFI (160 MHz, MCS0, 90pc duty cycle)	WLAN	8.83	±9.6
0637	AAE	IEEE 802.11ac WIFI (160 MHz, MCS1, 90pc duty cycle)	WLAN	8.79	±9.6
0638	AAE	IEEE 802.11ac WiFi (160 MHz, MCS2, 90pc duty cycle)	WLAN	8.86	19.6
0639	AAE	IEEE 802.11ac WIFI (160 MHz, MCS3, 90pc duty cycle)	WLAN	8.85	±9.6
0640	AAE	IEEE 802.11ac WiFi (160 MHz, MCS4, 90pc duty cycle)	WLAN	8.98	±9.8
0641	AAE	IEEE 802 11ac WIFI (160 MHz, MCS5, 90pc duty cycle)	WLAN	9.05	±9.6
0642	AAE	IEEE 802.11ac WIFI (180 MHz, MCS6, 90pc duty cycle)	WLAN	9.06	±9.6
0.643	AAE	IEEE 802.11ac WIFI (160 MHz, MCS7, 90pc duty cycle)	WLAN	8.89	±9.6
0644	AAE	IEEE 802.11ac WFI (160 MHz, MCS8, 90pc duty cycle)	WLAN	9.05	±9.6
10645	AAE	IEEE 802.11ac WFI (160 MHz, MCS9, 90pc duty cycle)	WLAN	9.11	±9.6
0646	AAH	LTE-TDD (SC-FDMA, 1 R8, 5MHz, QPSK, UL Subframe=2,7)	LTE-TDD	11.96	±9.6
10647	AAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	LTE-TDO	11.96	±9.6
0648	AAA	CDMA2000 (1x Advanced)	CDMA2000	3.45	±9.6
0652	AAF	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	8.91	±9.6
0.653	AAF	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	±9.6
0654	AAE	LTE-TDD (OFDMA, 15MHz, E-TM 3.1, Clipping 44%)	LTE-TDO	6.66	±9.6
0655	AAF	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.25	±9.6
0658	AAE	Pulse Waveform (200Hz, 10%)	Test	10.00	±9.6
10659	AAB	Pulse Waveform (200Hz, 20%)	Test	6.99	±9.6
10660	AAB	Puise Waveform (200Hz, 40%)	Test	3.98	29.6
10661	AAB	Pulse Waveform (200Hz, 60%)	Test	2.22	#9.0
	AAB	Pulse Weveform (200Hz, 80%)	Test	0.97	19.6
10662	AAA	and the second	Bluetooth	2.19	19.6
0670	AAC	Bluetooth Low Energy IEEE 802 11ax (20 MHz, MCS0, 90pc duty cycle)	WLAN	9.09	19.6
10671	1.		WLAN	8.57	19.6
10672	AAC	IEEE 802.11ax (20 MHz, MCS1, 90pc duty cycle)	WLAN	8.78	19.6
10673	AAC	IEEE 802.11ax (20 MHz, MCS2, 90pc duty cycle)	WLAN	8.74	19.6
10674	AAC	IEEE 802.11ax (20 MHz, MCS3, 90pc duty cycle)	and the second se		
10675		IEEE 802.11ax (20 MHz, MCS4, 90pc duty cycle)	WLAN	8.90	19.6
10676	and the second second second	IEEE 802.11ax (20 MHz, MCS5, 90pc duty cycle)	WLAN	8.77	±9.0
10677		IEEE 802.11ax (20 MHz, MCS6, 90pc duty cycle)	WLAN	8.73	19.6
10678	AAC	IEEE 802.11ax (20 MHz, MCS7, 90pc duty cycle)	WLAN	8.78	±9.6
10679		IEEE 802.11ax (20 MHz, MCSB, 90pc duty cycle)	WLAN	8.89	±B.6
10680	and the second states	IEEE 802.11ax (20 MHz, MCS9, 90pc duty cycle)	WLAN	8.80	±9.6
10681	AAC	IEEE 802.11ax (20 MHz, MCS10, 90pc duty cycle)	WLAN	8.62	±9.6
10682	and the second	IEEE 802.11ax (20 MHz, MCS11, 90pc duty cycle)	WLAN	9.83	±9.0
10683		IEEE 802.11ax (20 MHz, MCS0, 99pc duty cycle)	WLAN	8.42	±9.6
10684	AAC	IEEE 802.11ax (20 MHz, MCS1, 99pc duty cycle)	WLAN	8.26	±9.6
10685	AAC	IEEE 802.11ax (20 MHz, MCS2, 99pc duty cycle)	WLAN	8.33	±9.6
10686	AAC	IEEE 802.11ax (20 MHz, MCS3, 99pc duty cycle)	WLAN	8.28	±9.6

Certificate No: EX-7655_May24

Page 16 of 21



May 28, 2024

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E k =
10687	AAC	IEEE 802.11ax (20 MHz, MCS4, 99pc duty cycle)	WLAN	8.45	±9.6
0688	AAC	IEEE 802.11ax (20 MHz, MCS5, 99pc duty cycle)	WLAN	8.29	±9.6
0689	AAC	IEEE 802.11ax (20 MHz, MCS6, 99pc duty cycle)	WLAN	8.55	±9.6
0690	AAC	IEEE 802.11ax (20 MHz, MCS7, 99pc duty cycle)	WLAN	8.29	19.6
0.691	AAC	IEEE 802.11ax (20 MHz, MCS8, 99pc duty cycle)	WLAN	8.25	±9.6
0.692	AAC	IEEE 802.11ax (20 MHz, MCS9, 99pc duty cycle)	WLAN	8.29	±9.6
0 693	AAC	IEEE 802.11ax (20 MHz, MCS10, 99pc duty cycle)	WLAN	8.25	59.6
0694	AAC	IEEE 802.11ax (20 MHz, MCS11, 99pc duty cycle)	WLAN	8.57	±9.6
0.695	AAC	IEEE 802.11ax (40 MHz, MCS0, 90pc duty cycle)	WLAN	8.78	±9.6
0696	AAC	IEEE 802.11ax (40 MHz, MCS1, 90pc duty cycle)	WLAN	8.91	±9.6
0697	AAC	IEEE 802 11ax (40 MHz, MCS2, 90pc duty cycle)	WLAN	8.61	±9.6
0.698	AAC	IEEE 802.11ax (40 MHz, MCS3, 90pc duty cycle)	WLAN	8.89	±9.6
0.699	AAC	IEEE 802.11ax (40 MHz, MCS4, 90pc duty cycle)	WLAN	8.82	±9.6
	AAC	IEEE 802.11ax (40 MHz, MCS5, 90pc duty cycle)	WLAN	8.73	±9.6
0700	AAC	and the second	WLAN	8.86	±9.6
10701	and a statement	IEEE 802.11ax (40 MHz, MCS6, 90pc duty cycle)	WEAN	8.70	±9.6
0702	AAC	IEEE 802.11ax (40 MHz, MCS7, 90pc duty cycle)	WLAN	8.82	±9.6
0703	AAC	IEEE 802.11ax (40 MHz, MCS8, 90pc duty cycle)		in the second	
10704	AAC	IEEE 802.11ax (40 MHz, MCS9, 90pc duty cycle)	WLAN	8.56	29.5
0705	AAC	IEEE 802.11ax (40 MHz, MCS10, 90pc duty cycle)	WLAN	8.69	±9.6
10706	AAC	IEEE 802.11ax (40 MHz, MCS11, 90pc duty cycle)	WLAN	8.68	±9.6
10707	AAC	IEEE 802.11ax (40 MHz, MCS0, 99pc duty cycle)	WLAN	8.32	±9.6
10708	AAC	IEEE 802.11ax (40 MHz, MCS1, 99pc duty cycle)	WLAN	8.56	±9.6
10709	AAC	IEEE 802.11ax (40 MHz, MCS2, 99pc duty cycle)	WLAN	8.33	±9,6
10710	AAC	IEEE 802.11ax (40 MHz, MCS3, 99pc duty cycle)	WLAN	8.29	±9.6
10711	AAC	IEEE 802.11ax (40 MHz, MCS4, 99pc duty cycle)	WLAN	8.39	±9.6
10712	AAC	IEEE 802.11ax (40 MHz, MCS5, 99pc duty cycle)	WLAN	8.67	±9.6
10713	AAC	IEEE 802.11ax (40 MHz, MCS6; 99pc duty cycle)	WLAN	8.33	±9.6
10714	AAC	IEEE 802.11ax (40 MHz, MCS7, 99pc duty cycle)	WLAN.	8.26	±9.6
10715	AAC	IEEE 802.11ax (40 MHz, MCS8, 99pc duty cycle)	WLAN	8.45	±9.6
10716	AAC	IEEE 802.11ax (40 MHz, MCS9, 99pc duty cycle)	WLAN	8,30	±9.6
10717	AAC	IEEE 802.11ax (40 MHz, MCS10, 99pc duty cycle)	WLAN	8.48	±9.6
10718	AAC	IEEE 802.11ax (40 MHz, MCS11, 99pc duty cycle)	WLAN	8.24	±9.6
10719	AAC	IEEE 802.11ax (80 MHz, MCS0, 90pc duty cycle)	WLAN	8.81	19.6
10720	AAC	IEEE 802.11ax (80 MHz, MCS1, 90pc duty cycle)	WLAN	8.87	±9.6
10721	AAC	IEEE 802.11ax (80 MHz, MCS2, 90pc duty cycle)	WLAN	8.76	±9.6
10722	AAC	IEEE 802.11ax (80 MHz, MCS3, 90pc duty cycle)	WLAN	8.55	±9.6
10723	AAC	IEEE 802.11ax (80 MHz, MCS4, 90pc duty cycle)	WLAN	8.70	19.6
10724	AAC	IEEE 802.11ax (80 MHz, MCS5, 90pc duty cycle)	WLAN	8.90	±9.6
10725	AAC	IEEE 802.11ax (80 MHz, MCS6, 90pc duty cycle)	WLAN	8.74	±9.5
10726	AAC	IEEE 802 11ax (80 MHz, MCS7, 90pc duty cycle)	WLAN	8.72	±9.8
10727	AAC	IEEE 802.11ax (80 MHz, MCS8, 90pc duty cycle)	WLAN	8.65	19.6
10728	AAC	IEEE 802.11ax (80 MHz, MCS9, 90pc duty cycle)	WLAN	8.65	±9.6
10729	AAC	IEEE 802.11ax (80 MHz, MCS10, 90pc duty cycle)	WLAN	8.64	19.6
10730	AAC	IEEE 802.11ax (80 MHz, MCS11, 90pc duty cycle)	WLAN	8.67	19.6
10731	AAC	IEEE 802.11ax (80 MHz, MCS0, 99pc duty cycle)	WLAN	8.42	19.6
10732	AAC	IEEE 802.11ax (80 MHz, MCS1, 99pc duty cycle)	WLAN	8.46	19.6
10733	AAC	IEEE 802.11ax (80 MHz, MCS2, 99pc duty cycle)	WLAN	8.40	19.6
10734	AAC	IEEE 802.11ax (80 MHz, MCS3, 99pc duty cycle)	WLAN	8.25	19.6
10735	AAC	IEEE 802.11ax (80 MHz, MCS4, 99pc duty cycle)	WLAN	8.33	19.6
10736	AAC	IEEE 802,11ax (80 MHz, MC55, 99pc duty cycle)	WLAN		
10736	AAC	IEEE 802.11ax (80 MHz, MCS6, 99pc duty cycle)		8.27	±9.6
10737	AAC		WLAN	8.36	19.6
rind simble are	AAG	IEEE 802.11ax (80 MHz, MCS7, 99pc duty cycle)	WLAN:	8.42	19.6
10739		IEEE 802.11ax (80 MHz, MCS8, 99pc duty cycle)	WLAN	8.29	19.6
10740	AAC	IEEE 802.11ax (80 MHz, MCS9, 99pc duty cycle)	WLAN	8.48	±9.6
10741	AAC	IEEE 802.11ax (80 MHz, MCS10, 99pc duty cycle)	WLAN	8.40	19.6
10742	and state in the local division in the local	IEEE 802.11ax (80 MHz, MCS11, 99pc duty cycle)	WLAN	8.43	±9.6
10743	-	IEEE 802.11ax (160 MHz, MCS0, 90pc duty cycle)	WLAN	8.94	19.6
10744	AAC	IEEE 802.11ax (160 MHz, MCS1, 90pc duty cycle)	WLAN	9.16	±9.6
10745	AAC	IEEE 802.11ax (160 MHz, MCS2, 90pc duty cycle)	WLAN	8.93	±9.6
10746	AAC	IEEE 802.11ax (160 MHz, MCS3, 90pc duty cycle)	WLAN	9.11	±9.6
10747	AAC	IEEE 802.11ax (160 MHz, MCS4, 90pc duty cycle)	WLAN	9.04	±9.6
10748	AAC	IEEE 802.11ax (160 MHz, MCS5, 90pc duty cycle)	WLAN	8.93	±9,6
10749	AAC	IEEE 802.11ax (160 MHz, MCS6, 90pc duty cycle)	WLAN	8.90	±9.6
10750	AAC	IEEE 802.11ax (160 MHz, MCS7, 90pc duty cycle)	WLAN	8.79	±9.6
10751	AAC	IEEE 802.11ax (160 MHz, MCS8, 90pc duty cycle)	WLAN	8.82	±9.6
10752	AAC.	IEEE 802.11ax (160 MHz, MCS9, 90pc duty cycle)	WLAN	8.81	±9.6

Certificate No: EX-7655_May24

Page 17 of 21





May 28, 2024

UID	Bey	Communication System Name	Group	PAR (d8)	Unc ^E k =
0753	AAC	IEEE 802.11ax (160 MHz, MCS10, 90pc duty cycle)	WLAN	9:00	±9.6
0.754	AAC	IEEE 802.11ax (160 MHz, MCS11, 90pc duty cycle)	WLAN	8.94	±9.6
0.765	AAC	IEEE 802.11ax (160 MHz, MCS0, 99pc duty cycle)	WLAN	8.64	±9.6
0756	AAC	IEEE 802.11ax (160 MHz. MCS1, 99pc duty cycle)	WLAN	8.77	±9.6
0757	AAC	IEEE 802.11ax (160 MHz, MCS2, 99pc duty cycle)	WLAN	8.77	±9.6
0758	AAC	IEEE 802 11ax (160 MHz, MCS3, 99pc duty cycle)	WEAN	8.69	19.6
0759	AAC	IEEE 802.11ax (160 MHz, MCS4, 99pc duty cycle)	WEAN	8.58	±9.6
0760	AAC	IEEE 802.11ax (160 MHz, MCS5, 99pc duty cycle)	WLAN	8.49	1.9.6
	AAC	IEEE 802.11ax (160 MHz, MCS6, 99pc duty cycle)	WLAN	8.56	±9.6
0761	AAC	IEEE 802.11ax (160 MHz, MCS7, 99pc duty cycle)	WLAN	8.49	±9.6
0762	AAC	IEEE 802.11ax (160 MHz, MCS8, 95pc duty cycle)	WLAN	8.53	±9.6
_	AAC	IEEE 802.11ax (160 MHz, MCS9, 99pc duty cycle)	WLAN	8.54	±9.6
0764	AAC	EEE 802,11ax (160 MHz, MCS10, 99pc duty cycle)	WLAN	8.54	±9.6
0766	AAC	IEEE 802.11ax (160 MHz, MCS11, 99pc duty cycle)	WLAN	8.51	±9.6
0766	- and an other parts	SG NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15kHz)	5G NR FR1 TDD	7.99	±9.6
0767	AAG	SG NR (CP-OFDM, 1 RB, 10 MHz, GPSK, 15 kHz)	SG NR FR1 TDD	8.01	19.6
0768	AAE	 The data of the second sec second second sec	5G NR FR1 TDD	8.01	19.6
0769	AAD	5G NR (CP-OFDM, 1 RB, 15MHz, OPSK, 15kHz)	5G NR FR1 TDD	8.02	±9.6
0770	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.02	19.6
0771	AAD	5G NR (CP-OFDM, 1 RB, 25MHz, OPSK, 15kHz)	5G NR FRI TDD	8.23	19.0
0772	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, OPSK, 15 kHz)	SG NR FR1 TDD	8.03	19.6
0773	AAF	5G NR (CP-OFDM, 1 RB, 40 MHz, OPSK, 15 kHz)	and the standard st	8.03	19.6
0774	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, OPSK, 15 kHz)	5G NR FR1 TDD 5G NR FR1 TDD	8.02	±9.0 ±9.6
0775	AAF	5G NR (CP-OFDM, 50% RB, 5MHz, QPSK, 15kHz)	Contraction of the second s		
0.776	AAE	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	±9.6
0777	AAC	5G NR (CP-OFOM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	±9.6
10778	AAE	5G NR (CP-OFOM, 50% RB, 20 MHz, QPSK, 15 kHz)	50 NR FR1 TOD	8.34	±9.6
0779	AAC	5G NR (CP-OFOM, 50% RB, 25MHz, QPSK, 15kHz)	5G NR FR1 TDD	8.42	±9.6
0780	AAE	SG NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	±9.6
10781	AAF	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	8.6.8
10782	AAE	5G NR (CP-OFDM, 50% RB, 50 MHz, OP5K, 15 kHz)	5G NR FR1 TDD	8.43	主9.6
10783	AAG.	5G NR (CP-OFDM, 100% RB, 5MHz, QPSK, 15kHz)	5G NR FR1 TD0	8.31	±9.6
10784	AAE	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	±9.6
10785	AAD	5G NR (CP-OFDM, 102% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	±9.6
10786	AAE	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	50 NR FR1 TOD	8.35	±9.6
10787	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	:8.6
10788	AAE	50 NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.39	19.6
10789	AAF	5G NR (CP-OFDM, 100% R8, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	:±9.6
10790	AAE	5G NR (CP-OFDM, 100% RB, 50 MHz, GPSK, 15 kHz)	5G NR FR1 TDD	8.39	±9.6
10791	AAG	5G NR (CP-OFDM, 1 RB, 5MHz, QPSK, 30kHz)	5G NR FR1 TDD	7.83	±9.6
10792	AAE	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	±9.5
10793	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	±9.6
10794	AAE	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDO	7.82	±0.8
10795	DAA	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	±9.6
10796	AAE	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	±9.6
10797	AAF	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	±9.6
10798	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	±9.6
10799	AAF	5G NR (CP-OFDM, 1 R8, 60 MHz, QPSK, 30 kHz)	50 NR FR1 TDD	7.93	±9.6
10801	AAF	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	±9.6
10802	AAE	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	56 NR FR1 TDD	7.87	±9.6
10803	AAF	5G NR (CP-OFDM, 1 R8, 100 MHz, QP5K, 30 kHz)	5G NR FR1 TDD	7.93	±9.6
10805	AAE	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	19.6
10806	in the second second	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	±9.6
10.809		5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDO	8.54	±9.6
10810	and the second second	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 T00	8.34	±9.6
10812		5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	±9.6
10817	and the state of the state	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	±9.6
0818		5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 T00	8.34	±9.6
10819	And in the Party of the Party o	53 NR (CP-OFDM, 100% RB, 15MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	±9.6
10820		5G NR (CP-OFDM, 100% R8, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	29.6
10.821		5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	±9.6
10822	and the state of the	5G NR (CP-OFDM, 100% R8, 30 MHz, QPSK, 30 KHz)	5G NR FR1 TDD	8.41	19.6
10823	-	5G NR (CP-OFDM, 100% R8, 40 MHz, GPSK, 30 kHz)	5G NR FR1 TDD	8.36	29.6
10823	and the second second	5G NR (CP-OFDM, 100% R8, 40 MHz, GPSK, 30 KHz)	5G NR FR1 TDD	and the second se	and the second se
10.824	and the second second			8.39	±9.6
	-	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	B.41	±9.6
10827	and the second second	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	±9.6
10828	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	±9.6

Certificate No: EX-7655_May24

Page 18 of 21



May 28, 2024

	Group	PAR (dB)	Unc ^E k =
PSK, 30 kHz)	5G NR FR1 TDD	8.40	±9.6
i0 kHz)	5G NR FR1 TDD	7.63	±9.6
i0 kHz)	50 NR FR1 TDD	7.73	±9.6
i0 kHz)	5G NR FR1 TDD	7.74	±9.6
	5G NR FR1 TDD	7.70	±9.6
i0 kHz)	50 NR FR1 T00	7.75	±9.6
(C NHz)	SG NR FR1 TDD	7.70	±9.6
i0 kHz)	the state of the second s		±9.6
i0 kHz)	5G NR FR1 TDD	7.66	
l0 kHz)	50 NR FR1 TDD	7:68	±9.6
i0 kHz)	5G NR FR1 TDO	7,70	±9.6
(O kHz)	50 NR FR1 TDD	7.67	±9.6
60 kHz)	5G NR FR1 TDD	7,71	±9.6
K, 60 kHz)	5G NR FR1 TDD	8.49	±9.6
K, 60 kHz)	5G NR FR1 TDD	8.34	±9.6
K, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
SK, 60 kHz)	5G NR FR1 TDD	8.34	±9.6
SK, 60 kHz)	5G NR FR1 TDD	8.36	±9.6
SK, 60 kHz)	5G NR FR1 TOD	8.37	±9.8
SK, 60 kHz)	5G NR FR1 TDD	8.35	±9.6
SK, 60 kHz)	5G NR FR1 TDD	8.36	±9.6
SK, 00 kHz)	5G NR FR1 TDD	8.34	±9.6
SK, 60 kHz)	5G NR FR1 TDD	8.41	±9.6
SK, 60 kHz)	5G NR FR1 TDD	8.40	±9.6
SK, 80 kHz)	5G NR FR1 TDD	8.41	±9.6
SK, 60 kHz)	5G NR FR1 TDD	8.37	±9.6
	5G NR FR1 TDD	8,41	±9.6
PSK, 60 kHz)	5G NR FR1 TDD	5.68	±9.6
SK, 30 kHz)	and the balance of the second s	201 C 20	and the second s
QPSK, 30kHz)	5G NR FR1 TDD	5.89	29.6
5K, 120 kHz)	5G NR FR2 TDD	5,75	±9.6
QPSK, 120 kHz)	5G NR FR2 TDD	5.86	±9.6
IAM, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
16QAM, 120 kHz)	5G NR FR2 TDD	6.52	±9.6
IAM, 120 kHz)	5G NR FR2 TDD	6.61	±9.6
64QAM, 120kHz)	5G NR FR2 TDD	6.65	±9.6
120 kHz)	5G NR FR2 TDD	7.78	±9.6
PSK, 120 kHz)	5G NR FR2 TDD	8.39	±9.6
A, 120 kHz)	5G NR FR2 TDD	7.95	±9.6
IQAM, 120 kHz)	5G NR FR2 TDD	8.41	±9.6
A, 120 kHz)	5G NR FR2 TDD	B.12	±9.6
QAM, 120 kHz)	5G NR FR2 TOD	8.38	±9.6
K, 120 kHz)	5G NR FR2 TOD	5.75	±9.6
OPSK, 120 kHz)	5G NR FR2 TDD	5.96	±9.6
4M, 120 kHz)	5G NR FR2 TDD	6.57	±9.6
16QAM, 120 kHz)	5G NR FR2 TDD	6.53	±9.6
AM, 120 kHz)	5G NR FR2 TDD	6.61	±9.6
54QAM, 120 kHz)	5G NR FR2 TOD	6.65	±9.6
120 kHz)	5G NR FR2 TDD	7.78	19.6
SK. 120 kHz)	5G NR FR2 TDD	8.35	
SR, 120 KHZ) , 120 kHz)	SG NR FR2 TDD		±9.6
		8.02	±9.6
DAM, 120kHz)	5G NR FR2 TDD	8.40	±9.6
. 120 kHz)	5G NR FR2 TOD	8.13	19,8
QAM, 120 kHz)	5G NR FR2 TDD	8.41	±9.6
, 30 kHz)	5G NR FR1 TDD	5.68	19.6
K, 30 kHz)	5G NR FR1 TDD	5.67	19.8
K, 30 KHz)	5G NR FR1 TDD	5.67	±9.6
K, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
K, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
K, 30 kHz)	5G NR FR1 TDD	5.68	19.6
K, 30 kHz)	5G NR FR1 TDD	5.68	±9.8
K, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
K, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
K, 30 kHz)	5G NR FR1 TDD	5.68	19.6
(5010 L) (SK, 30 kHz)	5G NR FR1 TDD	5.78	±9.6
PSK, 30 kHz)	5G NR FR1 TDD	5.93	±9.6
and the second se			-
And the set of the state of the	and the second sec		±9.6 ±9.6
	PSK, 30 kHz) PSK, 30 kHz)		the second se

Certificate No: EX-7655_May24

Page 19 of 21