


Report No.: SEWA2205000015RG02

Rev.: 01

Page: 67 of 98






1-N66--15-10-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0
-Ant1-seegraph-PASS-see graph

1-N66--15-10-L-3-DFT-PI2BPSK-Outer_Full-50@0
-Ant1-seegraph-PASS-see graph





1-N66--15-10-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant 1-seegraph-PASS-see graph

1-N66--15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant 1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi

South of No. 6 Pfart, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sg t (86–512) 62992980 sgs.chir


sgs.china@sgs.com




Report No.: SEWA2205000015RG02

Rev.: 01


Page: 68 of 98






1-N66--15-10-H-2-DFT-PI2BPSK-Edge_1RB_Right-1 @51-Ant1-seegraph-PASS-see graph

1-N66--15-10-H-3-DFT-PI2BPSK-Outer_Full-50@ 0-Ant1-seegraph-PASS-see graph





1-N66--15-10-H-5-CP-QPSK-Edge_1RB_Right-1@51-Ant1-seegraph-PASS-see graph

1-N66--15-10-H-6-CP-QPSK-Outer_Full-52@0-An t1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 sgs

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2205000015RG02

Rev.: 01


Page: 69 of 98






1-N66--15-15-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0
-Ant1-seegraph-PASS-see graph

1-N66--15-15-L-3-DFT-PI2BPSK-Outer_Full-75@0
-Ant1-seegraph-PASS-see graph





1-N66--15-15-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant 1-seegraph-PASS-see graph

1-N66--15-15-L-6-CP-QPSK-Outer_Full-79@0-Ant 1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2205000015RG02

Rev.: 01


Page: 70 of 98





1-N66--15-15-H-2-DFT-PI2BPSK-Edge_1RB_Right-1 @78-Ant1-seegraph-PASS-see graph

1-N66--15-15-H-3-DFT-PI2BPSK-Outer_Full-75@ 0-Ant1-seegraph-PASS-see graph





1-N66--15-15-H-5-CP-QPSK-Edge_1RB_Right-1@78-Ant1-seegraph-PASS-see graph

1-N66--15-15-H-6-CP-QPSK-Outer_Full-79@0-An t1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www t (86–512) 62992980 sgs.


www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2205000015RG02

Rev.: 01


Page: 71 of 98






1-N66--15-20-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0
-Ant1-seegraph-PASS-see graph

1-N66--15-20-L-3-DFT-PI2BPSK-Outer_Full-100@ 0-Ant1-seegraph-PASS-see graph





1-N66--15-20-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant 1-seegraph-PASS-see graph 1-N66--15-20-L-6-CP-QPSK-Outer_Full-106@0-A nt1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi


South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2205000015RG02


Rev.: 01


Page: 72 of 98





1-N66--15-20-H-2-DFT-PI2BPSK-Edge_1RB_Right-1 @105-Ant1-seegraph-PASS-see graph 1-N66--15-20-H-3-DFT-PI2BPSK-Outer_Full-100 @0-Ant1-seegraph-PASS-see graph





1-N66--15-20-H-5-CP-QPSK-Edge_1RB_Right-1@105
-Ant1-seegraph-PASS-see graph

1-N66--15-20-H-6-CP-QPSK-Outer_Full-106@0-A nt1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 w t (86–512) 62992980 sg

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2205000015RG02

Rev.: 01


Page: 73 of 98






1-N66--15-30-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0
-Ant1-seegraph-PASS-see graph

1-N66--15-30-L-3-DFT-PI2BPSK-Outer_Full-160@ 0-Ant1-seegraph-PASS-see graph





1-N66--15-30-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant 1-seegraph-PASS-see graph

1-N66--15-30-L-6-CP-QPSK-Outer_Full-160@0-A nt1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2205000015RG02


Rev.: 01


Page: 74 of 98





1-N66--15-30-H-2-DFT-PI2BPSK-Edge_1RB_Right-1 @159-Ant1-seegraph-PASS-see graph 1-N66--15-30-H-3-DFT-PI2BPSK-Outer_Full-160 @0-Ant1-seegraph-PASS-see graph





1-N66--15-30-H-5-CP-QPSK-Edge_1RB_Right-1@159
-Ant1-seegraph-PASS-see graph

1-N66--15-30-H-6-CP-QPSK-Outer_Full-160@0-A nt1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2205000015RG02

Rev.: 01

Page: 75 of 98






1-N66--15-40-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0
-Ant1-seegraph-PASS-see graph

1-N66--15-40-L-3-DFT-PI2BPSK-Outer_Full-216@ 0-Ant1-seegraph-PASS-see graph





1-N66--15-40-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant 1-seegraph-PASS-see graph

1-N66--15-40-L-6-CP-QPSK-Outer_Full-216@0-A nt1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 ww t (86–512) 62992980 sgs


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2205000015RG02

Rev.: 01

Page: 76 of 98



MultiView * Spectrum

Ref Lead 200 die - Office 5.74 di - Mode Sonerg

Court \$0/00

1 Sonetous Entitions

1 Reg

1 Sonetous Entitions


1 Reg


2 Reg

1 Reg

1-N66--15-40-H-2-DFT-PI2BPSK-Edge_1RB_Right-1 @215-Ant1-seegraph-PASS-see graph

1-N66--15-40-H-3-DFT-PI2BPSK-Outer_Full-216 @0-Ant1-seegraph-PASS-see graph





1-N66--15-40-H-5-CP-QPSK-Edge_1RB_Right-1@215
-Ant1-seegraph-PASS-see graph

1-N66--15-40-H-6-CP-QPSK-Outer_Full-216@0-A nt1-seegraph-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi


Report No.: SEWA2205000015RG02

Rev.: 01

Page: 77 of 98

Conducted Spurious Emission for SA

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi


OF ### 11: CML OCCENE K (2/25 S.COM | Sound M No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 郎線: 215000



Report No.: SEWA2205000015RG02

Rev.: 01

Page: 78 of 98





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi


South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2205000015RG02

Rev.: 01

Page: 79 of 98





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi


South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2205000015RG02

Rev.: 01

Page: 80 of 98





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comditi


|South of No. 6 Plant, No. 1, Rumshang Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6月厂房南部 邮编: 215000




Report No.: SEWA2205000015RG02

Rev.: 01

Page: 81 of 98





1-N66--15-40-H-1-DFT-PI2BPSK-Inner_1RB_Left-1 @1-3000-12000-Ant1--37.72--13-PASS 1-N66--15-40-H-1-DFT-PI2BPSK-Inner_1RB_Left-1 @1-12000-20000-Ant1--34.27--13-PASS





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 82 of 98

Field Strength of Spurious Radiation

Test Band = SA Band66_ TM1
Test Channel = Low

Final	Data List								
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3422.1800	50.56	-112.09	-61.53	-13.00	48.53	136	224	Horizontal
2	5133.2700	49.00	-107.65	-58.65	-13.00	45.65	251	164	Horizontal
3	6844.3600	48.84	-103.51	-54.67	-13.00	41.67	164	0	Horizontal
4	8555.4500	46.40	-99.06	-52.66	-13.00	39.66	195	316	Horizontal
5	10266.5400	43.36	-95.66	-52.30	-13.00	39.30	172	118	Horizontal
6	11977.6300	40.35	-93.83	-53.48	-13.00	40.48	230	286	Horizontal

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily				
1	3422.1800	51.97	-112.09	-60.12	-13.00	47.12	136	225	Vertical				
2	5133.2700	49.62	-107.65	-58.03	-13.00	45.03	251	105	Vertical				
3	6844.3600	49.86	-103.51	-53.65	-13.00	40.65	164	105	Vertical				
4	8555.4500	45.58	-99.06	-53.48	-13.00	40.48	195	211	Vertical				
5	10266.5400	43.18	-95.66	-52.48	-13.00	39.48	174	3	Vertical				
6	11977.6300	41.08	-93.83	-52.75	-13.00	39.75	180	125	Vertical				





Report No.: SEWA2205000015RG02

Rev.:

Page: 83 of 98

Test Band = SA Band66_ TM1 Test Channel = Mid

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3472.1800	51.79	-112.03	-60.24	-13.00	47.24	236	150	Horizontal				
2	5208.2700	49.00	-107.54	-58.54	-13.00	45.54	161	164	Horizontal				
3	6944.3600	48.34	-103.10	-54.76	-13.00	41.76	154	150	Horizontal				
4	8680.4500	46.98	-99.00	-52.02	-13.00	39.02	195	344	Horizontal				
5	10416.5400	42.76	-95.36	-52.60	-13.00	39.60	142	209	Horizontal				
6	12152.6300	43.51	-93.59	-50.08	-13.00	37.08	231	135	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3472.1800	50.80	-112.03	-61.23	-13.00	48.23	251	212	Vertical				
2	5208.2700	49.81	-107.54	-57.73	-13.00	44.73	188	2	Vertical				
3	6944.3600	49.24	-103.10	-53.86	-13.00	40.86	194	301	Vertical				
4	8680.4500	47.83	-99.00	-51.17	-13.00	38.17	172	347	Vertical				
5	10416.5400	42.62	-95.36	-52.74	-13.00	39.74	230	16	Vertical				
6	12152.6300	42.35	-93.59	-51.24	-13.00	38.24	132	150	Vertical				





Report No.: SEWA2205000015RG02

Rev.:

84 of 98 Page:

Test Band = SA Band66_ TM1 Test Channel = High

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3522.1800	50.32	-111.95	-61.63	-13.00	48.63	189	125	Horizontal				
2	5283.2700	49.37	-107.47	-58.10	-13.00	45.10	174	344	Horizontal				
3	7044.3600	47.86	-102.91	-55.05	-13.00	42.05	169	41	Horizontal				
4	8805.4500	46.37	-98.43	-52.06	-13.00	39.06	154	238	Horizontal				
5	10566.5400	42.98	-94.81	-51.83	-13.00	38.83	182	26	Horizontal				
6	12327.6300	42.17	-93.62	-51.45	-13.00	38.45	230	300	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3522.1800	53.28	-111.95	-58.67	-13.00	45.67	111	316	Vertical				
2	5283.2700	49.66	-107.47	-57.81	-13.00	44.81	269	29	Vertical				
3	7044.3600	48.40	-102.91	-54.51	-13.00	41.51	199	1	Vertical				
4	8805.4500	46.30	-98.43	-52.13	-13.00	39.13	184	29	Vertical				
5	10566.5400	42.94	-94.81	-51.87	-13.00	38.87	175	332	Vertical				
6	12327.6300	42.51	-93.62	-51.11	-13.00	38.11	211	58	Vertical				





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 85 of 98

Test Band = NSA 13A-n66A_ TM1
Test Channel = Low

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3424.1800	50.79	-112.08	-61.29	-13.00	48.29	158	1	Horizontal				
2	5136.2700	48.59	-107.64	-59.05	-13.00	46.05	148	15	Horizontal				
3	6848.3600	47.87	-103.50	-55.63	-13.00	42.63	195	314	Horizontal				
4	8560.4500	45.93	-99.04	-53.11	-13.00	40.11	162	2	Horizontal				
5	10272.5400	42.88	-95.63	-52.75	-13.00	39.75	145	266	Horizontal				
6	11984.6300	41.30	-93.86	-52.56	-13.00	39.56	233	272	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily				
1	3424.1800	50.71	-112.08	-61.37	-13.00	48.37	165	15	Vertical				
2	5136.2700	48.70	-107.64	-58.94	-13.00	45.94	145	89	Vertical				
3	6848.3600	48.36	-103.50	-55.14	-13.00	42.14	182	193	Vertical				
4	8560.4500	46.67	-99.04	-52.37	-13.00	39.37	165	7	Vertical				
5	10272.5400	43.05	-95.63	-52.58	-13.00	39.58	135	164	Vertical				
6	11984.6300	40.83	-93.86	-53.03	-13.00	40.03	147	166	Vertical				





Report No.: SEWA2205000015RG02

Rev.:

Page: 86 of 98

Test Band = NSA 13A-n66A_ TM1 Test Channel = Mid

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3454.1800	50.73	-112.05	-61.32	-13.00	48.32	255	346	Horizontal				
2	5181.2700	48.56	-107.58	-59.02	-13.00	46.02	122	144	Horizontal				
3	6908.3600	49.09	-103.34	-54.25	-13.00	41.25	195	1	Horizontal				
4	8635.4500	45.32	-98.91	-53.59	-13.00	40.59	125	285	Horizontal				
5	10362.5400	43.62	-95.45	-51.83	-13.00	38.83	145	6	Horizontal				
6	12089.6300	40.06	-93.59	-53.53	-13.00	40.53	261	239	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3454.1800	51.25	-112.05	-60.80	-13.00	47.80	184	112	Vertical				
2	5181.2700	48.39	-107.58	-59.19	-13.00	46.19	175	210	Vertical				
3	6908.3600	48.58	-103.34	-54.76	-13.00	41.76	126	236	Vertical				
4	8635.4500	45.57	-98.91	-53.34	-13.00	40.34	269	287	Vertical				
5	10362.5400	43.26	-95.45	-52.19	-13.00	39.19	191	287	Vertical				
6	12089.6300	41.17	-93.59	-52.42	-13.00	39.42	145	1	Vertical				





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 87 of 98

Test Band = NSA 13A-n66A_ TM1 Test Channel = High

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3484.1800	50.95	-112.02	-61.07	-13.00	48.07	169	125	Horizontal				
2	5226.2700	48.88	-107.52	-58.64	-13.00	45.64	154	181	Horizontal				
3	6968.3600	47.62	-102.94	-55.32	-13.00	42.32	185	104	Horizontal				
4	8710.4500	45.74	-98.97	-53.23	-13.00	40.23	142	74	Horizontal				
5	10452.5400	42.78	-95.25	-52.47	-13.00	39.47	233	3	Horizontal				
6	12194.6300	40.86	-93.62	-52.76	-13.00	39.76	261	240	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3484.1800	51.65	-112.02	-60.37	-13.00	47.37	214	240	Vertical				
2	5226.2700	48.67	-107.52	-58.85	-13.00	45.85	253	255	Vertical				
3	6968.3600	48.04	-102.94	-54.90	-13.00	41.90	200	330	Vertical				
4	8710.4500	47.57	-98.97	-51.40	-13.00	38.40	211	255	Vertical				
5	10452.5400	43.58	-95.25	-51.67	-13.00	38.67	306	118	Vertical				
6	12194.6300	41.47	-93.62	-52.15	-13.00	39.15	145	104	Vertical				





Report No.: SEWA2205000015RG02

Rev.:

Page: 88 of 98

Test Band = NSA 2A-n66A_ TM1 Test Channel = Low

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3424.1800	50.93	-112.08	-61.15	-13.00	48.15	111	269	Horizontal				
2	5136.2700	48.02	-107.64	-59.62	-13.00	46.62	230	286	Horizontal				
3	6848.3600	49.13	-103.50	-54.37	-13.00	41.37	215	269	Horizontal				
4	8560.4500	45.98	-99.04	-53.06	-13.00	40.06	211	209	Horizontal				
5	10272.5400	43.12	-95.63	-52.51	-13.00	39.51	266	134	Horizontal				
6	11984.6300	40.87	-93.86	-52.99	-13.00	39.99	177	41	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3424.1800	50.93	-112.08	-61.15	-13.00	48.15	162	13	Vertical				
2	5136.2700	49.14	-107.64	-58.50	-13.00	45.50	265	55	Vertical				
3	6848.3600	48.45	-103.50	-55.05	-13.00	42.05	241	26	Vertical				
4	8560.4500	45.62	-99.04	-53.42	-13.00	40.42	284	162	Vertical				
5	10272.5400	42.74	-95.63	-52.89	-13.00	39.89	194	26	Vertical				
6	11984.6300	39.71	-93.86	-54.15	-13.00	41.15	173	162	Vertical				





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 89 of 98

Test Band = NSA 2A-n66A_ TM1 Test Channel = Mid

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3454.1800	52.00	-112.05	-60.05	-13.00	47.05	241	26	Horizontal				
2	5181.2700	48.04	-107.58	-59.54	-13.00	46.54	212	26	Horizontal				
3	6908.3600	47.88	-103.34	-55.46	-13.00	42.46	236	330	Horizontal				
4	8635.4500	46.97	-98.91	-51.94	-13.00	38.94	254	144	Horizontal				
5	10362.5400	42.43	-95.45	-53.02	-13.00	40.02	285	150	Horizontal				
6	12089.6300	41.06	-93.59	-52.53	-13.00	39.53	126	104	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3454.1800	50.07	-112.05	-61.98	-13.00	48.98	148	330	Vertical				
2	5181.2700	49.67	-107.58	-57.91	-13.00	44.91	255	6	Vertical				
3	6908.3600	48.30	-103.34	-55.04	-13.00	42.04	142	73	Vertical				
4	8635.4500	46.65	-98.91	-52.26	-13.00	39.26	223	104	Vertical				
5	10362.5400	43.09	-95.45	-52.36	-13.00	39.36	269	42	Vertical				
6	12089.6300	40.65	-93.59	-52.94	-13.00	39.94	285	330	Vertical				





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 90 of 98

Test Band = NSA 2A-n66A_ TM1 Test Channel = High

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3484.1800	51.24	-112.02	-60.78	-13.00	47.78	126	287	Horizontal				
2	5226.2700	48.58	-107.52	-58.94	-13.00	45.94	235	164	Horizontal				
3	6968.3600	47.76	-102.94	-55.18	-13.00	42.18	142	240	Horizontal				
4	8710.4500	47.33	-98.97	-51.64	-13.00	38.64	169	1	Horizontal				
5	10452.5400	42.55	-95.25	-52.70	-13.00	39.70	195	104	Horizontal				
6	12194.6300	40.86	-93.62	-52.76	-13.00	39.76	148	8	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3484.1800	51.39	-112.02	-60.63	-13.00	47.63	185	254	Vertical				
2	5226.2700	49.85	-107.52	-57.67	-13.00	44.67	164	209	Vertical				
3	6968.3600	48.69	-102.94	-54.25	-13.00	41.25	175	68	Vertical				
4	8710.4500	47.42	-98.97	-51.55	-13.00	38.55	148	68	Vertical				
5	10452.5400	45.33	-95.25	-49.92	-13.00	36.92	192	162	Vertical				
6	12194.6300	42.39	-93.62	-51.23	-13.00	38.23	154	5	Vertical				





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 91 of 98

Test Band = NSA 5A-n66A_ TM1 Test Channel = Low

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3424.1800	51.15	-112.08	-60.93	-13.00	47.93	166	117	Horizontal				
2	5136.2700	48.66	-107.64	-58.98	-13.00	45.98	154	1	Horizontal				
3	6848.3600	49.70	-103.50	-53.80	-13.00	40.80	185	194	Horizontal				
4	8560.4500	46.55	-99.04	-52.49	-13.00	39.49	146	103	Horizontal				
5	10272.5400	44.14	-95.63	-51.49	-13.00	38.49	192	163	Horizontal				
6	11984.6300	42.86	-93.86	-51.00	-13.00	38.00	170	331	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3424.1800	51.37	-112.08	-60.71	-13.00	47.71	169	356	Vertical				
2	5136.2700	49.02	-107.64	-58.62	-13.00	45.62	145	316	Vertical				
3	6848.3600	48.71	-103.50	-54.79	-13.00	41.79	185	125	Vertical				
4	8560.4500	46.78	-99.04	-52.26	-13.00	39.26	146	118	Vertical				
5	10272.5400	43.17	-95.63	-52.46	-13.00	39.46	192	211	Vertical				
6	11984.6300	40.71	-93.86	-53.15	-13.00	40.15	177	71	Vertical				





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 92 of 98

Test Band = NSA 5A-n66A_ TM1 Test Channel = Mid

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3454.1800	50.71	-112.05	-61.34	-13.00	48.34	251	89	Horizontal				
2	5181.2700	48.37	-107.58	-59.21	-13.00	46.21	148	356	Horizontal				
3	6908.3600	49.45	-103.34	-53.89	-13.00	40.89	196	270	Horizontal				
4	8635.4500	47.91	-98.91	-51.00	-13.00	38.00	265	330	Horizontal				
5	10362.5400	42.89	-95.45	-52.56	-13.00	39.56	148	1	Horizontal				
6	12089.6300	40.98	-93.59	-52.61	-13.00	39.61	172	103	Horizontal				

Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3454.1800	51.23	-112.05	-60.82	-13.00	47.82	145	120	Vertical			
2	5181.2700	48.80	-107.58	-58.78	-13.00	45.78	195	357	Vertical			
3	6908.3600	48.38	-103.34	-54.96	-13.00	41.96	184	196	Vertical			
4	8635.4500	46.59	-98.91	-52.32	-13.00	39.32	175	165	Vertical			
5	10362.5400	42.70	-95.45	-52.75	-13.00	39.75	236	272	Vertical			
6	12089.6300	41.47	-93.59	-52.12	-13.00	39.12	156	213	Vertical			





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 93 of 98

Test Band = NSA 5A-n66A_ TM1 Test Channel = High

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3484.1800	51.48	-112.02	-60.54	-13.00	47.54	199	227	Horizontal				
2	5226.2700	48.59	-107.52	-58.93	-13.00	45.93	154	356	Horizontal				
3	6968.3600	47.19	-102.94	-55.75	-13.00	42.75	178	43	Horizontal				
4	8710.4500	45.89	-98.97	-53.08	-13.00	40.08	196	210	Horizontal				
5	10452.5400	42.52	-95.25	-52.73	-13.00	39.73	162	300	Horizontal				
6	12194.6300	40.06	-93.62	-53.56	-13.00	40.56	142	179	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3484.1800	50.77	-112.02	-61.25	-13.00	48.25	169	165	Vertical				
2	5226.2700	50.60	-107.52	-56.92	-13.00	43.92	194	302	Vertical				
3	6968.3600	48.13	-102.94	-54.81	-13.00	41.81	175	317	Vertical				
4	8710.4500	46.08	-98.97	-52.89	-13.00	39.89	155	197	Vertical				
5	10452.5400	41.44	-95.25	-53.81	-13.00	40.81	184	302	Vertical				
6	12194.6300	40.87	-93.62	-52.75	-13.00	39.75	139	3	Vertical				





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 94 of 98

Test Band = NSA 12A-n66A_ TM1 Test Channel = Low

Final	Final Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovity			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3424.1800	51.15	-112.08	-60.93	-13.00	47.93	154	16	Horizontal			
2	5136.2700	48.16	-107.64	-59.48	-13.00	46.48	165	166	Horizontal			
3	6848.3600	47.41	-103.50	-56.09	-13.00	43.09	195	269	Horizontal			
4	8560.4500	45.29	-99.04	-53.75	-13.00	40.75	148	74	Horizontal			
5	10272.5400	42.43	-95.63	-53.20	-13.00	40.20	172	285	Horizontal			
6	11984.6300	38.71	-93.86	-55.15	-13.00	42.15	230	44	Horizontal			

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3424.1800	49.98	-112.08	-62.10	-13.00	49.10	269	347	Vertical			
2	5136.2700	48.70	-107.64	-58.94	-13.00	45.94	184	257	Vertical			
3	6848.3600	48.37	-103.50	-55.13	-13.00	42.13	172	180	Vertical			
4	8560.4500	45.31	-99.04	-53.73	-13.00	40.73	251	257	Vertical			
5	10272.5400	42.05	-95.63	-53.58	-13.00	40.58	299	317	Vertical			
6	11984.6300	39.22	-93.86	-54.64	-13.00	41.64	142	243	Vertical			





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 95 of 98

Test Band = NSA 12A-n66A_ TM1 Test Channel = Mid

Final	Final Data List										
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevity		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3454.1800	49.48	-112.05	-62.57	-13.00	49.57	154	312	Horizontal		
2	5181.2700	49.02	-107.58	-58.56	-13.00	45.56	126	117	Horizontal		
3	6908.3600	47.32	-103.34	-56.02	-13.00	43.02	194	132	Horizontal		
4	8635.4500	44.89	-98.91	-54.02	-13.00	41.02	175	283	Horizontal		
5	10362.5400	42.64	-95.45	-52.81	-13.00	39.81	182	1	Horizontal		
6	12089.6300	41.18	-93.59	-52.41	-13.00	39.41	133	1	Horizontal		

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3454.1800	50.52	-112.05	-61.53	-13.00	48.53	145	43	Vertical			
2	5181.2700	48.71	-107.58	-58.87	-13.00	45.87	185	102	Vertical			
3	6908.3600	48.09	-103.34	-55.25	-13.00	42.25	196	356	Vertical			
4	8635.4500	45.77	-98.91	-53.14	-13.00	40.14	142	299	Vertical			
5	10362.5400	41.98	-95.45	-53.47	-13.00	40.47	185	154	Vertical			
6	12089.6300	40.13	-93.59	-53.46	-13.00	40.46	133	89	Vertical			





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 96 of 98

Test Band = NSA 12A-n66A_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3484.1800	50.91	-112.02	-61.11	-13.00	48.11	158	42	Horizontal		
2	5226.2700	48.30	-107.52	-59.22	-13.00	46.22	148	330	Horizontal		
3	6968.3600	48.92	-102.94	-54.02	-13.00	41.02	195	285	Horizontal		
4	8710.4500	45.05	-98.97	-53.92	-13.00	40.92	146	356	Horizontal		
5	10452.5400	42.13	-95.25	-53.12	-13.00	40.12	176	237	Horizontal		
6	12194.6300	40.15	-93.62	-53.47	-13.00	40.47	266	6	Horizontal		

Final	Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3484.1800	50.09	-112.02	-61.93	-13.00	48.93	155	356	Vertical		
2	5226.2700	48.84	-107.52	-58.68	-13.00	45.68	145	6	Vertical		
3	6968.3600	47.41	-102.94	-55.53	-13.00	42.53	169	41	Vertical		
4	8710.4500	45.99	-98.97	-52.98	-13.00	39.98	195	1	Vertical		
5	10452.5400	41.36	-95.25	-53.89	-13.00	40.89	148	144	Vertical		
6	12194.6300	39.23	-93.62	-54.39	-13.00	41.39	172	272	Vertical		

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading Level($dB\mu V$) + Factor(dB):

Factor = AF(dB/m) + Cable Factor(dB) - Preamplifier gain(dB)

AF = Antenna Factor(dB/m)

Margin = Limit(dBm) - Level(dBm)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000



Report No.: SEWA2205000015RG02

Rev.: 01

Page: 97 of 98

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

	requests, and terretage												
	Voltage												
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict			
N66	15	40	DFT-PI2BPSK	М	Outer_Full	VH	NT	5.800000	0.003324	PASS			
N66	15	40	DFT-PI2BPSK	М	Outer_Full	VN	NT	6.500000	0.003725	PASS			
N66	15	40	DFT-PI2BPSK	М	Outer_Full	VL	NT	7.600000	0.004355	PASS			
N66	15	40	CP-QPSK	М	Outer_Full	VH	NT	9.100000	0.005215	PASS			
N66	15	40	CP-QPSK	М	Outer_Full	VN	NT	7.600000	0.004355	PASS			
N66	15	40	CP-QPSK	М	Outer_Full	VL	NT	7.600000	0.004355	PASS			





Report No.: SEWA2205000015RG02

Rev.: 01

Page: 98 of 98

Frequency Error VS. Temperature

					Voltag	ge				
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N66	15	40	DFT-PI2BPSK	М	Outer_Full	NV	-30	13.000000	0.007450	PASS
N66	15	40	DFT-PI2BPSK	М	Outer_Full	NV	-20	7.700000	0.004413	PASS
N66	15	40	DFT-PI2BPSK	М	Outer_Full	NV	-10	6.300000	0.003610	PASS
N66	15	40	DFT-PI2BPSK	М	Outer_Full	NV	0	7.400000	0.004241	PASS
N66	15	40	DFT-PI2BPSK	М	Outer_Full	NV	10	5.900000	0.003381	PASS
N66	15	40	DFT-PI2BPSK	М	Outer_Full	NV	20	12.400000	0.007106	PASS
N66	15	40	DFT-PI2BPSK	М	Outer_Full	NV	30	11.100000	0.006361	PASS
N66	15	40	DFT-PI2BPSK	М	Outer_Full	NV	40	6.100000	0.003496	PASS
N66	15	40	DFT-PI2BPSK	М	Outer_Full	NV	50	7.200000	0.004126	PASS
N66	15	40	CP-QPSK	М	Outer_Full	NV	-30	5.800000	0.003324	PASS
N66	15	40	CP-QPSK	М	Outer_Full	NV	-20	10.300000	0.005903	PASS
N66	15	40	CP-QPSK	М	Outer_Full	NV	-10	10.200000	0.005845	PASS
N66	15	40	CP-QPSK	М	Outer_Full	NV	0	6.200000	0.003553	PASS
N66	15	40	CP-QPSK	М	Outer_Full	NV	10	12.000000	0.006877	PASS
N66	15	40	CP-QPSK	М	Outer_Full	NV	20	8.600000	0.004928	PASS
N66	15	40	CP-QPSK	М	Outer_Full	NV	30	10.900000	0.006246	PASS
N66	15	40	CP-QPSK	М	Outer_Full	NV	40	12.000000	0.006877	PASS
N66	15	40	CP-QPSK	М	Outer_Full	NV	50	13.500000	0.007736	PASS

The End

