


**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,694.100	100.98			17.07	V	212.3	1.0
10	5,725.000	58.88	68.2	9.32	17.35	V	157.4	2.0
10	5,726.275	61.63	68.2	6.57	17.35	V	159.8	1.0

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5700MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 144	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,716.500	93.41			17.27	H	1.0	1.0
9	5,850.000	52.54	68.2	15.66	15.67	H	192.0	1.0
9	5,897.000	54.42	68.2	13.78	16.05	H	218.2	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,718.000	100.85			17.29	V	44.9	1.0
9	5,850.000	52.63	68.2	15.57	15.67	V	168.2	2.0
9	5,879.000	54.48	68.2	13.72	15.9	V	355.5	2.0



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5720MHz: Fundamental frequency.
3. #: Out of restricted band.

**802.11ac (40MHz)**

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,445.000	53.2	74.0	20.8	14.99	H	225.4	1.0
5	5,460.000	52.58	74.0	21.42	15.23	H	59.4	1.0
5	5,507.500	91.73			15.96	H	199.7	1.0



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,448.500	38.54	54.0	15.46	15.05	H	208.7	1.0
5	5,460.000	38.5	54.0	15.5	15.23	H	208.7	1.0
5	5,507.500	75.79			15.96	H	183.1	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,444.500	53.88	74.0	20.12	14.99	V	306.6	2.0
5	5,460.000	52.61	74.0	21.39	15.23	V	79.8	1.0
5	5,508.000	96.84			15.97	V	54.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,448.000	38.7	54.0	15.3	15.04	V	79.1	1.0
5	5,460.000	38.7	54.0	15.3	15.23	V	79.1	1.0
5	5,507.500	81.81			15.96	V	52.2	1.0



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5510MHz: Fundamental frequency.
- #: Out of restricted band.



CHANNEL	TX Channel 110	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,448.850	53.26	74.0	20.74	15.05	H	263	2.0
6	5,460.000	52.33	74.0	21.67	15.22	H	1	1.0
6	5,552.163	92.44			16.08	H	220	1.0



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,448.488	38.54	54.0	15.46	15.05	H	27.2	1.0
6	5,460.000	38.37	54.0	15.63	15.22	H	233.8	1.0
6	5,552.163	76.48			16.08	H	181.8	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,444.500	53.88	74.0	20.12	14.99	V	306.6	2.0
5	5,460.000	52.61	74.0	21.39	15.23	V	79.8	1.0
5	5,508.000	96.84			15.97	V	54.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,448.000	38.7	54.0	15.3	15.04	V	79.1	1.0
5	5,460.000	38.7	54.0	15.3	15.23	V	79.1	1.0
5	5,507.500	81.81			15.96	V	52.2	1.0



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,667.000	90.1			16.79	H	321.0	1.0
8	5,725.000	54.88	68.2	13.32	17.34	H	185.4	1.0
8	5,730.000	55.89	68.2	12.31	17.39	H	1.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,666.500	96.92			16.79	V	55.2	1.0
8	5,725.000	58.24	68.2	9.96	17.34	V	229.0	1.0
8	5,731.000	59.37	68.2	8.83	17.39	V	202.6	2.0



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5670MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 142	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,710.800	91.23			17.23	H	359.1	1.0
9	5,850.000	52.78	68.2	15.42	15.67	H	120.9	2.0
9	5,893.400	59.95	68.2	8.25	16.02	H	27.8	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,713.367	97.95			17.25	V	206.9	1.0
9	5,850.000	54.2	68.2	14.0	15.67	V	295.3	2.0
9	5,896.700	55.48	68.2	12.72	16.05	V	354.3	2.0

**REMARKS:**


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5710MHz: Fundamental frequency.
- #: Out of restricted band.

**802.11ac (80MHz)**

CHANNEL	TX Channel 106	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,406.350	53.15	74.0	20.85	14.39	H	5.0	1.0
2	5,460.000	53.29	74.0	20.71	15.2	H	154.9	1.0
2	5,521.350	87.27			16.03	H	211.0	1.0




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,448.900	38.65	54.0	15.35	15.06	H	341.3	1.0
2	5,460.000	38.48	54.0	15.52	15.22	H	43.8	2.0
2	5,534.767	74.77			16.05	H	171.7	1.0




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,354.600	58.69	74.0	15.31	14.28	V	1.0	1.0
2	5,460.000	52.93	74.0	21.07	15.22	V	1.0	1.0
2	5,509.083	95.25			15.99	V	47.2	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,448.900	39.26	54.0	14.74	15.06	V	48.6	1.0
2	5,460.000	39.12	54.0	14.88	15.21	V	48.6	1.0
2	5,535.150	77.2			16.05	V	48.6	1.0

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5530MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 122	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,606.075	90.03			16.26	H	197.8	1.0
3	5,725.000	54.35	68.2	13.85	17.35	H	197.8	1.0
3	5,731.950	55.4	68.2	12.8	17.39	H	1.0	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,645.025	91.41			16.57	V	172.9	1.0
3	5,725.000	55.49	68.2	12.71	17.35	V	355.5	2.0
3	5,730.050	56.66	68.2	11.54	17.39	V	61.7	2.0

**REMARKS:**


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5610MHz: Fundamental frequency.
- #: Out of restricted band.



CHANNEL	TX Channel 138	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,692.867	88.37			17.06	H	263.7	2.0
4	5,850.000	53.53	68.2	14.67	15.67	H	4.5	1.0
4	5,885.267	54.03	68.2	14.17	15.95	H	214.7	2.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,682.900	95.93			16.96	V	178.8	1.0
4	5,850.000	54.25	68.2	13.95	15.67	V	114.3	2.0
4	5,895.667	55.32	68.2	12.88	16.04	V	354.2	1.0

**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5690MHz: Fundamental frequency.
- #: Out of restricted band.




Band 4:

802.11a

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,616.875	54.1	68.2	14.1	16.29	H	223.0	1.0
12	5,743.125	99.77			17.2	H	89.2	1.0
13	5,968.875	54.34	68.2	13.86	16.43	H	359.1	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,641.563	54.5	68.2	13.7	16.53	V	355.7	1.0
12	5,743.130	104.02			17.2	V	1.0	1.0
13	5,945.250	55.06	68.2	13.14	16.34	V	359.1	1.0

**REMARKS:**


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5745MHz: Fundamental frequency.



CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.563	55.0	68.2	13.2	16.58	H	358.9	1.0
12	5,786.250	98.05			16.57	H	304.4	1.0
13	5,946.750	54.47	68.2	13.73	16.35	H	359.0	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,607.500	54.52	68.2	13.68	16.26	V	230.2	1.0
12	5,783.438	102.47			16.61	V	1.0	1.0
13	5,962.875	54.47	68.2	13.73	16.45	V	1.0	1.0

**REMARKS:**


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5785MHz: Fundamental frequency.



CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,608.125	54.46	68.2	13.74	16.26	H	359.0	2.0
12	5,825.000	95.63			15.97	H	1.0	1.0
13	5,949.375	54.78	68.2	13.42	16.37	H	181.3	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,600.313	62.38	68.2	5.82	16.24	V	1.0	1.0
12	5,825.313	100.77			15.97	V	359.1	1.0
13	5,926.875	55.01	68.2	13.19	16.23	V	1.0	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5825MHz: Fundamental frequency.




802.11n (20MHz)

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,632.813	55.29	68.2	12.91	16.44	H	4.2	2.0
12	5,742.188	96.54			17.22	H	88.0	1.0
13	5,954.250	55.76	68.2	12.44	16.4	H	318.7	1.0



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,631.563	54.27	68.2	13.93	16.42	V	134.6	2.0
12	5,743.438	101.1			17.2	V	359.0	1.0
13	5,926.875	54.85	68.2	13.35	16.23	V	178.9	1.0

**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5745MHz: Fundamental frequency.